Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 3326, Task ID: 813

Task ID: 813 Risk Level: 10

Date Processed: 2016-05-18 10:41:10 (UTC)

Processing Time: 9.5 seconds Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\6f21fb21650da014d87426fa0bd8e7f2.exe"

Sample ID: Type: basic Owner: admin

6f21fb21650da014d87426fa0bd8e7f2 Label:

2016-05-18 10:30:51 (UTC) Date Added:

PE32:win32:gui File Type: File Size: 177664 bytes

6f21fb21650da014d87426fa0bd8e7f2 MD5:

34f1a3cc2318939b243bfc434f9ecfa721574ded9a3958a970d0b817d536885f SHA256:

Description: None

Pattern Matching Results

3 Long sleep detected

Checks task list from command line

10 Creates malicious events: Beebone [Trojan]

4 Terminates process under Windows subfolder

Static Events

Anomaly: PE: Contains a virtual section

Process/Thread Events

C:\windows\temp\6f21fb21650da014d87426fa0bd8e7f2.exe Creates process:

["C:\windows\temp\6f21fb21650da014d87426fa0bd8e7f2.exe"]

C:\Windows\System32\cmd.exe ["C:\Windows\System32\cmd.exe" /c Creates process:

tasklist&&del 6f21fb21650da014d87426fa0bd8e7f2.exe]

Creates process: C:\Windows\system32\tasklist.exe [tasklist]

Terminates process: C:\Windows\Temp\6f21fb21650da014d87426fa0bd8e7f2.exe

Terminates process: C:\Windows\System32\tasklist.exe Terminates process: C:\Windows\System32\cmd.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet

files!content.ie5!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

\Sessions\1\BaseNamedObjects\WininetStartupMutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex Creates mutex:

\Sessions\1\BaseNamedObjects\RasPbFile Creates mutex:

\Sessions\1\BaseNamedObjects\ZonesCounterMutex Creates mutex: Creates mutex:

\Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

\Sessions\1\BaseNamedObjects\!IETld!Mutex Creates mutex: \KernelObjects\MaximumCommitCondition Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED Creates event:

\BaseNamedObjects\SvcctrlStartEvent_A3752DX Creates event: \BaseNamedObjects\BFE_Notify_Event_{672d3eb5-cfbb-46b6-92a9-Creates event:

ff9511222cc7}

\BaseNamedObjects\ConsoleEvent-0x00000ADC Creates event: Creates event: \BaseNamedObjects\TermSrvReadyEvent

\Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP? Creates semaphore:

6F21FB21650DA014D87426FA0BD8E7F2.EXE

File System Events

Creates: C:\Users\Admin

C:\Users\Admin\AppData\Local Creates

C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files Creates:

Creates: C:\Users\Admin\AppData\Roaming

C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\History Creates: $C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches|$ Creates:

```
Opens:
                         C:\Windows\Prefetch\6F21FB21650DA014D87426FA0BD8E-9A6B5DAF.pf
 Opens:
                         C:\Windows\Svstem32
                         C:\windows\temp\WINMM.DLL
 Opens:
                         C:\Windows\System32\winmm.dll
 Opens:
 Opens:
                         C:\windows\temp\MSVBVM60.DLL
 Opens:
                         C:\Windows\System32\msvbvm60.dll
 Opens:
                         C:\Windows\System32\sechost.dll
 Opens:
                         C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                         C:\Windows\System32\rpcss.dll
                         C:\windows\temp\CRYPTBASE.dll
 Opens:
 Opens:
                         C:\Windows\System32\cryptbase.dll
 Opens:
                         C:\Windows\System32\uxtheme.dll
 Opens:
                         C:\windows\temp\6f21fb21650da014d87426fa0bd8e7f2.exe.cfg
 Opens:
                         C:\windows\temp\SXS.DLL
 Opens:
                         C:\Windows\System32\sxs.dll
 Opens:
                         C:\Windows\System32\C_932.NLS
 Opens:
                         C:\Windows\System32\C_949.NLS
 Opens:
                         C:\Windows\System32\C_950.NLS
 Opens:
                         C:\Windows\System32\C_936.NLS
 Opens:
                         C:\Windows\Fonts\sserife.fon
 Opens:
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
                         C:\Windows\System32\en-US\user32.dll.mui
 Opens:
 Opens:
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
                         C:\Windows\Temp\6f21fb21650da014d87426fa0bd8e7f2.exe
 Opens:
 Opens:
                         C:\windows\temp\SspiCli.dll
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\Windows\System32\wininet.dll
 Opens:
                         C:\windows\temp\6f21fb21650da014d87426fa0bd8e7f2.exe.Local\
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                         C:\Windows\WindowsShell.Manifest
 Opens:
 Opens:
                         C:\windows\temp\profapi.dll
 Opens:
                         C:\Windows\System32\profapi.dll
 Opens:
                         C:\Users\Admin
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\desktop.ini
                         C:\Users\Admin\AppData\Roaming
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\index.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\index.dat
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         C:\windows\temp\dnsapi.DLL
 Opens:
                         C:\Windows\System32\dnsapi.dll
 Opens:
                         C:\windows\temp\iphlpapi.DLL
 Opens:
                         C:\Windows\System32\IPHLPAPI.DLL
 Opens:
                         C:\windows\temp\WINNSI.DLL
 Opens:
                         C:\Windows\System32\winnsi.dll
 Opens:
                         C:\windows\temp\RASAPI32.dll
 Opens:
                         C:\Windows\System32\rasapi32.dll
 Opens:
                         C:\windows\temp\rasman.dll
 Opens:
                         C:\Windows\System32\rasman.dll
 Opens:
                         C:\windows\temp\rtutils.dll
 Opens:
                         C:\Windows\System32\rtutils.dll
 Opens:
                         C:\ProgramData\Microsoft\Network\Connections\Pbk\
 Opens:
                         C:\Windows\System32\ras
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
                         C:\windows\temp\sensapi.dll
 Opens:
 Opens:
                         C:\Windows\System32\SensApi.dll
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\windows\temp\rasadhlp.dll
 Opens:
                         C:\Windows\System32\rasadhlp.dll
 Opens:
                         C:\windows\temp\VERSION.dll
                         C:\Windows\System32\version.dll
 Opens:
 Opens:
                         C:\Windows\System32\en-US\urlmon.dll.mui
```

C:\Windows\System32\NapiNSP.dll Opens: C:\Windows\System32\pnrpnsp.dll Opens: Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\winrnr.dll Opens: C:\Windows\System32\WSHTCPIP.DLL Opens: C:\Windows\System32\wship6.dll Opens: C:\windows\temp\dhcpcsvc6.DLL Opens: C:\Windows\System32\dhcpcsvc6.dll Opens: C:\windows\temp\dhcpcsvc.DLL Opens: C:\Windows\System32\dhcpcsvc.dll Opens: C:\Windows\System32\drivers\etc\hosts Opens: C:\Windows\System32\FWPUCLNT.DLL Opens: C:\Windows\System32\netprofm.dll Opens: C:\windows\temp\CRYPTSP.dll Opens: C:\Windows\System32\cryptsp.dll C:\Windows\System32\rsaenh.dll Opens: Opens: C:\windows\temp\RpcRtRemote.dll Opens: C:\Windows\System32\RpcRtRemote.dll Opens: C:\Windows\System32\npmproxy.dll Opens: C:\windows\temp\PROPSYS.dll Opens: C:\Windows\System32\propsys.dll Opens: C:\Windows\System32\shell32.dll Opens: C:\windows\temp\apphelp.dll Opens: C:\Windows\System32\apphelp.dll Opens: C:\Windows\System32\ieframe.dll Opens: C:\Windows\System32\oleacc.dll Opens: C:\windows\temp\OLEACCRC.DLL Opens: C:\Windows\System32\oleaccrc.dll Opens: C:\Windows\System32\en-US\setupapi.dll.mui Opens: C:\Windows Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db Opens: 4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db Opens: C:\Users\Admin\Desktop\desktop.ini C:\Windows\System32\en-US\propsys.dll.mui Opens: Opens: C:\Windows\System32\cmd.exe Opens: C:\Windows\System32\cmd.exe:Zone.Identifier Opens: C:\Windows\Prefetch\CMD.EXE-4A81B364.pf Opens: C: Opens: C:\Program Files Opens: C:\Program Files\Adobe Opens: C:\Program Files\Adobe\Reader 9.0 Opens: C:\Program Files\Adobe\Reader 9.0\Reader Opens: C:\Windows\Branding Opens: C:\Windows\Branding\Basebrd Opens: C:\Windows\Branding\Basebrd\en-US C:\Windows\Globalization Opens: Opens: C:\Windows\Globalization\Sorting Opens: C:\Windows\System32\en-US C:\Windows\System32\ntdll.dll Opens: Opens: C:\Windows\System32\kernel32.dll Opens: C:\Windows\System32\apisetschema.dll C:\Windows\System32\KernelBase.dll Opens: Opens: C:\Windows\System32\locale.nls Opens: C:\Windows\System32\msvcrt.dll Opens: C:\Windows\System32\winbrand.dll Opens: C:\Windows\System32\user32.dll Opens: C:\Windows\System32\gdi32.dll Opens: C:\Windows\System32\lpk.dll Opens: C:\Windows\System32\usp10.dll Opens: C:\Windows\System32\imm32.dll Opens: C:\Windows\System32\msctf.dll Opens: C:\Windows\System32\en-US\cmd.exe.mui Opens: C:\Windows\Branding\Basebrd\basebrd.dll

Opens:

C:\Windows\Branding\Basebrd\en-US\basebrd.dll.mui Opens: C:\Program Files\Adobe\Reader 9.0\Reader\icucnv36.dll

Opens: C:\Windows\WINHELP.INI C:\Windows\system32\.HLP Opens: Opens: C:\Windows\Help\.HLP

Opens: C:\Windows\System32\tasklist.exe C:\Windows\AppPatch\sysmain.sdb Opens: C:\Windows\system32\ui\SwDRM.dll Opens:

Opens: C:\Windows\Prefetch\TASKLIST.EXE-C6CEE193.pf

Opens: C:\Windows\System32\mpr.dll Opens: C:\Windows\System32\secur32.dll Opens: C:\Windows\System32\framedynos.dll Opens: C:\Windows\System32\wtsapi32.dll Opens: C:\Windows\System32\netapi32.dll Opens: C:\Windows\System32\netutils.dll Opens: C:\Windows\System32\srvcli.dll Opens: C:\Windows\System32\wkscli.dll Opens: C:\Windows\System32\dbghelp.dll

Opens: C:\Windows\System32\en-US\tasklist.exe.mui Opens: C:\Windows\System32\en-US\KernelBase.dll.mui

Opens: C:\Windows\System32\wbem\wbemprox.dll C:\Windows\system32\wbem\wbemcomn.dll Opens: Opens: C:\Windows\System32\wbemcomn.dll Opens: C:\Windows\System32\wbem\Logs Opens: C:\Windows\System32\winsta.dll Opens: C:\Windows\System32\wbem\wbemsvc.dll Opens: C:\Windows\Svstem32\wbem\fastprox.dll Opens: C:\Windows\system32\wbem\NTDSAPI.dll Opens: C:\Windows\System32\ntdsapi.dll Opens: C:\Windows\System32\wbem\wmiutils.dll

Opens: C:\Windows\System32\wbem\en-US\wmiutils.dll.mui

Opens: C:\Windows\system32\6f21fb21650da014d87426fa0bd8e7f2.exe

Reads from: C:\Windows\Fonts\StaticCache.dat

Reads from: C:\Windows\Temp\6f21fb21650da014d87426fa0bd8e7f2.exe

Reads from: C:\Windows\System32\drivers\etc\hosts
Reads from: C:\Users\Admin\Desktop\desktop.ini
Reads from: C:\Windows\Prefetch\CMD.EXE-4A81B364.pf

Reads from: C:\Windows\System32\tasklist.exe

Network Events

DNS query: 80170.z0dns.com

DNS query: wpad

 Sends data to:
 8.8.8.8:53

 Sends data to:
 0.0.0.0:5355

 Sends data to:
 224.0.0.252:5355

 Receives data from:
 8.8.8.8:53

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates key:

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 6f21fb21650da014d87426fa0bd8e7f2_rasapi32$

Creates key:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2 rasmancs

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\connections

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters

Creates key: HKCU\software\microsoft\windows nt\currentversion\network\location

awareness

Creates key: HKLM\software\microsoft\wbem\cimom

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]

settings[autoconfigurl]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

 $\verb|settings|zonemap[proxybypass]|\\$

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

 $\label{lem:continuous} Opens key: $$ HKLM\software\policies\microsoft\windows\safer\codeidentifiers $$ Opens key: $$ HKCU\software\policies\microsoft\windows\safer\codeidentifiers $$ Opens key: $$ HKCU\software\policies\microsoft\windows\safer\codeidentifiers $$ Opens key: $$ Ope$

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole
Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

```
options
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\dllnxoptions
                         HKLM\system\currentcontrolset\control\nls\customlocale
 Opens key:
 Opens key:
                         HKLM\svstem\currentcontrolset\control\nls\extendedlocale
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\locale
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
                         HKLM\system\currentcontrolset\control\nls\language groups
 Opens key:
 Opens key:
                         HKLM\software\microsoft\windows\windows error reporting\wmr
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\codepage
 Opens key:
                         HKLM\software\microsoft\vba\monitors
```

Opens key: HKCU\software\classes\

Opens key: HKLM\software\microsoft\com3

HKCU\software\classes\clsid\{85847f48-d652-4fd3-9cd1-3ddafdba1a15} Opens key:

Opens key: HKCR\clsid\{85847f48-d652-4fd3-9cd1-3ddafdba1a15}

HKCU\software\classes\clsid\{a450fe5b-6ab7-4a3c-9cf3-3cee05d360c1} Opens key:

HKCR\clsid\{a450fe5b-6ab7-4a3c-9cf3-3cee05d360c1} Opens kev:

Opens key: HKCU\software\classes\clsid\{56d37229-f433-4eef-a6a7-b69dd0e003a3}

Opens key: HKCR\clsid\{56d37229-f433-4eef-a6a7-b69dd0e003a3}

 $\label{local-optimization} \mbox{HKCU\software\classes\clsid\{0.74c6e97-3f4e-4659-9428-62a3d81a47c1\}}} \\$ Opens key:

Opens key: HKCR\clsid\{074c6e97-3f4e-4659-9428-62a3d81a47c1}

Opens key: HKCU\software\classes\clsid\{98e514e2-7646-40b7-9b56-9292aacf45cb}

HKCR\clsid\{98e514e2-7646-40b7-9b56-9292aacf45cb} Opens kev:

Opens key: HKCU\software\classes\clsid\{1ec267b1-9ab3-4fd2-840e-ec868c13387b}

Opens key: HKCR\clsid\{1ec267b1-9ab3-4fd2-840e-ec868c13387b}

Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{f3aaac74-c3f9-4f8e-a603-5e1ca200bf54\}$

Opens key: HKCR\clsid\{f3aaac74-c3f9-4f8e-a603-5e1ca200bf54} Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key:

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

HKLM\software\microsoft\windows Opens key:

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: HKLM\system\currentcontrolset\services\disk\enum

Opens key: HKLM\software\microsoft\rpc

Opens key:

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows Opens key: HKLM\system\currentcontrolset\services\crypt32

HKLM\software\microsoft\windows\currentversion\internet settings Opens key: Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings Opens key:

HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev:

settings

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings

Opens key: HKLM\software\policies HKCU\software\policies Opens key:

Opens key: HKCU\software Opens kev: HKLM\software

HKLM\software\policies\microsoft\internet explorer Opens key: Opens key: HKLM\software\policies\microsoft\internet explorer\main

Opens key: HKLM\software\policies\microsoft\internet explorer\main\featurecontrol HKCU\software\policies\microsoft\internet explorer\main\featurecontrol Opens key:

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache

HKCU\software\microsoft\windows\currentversion\internet Opens kev:

settings\5.0\cache

HKCU\software\microsoft\windows\currentversion\internet Opens kev:

settings\5.0\cache\content

HKLM\software\microsoft\windows\currentversion\internet Opens key:

settings\5.0\cache\content

Opens kev:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions$

ba85-6007caedcf9d}

Opens key:

ba85-6007caedcf9d}\propertybag

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer$ Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $\label{thm:local_hammon} HKCU \software \microsoft \windows \current version \explorer \session in folders \cite{thm:local_hammon_ham$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: 9d55-7b8e7f157091} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\propertybag Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173} Opens key: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$ 9afe-ea3317b67173}\propertybag HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-Opens key: 2160590473-689474908-1361669368-1002 Opens key: HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\cookies HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\cookies Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6} Opens key: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2b0f765d-c0e9-4171-descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `explorer \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explor$ 908e-08a611b84ff6}\propertybag Opens kev: a03a-e3ef65729f3d} Opens key: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer \ 'folder descriptions' \ 'explorer \ 'folder \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'exp$ a03a-e3ef65729f3d}\propertybag Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\history HKLM\software\microsoft\windows\currentversion\internet Opens kev: settings\5.0\cache\history Opens key: a781-5a1130a75963} Opens key: $HKLM \setminus software \setminus irrosoft \setminus ir$ a781-5a1130a75963}\propertybag HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\5.0\cache\extensible cache HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\domstore HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\5.0\cache\extensible cache\feedplat Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\iecompat Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\ietld HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\5.0\cache\extensible cache\privacie: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_bufferbreaking_818408 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature bufferbreaking 818408 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\5.0\cache Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\5.0\cache Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289 Opens key: HKLM\software\microsoft\internet $\verb|explorer'| main feature control feature_fix_chunked_proxy_script_download_kb843289| fixed control feature_fix_chunked_fix_chunke$ Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149 Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266

HKLM\software\microsoft\internet

```
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
                               HKCU\software\microsoft\internet
  Opens kev:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
  Opens key:
                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
                               HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_allow_long_international_filenames
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature disable unicode handle closing callback
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                               HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                               HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
                               HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
  Opens key:
                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
                               HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
  Opens key:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
                               HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
                               HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature security flag ignore revocation kb2275828
  Opens key:
                               HKLM\system\currentcontrolset\control\lsa\accessproviders
  Opens key:
                                HKLM\system\currentcontrolset\services\ldap
  Opens key:
                                HKLM\system\currentcontrolset\services\winsock2\parameters
  Opens key:
                               HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
  Opens key:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus appid\_catalog \setminus 3b74704e
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001
  Opens kev:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000005
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
  Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
  Opens key:
Opens kev:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000014) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
```

Opens kev: Opens kev: Opens kev: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ (catalog_entries \ 0000000000017) \ (catalog_entries \ (catalog \ (catalog_entries \ (catalog \ (cata$ Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001 Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000003 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\wpad Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615 HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_http_username_password_disable Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_http_username_password_disable HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32 Opens kev: HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist HKLM\software\microsoft\samclient\windows\disabledprocesses\ Opens key: Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\ Opens key: HKU\ HKLM\system\currentcontrolset\control\sqmservicelist Opens key: Opens key: HKCU\software\classes\autoproxytypes Opens key: HKCR\autoproxytypes $\label{lem:hkcu} \verb+KCU\software\classes\autoproxytypes\application/x-internet-signup$ Opens key: Opens key: HKCR\autoproxytypes\application/x-internet-signup Opens key: HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig HKCR\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient Opens key: HKLM\system\currentcontrolset\services\dns Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens kev: HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature include port in spn kb908209 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_include_port_in_spn_kb908209 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_mime_handling HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_mime_handling HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\ Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zonemap\domains\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zonemap\domains\ Opens key: $\label{lem:hklmsoftware policies microsoft windows \current version \cite{thmsoftware} in the lemma of the$ settings\zonemap\ranges\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

Opens key: HKCU\software\microsoft\windows\currentversion\internet

```
settings\zonemap\
  Opens key:
                                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
                                       HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
  Opens key:
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zonemap
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
  Opens key:
                                       \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\zonemap\protocoldefaults\
                                       HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\domains\
  Opens key:
                                       HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                       HKLM\software\policies\microsoft\internet explorer\security
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
  Opens kev:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
  Opens key:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\0
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\1
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
                                       HKLM\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\zonemap\
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\2
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\zones\3
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\3
  Opens key:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\4
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\zones\4
                                       HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature localmachine lockdown
  Opens key:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                       HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Opens key:
settings\lockdown zones\0
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
  Opens key:
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\1
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\2
  Opens key:
                                       \label{lem:hklmsoftware policies microsoft windows \current version \cite{thmsoftware} in the lemma of the 
settings\lockdown_zones\2
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\3
  Opens key:
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
```

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}$

settings\lockdown_zones\3

```
settings\lockdown_zones\3
                       HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\4
                       HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\4
 Opens key:
                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
 Opens key:
                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
                      HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
 Opens key:
                       HKCU\software\microsoft\internet explorer\ietld
 Opens kev:
                       HKLM\software\policies\microsoft\svstem\dnsclient
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                       HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
                       \label{lem:hklm} \verb+Kklm \+ system \+ current control set \+ services \+ psched \+ parameters \+ winsock
 Opens key:
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
 Opens key:
                       HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
                       HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
 Opens key:
 Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
                       Opens key:
 Opens key:
c19ce8a73253}
 Opens kev:
806e6f6e6963}
 Opens key:
806e6f6e6963}
 Opens key:
1709a0196aed}
 Opens key:
a68f334c8d34}
 Opens kev:
                       HKLM\system\currentcontrolset\services\tcpip\linkage
                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{dcb00c01-570f-4a9b-8d69-199fdba5723b\}
 Opens key:
 Opens key:
                       HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
 Opens key:
                       HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\treatas
                       HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
 Opens key:
 Opens key:
                       HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\progid
                       HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
 Opens key:
                       HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
 Opens key:
199fdba5723b}\inprocserver32
 Opens key:
                       HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprocserver32
 Opens key:
                       HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler32
                       HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler32
 Opens key:
 Opens key:
                       HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler
 Opens key:
                       HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler
 Opens key:
                       HKLM\software\microsoft\rpc\extensions
                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2 - c419 - 11d9 - a5b4 - 001185ad2b89\}
 Opens key:
 Opens key:
                       HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
 Opens key:
                       HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\treatas
                       HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas
 Opens kev:
 Opens key:
                       HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\progid
 Opens key:
                       HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid
                       HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
 Opens kev:
001185ad2b89}\inprocserver32
                       HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32
 Opens kev:
 Opens key:
                       HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprochandler32
```

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32

Opens key: $\label{lem:hkculsoftware\classes\clsid} A47979d2-c419-11d9-a5b4-001185ad2b89\nprochandler$

```
HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\} \ in prochandler
  Opens key:
                                           HKCU\software\classes\appid\6f21fb21650da014d87426fa0bd8e7f2.exe
  Opens key:
                                           HKCR\appid\6f21fb21650da014d87426fa0bd8e7f2.exe
  Opens kev:
  Opens key:
                                           HKLM\software\microsoft\ole\appcompat
  Opens key:
                                           HKLM\system\currentcontrolset\control\lsa
  Opens key:
                                           HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider
                                           HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy
  Opens key:
  Opens key:
HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
  Opens kev:
                                           HKLM\software\policies\microsoft\cryptography
  Opens key:
                                           HKLM\software\microsoft\cryptography
  Opens key:
                                           HKLM\software\microsoft\cryptography\offload
                                           HKCU\software\classes\interface\{00000134-0000-0000-c000-00000000046}
  Opens key:
  Opens key:
                                           HKCR\interface\{00000134-0000-0000-c000-00000000046}
                                           HKCU\software\classes\interface\{00000134-0000-0000-c000-
  Opens key:
000000000046}\proxystubclsid32
  Opens key:
                                           HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32
  Opens key:
                                           HKLM\system\currentcontrolset\services\bfe
                                           \label{local-eq:hkcu} \begin{tabular}{ll} HKCU \software \classes \interface \ \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \end{tabular}
  Opens key:
  Opens key:
                                           HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
  Opens key:
                                           HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-
199fdba5723b}\proxystubclsid32
  Opens key:
                                           Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
                                           HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
  Opens key:
  Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\treatas
                                           HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas
  Opens kev:
  Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\progid
                                           HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid
  Opens key:
  Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32
                                           HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32
  Opens key:
  Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprochandler32
                                           HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\ \ \ in prochandler 32
  Opens key:
  Opens key:
                                           HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprochandler
                                           HKCR \ clsid \ \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\} \ \ in prochandler
  Opens key:
  Opens key:
                                           HKCU \setminus software \setminus classes \setminus interface \setminus \{26656eaa - 54eb - 4e6f - 8f85 - 4f0ef901a406\}
  Opens key:
                                           HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
                                           \label{local-eq:hkcu} \begin{tabular}{ll} HKCU \software \classes \interface \classes \clas
  Opens key:
4f0ef901a406}\proxystubclsid32
                                           HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32
  Opens key:
  Opens key:
  Opens key:
                                           HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
  Opens key:
                                           HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
6d613e2ceaec}\proxystubclsid32
  Opens kev:
```

HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}

Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-00aa004bb851}

HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851} Opens key: Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-

00aa004bb851}\proxystubclsid32

Opens key: Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{b196b286 - bab4 - 101a - b69c - 00aa00341d07\}$

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07} HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\treatas

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\progid

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\inprocserver32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32

HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\inprochandler32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler Opens key: HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}

Opens key: $HKCR\interface \{ bcd1de7e-2db1-418b-b047-4a74e101f8c1 \}$ HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-Opens kev:

4a74e101f8c1}\proxystubclsid32

Opens key: $HKCR\ interface \\ \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \\ \ proxystubclsid32$

Opens key: HKLM\system\currentcontrolset\services\netbt\linkage

 $HKCU \setminus software \setminus classes \setminus interface \setminus \{2a1c9eb2-df62-4154-b800-63278fcb8037\}$ Opens key:

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037} Opens kev: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-

63278fcb8037}\proxystubclsid32

HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32 Opens key:

HKCU\software\microsoft\windows\currentversion\internet Opens kev:

settings\wpad\{1d6c6058-02ab-4bff-9a33-c2a3a38f55d8}

Opens key:

 $HKLM \ software \ `microsoft \ windows \ current version \ shell compatibility \ applications \ `6f21fb21650 da014 d87426 fa0b d8e7 f2. exemple a support of the compatibility of the compatibility is a support of the compatibility of the c$

HKLM\software\microsoft\windows\currentversion\explorer

Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer HKCU\software\microsoft\windows\currentversion\policies\explorer Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\delegatefolders

Opens kev:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{031e4825-7b94-4dc3-

b131-e946b44c8dd5}

Opens key:

90e6-4acd2e9408fe}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{11016101-e366-4d22-d1016101-e366-d10161001-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101001-e366-d1016101001-e366-d10161001-e366-d1016101-e366-d10161001-e366-d10161001-e366-d10161001-e366-d10$

bc06-4ada335c892b}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ desktop \ namespace \ \ \{26ee0668-a00a-44d7-a00a-44$

9371-beb064c98683}

Opens key:

ab02-99bb52d3fb8b}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{450d8fba-ad25-11d0-

98a8-0800361b1103}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{5399e694-6ce5-4d6c-

8fce-1d8870fdcba0}

Opens key:

 $HKLM \label{lem:hammer} HKLM \label{lem:hammer} HKLM \label{lem:hammer} With the lem \label{lem:hammer} HKLM \label{lem:hammer} With the lem \label{lem:hammer} HKLM \label{lem:hammer} With \label{lem:hammer} HKLM \label{lem:hammer} With \label{lem:hammer} With \label{lem:hammer} HKLM \label{lem:hammer} With \label{$

89c5-5595fe6b30ee}

Opens kev:

9f08-00aa002f954e}

Opens key:

9454-beb04e94c819}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{8fd8b88d-30e1-4f25-

ac2b-553d3d65f0ea}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{9343812e-1c37-4a49-1c37-4a7-1c37-4a7-1c37-4a7-1c37-4a7-1c37-4a7-1c37-4a$

a12e-4b2d810d956b}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{98d99750-0b8a-4c59-

9151-589053683d73} Opens key:

a78a-d1f5659cba93}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{bd7a2e7b-21cb-41b2-

a086-b309680c6b7e}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{daf95313-e44d-46af-

be1b-cbacea2c3065}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{e345f35f-9397-435c-

8f95-4e922c26259e}

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{ed 228fdf-9ea 8-4870-1968, 1968$

83b1-96b02cfe0d52}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{f02c1a0d-be21-4350-be$

88b0-7367fc96ef3c}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{f3f5824c-ad58-4728-

af59-a1ebe3392799}

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\desktop\namespace

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ delegate folders$

Opens key: Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\desktop\namespace

 $HKCU \ software \ microsoft \ windows \ current version \ version info \ 1 \ desktop \ mespace \ delegate folders$ Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-delta \ explorer \ ex$

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-d1, 20d04fe0-d1, 20d$

3aea-1069-a2d8-08002b30309d}\shellfolder

HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens kev: Opens key: $\label{lem:hardware} \begin{tabular}{ll} HKLM \begin{tabular}{ll} Software \begin{tabular}{ll} MKLM \begin{tabular}{ll} MKLM$

HKCU\software\classes\clsid\{208d2c60-3aea-1069-a2d7-Opens key:

08002b30309d}\shellfolder

Opens key: $\label{lem:hkcr} $HKCR \cdot 1308d2c60-3aea-1069-a2d7-08002b30309d} \ \ hellfolder$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{208d2c60-

3aea-1069-a2d7-08002b30309d}\shellfolder

Opens key: $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ `\{208d2c60-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{208d2c60-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{208d2c60-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `all \ `all\ `clsid\ `all\ `clsid\ `all\ `clsid\ `clsid\ `all\ `clsid\ `all\ `clsid\ `clsid\ `all\ `clsid\ `cl$

3aea-1069-a2d7-08002b30309d}\shellfolder

HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-Opens key:

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder

Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-

42a0-1069-a2ea-08002b30309d}\shellfolder

Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\inprocserver32

Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32 Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\shell} extensions\label{lem:hkcu} blocked \\$ Opens key: Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat $\label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\windows} nt\current\sc version}$ Opens key:

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

HKLM\software\microsoft\windows Opens kev: nt\currentversion\appcompatflags\custom\ieframe.dll

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached $\label{local-eq:hkcu} \begin{tabular}{ll} HKCU \software \classes \clsid \ \{871c5380-42a0-1069-a2ea-08002b30309d\} \end{tabular}$ Opens key:

Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d} Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\treatas

Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\treatas Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid

HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid Opens key: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\inprochandler32

HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler32 Opens key:

HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-Opens kev:

08002b30309d}\inprochandler

HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler Opens kev:

Opens key:

a2ea-08002b30309d}

HKCU\software\classes\clsid\{645ff040-5081-101b-9f08-Opens kev:

00aa002f954e}\shellfolder

HKCR\clsid\{645ff040-5081-101b-9f08-00aa002f954e}\shellfolder Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{645ff040-

5081-101b-9f08-00aa002f954e}\shellfolder

Opens key:

5081-101b-9f08-00aa002f954e}\shellfolder

Opens key: HKCU\software\classes\clsid\{26ee0668-a00a-44d7-9371-

beb064c98683}\shellfolder

Opens key: HKCR\clsid\{26ee0668-a00a-44d7-9371-beb064c98683}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{26ee0668a00a-44d7-9371-beb064c98683}\shellfolder

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\clsid\{26ee0668-

a00a-44d7-9371-beb064c98683}\shellfolder

HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-Opens key:

5595fe6b30ee}\shellfolder

HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder Opens key:

Opens key:

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ `\{59031a47-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{59031a47-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `all \ `all \$

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

HKCU\software\classes\clsid\{031e4825-7b94-4dc3-b131-Opens kev:

e946b44c8dd5}\shellfolder

HKCR\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5}\shellfolder Opens kev:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{031e4825-

7b94-4dc3-b131-e946b44c8dd5}\shellfolder

Opens key:

7b94-4dc3-b131-e946b44c8dd5}\shellfolder

Opens key: HKCU\software\classes\clsid\{04731b67-d933-450a-90e6-

4acd2e9408fe}\shellfolder

HKCR\clsid\{04731b67-d933-450a-90e6-4acd2e9408fe}\shellfolder Opens kev:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{04731b67-

d933-450a-90e6-4acd2e9408fe}\shellfolder

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (04731b67-b17) + (04751b67-b17) + (04$ Opens kev:

d933-450a-90e6-4acd2e9408fe}\shellfolder

Opens key: HKCU\software\classes\clsid\{11016101-e366-4d22-bc06-

4ada335c892b}\shellfolder

Opens key: HKCR\clsid\{11016101-e366-4d22-bc06-4ada335c892b}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{11016101-

e366-4d22-bc06-4ada335c892b}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{11016101-

e366-4d22-bc06-4ada335c892b}\shellfolder

Opens key: HKCU\software\classes\clsid\{4336a54d-038b-4685-ab02-

99bb52d3fb8b}\shellfolder

Opens key: HKCR\clsid\{4336a54d-038b-4685-ab02-99bb52d3fb8b}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{4336a54d-

 $038b-4685-ab02-99bb52d3fb8b} \verb|\shellfolder| \\$

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{4336a54d-

038b-4685-ab02-99bb52d3fb8b}\shellfolder

Opens key: HKCU\software\classes\clsid\{450d8fba-ad25-11d0-98a8-

0800361b1103}\shellfolder

Opens key: HKCR\clsid\{450d8fba-ad25-11d0-98a8-0800361b1103}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{450d8fba-

ad25-11d0-98a8-0800361b1103}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{450d8fba-

ad25-11d0-98a8-0800361b1103}\shellfolder

Opens key: HKCU\software\classes\clsid\{5399e694-6ce5-4d6c-8fce-

1d8870fdcba0}\shellfolder

Opens key: HKCR\clsid\{5399e694-6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{5399e694-

6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{5399e694-

6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKCU\software\classes\clsid\{89d83576-6bd1-4c86-9454-

beb04e94c819}\shellfolder

Opens key: HKCR\clsid\{89d83576-6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{89d83576-

6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{89d83576-

6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKCU\software\classes\clsid\{8fd8b88d-30e1-4f25-ac2b-

553d3d65f0ea}\shellfolder

Opens key: HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-553d3d65f0ea}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{8fd8b88d-

30e1-4f25-ac2b-553d3d65f0ea}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{8fd8b88d-

30e1-4f25-ac2b-553d3d65f0ea}\shellfolder

Opens key: HKCU\software\classes\clsid\{9343812e-1c37-4a49-a12e-

4b2d810d956b}\shellfolder

 $Opens~key: \\ HKCR\clsid\{9343812e-1c37-4a49-a12e-4b2d810d956b}\\\ shellfolder$

1c37-4a49-a12e-4b2d810d956b}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{9343812e-

1c37-4a49-a12e-4b2d810d956b}\shellfolder

Opens key: HKCU\software\classes\clsid\{98d99750-0b8a-4c59-9151-

589053683d73\shellfolder

Opens key: HKCR\clsid\{98d99750-0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{98d99750-

0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{98d99750-

0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKCU\software\classes\clsid\{b4fb3f98-c1ea-428d-a78a-

d1f5659cba93}\shellfolder

Opens key: HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{b4fb3f98-

c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{b4fb3f98-

c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKCU\software\classes\clsid\{bd7a2e7b-21cb-41b2-a086-

b309680c6b7e}\shellfolder

Opens key: HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-b309680c6b7e}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{bd7a2e7b-

21cb-41b2-a086-b309680c6b7e}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{bd7a2e7b-

 $21cb-41b2-a086-b309680c6b7e \} \verb|\shellfolder| \\$

cbacea2c3065}\shellfolder

Opens key: HKCR\clsid\{daf95313-e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{daf95313-

e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{daf95313-

e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKCU\software\classes\clsid\{e345f35f-9397-435c-8f95-

4e922c26259e}\shellfolder

 $Opens~key: \\ HKCR\clsid\{e345f35f-9397-435c-8f95-4e922c26259e}\{shellfolder}$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{e345f35f-

9397-435c-8f95-4e922c26259e}\shellfolder

 $Opens~key: \\ HKLM\software\microsoft\windows\currentversion\explorer\clsid\{e345f35f-1} \\$

9397-435c-8f95-4e922c26259e}\shellfolder

HKCU\software\classes\clsid\{ed228fdf-9ea8-4870-83b1-Opens key:

96b02cfe0d52}\shellfolder

 $HKCR\clsid\{ed228fdf-9ea8-4870-83b1-96b02cfe0d52}\\shellfolder$ Opens key:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \mid explorer \setminus clsid \setminus explorer \setminus clsid \setminus \{ed228fdf-microsoft \mid explorer \setminus clsid \setminus explorer \setminus$ Opens kev:

9ea8-4870-83b1-96b02cfe0d52}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{ed228fdf-

9ea8-4870-83b1-96b02cfe0d52}\shellfolder

HKCU\software\classes\clsid\{f02c1a0d-be21-4350-88b0-Opens key:

7367fc96ef3c}\shellfolder

Opens key: HKCR\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c}\shellfolder

Opens key: $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus f02c1a0d-f02c$

be21-4350-88b0-7367fc96ef3c}\shellfolder

 $HKLM \verb|\software\microsoft\windows\currentversion\explorer\clsid\{f02c1a0d-lead} windows \verb|\currentversion\explorer\clsid\{f02c1a0d-lead} windows \verb|\currentversion\explorer\clsid\arrowdwindows\cur$ Opens key:

be21-4350-88b0-7367fc96ef3c}\shellfolder

Opens key: HKCU\software\classes\clsid\{f3f5824c-ad58-4728-af59-

a1ebe3392799}\shellfolder

Opens key: HKCR\clsid\{f3f5824c-ad58-4728-af59-a1ebe3392799}\shellfolder

Opens key: $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f3f5824c-microsoft \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus explorer \setminus clsid \setminus explorer \setminus clsid$

ad58-4728-af59-a1ebe3392799}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{f3f5824c-

ad58-4728-af59-a1ebe3392799}\shellfolder

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\app\ paths\cmd.exe}} \\$ Opens kev: Opens key: HKLM\software\microsoft\windows\currentversion\app paths\cmd.exe

Opens key:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \end{tabular} \label{thm:linear}$

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions Opens key: HKLM\software\microsoft\windows\currentversion\setup HKLM\software\microsoft\windows\currentversion Opens key:

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

HKCU\software\microsoft\windows\currentversion\explorer\ Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced Opens key:

11e3-b3bc-806e6f6e6963}\

Opens kev:

 $HKLM \label{lem:hklm} Which is a simple of the second of$

Opens kev:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directorv\

HKCU\software\classes\directory\shellex\iconhandler Opens key:

HKCR\directory\shellex\iconhandler Opens key: Opens key: HKCU\software\classes\folder

Opens kev: HKCR\folder

HKCU\software\classes\folder\shellex\iconhandler Opens key:

Opens key: HKCR\folder\shellex\iconhandler

HKCU\software\classes\allfilesystemobjects Opens key:

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

HKCR\folder\docobject Opens key:

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

HKCU\software\classes\folder\clsid Opens kev:

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid Opens key: HKCU\software\classes\.exe

Opens key: HKCR\.exe

Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice

Opens key: HKCU\software\classes\exefile

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver
Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler

Opens key: HKCR\exefile\shellex\iconhandler

Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCU\software\classes\exefile\docobject

Opens key: HKCR\exefile\docobject

Opens key: HKCU\software\classes\systemfileassociations\.exe\docobject

Opens key: HKCR\exefile\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.exe\browseinplace

Opens key: HKCR\systemfileassociations\.exe\browseinplace

Opens key: HKCU\software\classes\exefile\clsid

Opens key: HKCR\exefile\clsid

Opens key: HKCU\software\classes\systemfileassociations\.exe\clsid

Opens key: HKCR\systemfileassociations\.exe\clsid

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$

Opens key:

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\treatas

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\progid

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: $\label{eq:hkcr} \mbox{HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\}\inprochandler32}} \mbox{$$ \mbox{HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\}\inprochandler32}$} \mbox{$$ \mbox{$$$ \mbox{$$ \mbox{$$ \mbox{$$ \mbox{$$$ \mbox{$$$$ \mbox{$$$ \mbox{$$$$ \mbox{$$$ \mbox{$$$$}$}$}}$}}}} \mbox{$$ \mbox{$\mbox{$$ \mbox{$$$ \mbox{$$$$}\mbox{$$$}$}$}}$}} \mbox{$$ \mbox{$\mbox{$$$$}\mbox{$$$$}$}}$} \mbox{$$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$$}\mbox{$$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$}} \mbox{$\mbox{$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$$}\mbox{$$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$$}\mbox{$$}\mbox{$\mbox{$$}\mbox{$$}$}$} \mbox{$\mbox{$\mbox{$$}\mb$

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \property bag$

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\kindmap

Opens key: HKCU\software\classes\exefile\shell

Opens key: HKCR\exefile\shell

Opens key: HKCU\software\classes\exefile\shell\open

Opens key: HKCR\exefile\shell\open Opens key: HKCR\exefile\shell\open\

Opens key: HKCU\software\classes\exefile\shell\open\command

Opens key: HKCR\exefile\shell\open\command

Opens key: HKCU\software\classes\exefile\shell\open\droptarget

Opens key: HKCR\exefile\shell\open\droptarget

Opens key: HKLM\software\microsoft\windows\currentversion\policies\associations Opens key: HKCU\software\microsoft\windows\currentversion\policies\associations

Opens key: HKCU\software\classes\.ade

Opens key: HKCR\.ade

Opens key: HKCU\software\classes\.adp

Opens key: HKCR\.adp

Opens key: HKCU\software\classes\.app

Opens key: HKCR\.app

Opens key: HKCU\software\classes\.asp

Opens key: HKCR\.asp

Opens key: HKCU\software\classes\.bas

Opens key: HKCR\.bas

Opens key: HKCU\software\classes\.bat

Opens key: HKCR\.bat

```
HKCU\software\classes\.cer
  Opens key:
  Opens key:
                                     HKCR\.cer
                                     HKCU\software\classes\.chm
  Opens kev:
  Opens key:
                                     HKCR\.chm
  Opens kev:
                                     HKCU\software\classes\.cmd
  Opens key:
                                     HKCR\.cmd
                                     HKCU\software\classes\.com
  Opens key:
  Opens key:
                                     HKCR\.com
  Opens key:
                                     HKCU\software\classes\.cpl
  Opens key:
                                     HKCR\.cpl
                                     HKCU\software\classes\.crt
  Opens key:
  Opens key:
                                     HKCR\.crt
  Opens key:
                                     HKCU\software\classes\.csh
  Opens key:
                                     HKCR\.csh
  Opens key:
                                     HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}
  Opens key:
                                     HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
  Opens key:
00c04fb6bfc4}\treatas
  Opens key:
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4\}\treatas
  Opens key:
                                     HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\progid
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid
  Opens key:
  Opens kev:
                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32
  Opens key:
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler32
  Opens key:
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler32
  Opens kev:
                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler
  Opens key:
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature zones default drive intranet kb941000
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_protocol_lockdown
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_protocol_lockdown
                                    HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens key:
  Opens key:
                                    HKCU\software\classes\exefile\progid
                                    HKCR\exefile\progid
  Opens key:
  Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\progids\exefile
                                    HKCU\software\classes\exefile\shell\open\ddeexec
  Opens kev:
                                    HKCR\exefile\shell\open\ddeexec
  Opens key:
  Opens key:
                                     HKLM\software\microsoft\windows nt\currentversion\image file execution
options\cmd.exe
  Opens key:
                                    HKLM\system\currentcontrolset\control\session manager\appcertdlls
  Opens key:
                                    HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\cmd.exe
  Opens key:
                                    HKLM\software\microsoft\windows
  Opens key:
                                     HKLM\software\microsoft\windows\html help
  Opens key:
                                     HKLM\software\microsoft\windows\help
                                     HKCU\software\policies\microsoft\windows\system
  Opens key:
  Opens key:
                                     HKLM\software\microsoft\command processor
  Opens key:
                                     HKCU\software\microsoft\command processor
  Opens key:
                                    HKLM\software\microsoft\windows nt\currentversion\image file execution
options\tasklist.exe
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\explorer\shell folders
  Opens key:
                                     \label{thm:local_hammon_hammon} \begin{tabular}{l} HKLM \label{thm:local_hammon} software \end{tabular} in the current version \end{tabular} approximately approximately
  Opens key:
                                     HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\tasklist.exe
                                    HKLM\system\currentcontrolset\control\networkprovider\hworder
  Opens key:
  Opens key:
                                     HKLM\software\microsoft\wbem\cimom
  Opens key:
                                     HKLM\system\currentcontrolset\services\lanmanworkstation\parameters
  Opens key:
                                     HKCU\software\classes\appid\tasklist.exe
  Opens key:
                                     HKCR\appid\tasklist.exe
  Opens key:
                                     HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}
                                     HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}
  Opens key:
  Opens key:
                                     00aa004b2e24}\treatas
                                     HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\treatas
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-
00aa004b2e24}\progid
                                     HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\progid
  Opens key:
  Opens key:
                                     00aa004b2e24}\inprocserver32
```

 $\label{lem:hkcrclsid} $$ HKCR\clsid_{4590f811-1d3a-11d0-891f-00aa004b2e24} \le e^{2} e^{2}$

```
HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-
     Opens key:
00aa004b2e24}\inprochandler32
                                                                                     HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\inprochandler32
     Opens key:
                                                                                     HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-
     Opens key:
00aa004b2e24}\inprochandler
     Opens key:
                                                                                     \label{lem:hkcrclsid} $$ HKCR\clsid_{4590f811-1d3a-11d0-891f-00aa004b2e24} \in \clsid_{4590f811-1d3a-11d0-891f-00aa004b2e24} $$ in prochamble $$ for the context of the con
                                                                                     HKLM\system\currentcontrolset\services\tcpip\parameters
     Opens key:
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}
     Opens key:
                                                                                     HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}
     Opens key:
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-
     Opens key:
00c04fb68820}\treatas
                                                                                     HKCR \c1sid \ \{8bc3f05e-d86b-11d0-a075-00c04fb68820\} \ \ treat as
     Opens key:
     Opens key:
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-
00c04fb68820}\progid
     Opens key:
                                                                                     HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820\}\progid
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-
     Opens key:
00c04fb68820}\inprocserver32
     Opens key:
                                                                                     HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}\inprocserver32
     Opens key:
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-
00c04fb68820}\inprochandler32
     Opens key:
                                                                                     Opens key:
                                                                                     HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-
00c04fb68820}\inprochandler
     Opens key:
                                                                                     HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820\}\inprochandler
     Opens key:
                                                                                     HKCU\software\classes\interface\{f309ad18-d86a-11d0-a075-00c04fb68820}
                                                                                     HKCR\interface\{f309ad18-d86a-11d0-a075-00c04fb68820}
     Opens key:
     Opens key:
                                                                                     HKCU\software\classes\interface\{f309ad18-d86a-11d0-a075-
00c04fb68820}\proxystubclsid32
                                                                                     HKCR\interface\{f309ad18-d86a-11d0-a075-00c04fb68820}\proxystubclsid32
     Opens kev:
     Opens key:
                                                                                     HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}
     Opens key:
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}
     Opens key:
                                                                                     HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-
00aa004b2e24}\treatas
     Opens key:
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\treatas
                                                                                     HKCU \setminus software \setminus classes \setminus clsid \setminus \{7c857801-7381-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11c
     Opens key:
00aa004b2e24}\progid
     Opens key:
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\progid
                                                                                     HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-
     Opens key:
00aa004b2e24}\inprocserver32
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprocserver32
     Opens key:
                                                                                     HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-
     Opens key:
00aa004b2e24}\inprochandler32
     Opens key:
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprochandler32
                                                                                     HKCU \setminus software \setminus classes \setminus clsid \setminus \{7c857801-7381-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11c
     Opens key:
00aa004b2e24}\inprochandler
                                                                                     HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprochandler
     Opens key:
                                                                                     HKCU \setminus software \setminus classes \setminus interface \setminus \{d4781cd6 - e5d3 - 44df - ad94 - 930efe48a887\}
     Opens key:
     Opens key:
                                                                                     HKCR\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887}
                                                                                     HKCU\software\classes\interface\{d4781cd6-e5d3-44df-ad94-
     Opens kev:
930efe48a887}\proxystubclsid32
                                                                                     HKCR\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887}\proxystubclsid32
     Opens kev:
                                                                                     HKLM\system\currentcontrolset\control\computername
     Opens key:
                                                                                     HKCU \setminus software \setminus classes \setminus interface \setminus \{9556dc99-828c-11cf-a37e-00aa003240c7\}
     Opens key:
     Opens key:
                                                                                     HKCR\interface\{9556dc99-828c-11cf-a37e-00aa003240c7}
     Opens kev:
                                                                                     HKCU\software\classes\interface\{9556dc99-828c-11cf-a37e-
00aa003240c7}\proxystubclsid32
                                                                                     HKCR \land efface \land \{9556dc99-828c-11cf-a37e-00aa003240c7\} \land proxystubclsid 32 \land proxyst
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}
     Opens key:
                                                                                     HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}
     Opens key:
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-
ce99a996d9ea}\treatas
     Opens key:
                                                                                     HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\treatas
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-
ce99a996d9ea}\progid
                                                                                     HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\progid
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-
     Opens kev:
ce99a996d9ea}\inprocserver32
                                                                                     HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\inprocserver32
     Opens key:
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-
ce99a996d9ea}\inprochandler32
                                                                                     HKCR\clsid\d68af00a-29cb-43fa-8504-ce99a996d9ea\\\line{CR}
     Opens key:
                                                                                     HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-
     Opens kev:
ce99a996d9ea}\inprochandler
                                                                                     HKCR\clsid\\ \{d68af00a-29cb-43fa-8504-ce99a996d9ea\\ \\ \inprochandler
     Opens key:
     Opens key:
                                                                                     \label{localization} HKCU \setminus software \\ \\ classes \\ \\ interface \\ \\ \{027947e1-d731-11ce-a357-000000000001\} \\ \\ \\ equivalent \\
                                                                                     HKCR\interface\{027947e1-d731-11ce-a357-00000000001}
     Opens kev:
     Opens key:
                                                                                     HKCU\software\classes\interface\{027947e1-d731-11ce-a357-
00000000001}\proxystubclsid32
```

HKCR\interface\{027947e1-d731-11ce-a357-00000000001}\proxystubclsid32

HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}

HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}

HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-

Opens key: 00104b703efd}\treatas

Opens key:

Opens key:

 $HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\treatas$ Opens key: Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-

00104b703efd}\progid

 $HKCR\clsid$ {1b1cad8c-2dab-11d2-b604-00104b703efd}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-

00104b703efd}\inprocserver32

 $HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\ \ inprocserver 32$ Opens kev:

HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-Opens key:

00104b703efd}\inprochandler32

 $HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\tinprochandler32$ Opens key:

HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-Opens kev:

00104b703efd}\inprochandler

Opens key: $HKCR \clsid \ \{1b1cad8c-2dab-11d2-b604-00104b703efd\} \ \ in prochandler$ $\label{local-bound} \begin{tabular}{ll} HKCU \software \classes \interface \ \{1c1c45ee-4395-11d2-b60b-00104b703efd\} \end{tabular}$ Opens key:

HKCR\interface\{1c1c45ee-4395-11d2-b60b-00104b703efd} Opens key: Opens key: HKCU\software\classes\interface\{1c1c45ee-4395-11d2-b60b-

00104b703efd}\proxystubclsid32

 $HKCR\ interface \ \{1c1c45ee-4395-11d2-b60b-00104b703efd\}\ proxystubclsid 32$ Opens key: Opens key: HKCU\software\classes\interface\{423ec01e-2e35-11d2-b604-00104b703efd}

Opens key: HKCR\interface\{423ec01e-2e35-11d2-b604-00104b703efd} Opens key: HKCU\software\classes\interface\{423ec01e-2e35-11d2-b604-

00104b703efd}\proxystubclsid32

HKCR\interface\{423ec01e-2e35-11d2-b604-00104b703efd}\proxystubclsid32 Opens kev: Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}

Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820} Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-

00c04fb68820}\treatas

Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\treatas HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-Opens kev:

00c04fb68820}\progid

Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\progid Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-

00c04fb68820}\inprocserver32

Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprocserver32

HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-Opens kev:

00c04fb68820}\inprochandler32

Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprochandler32

Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-

00c04fb68820}\inprochandler

Opens key: $HKCR\clsid\\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\\{inprochandler}$

 ${\tt HKLM \ } system \verb|\ current control \ session$ Oueries value:

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat] Oueries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Oueries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

HKCU\control panel\desktop[preferreduilanguages] Oueries value:

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ side by side [preferex ternal manifest]$ Oueries value:

HKLM\system\currentcontrolset\control\nls\sorting\versions[] HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Oueries value:

HKLM\software\microsoft\windows Oueries value: nt\currentversion\gre_initialize[disablemetafiles] Oueries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[6f21fb21650da014d87426fa0bd8e7f2]

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\windows[loadappinit dlls]

Oueries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[usefilter]

HKLM\software\microsoft\windows nt\currentversion\image file execution Queries value:

options\dllnxoptions[msvbvm60.dll]

Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409] Oueries value: Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrolset\control\nls\codepage[932] Queries value: HKLM\system\currentcontrolset\control\nls\codepage[949] Oueries value: HKLM\system\currentcontrolset\control\nls\codepage[950] Queries value: HKLM\system\currentcontrolset\control\nls\codepage[936]

Queries value: HKLM\software\microsoft\com3[com+enabled] HKLM\software\microsoft\ole[maxsxshashcount] Queries value:

HKLM\system\currentcontrolset\control\cmf\config[system] Oueries value:

Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[datafilepath] Queries value: HKLM\software\microsoft\windows

```
HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
 Queries value:
                          HKLM\system\currentcontrolset\services\disk\enum[0]
                          HKLM\software\microsoft\rpc[maxrpcsize]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
                          HKLM\system\setup[oobeinprogress]
 Queries value:
 Oueries value:
                          HKLM\svstem\setup[svstemsetupinprogress]
 Oueries value:
                          HKLM\software\microsoft\sqmclient\windows[ceipenable]
                          HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Queries value:
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[security hklm only]
 Queries value:
                          HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-
a3fe-553973d0b723]
                          HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-
 Queries value:
b924-d51178a59ce4]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[fromcachetimeout]
 Queries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[secureprotocols]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[secureprotocols]
 Queries value:
                          \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[secureprotocols]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[certificaterevocation]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablekeepalive]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablepassport]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[idnenabled]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[cachemode]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttp1_1]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttp1_1]
 Oueries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyhttp1.1]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[enablenegotiate]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[disablebasicoverclearchannel]
                          HKCU\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
```

nt\currentversion\languagepack\surrogatefallback[plane1]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol[feature_clientauthcertfilter]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[clientauthbuiltinui]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[syncmode5]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache[sessionstarttimedefaultdeltasecs]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[signature]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\content[peruseritem]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache\content[peruseritem]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[category]

Queries value:

ba85-6007caedcf9d}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[parentfolder]

ba85-6007caedcf9d}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[relativepath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[infotip]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[localizedname]

ba85-6007caedcf9d}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[security]

Oueries value:

ba85-6007caedcf9d}[streamresource]

Queries value:

ba85-6007caedcf9d}[streamresourcetype] Oueries value:

ba85-6007caedcf9d}[localredirectonly]

Queries value:

ba85-6007caedcf9d}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[stream]

Queries value:

ba85-6007caedcf9d}[publishexpandedpath]

ba85-6007caedcf9d}[attributes]

Queries value:

ba85-6007caedcf9d}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ f 1b 3 2785 - 6fba - 4fcf - 10 fba - 10 fb$ 9d55-7b8e7f157091}[category]

Oueries value:

9d55-7b8e7f157091}[name]

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[description]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [localized name]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{licon} \end{substitute}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}security\cite{1}$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream resource]$

Oueries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}treamresourcetype\cite{1}{2}$

Oueries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}[local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} HKLM \software \end{area} In the label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \software \end{area} HKLM \software \software \end{area} HKLM \software \so$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}publishexpandedpath\fifth{1}{5}$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff1b32785-6fba-4fcf-9d55-7b8e7f157091 \end{tabular} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[initfolderhandler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{local-parameters} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[relativepath]

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}\[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localized name]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[icon]

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]$$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'encountersion' \ explorer \ 'folder descriptions' \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [precreate]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[foldertypeid]

Oueries value

 $\label{thm:hk.mass} $$HK.M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]$$

Queries value: $HKLM\software\microsoft\windows$ nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

 $Queries \ value: \\ HKLM\ software\ microsoft\ windows\ current version\ internet$

settings\5.0\cache\cookies[peruseritem]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[category]}$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[name]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arguments} Which software \end{arguments} Whic$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [infotip]$

Oueries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the software in the software explored and the software explored a$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localredirectonly]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

908e-08a611b84ff6}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} Mklm \software \end{align*} HKLM \software \software \software \end{align*} HKLM \software \software \software \software \software \software \software \software \software$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [initfolder \mbox{handler}]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\category\cite{Acf6-a03a-e3ef65729f3d}\cite{Acf6-a$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\fold$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$

Oueries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-fab and a local-explorer-folder-descriptions-fab and a local-explorer-folder-descriptions-fab and a local-explorer-fab and a loca$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\precreate1

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[appdata]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\history[peruseritem]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache\history[peruseritem]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-d742e-d$ a781-5a1130a75963}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9d$ a781-5a1130a75963}[parentfolder]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-d74b, d9dc8a3b-b784-432e-d74b, d9dc8a5b-b784-432e-d74b, d9dc8a5b-b784-430e-d74b, d9dc8a5b-b784-430e-d74b, d9dc8a5b-b784-430e-d7$ a781-5a1130a75963}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9d$ a781-5a1130a75963}[relativepath]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-d74b, d9dc8a3b-b784-432e-d74b, d9dc8a5b-b784-432e-d74b, d9dc8a5b-b784-430e-d74b, d9dc8a5b-b784-430e-d74b, d9dc8a5b-b784-430e-d7$ a781-5a1130a75963}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9d$ a781-5a1130a75963}[infotip]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d9dc8a3b-b784-432e-d9dc8a4b-b784-432e-d9dc8a4b-b784-432e-d9dc8a400-d9dc8a4b-b784-4360-d9dc8a4b-b784-4360-d9dc8a4b-b784-4360-d9dc$ a781-5a1130a75963}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[icon]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9dc8a5-d9d$ a781-5a1130a75963}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[roamable]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and$ a781-5a1130a75963}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[publishexpandedpath]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and$ a781-5a1130a75963}[attributes]

Queries value:

a781-5a1130a75963}[foldertypeid]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and$ a781-5a1130a75963}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\history[cacheprefix]

Oueries value:

HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\history[cachelimit]

Queries value: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ settings\5.0\cache\extensible cache\domstore[cacherepair]

HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\domstore[cachepath]

HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\domstore[cacheprefix]

HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\domstore[cachelimit]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

```
settings\5.0\cache\extensible cache\domstore[cacheoptions]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cacherepair]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cachepath]
                             \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings\5.0\cache\extensible cache\feedplat[cacheprefix]
                             \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cachelimit]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacheoptions]
                             \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings\5.0\cache\extensible cache\iecompat[cacherepair]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\iecompat[cachepath]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\iecompat[cacheprefix]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\iecompat[cachelimit]
                             \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacherepair]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cachepath]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacheprefix]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cachelimit]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacheoptions]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacherepair]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\privacie:[cachepath]
                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachelimit]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
 Queries value:
                             HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enableautoproxyresultcache]
 Queries value:
                             HKCU\software\policies\microsoft\windows\currentversion\internet
settings[displayscriptdownloadfailureui]
                             HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[mbcsservername]
 Queries value:
                             \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings[mbcsapiforcrack]
 Queries value:
                             HKCU\software\policies\microsoft\windows\currentversion\internet
settings[utf8servernameres]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disableworkerthreadhibernation]
 Queries value:
                             \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
settings[disableworkerthreadhibernation]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings[disablereadrange]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[socketsendbufferlength]
                             HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[socketreceivebufferlength]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings[keepalivetimeout]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxhttpredirects]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxconnectionsperserver]
 Queries value:
                             HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
 Oueries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
 Oueries value:
                             HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1 Oserver]
 Queries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperproxy]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[serverinfotimeout]
 Oueries value:
                             HKCU\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
 Queries value:
                             HKLM\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
                             HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[connectretries]
```

```
Oueries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[connectretries]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[sendtimeout]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[sendtimeout]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[receivetimeout]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablentlmpreauth]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[scavengecachelowerbound]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[certcachenovalidate]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelifetime]
                            HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache[scavengecachefilelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache[scavengecachefilelimit]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[httpdefaultexpirytimesecs]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[ftpdefaultexpirytimesecs]
 Oueries value:
                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[6f21fb21650da014d87426fa0bd8e7f2.exe]
                            HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablecachingofsslpages]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[perusercookies]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[leashlegacycookies]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[dialupuselansettings]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[dialupuselansettings]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[sendextracrlf]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[wpadsearchalldomains]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[bypasshttpnocachecheck]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[bypasshttpnocachecheck]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck1
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttptrace]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[nocheckautodialoverride]
 Oueries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[nocheckautodialoverride]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[dontusednsloadbalancing]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[sharecredswithwinhttp]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[mimeexclusionlistforcache]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[headerexclusionlistforcache]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[dnscacheenabled]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dnscacheentries]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[dnscachetimeout]
 Queries value:
                            \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings[warnonpost]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[warnalwaysonpost]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[warnonzonecrossing]
```

 $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

settings[warnonbadcertrecving] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[warnonpostredirect] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[alwaysdrainonredirect] Queries value: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ settings[warnonhttpstohttpredirect] Oueries value: HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension] Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity] HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder] Oueries value: Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias] Queries value: HKLM\software\microsoft\windows\currentversion\internet settings[tcpautotuning] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem] Queries value: Queries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog \ [num_catalog_entries]$ Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ (catalog_entries \ 00000000001[library path])$ Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ (catalog_entries \ 000000000001 \ [displaystring]$ Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog S \setminus catalog_entries \setminus 000000000001[providerid]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[supportednamespace]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog \\ \setminus catalog_entries \setminus 000000000001[enabled]$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap services \setminus mame space_catalog \\ \setminus catalog_entries \setminus 0000000000001[provider info]$

Oueries value:

Queries value:

Queries value:

Oueries value:

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog \catalog_entries \namespace_entries \na$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
 Queries value:
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace_catalog5 \catalog_entries \namespace_catalog5 \catalog5 \$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000006[supportednamespace]
 Oueries value:
- $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog 5 \setminus catalog_entries \setminus 0000000000006[enabled]$

```
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo]
  Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32numhandlebuckets]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\wpad[wpadoverride]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[enableautodial]
                                     \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
  Queries value:
settings[nonetautodial]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[globaluseroffline]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[badproxyexpirestime]
                                    HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablebranchcache]
                                    HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_http_username_password_disable[6f21fb21650da014d87426fa0bd8e7f2.exe]
                                    HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                                    HKLM\software\microsoft\tracing[enableconsoletracing]
  Queries value:
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[enablefiletracing]
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[filetracingmask]
  Queries value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus 6f21fb21650 da014 d87426 fa0bd8e7f2\_rasapi32[enableconsoletracing]
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[consoletracingmask]
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[filedirectory]
  Queries value:
HKLM \ software \ microsoft \ tracing \ 6f21fb21650da014d87426fa0bd8e7f2\_rasmancs \ [enable file tracing]
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[filetracingmask]
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[enableconsoletracing]
  Queries value:
HKLM \ software \ microsoft \ tracing \ (6f21fb21650da014d87426fa0bd8e7f2\_rasmancs[consoletracingmask]) \ description \ (2f3) \ de
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[filedirectory]
                                    HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\profilelist[programdata]
  Queries value:
                                    HKLM\software\microsoft\sqmclient\windows\disabledprocesses[f189f4ab]
  Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
  Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
  Oueries value:
                                     HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[proxysettingsperuser]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings[migrateproxy]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[proxyenable]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[proxyserver]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoconfigurl]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\connections[savedlegacvsettings]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoconfigcustomua]
  Oueries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[dllfile]
  Oueries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
  Oueries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[default]
  Queries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[flags]
                                     HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
  Oueries value:
```

HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]

Oueries value: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default] Oueries value: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[flags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] HKLM\svstem\currentcontrolset\services\dnscache\parameters[dnssecurenamequervfallback] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Queries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[guervipmatching] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Queries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Queries value: Queries value: HKLM\svstem\currentcontrolset\services\tcpip\parameters[disablewandvnamicupdate] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Queries value: $HKLM \verb| system| current control set \verb| services| tcpip| parameters [maxnumber of addresses to register]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] Queries value:

```
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
   Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
   Queries value:
                                                  HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
                                                 HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
   Oueries value:
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl]
   Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
   Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets]
   Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]
   Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[multicastresponderflags]
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags]
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout]
                                                 HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
   Queries value:
   Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments]
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
   Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration]
   Oueries value:
Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [resolver registration only]
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]
   Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
   Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns quick query time outs]
   Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]
   Queries value:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[6f21fb21650da014d87426fa0bd8e7f2.exe]
                                                HKLM\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_mime_handling[*]
                                                 HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
   Oueries value:
   Queries value:
                                                 HKLM\software\microsoft\internet
\verb|explorer| main feature on trol feature unc_saved file check [6f21fb21650da014d87426fa0bd8e7f2.exe]| | the first of the first one of the first of
   Queries value:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
   Queries value:
                                                 HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
                                                 HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\zones\0[flags]
   Queries value:
                                                  \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\zones\1[flags]
   Queries value:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\zones\3[flags]
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings\zones\4[flags]
   Queries value:
                                                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[6f21fb21650da014d87426fa0bd8e7f2.exe]
                                                 HKCU\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                                                 HKLM\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[6f21fb21650da014d87426fa0bd8e7f2.exe]
   Queries value:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                                                 \label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} policies \end{tabular} irror of the local constraints of 
   Oueries value:
settings[createuricachesize]
   Oueries value:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                                 HKLM\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[createuricachesize]
   Queries value:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
   Queries value:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[enablepunycode]
```

HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow] Oueries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionlow] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\zonemap[autodetect] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Oueries value: Queries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping] Queries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping] ${\tt HKLM \ } system \ \verb| current control set \ \verb| services \ \verb| winsock \ \verb| setup \ | \ setup \ | \$ Oueries value: migration\providers\psched[winsock 2.0 provider id] HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping] Queries value: HKLM\system\currentcontrolset\services\winsock\setup Oueries value: migration\providers\tcpip[winsock 2.0 provider id] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [helperdllname]$ HKLM\system\currentcontrolset\services\winsock\setup migration\providers\tcpip6[winsock 2.0 provider id] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname] Oueries value: c19ce8a73253}[searchlist] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enabledhcp] Oueries value: c19ce8a73253}[registrationenabled] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registeradaptername] Oueries value: c19ce8a73253}[domain] Queries value: c19ce8a73253}[dhcpdomain] Oueries value: c19ce8a73253}[dhcpv6domain] c19ce8a73253}[nameserver] Queries value: c19ce8a73253}[nameserver] c19ce8a73253}[dhcpnameserver]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enabledhcp]

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registrationenabled]

Queries value:

806e6f6e6963}[registeradaptername]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[domain]

Queries value:

806e6f6e6963}[dhcpdomain]

```
Oueries value:
```

806e6f6e6963}[nameserver]

806e6f6e6963}[dhcpnameserver]

HKLM\system\currentcontrolset\services\tcpip\linkage[bind] Oueries value:

Oueries value:

c19ce8a73253}[queryadaptername]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[disableadapterdomainname]

Oueries value:

c19ce8a73253}[registrationmaxaddresscount]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[maxnumberofaddressestoregister]

Oueries value:

c19ce8a73253}[enablemulticast]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[queryadaptername]

Queries value:

806e6f6e6963}[disableadapterdomainname]

Queries value:

806e6f6e6963}[disabledynamicupdate]

Queries value:

806e6f6e6963}[enableadapterdomainnameregistration]

Oueries value:

806e6f6e6963}[registrationmaxaddresscount]

Oueries value:

806e6f6e6963}[maxnumberofaddressestoregister]

Oueries value:

806e6f6e6963}[enablemulticast]

 $HKLM \verb|\system| current controlset \verb|\services| tcpip \verb|\parameters[searchlist]|$ Queries value:

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[inprocserver32]

Queries value: $\label{local-bound} $HKCR\clsid\\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\\\inprocserver32[]$

HKCR\clsid\{dcb00c01-570f-4a9b-8d69-Oueries value:

199fdba5723b}\inprocserver32[threadingmodel]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\3[1a10]

HKLM\software\microsoft\rpc\extensions[ndroleextdll] Queries value: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[] Queries value:

Oueries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]

Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]

HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous] Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong Oueries value:

cryptographic provider[type]

HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong Queries value:

cryptographic provider[image path]

Oueries value: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled] Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy] Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems] Oueries value:

HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]

HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds] Queries value:

HKLM\software\microsoft\cryptography[machineguid] Oueries value:

Queries value:

Queries value: HKLM\software\microsoft\rpc\extensions[remoterpcdll] HKLM\software\microsoft\ole[maximumallowedallocationsize] Queries value:

 $HKCR \land (d0074ffd-570f-4a9b-8d69-199fdba5723b) \land (d0074ffd-570f-4a9b-8d69-199fdba5725b) \land (d0074ffd-570f-4a9b-8d69-199fdba5725b) \land (d0074ffd-570f-4a9b-8d69-199fdba5725b) \land (d0074ffd-570f-4a9b-8d69-199fdba5725b) \land (d0074ffd-570f-4a9b-8d69-199fdba572b) \land (d0074ffd-570f-4a9b-8d69-199fdba572b) \land (d0074ffd-570f-4a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdba572b) \land (d0074ffd-6a9b-8d69-199fdb$ Oueries value:

Oueries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-Queries value:

2299f0398e27}\inprocserver32[inprocserver32]

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[] Oueries value:

Queries value: $HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-$

2299f0398e27}\inprocserver32[threadingmodel]

Oueries value: HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[] Oueries value: Queries value:

HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[] Oueries value:

Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-

```
00aa00341d07}\inprocserver32[inprocserver32]
                                                                                                       HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
       Oueries value:
       Oueries value:
                                                                                                       HKCR\clsid\{b196b286-bab4-101a-b69c-
 00aa00341d07}\inprocserver32[threadingmodel]
                                                                                                       HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32[]
       Oueries value:
       Queries value:
                                                                                                        HKLM\system\currentcontrolset\services\netbt\linkage[export]
                                                                                                        HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
       Oueries value:
       Oueries value:
                                                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\wpad[wpadlastnetwork]
       Queries value:
                                                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings[autoproxydetecttype]
       Queries value:
                                                                                                        HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps]
       Queries value:
                                                                                                        HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]
       Oueries value:
b131-e946b44c8dd5}[suppressionpolicy]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{04731b67-d933-450a-
 90e6-4acd2e9408fe}[suppressionpolicy]
       Queries value:
bc06-4ada335c892b}[suppressionpolicy]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{26ee0668-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00
 9371-beb064c98683}[suppressionpolicy]
       Queries value:
ab02-99bb52d3fb8b}[suppressionpolicy]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{450d8fba-ad25-11d0-desktop \ namespace \ for the sum of the 
98a8-0800361b1103}[suppressionpolicy]
       Queries value:
8fce-1d8870fdcba0}[suppressionpolicy]
       Oueries value:
89c5-5595fe6b30ee}[suppressionpolicv]
       Oueries value:
9f08-00aa002f954e}[suppressionpolicy]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{89d83576-6bd1-4c86-
9454-beb04e94c819}[suppressionpolicv]
       Queries value:
ac2b-553d3d65f0ea}[suppressionpolicy]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{9343812e-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c37-4a49-1c
a12e-4b2d810d956b}[suppressionpolicy]
       Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{98d99750-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8a-4c59-0b8
9151-589053683d73}[suppressionpolicy]
       Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{b4fb3f98-c1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1ea-428d-e1e
a78a-d1f5659cba93}[suppressionpolicy]
       Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{bd7a2e7b-21cb-41b2-
a086-b309680c6b7e}[suppressionpolicy]
       Oueries value:
be1b-cbacea2c3065}[suppressionpolicy]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{e345f35f-9397-435c-945f-9497-435c-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-9497-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-445f-947-456f-947
8f95-4e922c26259e}[suppressionpolicv]
       Oueries value:
83b1-96b02cfe0d52}[suppressionpolicy]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{f02c1a0d-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4500-be21-4500-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-b
88b0-7367fc96ef3c}[suppressionpolicy]
       Queries value:
af59-a1ebe3392799}[suppressionpolicy]
       Queries value:
                                                                                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 08002b30309d}\shellfolder[attributes]
      Oueries value:
                                                                                                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                                                                                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
       Oueries value:
 08002b30309d}\shellfolder[restrictedattributes]
       Oueries value:
                                                                                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
```

08002b30309d}\shellfolder[wantsfordisplay]

08002b30309d}\shellfolder[hidefolderverbs]

Oueries value:

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[usedrophandler]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}1
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[attributes]
                         HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[callforattributes]
 Queries value:
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[restrictedattributes]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[usedrophandler]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[queryforoverlay]
 Queries value:
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[queryforinfotip]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Oueries value:
08002b30309d}\shellfolder[hideinwebview]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
 Queries value:
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
 Oueries value:
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
 Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{208d2c60-3aea-1069-a2d7-
08002b30309d}]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[attributes]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[callforattributes]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsfordisplay]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[usedrophandler]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
```

```
08002b30309d}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforinfotip]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[hideinwebview]
 Oueries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hideondesktopperuser]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsaliasednotifications]
 Oueries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsuniversaldelegate]
 Oueries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
                          HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
 Queries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{871c5380-42a0-1069-a2ea-
08002b30309d}1
 Queries value:
                          \label{local-eq:hkcr} $$HKCR\clsid_{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32[] $$
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[loadwithoutcom]
                          HKCU\software\microsoft\windows\currentversion\shell
 Queries value:
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}}
0xffff1
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
 Queries value:
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[inprocserver32]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\inprocserver32[threadingmodel]
                         HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[attributes]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[callforattributes]
                         HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[usedrophandler]
                         HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[wantsforparsing]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[queryforoverlay]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[queryforinfotip]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[hideinwebview]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[wantsuniversaldelegate]
 Queries value:
                          HKCR\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
.
00aa002f954e}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{645ff040-5081-101b-9f08-
00aa002f954e}1
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[attributes]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[callforattributes]
 Queries value:
                         HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[restrictedattributes]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
```

```
beb064c98683}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[wantsforparsing]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[wantsparsedisplayname]
 Oueries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[queryforoverlay]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[hideinwebview]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683 \} \verb|\| folder[has navigation enum]|
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{26ee0668-a00a-44d7-9371-
beb064c98683}1
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[attributes]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[queryforoverlay]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[hideinwebview]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[nofilefolderjunction]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}1
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[callforattributes]
 Oueries value:
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[restrictedattributes]
 Oueries value:
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsfordisplay]
 Oueries value:
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[usedrophandler]
```

```
HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[wantsforparsing]
 Oueries value:
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsparsedisplayname]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[queryforoverlay]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[mapnetdriveverbs]
 Oueries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[queryforinfotip]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hideinwebview]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[hideondesktopperuser]
 Queries value:
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsaliasednotifications]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[wantsuniversaldelegate]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[nofilefolderjunction]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[pintonamespacetree]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hasnavigationenum]
 Queries value:
e946b44c8dd5}]
 Queries value:
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[attributes]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[callforattributes]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[restrictedattributes]
 Queries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[wantsfordisplay]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[hidefolderverbs]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[usedrophandler]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[wantsforparsing]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[wantsparsedisplayname]
 Queries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[queryforoverlay]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[mapnetdriveverbs]
 Queries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[queryforinfotip]
 Queries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[hideinwebview]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[hideondesktopperuser]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[wantsaliasednotifications]
 Queries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[wantsuniversaldelegate]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[nofilefolderjunction]
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[pintonamespacetree]
 Oueries value:
                        HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[hasnavigationenum]
 Oueries value:
4acd2e9408fe}1
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[attributes]
 Queries value:
                        HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[callforattributes]
                        HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[restrictedattributes]
                        HKCR\clsid\{11016101-e366-4d22-bc06-
 Oueries value:
4ada335c892b}\shellfolder[wantsfordisplay]
 Queries value:
                        HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[hidefolderverbs]
 Queries value:
                        HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[usedrophandler]
                        HKCR\clsid\{11016101-e366-4d22-bc06-
 Oueries value:
4ada335c892b}\shellfolder[wantsforparsing]
                        HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{11016101-e366-4d22-bc06-
```

```
4ada335c892b}\shellfolder[queryforoverlay]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Oueries value:
4ada335c892b}\shellfolder[mapnetdriveverbs]
 Queries value:
                         HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[queryforinfotip]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[hideinwebview]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Oueries value:
4ada335c892b}\shellfolder[hideondesktopperuser]
 Queries value:
                         HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[wantsuniversaldelegate]
 Oueries value:
                         HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{11016101-e366-4d22-bc06-
 Queries value:
4ada335c892b}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{11016101-e366-4d22-bc06-
4ada335c892b}]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[attributes]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Queries value:
99bb52d3fb8b}\shellfolder[callforattributes]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Queries value:
99bb52d3fb8b}\shellfolder[restrictedattributes]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Queries value:
99bb52d3fb8b}\shellfolder[usedrophandler]
 Oueries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[wantsforparsing]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Queries value:
99bb52d3fb8b}\shellfolder[queryforoverlay]
 Queries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[queryforinfotip]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[hideinwebview]
 Queries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[wantsaliasednotifications]
 Oueries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[wantsuniversaldelegate]
 Queries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
 Oueries value:
99bb52d3fb8b}\shellfolder[pintonamespacetree]
 Oueries value:
                         HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[hasnavigationenum]
 Oueries value:
99bb52d3fb8b}1
 Queries value:
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[attributes]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[callforattributes]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[usedrophandler]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Queries value:
0800361b1103}\shellfolder[wantsforparsing]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[wantsparsedisplayname]
 Oueries value:
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[queryforoverlay]
 Oueries value:
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[queryforinfotip]
```

```
HKCR\clsid\{450d8fba-ad25-11d0-98a8-
  Queries value:
0800361b1103}\shellfolder[hideinwebview]
  Oueries value:
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[hideondesktopperuser]
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
  Oueries value:
0800361b1103}\shellfolder[wantsaliasednotifications]
  Queries value:
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[wantsuniversaldelegate]
  Oueries value:
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[nofilefolderjunction]
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
  Oueries value:
0800361b1103}\shellfolder[pintonamespacetree]
  Queries value:
                                       HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[hasnavigationenum]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{450d8fba-ad25-11d0-98a8-
0800361b1103}1
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[attributes]
                                      HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Oueries value:
1d8870fdcba0}\shellfolder[callforattributes]
  Queries value:
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[restrictedattributes]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[wantsfordisplay]
                                      HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[hidefolderverbs]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[usedrophandler]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[wantsparsedisplayname]
  Queries value:
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[mapnetdriveverbs]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Oueries value:
1d8870fdcba0}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[hideinwebview]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[hideondesktopperuser]
  Queries value:
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[wantsaliasednotifications]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Queries value:
1d8870fdcba0}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[nofilefolderjunction]
  Queries value:
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[pintonamespacetree]
                                       HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
  Oueries value:
1d8870fdcba0}\shellfolder[hasnavigationenum]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{5399e694-6ce5-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce-4d6c-8fce
1d8870fdcba0}1
  Oueries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[attributes]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[callforattributes]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[restrictedattributes]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[wantsfordisplay]
  Queries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[hidefolderverbs]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[usedrophandler]
  Queries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[wantsparsedisplayname]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[queryforoverlay]
  Queries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[mapnetdriveverbs]
  Queries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[hideinwebview]
  Queries value:
                                       HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[hideondesktopperuser]
```

HKCR\clsid\{89d83576-6bd1-4c86-9454-

Queries value:

```
beb04e94c819}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{89d83576-6bd1-4c86-9454-
 Oueries value:
beb04e94c819}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{89d83576-6bd1-4c86-9454-
 Queries value:
beb04e94c819}\shellfolder[nofilefolderjunction]
 Queries value:
                         HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{89d83576-6bd1-4c86-9454-
 Oueries value:
beb04e94c819}\shellfolder[hasnavigationenum]
 Oueries value:
beb04e94c819}]
 Queries value:
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[attributes]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[callforattributes]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[restrictedattributes]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[usedrophandler]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[wantsforparsing]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[queryforoverlay]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[queryforinfotip]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[hideinwebview]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Queries value:
553d3d65f0ea}\shellfolder[wantsaliasednotifications]
 Oueries value:
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
 Oueries value:
553d3d65f0ea}\shellfolder[pintonamespacetree]
 Queries value:
                         HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-}
553d3d65f0ea}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}1
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[attributes]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[callforattributes]
 Queries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[restrictedattributes]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[hidefolderverbs]
 Oueries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[usedrophandler]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[wantsforparsing]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[queryforoverlay]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[queryforinfotip]
 Queries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[hideinwebview]
 Oueries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[wantsaliasednotifications]
 Oueries value:
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[nofilefolderjunction]
```

```
HKCR\clsid\{9343812e-1c37-4a49-a12e-
   Queries value:
4b2d810d956b}\shellfolder[pintonamespacetree]
   Oueries value:
                                                    HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[hasnavigationenum]
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{9343812e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a49-a12e-1c37-4a6-1c37-4a6-1c37-4a6-1c37-4a6-1c37-4a6-1c37
4b2d810d956b}1
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Oueries value:
589053683d73}\shellfolder[attributes]
   Oueries value:
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[callforattributes]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[restrictedattributes]
   Oueries value:
                                                   HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsfordisplay]
   Queries value:
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[hidefolderverbs]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[usedrophandler]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[wantsforparsing]
   Queries value:
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsparsedisplayname]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[queryforoverlay]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[mapnetdriveverbs]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[queryforinfotip]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[hideinwebview]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[hideondesktopperuser]
   Queries value:
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsaliasednotifications]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsuniversaldelegate]
   Queries value:
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[nofilefolderjunction]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[pintonamespacetree]
                                                    HKCR\clsid\{98d99750-0b8a-4c59-9151-
   Queries value:
589053683d73}\shellfolder[hasnavigationenum]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{98d99750-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9151-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-9150-0b8a-4c59-910-0b8a-4c59-910-0b8a-4
589053683d73}1
   Queries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[attributes]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[callforattributes]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[restrictedattributes]
   Queries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[wantsfordisplay]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[hidefolderverbs]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[usedrophandler]
   Oueries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[wantsforparsing]
   Queries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[wantsparsedisplayname]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[quervforoverlav]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[mapnetdriveverbs]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[queryforinfotip]
   Queries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[hideinwebview]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[hideondesktopperuser]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[wantsaliasednotifications]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[wantsuniversaldelegate]
   Queries value:
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[nofilefolderjunction]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Oueries value:
d1f5659cba93}\shellfolder[pintonamespacetree]
                                                    HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
   Queries value:
d1f5659cba93}\shellfolder[hasnavigationenum]
```

Queries value:

```
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus monenum [\{b4fb3f98-c1ea-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-4
d1f5659cba93}1
  Oueries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[attributes]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[callforattributes]
  Oueries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[restrictedattributes]
  Queries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsfordisplay]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[hidefolderverbs]
  Queries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[usedrophandler]
  Queries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[wantsparsedisplayname]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[mapnetdriveverbs]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[hideinwebview]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[hideondesktopperuser]
  Oueries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsaliasednotifications]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[wantsuniversaldelegate]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[nofilefolderjunction]
  Oueries value:
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[pintonamespacetree]
                                       HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Queries value:
cbacea2c3065}\shellfolder[attributes]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[callforattributes]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Queries value:
cbacea2c3065}\shellfolder[restrictedattributes]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsfordisplay]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[hidefolderverbs]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[usedrophandler]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Queries value:
cbacea2c3065}\shellfolder[wantsforparsing]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsparsedisplayname]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Queries value:
cbacea2c3065}\shellfolder[mapnetdriveverbs]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[hideinwebview]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-}
  Oueries value:
cbacea2c3065}\shellfolder[hideondesktopperuser]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsaliasednotifications]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[wantsuniversaldelegate]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[nofilefolderjunction]
  Queries value:
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[pintonamespacetree]
                                       HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{daf95313-e44d-46af-be1b-
cbacea2c3065}1
  Queries value:
                                       HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[attributes]
                                       HKCR\clsid\{e345f35f-9397-435c-8f95-
  Queries value:
```

```
4e922c26259e}\shellfolder[callforattributes]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Oueries value:
4e922c26259e}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[wantsfordisplay]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Oueries value:
4e922c26259e}\shellfolder[usedrophandler]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[wantsforparsing]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[wantsparsedisplayname]
 Oueries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[queryforoverlay]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[queryforinfotip]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hideinwebview]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[wantsaliasednotifications]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hasnavigationenum]
 Queries value:
4e922c26259e}1
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[attributes]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[callforattributes]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[restrictedattributes]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[hidefolderverbs]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[usedrophandler]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[wantsforparsing]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[queryforoverlay]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[mapnetdriveverbs]
 Oueries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[queryforinfotip]
 Oueries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[hideinwebview]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[wantsaliasednotifications]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[nofilefolderjunction]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[pintonamespacetree]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}]
 Oueries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[attributes]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[callforattributes]
 Queries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[restrictedattributes]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[wantsfordisplay]
```

```
HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[hidefolderverbs]
  Oueries value:
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[usedrophandler]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[wantsforparsing]
  Queries value:
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[wantsparsedisplayname]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[queryforoverlay]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[mapnetdriveverbs]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[queryforinfotip]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[hideinwebview]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[hideondesktopperuser]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[wantsaliasednotifications]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[wantsuniversaldelegate]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[nofilefolderjunction]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{f02c1a0d-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be2
7367fc96ef3c}1
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[attributes]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[callforattributes]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[restrictedattributes]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[wantsfordisplay]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[hidefolderverbs]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[usedrophandler]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[wantsforparsing]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[wantsparsedisplayname]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[queryforoverlay]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[mapnetdriveverbs]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[queryforinfotip]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[hideinwebview]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[hideondesktopperuser]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[wantsaliasednotifications]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[nofilefolderjunction]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[hasnavigationenum]
  Queries value:
a1ebe3392799}1
  Queries value:
11e3-b3bc-806e6f6e6963}[data]
  Queries value:
11e3-b3bc-806e6f6e6963}[generation]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
  Oueries value:
                                    HKLM\software\microsoft\windows\currentversion[devicepath]
                                    HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
  Oueries value:
409d6c4515e9}[drivemask]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
  Queries value:
```

```
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
  Queries value:
HKCU \ software \ microsoft \ windows \ \ current version \ \ explorer \ \ \ advanced \ [dont pretty path]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                                    \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \advanced [filter] \end{tabular}
  Oueries value:
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
  Queries value:
Queries value:
11e3-b3bc-806e6f6e6963}[data]
11e3-b3bc-806e6f6e6963}[generation]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
                                    HKCR\directory[docobject]
  Queries value:
  Queries value:
                                    HKCR\folder[docobject]
  Oueries value:
                                    HKCR\allfilesystemobjects[docobject]
                                    HKCR\directory[browseinplace]
  Queries value:
                                    HKCR\folder[browseinplace]
  Oueries value:
  Oueries value:
                                    HKCR\allfilesystemobjects[browseinplace]
                                    HKCR\directory[isshortcut]
  Queries value:
                                    HKCR\folder[isshortcut]
  Queries value:
  Oueries value:
                                    HKCR\allfilesystemobjects[isshortcut]
                                    HKCR\directory[alwaysshowext]
  Queries value:
  Oueries value:
                                    HKCR\directory[nevershowext]
  Oueries value:
                                    HKCR\folder[nevershowext]
                                    HKCR\allfilesystemobjects[nevershowext]
  Oueries value:
  Queries value:
                                    HKCR\.exe[]
  Queries value:
                                    HKCR\exefile[docobject]
  Queries value:
                                    HKCR\systemfileassociations\.exe[docobject]
  Oueries value:
                                    HKCR\exefile[browseinplace]
  Queries value:
                                    HKCR\systemfileassociations\.exe[browseinplace]
  Oueries value:
                                    HKCR\.exe[content type]
  Oueries value:
                                    HKCR\exefile[isshortcut]
  Queries value:
                                    HKCR\systemfileassociations\.exe[isshortcut]
  Queries value:
                                    HKCR\exefile[alwaysshowext]
  Oueries value:
                                    HKCR\systemfileassociations\.exe[alwaysshowext]
  Queries value:
                                    HKCR\exefile[nevershowext]
  Oueries value:
                                    HKCR\systemfileassociations\.exe[nevershowext]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}[category]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}[name]
  Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-defended \ explorer\} \ folder \ fo
b029-7fe99a87c641}[parentfolder]
  Queries value:
b029-7fe99a87c641}[description]
  Oueries value:
b029-7fe99a87c641}[relativepath]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}[parsingname]
  Oueries value:
b029-7fe99a87c641}[infotip]
  Oueries value:
```

Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish \ explorer\ \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Oueries value:

 $HKLM\software\mbox{$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [description] \label{eq:hklm} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Oueries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\ [parsing name]$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[infotip]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$

Queries value:

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{bb3ea5dc-b587-4786-b4ef-bd1dc332aeae} [security]$

Queries value:

Queries value:

 $HKLM\software\mbox{$hkLM$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b$

```
b4ef-bd1dc332aeae}[roamable]
   Oueries value:
b4ef-bd1dc332aeae}[precreate]
   Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-47
b4ef-bd1dc332aeae}[stream]
   Oueries value:
b4ef-bd1dc332aeae}[publishexpandedpath]
   Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-47
b4ef-bd1dc332aeae}[attributes]
   Oueries value:
b4ef-bd1dc332aeae}[foldertypeid]
   Oueries value:
b4ef-bd1dc332aeae}[initfolderhandler]
                                                \label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}
   Oueries value:
folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]
                                                HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]
   Queries value:
                                                HKCR\exefile[nostaticdefaultverb]
   Oueries value:
   Queries value:
                                                 HKCR\exefile\shell[]
   Queries value:
                                                 HKCR\exefile\shell\open[neverdefault]
   Queries value:
                                                HKCR\exefile\shell\open\command[delegateexecute]
   Queries value:
                                                 HKCR\.asp[]
   Queries value:
                                                 HKCR\.bas[]
                                                HKCR\.bat[]
   Oueries value:
                                                 HKCR\.cer[]
   Queries value:
                                                 HKCR\.chm[]
   Oueries value:
   Queries value:
                                                HKCR\.cmd[]
                                                 HKCR\.com[]
   Queries value:
   Queries value:
                                                 HKCR\.cpl[]
   Oueries value:
                                                HKCR\.crt[]
                                                 HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
   Queries value:
                                                HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
   Oueries value:
00c04fb6bfc4}\inprocserver32[inprocserver32]
                                                HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32[]
   Queries value:
                                                HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
   Queries value:
00c04fb6bfc4}\inprocserver32[threadingmodel]
   Queries value:
                                                HKLM\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
   Queries value:
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings[specialfolderscachesize]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
   Queries value:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[6f21fb21650da014d87426fa0bd8e7f2.exe]
   Oueries value:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[*]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
                                                 HKCR\exefile\shell\open\command[command]
   Oueries value:
   Oueries value:
                                                 HKCR\exefile\shell\open\command[]
                                                 HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
   Queries value:
   Queries value:
                                                HKCR\exefile\shell\open[noworkingdirectory]
   Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
                                                HKLM\software\microsoft\windows nt\currentversion\image file execution
   Oueries value:
options[disablelocaloverride]
                                                 HKLM\software\microsoft\windows\html help[.hlp]
   Oueries value:
   Queries value:
                                                 HKLM\software\microsoft\windows nt\currentversion\compatibility32[cmd]
   Oueries value:
                                                 HKLM\software\microsoft\command processor[disableunccheck]
   Queries value:
                                                 HKLM\software\microsoft\command processor[enableextensions]
   Oueries value:
                                                 HKLM\software\microsoft\command processor[delayedexpansion]
   Queries value:
                                                 HKLM\software\microsoft\command processor[defaultcolor]
   Oueries value:
                                                 HKLM\software\microsoft\command processor[completionchar]
   Oueries value:
                                                 HKLM\software\microsoft\command processor[pathcompletionchar]
   Queries value:
                                                 HKLM\software\microsoft\command processor[autorun]
   Queries value:
                                                 HKCU\software\microsoft\command processor[disableunccheck]
                                                 \label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ command processor[enable extensions]
   Oueries value:
   Queries value:
                                                 HKCU\software\microsoft\command processor[delayedexpansion]
```

Queries value: HKCU\software\microsoft\command processor[autorun]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]

HKCU\software\microsoft\command processor[defaultcolor]

HKCU\software\microsoft\command processor[completionchar]

HKCU\software\microsoft\command processor[pathcompletionchar]

Oueries value:

Oueries value:

Oueries value:

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\layers[c:\windows\system32\tasklist.exe]

Oueries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[tasklist]

HKLM\software\microsoft\wbem\cimom[logging] Oueries value:

Queries value: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]

HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}[] Oueries value:

Oueries value: HKCR\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\inprocserver32[inprocserver32]

HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\inprocserver32[] Oueries value:

Queries value: HKCR\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\inprocserver32[threadingmodel]

HKLM\software\microsoft\wbem\cimom[logging directory] Oueries value: Oueries value: HKLM\software\microsoft\wbem\cimom[log file max size] HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}[] Queries value:

HKLM\software\microsoft\sqmclient\windows\disabledprocesses[36a1bda3] Oueries value: Queries value: HKCR\interface\{f309ad18-d86a-11d0-a075-00c04fb68820}\proxystubclsid32[]

Queries value: HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}[]

HKCR\clsid\{7c857801-7381-11cf-884d-Oueries value:

00aa004b2e24}\inprocserver32[inprocserver32]

HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprocserver32[] Queries value:

HKCR\clsid\{7c857801-7381-11cf-884d-Queries value:

00aa004b2e24}\inprocserver32[threadingmodel]

Queries value: HKCR\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887}\proxystubclsid32[]

Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[en] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]

Queries value: HKCR\interface\{9556dc99-828c-11cf-a37e-00aa003240c7}\proxystubclsid32[]

Oueries value: HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}[]

HKCR\clsid\{d68af00a-29cb-43fa-8504-Queries value:

ce99a996d9ea}\inprocserver32[inprocserver32]

HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\inprocserver32[] Queries value:

HKCR\clsid\{d68af00a-29cb-43fa-8504-Queries value:

ce99a996d9ea}\inprocserver32[threadingmodel]

HKLM\software\microsoft\wbem\cimom[processid] Oueries value:

Queries value: HKLM\software\microsoft\wbem\cimom[enableprivateobjectheap]

Queries value: HKLM\software\microsoft\wbem\cimom[contextlimit] Oueries value: HKLM\software\microsoft\wbem\cimom[objectlimit] HKLM\software\microsoft\wbem\cimom[identifierlimit] Queries value:

HKCR\interface\{027947e1-d731-11ce-a357-00000000001}\proxystubclsid32[] Queries value:

HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}[] Oueries value:

HKCR\clsid\{1b1cad8c-2dab-11d2-b604-Queries value:

00104b703efd}\inprocserver32[inprocserver32]

HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\inprocserver32[] Queries value:

HKCR\clsid\{1b1cad8c-2dab-11d2-b604-Oueries value:

00104b703efd}\inprocserver32[threadingmodel]

 $HKCR \verb|\interface| \{1c1c45ee-4395-11d2-b60b-00104b703efd\} \verb|\proxystubclsid32[]| \\$ Queries value: Queries value: $HKCR \ interface \ \{423ec01e-2e35-11d2-b604-00104b703efd\} \ proxystubclsid32[]$

HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}[] Oueries value:

Queries value: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-

00c04fb68820}\inprocserver32[inprocserver32]

HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprocserver32[] Oueries value:

Queries value: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-

00c04fb68820}\inprocserver32[threadingmodel]

Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[enablefiletracing] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[enableconsoletracing] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[filetracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[consoletracingmask]

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[maxfilesize] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasapi32[filedirectory] Sets/Creates value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} Whit$ Sets/Creates value:

 $HKLM \ software \ microsoft \ tracing \ 6f21fb21650da014d87426fa0bd8e7f2_rasmancs [enable consoletracing]$ Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[filetracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[consoletracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\6f21fb21650da014d87426fa0bd8e7f2_rasmancs[maxfilesize] Sets/Creates value:

 $HKLM \ software \ microsoft \ tracing \ 6f21fb21650da014d87426fa0bd8e7f2_rasmancs[filedirectory]$ Value changes:

HKCU\software\microsoft\windows\currentversion\internet

settings[proxyenable]

Value changes: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

settings\connections[savedlegacysettings]

Value changes: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ $\label{lem:condition} Settings `conemap[uncasintranet] $$ Value changes: $$ HKCU software \end{times} current version `internet settings `conemap[autodetect] $$$