# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 148, Task ID: 592

Task ID: 592 Risk Level: 6

Date Processed: 2016-04-28 13:03:06 (UTC)

Processing Time: 61.22 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\0905f2b072fdbfd8978aa0eb243b71a1.exe"

Sample ID: 148
Type: basic
Owner: admin

Label: 0905f2b072fdbfd8978aa0eb243b71a1

Date Added: 2016-04-28 12:45:05 (UTC)

File Type: PE32:win32:gui File Size: 106006 bytes

MD5: 0905f2b072fdbfd8978aa0eb243b71a1

SHA256: 5ebe93fb60de1515638d845da2133fa9af74e823c3067a203f96fe128ffa55d8

Description: None

### Pattern Matching Results

6 Renames file on boot

2 PE: Nonstandard section

4 Packer: NSIS [Nullsoft Scriptable Install System]

#### Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

#### Process/Thread Events

Creates process: C:\windows\temp\0905f2b072fdbfd8978aa0eb243b71a1.exe

["C:\windows\temp\0905f2b072fdbfd8978aa0eb243b71a1.exe" ]

Creates process: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe ["C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe" \_?=C:\windows\temp\]
Terminates process: C:\Windows\Temp\0905f2b072fdbfd8978aa0eb243b71a1.exe

# Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

 $\label{lem:creates} Creates\ mutex: $$ \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 $$$ 

 $\label{lem:condition} {\it Creates event:} \qquad {\it KernelObjects \mbox{\it MaximumCommitCondition}}$ 

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

# File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nsi6898.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe
Creates: C:\Users\Admin\AppData\Local\Temp\nst6A97.tmp

Opens: C:\Windows\Prefetch\0905F2B072FDBFD8978AA0EB243B7-F21003DD.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\0905f2b072fdbfd8978aa0eb243b71a1.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

 $controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2$ 

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comctl32.dll

C:\windows\temp\VERSION.dll Opens: Opens: C:\Windows\System32\version.dll Opens: C:\Windows\System32\imm32.dl1 Opens: C:\Windows\WindowsShell.Manifest Opens: C:\Windows\System32\rpcss.dll C:\windows\temp\CRYPTBASE.dll Opens: Opens: C:\Windows\System32\cryptbase.dll C:\Windows\System32\uxtheme.dll Opens: C:\windows\temp\SHFOLDER.DLL Opens:

```
C:\Windows\System32\shfolder.dll
    Opens:
    Opens:
                                                                   C:\Windows\Globalization\Sorting\SortDefault.nls
    Opens:
                                                                   C:\Windows\System32\shell32.dll
    Opens:
                                                                   C:\
                                                                   C:\Windows
    Opens:
    Opens:
                                                                   C:\Windows\System32\propsys.dll
                                                                   C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
    Opens:
    Opens:
                                                                   C:\windows\temp\ntmarta.dll
    Opens:
                                                                   C:\Windows\System32\ntmarta.dll
    Opens:
                                                                   4C77-AF34-C647E37CA0D9}.1.ver0x000000000000006.db
    Opens:
                                                                   C:\Users\Admin\Desktop\desktop.ini
                                                                   C:\windows\temp\profapi.dll
    Opens:
    Opens:
                                                                   C:\Windows\System32\profapi.dll
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp
    Opens:
                                                                   C:\Windows\System32\en-US\setupapi.dll.mui
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\nsi6898.tmp
    Opens:
                                                                   C:\Windows\Temp\0905f2b072fdbfd8978aa0eb243b71a1.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe
    Opens:
                                                                   C:\Windows\System32\apphelp.dll
    Opens:
                                                                   C:\Windows\AppPatch\sysmain.sdb
    Opens:
                                                                   C:\Users
                                                                   C:\Users\Admin
    Opens:
    Opens:
                                                                   C:\Users\Admin\AppData
    Opens:
                                                                   C:\Users\Admin\AppData\Local
                                                                    \verb|C:\Users\Admin\AppData\Local\Temp\nsu.tmp\ui\SwDRM.dll| \\
    Opens:
    Opens:
                                                                   C:\Program Files\speedfan\speedfan.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Bu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Cu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Du_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Eu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Fu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Gu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Hu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Iu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ju_.exe
                                                                   C:\Windows\Prefetch\AU_.EXE-54EA8F2A.pf
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ku_.exe
    Opens:
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Lu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Mu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Nu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ou_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Pu_.exe
    Opens:
                                                                    C: \label{local} $$C: \label{
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ru_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Su_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Tu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Uu_.exe
    Opens:
                                                                   C: \label{local} $$C: \label{local} Temp\-\nsu.tmp\Vu\_.exe $$
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Wu_.exe
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Xu_.exe
    Opens:
                                                                   C: \label{local-Temp} $$C: \label{local-Temp} \align{ conditions for the context of the condition of the c
    Opens:
                                                                   Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Local\
    Opens:
                                                                   C: \label{local-temp-result} C: \label{loca
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\CRYPTBASE.dll
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\SHFOLDER.DLL
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ntmarta.dll
    Opens:
                                                                   C:\Users\desktop.ini
    Opens:
                                                                   C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\profapi.dll
    Opens:
                                                                   C:\Users\Admin\Searches\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Videos\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Pictures\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Contacts\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Favorites\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Music\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Downloads\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Documents\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Links\desktop.ini
```

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\apphelp.dll
Opens: C:\Windows\System32\shdocvw.dll

Opens:

Opens: C:\Users\Admin\AppData\Local\Temp\nst6A97.tmp

C:\Users\Admin\Saved Games\desktop.ini

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\RichEd20.DLL

Opens: C:\Windows\System32\riched20.dll
Opens: C:\Windows\Fonts\tahoma.ttf

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\dwmapi.dll

Opens: C:\Windows\System32\dwmapi.dll

Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\Windows\Fonts\StaticCache.dat

Writes to: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe

Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Searches\desktop.ini Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: C:\Users\Admin\Saved Games\desktop.ini

Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\nsi6898.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nst6A97.tmp

### Windows Registry Events

Creates key: HKLM\system\currentcontrolset\control\session manager

Opens key: HKLM\system\currentcontrolset\control\session manager

Opens key: HKLM\system\currentcontrolset\control\safeboot\option

Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument

Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize

Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32

Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ \ 0905f2b072fdbfd8978aa0eb243b71a1.exe$ 

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ mountpoints \ 2 \ cpc \ \ \ volume$ 

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \verb|\software\microsoft\windows\shell\registered applications \verb|\urlassociations\directory\open with progids and the state of the$ 

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

b029-7fe99a87c641}

Opens key:

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963} \label{lem:hkcu}$ 

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\au\_.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls
Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility
Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\au\_.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags
Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags
Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\au\_.exe
Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ \ property bag$ 

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b 28fc 23 \end{substitute}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ property bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ffold \f$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-86979315a281}\propertybag

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$ 

Opens key:

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \property bag$ 

Opens key:

 $\label{thm:local-prop} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$ 

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2328130-4e1e-4676-835a-98395c3bc3bb}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$ 

Opens key:

 $\label{thm:local-soft-windows} In the property of the proper$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a -4c59-b6a2-414586476 a ea\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba9-27cbc0c5389a \eqref{lem:hklm}$ 

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{off214138-b1d3-4a90-bba9-27cbc0c5389a} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\}$ 

Opens key:

 $\label{thm:local-software} HKLM\software\microsoft\simulation explorer\folder descriptions \eqref{2400183a-6185-49fb-a2d8-4a392a602ba3}\property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$ 

Opens key:

 $HKLM \setminus software \setminus irrestant + constant + c$ 

844b-64e6faf8716b}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \descriptions \formalfolder \formalfolder \descriptions \formalfolder \formalfolde$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early 1.00\% \end{4.5} and \current \current$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$ 

Opens key:

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae \ ffb8\} \ \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$ 

Onens key

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300be0a-2482ebae1a26}

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}\propertybag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49deb8d1-440df7ef3ddc}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d 17-9f04-a5fe99fc15ec \equiv 6555 ab 60-1555 ab 60-1555$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\propertybag$ 

Opens kev

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\}$ 

Opens key:

 $\label{thm:local-soft-windows} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$ 

Opens key:

 $\label{thm:local-softwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fol$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$ 

Opens key:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{724ef170-a42d-4fef-9f26-b60e846fba4f} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$ 

Opens key:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 4bd 8d571-6d19-48d3-be97-422220080e43 \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f02 - a3a9 - 6c82895e5c04\} \ property bag$ 

Opens key:

 $\label{thm:local-software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ property bag$ 

Opens kev:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \far7f5 d77-2e2b-44c3-a6a2-aba601054a51 \footnote{Aba601054a51}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-850d-79d08e667ca7\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$ 

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$ 

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}\propertybag

Opens kev:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}$$$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ property bag$ 

Opens key:

 $HKLM \setminus software \setminus irrestance x plorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-123 f-4565-1$ 

9164-39c4925e467b}

Opens key:

 $\label{thm:local-substitution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374} de 290-123f-4565-9164-39c4925e467b} \property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56 a 6 cd\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}\propertybag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ \ property bag$ 

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$ 

Onens key

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \property bag$ 

Opens key

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}

Opens key:

 $\label{lem:hkklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\propertybag$ 

Opens kev:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}\propertybag

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{1.929} \ descriptions \cal{lem:hklm} \ descriptions \cal{lem:hklm} \footnote{1.929} \ descriptions \cal{lem:hklm} \ descriptions \cal{lem:hklm$ 

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\propertybag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\propertybag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23}$ 

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$ 

Opens key:

 $\label{thm:local-constraint} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b850-448b77cb37f9 \property bag$ 

Opens key:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ fdd 39 ad 0-238 f-46 af-ad b 4-6 c 85 48 0 36 9 c 7 \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \end{figure}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}\ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$ 

Opens key:

 $\label{thm:loss} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ grade \ folder \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder \folder$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\}$ 

Opens key:

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}

Opens key:

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\mbox{43668bf8-c14e-49b2-97c9-747784d784b7}\property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ property bag$ 

Opens key:

 $HKLM \setminus software \setminus irrestant + software \setminus ir$ 

```
b5b4-2d72e54eaaa4}
 Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}\propertybag
 Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
 Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
 Opens key:
Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace\delegatefolders
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
 Opens key:
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
 Opens key:
                        HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32
 Opens key:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32
 Opens key:
                        HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
 Opens key:
                        HKCU\software\microsoft\windows nt\currentversion
 Opens key:
                        HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\shdocvw.dll
                        HKCU\software\microsoft\windows\currentversion\shell extensions\cached
 Opens kev:
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
 Opens key:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\treatas
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
 Opens key:
c5c76bc0b67f}\progid
 Opens key:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler32
 Opens key:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32
 Opens key:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\treatas
 Opens key:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\progid
 Opens key:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler32
 Opens key:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32
 Opens key:
                        HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
```

 $HKCR \clsid \end{design} \label{lem:hKCR} In prochamble \end{design} Addition{Advantage} \label{lem:hKCR} In prochamble \end{design} Advantage \end{design} Ad$ 

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag
 Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947c5c76bc0b67f}\instance\initpropertybag
 Opens key:

c66de400274e}\inprochandler

Opens kev:

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-8947-c5c76bc0b67f} Opens key: HKLM\system\currentcontrolset\control\nls\locale Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts HKLM\system\currentcontrolset\control\nls\language groups Opens key: Opens key: HKLM\software\microsoft\ctf\compatibility\au\_.exe Opens key:  $HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be08 - b$ Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436} Opens key: HKLM\software\microsoft\ctf\ Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink HKLM\software\microsoft\windows Opens key: nt\currentversion\languagepack\datastore\_v1.0 HKLM\software\microsoft\windows Opens key: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2 Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg Queries value: HKLM\system\currentcontrolset\control\session manager[cwdillegalindllsearch] Queries value: HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled] Queries value: HKCU\control panel\desktop[preferreduilanguages] HKCU\control panel\desktop\muicached[machinepreferreduilanguages] Queries value: Queries value: HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest] Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[] Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Oueries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles] HKLM\software\microsoft\windows Oueries value: nt\currentversion\compatibility32[0905f2b072fdbfd8978aa0eb243b71a1] Oueries value: HKLM\software\microsoft\windows nt\currentversion\windows[loadappinit\_dlls] Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\extended| locale [en-us]|$ Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[attributes] Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[callforattributes] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsfordisplay] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[hidefolderverbs] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[usedrophandler] Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsforparsing] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsparsedisplayname] Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[queryforoverlay] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[mapnetdriveverbs] Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[queryforinfotip] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[hideinwebview] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[hideondesktopperuser] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsaliasednotifications] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[wantsuniversaldelegate] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[nofilefolderjunction]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

Oueries value:

08002b30309d}\shellfolder[pintonamespacetree]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[hasnavigationenum] Queries value: HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-08002b30309d}1 Queries value: 11e3-b3bc-806e6f6e6963}[data] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}[generation] Oueries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9}[drivemask] Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn] HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden] HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay] Oueries value: HKCR\directory[docobject] Oueries value: HKCR\folder[docobject] Queries value: HKCR\allfilesystemobjects[docobject] Queries value: HKCR\directory[browseinplace] Queries value: HKCR\folder[browseinplace] Queries value: HKCR\allfilesystemobjects[browseinplace] Queries value: HKCR\directory[isshortcut] HKCR\folder[isshortcut] Queries value: Queries value: HKCR\allfilesystemobjects[isshortcut] Queries value: HKCR\directory[alwaysshowext] Oueries value: HKCR\directory[nevershowext] Queries value: HKCR\folder[nevershowext] Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ b029-7fe99a87c641 \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity] 
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[category]

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{arguments} \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[infotip]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[localizedname]\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ b4ef-bd1dc332aeae \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectorly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ b4ef-bd1dc332aeae \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[foldertypeid]\]$ 

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \category\cite{Control of the control of the control$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [parent folder]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \end{tabular} windows \current version \explorer \folder descriptions \end{tabular} \begin{tabular}{l} 43eb685db-65f9-4cf6-a03a-e3ef65729f3d \end{tabular} \end{tabular} \begin{tabular}{l} 43eb685db-65f9-4cf6-a03a-e3ef65729f3d \e$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} a 03a-e3ef65729f3d \cal{general} [parsing name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 03a-e3ef65729f3d \cal{lem:hklm} [icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [local redirectionly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \end{substitutes} a03a-e3ef65729f3d \end{substitutes}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \folder type id \cal{lem:hklm} id \cal{lem:hklm} a03a-e3ef65729f3d \folder \cal{lem:hklm} folder \cal{lem:hklm} id \cal{lem:hklm} absolute \cal{lem:hklm} id \cal{lem:hklm} absolute \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [initfolder \chandler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$ 

Queries value:

 $\label{local-operator} HKLM\software\mbox{ion-explorer-folderdescriptions} \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $HKLM \operatorname{local-prop} {\ Se6c858f-0e22-4760-9afe-ea3317b67173} [description] $$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{5e6c858f-0e22-4760-9afe-ea3317b67173} \cite{1.00cm} \cite{1.00c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [security]$ 

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} in the constraint of the constrai$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresourcetype]

Queries value:

 $\label{thm:local_ham} $$HKLM \sim \sum_{i=0}^{100} (1000) explorer folder descriptions \ {0.22-4760-9afe-ea3317b67173} [local redirectionly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}\[stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [initfolder handler]$ 

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\system\currentcontrolset\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Oueries value:

HKLM\system\currentcontrolset\control\computername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Oueries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [data]$ 

Queries value:

 $HKCU software \mbox{$\current version explorer mountpoints $\current $\current version explorer $\current $\current $\current version $\current $\current$ 

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

Queries value: HKLM\software\policies\microsoft\windows\system[copyfilechunksize]
Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations2]

 $\label{thm:current} Queries \ value: \\ HKLM\system\currentcontrolset\control\session$ 

manager[pendingfilerenameoperations]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\~nsu.tmp\au\_.exe]

Queries value: HKLM\software\microsoft\windows

 $nt\current version\app compatflags \hbox{$[8405f65d-d1b5-4d11-9a0f-ebaa5ccb3b4f]]}$ 

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{8405f65d-d1b5-4d11-9a0f-ebaa5ccb3b4f}]

Queries value: HKLM\software\microsoft\windows

 $nt\current version\app compatflags \hbox{$[$49f603c2-b224-4a07-b6ea-a2bcc1a51297$]}$} \\$ 

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[au\_]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{thm:local-prop} \cite{$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [description]$ 

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[icon]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [local redirectonly]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [roamable]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{thm:local-prop} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[stream]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \end{f3ce0} f7$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \folder type id \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \current \$ 

Queries value:

 $\label{thm:local-soft-windows} In the label of the labe$ 

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[attributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[usedrophandler]
Oueries value: HKCR\clsid\{5903

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsaliasednotifications]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hasnavigationenum]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-

5595fe6b30ee}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[category]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \cite{Continuous to the property of t$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ 47d1d3a04-debb-4115-95cf-2f29da2920da \ \ [description]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 47d1d3a04-debb-4115-95cf-2f29da2920da \ [icon]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream resource type]$ 

Queries value

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \eqref{1d2a04-debb-4115-95cf-2f29da2920da} \eqref{1d2a04-debb-4115-95cf-2f29da2920d$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$7d1d3a04-debb-4115-95cf-2f29da2920da} [roamable]$ 

Queries value:

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 47d1d3a04-debb-4115-95cf-2f29da2920da \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 47d1d3a04-debb-4115-95cf-2f29da2920da \ \ [attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \[folder type id] \]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$7d1d3a04-debb-4115-95cf-2f29da2920da}[initfolder \mbox{$1d1d3a04-debb-4115-95cf-2f29da2920da}[initfolder \mbox{$1d1d2derbandler}]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \fdescription\]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b28 fc 23 \finf otip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \footnote{100} \cite{100} \cite{100}$ 

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28fc23 \cite{local-continuous} \cite{local-continuous}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed mresource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \folder \figure{100} \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed [stream]$ 

Oueries value

 $\label{local-prop} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(538bf404-1d43-42f2-9305-67de0b28fc23)\cline{tabular}{l} [publishexpandedpath] \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[initfolderhandler]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \category \cite{Continuous} \cite{Conti$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \descriptions \formalfolder \folder \folde$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} \cite{thm:local-prop} \cit$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2aaae-29d317c6f066}[parsingname]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \figure{100} \cite{100} \cite{100}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \fixed \current \c$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$ 

Queries value:

 $\label{thm:local_twindows} HKLM \end{tikzplorer} In the constraint of the constrai$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \from \cite{thm:local-prop} \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \software \microsoft \microsoft$ 

Oueries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{lem:hklm} [publish \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{lem:hklm} [publish \explorer \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066] \cite{lem:hklm}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \cite{thm:local-prop} [init folder handler]$ 

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{2112ab0a-c86a-4ffe-a368-0de96e47012e} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2112ab0a-c86a-4ffe-a368-0de96e47012e} \cite{Continuous continuous c$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [infotip]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffea368-0de96e47012e}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fill \current \folder \fill \current \folder \fill \current \folder \fill \fill \current \folder \fill \fill$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [security]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresource]}$ 

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [local redirect only]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-

b800-0e69d84ee384}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{eq:hklm} a fef-f87ef2e6ba25 \category \cite{the continuous} a fef-f87ef2e6ba25 \cite{the continuous} \cite{the continuous}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25 \ [relative path]$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863afef-f87ef2e6ba25}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[publishexpandedpath]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25 \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[foldertypeid]

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$ 

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0$ in the plane of th$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$ 

Queries value:

 $HK\dot{M}\$  of tware \microsoft\windows \currentversion \explorer \folderdescriptions \{9e52ab10-f80d-49df-acb8-4330f5687855} \[ \] initfolder \text{handler} \]

Queries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} \cite{1.000} \cite{1.0000} \cite{1.000} \cite{1.0000} \cite{1.0000$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:g8ec0e18-2098-4d44-8644-66979315a281} \cite{Gamma: gamma: ga$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[relativepath]\]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[streamresourcetype]

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:g8ec0e18-2098-4d44-8644-66979315a281} [init folder \handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall a 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{lem:hklm} \cite{lem:hklm} \footnote{lem:hklm} \cite{lem:hklm} \cite{lem$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[relativepath]}$ 

Oueries value:

 $\label{local-oper-lo$ 

Queries value:

Queries value:

aa7c-e74b8be3b067}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall a 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{Ab8be3b067} \cite{Ab8be3b06$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fault \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ cac 52c 1a-b 53d-4edc-92d7-6b 2e8ac 19434 \} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Queries value

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[relativepath]} \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Queries value:

Queries value

 $\label{thm:localized} HKLM \software \mbox{$cac52c1a-b53d-4edc-92d7-6b2e8ac19434} [localized name]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[security]

Queries value:

 $\label{local-equation} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresource]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac1944 \cac52c1a-b53d-6b2e8$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[initfolderhandler]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} \cite{Continuous prop} \cite{C$ 

Oueries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[infotip]$ 

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[localizedname]}$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[icon]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[security]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[streamresource]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local_twindows} HKLM \end{thm:local_twindows} current version \explorer \folder descriptions \end{thm:local_twindows} and \end{thm:local_twindows} are the local_twindows \end{thm:local_twindows}.$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [precreate]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [publish expanded path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [name]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[relativepath]}$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[infotip]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresourcetype]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[localredirectonly]

Queries value:

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\[parentfolder\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \end{substitute} in fotip \footnote{Ad3e-bf91-f4455120b917} \end{substitute} \footnote{Ad3e-bf91-f4455120b917} \footnote{Ad3e-bf91-$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \[ security \]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[localredirectonly]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [precreate]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [attributes]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local_continuous_current} 46f0cd92b-2e97-45d1-88ff-b0d186b8dedd \current \curren$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-

88ff-b0d186b8dedd}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[security]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{$0$ in the constraint} $$HkLM \software \mbox{$0$ in the constraint} $$8ff-b0d186b8dedd \cite{100} [roamable] $$$15. $$15.$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Queries value:

 $\frac{\text{HKLM}}{\text{Software}} = \frac{1}{100} + \frac{1}{100} = \frac{$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$ 

Queries value:

 $\label{local-prop} \begin{tabular}{l} HKLM\software\mbox{$m$icrosoft\windows\currentversion} explorer\folderdescriptions\fold$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519a663-37bd56068185}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [init folder handler]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a75d362e-50fc-4fb7-ac2c-a8be} aa 314493 \cite{A1493} \cite{A1493}$ 

Queries value:

 $\label{localized-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa75d362e-50fc-4fb7-ac2c-a8beaa314493 \flocalized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a75d362e-50fc-4fb7-ac2c-a8beaa314493} \[ stream resource type \]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 491e922f-5643-4af4-a7eb-4e7a138d8174 \cite{April 1976} \cite{April 1976$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ a7eb-4e7a138d8174 \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill \fill$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[localredirectonly]

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 491e922f-5643-4af4-a7eb-4e7a138d8174 \fill 5 tream \fill 5 tream \fill 6 tream \fill 8 tream \fill 6 tream \fill 8 tream \fill 8$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[publishexpandedpath]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-

a7eb-4e7a138d8174}[initfolderhandler]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{33e28130-4e1e-4676-835a-98395c3bc3bb} \columnwidth \columnwi$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[description]

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{23e28130-4e1e-4676-835a-98395c3bc3bb} [infotip]$ 

Queries value:

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [security]$ 

Queries value:

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[streamresourcetype]$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} [stream]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bb\}[publishexpandedpath] \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[foldertypeid]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdots \cdots$ 

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ 

folders[my pictures]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-

a8f7-e4701232c972}[description]

Queries value:

 $\label{thm:local-equality} HKLM \software \mbox{$8ad10c31-2adb-4296-a8f7-e4701232c972} [relative path]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[parsingname]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c972\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a8f7-e4701232c972 \ [init folder handler]$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parentfolder]

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \c$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \[ \crosoft \cite{1.000} \] \end{tikzpicture} $$ (a) \cite{1.000} \cite{1.000} \cite{1.000} \] $$ (b) \cite{1.000} \cite{1.0000} \ci$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Oueries value

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[security]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [local redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[roamable]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[stream]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[publishexpandedpath]}$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[attributes]}$ 

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \cdot \end{area} $$ HKLM \cdot \e$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parent folder]$ 

Queries value:

Oueries value:

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a -4c59-b6a2-414586476 aea \current \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a -4c59-b6a2-414586476 aea \current \$ 

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdebf2536-e1a8-4c59-b6a2-414586476 aea \current \curr$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ b6a2-414586476aea\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bba9-27cbc0c5389a \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[relativepath]\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba 9-27 cbc 0 c5 389 a \slight [info tip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a part \cite{lem:hklm} a part \cite{lem:h$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba 9-27 cbc 0 c5 389 a \eqref{lem:hklm} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[precreate]

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-

bba9-27cbc0c5389a}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[init folder handler]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$2400183a-6185-49fb-a2d8-4a392a602ba3} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish expanded path]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2400183a-6185-49fb-a2d8-4a392a602ba3} [init folder \mbox{handler}]$ 

Oueries value

 $\label{thm:local_transform} HKLM \software \mbox{d9dc8a3b-b784-432e-a781-5a1130a75963} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [infotip]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[streamresource]\]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[streamresourcetype]\]$ 

Queries value:

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[category]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [localized name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[streamresourcetype]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$c4900540-2379-4c75-844b-64e6faf8716b} [roamable]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf 8716b \cdap{faf 8716b} \claim{figure processes} \claim{figu$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[publishexpandedpath]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf 8716b \c10b] \[ init folder \chandler \c10b] \]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{289a9a43-be44-4057-a41b-587a76d7e7f9} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[security]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-

a41b-587a76d7e7f9}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ [init folder handler]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parsing name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[infotip]$ 

Queries value:

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[streamresource]

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[streamresourcetype]\]$ 

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$4b$ fefb45-347d-4006-a5be-ac0cb0567192} [roamable]$ 

Queries value:

 $\label{local-prop} \begin{tabular}{l} HKLM\software\mbox{$m$icrosoft\windows\currentversion} explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[precreate] \end{tabular}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[category]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[relative\path]\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Queries value:

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \cite{hklm} and \cite{hkllm} and \cite{hkll$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[icon]$ 

Oueries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[ streamresourcetype \]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \cite{thm:hklm} descriptions \cite{thm:hklm} de$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e \} [name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[parentfolder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5ebd 2fd 6d 5e\}[localized name]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 31ca-4aba-814f-a5ebd2fd6d5e} [security]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} a 14f-a 5ebd \footnote{2fd 6d5e} [stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[localredirectonly]

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer folder descriptions \ensurements folder \ens$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \cite{lem:hklm} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \current \early \current \early \current \early \current \early \current \early \early \current \early \current \early \current \early \early \current \early \current \early \current \early \current \early \current \early \early \current \early \current \early \current \early \early \current \early \early \current \early \current \early \current \early \current \early \current \early \early \current \early \ea$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4 aba-814f-a5ebd2fd6d5e \cite{lem:hklm} [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \end{array} [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 31ca-4aba-814f-a5ebd2fd6d5e} \[\infolder \chandler\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$c870044b-f49e-4126-a9c3-b52a1ff411e8}$ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[parentfolder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a parallel \cal{lem:hklm} a par$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-

a9c3-b52a1ff411e8}[parsingname]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[streamresourcetype]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{126-a9c3-b52a1ff411e8} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[folder type id]$ 

Queries value:

 $HKLM \ software \ incressft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [initfolder handler]$ 

Oueries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[description]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \folder \current \folder \folde$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{139d44e-6afe-8690-3dafcae6ffb8} \cite{139d44e-6afe-8690-3dafcae6f$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype]

Oueries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colong \c$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[foldertypeid]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \dafcae \fib8 \cite{linitfolder} in the label \cite{linitfolder} and \cit$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[category]$$$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [name]$ 

Queries value:

Oueries value:

Queries value:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[infotip]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colongraph$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current 53-e17f-4121-8900-86626fc2c973 \current \current$ 

Queries value:

 $\label{local-prop} HKLM \end{align*} \begin{tabular}{ll} HKLM \end{align*} software \end{align*} software \end{align*} \begin{tabular}{ll} HKLM \end{align*} software \end{align$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[roamable]$$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[publishexpandedpath]

Oueries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 17f-4121-8900-86626 \folds \color= 12f-4121-8900-86626 \folds \color= 12f-4121-8900-86626 \color= 12f-$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$ 

Queries value:

 $\label{thm:hklm} HKLM \software \mbox{$156784854-c6cb-462b-8169-88e350} acb 82 \cite{100} \mbox{$169-88e350} acb 882 \cite{100} \mbox{$169-88e350} \mbox{$169-88e35$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [description]$ 

Oueries value:

 $\label{thm:local-substitution} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [parsing name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[localredirectonly]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[roamable]$$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-

8169-88e350acb882}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [parent folder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300be0a-2482ebae1a26}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \eqref{1con}$ 

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[streamresource]\]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [local redirector \eqref{1decomposition}]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \cite{Continuous to the property of the pro$ 

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[foldertypeid]\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \category\cite{Control of the control of the$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-

b42d-bc56db0ae516}[description]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folder type id \cite{type} i$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [initfolder handler]$ 

Queries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{$a$302545d-deff-464b-abe8-61c8648d939b} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464babe8-61c8648d939b}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}\[publishexpandedpath]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot [description]$ 

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[parsingname]

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \end{tabular} $$ HKLM \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [security]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \ [local redirectonly]$ 

 $\label{local-observation} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [roamable]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [folder type id]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [name]$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} are the lemma \cal{lem:hklm} and \cal{lem:hklm} are the lemma \cal{lem:hklm} and \cal{lem:hklm} are the lemma \ca$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b8d1-440df \footnote{100} \footnote{100} \current \cur$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49deb8d1-440df7ef3ddc}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b8d1-440df \footnote{1.00} \footnote{1.00} \current \c$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b8d1-440df7ef3ddc \current b8d1-440df7ef3ddc$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-

b8d1-440df7ef3ddc}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 1-440 df \folder \ctil{lem:hklm} folder \ctil{lem:hklm} a 1-440 df \folder \ctil{lem:hklm} folder \ctil{lem:hklm} a 1-440 df \ctil{lem:hklm} a 1-$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolder handler]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[category]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \current \equiv \current \cur$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[security]

Queries value:

 $HKLM \ software \ microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]$ 

Queries value:

 $HKLM\software\mbox{windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[foldertypeid]}$ 

Queries value:

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[description]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresource]}$ 

Queries value:

 $\label{lem:hkklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[localredirectonly]}$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[attributes]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \eqref{0.54} [folder type id]$ 

Queries value:

 $\label{local-observation} HKLM \software \mbox{$054fae61-4dd8-4787-80b6-090220c4b700} [initfolder \mbox{$01-4dd8-4787-80b6-090220c4b700}] initfolder \mbox{$01-4dd8-4787-80b6-090220c4b700} [initfolder \mbox{$01-4dd8-4787-80b6-09020c4b700}] initfolder \mbox{$01-4dd8-4787-80b6-09020c4b700} [initfolder \mbox{$01-4dd8-4780-09020c$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [relative path]$ 

Queries value:

 $\label{thm:local-soft-windows} In the properties of the properti$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$ 

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \ga$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \folder \gamma \gam$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[name]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[streamresource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-

b60d-588c2dba842d}[stream]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [name]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[icon]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource type]$ 

Queries value

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74} [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [precreate]$ 

Queries value:

 $\label{thm:local_holds} HKLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{local-ham} HKLM \software \mbox{$0$$-102d10dcfd74} [attributes]$ 

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[parsingname]

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[icon]}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \folder \gamma \gam$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [initfolder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [relative path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}\[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4f ef 9f 26-b 60e 846f ba 4f \} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\}[icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[security]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} [description]$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fidelight \footnote{100} \end{tabular} $$ beg7-422220080e43 \ [relative path] $$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\}[icon]$ 

Queries value:

be97-422220080e43}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[roamable]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\[precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [attributes]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [init folder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \cite{lem:hklmsoftware} [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder \current \explorer \current \current$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a 9-6c 8289 5e 5c 04 \cite{lem:hklm} [parsing name]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[infotip]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f 02-a3a9-6c82895e5c04\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \eqref{licon}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \defined a 3a9-6c82895e5c04 \[security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [local redirectonly]$ 

Queries value:

 $HKLM \setminus software \setminus irrestant + software \setminus ir$ 

a3a9-6c82895e5c04}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[publishexpandedpath]}$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[roamable]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM\software\mbox{$microsoft\windows\currentversion} explorer\folderdescriptions\colorer\$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [attributes]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \cite{Ad9f7874-4e0c-4904-967b-40b0d20c3e4b} \cite{Ad9f7874-4e0c-4904-967b-40b0d20c3e4b}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\$ [initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parent folder]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\[relativepath]\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [infotip]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localizedname]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [security]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} [attributes]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} [init folder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} \cite{background} \eqref{a6a2-aba601054a51} \eqref{a6a2-aba601054a51} \cite{background} \eqref{a6a2-aba601054a51} \eqref{a6a2-a$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} \cite{A77f5d77-2e2b-44c3-a6a2-aba601054a51} \cite{A77f5d77-2e2b-44c3-aba601054a51} \cite{A77f5d7$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-

a6a2-aba601054a51}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa77f5d77-2e2b-44c3-a6a2-aba601054a51 \ficon \fill \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac0837c-bbf8-452a-850d-79d08e667ca7\} [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \currents \$ 

Queries value:

Queries value

 $\label{thm:main} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[localizedname]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local_hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[streamresource]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresourcetype]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e667 ca7\} [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-45 2a-85 0 d-79 d0 8 e6 67 ca7\} [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0ac 08 37 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [publish expanded path]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [init folder handler]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd0384e7d-bac3-4797-8f14-cba229b392b5 \cite{lem:hklm} [name]$ 

Queries value:

 $\label{thm:local-soft-windows} In the properties of the proof of the$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [description]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \[local redirection \eqref{local redirection}\]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[roamable]

Oueries value:

Queries value:

 $\label{thm:local-soft-windows} In the local-soft of the local-so$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [publish expanded path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[foldertypeid]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[name]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [parentfolder]$ 

Queries value:

 $\label{thm:hammon} HKLM \software \mbox{$7b0db17d-9cd2-4a93-9733-46cc89022e7c} [description]$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b0db17d-9cd2-4a93-9733-46cc89022e7c} [stream resource]$ 

Queries value:

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[local\redirectonly]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [publishexpandedpath]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[foldertypeid]

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{folder} 4a93-9733-46cc89022e7c \cite{local_folder} [init folder \cite{ham}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\}[category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-

8655-8a092e34987a}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} [icon]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$m$ icrosoft\windows\currentversion} explorer \folder descriptions \fae 50c081-ebd2-438a-8655-8a092e34987a \far earnesource]$ 

Queries value

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [attributes]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[foldertypeid] \end{tabular}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 62 ab 5d 82-fd c 1-4d c 3-a9d d-070d 1d 495d 97 \cite{Continuous local-equation} \eqref folder \cite{Continuous local-equation} \eqref folder \cite{Continuous local-equation} \eqref folder \eqref folder \cite{Continuous local-equation} \eq$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [description]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [infotip]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{10calized name} \eqref{10calized name} \eqref{10calized name}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [local redirectorly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [initfolder handler]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[category\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{100} \cite{$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[description]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{lem:hklm} [relative path]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fib32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{t157091} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \filb 32785-6 fba-4 fcf-9d55-7b8e7f157091 \cite{theorem} [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [icon]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM \sim \min_{software \in \mathbb{N}_{software}} (1532785-6fba-4fcf-9d55-7b8e7f157091) $$[security]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[name]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parentfolder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[description]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parsingname]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[icon]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [precreate]$ 

Oueries value:

9af7-4fc2abf07cc5}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [description]$ 

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[icon]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b35e-b13f55a758f4 \current ty]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[streamresourcetype]

Oueries value

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [attributes]$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM\software\mbox{$^{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[foldertypeid]} \end{tabular}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [initfolder \ handler]$ 

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[name]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [parentfolder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[icon]\]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]$ 

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresourcetype]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[roamable]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{Conditions} \cite{Conditions$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [init folder \handler]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local decrease of the loca$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[name]

Oueries value:

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{$374$ de 290-123f-4565-9164-39c4925e467b} [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39 c4925 e467b\} \ [relative path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[parsingname]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} [localized name]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[security]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e467b\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \ [local redirectionly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are the lemma \colored by the lemma \colored by \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are the label \cal{lem:hklm} and \cal{lem:hklm} are the label \cal{lklm} are the label \cal{lk$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[stream]

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are the lateral properties of the late$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \folder \current \folder \folder$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[initfolderhandler\]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Oueries value:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[name]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [description]$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{$859$ ead} 4-2e85-48 ad-a71a-0969 cb56a6cd} [relative path]$ 

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$ 

Oueries value:

 $\label{thm:local-explorer} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[streamresource]

Oueries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56 a 6 cd \} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [precreate]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b1a-7e76fa98d6e4} \cite{A305ce9$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \explorer \explorer \folder \current \explorer \e$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[infotip]

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localizedname]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \eqref{a305ce99-f527-492b-8b1a-7e76fa98de4} \eqref{a305ce99-f527-492b1a-7e76fa98de4} \eqref{a305ce99-f527-492b1a-7e76fa98de4} \eqref{a305ce99-f527-492b1a-7e76fa98de4} \eqref{a305ce99-f527-492b1a-7e76fa98de$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[security]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[streamresource]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [local redirectonly]$ 

Queries value:

8b1a-7e76fa98d6e4}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ folder \ fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [publish expanded path]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [folder type id]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \cite{Continuous} \cite{Conti$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parentfolder]

Queries value:

Queries value:

 $HKLM\software\mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [relative path] \\$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [localized name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[localredirectonly]

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [precreate]$ 

Queries value:

Queries value:

 $\label{local-oper-poly-o$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [attributes]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [category]$ 

Oueries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[relativepath]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[infotip]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [icon]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[roamable]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fared a 990 a e 9 f - a 0 3 b - 4 e 8 0 - 9 4 b c - 9 9 1 2 d 7 5 0 4 1 0 4 \} \[ \colored \col$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[foldertypeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local-c82a-4d63-906a-5644ac457385} \cite{Local-c82a-4d63-906a-5644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-4d63-906a-6644ac457385} \cite{Local-c82a-6644ac457385} \cite{Local-c$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[description]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[relativepath]$ 

Oueries value:

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{dfdf76a2-c82a-4d63-906a-5644ac457385} [attributes]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385} [foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358a798-b74d745926c5}[category]

Queries value:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \full \full$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relativepath]}$ 

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{1a6fdba2 - f42d - 4358 - a798 - b74d745926c5\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-

a798-b74d745926c5}[localizedname]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} [icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [security]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirectonly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[parentfolder\]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{a520a1a4-1780-4ff6-bd18-167343c5af16} [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [infotip]$ 

Queries value:

 $HKLM\software\mbox{a520a1a4-1780-4ff6-bd18-167343c5af16} [localized name] \\$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [stream resource type]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [attributes]$ 

Queries value:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [init folder handler]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[name]}$ 

Queries value:

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \description \end{description} above the label \folder \description \folder \folder \folder \description \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \cite{Licon}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [security]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresource]$$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$ 

Queries value:

 $\label{local-condition} HKLM \software \mbox{b74d-02885a5dc765} [local redirectorly]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish expanded path]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ b88f4daa-e7bd-49a9-b74d-02885a5dc765 \ [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \footnote{100} \footnote{1$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[relativepath]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current terms on \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cale= 2c36c0aa-5812-4b87-bfd0-4cd0 \dfb19b39 \cale= 2c36c0aa-5612-4b87-bfd0-4cd0 \dfb19b39 \dfb19b39 \dfb19b39 \dfb19b39 \dfb19b39 \dfb19b39 \dfb19b3$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \ficon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\} \ [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \subseteq \current \curren$ 

Queries value:

Queries value:

 $\label{local-condition} HKLM \software \mbox{$10$-4b87-bfd0-4cd0dfb19b39}[local-redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current \current$ 

Queries value:

 $\label{thm:hkkm} HKLM software \mbox{$2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} [stream]$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-

b827-48b24b6c7174}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[category]

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[parsingname]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$df7266ac-9274-4867-8d5-3bd661de872d} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [local redirect only]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[roamable]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266 ac-9274-4867-8d55-3bd661 de872d\} [initfolder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \category \cite{Abarrent} \cite{Abarrent}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 7965083634 \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 81e2-fc7965083634 \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[description]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.24} af-dce 4-45a 8-1e2-fc7965083634 \parsing name \end{4.24} \label{lem:hklm}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[infotip]

Queries value:

 $\label{local-prop} HKLM\software\mbox{windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[localizedname]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[icon]

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.24} af-dce 4-45a 8-81e 2-fc 79650 83634 \end{4.24} [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc 7965083634\} [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[stream]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$ed4824af-dce4-45a8-81e2-fc7965083634} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \cite{linitfolder} in the label of the lab$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \current \end{descriptions} \deformance \deformance \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresource]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectionly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [precreate]$ 

Oueries value:

a4ce-a8e7c6ea7d27}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [initfolder \ handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[category]

Queries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[name]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 ec 372 a f b 5\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresourcetype]

Oueries value

 $\label{thm:local-soft-windows} HKLM \software \mbox{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [local redirectorly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\} [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [precreate]$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 ec 372 af b 5\} [attributes]$ 

Queries value:

 $\label{local-bound} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(15ca69b3-30ee-49c1-ace1-6b5ec372afb5)\foldertypeid\end{tabular}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [init folder handler]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff\} [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298bb61-92a9deaa44ff}[description]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ \ bb61-92a9 deaa 44ff \ \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [infotip]$ 

Queries value:

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are source \colored bb 61-92a 9 dea a 44 ff \cal{lem:hklm} [stream resource]$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [stream resource type]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} $$ bb61-92a9 deaa 44ff \cal{lem:hklmsoftware} \ [\color=bb61-92a9 deaa44ff \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$ is $$ beautiful to $$ beautiful to $$ based on $$ based o$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 1.92a9 dea a 44ff \footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} as 1.92a9 dea a 44ff \footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{3214fab5-9757-4298-bb61-92a9deaa44ff} [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} bb61-92a9 deaa 44ff \cal{lem:hklm} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{$3214$ fab5-9757-4298-bb61-92a9} deaa44ff\ [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[category]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}\$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}\[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$ 

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[localredirectonly\]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[roamable]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[publishexpandedpath]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [initfolder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \category \cite{Accessed of the control of t$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current \cur$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \cite{lem:hklm} [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current \cur$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228cb7-ae11-4ae3-864c-16f3910ab8fe \current \curren$ 

Queries value:

 $HKLM \setminus software \setminus irros of t \setminus irros of the irros of th$ 

Queries value:

864c-16f3910ab8fe}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe\ [roamable]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \footnote{lem:hklm} \end{substitute} \label{lem:hklm}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[description]$$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[relativepath]\]$ 

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[icon]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[streamresourcetype]

Oueries value

 $\label{local_holo} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$ 

Oueries value:

 $\label{local-operator} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [init folder \mbox{bndler}]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[name]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[parentfolder]}$ 

Queries value:

Queries value:

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [icon]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresourcetype]

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{hklm} \cite{hklm} \cite{hklm} \cite{hkllm} \cit$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folds 3-ab 48-4ec 1-ba 1f-a 1ef 41 46 fc 19 \folds 4 fc 19 \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [folder type id]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ ae 3b-bf 251ea 09b 53 \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cd20 beec 4-5 ca 8-4905-ae 3b-bf 251e a 09b 53 \cday{beec 4-5 ca 8-4905-ae 3b-bf 251e a 09b 53} \cday{be called the lemma for the lemma f$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[infotip]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \ [local redirection \eqref{lem:hklm}]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{d20beec4-5ca8-4905-ae3b-bf251ea09b53} [roamable]$ 

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{descape} 420 beec 4-5 ca 8-490 5-ae 3b-bf 251 ea 09 b 53 \eqref{descape} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ ae 3b-bf 251ea 09b 53 \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[foldertypeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ d20 beec 4-5 ca 8-4905-ae 3b-bf 251ea 09b 53 \ [init folder handler]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{lem:hklm} \eqref{lem:hklm} \eqref{lem:hk$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$ 

Oueries value:

a3bb-86e631204a23}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ a3bb-86e631204a23 \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[\infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [local redirect only]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[ stream \]$ 

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} [attributes]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[foldertypeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [initfolder handler]$ 

Oueries value

 $\label{thm:local-continuous} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[category]$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[description]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[parsingname]

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \folder \current \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$ 

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 10c07cd0-ef91-4567-b850-448b77cb37f9 \cite{licon}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \[local redirectonly] \]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[publishexpandedpath]}$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad 0-2$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\mbox{fdd39ad0-238f-46af-adb4-6c85480369c7}[relative path]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}\ [parsing name]$ 

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fidd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{licon} \end{substant} \ [icon]$ 

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \colored [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[streamresourcetype]$ 

Oueries value:

 $\label{thm:local_to_the_basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{thm:local_to_the_basis} \label{thm:local_to_the_basis} I \cite{thm:local_to_the_basis} I \cite{th$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ dd 39 ad 0-238 f-46 af-ad b 4-6 c 85 48 0 36 9 c 7\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [init folder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}\category\cite{Control of the control o$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} according \cite{thm:hklm} accor$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bedd-7aa 20b 227a 9d \ [relative path]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [parsing name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cale= 2d0-10df-4334-bedd-7aa \color= 20b227a \color= 2d0-12df-4334-bedd-7aa \color=$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[icon]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2directonly\c1bae2do-7aa20b227a9d \c1bae2do-7aa20b227a9d \c1$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \footnote{Microsoft \cal{lem:hklm}} [stream]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$ 

Oueries value:

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=190337d1-b8ca-4121-a639-6d472d16972a \co$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337 \dots -64872 \dots -64472 \dots$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337 \dots \equiv 190337 \d$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337 d1-b8 ca-4121-a639-6d472 d16972 a \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \mbox{ [publish expanded path]}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equation \equation \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-

9148-0f4247291cfa}[name]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[relativepath]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \curr$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-observation} HKLM \software \mbox{$54$ eed 2e0-e7ca-4fdb-9148-0f4247291cfa} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream resource type]$ 

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[local\redirectonly\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$ 

Queries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54 eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[name]}$ 

Queries value:

 $HKLM\software\mbox{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968} [parentfolder] \\$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[localizedname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[security]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[streamresource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[precreate]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[publishexpandedpath]}$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$ 

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}\ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[infotip]$ 

Queries value:

 $\label{localized-ham} HKLM \software \mbox{\sc d7aee2-2219-4a67-b85d-6c9ce15660cb} [localized name]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [security]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [local redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \cdots \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[foldertypeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [initfolder handler]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$ 

Queries value:

 $\label{thm:lossoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \ga$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$ 

Queries value:

 $\label{localized-ham} HKLM \software \mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [localized name]$ 

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{b94237e7-57ac-4347-9151-b08c6c32d1f7} \end{substitute} icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[localredirectonly]

Queries value:

 $\label{thm:lossoftw} HKLM\software\microsoft\subseteq windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{b94237e7-57ac-4347-9151-b08c6c32d1f7} [precreate]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cal{lem:hklm} [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \cal{lem:$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ [parsing name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{lem:hklm} \call{lem:hkllm} \folder descriptions \call{lem:hkllm} \call{le$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \ca$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current base-6007 caed \colored \colored \current \cu$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ \ \ \} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[precreate]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \color$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cal{lem:hklm} [publish \expanded \path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caedcf9d\}[folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[initfolderhandler]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma 293e8-664e-48db-a079-df759e0509f7 \gamma 292e0509f7 \gamma 292e05$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[publishexpandedpath] \end{tabular}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[initfolderhandler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [category]$ 

Queries value:

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[parentfolder]$$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} \ [description]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886 155\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [infotip]$ 

Oueries value:

 $\label{localized-ham} HKLM \software \mbox{\scale+1.000} with the localized constant of the lo$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [icon]$ 

Oueries value:

 $\label{local-operator} HKLM \software \mbox{\scale+1000} with the content of th$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} \category \]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [icon]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [local redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [attributes]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} [folder type id]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{1.0cm} \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{Abfc-4bfc-874a-c0f2e0b9fa8e} \cite{Abfc-4bfc-874a-c0f2e0b9fa8e} \cite{Abfc-4bfc-874a-c0f2e0b9fa8e} \cite{Abfc-874a-c0f2e0b9fa8e} \ci$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{10calized name} \eqref{10calized name} \eqref{10caliz$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\[icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[streamresource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]

Queries value:

 $HKLM \setminus software \setminus irros of t \setminus irros of the constant of the$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0f$ 

874a-c0f2e0b9fa8e}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[publishexpandedpath]

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [attributes]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\category\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [description]$ 

Queries value:

 $HKLM\software\mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} [relative path] \\$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [parsing name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 43668 \begin{tabular}{l} 4366$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[security]$ 

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]$$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[attributes]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parentfolder]

Oueries value:

 $\label{thm:hammon} HKLM \spinorer \folder descriptions \spinorer \folder descriptions \folder description \spinorer \folder description \folder \fol$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\scale+windows \currentversion} explorer \folder descriptions \cale+ 915221 fb-9efe-4bda-8fd7-f78 dca774 f87 \cale+ from the property of the pro$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localized name]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\scale+windows} current version \explorer \folder descriptions \scale+2016-9efe-4bda-8fd7-f78dca774f87\footnote{100} [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [folder type id]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bb4-2d72e54eaaa4 \current \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\[relativepath]\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bb9d-43b0-b5b4-2d72e54eaaa4 \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}{roamable}

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
 Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[attributes]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[wantsforparsing]

```
HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                                      Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
  Oueries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[pintonamespacetree]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hasnavigationenum]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
  Queries value:
                                      HKCR \clsid \dffacdc5-679f-4156-8947-c5c76bc0b67f \label{eq:hkcr} \label{eq:hkcr} In processing the control of the control o
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                                      HKCU\software\microsoft\windows\currentversion\shell
  Queries value:
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
  Queries value:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
  Queries value:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[threadingmodel]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
  Queries value:
                                      HKLM\system\currentcontrolset\control\nls\locale[00000409]
                                      HKLM\system\currentcontrolset\control\nls\language groups[1]
  Oueries value:
  Queries value:
                                      HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
  Queries value:
                                      HKLM\software\microsoft\ctf[enableanchorcontext]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
```

HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane6] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane8] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane10] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane11] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane12] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane13] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane14] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane15] Queries value: HKLM\software\microsoft\windows  $\verb|nt\currentversion\languagepack\surrogatefallback[plane16]|$ 

Sets/Creates value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]