# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 193, Task ID: 771

Task ID: 771 Risk Level: 1

Date Processed: 2016-04-28 13:08:38 (UTC)

Processing Time: 61.09 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\31c63ffc7b815ef05ebc7d62644e32c5.exe"

Sample ID: 193 Type: basic Owner: admin

Label: 31c63ffc7b815ef05ebc7d62644e32c5

Date Added: 2016-04-28 12:45:10 (UTC)

File Type: PE32:win32:gui File Size: 490424 bytes

MD5: 31c63ffc7b815ef05ebc7d62644e32c5

SHA256: da571c1374f5c0061945319060f660b232d6253b54f4a47982655f617018ed76

Description: None

### Pattern Matching Results

#### Static Events

Anomaly: PE: Contains a virtual section

#### Process/Thread Events

Creates process: C:\WINDOWS\Temp\31c63ffc7b815ef05ebc7d62644e32c5.exe

["c:\windows\temp\31c63ffc7b815ef05ebc7d62644e32c5.exe" ]
Creates process: C:\DOCUME~1\Admin\LOCALS~1\Temp\is-

V5I2O.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp ["C:\DOCUME~1\Admin\LOCALS~1\Temp\is-

V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp"

/SL5="\$100CE,241567,54272,c:\windows\temp\31c63ffc7b815ef05ebc7d62644e32c5.exe" ]

### Named Object Events

Creates mutex: \BaseNamedObjects\CTF.LBES.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Compart.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Asm.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Layouts.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.TMD.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.TimListCache.FMPDefaultS-1-5-21-1757981266-

 507921405-1957994488-1003MUTEX.DefaultS-1-5-21-1757981266-507921405-1957994488-1003

 Creates semaphore:
 \BaseNamedObjects\shell.{A48F1A32-A340-11D1-BC6B-00A0C90312E1}

 Creates semaphore:
 \BaseNamedObjects\shell.{210A4BA0-3AEA-1069-A2D9-08002B30309D}

 Creates semaphore:
 \BaseNamedObjects\shell.{7CB834F0-527B-11D2-9D1F-0000F805CA57}

## File System Events

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\is-V5I20.tmp

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\is-

V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\is-3S3S9.tmp

 $\label{lem:creates: C:Documents and Settings\Admin\Local Settings\Temp\is-3S3S9.tmp\_isetup$ 

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\is-

3S3S9.tmp\\_isetup\\_RegDLL.tmp

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\is-

3S3S9.tmp\\_isetup\\_shfoldr.dll

Opens: C:\WINDOWS\Prefetch\31C63FFC7B815EF05EBC7D62644E3-39504166.pf

Opens: C:\Documents and Settings\Admin

Opens: C:\WINDOWS\WinSxS\x86\_Microsoft.Windows.Common-

Controls\_6595b64144ccf1df\_6.0.2600.5512\_x-ww\_35d4ce83

Opens: C:\WINDOWS\WinSxS\x86\_Microsoft.Windows.Common-Controls\_6595b64144ccf1df\_6.0.2600.5512\_x-ww\_35d4ce83\comctl32.dll

Opens: C:\WINDOWS\system32\imm32.dll

```
C:\WINDOWS\WindowsShell.Manifest
 Opens:
                         C:\WINDOWS\WindowsShell.Config
 Opens:
 Opens:
                         C:\WINDOWS\system32\shell32.dll
                         C:\WINDOWS\system32\shell32.dll.124.Manifest
 Opens:
                         C:\WINDOWS\system32\shell32.dll.124.Config
 Opens:
 Opens:
                         C:\WINDOWS\system32\netmsg.dll
                         C:\WINDOWS\Temp\31c63ffc7b815ef05ebc7d62644e32c5.exe
 Opens:
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-V5I2O.tmp
 Opens:
                         C:\WINDOWS\system32\MSCTF.dll
 Opens:
                         C:\WINDOWS\system32\MSCTFIME.IME
 Opens:
                         C:\WINDOWS\system32\uxtheme.dll
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-
V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp
                         C:\WINDOWS\system32\apphelp.dll
 Opens:
                         C:\WINDOWS\AppPatch\sysmain.sdb
 Opens:
 Opens:
                         C:\WINDOWS\AppPatch\systest.sdb
 Opens:
                         C:\
 Opens:
                         C:\Documents and Settings
 Opens:
                         C:\Documents and Settings\Admin\Local Settings
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp
 Opens:
                         C:\DOCUME~1\Admin\LOCALS~1\Temp\is-
V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp.Manifest
                         C: \verb|\DOCUME<1| Admin\\ LOCALS<1\\ Temp\\ is-
 Opens:
V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp.Config
                         C:\WINDOWS\Prefetch\31C63FFC7B815EF05EBC7D62644E3-1FEFC09B.pf
 Opens:
 Opens:
                         C:\WINDOWS\system32\MSIMTF.dll
                         C:\WINDOWS\system32\rpcss.dll
 Opens:
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-3S3S9.tmp\ isetup
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-
3S3S9.tmp\_isetup\_shfoldr.dll
                         C:\WINDOWS\system32\shfolder.dll
 Opens:
 Opens:
                         C:\WINDOWS\Fonts\sserife.fon
 Opens:
                         C:\WINDOWS\system32\setupapi.dll
 Opens:
                         C:\Documents and Settings\Admin\Start Menu\desktop.ini
 Opens:
                         C:\Documents and Settings\Admin\Start Menu
                         C:\Documents and Settings\Admin\Start Menu\Programs\desktop.ini
 Opens:
 Opens:
                         C:\WINDOWS\Fonts\verdanab.ttf
 Opens:
                         C:\WINDOWS\system32\clbcatq.dll
                         C:\WINDOWS\system32\comres.dll
 Opens:
                         C:\WINDOWS\Registration\R00000000007.clb
 Opens:
 Opens:
                         C:\WINDOWS\system32\browseui.dll
 Opens:
                         C:\WINDOWS\system32\browseui.dll.123.Manifest
 Opens:
                         C:\WINDOWS\system32\browseui.dll.123.Config
 Writes to:
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-
V5I20.tmp\31c63ffc7b815ef05ebc7d62644e32c5.tmp
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-
 Writes to:
3S3S9.tmp\_isetup\_RegDLL.tmp
                         C:\Documents and Settings\Admin\Local Settings\Temp\is-
 Writes to:
3S3S9.tmp\_isetup\_shfoldr.dll
                         C:\WINDOWS\Temp\31c63ffc7b815ef05ebc7d62644e32c5.exe
 Reads from:
 Reads from:
                         C:\WINDOWS\system32\shell32.dll
                         C:\Documents and Settings\Admin\Start Menu\desktop.ini
 Reads from:
 Reads from:
                         C:\Documents and Settings\Admin\Start Menu\Programs\desktop.ini
 Reads from:
                         C:\WINDOWS\Registration\R00000000007.clb
Windows Registry Events
 Creates key:
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders
 Creates key:
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders
 Creates key:
                         HKCU\software\microsoft\windows\currentversion\explorer\shell folders
 Creates key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{f90255c2-6bc4-11e3-9fc7-
806d6172696f}\
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\31c63ffc7b815ef05ebc7d62644e32c5.exe
                         HKLM\system\currentcontrolset\control\terminal server
 Opens kev:
 Opens key:
HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
 Opens key:
                         HKLM\system\currentcontrolset\control\safeboot\option
                         HKLM\software\policies\microsoft\windows\safer\codeidentifiers
 Opens key:
                         HKCU\software\policies\microsoft\windows\safer\codeidentifiers
 Opens key:
```

HKLM\software\microsoft\windows nt\currentversion\image file execution

Opens key:

options\gdi32.dll Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\user32.dll Opens key: HKLM\system\currentcontrolset\control\session manager HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\imm32.dll Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\ntdll.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\kernel32.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\secur32.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\rpcrt4.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\advapi32.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\msvcrt.dll Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\ole32.dll HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\oleaut32.dll Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\shlwapi.dll Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\comctl32.dll Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key: HKLM\software\microsoft\windows nt\currentversion\windows Opens key: HKLM\software\microsoft\windows nt\currentversion\winlogon Opens key: HKI M\ Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\software\microsoft\ole Opens key: HKCR\interface HKCR\interface\{00020400-0000-0000-c000-00000000046} Opens key: HKLM\software\microsoft\oleaut Opens key: Opens key: HKLM\software\microsoft\oleaut\userera Opens key: HKLM\software\microsoft\windows\currentversion\explorer\performance Opens key: HKCU\ Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\shell32.dll Opens key: HKLM\system\setup Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\msctf.dll Opens key: HKLM\software\microsoft\ctf\compatibility\31c63ffc7b815ef05ebc7d62644e32c5.exe HKLM\software\microsoft\ctf\systemshared\ Opens key: Opens key: HKCU\keyboard layout\toggle Opens key: HKLM\software\microsoft\ctf\ HKLM\software\microsoft\windows nt\currentversion\imm Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key: options\version.dll Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\msctfime.ime Opens key: HKCU\software\microsoft\ctf HKLM\software\microsoft\ctf\systemshared Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\uxtheme.dll Opens key: HKCU\software\microsoft\windows\currentversion\thememanager Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\system\wpa\tabletpc
Opens key: HKLM\system\wpa\mediacenter

Opens key:

options\apphelp.dll

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers

HKLM\software\microsoft\windows nt\currentversion\image file execution

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\31c63ffc7b815ef05ebc7d62644e32c5.tmp

Opens key: HKLM\software\policies\microsoft\windows\safer\levelobjects

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\paths

Opens kev:

 $HKLM software \verb|\policies| microsoft| windows safer| code identifiers \verb|\policies| microsoft| windows safer| code identifiers of the first of the$ 

be2efd2c1a33}

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes

Opens key:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{349d35ab-37b5-462f-9b89-edd5fbde 1328\}$ 

Opens key:

Opens key:

 $\label{thm:local-bound} $HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes\{81d1fe15-dd9d-4762-b16d-7c29ddecae3f\}}$ 

Opens kev:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{94e3e076-8f53-42a5-8411-085bcc18a68d\}$ 

Opens key:

 $HKL\dot{M} software \policies \microsoft \windows \safer \code identifiers \onumber \code identifiers \$ 

Opens key:

 $HKLM \verb|\software\policies\microsoft\windows\safer\code identifiers \verb|\software\policies\microsoft\windows\safer\code identifiers \verb|\software\policies\microsoft\windows\safer\code identifiers \verb|\software\policies\microsoft\windows\safer\code identifiers \verb|\software\policies\windows\safer\code identifiers \software\policies\windows\safer \software\policies\windows\safer\safer \software\policies\windows\safer\$ 

Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\paths
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\hashes
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\urlzones
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\65536\paths
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\65536\hashes
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\65536\urlzones
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\paths
Opens kev:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\hashes
 Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\urlzones
Opens kev:

 $\label{lem:hklmsoftware policies microsoft windows safer code identifiers \verb|\| 262144 + paths Opens key: \\$ 

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\262144\hashes
 Opens key:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 262144 \setminus urlzones$ 

Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\paths
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes

Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\urlzones

Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\4096\paths

Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\4096\hashes

Opens key:
HKCU\software\policies\microsoft\windows\safer\codeidentifiers\4096\urlzones
Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\65536\paths
Opens kev:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\65536\hashes
 Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\65536\urlzones
Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\131072\paths
 Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\131072\hashes
 Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\131072\urlzones
Opens kev:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\262144\paths
 Opens key:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\262144\hashes

Opens kev:

HKCU\software\policies\microsoft\windows\safer\codeidentifiers\262144\urlzones

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\31c63ffc7b815ef05ebc7d62644e32c5.tmp

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\mpr.dll

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\comdlg32.dll

Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder

Opens key:

HKLM\software\microsoft\ctf\compatibility\31c63ffc7b815ef05ebc7d62644e32c5.tmp
Opens key: HKLM\software\microsoft\windows\currentversion
Opens key: HKLM\software\microsoft\windows nt\currentversion

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\shfolder.dll

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ \ 31c63ffc7b815ef05ebc7d62644e32c5.tmp$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{20d04fe0-3aea-1069-

a2d8-08002b30309d}

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\inprocserver32

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\inprocserver32

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\setupapi.dll

Opens key: HKLM\system\currentcontrolset\control\minint

Opens key: HKLM\system\wpa\pnp

Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion\setup\apploglevels
Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters
Opens key: HKLM\software\policies\microsoft\system\dnsclient

Opens key: HKLM\software\microsoft\rpc\pagedbuffers

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

Opens key:

 $HKCU \ software \ \verb|microsoft| windows \ \verb|currentversion| explorer \ \verb|mountpoints2| cpc \ \verb|volume| |$ 

Opens kev:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints 2 \setminus cpc \setminus volume \setminus \{f90255c2-6bc4-f90256c2-6bc4-f90256c2-f9026c2-f9026c0-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9026c2-f9$ 

11e3-9fc7-806d6172696f}\

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\
Opens key: HKCU\software\microsoft\windows\currentversion\policies\system

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\autocomplete
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\autocomplete

Opens key: HKLM\software\microsoft\com3

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\comres.dll

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\clbcatq.dll

Opens key: HKLM\software\microsoft\com3\debug

Opens key: HKLM\software\classes

Opens key: HKU\
Opens key: HKCR\clsid

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}
Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\treatas

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprocserver32

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprocserverx86

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserverx86

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\localserver32

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\localserver32

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprochandler32

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandler32

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprochandlerx86

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandlerx86

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\localserver

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\localserver

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\browseui.dll

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}
Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\treatas

00aa005b4383}\inprocserver32

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprocserverx86

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\localserver32

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\localserver32

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprochandler32

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler32

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprochandlerx86

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandlerx86

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\localserver

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\localserver
Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\treatas

Opens key:  $\begin{tabular}{ll} HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas \\ Opens key: \\ HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas \\ HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas \\ HKCU\software\classes\clsid$ 

00c04fd7d062}\inprocserver32

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprocserverx86

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserverx86

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\localserver32

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\localserver32

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprochandler32

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler32

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprochandlerx86

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandlerx86

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\localserver

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\localserver
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\advanced
Opens key: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes
Opens key: HKCU\software\microsoft\windows\currentversion\uninstall\dnseye\_is1
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\dnseye\_is1
Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[31c63ffc7b815ef05ebc7d62644e32c5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\ime

compatibility[31c63ffc7b815ef05ebc7d62644e32c5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\windows[appinit\_dlls] Queries value: HKLM\software\microsoft\windows nt\currentversion\winlogon[leaktrack]

Queries value: HKLM\system\currentcontrolset\control\session

manager[criticalsectiontimeout]

Queries value: HKLM\software\microsoft\ole[rwlockresourcetimeout]

Queries value: HKCR\interface[interfacehelperdisableall]

Queries value: HKCR\interface[interfacehelperdisableallforole32]
Queries value: HKCR\interface[interfacehelperdisabletypelib]
Queries value: HKCR\interface\{00020400-0000-0000-c000-

00000000046}[interfacehelperdisableall]

Queries value: HKCR\interface\{00020400-0000-c000-

00000000046}[interfacehelperdisableallforole32]

Queries value: HKCU\control panel\desktop[multiuilanguageid]
Queries value: HKCU\control panel\desktop[smoothscroll]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\ctf\systemshared[cuas]

Queries value: HKCU\keyboard layout\toggle[language hotkey]

Queries value: HKCU\keyboard layout\toggle[hotkey]
Queries value: HKCU\keyboard layout\toggle[layout hotkey]
Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value: HKLM\software\microsoft\windows nt\currentversion\imm[ime file]
Queries value: HKCU\software\microsoft\ctf[disable thread input manager]

Queries value: HKCU\software\microsoft\windows\currentversion\thememanager[compositing]

Queries value: HKCU\control panel\desktop[lamebuttontext]
Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrolset\control\session

manager\appcompatibility[disableappcompat]

Queries value: HKLM\system\wpa\mediacenter[installed]

Queries value:

 $HKLM \ "software \ "policies \ "microsoft \ "windows \ "safer \ "code identifiers \ [authenticode enabled]$ 

Queries value: HKLM\software\policies\microsoft\windows\safer\codeidentifiers[levels]

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ paths \ \{dda3f824-d8cb-441b-834d-be2efd2c1a33\} [itemdata]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ paths \ \{dda3f824-d8cb-441b-834d-be2efd2c1a33\} \ [saferflags]$ 

Queries value:

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{349d35ab-37b5-462f-9b89-edd5fbde 1328\} \ [hashalg]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{349d35ab-37b5-462f-9b89-edd5fbde \ 1328\} \ [itemsize]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{349d35ab-37b5-462f-9b89-edd5fbde 1328\} \ [saferflags]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{7fb9cd2e-3076-4df9-a57b-b813f72dbb91\} [itemdata]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{7fb9cd2e-3076-4df9-a57b-b813f72dbb91\} \ [hashalg]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{7fb9cd2e-3076-4df9-a57b-b813f72dbb91\} [itemsize]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{7fb9cd2e-3076-4df9-a57b-b813f72dbb91\} \ [saferflags]$ 

Oueries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{81d1fe15-dd9d-4762-b16d-7c29ddecae3f\} [itemdata]$ 

Queries value:

Oueries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{81d1fe15-dd9d-4762-b16d-7c29ddecae3f\} [itemsize]$ 

Queries value:

 $HKLM \ software \ blicies \ icrosoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{81d1fe15-dd9d-4762-b16d-7c29ddecae3f\} \ [saferflags]$ 

Queries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{94e3e076-8f53-42a5-8411-085bcc18a68d\} [itemdata]$ 

Oueries value:

 $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ 0 \ hashes \ \{94e3e076-8f53-42a5-8411-085bcc18a68d\} \ [hashalg]$ 

Queries value:

 $HKLM \software \policies \microsoft \windows \safer \code identifiers \noindent \noi$ 

Queries value:

Oueries value:

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes\{dc971ee5-44eb-4fe4-ae2e-b91490411bfc}[hashalg]

Oueries value:

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes\{dc971ee5-44eb-4fe4-ae2e-b91490411bfc}[saferflags]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[defaultlevel]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[policyscope]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]
Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[logfilename]

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]
Queries value: HKLM\software\microsoft\windows\currentversion[commonfilesdir]
Queries value: HKLM\software\microsoft\windows nt\currentversion[registeredowner]

Queries value: HKLM\software\microsoft\windows

nt\currentversion[registeredorganization]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nonethood]

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| policies \verb|\explorer| [no properties my computer] \end{tabular}$ 

Queries value:

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| policies \verb|\explorer| [nocommong roups] \end{tabular}$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nocontrolpanel]

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ policies \ \ explorer [noset folders]$ 

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\inprocserver32[]
Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[start menu]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[common start menu] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[recent] HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value: folders[personal] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[fonts] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[programs] Queries value: HKLM\system\wpa\pnp[seed] Queries value: HKLM\system\setup[osloaderpath] Oueries value: HKLM\system\setup[systempartition] Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Queries value: HKLM\software\microsoft\windows\currentversion\setup[servicepacksourcepath] Queries value: HKLM\software\microsoft\windows\currentversion\setup[servicepackcachepath] Queries value: HKLM\software\microsoft\windows\currentversion\setup[drivercachepath] Queries value: HKLM\software\microsoft\windows\currentversion[devicepath] Queries value: HKLM\software\microsoft\windows\currentversion\setup[loglevel]  $\label{logpath} \verb|HKLM\software\microsoft\windows\currentversion\setup[logpath]| } \\$ Oueries value: Queries value: HKLM\system\currentcontrolset\control\computername\activecomputername[computername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Queries value: HKLM\software\microsoft\rpc[maxrpcsize] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{f90255c2-6bc4-11e3-9fc7-806d6172696f}[data] Oueries value: 11e3-9fc7-806d6172696f}[generation] Oueries value: HKCU\software\microsoft\windows\currentversion\policies\explorer[dontshowsuperhidden] Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] Oueries value: HKCU\software\microsoft\windows\currentversion\policies\explorer[forceactivedesktopon] Oueries value: HKCU\software\microsoft\windows\currentversion\policies\explorer[noactivedesktop]

-HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{f90255c2-6bc4

Oueries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nowebview] Oueries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[classicshell]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[separateprocess] Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nonetcrawling]

Oueries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nosimplestartmenu]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter] Oueries value:

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Oueries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} is a constant \cite{tabular} and \cite{ta$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]

Queries value: HKCR\directory[docobject] Queries value: HKCR\directory[browseinplace] Queries value: HKCR\directory[isshortcut] HKCR\directory[alwaysshowext] Queries value: Queries value: HKCR\directory[nevershowext]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[usedesktopinicache]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[append completion]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]

Oueries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKLM\software\microsoft\ole[minimumfreemempercentagetocreateprocess] Queries value: HKLM\software\microsoft\ole[minimumfreemempercentagetocreateobject]

Queries value: HKLM\software\microsoft\com3[regdbversion]

Queries value: HKCR\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]

Queries value: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}[appid]

Queries value: HKCR\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprocserver32[threadingmodel]

HKCR\clsid\{03c036f1-a186-11d0-824a-Oueries value:

00aa005b4383}\inprocserver32[inprocserver32]

HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32[] Queries value:

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}[appid]

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprocserver32[threadingmodel]

HKCR\clsid\{00bb2763-6a77-11d0-a535-Oueries value:

00c04fd7d062}\inprocserver32[inprocserver32]

Queries value:  $\label{local-condition} HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]$ 

Oueries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}[appid]

Queries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprocserver32[threadingmodel]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[alwaysdropup]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewscrollover]

Queries value:

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewwatermark]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewalphaselect] Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow] Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]

Oueries value: HKLM\software\microsoft\windows

nt\currentversion\fontsubstitutes[tahoma]

HKLM\software\microsoft\cryptography\rng[seed] Value changes:

Value changes: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[programs] Value changes:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{f90255c2-6bc4-11e3-9fc7-

806d6172696f}[baseclass]