Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 68, Task ID: 272

Task ID: 272 Risk Level: 1

Date Processed: 2016-04-28 12:54:28 (UTC)

Processing Time: 61.12 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1edab3297a51c34ae2782d399a89b328.exe"

Sample ID: 68
Type: basic
Owner: admin

Label: 1edab3297a51c34ae2782d399a89b328

Date Added: 2016-04-28 12:44:56 (UTC)

File Type: PE32:win32:gui File Size: 360448 bytes

MD5: 1edab3297a51c34ae2782d399a89b328

SHA256: 86ab6c7b128b020d5a9a6fc179576b65f1b021b7e915ce512be2fb24393d70dc

Description: None

Pattern Matching Results

Process/Thread Events

Creates process: C:\windows\temp\1edab3297a51c34ae2782d399a89b328.exe

["C:\windows\temp\1edab3297a51c34ae2782d399a89b328.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \KernelObjects\MaximumCommitCondition

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates semaphore: \Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP?

1EDAB3297A51C34AE2782D399A89B328.EXE

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Opens: C:\Windows\Prefetch\1EDAB3297A51C34AE2782D399A89B-849703DA.pf

Opens: C:\Windows\System32

Opens: C:\windows\temp\MSVBVM60.DLL
Opens: C:\Windows\System32\msvbvm60.dl1
Opens: C:\Windows\System32\sechost.dl1
Opens: C:\Windows\System32\imm32.dl1

Opens: C:\Windows\Globalization\SortIng\SortDefault.nls

Opens: C:\windows\temp\1edab3297a51c34ae2782d399a89b328.exe.cfg

Opens: C:\windows\temp\SXS.DLL
Opens: C:\Windows\System32\sxs.dll
Opens: C:\Windows\System32\C_932.NLS
Opens: C:\Windows\System32\C_949.NLS
Opens: C:\Windows\System32\C_950.NLS
Opens: C:\Windows\System32\C_936.NLS

Opens: C:\Program Files

Opens: C:\Windows\System32\shell32.dll

Opens: C:\windows\temp\1edab3297a51c34ae2782d399a89b328.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll

Opens: C:\Windows\WindowsShell.Manifest

Opens: C:\

Opens: C:\Windows\System32\propsys.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db

Opens: C:\windows\temp\ntmarta.dll

Opens: C:\Windows\System32\ntmarta.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-

4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000000.db

Opens: C:\Program Files\desktop.ini

Opens: C:\Windows\System32\en-US\setupapi.dll.mui

Opens: C:\Windows\System32\scrrun.dll
Opens: C:\Windows\System32\version.dll

Opens: C:\Windows\Temp

Opens: C:\windows\temp\audomate4.ini Opens: C:\windows\temp\audomate.mdb Opens: C:\Windows\Fonts\StaticCache.dat Opens: C:\windows\temp\dwmapi.dll Opens: C:\Windows\System32\dwmapi.dll Reads from: C:\Program Files\desktop.ini Reads from: C:\Windows\System32\scrrun.dll C:\Windows\Fonts\StaticCache.dat Reads from:

Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
Opens key: HKLM\system\currentcontrolset\control\nls\language groups
Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\system\currentcontrolset\control\nls\codepage

Opens key: HKLM\software\microsoft\vba\monitors

Opens key: HKCU\software\classes\
Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{2e2c5836-6406-4e06-99a7-e8e8cae58e8b}

Opens key: HKCR\clsid\{2e2c5836-6406-4e06-99a7-e8e8cae58e8b}

Opens key: HKLM\software\diepol\audomate4\

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \mbox{$905e63b6-c1bf-494e-b29c-65b732d3d21a} \property bag$

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key:

 $\label{thm:local_hammon} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\software\windows\currentversion\explorer\knownfoldersettings} \parbox{$HKLM\soft\ware\windows\windows\current\windows\windows\current\windows\windo$

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\1edab3297a51c34ae2782d399a89b328.exe

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

Opens key:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mount points 2 \setminus cpc \setminus volume \setminus \{69d250e4-6c18-explorer\} \setminus (69d250e4-6c18-explorer) \setminus$

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

 $Opens~key: \\ HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32$

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler
Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

 $Opens~key: \\ HKCU \setminus software \setminus \{0d43fe01-f093-11cf-8940-00a0c9054228\}$

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}
Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\treatas

 Opens key:
 HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\treatas

 Opens key:
 HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940

00a0c9054228}\progid

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\progid

Opens key: HKLM\system\currentcontrolset\control\cmf\config
Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprocserver32

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprocserver32

Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprochandler32

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprochandler

 $Opens~key: \\ HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\ \ inprochandler \\$

Opens key: HKCU\software\classes\typelib

Opens key: HKCR\typelib

Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228}

Opens key: HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}

Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0

Opens key: HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0
Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-

00a0c9054228}\1.0\0

Opens key: HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0\0 Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-

00a0c9054228}\1.0\0\win32

Opens key: $\begin{tabular}{ll} HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228\}\label{loopens} 1.0\0\win32 \\ HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink \\ \end{tabular}$

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Opens key:

 $\label{lem:hkcu} HKCU software \end{area} HKCU software \end{area} Less - 6c18-11e3-b3bc-806e6f6e6963 \end{area} Less - 6c18-1c3-b3bc-806e6f6e6963 \end{ar$

1163-030C-806661666963}

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[usefilter]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[msvbvm60.dll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[1edab3297a51c34ae2782d399a89b328]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]
Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrolset\control\nls\codepage[932]
Queries value: HKLM\system\currentcontrolset\control\nls\codepage[949]
Queries value: HKLM\system\currentcontrolset\control\nls\codepage[950]
Queries value: HKLM\system\currentcontrolset\control\nls\codepage[936]

Queries value: HKLM\software\microsoft\com3[com+enabled]
Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[security]

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirect only]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [publish expanded path]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [init folder handler]$

 $Queries \ value: \\ HKLM\ software\ microsoft\ windows\ current version [program files dir]]$

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[usedrophandler]
Oueries value: HKCR\clsid\{20d0

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideondesktopperuser]

```
Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}1
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[data]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[generation]
 Queries value:
                          HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[threadingmodel]
 Oueries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                          HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
 Queries value:
 Oueries value:
                          HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
 Queries value:
                          HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
 Queries value:
                          HKLM\system\currentcontrolset\control\cmf\config[system]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion[devicepath]
 Queries value:
                          HKLM\software\microsoft\rpc[maxrpcsize]
 Queries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
                          HKLM\system\setup[oobeinprogress]
 Oueries value:
 Oueries value:
                          HKLM\system\setup[systemsetupinprogress]
 Queries value:
                          HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Queries value:
                          HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\progid[]
 Queries value:
                          HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}[]
 Oueries value:
                          HKCR\clsid\{0d43fe01-f093-11cf-8940-
00a0c9054228}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprocserver32[]
 Queries value:
                          HKCR\clsid\{0d43fe01-f093-11cf-8940-
00a0c9054228}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0\0\win32[]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
                         HKLM\software\microsoft\windows
 Queries value:
```

nt\currentversion\languagepack\surrogatefallback[plane11] Queries value: HKLM\software\microsoft\windows $\verb|nt\currentversion\languagepack\surrogatefallback[plane12]|$ HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane13] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane14] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane15] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane16]

 $Queries\ value: \ HKLM\ software\ microsoft\ ctf\ tip\ \{0000897b-83df-4b96-be07-0fb58b01c4a4\}\ language\ profile\ 0x00000000\ \{0001bea3-ed56-483d-a2e2-aeae25577436\}\ [enable]$

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value:

 $\label{lem:hkcu} HKCU software \end{area} In a software \end{area} In$

Queries value:

 $\label{thm:local-condition} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [generation]$