Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 3313, Task ID: 761

Task ID: 761 Risk Level: 10

Date Processed: 2016-05-18 10:34:58 (UTC)

Processing Time: 62.79 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe"

Sample ID: 3313 Type: basic Owner: admin

Label: 85d88c75b5c443841ecdd1c4079f040c

 Date Added:
 2016-05-18 10:30:49 (UTC)

 File Type:
 PE32:win32:gui

File Size: 94208 bytes

MD5: 85d88c75b5c443841ecdd1c4079f040c

SHA256: 29c8729c05a22b46200c707b26c5704e746571bef6bc4af018bc09ca4887e67e

Description: None

Pattern Matching Results

Writes to memory of system processes

6 Modifies registry autorun entries
10 Creates malicious events: Vobfus [Worm]

3 Long sleep detected

5 PE: Contains compressed section

5 Adds autostart object

Process/Thread Events

Creates process: C:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe

["C:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe"]

Creates process: C:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe [71]
Creates process: C:\Users\Admin\xuebea.exe ["C:\Users\Admin\xuebea.exe"]

Creates process: C:\Users\Admin\xuebea.exe [71]

Writes to process: PID:2616 C:\Windows\Temp\85d88c75b5c443841ecdd1c4079f040c.exe

Writes to process: PID:1276 C:\Windows\System32\taskhost.exe

Writes to process: PID:2644 C:\Users\Admin\xuebea.exe

Terminates process: C:\Windows\Temp\85d88c75b5c443841ecdd1c4079f040c.exe

Terminates process: C:\Users\Admin\xuebea.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\A

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED
Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates semaphore: \Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP?

85D88C75B5C443841ECDD1C4079F040C.EXE

Creates semaphore: \Sessions\1\BaseNamedObjects\C:?USERS?ADMIN?XUEBEA.EXE

File System Events

Creates: C:\Users\Admin

Creates: C:\Users\Admin\xuebea.exe
Creates: C:\Users\Admin\AppData\Loc

C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Program Files

Opens: C:\Windows\Prefetch\85D88C75B5C443841ECDD1C4079F0-9024213F.pf

Opens: C:\Windows\System32

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\System32\rpcss.dll
Opens: C:\windows\temp\CRYPTBASE.dll
Opens: C:\Windows\System32\cryptbase.dll
Opens: C:\Windows\System32\uxtheme.dll

Opens: C:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe.cfg

Opens: C:\windows\temp\SXS.DLL
Opens: C:\Windows\System32\sxs.dl1
Opens: C:\Windows\System32\C_932.NLS

```
C:\Windows\System32\C_949.NLS
 Opens:
                         C:\Windows\System32\C 950.NLS
 Opens:
 Opens:
                         C:\Windows\System32\C_936.NLS
 Opens:
                         C:\Windows\Temp\85d88c75b5c443841ecdd1c4079f040c.exe
 Opens:
                         C:\Windows\System32\apphelp.dll
 Opens:
                         C:\Windows\WINHELP.INI
 Opens:
                         C:\Windows\system32\.HLP
                         C:\Windows\Help\.HLP
 Opens:
 Opens:
                         C:\windows\temp\profapi.dll
 Opens:
                         C:\Windows\System32\profapi.dll
 Opens:
                         C:\Users\Admin
                         C:\windows\temp\SspiCli.dll
 Opens:
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\Users\Admin\xuebea.exe
 Opens:
                         C:\windows\temp\PROPSYS.dll
 Opens:
                         C:\Windows\System32\propsys.dll
 Opens:
                         C:\Windows\System32\shell32.dll
 Opens:
                         C:\windows\temp\85d88c75b5c443841ecdd1c4079f040c.exe.Local\
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
 Opens:
                         C:\Users\Admin\Desktop\desktop.ini
 Opens:
                         C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
                         C:\
                         C:\Users\desktop.ini
 Opens:
 Opens:
                         C:\Users
 Opens:
                         C:\Users\Admin\Searches\desktop.ini
                         C:\Users\Admin\Videos\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\Pictures\desktop.ini
 Opens:
                         C:\Users\Admin\Contacts\desktop.ini
 Opens:
                         C:\Users\Admin\Favorites\desktop.ini
 Opens:
                         C:\Users\Admin\Music\desktop.ini
 Opens:
                         C:\Users\Admin\Downloads\desktop.ini
 Opens:
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
                         C:\Users\Admin\Links\desktop.ini
 Opens:
                         C:\Users\Admin\Saved Games\desktop.ini
                         C:\windows\temp\apphelp.dll
 Opens:
 Opens:
                         C:\Windows\System32\shdocvw.dll
 Opens:
                         C:\Windows\System32\en-US\shell32.dll.mui
 Opens:
                         C:\Windows\System32\urlmon.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                         C:\Users\Admin\xuebea.exe:Zone.Identifier
 Opens:
                         C:\Windows\AppPatch\sysmain.sdb
 Opens:
                         C:\Users\Admin\ui\SwDRM.dll
                         C:\Windows\Prefetch\XUEBEA.EXE-835FF0C8.pf
 Opens:
 Opens:
                         C:\Users\Admin\MSVBVM60.DLL
 Opens:
                         C:\Users\Admin\CRYPTBASE.dll
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.mp3
 Opens:
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.avi
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.wma
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.wmv
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.wav
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.mpg
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.mp4
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.doc
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.txt
 Opens:
                         C: \verb|\windows\temp85d88c75b5c443841ecdd1c4079f040c.pdf| \\
                         C:\Users\Admin\xuebea.exe.cfg
 Opens:
 Opens:
                         C:\Users\Admin\SXS.DLL
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.xls
 Opens:
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.jpg
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.jpe
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.bmp
 Opens:
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.gif
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.tif
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c.png
 Opens:
                         C:\windows\temp85d88c75b5c443841ecdd1c4079f040c\
 Opens:
                         C:\Windows\System32\mswsock.dll
 Opens:
                         C:\Windows\System32\WSHTCPIP.DLL
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\Windows\System32\NapiNSP.dll
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\windows\temp\DNSAPI.dll
                         C:\Windows\System32\dnsapi.dll
 Opens:
 Opens:
                         C:\Windows\System32\winrnr.dll
```

C:\windows\temp\IPHLPAPI.DLL Opens: Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: C:\windows\temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll Opens: C:\windows\temp\dhcpcsvc6.DLL Opens: C:\Windows\System32\dhcpcsvc6.dll C:\windows\temp\dhcpcsvc.DLL Opens: C:\Windows\System32\dhcpcsvc.dll Opens: Opens: C:\Windows\System32\drivers\etc\hosts Opens: C:\windows\temp\rasadhlp.dll Opens: C:\Windows\System32\rasadhlp.dll

Opens: C:\Windows\System32\rasadnip.dl:
Opens: C:\Users\Admin\profapi.dl1
Opens: C:\Users\Admin\SpiCli.dl1
Opens: C:\Users\Admin\dwmapi.dl1
Opens: C:\Windows\System32\dwmapi.dl1
Opens: C:\Program Files

Opens: C:\Program Files\WinRAR\Rar.exe
Writes to: C:\Users\Admin\xuebea.exe

Reads from: C:\Windows\Temp\85d88c75b5c443841ecdd1c4079f040c.exe

Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Searches\desktop.ini Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: C:\Users\Admin\Saved Games\desktop.ini

Reads from: C:\Users\Admin\xuebea.exe

Reads from: C:\Windows\System32\drivers\etc\hosts

Network Events

ns1.boxonline1.com DNS query: DNS query: ns1.boxonline1.net ns1.boxonline1.org DNS query: DNS query: ns1.boxonline2.com DNS query: ns1.boxonline2.net ns1.boxonline2.org DNS query: DNS query: ns1.boxonline3.com ns1.boxonline3.net DNS query: DNS query: ns1.boxonline3.org

Sends data to: 8.8.8.8:53 Receives data from: 8.8.8.8:53

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\run\
Creates key: HKCU\software\microsoft\windows\currentversion\explorer\advanced\

Creates key: HKLM\software\policies\microsoft\windows\windowsupdate\au

Creates key: HKLM\software

Creates key: HKLM\software\policies

Creates key: HKLM\software\policies\microsoft
Creates key: HKLM\software\policies\microsoft\windows

Creates key: HKLM\software\policies\microsoft\windows\windowsupdate

HKLM\software\policies\microsoft\windows\windowsupdate

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKCU\software\microsoft\windows\currentversion\run[internat.exe]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

```
options
```

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

HKLM\system\currentcontrolset\control\error message instrument\ Opens key: Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ gre_initialize$ Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: $\label{lem:hklm} \verb+Kklm/software/microsoft/windows nt/currentversion/ime compatibility$

HKI M\ Opens key:

HKLM\software\microsoft\windows nt\currentversion\windows Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole Opens key: HKLM\software\microsoft\ole\tracing HKLM\software\microsoft\oleaut Opens key:

HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\control\nls\locale Opens kev:

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\system\currentcontrolset\control\nls\codepage

Opens key: HKLM\software\microsoft\vba\monitors

HKLM\software\microsoft\windows nt\currentversion\image file execution Opens kev:

options\85d88c75b5c443841ecdd1c4079f040c.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls HKLM\system\currentcontrolset\control\session manager\appcompatibility Opens key:

Opens key: HKLM\software\policies\microsoft\windows\appcompat Opens key: HKCU\software\microsoft\windows nt\currentversion

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \end{tabular} Software \end{tabular} in the constant \end{tabular} and \end{tabular} The constant \end{tabular} The constant$ Opens key:

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

Opens key: HKLM\software\microsoft\windows

 $nt \verb|\currentversion| app compatflags \verb|\custom|| 85d88c75b5c443841ecdd1c4079f040c.exe|$

Opens key: HKLM\software\microsoft\windows

Opens key: HKLM\software\microsoft\windows\html help Opens key: HKLM\software\microsoft\windows\help Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$

9afe-ea3317b67173}

Opens key:

9afe-ea3317b67173}\propertybag

 $\label{lem:hklm} \mbox{ HKLM} \mbox{ hicrosoft} \mbox{ windows nt} \mbox{ currentversion} \mbox{ profilelist} \mbox{ s-1-5-21-1} \mbox{ of tware} \mbox{ windows nt} \mbox{ of tware} \mbox{ of$ Opens key:

2160590473-689474908-1361669368-1002

Opens key:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l} HKLM \end{tabular} software \end{tabular} indows \end{tabular} current version \end{tabular} explorer \end{tabular} known folders ettings$ HKLM\system\currentcontrolset\services\disk\enum Opens key:

HKLM\software\microsoft\rpc Opens kev:

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows Opens kev: HKLM\software\policies\microsoft\windows\system

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ 85d88c75b5c443841ecdd1c4079f040c.exe$

HKCU\software\microsoft\windows\currentversion\explorer Opens key: HKLM\software\microsoft\windows\currentversion\explorer Opens key:

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

HKCU\software\classes\ Opens kev:

HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-Opens key:

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta \} + \{20d04f$ Opens key:

3aea-1069-a2d8-08002b30309d}\shellfolder $HKLM \setminus software \setminus icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-icrosoft \setminus explorer \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus clsid \setminus$ Opens kev:

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key:

HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

HKCU\software\classes\drive\shellex\folderextensions Opens key: Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced}} \\$

HKCU\software\classes\.exe Opens kev:

Opens key: HKCR\.exe Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice

Opens key: HKCU\software\classes\exefile

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver
Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler
Opens key: HKCR\exefile\shellex\iconhandler
Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCU\software\classes\exefile\docobject

Opens key: HKCR\exefile\docobject

 $Opens\ key: \\ \hspace*{0.5cm} \mathsf{HKCU} \backslash \mathsf{software} \backslash \mathsf{classes} \backslash \mathsf{systemfileassociations} \backslash \mathsf{.exe} \backslash \mathsf{docobject}$

Opens key: HKCR\systemfileassociations\.exe\docobject Opens key: HKCU\software\classes\exefile\browseinplace

Opens key: HKCR\exefile\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.exe\browseinplace

Opens key: HKCR\systemfileassociations\.exe\browseinplace

Opens key: HKCU\software\classes\exefile\clsid

Opens key: HKCR\exefile\clsid

Opens key: HKCU\software\classes\systemfileassociations\.exe\clsid

Opens key: HKCR\systemfileassociations\.exe\clsid

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$

bu29-/Te99a8/

 $Opens \ key: \\ HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptio$

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

 $Opens~key: \\ HKCU \setminus software \\ \\ classes \setminus clsid \\ \\ \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\} \\$

 $\begin{array}{lll} \mbox{Opens key:} & \mbox{HKCR\clsid}\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\} \\ \mbox{Opens key:} & \mbox{HKCU\software\classes\clsid}\{1f486a52-3cb1-48fd-8f50-b8dc30d9f9d\} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} & \mbox{Opens key:} \\ \mbox{Opens key:} &$

b8dc300d9f9d}\treatas

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc30d9f9d}\treatas

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d\inprochandler32

 $Opens~key: \\ HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler 32$

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

Opens key:

 $\label{thm:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \shell \associations \urlassociations \directory \end{tabular}$

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject

```
Opens key:
                                                                                                     HKCR\directory\docobject
       Opens key:
                                                                                                     HKCU\software\classes\folder\docobject
       Opens key:
                                                                                                     HKCR\folder\docobject
       Opens key:
                                                                                                     HKCU\software\classes\allfilesystemobjects\docobject
       Opens key:
                                                                                                     HKCR\allfilesystemobjects\docobject
       Opens key:
                                                                                                     HKCU\software\classes\directory\browseinplace
       Opens key:
                                                                                                     HKCR\directory\browseinplace
                                                                                                     HKCU\software\classes\folder\browseinplace
       Opens key:
       Opens key:
                                                                                                     HKCR\folder\browseinplace
       Opens key:
                                                                                                     HKCU\software\classes\allfilesystemobjects\browseinplace
       Opens key:
                                                                                                    HKCR\allfilesystemobjects\browseinplace
       Opens key:
                                                                                                     HKCU\software\classes\directory\clsid
       Opens key:
                                                                                                     HKCR\directory\clsid
       Opens key:
                                                                                                    HKCU\software\classes\folder\clsid
       Opens key:
                                                                                                     HKCR\folder\clsid
       Opens key:
                                                                                                     HKCU\software\classes\allfilesystemobjects\clsid
       Opens key:
                                                                                                    HKCR\allfilesystemobjects\clsid
       Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-47
b4ef-bd1dc332aeae}
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-
b4ef-bd1dc332aeae}\propertybag
a03a-e3ef65729f3d}
       Opens key:
a03a-e3ef65729f3d}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}\propertybag
                                                                                                    HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder
                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder
       Opens key:
                                                                                                     HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (59031a47-based) + (59031a47-based) +
       Opens key:
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
       Opens key:
                                                                                                    HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ `\{59031a47-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{59031a47-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `all \ 
 3f72-44a7-89c5-5595fe6b30ee}\shellfolder
                                                                                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
       Opens kev:
                                                                                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
       Opens key:
                                                                                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
       Opens key:
ea55d8994f1a}\treatas
                                                                                                    HKCR\clsid{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\treatas
       Opens key:
       Opens key:
                                                                                                     HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\progid
                                                                                                     HKCR \verb|\clsid|{76765b11-3f95-4af2-ac9d-ea55d8994f1a} \verb|\progid|
       Opens key:
                                                                                                     HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
       Opens kev:
ea55d8994f1a}\inprocserver32
                                                                                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32
       Opens key:
                                                                                                     HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
       Opens key:
ea55d8994f1a}\inprochandler32
       Opens key:
                                                                                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\ \ inprochandler 32
       Opens key:
                                                                                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprochandler
                                                                                                    HKCR \clsid \footnote{1}{HKCR \clsid} \foo
       Opens key:
       Opens key:
95cf-2f29da2920da}
       Opens key:
95cf-2f29da2920da}\propertybag
9305-67de0b28fc23}
       Opens key:
9305-67de0b28fc23}\propertybag
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a2-19f1ed05-9f6d-47a000-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d-47a0-9f6d-47a0-9f6
aaae-29d317c6f066}
       Opens key:
HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo
aaae-29d317c6f066}\propertybag
a368-0de96e47012e}
       Opens key:
```

 $HKLM \ software \ microsoft \ windows \ current version \ (2112ab0a-c86a-4ffe-descriptions) \ (2112ab0a-c86a-6fe-descriptions) \ (2112ab0a-c86a-6fe-desc$

a368-0de96e47012e}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee 384\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\property\bag}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ \ descriptions \ \ a4115719-d62e-491d-aa7c-e74b8b067 \ \ descriptions \ \ a4115719-d62e-491d-aa7c-e74b8b067 \ \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ property bag$

Opens kev:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\property\bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52a4f021-7b75-48a9-9f6b-4b87a210bc8f}.$

Opens key:

 $\label{thm:local-obs} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455 120b 917\}$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \\$

Opens kev:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lk$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}}$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\property\bag}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-

835a-98395c3bc3bb}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens kev:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ debf 2536-e1a8-4c59-b6a2-414586476 aea \ \ \ property bag$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\}$

Opens key:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$

Opens key:

Opens key:

 $\label{twist} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '4bfefb45-347d-4006-a5be-ac0cb0567192 \ 'endows' \ 'endows'' \ 'endows' \ 'endows'' \ 'e$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\propertybag$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{18-be4e-64cd4cb7d6ac} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}\property\bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\property\bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Opens key:

Opens key:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\property\bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\property\bag\end{microsoft}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ property bag$

Opens kev

Opens key

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early a 302545 d-deff-464 b-abe8-61c8648 d939b \property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$

Opens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\property\bag\end{microsoft}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicroso$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$

Opens key:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\propertybag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\}$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\e$

Opens key:

Opens key:

 $\label{thm:local-state} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\propertybag}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ 'property bag$

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \eqref{lem:hklmsoftware}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\propertybag}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ 'property bag$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\property\bag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} \ property bag$

Opens key:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \property bag$

Opens key:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}$$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer \folder descriptions \fill 32785-6 fba-4fcf-9d55-7b8e7f157091 \end{fill} Youngh \current \curr$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag$

Opens key:

b35e-b13f55a758f4}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ (374 de 290-123 f-4565-9164-39c4925e 467b)$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens kev:

 $\label{lem:hkklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 305ce 99-f527-492b-8b1a-7e76fa98d6e4 \ property bag$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

 $\label{thm:local-substitute} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}}$

Opens key:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}}$

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} The hard-explorer $$12-4b87-bfd0-4cd0dfb19b39 \property bag$$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{df7266ac-9274-4867-8d55-3bd661de872d}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 644824 af-dce 4-45a8-81e2-fc \folder \equal 64824 af-dce 4-45a8-81e2-fc \folder$

Opens key:

Opens kev

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff \}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\propertybag}$

Onens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}\propertybag$

Opens key:

Opens kev:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}\property\pbeg$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}$

Opens key:

 $HKLM) software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| {d20beec4-5ca8-4905-ae3b-bf251ea09b53}| property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\property\bag}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\property\bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $\label{thm:local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ property bag$

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ 'property bag$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

 $\label{local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}\property\bag$

Opens kev:

 $\label{lem:hkklmsoftwaremicrosoftwindows} Label{lem:hkklmsoftwaremicrosoftwindows} Label{lem:hkklmsoftwaremicro$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\}$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\property\bag}$

Opens key:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

Opens key:

 $\label{thm:local-prop} $HKLM \setminus software \min crosoft \mapsto current version \cdot explorer \cdot folder descriptions \cdot \{43668bf8-c14e-49b2-97c9-747784d784b7\}$

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lklm}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\}\ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\\ folderdescriptions\\ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\\ propertybag$

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints 2 \ cpc \ volume$

Opens key:

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}\$

Opens key: HKLM\system\currentcontrolset\control\cmf\config
Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion
Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key:

```
11e3-b3bc-806e6f6e6963}\
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
    Opens kev:
HKLM \ software \ microsoft \ windows \ current version \ versfiles \ name space \ delegate folders
    Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}
    Opens key:
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace
    Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in follows \ current version \ explorer \ session in follows \ current version \ explorer \ session \ in follows \ explorer \ expl
    Opens key:
                                                            HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder
                                                            HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
    Opens key:
    Opens key:
                                                             HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{dffacdc5-microsoft\} \ described \ 
679f-4156-8947-c5c76bc0b67f}\shellfolder
                                                            Opens kev:
679f-4156-8947-c5c76bc0b67f}\shellfolder
    Opens key:
                                                            HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32
    Opens key:
                                                            HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ linprocserver 32 \ linprocserve
    Opens key:
                                                             HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
                                                             \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\shell} extensions\label{lem:hkcu} blocked \\
    Opens key:
    Opens key:
                                                            HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\shdocvw.dll
                                                            HKCU\software\microsoft\windows\currentversion\shell extensions\cached
    Opens key:
    Opens key:
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
    Opens key:
                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\treatas
                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas
    Opens kev:
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\progid
                                                             Opens key:
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\inprochandler32
                                                            HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32
    Opens kev:
                                                            HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\inprochandler
                                                            HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ \ in prochandler
    Opens key:
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\instance
                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
    Opens kev:
    Opens key:
                                                            HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32
                                                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
    Opens key:
    Opens key:
                                                             HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
    Opens key:
                                                             HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
    Opens key:
                                                             HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\treatas
                                                             HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
    Opens key:
                                                             HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
    Opens key:
c66de400274e}\progid
    Opens key:
                                                             HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
    Opens key:
                                                             HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler32
                                                             HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32
    Opens key:
                                                             HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
    Opens kev:
c66de400274e}\inprochandler
                                                             HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler
    Opens kev:
    Opens key:
                                                             HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
    Opens key:
                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
    Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-
8947-c5c76bc0b67f}
                                                             HKCU\software\classes\exefile\shellex\datahandler
    Opens key:
    Opens key:
                                                             HKCR\exefile\shellex\datahandler
```

Opens key: HKCU\software\classes\.exe\shellex\datahandler
Opens key: HKCR\.exe\shellex\datahandler
Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\datahandler
Opens key: HKCR\systemfileassociations\.exe\shellex\datahandler
Opens key: HKCU\software\classes*

Opens key: HKCR*

Opens key: HKCU\software\classes*\shellex\datahandler

Opens key: HKCR*\shellex\datahandler

HKCU\software\classes\allfilesystemobjects\shellex\datahandler Opens key: Opens key: HKCR\allfilesystemobjects\shellex\datahandler Opens kev: HKCR\systemfileassociations\.exe\ HKCR*\ Opens key: Opens key: HKCR\allfilesystemobjects\ Opens key: HKCU\software\classes\exefile\shellex\contextmenuhandlers Opens key: HKCR\exefile\shellex\contextmenuhandlers HKCU\software\classes\exefile\shellex\contextmenuhandlers\compatibility Opens key: Opens key: HKCR\exefile\shellex\contextmenuhandlers\compatibility Opens key: $\label{thm:linear} \begin{tabular}{ll} HKCU \software \classes \system file associations \classes \c$ Opens key: $\label{lem:hkcr} \mbox{\tt HKCR} \mbox{\tt systemfileassociations} \mbox{\tt .exe} \mbox{\tt shellex} \mbox{\tt contextmenuhandlers}$ Opens key: HKCU\software\classes*\shellex\contextmenuhandlers Opens key: HKCR*\shellex\contextmenuhandlers Opens key: HKCU\software\classes*\shellex\contextmenuhandlers\briefcasemenu Opens key: HKCR*\shellex\contextmenuhandlers\briefcasemenu HKCU\software\classes*\shellex\contextmenuhandlers\open with Opens kev: Opens key: HKCR*\shellex\contextmenuhandlers\open with Opens key: HKCU\software\classes*\shellex\contextmenuhandlers\open with encryptionmenu Opens key: HKCR*\shellex\contextmenuhandlers\open with encryptionmenu Opens key: HKCU\software\classes*\shellex\contextmenuhandlers\sharing HKCR*\shellex\contextmenuhandlers\sharing Opens kev: Opens key: HKCU\software\classes*\shellex\contextmenuhandlers\{90aa3a4e-1cba-4233b8bb-535773d48449} HKCR*\shellex\contextmenuhandlers\{90aa3a4e-1cba-4233-b8bb-Opens key: 535773d48449} Opens key: HKCU\software\classes*\shellex\contextmenuhandlers\{a2a9545d-a0c2-42b4-9708-a0b2badd77c8} Opens key: HKCR*\shellex\contextmenuhandlers\{a2a9545d-a0c2-42b4-9708a0b2badd77c8} HKCU\software\classes\allfilesystemobjects\shellex\contextmenuhandlers Opens key: Opens key: ${\tt HKCR\allfilesystemobjects\shellex\contextmenuhandlers}$ Opens key: HKCU\software\classes\allfilesystemobjects\shellex\contextmenuhandlers\copyaspathmenu Opens key: $HKCR\ all file system objects \ 's hellex\ 'context menuhandlers\ 'copy as pathmenum and system objects' and system objects'$ Opens key: HKCU\software\classes\allfilesystemobjects\shellex\contextmenuhandlers\sendto HKCR\allfilesystemobjects\shellex\contextmenuhandlers\sendto Opens key: Opens key: $HKCU \ software \ classes \ all filesystem objects \ shellex \ contextmenu handlers \ \{474c98ee-cf3d-41f5-80e3-eq. \} \ define \$ 4aab0ab04301} HKCR\allfilesystemobjects\shellex\contextmenuhandlers\{474c98ee-cf3d-Opens kev: 41f5-80e3-4aab0ab04301} Opens kev: e9109b0a8153} Opens key: 4215-9f74-e9109b0a8153} Opens key: HKCU\software\classes\clsid\{596ab062-b4d2-4215-9f74e9109b0a8153}\shellex\maychangedefaultmenu HKCR\clsid\{596ab062-b4d2-4215-9f74-Opens key: e9109b0a8153}\shellex\maychangedefaultmenu HKCU\software\classes\clsid\{474c98ee-cf3d-41f5-80e3-Opens key: 4aab0ab04301}\shellex\maychangedefaultmenu HKCR\clsid\{474c98ee-cf3d-41f5-80e3-Opens key: 4aab0ab04301}\shellex\maychangedefaultmenu HKCU\software\classes\clsid\{7ba4c740-9e81-11cf-99d3-Opens key 00aa004ae837}\shellex\maychangedefaultmenu HKCR\clsid\{7ba4c740-9e81-11cf-99d3-Opens key: 00aa004ae837}\shellex\maychangedefaultmenu $HKCU \setminus software \setminus classes \setminus clsid \setminus \{f3d06e7c-1e45-4a26-847e-1e45-847e-1e45-847e-1e45-867e-1e4$ Opens key: f9fcdee59be0}\shellex\maychangedefaultmenu HKCR\clsid\{f3d06e7c-1e45-4a26-847e-Opens kev: f9fcdee59be0}\shellex\maychangedefaultmenu HKCU\software\classes\clsid\{a2a9545d-a0c2-42b4-9708-Opens kev: a0b2badd77c8}\shellex\maychangedefaultmenu HKCR\clsid\{a2a9545d-a0c2-42b4-9708-Opens key: a0b2badd77c8}\shellex\maychangedefaultmenu Opens kev: HKCU\software\classes\clsid\{90aa3a4e-1cba-4233-b8bb-535773d48449}\shellex\maychangedefaultmenu HKCR\clsid\{90aa3a4e-1cba-4233-b8bb-Opens kev: 535773d48449}\shellex\maychangedefaultmenu Opens key: HKCU\software\classes\clsid\{f81e9010-6ea4-11ce-a7ff-00aa003ca9f6}\shellex\maychangedefaultmenu HKCR\clsid\{f81e9010-6ea4-11ce-a7ff-Opens kev: 00aa003ca9f6}\shellex\maychangedefaultmenu HKCU\software\classes\clsid\{a470f8cf-a1e8-4f65-8335-Opens key: 227475aa5c46}\shellex\maychangedefaultmenu Opens key: HKCR\clsid\{a470f8cf-a1e8-4f65-8335-227475aa5c46}\shellex\maychangedefaultmenu HKCU\software\classes\clsid\{09799afb-ad67-11d1-abcd-Opens kev:

00c04fc30936}\shellex\maychangedefaultmenu

Opens key:

00c04fc30936}\shellex\maychangedefaultmenu

Opens key:

00c04fc30936}\shellex\noaddtorecent

Opens kev: $\label{lem:hkcr} \begin{tabular}{ll} HKCR\clsid\{09799afb-ad67-11d1-abcd-00c04fc30936}\\\ \label{lem:hkcr} \end{tabular} $$ \begin{tabula$

Opens key:

HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.exe HKCU\software\classes\clsid\{66742402-f9b9-11d1-a202-Opens kev:

0000f81fedee}\overridefilesystemproperties

Opens key: HKCR\clsid\{66742402-f9b9-11d1-a202-

0000f81fedee}\overridefilesystemproperties

Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{66742402 - f9b9 - 11d1 - a202 - 0000f81fedee\}$

Opens key: HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}

 $HKCU \setminus software \setminus classes \setminus explorer clsidflags \setminus \{66742402 - f9b9 - 11d1 - a202 - f9b9 - f$ Opens key:

0000f81fedee}

HKCR\explorerclsidflags\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{09799afb-ad67-11d1-

abcd-00c04fc30936}

Opens key: HKCU\software\classes\clsid\{09799afb-ad67-11d1-abcd-00c04fc30936}

Opens key: HKCR\clsid\{09799afb-ad67-11d1-abcd-00c04fc30936} Opens key: HKCU\software\classes\clsid\{85bbd920-42a0-1069-a2e4-

08002b30309d}\shellex\maychangedefaultmenu

Opens key: HKCR\clsid\{85bbd920-42a0-1069-a2e4-

08002b30309d}\shellex\maychangedefaultmenu

HKCU\software\classes\clsid\{1d27f844-3a1f-4410-85ac-Opens key:

14651078412d}\shellex\maychangedefaultmenu

HKCR\clsid\{1d27f844-3a1f-4410-85ac-Opens key:

14651078412d}\shellex\maychangedefaultmenu

Opens key: HKCU\software\classes\clsid\{21b22460-3aea-1069-a2dc-08002b30309d}

Opens key: HKCR\clsid\{21b22460-3aea-1069-a2dc-08002b30309d}

HKCU\software\classes\exefile\shell Opens key:

Opens key: HKCR\exefile\shell

Opens key: HKCU\software\classes\exefile\shell\open

HKCR\exefile\shell\open Opens key:

Opens key: HKCU\software\classes\exefile\shell\open\command

Opens key: HKCR\exefile\shell\open\command

HKCU\software\classes\exefile\shell\open\droptarget Opens key:

Opens key: HKCR\exefile\shell\open\droptarget

Opens key: HKCU\software\classes\exefile\shell\open\command\supportedprotocols

HKCR\exefile\shell\open\command\supportedprotocols Opens key:

Opens key: HKCU\software\classes\exefile\shell\runas

Opens key: HKCR\exefile\shell\runas

HKCU\software\classes\exefile\shell\runas\command Opens key:

Opens key: HKCR\exefile\shell\runas\command

Opens key: HKCU\software\classes\exefile\shell\runas\droptarget

Opens key: HKCR\exefile\shell\runas\droptarget

Opens key: HKCU\software\classes\exefile\shell\runas\command\supportedprotocols

HKCR\exefile\shell\runas\command\supportedprotocols Opens kev: HKCU\software\classes\exefile\shell\runasuser Opens key:

Opens key: HKCR\exefile\shell\runasuser

Opens key: HKCU\software\classes\exefile\shell\runasuser\command

Opens key: HKCR\exefile\shell\runasuser\command

Opens key: HKLM\software\microsoft\windows\currentversion\policies\credui Opens kev: HKCU\software\microsoft\windows\currentversion\policies\credui Opens key: HKCU\software\classes\systemfileassociations\.exe\shell

Opens key: HKCR\systemfileassociations\.exe\shell

Opens key: HKCR\exefile\shell\open\

HKLM\software\microsoft\windows\currentversion\policies\associations Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\policies\associations

Opens key: HKCU\software\classes\.ade

HKCR\.ade

Opens key: Opens key: HKCU\software\classes\.adp

Opens key: HKCR\.adp

HKCU\software\classes\.app Opens key:

Opens key: HKCR\.app

Opens key: HKCU\software\classes\.asp

Opens key: HKCR\.asp

Opens key: HKCU\software\classes\.bas

Opens key: HKCR\.bas

HKCU\software\classes\.bat Opens key:

Opens key: HKCR\.bat

Opens key: HKCU\software\classes\.cer

Opens key: HKCR\.cer HKCU\software\classes\.chm

Opens key:

Opens kev: HKCR\.chm

Opens key: HKCU\software\classes\.cmd Opens key: HKCR\.cmd

Opens key: HKCU\software\classes\.com

Opens key: HKCR\.com

Opens key: HKCU\software\classes\.cpl

Opens key: HKCR\.cpl

Opens key: HKCU\software\classes\.crt

HKCR\.crt Opens key: HKCU\software\classes\.csh Opens key: Opens kev: HKCR\.csh HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4} Opens key: Opens kev: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4} Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas Opens key: Opens key: 00c04fb6bfc4}\progid Opens kev: Opens key: 00c04fb6bfc4}\inprocserver32 Opens key: Opens key: 00c04fb6bfc4}\inprochandler32 Opens key: Opens key: 00c04fb6bfc4}\inprochandler Opens key: Opens key: Opens key: Opens kev: settings Opens key: settings\ Opens key: Opens key: Opens key: Opens key: Opens key: HKCU\software\microsoft\internet

HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32

HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler32

HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler

HKLM\system\currentcontrolset\services\crypt32

HKLM\software\microsoft\windows\currentversion\internet settings HKLM\software\policies\microsoft\windows\currentversion\internet

HKLM\software\policies\microsoft\windows\currentversion\internet

HKLM\software\policies\microsoft\internet explorer\main\featurecontrol HKCU\software\policies\microsoft\internet explorer\main\featurecontrol

HKLM\software\microsoft\internet explorer\main\featurecontrol HKCU\software\microsoft\internet explorer\main\featurecontrol

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\domains\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\domains\

HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\ranges\

HKCU\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\ranges\

HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_unc_savedfilecheck HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_unc_savedfilecheck

HKCU\software\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\

HKCU\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

HKLM\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

Opens key: HKLM\software\policies Opens key: HKCU\software\policies

Opens kev: HKCU\software Opens key: HKLM\software

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap

HKCU\software\policies\microsoft\windows\currentversion\internet Opens key:

settings

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap Opens key:

HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap\ranges\

 $\label{lem:hkcu} \verb+KCU\+software\+microsoft\+windows\+currentversion\+internet$ Opens key:

settings\zonemap\protocoldefaults\

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap\domains\

Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap\domains\

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610 Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_http_username_password_disable

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature http username password disable

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562

```
Opens key:
                          HKLM\software\policies\microsoft\internet explorer\security
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
 Opens key:
                          \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet\ settings\sl} \\ 2
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\1
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\2
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\2
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\3
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\3
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\4
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\4
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                          HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_localmachine_lockdown
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\
 Opens key:
                          \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} internet \end{tabular}
settings\lockdown_zones\
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\0
 Opens key:
                          HKLM \verb|\software\policies\microsoft\windows\currentversion\ | internet
settings\lockdown_zones\0
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\0
                          \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Opens key:
settings\lockdown_zones\1
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\1
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                          \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Opens key:
settings\lockdown_zones\2
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\2
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\4
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
 Opens key:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
 Opens key:
                          HKLM\software\microsoft\internet
\verb|explorer\main\featurecontrol\feature_protocol_lockdown|
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
```

HKLM\software\policies\microsoft\internet explorer

Opens key:

Opens key: HKCU\software\classes\exefile\progid

HKCR\exefile\progid Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\progids\exefile

HKCU\software\classes\exefile\shell\open\ddeexec Opens kev:

Opens key: HKCR\exefile\shell\open\ddeexec

Opens key: HKCU\software\microsoft\windows\currentversion\app paths\xuebea.exe Opens key: HKLM\software\microsoft\windows\currentversion\app paths\xuebea.exe Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\xuebea.exe

HKCU\software\microsoft\windows\currentversion\explorer\shell folders Opens kev: Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\custom\xuebea.exe

Opens key: HKCU\software\microsoft\windows\currentversion\run

Opens key: HKCU\appevents\schemes\

Opens kev: HKCU\appevents\schemes\apps\.default\open\.current Opens key: HKCU\appevents\schemes\apps\.default\open\.current\active Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\01705faa-3407352d Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\01705faa Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries Opens kev:

Opens key:

Opens kev:

Opens kev:

Opens key:

Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008 Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011 Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015 Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018 Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace_catalog 5$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens key:

Opens key:

```
HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
 Opens kev:
                        HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                        HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens kev:
                        HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                        HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
 Opens key:
                        HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
                        HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
 Opens kev:
                        HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                        HKLM\software\policies\microsoft\windows nt\dnsclient
 Opens key:
                        HKLM\software\policies\microsoft\system\dnsclient
                        HKLM\system\currentcontrolset\control\sqmservicelist
 Opens key:
 Opens key:
                        HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
                        HKLM\system\currentcontrolset\services\dns
 Opens key:
 Opens key:
                        HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig
 Opens key:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
 Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
 Opens kev:
                        HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
 Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
 Opens key:
                        HKCU\appevents\schemes\apps\.default\close\.current
 Opens key:
                        HKCU\appevents\schemes\apps\.default\close\.current\active
 Opens kev:
806e6f6e6963}
 Opens key:
806e6f6e6963}
 Opens kev:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{8ff7f47b-d658-4061-baea-
1709a0196aed}
 Opens kev:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-
a68f334c8d34}
 Opens key:
                        HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus linkage
 Opens key:
                        HKLM\software\microsoft\ctf\compatibility\xuebea.exe
 Opens key:
                        HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
 Opens key:
                        HKLM\software\microsoft\ctf\
 Opens key:
                        HKLM\software\microsoft\ctf\knownclasses
                        {\tt HKLM \ } system \verb| current control set \verb| control \ \\ session
 Queries value:
manager[cwdillegalindllsearch]
                        HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
 Oueries value:
                        HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
 Queries value:
 Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
                        HKCU\control panel\desktop[preferreduilanguages]
 Oueries value:
                        HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
 Queries value:
 Oueries value:
HKLM \verb|\software\microsoft\windows\currentversion\side| preferexternal manifest| \\
                        HKLM\system\currentcontrolset\control\nls\sorting\versions[]
 Oueries value:
 Queries value:
                        HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
                        HKLM\software\microsoft\windows nt\currentversion\image file execution
 Oueries value:
options\dllnxoptions[usefilter]
 Queries value:
                       HKLM\software\microsoft\windows nt\currentversion\image file execution
options\dllnxoptions[msvbvm60.dll]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\gre_initialize[disablemetafiles]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\compatibility32[85d88c75b5c443841ecdd1c4079f040c]
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
 Queries value:
                        HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Queries value:
                        HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
                        HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Queries value:
 Queries value:
                        HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
                        HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Oueries value:
                        HKLM\system\currentcontrolset\control\nls\language groups[1]
 Queries value:
                        HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
                        HKLM\system\currentcontrolset\control\session
 Oueries value:
manager[safeprocesssearchmode]
                        HKLM\system\currentcontrolset\control\nls\codepage[932]
 Oueries value:
 Oueries value:
                        HKLM\system\currentcontrolset\control\nls\codepage[949]
 Oueries value:
                        HKLM\system\currentcontrolset\control\nls\codepage[950]
```

Queries value: HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]

HKLM\system\currentcontrolset\control\nls\codepage[936]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\software\microsoft\windows\html help[.hlp]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[name]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[roamable]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{are} Windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]$$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\system\currentcontrolset\services\disk\enum[0]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

 $HKLM \verb| system| current control \verb| set| computer name| active computer name| co$

Queries value: HKLM\system\setup[oobeinprogress]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable] Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]
Oueries value: HKLM\software\policies\microsoft\windows\system[copyf

Queries value: HKLM\software\policies\microsoft\windows\system[copyfilechunksize]

Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
08002b30309d}\shellfolder[restrictedattributes]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsfordisplay]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hidefolderverbs]
   Queries value:
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
   Oueries value:
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[queryforoverlay]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
   Queries value:
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideinwebview]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4060-a2d8-4069-a2d8-4069-a2d8
08002b30309d}1
   Oueries value:
                                                   HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                                   HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
   Oueries value:
   Oueries value:
                                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
   Queries value:
                                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Queries value:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [shows uper hidden] \\ \end{tabular}
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
   Oueries value:
                                                   HKCR\.exe[]
   Queries value:
                                                   HKCR\exefile[docobject]
   Queries value:
                                                   HKCR\systemfileassociations\.exe[docobject]
   Queries value:
                                                   HKCR\exefile[browseinplace]
                                                   HKCR\systemfileassociations\.exe[browseinplace]
   Oueries value:
   Queries value:
                                                   HKCR\.exe[content type]
   Oueries value:
                                                   HKCR\exefile[isshortcut]
                                                   HKCR\systemfileassociations\.exe[isshortcut]
   Oueries value:
   Queries value:
                                                   HKCR\exefile[alwaysshowext]
   Queries value:
                                                   HKCR\systemfileassociations\.exe[alwaysshowext]
   Oueries value:
                                                   HKCR\exefile[nevershowext]
   Queries value:
                                                   HKCR\systemfileassociations\.exe[nevershowext]
   Oueries value:
b029-7fe99a87c641}[category]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-db2c-42b) \ descriptions \ (b4bfcc3a-db2c-424c-db2c-42b) \ descriptions \ de
b029-7fe99a87c641}[name]
```

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the lateral properties of the l$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \c$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions | \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[initfolder handler] | \end{substitute}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

 $Queries \ value: \\ HKLM \ software \ microsoft \ ole[maxsxshashcount]$

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

 Queries value:
 HKCR\allfilesystemobjects[isshortcut]

 Queries value:
 HKCR\directory[alwaysshowext]

 Queries value:
 HKCR\directory[nevershowext]

 Queries value:
 HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[streamresource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $\label{local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[attributes]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[foldertypeid]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[category]

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} in ame \cal{lem:hklm}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explore$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[relativepath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} (a) The properties of t$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\[infotip]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'abb685 db-65 f9-4 cf6-a03a-e3 ef 65 72 9 f 3 d \ '[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [security]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Oueries value:

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell} \\$

folders[appdata]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(description)$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer | folder descriptions | f3ce0f7c-4901-4acc-8648-d5d44b04ef8f | [relative path] | face1 | face1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [parsing name]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localizedname]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(icon)\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [streamresource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [roamable]$

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[precreate]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[stream]
    Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[publishexpandedpath]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[attributes]
    Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[foldertypeid]
    Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[initfolderhandler]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[attributes]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[callforattributes]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[queryforoverlay]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
    Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[hideinwebview]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[hideondesktopperuser]
    Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
    Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[nofilefolderjunction]
    Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[pintonamespacetree]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[hasnavigationenum]
    Queries value:
5595fe6b30ee}]
    Queries value:
                                                              HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]
    Oueries value:
                                                             HKCR\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprocserver32[inprocserver32]
                                                             HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]
    Queries value:
                                                             HKCR\clsid\{76765b11-3f95-4af2-ac9d-
    Queries value:
ea55d8994f1a}\inprocserver32[threadingmodel]
    Queries value:
95cf-2f29da2920da}[category]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[name]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-deb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-41
95cf-2f29da2920da}[parentfolder]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[description]
    Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[relativepath]
95cf-2f29da2920da}[parsingname]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-deb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-41
95cf-2f29da2920da}[infotip]
```

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{localized name}' \ localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'active folder descriptions' \ 'folder descriptions' \ 'fo$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \{7d1d3a04-debb-4115-95cf-2f29da2920da\}\[streamresource \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [stream resource type]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{[roamable]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{[initfolder handler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\category\cite{1}{1}$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23\[name]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(description)$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(relative\path)\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[parsingname]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindo$

Queries value

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \{f38bf404-1d43-42f2-9305-67de0b28fc23\}[icon]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\[security]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{43-42f2-9305-67de0b28fc23}\[streamresourcetype]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[roamable]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(foldertypeid)\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[streamresource]}$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \figure{100} \figure{$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (f7f1ed05-9f6d-47a2-aaae-29d317c6f066) \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ fstream \ label{eq:hklm}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ffolder \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-

a368-0de96e47012e}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [Froamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2112ab0a-c86a-4ffe-a368-0de96e47012e} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ fattributes \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d 84 ee 384\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{48daf80b-e6cf-4f4e-b800-0e69d84ee384}\ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [icon]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 6 9 d 8 4 e e 3 8 4) \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [stream]$

Oueries value

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[foldertypeid]}$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[initfolderhandler]}$

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25\} [parent folder] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[description]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \cf{leativepath} \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \\ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localizedname]}$

Oueries value:

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25\} [stream resource]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[infotip]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-factor-f$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[initfolderhandler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} \cite{1.000} \cite{1.0000} \cite{1.0000} \cite{1.0000} \cite{1.00$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer$

8644-66979315a281}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$98ec0e18-2098-4d44-8644-66979315a281} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ | \ publishex \ panded path \ panded path \ | \ publishex \ panded path \ panded$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[foldertypeid]

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{adderdescriptions} \end{adderdescriptions} a 15719-d 62e-491d-a a 15719-d 62e-4910-d 62e-491d-a a 15719-d 62e-491d-a a 15719-d 62e-491d-a a 15719-d 62e-491d-a a 15719-d 62e-491$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[description]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\label{local-equation} \\ \label{local-equation}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\fparsingname1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} \eq$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[security]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [publish expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ (a4115719-d62e-491d-aa7c-e74b8be3b067) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[category]}$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434} \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6edc-$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \explorer\folder descriptions \explorer\folder \explorer\folder \explorer\folder \explorer\folder \explorer\folder \explorer\folder \explorer\folder \explorer\folder\folder \explorer\fold$

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[description]} \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [stream resource type]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[local-redirectonly]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [stream]$

Queries value:

 $HKLM software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[initfolderhandler]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoft$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [parsing name]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[precreate]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}\category\cite{Control of the control of the c$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{52a4f021-7b75-48a9-9f6b-4b87a210bc8f} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [name]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$$ de974d24-d9c6-4d3e-bf91-f4455120b917} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[relativepath]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [parsing name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\[infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localized name]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ ficon 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[streamresource]}$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-d9c6-4d3e-d9c6-d9c4d24$

bf91-f4455120b917}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 445 51 20b 917\} \ [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}\category\cite{Control of the control o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2.6} \folds \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\graph{precreate}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish \ expanded \ publish \ expanded \ expanded \ publish \ expanded \ publish \ expanded \ expanded \ publish \ expanded \ exp$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [foldertypeid]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde3-37bd56068185\[initfolderhandler\]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[name]}$

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[description]}$

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[localized name]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localized name]}$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (491e922f-5643-4af4-a7eb-4e7a138d8174) \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[local\cutrectonly\]$

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[stream]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[publishexpandedpath]}$

Queries value:

a7eb-4e7a138d8174}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [initfolder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [category]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [infotip]$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localizedname]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ 'icon' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [stream resource]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \cite{100} \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [publish expanded path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[foldertypeid]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\ [initfolder\handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\cite{Control of the control of the con$

Queries value:

 $\label{local-equal-equal-equal-equal} HKLM \software \mbox{$8ad10c31-2adb-4296-a8f7-e4701232c972} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Queries value:

 $\label{thm:local_thm:loc$

a8f7-e4701232c972}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [publishex panded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer $$ 15d2f714e6e [parent folder] $$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}\label{lem:hklm} \end{substitute} $$ 15d2f714e6e\responses folderdescriptions $$ 15d2f714e6e\responses folderd$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[infotip]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[] $$[icon]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$

 $\label{lem:hklmsoftwaremicrosoftwindows} Currentversion \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} [name]$

Ounring value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{lem:hklm} absolute \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$

Oueries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localizedname]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[streamresource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{local_equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[roamable]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[initfolderhandler]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (0f214138-b1d3-4a90-bba9-27cbc0c5389a) \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[precreate]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[category]$$$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[name]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{2400183a-6185-49fb-a2d8-4a392a602ba3}\ [parentfolder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[description]

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-descrip$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]}$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explore$

a2d8-4a392a602ba3}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [local redirector \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ finit folder \ handler \ label{eq:folder}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ \Gamma name \ label{eq:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the lemma of th$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[infotip]$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}\ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [initfolder \ handler]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [parentfolder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [description]$

Oueries value

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6faf8716b \ [relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[infotip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[localizedname]

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6faf8716b \ [local redirectorly]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Currentversion \explorer \folderdescriptions \explorer \folderdescriptions \folderd$

Queries value

 $\label{lem:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[attributes]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \folder \type id \center{lem:hkklmsoftware} \folder \ching \center{lem:hkklmsoftware} \center{le$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fold$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[localizedname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$289a9a43-be44-4057-a41b-587a76d7e7f9} \ [foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\cite{Control of the control of$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \cite{Abfefb45-347d-4006-a5be-ac0cb0567192} \cite{Abfe$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[parentfolder]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[description]$$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[relativepath]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[parsingname]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [security]$

Queries value:

a5be-ac0cb0567192}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b7534046-3ecb-4c18-be4e-64cd4cb7d6ac) \ [category]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\folderdescriptions \explorer\folderdescriptions \folderdescriptions \explorer\folderdescriptions \folderdescriptions \explorer\folderdescriptions \folderdescriptions \foldeddescriptions \folderdescriptions \folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [security]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[streamresourcetype]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ erd \ derdescriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [par sing name]$

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [localized name]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [security]$

Queries value:

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ er \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2fd 6d 5e\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[local redirect only]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \early$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\folderdescriptions\eq [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\earself. See 32e446-31ca-4aba-814f-a5ebd2fd6d5e\cite{blackground} [publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[attributes]$

Queries value:

 $\label{thm:microsoftwindows\currentversion} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[foldertypeid]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [initfolder \ handler]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[parsingname]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[name]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cale=66690-3dafcae \footnote{1}{$690-3dafcae} \footnote{1}{$690-3dafcae}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [infotip]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [icon]$

Queries value:

 $HKLM \coftware \colored \col$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\g(0139d44e-6afe-49f2-8690-3dafcae6ffb8)\[streamresource\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{localred} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\$

8690-3dafcae6ffb8}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parentfolder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ for singular \ explorer \ folder \ descriptions \ for singular \ explorer \ folder \ descriptions \ for singular \ explorer \ folder \ descriptions \ for singular \ explorer \ folder \ for singular \ explorer \ for singular \ explorer \ folder \ for singular \ explorer \ explorer \ for singular \ explorer \ explorer \ for singular \ explorer \ explorer$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}{localizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ 1900-86626 (c5abbf53-e17f-4121-8900-86626 (c5abbf53-$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{current version \explorer folder descriptions \explorer \fill for the second sec$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[publishexpandedpath]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colon$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[name]

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ ficon \ 1$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream resource]$

Ougries value

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[streamresourcetype]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \forer \cite{100} \forer \c$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalised as the second second$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[publishexpandedpath]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [folder type id]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{56784854-c6cb-462b-8169-88e350acb882}\cite{1}{initfolderhandler}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish \ expanded \ path \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[category]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[parentfolder]} \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[infotip]} \\$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \cdots \folder \c$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresourcetype]}$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{a302545d-deff-464b-abe8-61c8648d939b\}\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\mbox{a302545d-deff-464b-abe8-61c8648d939b} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} If the label \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} If the label \label{lem:hkkm} If the label \label{lem:hkkm} HKLM \label{lem:hkkm} If the label \label \la$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[roamable]}$

Queries value:

 $\label{local-prop} HKLM \ software \ ion \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [initfolder handler]$

Queries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[name]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[parentfolder]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-d0e7d-c0e9-$

908e-08a611b84ff6}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklm} $HKLM \cap \mathbb{R}^2 = \mathbb{R}^2 - \mathbb{R$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} 1008e-08a611b84ff6 \end{align*} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream resource type]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \current \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} Mklm \software \end{align*} HKLM \software \software \software \end{align*} HKLM \software \software \software \software \software \software \software \software \software$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [publish \ expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[name]} In the property of the prop$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[description]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [initfolder \ handler]$

Oueries value.

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}\cite{Category}\]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'eps-folder descriptions \ '\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ estimates \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [description]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [relative path]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[security]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[streamresource]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[streamresourcetype]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (e555 ab 60 - 153 b - 4d 17 - 9f 04 - a5f e 99f c 15 e c) \[[roamable] \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ estimates folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[foldertypeid]}$

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[initfolderhandler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [localized name]$

Queries value:

Oueries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [stream resource]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [roamable]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\g(054fae61-4dd8-4787-80b6-090220c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80b6-09020c4b700)\cite{Continuous}\g(054fae61-4dd8-4787-80$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[publishexpandedpath]}$

Queries value:

 $\label{local-holosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[attributes]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\gamm$

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[initfolderhandler]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777f761-68ad-4d8a-87bd-30b759fa33dd} \category\]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [parsing name]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1777f761-68 ad-4d8 a-4d8 a-4$

87bd-30b759fa33dd}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd}[publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} \ 'finitfolder \ 'f$

Queries value:

 $\label{local-constraint} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$

folders[favorites]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[category]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{local-ham} HKLM \ software \ ion \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b250c668-f57d-4ee1-a63c-290ee7d1aa1f} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [local redirectonly]$

Queries value:

a63c-290ee7d1aa1f}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b250c668-f57d-4ee1-a63c-290ee7d1aa1f) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ \lceil description \rceil$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ \ parsing \ name \ \ \}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [localized name]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'sindows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [initfolder handler]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}\range1

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresourcetype]}$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[local\redirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklk} windows \current version \explorer \folder descriptions \end{area} and \end{area} area \formallem: \folder descriptions \end{area} area \formallem: \folder \folder \end{area} area \formallem: \folder \fo$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwa$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[description]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [infotip]$

Queries value:

 $\label{localized-hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[security]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish \ expanded \ path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-9f26-b60e846fba4f} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{724ef170-a42d-4fef-9f26-b60e846fba4f} \cite{100} \cite{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream]}$

Queries value:

9f26-b60e846fba4f}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4bd8d571-6d19-48d3-be97-422220080e43) \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[infotip]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4bd8d571-6d19-48d3-be97-422220080e43) \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} [stream resource]$

Queries value:

 $HKLM\software\mbox{$MLM\software\mbox{$MLM\software\mbox{$MLdded571-6d19-48d3-be97-422220080e43}[streamresourcetype]}$

Queries value:

 $\label{thm:hkm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirect on \climates of the local redirect on \climates of \clima$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \cute{2.00} \cute{2.$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parentfolder]}$

Queries value:

 $\label{thm:local_thm:loc$

a3a9-6c82895e5c04}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [local redirector \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\\ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ finit \ folder \ handler \ label{finite}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0762d272-c50a-4bb0-a382-697dcd729b80} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ forme1$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [relative path]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [initfolder \ handler]$

0.....

 $\label{lem:hklmsoftware} HKLM \software \mbox{ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [category]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parent folder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[description]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parsingname]}$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[local\redirectonly]}$

Queries value

 $\label{thm:main} $HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[roamable]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]}$

 $HKLM\software\mbox{$M$icrosoft\windows\currentversion}\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the latest and lemma \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the latest and lemma \label{lem:hklm} In the latest and lemma \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the latest and lemma \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the latest and lemma \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hkklm} HKLM \label{lkklm} HKLM \label$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[category]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parentfolder]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parsingname]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-44c3-44c4\} \ descriptions \ folder \ folder \ descriptions \ folder \ folder \ descriptions \ folder \$

a6a2-aba601054a51}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [initfolder \ handler]$

Queries value:

 $\label{local-hamiltonian} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{0 aco 837 c-bbf8-452 a-850 d-79 d0 8e667 ca7\} \cite{Control of the control of the contr$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{argument} $$10d-79d08e667ca7 \[parentfolder \] $$10d-79d08e667ca7 \] $$10d-79d08e7 \] $$10d-79d08e7 \] $$10d-79d08e7 \] $$10d-79d08e7 \] $$10$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer $$ 100-7908667ca7 (Polarive path) $$ 100-790867ca7 (Polar$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [roamable]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [stream]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [publish expanded path]$

Queries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion\explorer\folderdescriptions} \{0ac 0837c-bbf8-452a-850d-79d08e667ca7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [init folder handler]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parentfolder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[description]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fides\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[security]$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \folder$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresourcetype]$$

Queries value:

 $\label{lem:hamilton} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localredirectonly]$$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]}$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]}$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \dots \dots \folder \dots \dots \folder \dots \d$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[initfolderhandler]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[name]}$

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folder]} \label{eq:hklm} In the constant of the constant of$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion}\explorer\folderdescriptions\folderdescriptions\folderdescriptions}\label{fig:help} About the constant of the constant$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[parsingname]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[streamresource]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} 1750db 17d - 9cd 2 - 4a9 3 - 9733 - 46cc 89022e 7c \ [publish expanded path]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[foldertypeid]}$

Queries value:

 $\label{lem:hamilton} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[initfolderhandler]$

Queries value:

 $\label{local-bounds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 655-8a092e34987a \category \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ '[parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$microsoft\windows\currentversion} explorer \folder descriptions \end{$ae50c081-ebd2-438a-8655-8a092e34987a} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [icon]$

Queries value:

8655-8a092e34987a}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a-8655 - 8a 0 92 e 34 987 a } [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ '[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ '[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \[\columnwidth{ roamable} \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder typeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolder \ handler]$

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}(category)$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (f1b32785-6fba-4fcf-9d55-7b8e7f157091) \ [relative path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[parsingname]$

000 /200/110

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [infotip]$

Oueries value

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{157091} \cite{15$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [icon]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[security]$

Queries value:

Queries value:

 $\label{thm:local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}fth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\[precreate]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}publishexpandedpath\fifth{1}{5}$

Queries value

 $\label{thm:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\foldertypeid\figure{1}}$

Queries value:

 $\label{thm:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolderhandler]$$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relative path]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolder \ handler]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [name]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\explorer\currentversion\explorer\explore$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[icon]$

Queries value:

 $\label{local-ham} HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-dg14d-dg14d$

b35e-b13f55a758f4}[localredirectonly]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\cutegory\cite{Abb0f0fcb43c}\cite{Abb0f0fcb4$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ 'parent folder \ 'left 'folder \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explore$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[parsingname]}$

Oueries value:

Queries value:

 $\label{localized-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ ficon \ 1$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the substitutions of the substitutions of the substitution of the substitution$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresourcetype]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[localredirectonly\]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[publishexpanded]\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[attributes]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{are the lemma of the label} $$ 469d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [foldertypeid] $$$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{374de290-123f-4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{4374de290-123f-4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\windows\currentversion\explorer\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{microsoft\cite{1}{4565-9164-39c4925e467b}\cite{1}{parsingname}\cite{1}{parsi$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\}[infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{374 de 290-123 f-4565-9164-39c4925e 467b} [security]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [local redirect only]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} 374 de 290-123 f-4565-9164-39c4925e 467b \cite{100} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [precreate]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.000} \folder \cit$

Oueries value:

 $HKLM \label{eq:hklm} HKLM \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} in the label{eq:hklm} Hklm \label{eq:hklm} Hklm \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} Hklm \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} Hklm \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} Hklm \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hkklm} \label{eq:hkklm}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [category]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71a-0969 cb56 a 6 cd\} \ [par sing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad-a71a-0969 cb56a6 cd\} [infotip]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6cd\} [precreate]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [publishexpandedpath]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [init folder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\cutegory\cite{Abcomparison}\ descriptions\cite{Abcomparison}\ descriptions\ descr$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b1a-7e76fa98d6e4} \cite{A305ce99-f527-492b1a-7e76fa98d6e4} \cite$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[description]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[infotip]$

Queries value

 $\label{localized-hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[icon]} \\$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows}. When the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows}. When the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicro$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[roamable]} $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]}$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[icon]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} 16444c9b-1fb8-4f30-9b45-f670235f79c0 \software \end{area} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localredirectonly]$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [initfolder \mbox{handler}]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{a} $$Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a} 990ae9f-a03b-4e80-94bc-9912d7504104\}\[category\]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \and \current \explorer \folder descriptions \and \current \explorer \and \current \explorer \and \current \current \explorer \and \current \explorer \e$

Queries value:

94bc-9912d7504104}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990 a e9f-a03b-4e80-94bc-9912d7504104 \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[infotip]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [stream resource type]$

Queries value:

 $\label{thm:local-equation} HKLM \software \mbox{$a990$ ae 9f-a03b-4e 80-94bc-9912d7504104} [local redirectorly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ for exercise \ for example \ for exercise \ for example \ for ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{align* in the sum of the sum of$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\[foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \fol$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer \verb| folder descriptions \verb| {dfdf76a2-c82a-4d63-906a-5644ac457385}[relative path] | \end{substitute}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (dfdf76a2-c82a-4d63-906a-5644ac457385) \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[infotip]} \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [icon]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[security]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[streamresource]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385} [streamresource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ for each \ folder \ fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [publish expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [attributes]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [initfolder \ handler]$

Ougries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$

Queries value:

 $HKLM\software\mbox{1a6fdba2-f42d-4358-a798-b74d745926c5} [localized name] \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[icon]} \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1a6fdba2-f42d-4358-a798-b74d745926c5} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream resource type]$

Queries value

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish \ explorer\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1a6fdba2-f42d-4358-a798-b74d745926c5}[attributes]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[initfolder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520a 1a 4-1780-4ff 6-bd 18-167343 c 5af 16 \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{a} in $$\mathbb{1}60.4ff6-bd18-167343c5af16} [publish \end{a} absolute{bd1}.$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[folder typeid]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}\initfolderhandlerl

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [category]$

Queries value:

 $HKLM \\ software \\ microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \\ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[relativepath]}$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ $\{b88f4daa-e7bd-49a9-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7bd-69a0-daa-e7b$

b74d-02885a5dc765}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ fattributes \ 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \currentversion \end{\current} explorer \folder descriptions \currentversion \end{\currentversion}.$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[relativepath]

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[infotip]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions $$\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[localized name]$$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scriptions} \class{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[localredirectonly]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[folder typeid]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolderhandler]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$

Ounring value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \general$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[streamresourcetype]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[roamable]} $$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[stream]}$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If $$Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[foldertypeid]}$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\cite{Category}\]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{df7266ac-9274-4867-8d55-3bd661de872d} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{def} in the label label} Hklk \software \end{def} in the label label} $$ Hklk \software \end{def} in the label label} $$ 14.4867-8d55-3bd661de872d \software \end{def} in the label label} $$ 14.6867-8d55-3bd661de872d \software \software \end{def} $$ 14.6867-8d55-3bd661de872d \software \sof$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [initfolder \ handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[category]

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [description] \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824 af-dce 4-45 a 8-81 e2-fc 7965083634\[parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\\ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 79650 83634\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ed 4824 af-dce 4-45 a8-dce 4-45 ar-dce 4-45 a$

81e2-fc7965083634}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{ed4824af-dce4-45a8-81e2-fc7965083634\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 79650 83634\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [precreate] \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [init folder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[description]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\ficon\

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [security]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localredirectonly]}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\[stream]\]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [relative path]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parsingname]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[infotip]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [icon]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[initfolder \ handler]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab5-9757-4298-bb61-92a9 deaa 44ff\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder description' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44ff} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44ff\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'according to the property of the property o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer'' \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local redirector \color="text-align: right;" local redirector \color="text-align: right;" local redirector \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \color="text-align: right;" local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \color="text-align: right;" local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \color="text-align: right;" local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [local \color="text-align: right;" local \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} a 4294 fab 5-9757-4298-bb 61-92a 9 dea a 4494 fab 5-9757-4298-bb 61-9240 fab$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ foreign \ folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44ff} \ [folder type id]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} With the label{$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\ [relative path]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parsingname]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (software) \ folder descriptions \ (software) \ descriptions \ de$

b29c-65b732d3d21a}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[roamable]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ '[category]]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'unindows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [info tip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} \ flocalized name \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ icrosoft \ ic$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[streamresourcetype]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[localredirectonly\]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[foldertypeid]

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Oueries value:

 $\label{thm:local-bardy} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \footnote{200} bardy \footnote{200} bardy \gamma \gamm$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[attributes]}$

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[foldertypeid]$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[category]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[streamresource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[parsingname]}$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[infotip]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \ [localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[streamresource]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirectonly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[roamable]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-490 5$

ae3b-bf251ea09b53}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[parsing name]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Ad3} \cite{Ad3}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ for earnesource \ folder \ fol$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant the sum of the sum of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [roamable]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \def 2c1c7-837f-4f69-a3bb-86e631204a23 \cite{Control of the control of the con$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de 92c1c7-837f-4f69-a3bb-86e631204a23) \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant with the second constant of the second constant with the second constant of the se$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b850-448b77cb37f9 \cal{line} \ [name]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [icon]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [security]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource]$

000 1.007700

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[streamresourcetype]}$

Oueries value

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Oueries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[attributes]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer | folder descriptions | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | [category] | folder descriptions | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 | fdd 39 ad 0-238 f-46 af-ad 0-$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[name \]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[parentfolder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relativepath]}$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [security]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[initfolder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [relative path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\capacity {c1bae2d0-10df-4334-bedd-7aa20b227a9d}\[icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[streamresource]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [publish expanded path]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{190337d1-b8ca-4121-a639-6d472d16972a} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{190337d1-b8ca-4121-a639-6d472d16972a}[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [roamable]$

Queries value:

Queries value:

 $\label{local-hklm} HKLM \ software \ ion \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[attributes]$

Oueries value:

 $HKLM \label{eq:hklm} HKLM \label{eq:hklm} HKLM \label{eq:hklm} Software \mbox{`microsoft\windows\currentversion\explorer\folder descriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[folder type id]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [initfolder \ handler]$

Queries value:

 $HKLM \coftware \mbox{$

Queries value:

 $\label{local-observable} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [description]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.5}} \parbox{4.54 eed $2e0$-$e7$ ca-$4fdb-$fderdescriptions\footnote{1.5}} \parbox{4.54 eed $2e0$-$e7$ eed $2e0$ eed $$

9148-0f4247291cfa}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ publishex \ panded path \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \curre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[initfolderhandler]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[infotip]} Infotip \cite{Ab2} and \cite{Ab2} are the lemma of th$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolderhandler]}$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[name]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[parentfolder]

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [local redirect only]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [folder type id]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[description]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsing name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [infotip]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localized name]$

Oueries value:

 $\label{lem:hklm} $HKLM \circ terminal of the second of the s$

Ounring value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource]$

Queries value

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[streamresourcetype]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localredirectonly]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream]}$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[publishexpandedpath]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[foldertypeid]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[category]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ffolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ fol$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ fol$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[streamresource]$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ \ \ \ \} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[relativepath]}$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-fa63293e8-664e-48db-a079-df759e0509f7-grain-graing-fa63293e8-664e-48db-a079-df759e0509f7-grain$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} [security]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$

Queries value:

a079-df759e0509f7}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[relativepath]}$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [localized name]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ for earnesource \ folder \ fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer | folder descriptions | \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886155\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the property of the property of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [init folder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\color{82a74aeb-aeb4-465c-a014-d097ee346d63}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [icon]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [security]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[streamresource]}$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[streamresourcetype]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [roamable]$

Oueries value

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[attributes]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [name]$

Queries value:

 $\label{thm:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \folder 40fb-4bfc-874a-c0f2e0b9fa8e \cuprebel{thm:hklm} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scriptions} \arrangle folder descriptions \arrangle folder \arrangle fold$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[infotip]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [publish \ explorer\ folder \ descriptions \ explorer\ folder \ folder \ folder \ folder\ fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [initfolder \ handler]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $HKLM software \mbox{$M$ indows \current version} explorer \folder descriptions \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[parsingname]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]}$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [stream resource type]$

Queries value:

 $\label{local-equ$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[publishexpandedpath]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

97c9-747784d784b7}[attributes]

Queries value:

 $HKLM\software\mbox{$M$icrosoft\windows\currentversion\explorer\folderdescriptions} \{43668bf8-c14e-49b2-97c9-747784d784b7\} [foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[initfolderhandler]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ 'localized name \ 'localized name \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (915221fb-9efe-4bda-8fd7-f78dca774f87) \ for the software \ microsoft \ windows \ not the software \ not \ not$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 's on \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [precreate]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[publishexpandedpath]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \ga$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[foldertypeid]

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4) \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[relativepath]

```
b5b4-2d72e54eaaa4}[parsingname]
  Queries value:
b5b4-2d72e54eaaa4}[infotip]
  Queries value:
b5b4-2d72e54eaaa4}[localizedname]
  Oueries value:
b5b4-2d72e54eaaa4}[icon]
  Queries value:
b5b4-2d72e54eaaa4}[security]
  Queries value:
b5b4-2d72e54eaaa4}[streamresource]
b5b4-2d72e54eaaa4}[streamresourcetype]
b5b4-2d72e54eaaa4}[localredirectonly]
b5b4-2d72e54eaaa4}[roamable]
  Queries value:
b5b4-2d72e54eaaa4}[precreate]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[stream]
b5b4-2d72e54eaaa4}[publishexpandedpath]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[attributes]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[foldertypeid]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[initfolderhandler]
  Oueries value:
                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
  Queries value:
11e3-b3bc-806e6f6e6963}[data]
  Queries value:
11e3-b3bc-806e6f6e6963}[generation]
  Queries value:
                            HKLM\system\currentcontrolset\control\cmf\config[system]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
  Oueries value:
                            HKLM\software\microsoft\windows\currentversion[devicepath]
  Queries value:
11e3-b3bc-806e6f6e6963}[data]
  Oueries value:
11e3-b3bc-806e6f6e6963}[generation]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ (dffacdc5-microsoft) \ described by the software \ names 
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
  Queries value:
                            c5c76bc0b67f}\shellfolder[attributes]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[callforattributes]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsfordisplay]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
```

c5c76bc0b67f}\shellfolder[wantsforparsing]

HKCR\clsid\{dffacdc5-679f-4156-8947-

```
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
  Queries value:
c5c76bc0b67f}]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\tinprocserver32[]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                            HKCU\software\microsoft\windows\currentversion\shell
  Queries value:
extensions \\ cached [\{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \\ \{add8ba80-002b-11d0-8f0f-00c04fd7d062\}\} \\ \{add8ba80-002b-11d0-8f0f-00c04fd7d062\}
0xffff]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[threadingmodel]
                            Queries value:
                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
  Oueries value:
                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
  Queries value:
                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
                            HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[threadingmodel]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
  Queries value:
                            HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
  Oueries value:
HKCR\exefile\shellex\contextmenuhandlers\compatibility[suppressionpolicy]
                            HKCR\exefile\shellex\contextmenuhandlers\compatibility[]
  Oueries value:
                            HKCR\*\shellex\contextmenuhandlers\briefcasemenu[suppressionpolicy]
  Oueries value:
                            HKCR\*\shellex\contextmenuhandlers\briefcasemenu[]
  Oueries value:
                            HKCR\*\shellex\contextmenuhandlers\open with[suppressionpolicy]
  Queries value:
  Queries value:
                            HKCR\*\shellex\contextmenuhandlers\open with[]
                            HKCR\*\shellex\contextmenuhandlers\open with
  Oueries value:
encryptionmenu[suppressionpolicy]
                            HKCR\*\shellex\contextmenuhandlers\open with encryptionmenu[]
  Oueries value:
                            \label{lem:hkcr} \verb+KKCR+* \verb+shellex+ contextmenuhandlers+ sharing[suppression policy]
  Queries value:
                            HKCR\*\shellex\contextmenuhandlers\sharing[]
  Oueries value:
  Queries value:
                            HKCR\*\shellex\contextmenuhandlers\{90aa3a4e-1cba-4233-b8bb-
535773d48449}[suppressionpolicy]
  Queries value:
                            a0b2badd77c8}[suppressionpolicy]
  Queries value:
HKCR\allfilesystemobjects\shellex\contextmenuhandlers\copyaspathmenu[suppressionpolicy]
                            HKCR\allfilesystemobjects\shellex\contextmenuhandlers\copyaspathmenu[]
  Oueries value:
  Queries value:
HKCR\allfilesystemobjects\shellex\contextmenuhandlers\sendto[suppressionpolicy]
                            HKCR\allfilesystemobjects\shellex\contextmenuhandlers\sendto[]
  Oueries value:
  Queries value:
                            HKCR\allfilesystemobjects\shellex\contextmenuhandlers\{474c98ee-cf3d-
41f5-80e3-4aab0ab04301}[suppressionpolicy]
                            HKCR\allfilesystemobjects\shellex\contextmenuhandlers\{596ab062-b4d2-
 Oueries value:
4215-9f74-e9109b0a8153}[suppressionpolicy]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ property system \ property handlers \ ..\ exe[]
  Queries value:
                            HKCR\clsid\{66742402-f9b9-11d1-a202-
```

```
0000f81fedee}[disableprocessisolation]
                          HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}[nooplock]
 Oueries value:
 Oueries value:
                          HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee} [use in prochandler cache]
 Queries value:
                          HKCR\clsid\{66742402-f9b9-11d1-a202-
0000f81fedee}[useoutofprochandlercache]
 Queries value:
                          HKCR\*[norecentdocs]
                          HKCR\clsid\{09799afb-ad67-11d1-abcd-00c04fc30936}[flags]
 Oueries value:
 Oueries value:
                          HKCR\exefile[norecentdocs]
                          HKCR\clsid\{21b22460-3aea-1069-a2dc-08002b30309d}[flags]
 Oueries value:
 Oueries value:
                          HKCR\exefile[nostaticdefaultverb]
 Oueries value:
                          HKCR\exefile\shell[1
 Queries value:
                          HKCR\exefile\shell\open[explorercommandhandler]
 Oueries value:
                          HKCR\exefile\shell\open\command[delegateexecute]
 Oueries value:
                          HKCR\exefile\shell\runas[explorercommandhandler]
 Queries value:
                          HKCR\exefile\shell\runas\command[delegateexecute]
 Oueries value:
                          HKCR\exefile\shell\runasuser[explorercommandhandler]
 Oueries value:
                          HKCR\exefile\shell\runasuser\command[delegateexecute]
 Queries value:
                          HKCR\exefile\shell\runasuser[legacydisable]
 Oueries value:
                          HKCR\exefile\shell\runasuser[checksupportedtypes]
 Oueries value:
                          HKCR\exefile\shell\runasuser[suppressionpolicy]
 Queries value:
                          HKCR\exefile\shell\runasuser[suppressionpolicyex]
 Queries value:
                          HKCR\exefile\shell\runasuser[suppressionslapipolicy]
                          HKCR\exefile\shell\runas[legacydisable]
 Queries value:
 Queries value:
                          HKCR\exefile\shell\runas[checksupportedtypes]
 Queries value:
                          HKCR\exefile\shell\runas[suppressionpolicyex]
 Oueries value:
                          HKCR\exefile\shell\runas[suppressionslapipolicy]
 Queries value:
                          HKCR\exefile\shell\open[legacydisable]
 Queries value:
                          HKCR\exefile\shell\open[checksupportedtypes]
 Oueries value:
                          HKCR\exefile\shell\open[suppressionpolicy]
 Queries value:
                          HKCR\exefile\shell\open[suppressionpolicyex]
 Queries value:
                          HKCR\exefile\shell\open[suppressionslapipolicy]
 Queries value:
                          HKCR\exefile\shell\open[commandstatehandler]
                          HKCR\exefile\shell\open[defaultappliesto]
 Queries value:
 Queries value:
                          HKCR\exefile\shell\open[commandflags]
 Oueries value:
                          HKCR\exefile\shell\open[subcommands]
                          HKCR\exefile\shell\open[extendedsubcommandskey]
 Queries value:
                          HKCR\exefile\shell\open[hasluashield]
 Oueries value:
 Oueries value:
                          HKCR\exefile\shell\open[extended]
                          HKCR\exefile\shell\open[onlyinbrowserwindow]
 Queries value:
                          HKCR\exefile\shell\open[programmaticaccessonly]
 Queries value:
 Oueries value:
                          HKCR\exefile\shell\open[multiselectmodel]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer[multipleinvokepromptminimum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer[multipleinvokepromptminimum]
 Queries value:
                          HKCR\exefile\shell\open[muiverb]
 Oueries value:
                          HKCR\exefile\shell\open[]
                          HKCR\exefile\shell\open[clientonly]
 Queries value:
 Oueries value:
                          HKCR\exefile\shell\open[impliedselectionmodel]
 Queries value:
                          HKCR\exefile\shell\open[staticverbonly]
                          HKCR\exefile\shell\open[isincontextmenu]
 Oueries value:
 Oueries value:
                          HKCR\exefile\shell\open[panevisibleproperty]
 Queries value:
                          HKCR\exefile\shell\open[appliesto]
                          HKCR\exefile\shell\open[readwriterequired]
 Queries value:
 Oueries value:
                          HKCR\exefile\shell\open[downloadinvokedisabled]
 Oueries value:
                          HKCR\exefile\shell\open[maxdownloadfilesize]
                          HKCR\exefile\shell\open[position]
 Queries value:
 Queries value:
                          HKCR\exefile\shell\open[separatorbefore]
 Oueries value:
                          HKCR\exefile\shell\open[separatorafter]
                          HKCR\exefile\shell\runas[commandstatehandler]
 Queries value:
 Queries value:
                          HKCR\exefile\shell\runas[defaultappliesto]
 Oueries value:
                          HKCR\exefile\shell\runas[commandflags]
                          HKCR\exefile\shell\runas[subcommands]
 Queries value:
 Queries value:
                          HKCR\exefile\shell\runas[extendedsubcommandskey]
 Oueries value:
                          HKCR\exefile\shell\runas[hasluashield]
                          HKCR\exefile\shell\runas[extended]
 Oueries value:
 Queries value:
                          HKCR\exefile\shell\runas[onlyinbrowserwindow]
 Oueries value:
                          HKCR\exefile\shell\runas[programmaticaccessonly]
 Queries value:
                          HKCR\exefile\shell\runas[multiselectmodel]
 Oueries value:
                          HKCR\exefile\shell\runas[muiverb]
 Queries value:
                          HKCR\exefile\shell\runas[]
                          HKCR\exefile\shell\runas[clientonly]
 Oueries value:
 Oueries value:
                          HKCR\exefile\shell\runas[impliedselectionmodel]
 Oueries value:
                          HKCR\exefile\shell\runas[staticverbonly]
 Queries value:
                          HKCR\exefile\shell\runas[isincontextmenu]
                          HKCR\exefile\shell\runas[panevisibleproperty]
 Oueries value:
 Queries value:
                          HKCR\exefile\shell\runas[appliesto]
 Oueries value:
                          HKCR\exefile\shell\runas[readwriterequired]
 Oueries value:
                          HKCR\exefile\shell\runas[downloadinvokedisabled]
 Oueries value:
                          HKCR\exefile\shell\runas[maxdownloadfilesize]
 Queries value:
                          HKCR\exefile\shell\runas[position]
                          HKCR\exefile\shell\runas[separatorbefore]
 Oueries value:
 Queries value:
                          HKCR\exefile\shell\runas[separatorafter]
```

```
Oueries value:
                          HKCR\exefile\shell\runasuser[commandstatehandler]
                          HKCR\exefile\shell\runasuser[defaultappliesto]
 Oueries value:
 Oueries value:
                          HKCR\exefile\shell\runasuser[commandflags]
 Queries value:
                          HKCR\exefile\shell\runasuser[subcommands]
 Oueries value:
                          HKCR\exefile\shell\runasuser[extendedsubcommandskey]
 Queries value:
                          HKCR\exefile\shell\runasuser[hasluashield]
 Oueries value:
                          HKCR\exefile\shell\runasuser[extended]
                          HKCR\exefile\shell\open[neverdefault]
 Oueries value:
 Oueries value:
                          HKCR\systemfileassociations\.exe[norecentdocs]
 Oueries value:
                          HKCR\systemfileassociations\.exe[nostaticdefaultverb]
                          HKCR\*[nostaticdefaultverb]
 Oueries value:
 Queries value:
                          HKCR\allfilesystemobjects[norecentdocs]
 Oueries value:
                          HKCR\allfilesystemobjects[nostaticdefaultverb]
 Oueries value:
                          HKCR\.asp[]
 Queries value:
                          HKCR\.bas[]
 Queries value:
                          HKCR\.bat[]
                          HKCR\.cer[]
 Oueries value:
 Queries value:
                          HKCR\.chm[]
 Queries value:
                          HKCR\.cmd[]
                          HKCR\.com[]
 Oueries value:
 Queries value:
                          HKCR\.cpl[]
 Queries value:
                          HKCR\.crt[]
                          HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
 Oueries value:
                          HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
 Queries value:
00c04fb6bfc4}\inprocserver32[inprocserver32]
                         HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\nprocserver32[]
 Queries value:
                          HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
 Queries value:
00c04fb6bfc4}\inprocserver32[threadingmodel]
                         HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disableimprovedzonecheck]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[security_hklm_only]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[85d88c75b5c443841ecdd1c4079f040c.exe]
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
 Queries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[enablepunycode]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_http_username_password_disable[85d88c75b5c443841ecdd1c4079f040c.exe]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[*]
 Queries value:
                         HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\0[flags]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\1[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\3[flags]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\4[flags]
 Queries value:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[85d88c75b5c443841ecdd1c4079f040c.exe]
                         HKCU\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[85d88c75b5c443841ecdd1c4079f040c.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Oueries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
 Oueries value:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                         HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
```

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[cache] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[cookies] HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_protocol_lockdown[85d88c75b5c443841ecdd1c4079f040c.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown[*] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0[1806] HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings\zones\0[1806] Queries value: HKCR\exefile\shell\open\command[command] Oueries value: HKCR\exefile\shell\open\command[] Queries value: HKCR\exefile\shell\open[setworkingdirectoryfromtarget] Queries value: HKCR\exefile\shell\open[noworkingdirectory] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\shell folders[cache] Queries value: HKLM\software\microsoft\windows $\verb|nt\currentversion\appcompatflags\layers[c:\users\admin\x| uebea.exe]|$ HKLM\software\microsoft\windows Queries value: nt\currentversion\compatibility32[xuebea] HKCU\appevents\schemes[] Oueries value: Queries value: HKCU\appevents\schemes\apps\.default\open\.current[] Queries value: HKCU\appevents\schemes\apps\.default\open\.current[default flags] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters [namespace_callout]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (0000000000002 [packed catalog item]) \ details \$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem] Queries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath] Oueries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring]

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]

 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 0000000000004 [storesservice class info] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 0000000000005 [library path] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace] \\ Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 0000000000005 [storesservice class info] \\ Oueries \ value:$
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$

```
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus namespace\_catalog \\ \setminus catalog\_entries \setminus 000000000006[library path]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap amespace\_catalog \\ S \setminus catalog\_entries \setminus 0000000000006[providerid]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
 Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000006 [supported name space]]
 Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog \ set alog\_entries \ (00000000000006 \ [enabled]) \ (enabled)
 Queries value:
Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000006[storesserviceclass info]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
                         HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Queries value:
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Queries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                         HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched[winsock 2.0 provider id]
                         HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
 Oueries value:
                         HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\tcpip[winsock 2.0 provider id]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [minsock addrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
 Queries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
 Queries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
 Queries value:
                         HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [allow unqualified query]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback]
```

Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[guervipmatching] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [default registration ttl]$ Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [update top level domain zones]$ HKLM\svstem\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazv] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Queries value: Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]

```
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[searchlist]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[enabledhcp]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[registrationenabled]
```

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [register adapter name]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [domain]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}{dhcpdomain1

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpv6domain]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip6 \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [nameserver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [names erver]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [dhcpnames erver]$

Queries value: HKCU\appevents\schemes\apps\.default\close\.current[]

Queries value: HKCU\appevents\schemes\apps\.default\close\.current[default flags]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enabled \ hcp]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration enabled]$

Oueries value:

Oueries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [domain]$

Queries value:

 $\label{lem:hklmsystem} Hklm \end{area} The substitution of the s$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [nameserver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\}[dhcpnameserver]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Queries value:

 $\label{thm:local-equation} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [queryadaptername]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [disable adapter domain name]$

Queries value:

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[enablemulticast]

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration max address count]$

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [maxnumber of addresses to register]$

Oueries value

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable multicast]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdl1]
Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]
Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\run[xuebea]

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Sets/Creates value:

 $\label{thm:local_explorer_ladvanced} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| shows uperhidden \end{tabular}$

 $Sets/Creates\ value: \\ HKLM\ software\ policies\ microsoft\ windows\ value \\ au[no autoup date]$

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[uncasintranet]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

Value changes: HKCU\software\microsoft\windows\currentversion\run[xuebea]

Value changes:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [show superhidden]$

Value changes: HKLM\software\policies\microsoft\windows\windowsupdate\au[noautoupdate]