# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 69, Task ID: 274

Task ID: 274

Risk Level: 1
Date Processed: 2016-04-28 12:54:32 (UTC)

Processing Time: 2016-04-28 12:54.32 (0

Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe

Sample ID: 69
Type: basic
Owner: admin

Label: 1e582d1e5a53441b694d7073a8bbc09c

Date Added: 2016-04-28 12:44:56 (UTC)

File Type: PE32:win32:gui File Size: PE32:win32:gui

MD5: 1e582d1e5a53441b694d7073a8bbc09c

SHA256: b4effd7c5bca3871fc19cbf1e132d2a877f6b20278fd21031a85de762ddddb6a

Description: None

## Pattern Matching Results

#### Static Events

Anomaly: PE: Contains a virtual section

### Process/Thread Events

Creates process: C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe

["C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe" ]

# Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex: \Sessions\1\BaseNamedObjects\SendToMD5Instance
Creates mutex: \Sessions\1\BaseNamedObjects\Shell.CMruPidlList

Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_idx.db!rwWriterMutex Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_16.db!dfMaintainerCreates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_32.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_48.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_96.db!dfMaintainer Creates mutex:
\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_256.db!dfMaintainer

Creates mutex: \BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_1024.db!dfMaintainer

Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_sr.db!dfMaintainer

Creates mutey:

RaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_wide.db!dfMaintainer
Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_exif.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_idx.db!rwReaderRefs Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!rwWriterMutex
Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_16.db!dfMaintainer
Creates mutex:
\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache 32.db!dfMaintainer

Creates mutex: \BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_48.db!dfMaintainer

Creates mutex: \BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_96.db!dfMaintainer

Creates mutex:
\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_256.db!dfMaintainer
Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_1024.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_sr.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_wide.db!dfMaintainer Creates mutex: \BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_exif.db!dfMaintainer

Creates mutex:
\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!ThumbnailCacheInit

Creates mutex: \BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!rwReaderRefs Creates mutex:

Creates mutex:

BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_idx.db!Obd2c8
Creates mutex:

BaseNameOutper: C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!018

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:iconcache\_idx.db!rwWriterEvent Creates event:

# File System Events

Creates: C:\Users\Admin

```
Creates:
                                                                  C:\Users\Admin\AppData\Local
                                                                  C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer
    Creates:
    Creates:
                                                                  C:\ProgramData\PRICache
                                                                  C:\Windows\Prefetch\1E582D1E5A53441B694D7073A8BBC-46AF6670.pf
     Opens:
     Opens:
                                                                  C:\Windows
    Opens:
                                                                  C:\Windows\System32\wow64.dll
    Opens:
                                                                 C:\Windows\SysWOW64
C:\Windows\SysWOW64\apphelp.dll
    Opens
                                                                  C:\Windows\Temp\1e582d1e5a53441b694d7073a8bbc09c.exe
    Opens:
                                                                  C:\Windows\SysWOW64\ntdll.dll
     Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\kernel32.dll
                                                                  C:\Windows\SysWOW64\KernelBase.dll
    Opens:
                                                                  C:\Windows\apppatch\sysmain.sdb
    Opens:
                                                                   C:\Windows\WinSxS\x86_microsoft.windows.common-
    Opens
controls_6595b64144ccf1df_6.0.9200.16384_none_893961408605e985
                                                                  C:\Windows\WinSxS\x86_microsoft.windows.common-
    Opens:
controls_6595b64144ccf1df_6.0.9200.16384_none_893961408605e985\comctl32.dll
Opens: C:\Windows\SysWOW64\sechost.dll
                                                                  C:\Windows\SysWOW64\combase.dll
     Opens:
                                                                  C:\Windows\SysWOW64\SHCore.dll
    Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\msvcrt.dll
                                                                 C:\Windows\SysWOW64\bcryptprimitives.dll
C:\Windows\SysWOW64\cryptbase.dll
    Opens:
    Opens
    Opens:
                                                                  C:\Windows\SysWOW64\sspicli.dll
                                                                  C:\Windows\SysWOW64\rpcrt4.dll
     Opens:
                                                                 C:\Windows\SysWOW64\advapi32.dll
C:\Windows\SysWOW64\user32.dll
C:\Windows\SysWOW64\gdi32.dll
    Opens:
    Opens
    Opens:
                                                                  C:\Windows\SysWOW64\shlwapi.dll
    Opens:
                                                                  C:\Windows\SysWOW64\shell32.dll
     Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\comdlg32.dll
                                                                 C:\Windows\SysWOW64\imm32.dll
C:\Windows\SysWOW64\msctf.dll
    Opens:
    Opens
    Opens:
                                                                  C:\Windows\WindowsShell.Manifest
                                                                  {\tt C:\Windows\SysWOW64\uxtheme.dll}
     Opens:
    Opens:
                                                                  C:\Windows\Temp
                                                                  C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.ini
    Opens
                                                                  C:\Windows\Fonts\micross.ttf
    Opens:
                                                                  C:\Windows\SysWOW64\dwmapi.dll
    Opens:
                                                                  C:\Windows\Globalization\Sorting\SortDefault.nls
     Opens:
                                                                 C:\Windows\SysWOW64\ole32.dl1
C:\Windows\SysWOW64\oleaut32.dl1
C:\Windows\Fonts\StaticCache.dat
    Opens:
    Opens:
    Opens
    Opens:
                                                                  C:\Windows\SysWOW64\clbcatq.dll
                                                                  C:\Windows\SysWOW64\en-US\comdlg32.dll.mui
     Opens:
                                                                  C:\Windows\SysWOW64\uxtheme.dll.Config
    Opens:
                                                                 C:\Program Files (x86)\Common Files\Microsoft Shared\Ink\tiptsf.dll C:\Windows\Fonts\tahoma.ttf
    Opens:
    Opens
                                                                  C:\Windows\SysWOW64\WindowsCodecs.dll
    Opens
                                                                  C:\Windows\SysWOW64\profapi.dll
     Opens:
    Opens:
                                                                  C:\Users\Admin\AppData\Local\IconCache.db
    Opens:
                                                                  C:\
                                                                 C:\Users
    Opens
                                                                  C:\Users\Admin
    Opens:
                                                                   C:\Users\Admin\AppData
     Opens:
                                                                  C:\Users\Admin\AppData\Local
    Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\cfgmgr32.dll
                                                                  C:\Windows\SysWOW64\devobj.dll
    Opens
                                                                  C:\Windows\SysWOW64\setupapi.dll
    Opens:
                                                                  C:\Windows\SysWOW64\propsys.dll
     Opens:
    Opens:
                                                                  \label{localMicrosoftWindows\Caches\AFBF9F1A-8EE8-1} C: \Users\Admin\AppData\Local\Microsoft\Windows\Caches\AFBF9F1A-8EE8-1. C: \Users\Admin\AppData\Local\Microsoft\Windows\Caches\AFBF9F1A-8EE8-1. C: \Users\Admin\AppData\Local\Microsoft\Windows\Caches\AFBF9F1A-8EE8-1. C: \Users\Admin\AppData\Local\Microsoft\Windows\Caches\AFBF9F1A-8EE8-1. C: \Users\Admin\AppData\Local\Microsoft\AFBF9F1A-8EE8-1. C: \Users\Admin\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppData\AppDat
4C77-AF34-C647E37CA0D9}.1.ver0x000000000000000e.db
                                                                 C:\Windows\SysWOW64\desktop.ini
    Opens
                                                                  C:\Users\Admin\Desktop\desktop.ini
    Opens:
                                                                  C:\Windows\SysWOW64\cryptsp.dll
    Opens
                                                                  C:\Windows\SysWOW64\rsaenh.dll
    Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\StructuredQuery.dll
                                                                 C:\Windows\SysWOW64\secur32.dll
C:\Windows\SysWOW64\thumbcache.dll
    Opens:
    Opens
                                                                  C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\iconcache_idx.db
    Opens:
                                                                  C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer
    Opens
    Opens:
                                                                   \label{lem:c:UsersAdminAppDataLocalMicrosoftWindowsExplorer\ lem:concache\_16.db in the concache\_16.db in the
                                                                  C:\Windows\SvsWOW64\imageres.dll
    Opens
                                                                  C:\Windows\SysWOW64\actxprxy.dll
    Opens:
                                                                  C:\Users\desktop.ini
    Opens:
                                                                   C:\Users\Admin\Favorites\desktop.ini
     Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\ntshrui.dll
                                                                  C:\Windows\SysWOW64\SearchFolder.dll
    Opens:
                                                                  C:\Windows\SysWOW64\srvcli.dll
    Opens
    Opens:
\verb|C:| \dot{U}sers\| Admin\| AppData\| Local\| Microsoft\| Windows\| Explorer\| thumbcache\_idx.db
    Opens:
                                                                  \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_16.db| \\
                                                                  C:\Windows\SysWOW64\cscapi.dll
    Opens:
                                                                  C:\Windows\SysWOW64\tzres.dll
    Opens:
                                                                  C:\Windows\SysWOW64\en-US\tzres.dll.mui
    Opens
                                                                  C:\Windows\SysWOW64\MrmCoreR.dll
     Opens:
                                                                  C:\Windows\SysWOW64\BCP47Langs.dll
    Opens:
    Opens:
                                                                  C:\Windows\SysWOW64\iertutil.dll
                                                                  C:\Windows\SysWOW64\wininet.dll
    Opens:
                                                                  C:\Windows\SysWOW64\urlmon.dll
    Opens:
     Opens
                                                                  C:\Program
Files\WindowsApps\microsoft.windowsphotos_16.4.4204.712_x64__8wekyb3d8bbwe\resources.pri
    Opens:
C:\Windows\WinSxS\x86_microsoft.windows.gdiplus_6595b64144ccf1df_1.1.9200.16384_none_ba245425e0986353
    Opens:
C: Windows \\ WinSxS \\ x86\_microsoft.windows.gdiplus\_6595b64144ccf1df\_1.1.9200.16384\_none\_ba245425e0986353\\ Value Control of the property of 
                                                                  C:\Program
Files\WindowsApps\microsoft.windowsphotos 16.4.4204.712 x64 8wekyb3d8bbwe\en-
us\ModernPhoto\Images\Icon.targetsize-16.png
```

Reads from: C:\Windows\Fonts\StaticCache.dat

C:\Users\Admin\AppData\Local\IconCache.db
C:\Users\Admin\Desktop\desktop.ini Reads from: Reads from:

Reads from: C:\Users\desktop.ini

C:\Users\Admin\Favorites\desktop.ini Reads from:

Reads from: C:\Program

Files\WindowsApps\microsoft.windowsphotos 16.4.4204.712 x64 8wekyb3d8bbwe\en-

us\ModernPhoto\Images\Icon.targetsize-16.png

Windows Registry Events Creates key: HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru\ Creates key: HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacv\ HKCU\software\classes\local settings Creates key: Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell HKCU\software\classes\local Creates key: settings\software\microsoft\windows\shell\bagmru Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\2 HKCU\software\classes\local Creates key: settings\software\microsoft\windows\shell\bagmru\2\0 Creates key: HKCU\software\classes\local  $settings \verb|\software\microsoft\windows\shell\bagmru\2\0\2$ HKCU\software\classes\local Creates key: settings\software\microsoft\windows\shell\bagmru\2\0\2\1 Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\18\shell Deletes value: HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacv[mrulist] Opens key: HKLM\software\microsoft\wow64 Opens key: HKLM\system\currentcontrolset\control\terminal server Opens key: HKLM\system\currentcontrolset\control\safeboot\option Opens key:  ${\tt HKLM \ system \ current controlset \ control \ srp \ gp \ dll}$ Opens key: HKLM\software\wow6432node\policies\microsoft\windows\safer\codeidentifiers Opens key:  $\label{linear_hammon_hammon} \begin{tabular}{ll} HKLM\software\policies\microsoft\windows\safer\codeidentifiers \end{tabular}$ HKCU\software\policies\microsoft\windows\safer\codeidentifiers Opens key: Opens key:  ${\it HKLM \ } system \ {\it current control \ } ls \ {\it custom locale}$ HKLM\system\currentcontrolset\control\nls\language Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages\en-us Opens key:  ${\tt HKLM \backslash system \backslash current control \backslash mui \backslash uilanguages \backslash pending delete}$ Opens key: Opens key: HKLM\software\wow6432node\policies\microsoft\mui\settings HKLM\software\policies\microsoft\mui\settings Opens key: HKCII/ Opens kev: Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration HKLM\system\currentcontrolset\control\mui\settings\languageconfiguration Opens key: Opens key: HKCU\software\policies\microsoft\control panel\desktop HKCU\control panel\desktop\languageconfiguration Opens kev: HKCU\control panel\desktop Opens key: Opens key: HKCU\control panel\desktop\muicached Opens key:  $\label{thm:microsoft:mic$ Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions  ${\tt HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus app compatflags \setminus dbglog}$ Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens kev: Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\disable8and16bitmitigation Opens key:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ side by side \ as sembly storage roots$ HKLM\svstem\currentcontrolset\control\session manager Opens kev: Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\image file execution options Opens key: options\dllnxoptions  $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ image file execution$ HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy Opens key: Opens key: HKLM\system\currentcontrolset\control\lsa Opens key  ${\tt HKLM \controlset \policies \microsoft \cryptography \configuration}$ Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\gre initialize Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\compatibility32 Opens key: compatibility  $\label{lem:hklm} \mbox{HKLM\software\wow6432} node\mbox{\sc microsoft\windows} \ \mbox{nt\currentversion\sc me} \\$ Opens key: HKLM\ Opens key:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \ nt \setminus current version \setminus windows$ HKLM\software\wow6432node\microsoft\ole Opens key: Opens key: HKLM\software\wow6432node\microsoft\ole\tracing Opens key:  ${\tt HKLM \backslash software \backslash microsoft \backslash ole \backslash tracing}$ HKLM\software\policies\microsoft\samclient\windows Opens kev: Opens key: HKLM\software\microsoft\sqmclient\windows HKCU\software\vaultec\sendtomd5 Opens key: Opens key:  ${\tt HKLM \ } system \verb|\ current control \ | \ lextended \ locale$ Opens key: HKLM\svstem\currentcontrolset\control\nls\locale HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key:  $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+directmanipulation$ HKLM\system\currentcontrolset\control\nls\sorting\ids Opens key Opens key: HKLM\software\wow6432node\microsoft\ctf\compatibility\1e582d1e5a53441b694d7073a8bbc09c.exe HKLM\software\wow6432node\microsoft\ctf\ Opens key: Opens key: HKLM\software\wow6432node\microsoft\ctf\knownclasses Opens key:  ${\tt HKLM \setminus software \setminus wow6432 node \setminus microsoft \setminus windows}$ 

HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key: Opens key: HKLM\software\microsoft\windows

HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes

nt\currentversion\fontsubstitutes

```
nt\current version\label{language} pack\datastore\_v1.0
   Opens key
                                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback
   Opens key:
                                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms shell dlg
   Opens key
HKLM\software\wow6432node\microsoft\windows\currentversion\policies\comdlg32
                                                     HKLM\software\microsoft\windows\currentversion\policies\comdlg32
   Opens kev:
    Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\policies\comdlg32
                                                      HKCU\software\classes\
    Opens key
   Opens key:
                                                      HKLM\software\microsoft\com3
   Opens key:
                                                      HKLM\software\microsoft\windowsruntime\clsid
                                                      HKLM\software\microsoft\windowsruntime\clsid\{725f645b-eaed-4fc5-b1c5-
   Opens key
d9ad0accba5e}
   Opens key:
                                                      HKCR\activatableclasses\clsid
                                                      HKCR\activatableclasses\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}
   Opens key
   Opens key
                                                      HKLM\software\wow6432node\microsoft\oleaut
   Opens key
                                                      HKCU\software\classes\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}
                                                      HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}
    Opens key:
   Opens key:
                                                      HKCU\software\classes\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\treatas
   Opens kev:
                                                      HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\treatas
   Opens key:
                                                      d9ad0accba5e}\inprocser
                                                    er32
                                                     Opens key
d9ad0accba5e}\inprocserver32
                                                     HKCU\software\classes\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
   Opens key
d9ad0accba5e}\inprochandler32
                                                      HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
   Opens key
d9ad0accba5e}\inprochandler32
   Opens key
                                                     HKCU\software\classes\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprochandler
                                                     HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
   Opens key
d9ad0accba5e}\inprochandler
                                                      HKCU\software\microsoft\windows\currentversion\explorer
    Opens key
   Opens key
                                                     HKCU\software\microsoft\windows\currentversion\explorer\
   Opens key
HKLM\software\wow6432node\microsoft\windows\currentversion\policies\explorer
                                                      \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} icrosoft \end{tabu
    Opens key:
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\policies\explorer
   Opens key
                                                      HKCU\software\microsoft\windows\currentversion\explorer\advanced
                                                      HKCU\software\microsoft\windows\currentversion\app
   Opens key
paths\1e582d1e5a53441b694d7073a8bbc09c.exe
                                                      HKLM\software\wow6432node\microsoft\windows\currentversion\app
   Opens key
paths\1e582d1e5a53441b694d7073a8bbc09c.exe
   Opens key
                                                     HKLM\software\microsoft\windows\currentversion\app
paths\1e582d1e5a53441b694d7073a8bbc09c.exe
                                                     HKLM \ software \ microsoft \ windows runtime \ clsid \ \{53bd6b4e-3780-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-4693-afc3-469
   Opens key:
7161c2f3ee9c}
   Opens key
                                                      HKCR\activatableclasses\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}
   Opens key
                                                      HKCU\software\classes\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}
                                                      HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}
   Opens key
    Opens key:
                                                      HKCU\software\classes\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\treatas
   Opens key:
                                                      HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\treatas
                                                     HKCU\software\classes\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
   Opens key
7161c2f3ee9c}\inprocserver32
   Opens key:
                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\inprocser
                                                    er32
                                                     HKCU\software\classes\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
   Opens key
7161c2f3ee9c}\inprochandler32
   Opens key
                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\inprochandler32
   Opens key
                                                     HKCU\software\classes\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\inprochandler
                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
   Opens key
7161c2f3ee9c}\inprochandler
   Opens key:
HKL\dot{M} \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus shell compatibility \setminus applications \setminus 1e582 d1e5a53441b694d7073a8bbc09c.exe
    Opens key:
                                                      HKLM\software\wow6432node\microsoft\windows\windows error reporting\wmr
   Opens key
                                                      HKLM\software\wow6432node\microsoft\windows\tablet pc\
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\explorer\autocomplete
   Opens key:
Opens key:
                                                     HKLM\software\microsoft\windowsruntime\clsid\{03c036f1-a186-11d0-824a-
00aa005b43833
                                                      HKCR\activatableclasses\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}
   Opens kev:
   Opens key:
                                                      HKCU\software\classes\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}
    Opens key:
                                                      HKCR \setminus \{03c036f1-a186-11d0-824a-00aa005b4383\}
   Opens key
                                                     HKCU\software\classes\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\treatas
   Opens key:
                                                      \label{local-cond} HKCR \land 03c036f1-a186-11d0-824a-00aa005b4383 \rbrace \\ \land catas
    Opens key
                                                      HKCU \setminus software \setminus classes \setminus wow 6432 node \setminus clsid \setminus \{03c036f1-a186-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-824a-11d0-82
00aa005b4383}\inprocserver32
   Opens key
                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32
                                                     HKCU\software\classes\wow6432node\clsid\{03c036f1-a186-11d0-824a-
   Opens key
00aa005b4383}\inprochandler32
   Opens key:
                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprochandler32
                                                     HKCU\software\classes\wow6432node\clsid\{03c036f1-a186-11d0-824a-
   Opens key:
00aa005b4383}\inprochandler
   Opens key:
                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprochandler
   Opens key
                                                     HKLM\software\microsoft\windowsruntime\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}
```

```
Opens key:
                                                                                    HKCR\activatableclasses\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
     Opens key
                                                                                    HKCU\software\classes\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}
     Opens key:
                                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
                                                                                    HKCU\software\classes\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
      Opens key
00c04fd7d062}\treatas
     Opens key:
                                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas
                                                                                    HKCU\software\classes\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
     Opens key
00c04fd7d062}\inprocserver32
                                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
     Opens key:
00c04fd7d062}\inprocser
                                                                                 er32
     Opens key
                                                                                    HKCU\software\classes\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprochandler32
     Opens key
                                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprochandler32
     Opens kev
                                                                                    HKCU\software\classes\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprochandler
                                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
     Opens key
00c04fd7d062}\inprochandler
     Opens key
HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \autocomplete \client \
     Opens key
                                                                                    HKLM\software\microsoft\windowsruntime\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}
     Opens key:
                                                                                    HKCR \ activatable classes \ \ clsid \ \ \{807c1e6c-1d00-453f-b920-b61bb7cdd997\}
                                                                                    HKCU\software\classes\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
      Opens key
b61bb7cdd997}
                                                                                    HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}
     Opens key:
                                                                                    HKCU\software\classes\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
     Opens key
b61bb7cdd997}\treatas
                                                                                    Opens key
     Opens key
                                                                                    b61bb7cdd997}\inprocserver32
                                                                                    HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
     Opens key
b61bb7cdd997}\inprocserver32
                                                                                    HKCU\software\classes\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
      Opens key
b61bb7cdd997}\inprochandler32
     Opens key
                                                                                    HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprochandler32
                                                                                    HKCU\software\classes\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
     Opens key
b61bb7cdd997}\inprochandler
     Opens key
                                                                                    HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprochandler
                                                                                    HKLM\software\wow6432node\microsoft\rpc\extensions
     Opens kev:
                                                                                    HKLM\software\microsoft\rpc\extensions
     Opens key:
                                                                                    HKLM\software\wow6432node\microsoft\rpc
      Opens key
     Opens key:
                                                                                    {\tt HKLM \ } system \ \verb| current control \ \verb| computer name \ \verb| active computer name \ \verb| computer name \ \verb| active computer name \ \verb| computer name \ computer 
     Opens key:
                                                                                    HKLM\system\setup
                                                                                    HKLM\software\wow6432node\policies\microsoft\windows nt\rpc
     Opens key:
                                                                                    HKLM\software\policies\microsoft\windows nt\rpc
     Opens key:
                                                                                    {\tt HKLM \ }. \\
     Opens key:
nt\currentversion\languagepack\surrogatefallback\segoe ui
     Opens key
                                                                                    HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\inprocserver32
     Opens key
\label{thm:linear} \mbox{\currentversion} \
     Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\shelltaskscheduler
     Opens key
HKCU\software\microsoft\windows\currentversion\policies\comdlg32\placesbar
     Opens key:
                                                                                    HKCU\software\classes\wow6432node\clsid\{22877a6d-37a1-461a-91b0-
dbda5aaebc99}
     Opens key:
                                                                                    HKCR\wow6432node\clsid\{22877a6d-37a1-461a-91b0-dbda5aaebc99}
     Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\desktop\namespace\{22877a6d-
37a1-461a-91b0-dbda5aaebc99}
91b0-dbda5aaebc993
     Opens key
HKL\dot{M} \ software \ wow 6432 node \ microsoft \ windows \ current version \ (explorer\ folder descriptions) \ descriptions 
     Opens key:
db2c-424c-b029-7fe99a87c641}
     Opens key:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \labell} White \label{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} Whi
db2c-424c-b029-7fe99a87c641}\propertybag
                                                                                    Opens key:
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders
     Opens key:
                                                                                    HKCU\software\microsoft\windows\currentversion\explorer\user shell
     Opens key
Opens key:
HKL\ M\ Noftware \ New MA32 node \ Microsoft\ New Mass current version \ New Mass considerable and the Mass considerable
deff-464b-abe8-61c8648d939b}
     Opens key:
deff-464b-abe8-61c8648d939b}\propertybag
                                                                                    HKCU\software\classes\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
     Opens key:
e946b44c8dd5}
     Opens key:
                                                                                    HKCR \setminus wow 6432 \\ node \setminus clsid \setminus \{031e4825-7b94-4dc3-b131-e946b44c8dd5\}
     Opens key:
7b94-4dc3-b131-e946b44c8dd5}
     Opens key
                                                                                    HKCU\software\classes\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder
     Opens key:
                                                                                    HKCR\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder
```

```
Opens key:
                                                                                                                                                  HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{031e4825-explorer\} \ description \
7b94-4dc3-b131-e946b44c8dd5}\shellfolder
        Opens key:
 b131-e946b44c8dd5}\shellfolder
                                                                                                                                                HKCU\software\microsoft\windows\currentversion\policies\nonenum
          Opens key:
          Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\policies\nonenum
                                                                                                                                                HKLM\software\microsoft\windows\currentversion\policies\nonenum
          Opens key:
          Opens key:
 HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l
bbf8-452a-850d-79d08e667ca7}
        Opens key:
 HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}
bbf8-452a-850d-79d08e667ca7}\propertybag
          Opens key
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
                                                                                                                                                HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
          Opens key
08002b30309d}\shellfolder
                                                                                                                                                HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04f
          Opens key:
3aea-1069-a2d8-08002b30309d}\shellfolder
        Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-3aea-1069-
a2d8-08002b30309d}\shellfolder
          Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (d20 beec4-d20 be
5ca8-4905-ae3b-bf251ea09b53}
          Opens key:
 HKLM \label{lem:hklm} Which is the latest and the
5ca8-4905-ae3b-bf251ea09b53}\propertybag
          Opens key
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}
                                                                                                                                                HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c}
        Opens kev:
          Opens key:
 HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{f02c1a0d-microsoft \ windows \ desktop \ names \ pace \ for \ desktop \ names \ pace \ pace \ names \ pace \ n
be21-4350-88b0-7367fc96ef3c}
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
        Opens key:
 7367fc96ef3c}\shellfolder
          Opens key:
                                                                                                                                                HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
 7367fc96ef3c}\shellfolder
        Opens key
                                                                                                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02
be21-4350-88b0-7367fc96ef3c}\shellfolder
        Opens kev:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ clsid \ \{f02c1a0d-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450
 88b0-7367fc96ef3c}\shellfolder
                                                                                                                                                  HKLM \ software \ microsoft \ windows runtime \ clsid \ \{71f96385-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-dd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-a0c1-ddd6-48d3-40c1-dd6-48d3-40c1-dd6-48d3-40c1-d
          Opens key
ae06e8b055fb3
                                                                                                                                                  HKCR\activatableclasses\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}
        Opens key
                                                                                                                                                  HKCU\software\classes\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
          Opens key
 ae06e8b055fb}
          Opens key
                                                                                                                                                  HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}
          Opens key
                                                                                                                                                  HKCU\software\classes\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\treatas
                                                                                                                                                  HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\treatas
          Opens key:
                                                                                                                                                  HKCU\software\classes\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
           Opens kev
ae06e8b055fb}\inprocserver32
        Opens key
                                                                                                                                                HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprocserver32
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
        Opens key:
 ae06e8b055fb}\inprochandler32
          Opens key
                                                                                                                                                HKCR\
                                                                                                                                                                                                 v6432node\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprochandler32
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
        Opens kev:
ae06e8b055fb}\inprochandler
          Opens key:
                                                                                                                                                  HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
 ae06e8b055fb}\inprochandler
        Opens key:
                                                                                                                                                HKLM\software\microsoft\windowsruntime\clsid\{104846ab-42b1-4e38-a80d-
  136f78c3f258}
                                                                                                                                                  HKCR\activatableclasses\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}
          Opens kev:
          Opens key:
                                                                                                                                                  HKCU\software\classes\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}
          Opens key:
                                                                                                                                                  HKCR \setminus wow6432 \\ node \setminus clsid \setminus \{104846 \\ ab-42 \\ b1-4e38-a80 \\ d-136 \\ f78 \\ c3f258\}
          Opens key
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\treatas
        Opens key:
                                                                                                                                                  HKCR \setminus wow6432 node \\ clsid \\ \{104846ab-42b1-4e38-a80d-136f78c3f258\} \\ \setminus treatas
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\inprocserver32
        Opens key
                                                                                                                                               HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\inprocserver32
                                                                                                                                                HKCU \setminus software \setminus classes \setminus wow6432 \\ node \setminus clsid \setminus \{104846ab-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-42b1-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a80d-4e38-a800d-4e38-a800d-4e38-a800d-4e38-a800d-4e38-a800d-4e38-a800d-4e38-a800d-4e38
          Opens key
 136f78c3f258}\inprochandler32
          Opens key
                                                                                                                                                HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\inprochandler32
                                                                                                                                                HKCU\software\classes\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
        Opens key
  136f78c3f258}\inprochandler
          Opens key
                                                                                                                                                HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\inprochandler
          Opens key:
                                                                                                                                                HKLM\software\wow6432node\microsoft\windows\currentversion\explorer
                                                                                                                                                HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\
          Opens kev:
          Opens key
                                                                                                                                                HKCU\control panel\desktop\windowmetrics
           Opens key:
 HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f1b32785-particular to the first of th
6fba-4fcf-9d55-7b8e7f157091}
          Opens key:
 6fba-4fcf-9d55-7b8e7f157091}\propertybag
                                                                                                                                                  HKLM\software\wow6432node\policies\microsoft\windows\explorer
          Opens key:
```

HKLM\software\policies\microsoft\windows\explorer
HKCU\software\policies\microsoft\windows\explorer

Opens key:

```
Opens key:
 HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{5e6c858f-microsoft\} \\ if the folder \\ description \\ descriptions \setminus \{5e6c858f-microsoft\} \\ if the folder \\ description \\ descriptions \\ description \\ des
 0e22-4760-9afe-ea3317b67173}
               Opens key:
   HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{5e6c858f-microsoft\} \\ if the first of the fir
 0e22-4760-9afe-ea3317b67173}\propertybag
             Opens key:
                                                                                                                                                                                                 HKLM\software\wow6432node\microsoft\windows
 nt\currentversion\profilelist\s-1-5-21-1923240461-1905901954-2556564120-1001
                                                                                                                                                                                                 HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-
               Opens key
   1923240461-1905901954-2556564120-1001
                                                                                                                                                                                                 \label{thm:local_thm:local_thm} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\software\microsoft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\software\microsoft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\software\microsoft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\software\microsoft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\software\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\currentversion\explorer\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\windows\current\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\windows\current\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\windows\current\windows\current\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\windows\current\windows\current\disablefcm.} \parbox{$LKCU\soft\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\windows\current\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable\disable
               Opens key
               Opens key
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\shell icons
               Opens key:
                                                                                                                                                                                                 00c04fd706ec}
               Opens key:
                                                                                                                                                                                                   HKCR \ activatable classes \ \ clsid \ \ \{603d3800-bd81-11d0-a3a5-00c04fd706ec\}
               Opens kev:
                                                                                                                                                                                                 HKCU\software\classes\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
   00c04fd706ec}
               Opens key:
                                                                                                                                                                                                   HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}
                Opens key
                                                                                                                                                                                                   HKCU\software\classes\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
 00c04fd706ec}\treatas
               Opens key:
                                                                                                                                                                                                   HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\treatas
                                                                                                                                                                                                 HKCU\software\classes\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
               Opens key
 00c04fd706ec}\inprocserver32
                                                                                                                                                                                                 HKCU \setminus software \setminus classes \setminus wow6432 node \setminus clsid \setminus \{603d3800 - bd81 - 11d0 - a3a5 - bd81 - 
               Opens key:
 00c04fd706ec}\inprochandler32
                                                                                                                                                                                                 HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
             Opens kev:
 00c04fd706ec}\inprochandler32
                                                                                                                                                                                                 HKCU \setminus software \setminus classes \setminus wow6432 node \setminus clsid \setminus \{603d3800 - bd81 - 11d0 - a3a5 - bd81 - 
               Opens key
   00c04fd706ec}\inprochandler
               Opens key
                                                                                                                                                                                                 HKCR \setminus wow 6432 \\ node \setminus clsid \setminus \{603d3800 - bd81 - 11d0 - a3a5 - bd81 - bd81
 00c04fd706ec}\inprochandler
             Opens key
 \label{thm:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \session in following \current version \explorer \session \current \curre
               Opens key:
 HKCU \ software \ microsoft \ windows \ current version \ explorer \ comdlg 32 \ last visited pidl m rule gacy \ last visite
             Opens key:
 HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{352481e8-1641e1\} \\ note that the first index of t
 33be-4251-ba85-6007caedcf9d}
               Opens key:
 HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{352481e8-164814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 194814, 1
 Opens kev:
 f80d-49df-acb8-4330f5687855}
               Opens key:
 f80d-49df-acb8-4330f5687855}\propertybag
Opens key: HKCR\www6432node\clsid\{20d04fe0-3aea-1069-a2d8-
   08002b30309d}\inprocserver32
               Opens key
 Opens key:
 HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{d5291c64-7c88-}
   11e3-be65-806e6f6e6963}\
                                                                                                                                                                                                   \label{lem:hkcu} \verb+KKCU \software \classes \drive \shellex \folder extensions
               Opens key:
               Opens key:
                                                                                                                                                                                                   HKCR\drive\shellex\folderextensions
               Opens key:
                                                                                                                                                                                                   HKLM\software\wow6432node\microsoft\windows\currentversion\setup
                                                                                                                                                                                                   HKLM\software\microsoft\windows\currentversion\setup
               Opens key:
```

Opens key:  $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| \\$ 

Opens key: HKLM\system\currentcontrolset\control\deviceclasses\{53f5630d-b6bf-11d0-

94f2-00a0c91efb8b} HKLM\system\currentcontrolset\control\deviceclasses\{53f5630d-b6bf-11d0-

Opens key 94f2-00a0c91efb8b}\properties

HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

Opens key: 4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e93

Opens key:

HKCR\wow6432node\clsid\{a07034fd-6caa-4954-ac3f-

Opens kev:

97a27216f98a}\inprocserver32

Opens key: HKCU\software\classes\directory

HKCR\directory Opens key:

HKCU\software\classes\directory\shellex\iconhandler Opens key:

HKCR\directory\shellex\iconhandler Opens key: Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

HKCU\software\classes\allfilesystemobjects Opens kev:

Opens key: HKCR\allfilesystemobjects

HKCU\software\classes\allfilesystemobjects\shellex\iconhandler Opens key:

Opens key:  ${\tt HKCR\allfilesystemobjects\shellex\iconhandler}$ Opens key: HKCU\software\classes\directory\docobject HKCR\directory\docobject

Opens key:

HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key:  ${\tt HKCR\ left} lesystemobjects \ \ docobject$ Opens kev: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens kev: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

 ${\tt HKCU \ } \dot{software \ } \dot{softw$ Opens key:

HKCR\allfilesystemobjects\browseinplace HKCU\software\classes\directory\clsid Opens key: Opens key: Opens key: HKCR\directory\clsid

HKCU\software\classes\folder\clsid Opens key: Opens key: HKCR\folder\clsid

HKCU\software\classes\allfilesystemobjects\clsid Opens key:

```
Opens key:
                                                                                                                                                             HKCR\allfilesystemobjects\clsid
                                                                                                                                                            HKCR\wow6432node\clsid\{75847177-f077-4171-bd2c-
          Opens key
 a6bb2164fbd0}\inprocserver32
         Opens key:
                                                                                                                                                            b8dc300d9f9d}
          Opens key:
                                                                                                                                                            HKCR \ activatable classes \ \ \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\}
Opens key: b8dc300d9f9d}
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
                                                                                                                                                             HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
          Opens key:
                                                                                                                                                             HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
            Opens key:
b8dc300d9f9d}\treatas
          Opens key:
                                                                                                                                                             HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
          Opens key
b8dc300d9f9d}\inprocserver32
                                                                                                                                                            HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
          Opens key
b8dc300d9f9d}\inprocserver32
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
         Opens key
b8dc300d9f9d}\inprochandler32
                                                                                                                                                            HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
          Opens key
b8dc300d9f9d}\inprochandler32
          Opens key
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprochandler
                                                                                                                                                            HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
         Opens key
b8dc300d9f9d}\inprochandler
          Opens key:
 HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White
b587-4786-b4ef-bd1dc332aeae}
          Opens key:
 HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem:h
b587-4786-b4ef-bd1dc332aeae}\propertybag
         Opens key:
65f9-4cf6-a03a-e3ef65729f3d}
          Opens key:
 65f9-4cf6-a03a-e3ef65729f3d\propertybag
         Opens kev:
                                                                                                                                                            HKLM\software\microsoft\windowsruntime\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}
          Opens key:
                                                                                                                                                             HKCR \ activatable classes \ \ \{76765b11-3f95-4af2-ac9d-ea55d8994f1a\}
          Opens key:
                                                                                                                                                             HKCU\software\classes\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}
          Opens key:
                                                                                                                                                            HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
          Opens key
ea55d8994f1a}\treatas
          Opens key:
                                                                                                                                                             HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\treatas
                                                                                                                                                            HKCU \setminus software \setminus classes \setminus wow6432 \\ node \setminus clsid \setminus \{76765b11-3f95-4af2-ac9d-14864\} \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111 \\ + 11111
          Opens key
ea55d8994f1a}\inprocserver32
                                                                                                                                                           HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
         Opens key
ea55d8994f1a}\inprocserver32
          Opens key:
                                                                                                                                                            HKCU \setminus software \setminus classes \setminus wow6432 node \setminus clsid \setminus \{76765b11-3f95-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9d-4af2-ac9
 ea55d8994f1a}\inprochandler32
          Opens key
                                                                                                                                                            HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprochandler32
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
         Opens key
 ea55d8994f1a}\inprochandler
                                                                                                                                                            HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-
          Opens key
 ea55d8994f1a}\inprochandler
                                                                                                                                                            HKCU\software\classes\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
         Opens key
08002b30309d}
          Opens key:
                                                                                                                                                            HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
          Opens key:
11e3-be65-806e6f6e6963}\
                                                                                                                                                            HKCR\wow6432node\clsid\{4df0c730-df9d-4ae3-9153-
         Opens key
 aa6b82e9795a3
          Opens key:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem
238f-46af-adb4-6c85480369c7}
         Opens kev:
 HKLM \label{lem:hklm} Which is the limit of the limit o
238f-46af-adb4-6c85480369c7}\propertybag
          Opens key
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus windows \setminus explorer \\ descriptions \setminus \{ed4824\\ af-microsoft \setminus explorer \\ descriptions \setminus explo
dce4-45a8-81e2-fc7965083634}
         Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f
dce4-45a8-81e2-fc7965083634}\propertybag
         Opens key:
                                                                                                                                                           HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user
shell folders
         Opens key:
4e1e-4676-835a-98395c3bc3bb}
         Opens key:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164e14214, \\ node \setminus folder \\ descriptions \setminus \{33e28130-164e142, \\ node \setminus folder \\ descriptions \setminus \{33e28130-164e14, \\ node \setminus folder \\ descriptions \setminus \{33e28140, \\ node \setminus \{33e28140, \\
4e1e-4676-835a-98395c3bc3bb}\propertybag
          Opens key:
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{b6ebfb86-1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000
6907-413c-9af7-4fc2abf07cc5}
         Opens kev:
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{b6ebfb86-1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000
```

6907-413c-9af7-4fc2abf07cc5}\propertybag Opens key:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bdf, 4bd8d571-bdf, 4bd8$ 6d19-48d3-be97-422220080e433 Opens key:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{4bd8d571-microsoft \setminus windows \setminus folder descriptions \setminus \{4bd8d571-microsoft \setminus windows \setminus folder descriptions \setminus \{4bd8d571-microsoft \setminus windows \setminus \{4bd8d571-microsoft \setminus windows \setminus \{4bd8d571-microsoft \setminus \{4bd8$ 6d19-48d3-be97-422220080e43}\propertybag Opens key

9757-4298-bb61-92a9deaa44ff} Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\propertybag Opens key: 99b5-455b-841c-ab7c74e4ddfc}

 $HKLM \label{lem:hklm} Software \label{lem:hklm} Which is a few and the latest a$ 

Opens kev:

99b5-455b-841c-ab7c74e4ddfc}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}

Opens key:

6185-49fb-a2d8-4a392a602ba3}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04debb-4115-95cf-2f29da2920da}

Opens key:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label$  $\tt debb-4115-95cf-2f29da2920da} \verb|\propertybag| \\$ 

Opens kev:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} Which \label{lem:hkklm} Which \label{lem:h$ 1d43-42f2-9305-67de0b28fc23}

Opens key:

1d43-42f2-9305-67de0b28fc23}\propertybag

Opens kev:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-f8f1ed05-f$ 9f6d-47a2-aaae-29d317c6f066}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}\propertybag

Opens key:

c86a-4ffe-a368-0de96e47012e}

Opens key:

c86a-4ffe-a368-0de96e47012e}\propertybag

Opens key:

e6cf-4f4e-b800-0e69d84ee384}

Opens key:

 $HKLM \label{eq:hklm} KLM \label{eq:hklm} HKLM \label{eq:hklm} Which \label{eq:hkklm} Which \label{eq:hkklm}$ e6cf-4f4e-b800-0e69d84ee384}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2c82a-4d63-906a-5644ac457385}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fdfdf 76a2-response \ folder \ folder$ 

c82a-4d63-906a-5644ac457385}\propertybag
Opens key: HKLM\software\wow6432node\microsoft\windows

nt\currentversion\profilelist

Opens key:  $HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus profile list$ 

Opens key:

f20f-4863-afef-f87ef2e6ba25} Opens key:

 $HKLM \label{lem:hklm} Ns of two words 2 node \label{lem:hklm} windows \label{lem:hklm} \label{lem:hklm} With the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem is a simple of the lem in the lem in the lem in the lem in the lem is a simple of the lem in the$ f20f-4863-afef-f87ef2e6ba25}\propertybag Opens key:

2098-4d44-8644-66979315a281} Opens key:

 $HKLM \label{lem:hklm} Which is the second of the second$ 2098-4d44-8644-66979315a281}\propertybag Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719d62e-491d-aa7c-e74b8be3b067}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fa4115719-1000 \ for the property of the property$ d62e-491d-aa7c-e74b8be3b067}\propertybag

Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ b53d-4edc-92d7-6b2e8ac19434}

Opens key:

b53d-4edc-92d7-6b2e8ac19434}\propertybag

Opens key:

7b75-48a9-9f6b-4b87a210bc8f}

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52a4f021-1401\} \\ folder \\ descriptions \setminus$ 7b75-48a9-9f6b-4b87a210bc8f}\propertybag

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}

Opens kev:

d9c6-4d3e-bf91-f4455120b917}\propertybag

Opens key:

2e97-45d1-88ff-b0d186b8dedd}

Opens key:

 $HKLM \label{lem:hklm} Nsoftware \label{lem:hklm} Windows \label{lem:hklm} Limits the substitution \label{lem:hklm} Windows \label{lem:hkklm} Wi$ 2e97-45d1-88ff-b0d186b8dedd}\propertybag

Opens key

d6ad-4519-a663-37bd56068185}

Opens key:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescript d6ad-4519-a663-37bd56068185}\propertybag

Opens key:

 $HKLM \label{lem:hklm} Which is a few and the sum of t$ 5643-4af4-a7eb-4e7a138d8174}

Opens kev:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-10016, 10$ 5643-4af4-a7eb-4e7a138d8174}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-microsoft \ windows \ node \ microsoft \ windows \ node \$ 2adb-4296-a8f7-e4701232c972}\propertybag

Opens kev:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35d9cd-47c5-9629-e15d2f714e6e}

Opens key:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label$  $d9cd-47c5-9629-e15d2f714e6e\} \verb|\property| bag$ 

Opens kev:

 $HKLM \label{lem:hklm} Which is the large was description with the large larg$ e1a8-4c59-b6a2-414586476aea}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ debf2536-debf256-debf2$ e1a8-4c59-b6a2-414586476aea}\propertybag

Opens kev:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{62ab5d82-microsoft \setminus windows \setminus current version \setminus explorer \setminus explorer$ fdc1-4dc3-a9dd-070d1d495d97}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\f62ab5d82fdc1-4dc3-a9dd-070d1d495d97}\propertybag

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-1608, 0f214138-1608, 0f21418-1608, 0f$ b1d3-4a90-bba9-27cbc0c5389a}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-14188-141888-141888-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188$ b1d3-4a90-bba9-27cbc0c5389a}\propertybag

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{d9dc8a3b-derescription \ explorer \ folder \ description \ \ \ \}$ b784-432e-a781-5a1130a75963}

Opens key:

b784-432e-a781-5a1130a75963}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-10444, 19$ be44-4057-a41b-587a76d7e7f9}

Opens kev:

be44-4057-a41b-587a76d7e7f9}\propertybag

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bfefb45-1647\} \\ folder \\ descriptions \setminus$ 347d-4006-a5be-ac0cb0567192} Opens key:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{4bfefb45-1000 \} \cap \{4bfefb45-10000 \} \cap \{4bfefb45-10000 \} \cap \{4bfefb45-10000 \} \cap \{4bfefb45-10000$ 347d-4006-a5be-ac0cb0567192}\propertybag

Opens key:

3ecb-4c18-be4e-64cd4cb7d6ac} Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ 3ecb-4c18-be4e-64cd4cb7d6ac

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-16464, and the second s$ 31ca-4aba-814f-a5ebd2fd6d5e}\propertybag Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ f49e-4126-a9c3-b52a1ff411e8}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c870044b-microsoft \ windows \ \ current \ \ \ \}$ f49e-4126-a9c3-b52a1ff411e8}\propertybag

Opens key:

6afe-49f2-8690-3dafcae6ffb8}

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0139d44e-descriptions\} \setminus \{0139d4$ 6afe-49f2-8690-3dafcae6ffb8}\propertybag

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-c4$ e17f-4121-8900-86626fc2c973}

Opens kev:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-b614, c5abbf53-b614, c$ e17f-4121-8900-86626fc2c973}\propertybag

Opens key:

c6cb-462b-8169-88e350acb882}

Opens key:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{$ c6cb-462b-8169-88e350acb882}\propertybag

Opens key:

ca5c-4622-b42d-bc56db0ae516}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both 3057-1000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ f$ ca5c-4622-b42d-bc56db0ae516}\propertybag

Opens key:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm}$ 2219-4a67-b85d-6c9ce15660cb}

Opens kev:

2219-4a67-b85d-6c9ce15660cb}\propertybag

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{00bcfc5aed94-4e48-96a1-3f6217f21990}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{00bcfc5a-1$ ed94-4e48-96a1-3f6217f21990}\propertybag

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2b0f765d-16464\} \\ explorer \setminus \{2b0f76d-16464\} \\ explorer \setminus \{2b0f76d-1$ c0e9-4171-908e-08a611b84ff6}

Opens key:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{l$ c0e9-4171-908e-08a611b84ff6}\propertybag

Opens kev:

 $HKLM \label{lem:hklm} Which is the large was defined as the large larg$ 224c-49de-b8d1-440df7ef3ddc}

Opens key:

224c-49de-b8d1-440df7ef3ddc}\propertybag

Opens kev:

 $\label{twindows} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \eqref{e555ab60-e555a$ 153b-4d17-9f04-a5fe99fc15ec}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\propertybag

Opens key:

4dd8-4787-80b6-090220c4b700}

Opens key:

4dd8-4787-80b6-090220c4b700}\propertybag

68ad-4d8a-87bd-30b759fa33dd}

Opens key:

68ad-4d8a-87bd-30b759fa33dd}\propertybag

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b250c668-b100$ f57d-4ee1-a63c-290ee7d1aa1f}

Opens key:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{52528a6b-1646432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{52528a6b-1646432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{52528a6b-1646432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| explorer \verb|\currentversion| explorer exp$ b9e3-4add-b60d-588c2dba842d}

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-descriptions \setminus$ b9e3-4add-b60d-588c2dba842d}\propertybag

27c0-404b-8f08-102d10dcfd74}

Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ 27c0-404b-8f08-102d10dcfd74}\propertybag

Opens key:

08f1-4c34-8c90-e17ec98b1e17} Opens key:

 $HKLM \label{lem:hklm} Which is the sum of the sum of$  $08f1\hbox{-}4c34\hbox{-}8c90\hbox{-}e17ec98b1e17} \setminus property bag$ 

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ 79f6-4cee-b725-dc34e402fd46}\propertybag Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ 1f9c-4f13-b827-48b24b6c7174}

Opens key:

1f9c-4f13-b827-48b24b6c7174}\propertybag

Opens key:

a42d-4fef-9f26-b60e846fba4f}

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{724ef170-164ef182, 164ef182, 1$ a42d-4fef-9f26-b60e846fba4f}\propertybag

2e2b-44c3-a6a2-aba601054a51}

Opens kev:

2e2b-44c3-a6a2-aba601054a51}\propertybag

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folded a description \ folder \ folded a description \ folded a description \ folder \ folded \ \ folded \ fol$ 5ebc-4f02-a3a9-6c82895e5c04}

Opens key:

 $HKLM \label{lem:hklm} Nsoftware \label{lem:hklm} With a result of the latest and the latest an$ 5ebc-4f02-a3a9-6c82895e5c04}\propertybag

Opens key:

```
c50a-4bb0-a382-697dcd729b80}
        Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-
 c50a-4bb0-a382-697dcd729b80}\propertybag
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label
4e0c-4904-967b-40b0d20c3e4b}
       Opens kev:
4e0c-4904-967b-40b0d20c3e4b}\propertybag
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1ac14e77-1ce, 1ac14e77-1ce, 1ac14e77-1ce
02e7-4e5d-b744-2eb1ae5198b7}
         Opens key:
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac
02e7-4e5d-b744-2eb1ae5198b7}\propertybag
                                                                                                                       HKLM\software\microsoft\windowsruntime\clsid\{00000323-0000-0000-c000-
       Opens kev:
 00000000046}
                                                                                                                        HKCR\activatableclasses\clsid\{00000323-0000-0000-c000-00000000046}
         Opens key:
         Opens key:
                                                                                                                        HKCU\software\classes\wow6432node\clsid\{00000323-0000-0000-c000-
0000000000463
        Opens key:
                                                                                                                        HKCR\wow6432node\clsid\{00000323-0000-0000-c000-000000000046}
        Opens kev:
                                                                                                                        HKCU\software\classes\clsid\{00000323-0000-0000-c000-00000000046}
        Opens key:
                                                                                                                        HKCR\clsid\{00000323-0000-0000-c000-000000000046}
                                                                                                                        HKCU\software\classes\activatableclasses\clsid
         Opens key:
        Opens key
                                                                                                                        000000000046}
        Opens key:
                                                                                                                        HKCU\software\classes\appid\1e582d1e5a53441b694d7073a8bbc09c.exe
                                                                                                                        HKCR\appid\1e582d1e5a53441b694d7073a8bbc09c.exe
         Opens key:
                                                                                                                        HKLM\software\wow6432node\microsoft\ole\appcompat
         Opens key
        Opens key:
                                                                                                                       HKLM\software\microsoft\ole\appcompat
        Opens key:
provider
        Opens key:
                                                                                                                        HKLM\software\policies\microsoft\cryptography
                                                                                                                        {\tt HKLM \backslash software \backslash \dot microsoft \backslash cryptography}
        Opens key:
        Opens key:
                                                                                                                        HKLM\software\wow6432node\microsoft\cryptography\offload
                                                                                                                        HKCU\software\classes\wow6432node\interface\{00000134-0000-0000-c000-
        Opens key
000000000046}
                                                                                                                        Opens key:
        Opens key
                                                                                                                        HKCU\software\classes\wow6432node\interface\{00000134-0000-0000-c000-
000000000046}\proxystubclsid32
                                                                                                                       HKCR\wow6432node\interface\{00000134-0000-0000-c000-
       Opens key
000000000046}\proxystubclsid32
        Opens key:
 \label{local-observation} \parbox{$HKLM\software\wow6432} node\mbox{$microsoft\windows\currentversion\explorer\advanced} \\ \parbox{$hkLM\software\wow6432} node\mbox{$microsoft\windows\currentversion\explorer\advanced} \\ \parbox{$hkLM\software\wow6432} node\mbox{$microsoft\windows\currentversion\explorer\advanced} \\ \parbox{$hkLM\software\wow6432} node\mbox{$microsoft\windows\explorer\advanced} \\ \parbox{$hkLM\software\wow6432} node\mbox{$hkLM\software\wow6432} \\ \parbox{$hkLM\software\wow6432} node\mbox{$hkLM\software\wow6432} \\ \parbox{$hkLM\software\wow6432} node\mbox{$hkLM\software\wow6432} \\ \parbox{$hkLM\software\wow6432} \\ \parbox{$hkLM
        Opens key:
                                                                                                                        \label{local} \verb|HKCU| software \ classes \ local settings \ software \ microsoft \ windows \ shell \ |
                                                                                                                       HKLM\software\microsoft\windowsruntime\clsid\{42aedc87-2188-41fd-b9a3-
        Opens key:
0c966feabec1}
        Opens key:
                                                                                                                        HKCR \ activatable classes \ \ \ \{42 aed c87-2188-41 fd-b9a3-0c966 feabec1\}
        Opens key:
                                                                                                                        HKCU\software\classes\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}
                                                                                                                        HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}
        Opens kev:
                                                                                                                        HKCU\software\classes\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
        Opens key:
 0c966feabec1}\treatas
                                                                                                                        Opens key:
        Opens key:
                                                                                                                       HKCU \setminus software \setminus classes \setminus wow 6432 node \setminus clsid \setminus \{42 aed c87 - 2188 - 41fd - b9a3 - b9a3 - b9a8 - b9a8
0c966feabec1}\inprocserv
                                                                                                                    er32
                                                                                                                       HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
        Opens key:
 0c966feabec1}\inprocserver32
        Opens key
                                                                                                                       HKCU\software\classes\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprochandler32
                                                                                                                       HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
       Opens key:
0c966feabec1}\inprochandler32
        Opens key:
                                                                                                                        HKCU\software\classes\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprochandler
       Opens key:
                                                                                                                       HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
Oc966feabec1}\inprochandler
                                                                                                                       HKCU\software\classes\local
        Opens kev:
 settings\software\microsoft\windows\shell\bags\18\shell
                                                                                                                        HKCU\software\classes\local
        Opens key:
 settings \verb|\software\microsoft\windows\shell\bags\18\shell\linher it
       Opens key
                                                                                                                       HKCU\software\classes\local
settings\software\microsoft\windows\shell\bags\16\shell\inherit
       Opens key:
                                                                                                                       HKCU\software\classes\local
 Opens key:
                                                                                                                       HKCU\software\classes\local
 settings \verb|\software\microsoft\windows\shell\bags\12\shell\inherit
       Opens kev:
                                                                                                                       HKCU\software\classes\local
 settings\software\microsoft\windows\shell\bags\allfolders\shell
        Opens key:
                                                                                                                       HKLM\software\wow6432node\microsoft\windows\shell
        Opens key
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{625b53c3-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus explorer \setminus explorer \setminus folder \\ descriptions \setminus explorer \setminus explo
ab48-4ec1-ba1f-a1ef4146fc19}
       Opens key:
 HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} HKLM \label{lkklm} White \label{lkklm} White \label{lkklm} HKLM \label{lkklm} White \label{lkklm
 ab48-4ec1-ba1f-a1ef4146fc19}\propertybag
        Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c081-be10c0
ebd2-438a-8655-8a092e34987a}
         Opens kev:
HKLM \label{lem:hklm} Software \label{lem:hklm} Which is the lem of the lem
ebd2-438a-8655-8a092e34987a}\propertybag
       Opens key:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes
        Opens key:
4c97-b1c6-ecdf5910c5c0}
```

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ \{292108 be-88 ab-184 be-184 ab-184 be-184 ab-184 be-184 ab-184 ab-18$ 4f33-9a26-7748e62e37ad} Opens key: 4dca-aa4d-3ee8648d03e5} Opens key: 4e07-834e-67c98610f39d}

Opens key:

4e84-8e60-f11db97c5cc7}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156}

Opens key:

40fe-aa3d-6177ea401788}

Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the$ 483c-ac93-691d05850de8}

Opens key:

418a-bff8-f18370157b55}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ (654a1b99-8a4b-100) \ for the contract \ folder \ fold$ 4e7b-a4e1-46378ad77a61}

Opens key:

43b8-b8fe-e91ef9d8ba69}

Opens key:

46ff-8023-9dceab9c3ee3}

Opens kev:

4f61-899d-31cf46979d49}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{3f98a740-839c-4af7-8c36-5badfb33d5fd}

Opens key:  $HKLM \label{lem:hklm} Which was the simple statement of the simple statement$ 4007-aba6-af877d526ea6}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{7fde1a1e-8b31-49a5-93b8-6be14cfa4943}

Opens key:

41da-afd8-1c78a5f3aea2}

Opens key:

 $HKLM \label{eq:hklm} KLM \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} wow 6432 node \label{eq:hklm} icrosoft \label{eq:hklm} wow 6432 node \label{eq:hklm} icrosoft \label{eq:hklm} wow 6432 node \la$ 4aad-8011-f5b3db2123ec} Opens key:

423b-b687-386ebfd832393

Opens key:

 $HKLM \label{lem:hklm} Which was the latest and th$ 4c4f-8817-bb27601267a9} Opens key:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\foldertypes\{71689ac1-cc88-

45d0-8a22-2943c3e7dfb3} Opens key: 

415e-a6ee-cad625207853}

Opens key: 43aa-a329-c37430c58d2a}

4785-8658-4ca6c63e38c63

Opens kev:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ folder \$ 4a93-bd3d-243f7881d492}

Opens key:

4d79-8344-9dfb5cf391fb}

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 4ddb-a5a8-c604edf61d6b}

Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{cd0fc69b-71e2-46e5-9690-5bcd9f57aab3}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ (982725 ee-6f47-1000) \ description \ folder \ folder$ 479e-b447-812bfa7d2e8f}

Opens key:

4d7e-9ad2-ecc64154418d}

Opens key:

4fe0-9942-826416082da93

Opens key:

 $HKLM \label{lem:hklm} Which was the latest and th$ 4f05-99aa-fdc2c9474656}

Opens key:

 $HKLM \setminus software \setminus wow6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{978e0ed7-92d6-192d$ 4cec-9b59-3135b9c49ccf}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ \{e053a11a-dced-microsoft \ windows \ explorer \ folder \ folder$ 4515-8c4e-d51ba917517b}

```
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ \{834d8a44-0974-1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 1974, 197
4ed6-866e-f203d80b3810}
       Opens key:
 HKLM \label{lem:hklm} Which is the latest and the
 4035-a745-28ac066dc6ed}
        Opens key
HKLM \setminus software \setminus wow6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{da3f6866-35fe-4016, below \} \\ folder types \setminus \{da3f68666-35fe-4016, below \} \\ folder types \setminus \{da3f68666-35fe-4016, below \} \\ folder types \setminus \{da3f68666-35fe-4016, below \} \\ folde types \setminus \{da3f68666666, below \} \\ folde types \setminus \{da3f6866666, below \} \\ folde types \setminus \{da3f6866666, below \} \\ folde types \setminus \{da3f6866666, below \} \\ folde types \setminus \{da3f686666, below \} \\ folde types 
4229-821a-26553a67fc18}
        Opens key:
4b8f-a494-068b20b22307}
        Opens key
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{94d6ddcc-4a68-
 4175-a374-bd584a510b78}
        Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ folded \ folder \ 
48ef-9b90-853fd82e6ec2}
       Opens key:
 HKLM \label{lem:hklm} Which was the statement of the st
 4c80-ba29-f1204c4502c3}
       Opens key:
4a0a-91fa-cef6f59cfda1}
        Opens key:
4c28-be02-ca8c2126280d}
       Opens key:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{ea25fbd7-3bf7-
 409e-b97f-3352240903f4}
        Opens key:
HKLM \label{lem:hklm} Which is a constant with the second constant wi
40d7-899e-0845dcd03010}
       Opens kev:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ foldows \ folder \
 4cbb-87f7-585d0e0ce070}
        Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{b372207c-0011-
438f-9151-098b2e36b887}
        Opens key:
4635-a6d4-da33fd102b7a}
        Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{91475fe5-586b-
4eba-8d75-d17434b8cdf6}
        Opens key:
 HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} wow 6432 node \mbox{\correntversion} \explorer \folder types \folder \mbox{\correntversion} \explorer \folder \
4b3b-a2ba-d3f5d3cd46f9}
       Opens key:
4e84-8e60-f11db97c5cc7}\modifiers
                                                                                                                   HKCU\software\microsoft\windows\currentversion\explorer\foldertypes
        Opens key
4e84-8e60-f11db97c5cc7}\topviews
        Opens key:
 Opens key:
Opens key:
                                                                                                                   HKCU\software\classes\local
 . in software \verb|\microsoft| windows \verb|\shell| bags \|\shell| bag
 f11db97c5cc7}
       Opens key:
                                                                                                                    HKCU\software\classes\local
  settings\software\microsoft\windows\shell\bags\18\comdlglegacy\{5c4f28b5-f869-4e84-8e60-
 f11db97c5cc7}\inherit
       Opens key:
                                                                                                                    HKCU\software\classes\local
  settings\software\microsoft\windows\shell\bags\16\comdlglegacy\{5c4f28b5-f869-4e84-8e60-
 f11db97c5cc7}\inherit
       Opens key:
                                                                                                                    HKCU\software\classes\local
  settings\software\microsoft\windows\shell\bags\11\comdlglegacy\{5c4f28b5-f869-4e84-8e60-
 f11db97c5cc7\inherit
                                                                                                                    HKCU\software\classes\local
       Opens kev:
 f11db97c5cc7}\inherit
        Opens key:
                                                                                                                    HKCU\software\classes\local
 f11db97c5cc7}
        Opens kev:
                                                                                                                     HKCU\software\microsoft\windows\currentversion\explorer\streams\defaults
        Opens key:
                                                                                                                    HKLM\software\microsoft\windowsruntime\clsid\{b8967f85-58ae-4f46-9fb2-
 5d7904798f4b}
        Opens key:
                                                                                                                     HKCR \ activatable classes \ \ clsid \ \ \{b8967f85-58ae-4f46-9fb2-5d7904798f4b\}
        Onens key
                                                                                                                    HKCU\software\classes\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}
        Opens key:
                                                                                                                     HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}
         Opens key:
                                                                                                                    5d7904798f4b}\treatas
        Opens key:
                                                                                                                     HKCR\wow6432 node\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\treat as
                                                                                                                    HKCU\software\classes\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
        Opens key
5d7904798f4b}\inprocserver32
                                                                                                                    HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
         Opens kev:
 5d7904798f4b}\inprocserver32
        Opens key
                                                                                                                    HKCU\software\classes\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprochandler32
                                                                                                                    HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
        Opens key
 5d7904798f4b}\inprochandler32
                                                                                                                    Opens key:
5d7904798f4b}\inprochandler
                                                                                                                    HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
        Opens key:
```

```
5d7904798f4b}\inprochandler
                                          HKLM\software\microsoft\windowsruntime\clsid\{9cfc2df3-6ba3-46ef-a836-
  Opens key
e519e81f0ec4}
  Opens key:
                                          HKCR\activatableclasses\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}
   Opens key
                                          HKCU\software\classes\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}
  Opens key
                                          HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\treatas
                                          HKCR \setminus wow6432 node \setminus clsid \setminus \{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4\} \setminus treatas
  Opens key
                                          Opens key
e519e81f0ec4}\inprocserver32
  Opens key
                                          HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocser
                                         er32
                                          HKCU\software\classes\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
  Opens key
e519e81f0ec4}\inprochandler32
                                          HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
  Opens kev:
e519e81f0ec4}
                       \inprochandler32
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprochandler
  Opens key
                                          HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprochandler
                                          HKLM\software\microsoft\windowsruntime\clsid\{934d4698-6a59-48f8-9f29-
  Opens key
9fb30670320e}
                                          HKCR\activatableclasses\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}
  Opens key
  Opens key
                                          9fb30670320e3
                                          HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}
  Opens key
   Opens key
                                          HKCU\software\classes\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\treatas
  Opens key
                                          Opens key
                                          HKCU\software\classes\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprocserver32
                                          HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
  Opens key
9fb30670320e}\inprocse
                                         er32
                                          Opens key
9fb30670320e}\inprochandler32
                                          HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
  Opens key
9fb30670320e}\inprochandler32
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprochandler
  Opens key
                                          HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprochandler
  Opens key:
                                          HKLM\software\microsoft\windowsruntime\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}
                                          HKCR \ activatable classes \ \ \{2155fee3-2419-4373-b102-6843707eb41f\}
  Opens key
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f3
                                          HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-6843707eb41f}
  Opens key:
   Opens key:
                                          HKCU\software\classes\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}\treatas
  Opens key:
                                          HKCR\wow6432 node\clsid\{2155 fee3-2419-4373-b102-6843707eb41f}\treat as
                                          HKCU\software\classes\wow6432node\clsid\{2155fee3-2419-4373-b102-
  Opens key
6843707eb41f}\inprocserver32
  Opens key
                                          HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}\inprocser
                                         er32
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}\inprochandler32
                                          HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
  Opens key
6843707eb41f}\inprochandler32
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}\inprochandler
                                          HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
  Opens key
6843707eb41f}\inprochandler
  Opens key:
                                          HKCU\software\microsoft\windows\currentversion\thumbnailcache
                                          HKLM \setminus software \setminus microsoft \setminus windows runtime \setminus clsid \setminus \{317d06e8-5f24-433d-bdf7-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1443d-1440d-1443d-1443d-1443d-1443d-1443d-1
  Opens key
79ce68d8abc2}
  Opens key
                                          HKCR\activatableclasses\clsid\{317d06e8-5f24-433d-bdf7-79ce68d8abc2}
                                          HKCU\software\classes\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
  Opens key
79ce68d8abc2}
  Opens key
                                          HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-79ce68d8abc2}
   Opens key
                                          79ce68d8abc2}\treatas
                                          HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-79ce68d8abc2}\treatas
  Opens key:
                                          HKCU\software\classes\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
  Opens key
79ce68d8abc2}\inprocserv
                                          HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
  Opens key
79ce68d8abc2}\inprocser
                                         er32
                                          HKCU\software\classes\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
  Opens key
79ce68d8abc2}\inprochandler32
  Opens key
                                          HKCR\v
                                                         6432node\clsid\{317d06e8-5f24-433d-bdf7-
79ce68d8abc2}\inprochandler32
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
79ce68d8abc2}\inprochandler
                                          HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
  Opens key
79ce68d8abc2}\inprochandler
                                          HKCU\software\classes\wow6432node\clsid\{fae3d380-fea4-4623-8c75-
  Opens key
c6b61110b681}\instance
                                          HKCR\wow6432node\clsid\{fae3d380-fea4-4623-8c75-c6b61110b681}\instance
  Opens key:
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{fae3d380-fea4-4623-8c75-
c6b61110b681}\instance\disabled
  Opens key
                                          HKCR\wow6432node\clsid\{fae3d380-fea4-4623-8c75-
c6b61110b681}\instance\disabled
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{ac757296-3522-4e11-9862-
c17be5a1767e}\instance
                                          \label{local-cond} \mbox{HKCR} $$ \mbox{HKCR} \ac 757296-3522-4e11-9862-c17be5a1767e} \ac 757296-3522-4e11-9862-c17be5a1767e \ac 757296-3522-4e11-9862-60766
  Opens key:
  Opens key
                                          HKCU\software\classes\wow6432node\clsid\{2b46e70f-cda7-473e-89f6-
dc9630a2390b}\instance
                                          HKCR\wow6432node\clsid\{2b46e70f-cda7-473e-89f6-dc9630a2390b}\instance
  Opens key:
```

```
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\search\preferences
    Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ search \ preferences
     Opens key
                                                                HKCU\software\classes\wow6432node\interface\{000214e3-0000-0000-c000-
0000000000463
    Opens key
                                                                HKCR\wow6432node\interface\{000214e3-0000-0000-c000-000000000046}
                                                                HKCU\software\classes\wow6432node\interface\{000214e3-0000-0000-c000-
    Opens key
00000000046}\proxystubclsid32
                                                                HKCR\wow6432node\interface\{000214e3-0000-0000-c000-
00000000046}\proxystubclsid32
    Opens key
                                                               HKI M\software\microsoft\windowsruntime\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6
    Opens key:
                                                                HKCR \land ctivatable classes \land clsid \land \{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6\}
    Opens key
                                                                a5c5bc1c2ae6}
                                                                HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}
    Opens kev:
                                                                HKCU\software\classes\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
    Opens key:
a5c5bc1c2ae6}\treatas
                                                                HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\treatas
    Opens key
    Opens key:
                                                               HKCU\software\classes\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprocserver32
                                                               HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
   Opens kev:
a5c5bc1c2ae6}\inprocserver32
                                                               HKCU\software\classes\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
    Opens key
a5c5bc1c2ae6}\inprochandler32
                                                               HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
   Opens key:
a5c5bc1c2ae6}\inprochandler32
                                                                Opens key:
a5c5bc1c2ae6}\inprochandler
    Opens key
                                                               HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprochandler
                                                               HKCU\software\classes\wow6432node\interface\{00000114-0000-0000-c000-
   Opens kev:
000000000046}
                                                                HKCR\wow6432node\interface\{00000114-0000-0000-c000-00000000046}
    Opens key:
                                                                \label{local-cond} \begin{tabular}{ll} HKCU \software \classes \wow 6432 node \interface \classes \wow 6432 node \classes \end{tabular} \\
    Opens key
000000000046}\proxystubclsid32
                                                               HKCR\wow6432node\interface\{00000114-0000-0000-c000-
    Opens key
00000000046}\proxystubclsid32
     Opens key
                                                               HKLM \setminus software \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus icrosoft \setminus sqmclient \setminus windows \setminus disable dprocesses \setminus sqmclient \setminus s
    Opens key:
HKLM\software\microsoft\telemetryclient\throttlestore\sqm\windows\winsqm8
                                                                HKLM\software\microsoft\telemetryclient\throttlestore\sqm\windows
    Opens kev:
                                                                HKLM\software\microsoft\telemetryclient\throttlestore\sqm
    Opens key:
                                                                HKLM\software\microsoft\telemetryclient\throttlestore
     Opens key:
                                                                HKLM\software\microsoft\telemetryclient\samplestore\sqm\windows\winsqm8
    Opens key:
    Opens key:
                                                                Opens key:
                                                               HKLM\software\microsoft\telemetryclient\samplestore\sqm
    Opens key:
HKLM\software\microsoft\telemetryclient\samplestore\sqm\windows\winsqm8\13238528
   Opens key:
HKLM \verb|\software\microsoft| telemetry client \verb|\throttlestore\sqm\\| windows \verb|\winsqm8| 13238784| telemetry client \verb|\throttlestore\sqm| windows \verb|\winsqm8| telemetry client \verb|\throttlestore\sqm| telemetry client \| telemet
    Opens key:
HKLM\software\microsoft\telemetryclient\samplestore\sqm\windows\winsqm8\13238784
   Opens key:
                                                                HKCU\software\classes\wow6432node\interface\{6d5140c1-7436-11ce-8034-
00aa006009fa}
                                                                HKCR\wow6432node\interface\{6d5140c1-7436-11ce-8034-00aa006009fa}
    Opens key:
    Opens key:
                                                                HKCU \setminus software \setminus classes \setminus wow 6432 \\ node \setminus interface \setminus \{6d5140c1-7436-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-11ce-8034-1
00aa006009fa}\proxystubclsid32
                                                               HKCR\wow6432node\interface\{6d5140c1-7436-11ce-8034-
    Opens key
00aa006009fa}\proxystubclsid32
   Opens key:
                                                               HKLM\software\microsoft\windowsruntime\clsid\{0000032a-0000-0000-c000-
000000000046}
                                                                HKCR\activatableclasses\clsid\{0000032a-0000-0000-c000-00000000046}
    Opens key:
    Opens key:
                                                                00000000000463
                                                                HKCR\wow6432node\clsid\{0000032a-0000-0000-c000-00000000046}
    Opens kev:
     Opens key:
                                                                HKCU\software\classes\clsid\{0000032a-0000-0000-c000-00000000046}
                                                                HKCR\clsid\{0000032a-0000-0000-c000-00000000046}
     Opens key:
     Opens key
                                                                0000000000463
   Opens key
                                                                HKLM\software\microsoft\windowsruntime\clsid\{7efc002a-071f-4ce7-b265-
 f4b4263d2fd2}
                                                                HKCR\activatableclasses\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}
    Opens key:
    Opens key
                                                                HKCU\software\classes\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
 f4b4263d2fd2}
                                                                HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}
    Opens kev:
    Opens key:
                                                               HKCU\software\classes\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
 f4b4263d2fd2}\treatas
    Opens key:
                                                                HKCR \setminus wow 6432 node \\ clsid \\ \{7efc002a-071f-4ce7-b265-f4b4263d2fd2\} \\ \setminus treatas
    Opens key
                                                               HKCU\software\classes\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\inprocserver32
                                                               HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
    Opens key
f4b4263d2fd2}\inprocserv
                                                             /er32
                                                               HKCU\software\classes\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
    Opens key
f4b4263d2fd2}\inprochandler32
                                                               HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
   Opens key
```

Opens key: HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}\inprochandler
Opens key: HKLM\software\microsoft\windowsruntime\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}
Opens key: HKCR\activatableclasses\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}
Opens key: HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}
Opens key: HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}

HKCU\software\classes\wow6432node\clsid\{7efc002a-071f-4ce7-b265-

f4b4263d2fd2}\inprochandler32

f4b4263d2fd2}\inprochandler

```
Opens key:
                                                                          HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}
     Opens key
                                                                          HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\treatas
                                                                          \label{localized} HKCR\wow6432 node\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\ \ treat as
     Opens key:
                                                                          HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
     Opens key
c911b1710180}\inprocserver32
    Opens key
                                                                         HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprocserver32
                                                                         HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
     Opens key
c911b1710180}\inprochandler32
                                                                         HKCR\
                                                                                                 /6432node\clsid\{d58960ba-2ef3-4910-9e34-
     Opens key
c911h1710180}\innrochandler32
                                                                         HKCU\software\classes\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
    Opens key
c911b1710180}\inprochandler
                                                                         HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
     Opens key
c911b1710180}\inprochandler
                                                                         HKCU\software\microsoft\windows\currentversion\explorer\travellog
     Opens kev:
     Opens key
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\travellog
                                                                          HKLM\software\wow6432node\microsoft\windows search
     Opens key:
     Opens key
                                                                         HKCU\software\classes\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
    Opens kev:
5595fe6b30ee}\shellfolder
                                                                         HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (59031a47-b) + (59031a47-
     Opens key
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
    Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\clsid\{59031a47-3f72-44a7-
89c5-5595fe6b30ee}\shellfolder
                                                                        HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\inprocserver32
    Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-
4901-4acc-8648-d5d44b04ef8f}
     Opens key:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ \ face 0 free \ folder \ \ face 0 free \ \ face 
4901-4acc-8648-d5d44b04ef8f}\propertybag
                                                                        HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
    Opens key:
3aea-1069-a2d8-08002b30309d}
                                                                          HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04f
     Opens key:
3aea-1069-a2d8-08002b30309d}\
    Opens key:
                                                                         HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}\shellex\iconhandler
                                                                         HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04fe0-d1) + (20d04fe0-d1) = (20d04f
    Opens key:
3aea-1069-a2d8-08002b30309d}\defaulticon
     Opens key:
HKCU \ software \ microsoft \ windows \ current version \ lex plorer \ session in follows \ however \ lex plorer \ lex p
                                                                         HKLM\software\microsoft\windowsruntime\clsid\{18907f3b-9afb-4f87-b764-
    Opens key
f9a4e16a21b8}
                                                                          HKCR \ activatable classes \ \ \{18907f3b-9afb-4f87-b764-f9a4e16a21b8\}
     Opens key
     Opens key
                                                                          f9a4e16a21b8}
                                                                          HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}
     Opens kev:
                                                                          HKCU\software\classes\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
     Opens key
 f9a4e16a21b8}\treatas
                                                                          HKCR \ wow 6432 node \ clsid \ \{18907f3b-9afb-4f87-b764-f9a4e16a21b8\} \ treat as
     Opens key:
     Opens key:
                                                                         HKCU\software\classes\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
 f9a4e16a21b8}\inprocsery
                                                                       er32
                                                                         HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
    Opens key:
 f9a4e16a21b8}\inprocserver32
     Opens key
                                                                         HKCU\software\classes\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
f9a4e16a21b8}\inprochandler32
                                                                         HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
    Opens key
f9a4e16a21b8}\inprochandler32
     Opens key
                                                                          HKCU\software\classes\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
 f9a4e16a21b8}\inprochandler
    Opens key:
                                                                         HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
 f9a4e16a21b8}\inprochandler
                                                                         HKLM\svstem\currentcontrolset\services\lanmanworkstation\parameters
     Opens kev:
     Opens key:
                                                                          HKLM\software\microsoft\windowsruntime\clsid\{50ef4544-ac9f-4a8e-b21b-
8a26180db13f)
     Opens key:
                                                                          HKCR \ activatable classes \ \ \{50ef4544-ac9f-4a8e-b21b-8a26180db13f\}
     Opens key
                                                                         HKCU\software\classes\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
8a26180db13f}
     Opens key:
                                                                          HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}
                                                                          HKCU\software\classes\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
     Opens key
8a26180db13f}\treatas
     Opens key
                                                                          HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\treatas
                                                                         HKCU\software\classes\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
     Opens key
8a26180db13f}\inprocserver32
                                                                         HKCR'
     Opens key
                                                                                                 v6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
8a26180db13f}\inprocserv
                                                                       er32
    Opens key
                                                                         HKCU\software\classes\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
8a26180db13f}\inprochandler32
                                                                         HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
     Opens key
8a26180db13f}\inprochandler32
                                                                         HKCU\software\classes\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
     Opens key
8a26180db13f}\inprochandler
                                                                         HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
    Opens kev:
8a26180db13f}\inprochandler
     Opens kev:
                                                                         HKCU\software\classes\directorv\shellex\propertyhandler
     Opens key
                                                                          HKCR\directory\shellex\propertyhandler
     Opens key:
                                                                          {\tt HKCU \setminus software \setminus classes \setminus folder \setminus shellex \setminus property handler}
     Opens key:
                                                                          HKCR\folder\shellex\propertyhandler
                                                                          HKCU\software\classes\allfilesystemobjects\shellex\propertyhandler
     Opens key:
     Opens key:
                                                                          HKCR\allfilesystemobjects\shellex\propertyhandler
     Opens key
Opens key:
                                                                         HKLM\software\microsoft\windows\currentversion\explorer\kindmap
```

```
Opens key:
                                                                                HKCU\software\classes\.cpx
     Opens key:
                                                                                HKCR\.cpx
     Opens key:
                                                                                HKCU\software\classes\.cpx\openwithprogids
      Opens key:
                                                                                HKCR\.cpx\openwithprogids
      Opens key:
\label{thm:cu} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$microsoft$} \windows \current version \explorer \fileexts.cpx \end{tabular} open with propids \end{tabular}
     Opens key:
                                                                                \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ fileexts
                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpx
     Opens kev:
     Opens key:
                                                                                HKCU\software\microsoft\windows\shell\associations
      Opens key:
                                                                                HKCU\software\classes\unknown
     Opens key:
                                                                                HKCR\unknown
                                                                                HKCU\software\classes\unknown\curver
     Opens kev:
     Opens key:
                                                                                HKCR\unknown\curver
      Opens key:
                                                                                 HKCR\unknown\
      Opens key:
                                                                                HKCU\software\classes\unknown\shellex\iconhandler
     Opens key:
                                                                                HKCR\unknown\shellex\iconhandler
                                                                                HKCU\software\classes\systemfileassociations\.cpx
     Opens kev:
     Opens key:
                                                                                HKCR\systemfileassociations\.cpx
                                                                                HKCU\software\classes\unknown\docobject
      Opens kev:
      Opens key:
                                                                                HKCR\unknown\docobject
                                                                                HKCU\software\classes\unknown\browseinplace
     Opens key:
                                                                                HKCR\unknown\browseinplace
     Opens key:
     Opens kev:
                                                                                HKCU\software\classes\unknown\clsid
     Opens key:
                                                                                 HKCR\unknown\clsid
                                                                                 HKCU\software\classes\.png
      Opens key:
                                                                                HKCR\.png
     Opens key:
                                                                                \begin{tabular}{ll} \hline HKCU\software\classes\label{localization} .png\open with progids \\ \hline \end{tabular}
     Opens key:
                                                                                HKCR\.png\openwithprogids
     Opens key:
      Opens key:
                                                                                HKCU\software\classes\.png\openwithprogids\
      Opens key:
\label{thm:cu} \parbox{$HKCU$\software\mbox{$microsoft\windows\currentversion\explorer\fileexts\label{thm:currentversion}.} pig\software\mbox{$microsoft\windows\currentversion\explorer\fileexts\label{thm:currentversion}.} \parbox{$microsoft\windows\currentversion\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explore
     Opens key:
                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.png
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.png\
     Opens kev:
     Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{linear}. png \cite{linear} and \cite
     Opens key:
                                                                                HKCU \setminus software \setminus classes \setminus appx9 \lor dwc \lor rwnbettpahnt 26 jswq 0 n8 hgyah
     Opens key:
                                                                                \label{thm:local-point} HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\curver\\ HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\curver\\
     Opens key:
     Opens key:
                                                                                HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\
      Opens key:
HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\shellex\iconhandler
                                                                                \label{thm:hkcr} HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\sellex\ iconhandler \\ HKCU\software\classes\systemfileassociations\.png
     Opens key:
     Opens kev:
     Opens key:
                                                                                HKCR\systemfileassociations\.png
                                                                                HKCU\software\classes\systemfileassociations\.png\shellex\iconhandler
      Opens key:
     Opens key:
                                                                                {\tt HKCR} \verb|\systemfileassociations|.png\\ \verb|\systemfileassoci
     Opens key:
                                                                                {\tt HKCU \backslash software \backslash classes \backslash system file associations \backslash image}
                                                                                HKCR\systemfileassociations\image
HKCU\software\classes\systemfileassociations\image\shellex\iconhandler
     Opens key:
     Opens key:
                                                                                HKCR\systemfileassociations\image\shellex\iconhandler
      Opens key:
     Opens key:
                                                                                HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah
     Opens key:
                                                                                HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\docobject
     Opens kev:
                                                                                HKCU\software\classes\systemfileassociations\.png\docobject
     Opens key:
                                                                                HKCR\systemfileassociations\.png\docobject
      Opens kev:
     Opens key:
                                                                                HKCU\software\classes\systemfileassociations\image\docobject
     Opens key:
                                                                                {\tt HKCR \ } system file associations \ \\ image \ \\ docobject
                                                                                HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\browseinplace
     Opens key:
                                                                                HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\browseinplace
     Opens key:
      Opens key:
                                                                                HKCU\software\classes\systemfileassociations\.png\browseinplace
     Opens key:
                                                                                HKCR\systemfileassociations\.png\browseinplace
     Opens key:
                                                                                HKCR\systemfileassociations\image\browseinplace
     Opens key:
                                                                                HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\clsid
     Opens key:
                                                                                HKCR\appx9vdwcvrwnbettpahnt26jswq0n8hgyah\clsid
     Opens key:
                                                                                HKCU\software\classes\systemfileassociations\.png\clsid
     Opens key:
     Opens key:
                                                                                {\tt HKCR \ } system file associations \ \verb|.png \ \> clsid|
                                                                                \label{localized} \verb|HKCU\software\classes\systemfileassociations\ \ image\clsid|
     Opens key:
                                                                                HKCR\systemfileassociations\image\clsid
     Opens kev:
     Opens key:
                                                                                HKCU\software\classes\.dll
                                                                                HKCR\.dll
      Opens key:
     Opens key:
                                                                                {\tt HKCU \setminus software \setminus classes \setminus .dll \setminus open with progids}
     Opens kev:
                                                                                HKCR\.dll\openwithprogids
     Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\fileexts|.dll \open with progids | fileexts|.dll \open with progids | fileexts|.dl
                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll
      Opens key:
     Opens key:
                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll\
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll\userchoice
     Opens key:
                                                                                HKCU\software\classes\dllfile
                                                                                HKCR\dllfile
      Opens key:
      Opens key:
                                                                                HKCU\software\classes\dllfile\curver
     Opens key:
                                                                                HKCR\dllfile\curver
                                                                                HKCR\dllfile\
     Opens key:
     Opens key:
                                                                                HKCU\software\classes\dllfile\shellex\iconhandler
                                                                                 HKCR\dllfile\shellex\iconhandler
      Opens key:
     Opens key:
                                                                                HKCU\software\classes\systemfileassociations\.dll
     Opens key:
                                                                                HKCR\systemfileassociations\.dll
                                                                                HKCU\software\classes\systemfileassociations\.dll\shellex\iconhandler
     Opens kev:
                                                                                HKCR\systemfileassociations\.dll\shellex\iconhandler
     Opens key:
                                                                                HKCU\software\classes\dllfile\docobject
      Opens kev:
      Opens key:
                                                                                HKCR\dllfile\docobject
     Opens key:
                                                                                \label{local-condition} \begin{tabular}{ll} HKCU \software \classes \system file associations \classes \class
                                                                                 HKCR\systemfileassociations\.dll\docobject
     Opens key:
     Opens key:
                                                                                HKCU\software\classes\dllfile\browseinplace
      Opens key:
                                                                                 HKCR\dllfile\browseinplace
                                                                                {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .dll \setminus browsein place}
      Opens key:
     Opens key:
                                                                                {\tt HKCR} \verb|\systemfileassociations|.dll\browseinplace|\\
                                                                                HKCU\software\classes\dllfile\clsid
     Opens key:
```

```
Opens key:
                                                              HKCR\dllfile\clsid
                                                              HKCU\software\classes\systemfileassociations\.dll\clsid
    Opens key:
    Opens key:
                                                              HKCR\systemfileassociations\.dll\clsid
    Opens key:
                                                              HKCU\software\classes\.tlb
    Opens key:
                                                              HKCR\.tlb
    Opens key:
                                                              {\tt HKCU \ } software \verb|\ classes \verb|\ .tlb \verb|\ open with progids \\
    Opens key:
                                                              HKCR\.tlb\openwithprogids
    Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tlb\openwithprogids
                                                              \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \fileexts \cite{local_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hammon_hamm
    Opens key:
                                                              HKCU\software\classes\.tlb\shellex\iconhandler
    Opens key:
                                                              HKCR\.tlh\shellex\iconhandler
    Opens key:
                                                              HKCU\software\classes\systemfileassociations\.tlb
                                                              HKCR\systemfileassociations\.tlb
    Opens key:
    Opens key:
                                                              HKCU\software\classes\.tlb\docobject
    Opens key:
                                                              HKCR\.tlb\docobject
                                                              HKCU\software\classes\.tlb\browseinplace
    Opens kev:
    Opens key:
                                                              HKCR\.tlb\browseinplace
    Opens key:
                                                              HKCU\software\classes\.tlb\clsid
    Opens key:
                                                              HKCR\.tlb\clsid
    Opens key:
                                                              HKCU\software\classes\.cpl
    Opens key:
                                                              HKCR\.cpl
    Opens key:
                                                              HKCU\software\classes\.cpl\openwithprogids
    Opens key:
                                                              HKCR\.cpl\openwithprogids
    Opens key:
\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \microsoft \windows \current version \explorer \fileexts \cpl \open with progids \end{tabular}
                                                              HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpl
    Opens key:
                                                              HKCU\software\classes\cplfile
    Opens key:
    Opens key:
                                                              HKCR\cplfile
    Opens key:
                                                              HKCU\software\classes\cplfile\curver
    Opens key:
                                                              HKCR\cplfile\curver
    Opens key:
                                                              HKCR\cplfile\
    Opens kev:
                                                              HKCU\software\classes\cplfile\shellex\iconhandler
    Opens key:
                                                              HKCR\cplfile\shellex\iconhandler
                                                              HKCU\software\classes\systemfileassociations\.cpl
    Opens key:
    Opens key:
                                                              HKCR\systemfileassociations\.cpl
    Opens kev:
                                                              {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus system}
                                                              HKCR\systemfileassociations\system
    Opens key:
    Opens key:
                                                              HKCU\software\classes\cplfile\docobject
                                                              HKCR\cplfile\docobject
    Opens key:
    Opens key:
                                                              HKCU\software\classes\systemfileassociations\system\docobject
                                                             HKCR\systemfileassociations\system\docobject HKCU\software\classes\cplfile\browseinplace
    Opens key:
    Opens kev:
                                                              HKCR\cplfile\browseinplace
    Opens key:
                                                              HKCU\software\classes\systemfileassociations\system\browseinplace
    Opens key:
    Opens key:
                                                              HKCR\systemfileassociations\system\browseinplace
                                                             HKCU\software\classes\cplfile\clsid
HKCR\cplfile\clsid
    Opens key:
    Opens key:
                                                              HKCU\software\classes\.exe
    Opens key:
    Opens key:
    Opens key:
                                                              HKCU\software\classes\.exe\openwithprogids
    Opens key:
                                                              {\tt HKCR} \verb|\|.exe \verb|\| open with progids
    Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids
                                                              HKCU\software\classes\exefile
    Opens key:
    Opens key:
                                                              HKCR\exefile
                                                              HKCU\software\classes\exefile\curver
    Opens key:
                                                              HKCR\exefile\curver
    Opens key:
                                                              HKCR\exefile\
    Opens key:
                                                              HKCU\software\classes\exefile\shellex\iconhandler
    Opens key:
    Opens key:
                                                              HKCR\exefile\shellex\iconhandler
    Opens key:
                                                              HKCU\software\classes\systemfileassociations\.exe
                                                              HKCR\svstemfileassociations\.exe
    Opens key:
                                                              HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler
    Opens key:
                                                              HKCR\systemfileassociations\.exe\shellex\iconhandler
    Opens key:
                                                              HKCU\software\classes\exefile\docobject
    Opens key:
    Opens key:
                                                              {\tt HKCR} \verb|\exefile| docobject
                                                              HKCU\software\classes\systemfileassociations\.exe\docobject
    Opens key:
                                                              HKCR\systemfileassociations\.exe\docobject
    Opens kev:
                                                              HKCU\software\classes\exefile\browseinplace
    Opens key:
                                                              HKCR\exefile\browseinplace
    Opens key:
    Opens key:
                                                              \label{locality} \verb|HKCU| software \classes \system file associations \classes \end{|locality|} exe \end{|localit
                                                              HKCR\svstemfileassociations\.exe\browseinplace
    Opens kev:
                                                              HKCU\software\classes\exefile\clsid
    Opens key:
    Opens key:
                                                              HKCR\exefile\clsid
                                                              HKCU\software\classes\systemfileassociations\.exe\clsid
    Opens key:
    Opens key:
                                                              HKCR\systemfileassociations\.exe\clsid
    Opens key:
                                                              HKCU\software\classes\.msc
                                                              HKCR\.msc
    Opens kev:
    Opens key:
                                                              HKCU\software\classes\.msc\openwithprogids
    Opens key:
                                                              HKCR\.msc\openwithprogids
    Opens key:
\label{thm:local_hammon_hammon} \parbox{$HKCU\software\mbox{$microsoft\windows\currentversion\explorer\fileexts\label{thm:local_hammon_hammon}} \parbox{$hkcu\software\mbox{$microsoft\windows\currentversion\explorer\fileexts\label{hammon_hammon_hammon}} \parbox{$hkcu\software\mbox{$microsoft\windows\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explore
                                                              HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc
    Opens key:
    Opens key:
                                                              HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc\
    Opens key:
\label{thm:convex} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdots. msc \cdots \end{tabular} \label{thm:convex} \end{tabular}
    Opens key:
                                                             HKCU\software\classes\mscfile
                                                              HKCR\mscfile
    Opens kev:
    Opens key:
                                                              HKCU\software\classes\mscfile\curver
                                                              HKCR\mscfile\curver
    Opens key:
    Opens key:
                                                              HKCR\mscfile\
    Opens key:
                                                              HKCU\software\classes\mscfile\shellex\iconhandler
                                                              HKCR\mscfile\shellex\iconhandler
    Opens key:
    Opens key:
                                                              HKCU\software\classes\mscfile\docobject
    Opens key:
                                                              HKCR\mscfile\docobject
                                                              HKCU\software\classes\systemfileassociations\.msc
    Opens key:
    Opens key:
                                                              HKCR\systemfileassociations\.msc
                                                              HKCU\software\classes\mscfile\browseinplace
    Opens key:
```

```
Opens key:
                                                    HKCR\mscfile\browseinplace
                                                    HKCU\software\classes\mscfile\clsid
   Opens key:
    Opens key:
                                                    HKCR\mscfile\clsid
    Opens key:
                                                    HKCU\software\classes\.ax
    Opens key:
                                                    HKCR\.ax
   Opens key:
                                                    {\tt HKCU \ } software \ \\ classes \ \\ .ax \ \\ open with progids
   Opens key:
                                                    HKCR\.ax\openwithprogids
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ax\openwithprogids
                                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ax
    Opens key:
                                                    HKCU\software\classes\systemfileassociations\.ax
                                                    HKCR\systemfileassociations\.ax
   Opens key:
   Opens key:
                                                    HKCU\software\classes\.sdi
    Opens key:
                                                    HKCR\.sdi
    Opens key:
                                                    HKCU\software\classes\.sdi\openwithprogids
   Opens key:
                                                   HKCR\.sdi\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sdi\openwithprogids
    Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sdi
    Opens key:
                                                    HKCU\software\classes\systemfileassociations\.sdi
   Opens key:
                                                    HKCR\systemfileassociations\.sdi
                                                    HKCU\software\classes\.uce
   Opens key:
   Opens key:
                                                    HKCR\.uce
    Opens key:
                                                    HKCU\software\classes\.uce\openwithprogids
                                                    HKCR\.uce\openwithprogids
    Opens key:
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.uce\openwithprogids
                                                   HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.uce
   Opens key:
                                                    HKCU\software\classes\systemfileassociations\.uce
    Opens key:
                                                    HKCR\systemfileassociations\.uce
    Opens key:
   Opens key:
                                                    HKCU\software\classes\.scr
   Opens key:
                                                    HKCR\.scr
   Opens kev:
                                                    HKCU\software\classes\.scr\openwithprogids
    Opens key:
                                                    HKCR\.scr\openwithprogids
    Opens key:
\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \mbox{$\mbox{$m$icrosoft$} \windows \current version \explorer \fileexts \cdots call the property of the p
   Opens kev:
                                                    HKCU\software\classes\scrfile
                                                    HKCR\scrfile
   Opens key:
                                                    HKCU\software\classes\scrfile\curver
   Opens key:
                                                    HKCR\scrfile\curver
    Opens key:
   Opens key:
                                                    HKCR\scrfile\
   Opens key:
                                                    HKCU\software\classes\scrfile\shellex\iconhandler
                                                    HKCR\scrfile\shellex\iconhandler
   Opens kev:
                                                    HKCU\software\classes\systemfileassociations\.scr
   Opens key:
                                                    HKCR\systemfileassociations\.scr
    Opens key:
   Opens key:
                                                    HKCU\software\classes\scrfile\docobject
                                                   HKCR\scrfile\docobject
HKCU\software\classes\scrfile\browseinplace
   Opens key:
   Opens key:
                                                    HKCR\scrfile\browseinplace
   Opens key:
    Opens key:
                                                    HKCU\software\classes\scrfile\clsid
   Opens key:
                                                    HKCR\scrfile\clsid
   Opens key:
                                                    HKCU\software\classes\.rs
                                                    HKCR\.rs
   Opens key:
                                                    HKCU\software\classes\.rs\openwithprogids
   Opens key:
    Opens key:
                                                    HKCR\.rs\openwithprogids
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rs\openwithprogids
                                                   HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rs
   Opens key:
                                                    HKCU\software\classes\systemfileassociations\.rs
   Opens key:
                                                    HKCR\systemfileassociations\.rs
   Opens key:
   Opens key:
                                                    HKCU\software\classes\.com
   Opens key:
                                                    HKCR\.com
                                                    HKCU\software\classes\.com\openwithprogids
   Opens key:
   Opens key:
                                                    HKCR\.com\openwithprogids
    Opens key:
\label{tware} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \com \open with progids \end{tabular}
   Opens key:
                                                    HKCU\software\classes\comfile
                                                    HKCR\comfile
   Opens key:
                                                    HKCU\software\classes\comfile\curver
   Opens kev:
                                                    HKCR\comfile\curver
   Opens key:
                                                    HKCR\comfile\
   Opens key:
   Opens key:
                                                    {\tt HKCU \ } software \verb|\ classes \verb|\ comfile \verb|\ shellex \verb|\ icon handler \\
                                                    HKCR\comfile\shellex\iconhandler
   Opens kev:
                                                    HKCU\software\classes\systemfileassociations\.com
   Opens key:
   Opens key:
                                                    HKCR\systemfileassociations\.com
                                                    HKCU\software\classes\comfile\docobject
    Opens key:
   Opens key:
                                                    HKCR\comfile\docobject
                                                    HKCU\software\classes\comfile\browseinplace
   Opens key:
                                                    HKCR\comfile\browseinplace
   Opens kev:
   Opens key:
                                                    HKCU\software\classes\comfile\clsid
                                                    HKCR\comfile\clsid
    Opens key:
    Opens key:
                                                    HKCU\software\classes\.rll
   Opens key:
                                                    HKCR\.rll
                                                    HKCU\software\classes\.rll\openwithprogids
   Opens key:
   Opens key:
                                                    HKCR\.rll\openwithprogids
    Opens key:
\label{thm:linear} \begin{tabular}{lllll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \file exts \cite{thm:linear}. In the linear \cite{thm:linear} and \cite{thm:linear} and \cite{thm:linear}. In the linear \cite{thm:linear} and \cite{thm:linear} and \cite{thm:linear} and \cite{thm:linear}.
   Opens key:
                                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.rll}
                                                    HKCU\software\classes\systemfileassociations\.rll
   Opens kev:
   Opens key:
                                                    HKCR\systemfileassociations\.rll
    Opens key:
                                                    HKCU\software\classes\.nls
    Opens key:
                                                    HKCR\.nls
   Opens key:
                                                    {\tt HKCU \setminus software \setminus classes \setminus .nls \setminus open with progids}
   Opens key:
                                                    HKCR\.nls\openwithprogids
   Opens key:
\label{tware} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdots \cdot
                                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.nls
    Opens key:
   Opens key:
                                                    HKCU\software\classes\.nls\shellex\iconhandler
                                                    HKCR\.nls\shellex\iconhandler
   Opens key:
```

```
Opens key:
                                                      HKCU\software\classes\systemfileassociations\.nls
   Opens key:
                                                      HKCR\systemfileassociations\.nls
   Opens key:
                                                      HKCU\software\classes\.nls\docobject
    Opens key:
                                                      HKCR\.nls\docobject
                                                      HKCU\software\classes\.nls\browseinplace
    Opens key:
   Opens key:
                                                      HKCR\.nls\browseinplace
   Opens key:
                                                      HKCU\software\classes\.nls\clsid
                                                      HKCR\.nls\clsid
   Opens kev:
   Opens key:
                                                      HKCU\software\classes\unknown\shellex\{000214f9-0000-0000-c000-
000000000046}
   Opens key:
                                                      HKCR\unknown\shellex\{000214f9-0000-0000-c000-000000000046}
   Opens key
                                                      HKCU\software\classes\*
                                                      HKCR\*
   Opens key:
    Opens key:
                                                      Opens key:
                                                      HKCR\*\shellex\{000214f9-0000-0000-c000-00000000046}
   Opens key
                                                      c000-0000000000046}
   Opens key:
                                                      HKCR\allfilesystemobjects\shellex\{000214f9-0000-0000-c000-000000000046}
    Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{d5291c64-7c88-11e3-be65-
806e6f6e6963}\
   Opens key
HKCU\software\microsoft\windows\currentversion\explorer\driveicons\c\defaultlabel
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\driveicons\c\defaultlabel
   Opens key:
                                                     HKCU\software\classes\applications\explorer.exe\drives\c\defaultlabel
    Opens key:
                                                      HKCR\applications\explorer.exe\drives\c\defaultlabel
   Opens key:
000000000046}
                                                     HKCR\appx9vdwcvrwnbettpahnt26iswg0n8hgvah\shellex\{000214f9-0000-0000-
   Opens key
c000-000000000046}
   Opens key:
                                                      \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \normalfont by the line \classes \normalfont \norma
000000000046}
   Opens key
Opens key:
Opens key:
                                                     HKCU\software\classes\applications\explorer.exe\drives\c\defaulticon
   Opens key:
                                                     HKCR\applications\explorer.exe\drives\c\defaulticon HKCR\.png\shellex\{000214f9-0000-0000-c000-000000000046}
   Opens key:
                                                      HKCU\software\classes\systemfileassociations\.png\shellex\{000214f9-
   Opens key
0000-0000-c000-000000000046}
Opens key: 00000000046}
                                                     HKCR\systemfileassociations\.png\shellex\{000214f9-0000-0000-c000-
                                                     HKCU\software\classes\systemfileassociations\image\shellex\{000214f9-
   Opens key
0000-0000-c000-000000000046}
   Opens key:
                                                     0000000000463
   Opens key:
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| fd228 cb7-description \verb|\folderdescriptions| fd22
ae11-4ae3-864c-16f3910ab8fe}
   Opens key
                                                     HKCU\software\classes\dllfile\shellex\{000214f9-0000-0000-c000-
000000000046}
   Opens key:
                                                      HKCR\dllfile\shellex\{000214f9-0000-0000-c000-000000000046}
   Opens key
                                                      HKCU\software\classes\.dll\shellex\{000214f9-0000-0000-c000-
000000000046}
   Opens key:
                                                      HKCR\.dll\shellex\{000214f9-0000-0000-c000-000000000046}
    Opens key:
                                                     0000-0000-c000-000000000046}
                                                     HKCR\systemfileassociations\.dll\shellex\{000214f9-0000-0000-c000-
   Opens kev:
000000000046}
   Opens key:
HKLM \label{lem:hklm} Which is the second of the second 
ae11-4ae3-864c-16f3910ab8fe} \property bag
   Opens key:
                                                     HKCU\software\classes\directory\shellex\librarydescriptionhandler
                                                      HKCR\directory\shellex\librarydescriptionhandler
   Opens kev:
                                                      HKCU\software\classes\folder\shellex\librarydescriptionhandler
   Opens key:
                                                      HKCR\folder\shellex\librarydescriptionhandler
    Opens key:
    Opens key:
\label{thm:hkcu} \verb+KKCU \software \classes \all file system objects \shell ex \library description handler
                                                     HKCR\allfilesystemobjects\shellex\librarydescriptionhandler
HKCU\software\classes\.tlb\shellex\{000214f9-0000-0000-c000-
   Opens key:
    Opens key
000000000046}
   Opens key
                                                      HKCR\.tlb\shellex\{000214f9-0000-0000-c000-00000000046}
   Opens key
                                                      HKCU\software\classes\cplfile\shellex\{000214f9-0000-0000-c000-
000000000046}
   Opens key:
                                                      HKCR\cplfile\shellex\{000214f9-0000-0000-c000-000000000046}
                                                      HKCU\software\classes\.cpl\shellex\{000214f9-0000-0000-c000-
    Opens key:
000000000046}
                                                      HKCR\.cpl\shellex\{000214f9-0000-0000-c000-00000000046}
   Opens key
                                                      HKCU\software\classes\exefile\shellex\{000214f9-0000-0000-c000-
   Opens key:
000000000046}
    Opens key:
                                                      HKCR\exefile\shellex\{000214f9-0000-0000-c000-000000000046}
   Opens key:
                                                      000000000046}
                                                      HKCR\.exe\shellex\{000214f9-0000-0000-c000-00000000046}
   Opens kev:
   Opens key
                                                     HKCU\software\classes\systemfileassociations\.exe\shellex\{000214f9-
0000-0000-c000-000000000046}
    Opens key:
                                                      HKCR\systemfileassociations\.exe\shellex\{000214f9-0000-0000-c000-
0000000000463
   Opens key
                                                      HKCU\software\classes\mscfile\shellex\{000214f9-0000-0000-c000-
00000000046}
    Opens key:
                                                      HKCR\mscfile\shellex\{000214f9-0000-0000-c000-00000000046}
                                                      Opens key
0000000000463
                                                      HKCR\.msc\shellex\{000214f9-0000-0000-c000-00000000046}
   Opens key:
```

 $\label{thm:local-continuous} \mbox{HKCU\software\mbox{\sc microsoft\windows\currentversion\explorer\cabinetstate}} \label{thm:local-continuous-currentversion-explorer}$ Opens key: Opens key HKCR\wow6432node\clsid\{c206f324-bb45-4765-93ff-3bca7306ff2e}\inprocserver32 Opens key:  $\label{twowaddiscont} \begin{tabular}{ll} HKLM \label{twowaddiscont} HKLM \label{twowaddiscont} Windows \current version \property system \property handlers \cite{Continuous}. Cpx \end{tabular}$ Opens key: HKCU\software\classes\unknown\shellex\propertyhandler Opens key: HKCR\unknown\shellex\propertyhandler HKCU\software\classes\\*\shellex\propertyhandler Opens kev: Opens key: HKCR\\*\shellex\propertyhandler Opens key: Opens key: HKCU\software\classes\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682}\overridefilesystemproperties Opens key HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682}\overridefilesystemproperties Opens key HKCU\software\classes\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682} Opens key HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682} Opens key HKCU\software\classes\explorerclsidflags\{a38b883c-1682-497e-97b0-0a3a9e801682} Opens key: HKCR\explorerclsidflags\{a38b883c-1682-497e-97b0-0a3a9e801682} Opens key HKLM\software\wow6432node\microsoft\windows\currentversion\propertysystem\propertyhandlers\.dll Opens key:  $HKCU \setminus software \setminus classes \setminus wow 6432 \\ node \setminus clsid \setminus \{66742402 - f9b9 - 11d1 - a202 - f9b9 - 11d1 - a202 - f9b9 - f9b9$ 0000f81fedee}\overridefilesystemproperties HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-Opens key 0000f81fedee}\overridefilesystemproperties HKCU\software\classes\wow6432node\clsid\{66742402-f9b9-11d1-a202-Opens key: 0000f81fedee} HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key: Opens key:  $HKCU \setminus software \setminus classes \setminus explorer clsidflags \setminus \{66742402 - f9b9 - 11d1 - a202 - f9b9 - f$ 0000f81fedee} HKCR\explorerclsidflags\{66742402-f9b9-11d1-a202-0000f81fedee} Opens kev: Opens key:  $HKLM \label{lem:hklm} White the latest and the la$ HKCU\software\classes\.tlb\shellex\propertyhandler Opens key: Opens key: HKCR\.tlb\shellex\propertyhandler Opens key: b2f1-4857-a4ce-a8e7c6ea7d27} Opens key: b2f1-4857-a4ce-a8e7c6ea7d27}\propertybag Opens key: c1bf-494e-b29c-65b732d3d21a} Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\propertysystem\propertyhandlers\.cpl Opens key:  $HKLM \label{lem:hklm} Which is the soft windows \current version \explorer \folder descriptions \cite{Mindows} for the soft \cite{Mindows} f$ c1bf-494e-b29c-65b732d3d21a}\propertybag Opens key Opens key:  $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem:h$ a0fb-4bfc-874a-c0f2e0b9fa8e}

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7c5a40ef-microsoft, \ windows, \ windows,$ a0fb-4bfc-874a-c0f2e0b9fa8e}\propertybag Opens key:

6af0-444b-8957-a3773f02200e}

Opens key:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164der, 16442 \\ node \setminus folder \\ descriptions \setminus \{6365d5a7-164d6 \\ node \setminus folder \\ descriptions \setminus \{636d5a7-164d6 \\ node \setminus \{636d5a7-164d6 \\ node \setminus folder \\ node \setminus \{636d5a7-164d6 \\ node \setminus \{636d5a7-$ 0f0d-45e5-87f6-0da56b6a4f7d}

 $HKLM \label{liconoverlay} KLM \label{liconoverlay} Which is a full convertage of the liconover layer of the lico$ Opens key:

HKLM\software\wow6432node\microsoft\windows\currentversion\propertysystem

Opens key: HKLM\software\microsoft\windowsruntime\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}

Opens key:  $HKCR \ activatable classes \ \ clsid \ \ \{82c588e7-e54b-408c-9f8c-6af9adf6f1e9\}$ Opens kev: HKCU\software\classes\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}

Opens key:  $HKCR \ wow 6432 node \ clsid \ \{82c588e7-e54b-408c-9f8c-6af9adf6f1e9\}$ HKCU\software\classes\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-Opens key

6af9adf6f1e9}\treatas

Opens key: HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\treatas HKCU\software\classes\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-Opens kev:

6af9adf6f1e9}\inprocserver32

Opens key: HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprocserver32

Opens key:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\propertysystem\propertyhandlers\.msc HKCU\software\classes\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-Opens key:

6af9adf6f1e9}\inprochandler32

HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-Opens key

6af9adf6f1e9}\inprochandler32

HKCU\software\classes\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-Opens kev:

6af9adf6f1e9}\inprochandler

Opens key HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprochandler

Opens key:  $\label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} soft windows $nt \subset \mathbb{R}^{n}$ in $\mathbb{R}^{n}$ and $\mathbb{R}^{n}$ in $\mathbb{R}^{n}$. The soft $\mathbb{R}^{n}$ is $\mathbb{R}^{n}$ in $\mathbb{R}^{n$ 

zones\w. europe standard time\dynamic dst Opens key:

HKLM\software\microsoft\windows nt\currentversion\time zones\w. europe

standard time\dynamic dst

Opens key: HKCU\software\classes\mscfile\shellex\propertyhandler

Opens key:  ${\tt HKCR\backslash mscfile\backslash shellex\backslash property handler}$ 

HKCU\software\classes\.msc\shellex\propertyhandler Opens key:

```
Opens key:
                                                                              HKCR\.msc\shellex\propertyhandler
     Opens key:
HKLM\software\wow6432node\microsoft\windows\currentversion\propertysystem\propertyhandlers\.ax
     Opens key:
                                                                              HKCU\software\classes\unknown\defaulticon
                                                                              HKCR\unknown\defaulticon
      Opens key:
     Opens key:
                                                                              HKCU\software\classes\.ocx
     Opens key:
                                                                              HKCR\.ocx
                                                                              HKCU\software\classes\.ocx\openwithprogids
     Opens kev:
     Opens key:
                                                                              HKCR\.ocx\openwithprogids
      Opens key:
\label{thm:local_hammon} \begin{tabular}{l} HKCU \software \mbox{$\mbox{$m$icrosoft$} \windows \current version \explorer \fileexts..ocx \open with progids} \end{tabular}
     Opens kev:
                                                                             HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx
                                                                              HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx\
     Opens key:
      Opens key:
\label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\.ocx\userchoice}} \\
     Opens key:
                                                                              HKCU\software\classes\ocxfile
                                                                              HKCR\ocxfile
     Opens key:
     Opens key:
                                                                              HKCU\software\classes\ocxfile\curver
      Opens key:
                                                                              HKCR\ocxfile\curver
      Opens key:
                                                                              HKCR\ocxfile\
     Opens key:
                                                                              \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \ocxfile \shellex \label{lem:hkcu} \end{tabular}
     Opens key:
                                                                              HKCR\ocxfile\shellex\iconhandler
                                                                              HKCU\software\classes\systemfileassociations\.ocx
     Opens kev:
     Opens key:
                                                                              HKCR\systemfileassociations\.ocx
                                                                              \label{thm:local_continuous} \begin{tabular}{ll} HKCU \software \classes \system file associations \classes \
      Opens key:
     Opens key:
                                                                              {\tt HKCR} \verb|\systemfileassociations|.ocx\\ \verb|\systemfileassoci
     Opens key:
                                                                              HKCU\software\classes\ocxfile\docobject
                                                                              HKCR\ocxfile\docobject
     Opens key:
     Opens key:
                                                                              HKCU\software\classes\systemfileassociations\.ocx\docobject
                                                                              HKCR\systemfileassociations\.ocx\docobject
      Opens key:
     Opens key:
                                                                              HKCU\software\classes\ocxfile\browseinplace
     Opens key:
     Opens kev:
                                                                              HKCR\ocxfile\browseinplace
     Opens key:
                                                                              HKCU\software\classes\systemfileassociations\.ocx\browseinplace
                                                                              HKCR\systemfileassociations\.ocx\browseinplace
      Opens key:
     Opens key:
                                                                              HKCR \verb|\appx9vdwcvrwnbettpahnt26jswq0n8hgyah \verb|\defaulticon|
     Opens key:
                                                                              HKLM\software\microsoft\windowsruntime\clsid\{c60f637a-07f3-411d-b577-
22e519f8b63b}
     Opens key:
                                                                              HKCR \land activatable classes \land \{c60f637a-07f3-411d-b577-22e519f8b63b\}
                                                                              HKCU\software\classes\wow6432node\clsid\{c60f637a-07f3-411d-b577-
      Opens key:
22e519f8b63b}
                                                                              HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-22e519f8b63b}
     Opens key:
                                                                              HKCU\software\classes\ocxfile\clsid
     Opens kev:
     Opens key:
                                                                              HKCR\ocxfile\clsid
      Opens key:
                                                                              HKCU\software\classes\systemfileassociations\.ocx\clsid
     Opens key:
                                                                              HKCR\systemfileassociations\.ocx\clsid
     Opens key:
                                                                              HKCU\software\classes\wow6432node\clsid\{c60f637a-07f3-411d-b577-
22e519f8b63b}\treatas
                                                                              Opens key:
      Opens key:
                                                                              HKCU \setminus software \setminus classes \setminus wow 6432 node \setminus clsid \setminus \{c60f637a-07f3-411d-b577-b6432 node \setminus clsid \setminus \{c60f637a-07f3-411d-b577-b6442 node \setminus clsid \setminus \{c60f637a-07f3-411d-b577-b6442 node \setminus clsid \setminus \{c60f637a-07f3-411d-b577-b6442 node \setminus clsid \setminus cl
22e519f8b63b}\inprocserver32
     Opens key:
                                                                             HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-
22e519f8b63b}\inprocserver32
                                                                             HKCU\software\classes\wow6432node\clsid\{c60f637a-07f3-411d-b577-
    Opens key:
22e519f8b63b}\inprochandler32
                                                                             HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-
     Opens key:
22e519f8b63b}\inprochandler32
                                                                            HKCU\software\classes\wow6432node\clsid\{c60f637a-07f3-411d-b577-
     Opens key
22e519f8b63b}\inprochandler
     Opens key:
                                                                             HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-
22e519f8b63b}\inprochandler
     Opens key:
                                                                             HKCU\software\classes\.dat
                                                                             HKCR\.dat
     Opens key:
                                                                              HKCU\software\classes\.dat\openwithprogids
     Opens key:
      Opens key:
                                                                              HKCR\.dat\openwithprogids
\label{thm:cu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdot \cdo
                                                                             HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dat
     Opens key:
                                                                              HKCU\software\classes\.dat\shellex\iconhandler
     Opens kev:
     Opens key:
                                                                              HKCR\.dat\shellex\iconhandler
                                                                              HKCU\software\classes\systemfileassociations\.dat
      Opens key:
     Opens key:
                                                                              HKCR\systemfileassociations\.dat
     Opens kev:
                                                                              HKCU\software\classes\.dat\docobject
                                                                              HKCR\.dat\docobject
     Opens key:
     Opens key:
                                                                              HKCU\software\classes\.dat\browseinplace
                                                                              HKCR\.dat\browseinplace
      Opens key:
     Opens key:
                                                                              HKCU\software\classes\.dat\clsid
     Opens key:
                                                                              HKCR\.dat\clsid
                                                                              HKCU\software\classes\.xsl
     Opens kev:
                                                                              HKCR\.xsl
     Opens key:
      Opens key:
                                                                              {\tt HKCU \setminus software \setminus classes \setminus .xsl \setminus open with progids}
      Opens key
                                                                              HKCR\.xsl\openwithprogids
     Opens key
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl\openwithprogids
     Opens key:
                                                                             HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl
      Opens key
                                                                              HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl\
     Opens key:
HKCU\software\classes\xslfile
     Opens key:
     Opens key:
                                                                              HKCR\xslfile
      Opens key:
                                                                              HKCU\software\classes\xslfile\curver
      Opens key:
                                                                              HKCR\xslfile\curver
     Opens key:
                                                                              HKCR\xslfile\
                                                                              HKCU\software\classes\xslfile\shellex\iconhandler
     Opens key:
     Opens key:
                                                                              HKCR\xslfile\shellex\iconhandler
      Opens key:
                                                                              HKCU\software\classes\systemfileassociations\.xsl
                                                                              HKCR\systemfileassociations\.xsl
      Opens key:
     Opens key:
                                                                              HKCU\software\classes\systemfileassociations\text
```

HKCR\systemfileassociations\text

```
Opens key:
                                                 \label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \classes \system file associations \text \shellex \shel
   Opens key:
                                                 HKCR\systemfileassociations\text\shellex\iconhandler
   Opens key:
                                                 HKCU\software\classes\xslfile\docobject
   Opens key:
                                                  HKCR\xslfile\docobject
                                                 HKCU\software\classes\systemfileassociations\text\docobject
   Opens key:
   Opens key:
                                                 {\tt HKCR} \verb|\systemfileassociations \verb|\text| docobject
   Opens key:
                                                 HKCU\software\classes\xslfile\browseinplace
                                                 HKCR\xslfile\browseinplace
   Opens kev:
                                                 HKCU\software\classes\systemfileassociations\text\browseinplace
   Opens key:
                                                 HKCR\systemfileassociations\text\browseinplace
   Opens key:
   Opens key:
                                                 HKCU\software\classes\xslfile\clsid
   Opens key:
                                                 HKCR\xslfile\clsid
                                                 HKCU\software\classes\wow6432node\clsid\{48123bc4-99d9-11d1-a6b3-
   Opens key
00c04fd91555}\implemented categories\{00021490-0000-0000-c000-000000000046}
                                                 HKCR\wow6432node\clsid\{48123bc4-99d9-11d1-a6b3-
HKCU\software\classes\.tsp
   Opens key:
   Opens key:
                                                 HKCR\.tsp
                                                 HKCU\software\classes\.tsp\openwithprogids
   Opens key:
   Opens key:
                                                 HKCR\.tsp\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsp\openwithprogids
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsp
   Opens key:
                                                 HKCU\software\classes\.tsp\shellex\iconhandler
   Opens key:
                                                 HKCR\.tsp\shellex\iconhandler
                                                 HKCU\software\classes\systemfileassociations\.tsp
   Opens key:
                                                 HKCR\systemfileassociations\.tsp
   Opens key:
                                                 HKCU\software\classes\.tsp\docobject
   Opens key:
   Opens key:
                                                  HKCR\.tsp\docobject
                                                 HKCU\software\classes\.tsp\browseinplace
   Opens key:
   Opens key:
                                                 HKCR\.tsp\browseinplace
   Opens key:
                                                 {\tt HKCU \ } software \ \\ classes \ \\ .tsp \ \\ clsid
   Opens kev:
                                                 HKCR\.tsp\clsid
   Opens key:
                                                  HKCU\software\classes\.iec
                                                 HKCR\.iec
   Opens key:
   Opens key:
                                                 HKCU\software\classes\.iec\openwithprogids
   Opens kev:
                                                 HKCR\.iec\openwithprogids
   Opens key:
\label{thm:linear} \mbox{\converted HKCU} \mbox{\converted version} \mbox{\converted exts.iec} \mbox{\converted open with propids} \mbox{\converted exts.iec} \mbox{\converted exts.i
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.iec
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.iec
   Opens key:
                                                 HKCR\systemfileassociations\.iec
   Opens key:
                                                 HKCU\software\classes\.rat
   Opens key:
                                                 HKCR\.rat
                                                 HKCU\software\classes\.rat\openwithprogids
   Opens key:
   Opens key:
                                                 HKCR\.rat\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rat\openwithprogids
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rat
   Opens key:
   Opens key:
                                                 HKCU\software\classes\ratfile
   Opens key:
                                                 HKCR\ratfile
                                                 HKCU\software\classes\ratfile\curver
   Opens key:
   Opens key:
                                                 HKCR\ratfile\curver
                                                 HKCR\ratfile\
   Opens key:
                                                 HKCU\software\classes\ratfile\shellex\iconhandler
   Opens kev:
                                                 HKCR\ratfile\shellex\iconhandler
   Opens key:
   Opens key:
                                                 {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .rat}
                                                 HKCR\systemfileassociations\.rat
   Opens key:
                                                 HKCU\software\classes\ratfile\docobject
   Opens key:
                                                 HKCR\ratfile\docobject
   Opens key:
   Opens key:
                                                 HKCU\software\classes\ratfile\browseinplace
                                                 HKCR\ratfile\browseinplace
   Opens key:
                                                 HKCU\software\classes\ratfile\clsid
   Opens key:
                                                 HKCR\ratfile\clsid
   Opens key:
   Opens key:
                                                  HKCU\software\classes\.inf
                                                 HKCR\.inf
   Opens key:
   Opens key:
                                                 {\tt HKCU \setminus software \setminus classes \setminus .inf \setminus open with progids}
   Opens key:
                                                 HKCR\.inf\openwithprogids
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.inf\openwithprogids
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.inf
   Opens key:
   Opens key:
                                                 HKCU\software\classes\inffile
                                                 HKCR\inffile
   Opens key:
                                                 HKCU\software\classes\inffile\curver
   Opens key:
                                                 HKCR\inffile\curver
   Opens key:
   Opens key:
                                                 HKCR\inffile\
   Opens key:
                                                 HKCU\software\classes\inffile\shellex\iconhandler
                                                 HKCR\inffile\shellex\iconhandler
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.inf
   Opens kev:
   Opens key:
                                                 HKCR\systemfileassociations\.inf
                                                 HKCU\software\classes\inffile\docobject
   Opens key:
   Opens key:
                                                 {\tt HKCR\ \ linffile\ \ \ } docobject
                                                 HKCU\software\classes\inffile\browseinplace
   Opens key:
                                                 HKCR\inffile\browseinplace
   Opens key:
   Opens key:
                                                 HKCU\software\classes\inffile\clsid
   Opens key:
                                                  HKCR\inffile\clsid
   Opens key:
                                                 HKCU\software\classes\.acm
   Opens key:
                                                 HKCR\.acm
                                                 HKCU\software\classes\.acm\openwithprogids
   Opens kev:
   Opens key:
                                                 HKCR\.acm\openwithprogids
   Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\..acm\open with progids} \\ \end{tabular}
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.acm
                                                 HKCU\software\classes\systemfileassociations\.acm
   Opens key:
   Opens key:
                                                 HKCR\systemfileassociations\.acm
   Opens key:
                                                  HKCU\software\classes\.lex
                                                 HKCR\.lex
   Opens key:
   Opens key:
                                                 {\tt HKCU \setminus software \setminus classes \setminus . lex \setminus open with progids}
   Opens key:
                                                 HKCR\.lex\openwithprogids
```

```
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lex\openwithprogids
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lex
   Opens key:
                                                 HKCU\software\classes\lexfile
   Opens key:
                                                 HKCR\lexfile
   Opens key:
                                                 HKCU\software\classes\lexfile\curver
                                                 HKCR\lexfile\curver
   Opens key:
                                                 HKCR\lexfile\
   Opens kev:
   Opens key:
                                                  HKCU\software\classes\lexfile\shellex\iconhandler
                                                 HKCR\lexfile\shellex\iconhandler
   Opens key:
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.lex
                                                 HKCR\systemfileassociations\.lex
   Opens kev:
   Opens key:
                                                 HKCU\software\classes\lexfile\docobject
                                                  HKCR\lexfile\docobject
   Opens key:
   Opens key:
                                                 HKCU\software\classes\lexfile\browseinplace
   Opens key:
                                                 HKCR\lexfile\browseinplace
                                                 HKCU\software\classes\lexfile\clsid
   Opens kev:
                                                 HKCR\lexfile\clsid
   Opens key:
   Opens key:
                                                  HKCU\software\classes\.tbl
   Opens key:
                                                 HKCR\.tbl
   Opens key:
                                                 {\tt HKCU \setminus software \setminus classes \setminus .tbl \setminus open with progids}
                                                 HKCR\.tbl\openwithprogids
   Opens key:
   Opens kev:
\label{tware} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{the local transformation} and the local transformation \cite{the local transformation} and \
                                                 \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.tbl}
   Opens key:
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.tbl
                                                 HKCR\systemfileassociations\.tbl
   Opens key:
                                                 HKCU\software\classes\.rtf
   Opens key:
   Opens key:
                                                  HKCR\.rtf
                                                 {\tt HKCU \setminus software \setminus classes \setminus .rtf \setminus open with progids}
   Opens key
   Opens key:
                                                 {\tt HKCR} \verb|\|.rtf \verb|\| open with progids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\openwithprogids
   Opens key:
                                                 HKCU\software\classes\rtffile
                                                 HKCR\rtffile
   Opens key:
   Opens key:
                                                 \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\.rtf}}
   Opens kev:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\userchoice
                                                 HKCU\software\classes\wordview.rtf.8
   Opens key:
   Opens key:
                                                 HKCR\wordview.rtf.8
   Opens key:
                                                 HKCU\software\classes\wordview.rtf.8\curver
                                                 HKCR\wordview.rtf.8\curver
   Opens kev:
   Opens key:
                                                  HKCR\wordview.rtf.8\
                                                  HKCU\software\classes\wordview.rtf.8\shellex\iconhandler
   Opens key:
   Opens key:
                                                 HKCR\wordview.rtf.8\shellex\iconhandler
   Opens key:
                                                 {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .rtf}
   Opens key:
                                                 HKCR\systemfileassociations\.rtf
                                                  HKCU\software\classes\systemfileassociations\.rtf\shellex\iconhandler
   Opens key:
                                                 HKCR\systemfileassociations\.rtf\shellex\iconhandler
   Opens key:
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\document
   Opens key:
                                                 HKCR\systemfileassociations\document
                                                 HKCU\software\classes\wordview.rtf.8\docobiect
   Opens kev:
                                                 HKCR\wordview.rtf.8\docobject
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.rtf\docobject
   Opens kev:
   Opens key:
                                                 HKCR\systemfileassociations\.rtf\docobject
                                                 \label{thm:local_equation} \begin{tabular}{ll} HKCU \software \classes \system file associations \document \docobject \end{tabular} \label{thm:local_equation}
   Opens key:
                                                 HKCR\svstemfileassociations\document\docobject
   Opens key:
                                                 HKCU\software\classes\wordview.rtf.8\browseinplace
   Opens key:
   Opens key:
                                                 HKCR\wordview.rtf.8\browseinplace
   Opens key:
                                                 HKCU\software\classes\systemfileassociations\.rtf\browseinplace
   Opens key:
                                                 {\tt HKCR \ } system file associations \ `.rtf \ browse in place
                                                 HKCU\software\classes\systemfileassociations\document\browseinplace
   Opens key:
                                                 HKCR\systemfileassociations\document\browseinplace
   Opens key:
                                                 HKCU\software\classes\wordview.rtf.8\clsid
   Opens key:
                                                 HKCR\wordview.rtf.8\clsid
   Opens key:
   Opens key:
                                                 \label{lem:hkcu} \verb+KKCU\+ software\+ classes\+ system file associations\+ .rtf\+ clsid
                                                 HKCR\systemfileassociations\.rtf\clsid
   Opens key:
                                                 HKCU\software\classes\.xml
   Opens kev:
   Opens key:
                                                 HKCR\.xml
                                                 HKCU\software\classes\.xml\openwithprogids
   Opens key:
   Opens key:
                                                 HKCR\.xml\openwithprogids
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\openwithprogids
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml
                                                 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\
   Opens key
   Opens key:
\label{thm:linear} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\userchoice} \\
                                                 HKCU\software\classes\xmlfile
   Opens kev:
   Opens key:
                                                 HKCR\xmlfile
                                                 HKCU\software\classes\xmlfile\curver
   Opens key:
   Opens key:
                                                 HKCR\xmlfile\curver
   Opens key:
                                                 HKCR\xmlfile\
                                                 HKCU\software\classes\xmlfile\shellex\iconhandler
   Opens key:
   Opens key:
                                                 HKCR\xmlfile\shellex\iconhandler
                                                 HKCU\software\classes\systemfileassociations\.xml
   Opens key:
   Opens key:
                                                 HKCR\systemfileassociations\.xml
                                                 \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \system file associations \c. xml \shellex \c. xml \c. xml \shellex \c. xml \sh
   Opens key:
                                                 HKCR\svstemfileassociations\.xml\shellex\iconhandler
   Opens kev:
   Opens key:
                                                 HKCU\software\classes\xmlfile\docobject
   Opens kev:
                                                 HKCR\xmlfile\docobject
   Opens key:
                                                  HKCU\software\classes\systemfileassociations\.xml\docobject
   Opens key:
                                                 {\tt HKCR} \verb|\systemfileassociations|.xml| docobject
                                                  HKCU\software\classes\xmlfile\browseinplace
   Opens key:
   Opens key:
                                                 HKCR\xmlfile\browseinplace
   Opens key:
                                                  {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .xml \setminus browse in place}
                                                 {\tt HKCR} \verb|\systemfileassociations|.xml\browseinplace|
   Opens key:
   Opens key:
                                                 HKCU\software\classes\xmlfile\clsid
```

HKCR\xmlfile\clsid

```
Opens key:
                                       HKCU\software\classes\.drv
  Opens key:
                                       HKCR\.drv
   Opens key:
                                       HKCU\software\classes\.drv\openwithprogids
                                       HKCR\.drv\openwithprogids
   Opens key:
   Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \fileexts \cdots divopen with progids \end{tabular}
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.drv
                                       HKCU\software\classes\drvfile
  Opens kev:
  Opens key:
                                       HKCR\drvfile
   Opens key:
                                       HKCU\software\classes\drvfile\curver
  Opens key:
                                       HKCR\drvfile\curver
  Opens kev:
                                       HKCR\dryfile\
                                       HKCU\software\classes\drvfile\shellex\iconhandler
  Opens key:
                                       HKCR\drvfile\shellex\iconhandler
   Opens key:
   Opens key:
                                       HKCU\software\classes\systemfileassociations\.drv
  Opens key:
                                       {\tt HKCR \ } system file associations \ \verb|`.drv| \\
                                       HKCU\software\classes\drvfile\docobject
  Opens key:
                                       HKCR\drvfile\docobject
  Opens key:
   Opens key:
                                       HKCU\software\classes\drvfile\browseinplace
                                       HKCR\drvfile\browseinplace
   Opens key:
  Opens key:
HKLM\software\wow6432node\policies\microsoft\windows\currentversion\internet settings
  Opens key:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet settings
                                       HKLM\software\wow6432node\microsoft\windows\currentversion\internet
  Opens key:
settings
   Opens key:
                                       HKCU\software\classes\drvfile\clsid
  Opens key:
                                       HKCR\drvfile\clsid
  Opens key:
                                       HKLM\software\wow6432node\policies\microsoft\internet
explorer\main\featurecontrol
  Opens key:
                                       HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
   Opens key:
                                       HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                       HKLM\software\wow6432node\microsoft\internet
explorer\main\featurecontrol
                                      HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
  Opens key:
                                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
  Opens key:
                                       HKLM\software\wow6432node\microsoft\internet
\verb|explorer| feature control feature allow_reverse\_solidus\_in\_userinfo\_kb932562| \\
                                       HKCU\software\classes\.ime
  Opens kev:
                                       HKCU\software\classes\dllfile\defaulticon
   Opens key:
                                       HKCR\dllfile\defaulticon
   Opens key:
                                       HKCR\.ime
  Opens key:
  Opens key:
                                       {\tt HKCU \setminus software \setminus classes \setminus .ime \setminus open with progids}
                                       HKCR\.ime\openwithprogids
  Opens key:
  Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$\mathbb{N}$} indows \current version \explorer \fileexts \cdots in elopen with progids \cdots \cdot
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ime
   Opens key:
                                       HKCU\software\classes\systemfileassociations\.ime
                                       HKCR\svstemfileassociations\.ime
  Opens key:
                                       HKCU\software\classes\local
  Opens key:
settings\software\microsoft\windows\currentversion\appmodel\repository\packages\microsoft.windowsphotos_16.4.4204.712_x64__8wekyb3d8bbwe
                                       HKCU\software\classes\.chs
   Opens key:
  Opens key:
                                       HKCR\.chs
                                       HKCU\software\classes\.chs\openwithprogids
  Opens key:
                                       HKCR\.chs\openwithprogids
  Opens key:
  Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \c. chs \copen with progids \end{tabular}
  Opens key:
                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\..chs}}
                                       HKCU\software\classes\systemfileassociations\.chs
  Opens key:
  Opens key:
                                       HKCR\systemfileassociations\.chs
   Opens key:
                                       HKCU\software\classes\.cht
                                       HKCR\.cht
   Opens key:
  Opens key:
                                       {\tt HKCU \ } classes \verb|\..cht \verb|\..openwithprogids| \\
  Opens key:
                                       HKCR\.cht\openwithprogids
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cht\openwithprogids
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cht
  Opens key:
   Opens key:
                                       {\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .cht}
  Opens key:
                                       HKCR\svstemfileassociations\.cht
                                       HKCU\software\classes\.jpn
  Opens key:
                                       HKCR∖.jpn
  Opens key:
   Opens key:
                                       {\tt HKCU \setminus software \setminus classes \setminus .jpn \setminus open with progids}
  Opens key:
                                       HKCR\.jpn\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpn\openwithprogids
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpn
   Opens key:
                                       HKCU\software\classes\systemfileassociations\.jpn
   Opens key:
                                       HKCR\systemfileassociations\.jpn
  Opens key:
                                       HKCU\software\classes\.tha
  Opens key:
                                       HKCR\.tha
  Opens key:
                                       HKCU\software\classes\.tha\openwithprogids
   Opens key:
                                       HKCR\.tha\openwithprogids
  Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$\mathbb{N}$} indows \current version \explorer \fileexts.} that open with progids \end{tabular}
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tha
  Opens kev:
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.tha
   Opens key:
                                       HKCR\systemfileassociations\.tha
   Opens key:
                                       HKCU\software\classes\.rsp
                                       HKCR\.rsp
  Opens key:
                                       {\tt HKCU \backslash software \backslash classes \backslash .rsp \backslash open with progids}
  Opens key:
  Opens key:
                                       HKCR\.rsp\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rsp\openwithprogids
   Opens key:
                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.rsp}
```

HKCU\software\classes\.rsp\shellex\iconhandler

```
Opens key:
                                                                                                                       HKCR\.rsp\shellex\iconhandler
                                                                                                                       HKCU\software\classes\systemfileassociations\.rsp
        Opens key:
        Opens key:
                                                                                                                       HKCR\systemfileassociations\.rsp
         Opens key:
                                                                                                                        HKCU\software\classes\.rsp\docobject
                                                                                                                       HKCR\.rsp\docobject
         Opens key:
        Opens key:
                                                                                                                       HKCU\software\classes\.rsp\browseinplace
                                                                                                                      HKCR\.rsp\browseinplace
HKCU\software\classes\.rsp\clsid
        Opens key:
        Opens kev:
        Opens key:
                                                                                                                       HKCR\.rsp\clsid
                                                                                                                       HKCU\software\classes\.sep
         Opens key:
        Opens key:
                                                                                                                       HKCR\.sep
                                                                                                                       {\tt HKCU \backslash software \backslash classes \backslash .sep \backslash open with progids}
        Opens kev:
        Opens key:
                                                                                                                       HKCR\.sep\openwithprogids
         Opens key:
\label{thm:cu} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$microsoft$} \windows \current version \explorer \fileexts.} \end{tabular} $$ \end{tabular} $$
        Opens key:
                                                                                                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+fileexts \verb+.sep+ \\
                                                                                                                       HKCU\software\classes\systemfileassociations\.sep
        Opens key:
        Opens key:
                                                                                                                       HKCR\systemfileassociations\.sep
         Opens key:
                                                                                                                       HKCU\software\classes\.ico
         Opens key:
                                                                                                                       HKCR\.ico
        Opens key:
                                                                                                                       {\tt HKCU \setminus software \setminus classes \setminus . ico \setminus open with progids}
                                                                                                                       {\tt HKCR} \verb|\|.ico| open with progids
        Opens key:
        Opens kev:
 \label{tware} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{the constraint}. ico \correct \cite{the constraint} is the constraint \cite{the constraint}
        Opens key:
                                                                                                                       \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ fileexts\+ .ico
        Opens key:
                                                                                                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+fileexts \verb+..ico \verb++ lem: the lem of the le
        Opens key:
 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico\userchoice
        Opens key:
                                                                                                                       HKCU\software\classes\icofile
                                                                                                                       HKCR\icofile
         Opens key:
        Opens key:
                                                                                                                       HKCU\software\classes\icofile\curver
        Opens key:
                                                                                                                       HKCR\icofile\curver
        Opens kev:
                                                                                                                       HKCR\icofile\
        Opens key:
                                                                                                                       HKCU\software\classes\icofile\shellex\iconhandler
                                                                                                                       HKCR\icofile\shellex\iconhandler
         Opens key:
        Opens key:
                                                                                                                       HKCU\software\classes\systemfileassociations\.ico
                                                                                                                       HKCR\svstemfileassociations\.ico
        Opens kev:
                                                                                                                       HKCU\software\classes\systemfileassociations\.ico\shellex\iconhandler
        Opens key:
                                                                                                                       HKCR\systemfileassociations\.ico\shellex\iconhandler
        Opens key:
                                                                                                                       HKCU\software\classes\icofile\docobject
         Opens key:
        Opens key:
                                                                                                                       HKCR\icofile\docobject
        Opens key:
                                                                                                                       \label{local-condition} \mbox{HKCU\software\classes\systemfileassociations\label{local-condition}.ico\docobject \end{to} \mbox{$\codocobject} \mbox{$\codo
                                                                                                                       HKCR\systemfileassociations\.ico\docobject
        Opens kev:
                                                                                                                       HKCU\software\classes\icofile\browseinplace
        Opens key:
                                                                                                                       HKCR\icofile\browseinplace
         Opens key:
        Opens key:
                                                                                                                       {\tt HKCU \ } software \verb|\ classes \ | system file associations \verb|\ . ico \verb|\ browsein place | large and l
                                                                                                                      \label{thm:hammon} \begin{tabular}{ll} HKCR \system file associations \verb|\|.ico| browsein place \\ HKCU \software \verb|\| classes \verb|\| ico file \verb|\| clsid \\ \end{tabular}
        Opens key:
        Opens key:
                                                                                                                       HKCR\icofile\clsid
        Opens key:
         Opens key:
                                                                                                                       \label{thm:linear} \begin{tabular}{ll} HKCU \software \classes \system file associations \classed \end{tabular}. ico \classed \
        Opens key:
                                                                                                                       HKCR\systemfileassociations\.ico\clsid
        Opens key:
                                                                                                                       HKCU\software\classes\.h
                                                                                                                       HKCR\.h
        Opens key:
                                                                                                                       HKCU\software\classes\.h\openwithprogids
        Opens key:
         Opens key:
                                                                                                                       HKCR\.h\openwithprogids
         Opens key:
\label{lem:hccu} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\fileexts\haloenwith progids} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\fileexts\haloenwith progids} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\fileexts\haloen\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\exp
                                                                                                                      HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.h
        Opens key:
        Opens key:
                                                                                                                       HKCU\software\classes\.h\shellex\iconhandler
        Opens key:
                                                                                                                       HKCR\.h\shellex\iconhandler
        Opens key:
                                                                                                                       HKCU\software\classes\systemfileassociations\.h
        Opens key:
                                                                                                                       {\tt HKCR} \verb|\systemfileassociations|.h
                                                                                                                       HKCU\software\classes\.h\docobject
        Opens key:
                                                                                                                       HKCR\.h\docobject
        Opens key:
                                                                                                                        HKCU\software\classes\.h\browseinplace
        Opens key:
                                                                                                                       HKCR\.h\browseinplace
        Opens key:
        Opens key:
                                                                                                                       HKCU\software\classes\.h\clsid
                                                                                                                       HKCR\.h\clsid
        Opens key:
                                                                                                                       HKCU\software\classes\systemfileassociations\text\clsid
        Opens kev:
        Opens key:
                                                                                                                        HKCR\systemfileassociations\text\clsid
                                                                                                                       HKCU\software\classes\.mof
         Opens key:
         Opens key:
                                                                                                                       HKCR\.mof
                                                                                                                       HKCU\software\classes\.mof\openwithprogids
        Opens kev:
                                                                                                                       HKCR\.mof\openwithprogids
        Opens key:
        Opens key:
 \label{tware} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdots mof \cdots extended for the latest theorem \cdots and \cdots extended for the latest \cdots extended 
        Opens key:
                                                                                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mof
        Opens key:
                                                                                                                       {\tt HKCU \backslash software \backslash classes \backslash system file associations \backslash.mof}
                                                                                                                       HKCR\svstemfileassociations\.mof
        Opens kev:
        Opens key:
                                                                                                                       HKCU\software\classes\.vbs
         Opens key:
                                                                                                                       HKCR\.vbs
         Opens key:
                                                                                                                       {\tt HKCU \setminus software \setminus classes \setminus .vbs \setminus open with progids}
        Opens key:
                                                                                                                      HKCR\.vbs\openwithprogids
        Opens key:
 HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.vbs\openwithprogids
                                                                                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.vbs
         Opens key:
         Opens key:
                                                                                                                       HKCU\software\classes\vbsfile
        Opens key:
                                                                                                                       HKCR\vbsfile
                                                                                                                       HKCU\software\classes\vbsfile\curver
        Opens key:
        Opens key:
                                                                                                                       HKCR\vbsfile\curver
         Opens kev:
                                                                                                                        HKCR\vbsfile\
         Opens key:
                                                                                                                        HKCU\software\classes\vbsfile\shellex\iconhandler
        Opens key:
                                                                                                                       HKCR\vbsfile\shellex\iconhandler
                                                                                                                        HKCU\software\classes\systemfileassociations\.vbs
        Opens key:
        Opens key:
                                                                                                                       HKCR\systemfileassociations\.vbs
         Opens key:
                                                                                                                        HKCU\software\classes\vbsfile\docobject
                                                                                                                       HKCR\vbsfile\docobject
         Opens key:
                                                                                                                       HKCU\software\classes\vbsfile\browseinplace
        Opens key:
                                                                                                                       HKCR\vbsfile\browseinplace
        Opens key:
```

```
Opens key:
                                                                                        HKCU\software\classes\vbsfile\clsid
      Opens key:
                                                                                        HKCR\vbsfile\clsid
      Opens key:
                                                                                        HKCU\software\classes\.cmd
      Opens key:
                                                                                        HKCR\.cmd
      Opens key:
                                                                                        HKCU\software\classes\.cmd\openwithprogids
      Opens key:
                                                                                       HKCR\.cmd\openwithprogids
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cmd\openwithprogids
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cmd
      Opens key:
                                                                                        HKCU\software\classes\cmdfile
      Opens key:
      Opens key:
                                                                                        {\tt HKCR} \backslash {\tt cmdfile}
      Opens key:
                                                                                        HKCU\software\classes\cmdfile\curver
                                                                                        HKCR\cmdfile\curver
      Opens key:
      Opens key:
                                                                                        HKCR\cmdfile\
      Opens key:
                                                                                        HKCU\software\classes\cmdfile\shellex\iconhandler
      Opens key
                                                                                        HKCR\cmdfile\shellex\iconhandler
                                                                                        HKCU\software\classes\systemfileassociations\.cmd
      Opens key:
                                                                                        HKCR\systemfileassociations\.cmd
      Opens key:
      Opens key:
                                                                                        HKCU\software\classes\cmdfile\docobject
                                                                                        HKCR\cmdfile\docobject
      Opens key:
      Opens key:
                                                                                        HKCU\software\classes\cmdfile\browseinplace
      Opens key:
                                                                                        HKCR\cmdfile\browseinplace
      Opens kev:
                                                                                        HKCU\software\classes\cmdfile\clsid
      Opens key:
                                                                                        HKCR\cmdfile\clsid
                                                                                        HKCU\software\classes\.dtd
      Opens key:
      Opens key:
                                                                                        HKCR\.dtd
      Opens key:
                                                                                        HKCU\software\classes\.dtd\openwithprogids
      Opens key:
                                                                                        HKCR\.dtd\openwithprogids
      Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \fileexts \cite{thm:linear}. It is a proper \cite{thm:linear}. It is a pr
      Opens key:
                                                                                       \label{thm:linear} \mbox{HKCU\software\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{}\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbo
      Opens key:
                                                                                        HKCU\software\classes\systemfileassociations\.dtd
                                                                                        HKCR\svstemfileassociations\.dtd
      Opens kev:
      Opens key:
                                                                                        HKCU\control panel\international\user profile
                                                                                        Opens key
a2efd1bc6178}
      Opens kev:
                                                                                        HKCR\activatableclasses\clsid\{66e4e4fb-f385-4dd0-8d74-a2efd1bc6178}
                                                                                        HKCU\software\classes\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
      Opens key
a2efd1bc6178}
                                                                                        HKCR \\ wow 6432 \\ node \\ clsid \\ \{66e4e4fb-f385-4dd0-8d74-a2efd1bc6178\} \\
      Opens key:
      Opens key:
                                                                                        HKCU\software\classes\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
a2efd1bc6178}\treatas
                                                                                        HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-a2efd1bc6178}\treatas
      Opens kev:
                                                                                        HKCU\software\classes\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
      Opens key
a2efd1bc6178}\inprocserver32
                                                                                       HKCR
                                                                                                              ow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
a2efd1bc6178}\inprocserver32
                                                                                       HKCU\software\classes\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
      Opens key
a2efd1bc6178}\inprochandler32
      Opens key:
                                                                                       HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
a2efd1bc6178}\inprochandler32
      Opens key
                                                                                       HKCU\software\classes\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
a2efd1bc6178}\inprochandler
                                                                                       HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
     Opens key
a2efd1bc6178}\inprochandler
                                                                                        HKLM\hardware\devicemap\video
      Opens key
      Opens key:
                                                                                       HKLM \ system \ current control \ video \ \{bf735b18-1b5a-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b64c-4e14-b6
f2223c917d28}\0000
      Opens key:
HKLM\software\microsoft\windowsruntime\clsid\{9ac9fbe1-e0a2-4ad6-b4e6
e212013ea917}
                                                                                        HKCR\activatableclasses\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-e212013ea917}
      Opens key:
      Opens key:
                                                                                        HKCU\software\classes\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
e212013ea917}
                                                                                        HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-e212013ea917}
      Opens key:
      Opens key:
                                                                                        e212013ea917}\treatas
                                                                                        HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-e212013ea917}\treatas
      Opens kev:
      Opens key:
                                                                                        HKCU\software\classes\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
e212013ea917}\inprocserver32
                                                                                       HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
      Opens key
e212013ea917}\inprocserver32
                                                                                       \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU\software\classes\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4ee-4ad6-b4
     Opens key
e212013ea917}\inprochandler32
      Opens key
                                                                                       HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee
e212013ea917}\inprochandler32
      Opens key
                                                                                      HKCU\software\classes\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
e212013ea917}\inprochandler
                                                                                       HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
     Opens key
e212013ea917}\inprochandler
      Queries value:
                                                                                        HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
      Oueries value:
                                                                                       HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
      Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
      Queries value:
                                                                                       HKLM\system\currentcontrolset\control\nls\customlocale[empty]
      Oueries value:
HKLM \verb|\system| current control \verb|\system| current control \verb|\system| control \verb|\system| current control current current control current control current current control current current current control current curr
      Oueries value:
                                                                                       HKLM\system\currentcontrolset\control\mui\uilanguages\en-us[type]
                                                                                       HKLM\system\currentcontrolset\control\mui\uilanguages\en-
      Queries value:
us[alternatecodepage]
      Queries value:
                                                                                        {\tt HKCU \backslash control\ panel \backslash desktop[preferreduil anguages]}
      Oueries value:
                                                                                       \label{local-control} \mbox{\sc HKCU\control panel\desktop\muicached[machinepreferreduilanguages]} \label{local-control}
      Oueries value:
\label{local-prop} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$ idebyside[preferexternal manifest] $$ id
      Queries value:
                                                                                        HKLM\system\currentcontrolset\control\nls\sorting\versions[]
                                                                                       HKCU\software\microsoft\windows
      Queries value:
nt\currentversion\appcompatflags[showdebuginfo]
```

HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Oueries value:

```
Queries value:
                                             \label{lem:hklmsoftware} \verb+microsoft\+windows nt\-current version\+ image file execution
options\dllnxoptions[usefilter]
                                            HKLM\software\microsoft\windows nt\currentversion\image file execution
   Queries value:
options\dllnxoptions[1e582d1e5a53441b694d7073a8bbc09c.exe]
                                             HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
   Queries value:
   Queries value:
                                            HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
   Queries value:
                                             HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
                                             HKLM\software\wow6432node\microsoft\windows
   Queries value:
nt\currentversion\compatibility32[1e582d1e5a53441b694d7073a8bbc09c]
                                            HKLM\software\wow6432node\microsoft\windows
   Queries value:
nt\currentversion\windows[loadappinit_dlls]
                                             HKLM\software\microsoft\ole[pageallocatorusesystemheap]
   Queries value:
                                             HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
   Queries value:
   Queries value:
                                             HKLM\software\microsoft\ole[aggressivemtatesting]
   Queries value:
                                             HKLM\software\microsoft\sqmclient\windows[ceipenable]
                                             HKLM\svstem\currentcontrolset\control\nls\customlocale[en-us]
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
   Queries value:
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\locale[00000409]
                                             HKLM\system\currentcontrolset\control\nls\language groups[1]
   Queries value:
   Oueries value:
                                             Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\sorting\ids[en-us]
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\sorting\ids[en]
   Queries value:
                                             HKLM\software\wow6432node\microsoft\ctf[enableanchorcontext]
   Queries value:
                                             HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe
ui]
   Oueries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
                                             HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
   Queries value:
                                            HKLM\software\microsoft\window
nt\currentversion\languagepack\surrogatefallback[plane1]
                                            HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
   Queries value:
                                             HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
   Oueries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
   Queries value:
                                            HKLM\software\microsoft\windows
\verb|nt\currentversion\language| pack\surrogatefallback[plane6]|
                                            HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
   Queries value:
                                             HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
                                            HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\current version\language pack\surrogatefall back[plane 11]
                                            HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
   Oueries value:
                                             HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                                            HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
   Queries value:
                                             HKLM\software\microsoft\windows
nt\current version\language pack\surrogatefall back[plane16]
   Oueries value:
                                             HKLM\software\microsoft\com3[com+enabled]
                                             HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}[]
   Queries value:
   Oueries value:
                                             HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5
d9ad0accba5e}\inprocserver32[inprocserver32]
   Queries value:
                                            d9ad0accba5e}\inprocserver32[]
                                            HKCR\wow6432node\clsid\{725f645b-eaed-4fc5-b1c5-
   Oueries value:
d9ad0accba5e}\inprocserver32[threadingmodel]
   Queries value:
                                             HKLM\software\microsoft\ole[maxsxshashcount]
   Queries value:
                                             \label{local-observation} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer[shellstate]}}
   Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nowebview]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[classicshell]
   Queries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus explorer [dontshow superhidden]
   Oueries value:
\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} $$ HKLM \end{tabular} $$ is software 
   Queries value:
HKLM \verb|\software\microsoft\windows\currentversion\policies\explorer[nonetcrawling]|
   Oueries value:
                                            HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
\label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced[hidefileext]}}
   Queries value
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
   Queries value
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$m$icrosoft$} \windows \current version \explorer \advanced [hideicons] \end{tabular}
   Oueries value:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:linear} advanced \cite{thm:linear
   Queries value:
Queries value:
                                            HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
```

```
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [show superhidden]
    Oueries value
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
    Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
    Oueries value
\label{thm:constraint} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \advanced [iconsonly] \end{tabular}
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [show type overlay]
    Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showstatusbar]
    Queries value:
                                                                     HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
shell dlg]
    Queries value:
                                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}[]
                                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
    Oueries value:
7161c2f3ee9c}\inprocserver32[inprocserver32]
    Oueries value:
                                                                     HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\inprocserv
                                                                   er32[]
    Queries value:
                                                                    HKCR\wow6432node\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\inprocserver32[threadingmodel]
    Oueries value:
\label{thm:cursoft} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \comdlg 32 \cidsizem ru[mrulistex] \end{tabular}
                                                                     HKLM\software\wow6432node\microsoft\windows\windows error
    Queries value:
reporting\wmr[disable]
    Oueries value:
                                                                     HKLM\software\wow6432node\microsoft\windows\tablet pc[istabletpc]
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete [autocomplete in file dialog]
    Queries value:
HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} While \label{lem:hklm} While \label{lem:hklm} While \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} While \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} While \label{lem:hklm} \label{lem:hklm} While \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} While \label{lem:hklm} \label{lem:hklm} While \label{lem:hklm} While \label{lem:hklm} While \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} While \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} While \label{lem:hkklm} \label{lem:hk
file dialog1
                                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}[]
    Oueries value:
    Queries value:
                                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserv
                                                                  /er32[inprocserver32]
    Queries value:
                                                                     HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-824a-14d0-8
00aa005b4383}\inprocserver32[1
                                                                    HKCR\wow6432node\clsid\{03c036f1-a186-11d0-824a-
    Queries value:
00aa005b4383}\inprocserver32[threadingmodel]
                                                                     HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}[]
     Queries value:
    Queries value:
                                                                     HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[inprocserver32]
                                                                    HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
    Oueries value:
00c04fd7d062}\inprocserver32[]
                                                                     HKCR\wow6432node\clsid\{00bb2763-6a77-11d0-a535-
    Queries value:
00c04fd7d062}\inprocserver32[threadingmodel]
    Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\autocomplete\client[]
                                                                     HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}[]
    Queries value:
     Queries value:
                                                                     HKCR \setminus wow 6432 \\ node \\ \clsid \\ \cl
b61bb7cdd997}\inprocserver32[inprocserver32]
    Queries value:
                                                                     HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32[]
                                                                     HKCR\wow6432node\clsid\{807c1e6c-1d00-453f-b920-
    Queries value:
b61bb7cdd997}\inprocserver32[threadingmodel]
                                                                     HKLM\software\microsoft\rpc\extensions[ndroleextdll]
    Queries value:
     Oueries value:
                                                                     HKLM\software\microsoft\rpc[maxrpcsize]
    Oueries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
    Queries value:
                                                                     HKLM\system\setup[oobeinprogress]
     Queries value:
                                                                     HKLM\system\setup[systemsetupinprogress]
     Queries value:
                                                                     HKLM\software\microsoft\rpc[idletimerwindow]
    Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[append completion]
    Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
    Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
    Oueries value:
\label{thm:cutoff} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \autocomplete \cite{Autocomplete} always use tab. \end{tabular}
    Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ \ autocomplete \ [always use tab]
    Oueries value:
                                                                     HKCU\control panel\desktop[smoothscroll]
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \advanced [list viewal phase lect]} \end{tabular}
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow]
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[acclistviewv6]
    Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]
    Queries value:
                                                                     HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\inprocserver32[]
HKLM \verb|\software| microsoft \verb|\windows| current version \verb|\policies| explorer [no properties my computer] | the first term of the first 
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nopropertiesrecyclebin]
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nocontrolpanel]
    Queries value
HKLM \verb|\software\microsoft\windows\currentversion\policies\explorer[nosetfolders]|
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nointerneticon]
    Queries value:
HKLM \verb|\software\microsoft\windows\currentversion\policies\explorer[nocommongroups]|
    Queries value
                                                                     HKCR\wow6432node\clsid\{22877a6d-37a1-461a-91b0-
dbda5aaebc99}[sortorderindex]
```

Queries value:

db2c-424c-b029-7fe99a87c641}[category]

Oueries value:

 $HKLM \label{lem:hkk} Which is a few and the latest and the lates$ db2c-424c-b029-7fe99a87c641}[name]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3adb2c-424c-b029-7fe99a87c641}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ db2c-424c-b029-7fe99a87c641}[description]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ db2c-424c-b029-7fe99a87c641}[relativepath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b4bfcc3a-baseline \} \\ for the first of the fi$ db2c-424c-b029-7fe99a87c641}[parsingname]

Oueries value:

db2c-424c-b029-7fe99a87c641}[infotip]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{b4bfcc3adb2c-424c-b029-7fe99a87c641}[localizedname]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ db2c-424c-b029-7fe99a87c641}[icon]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \lab$ db2c-424c-b029-7fe99a87c641}[security]

Queries value:

 $HKLM \label{limits} NkLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{$ db2c-424c-b029-7fe99a87c641}[streamresource]

Queries value:

db2c-424c-b029-7fe99a87c641}[streamresourcetype]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b4bfcc3a-bc1, b4bfcc3a-bc2, b4bfcc3a-bc2$ db2c-424c-b029-7fe99a87c641}[localredirectonly]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ db2c-424c-b029-7fe99a87c641}[roamable]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b4bfcc3a-bc1, b4bfcc3a-bc2, b4bfcc3a-bc2$ db2c-424c-b029-7fe99a87c641}[precreate]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b4bfcc3a-baseline \} \\ for the first of the fi$ db2c-424c-b029-7fe99a87c641}[stream]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ db2c-424c-b029-7fe99a87c641}[publishexpandedpath]

Queries value:

db2c-424c-b029-7fe99a87c641}[attributes]

Oueries value:

 $HKLM \label{limits} NkLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{$ db2c-424c-b029-7fe99a87c641}[foldertypeid]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ fo$ db2c-424c-b029-7fe99a87c641}[initfolderhandler]

Queries value: folders[desktop] Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a302545d-baseling \} \\ for the first of the fi$ deff-464b-abe8-61c8648d939b}[category]

 $HKLM \label{lem:hklm} Which is a software \verb|\www.6432| node \verb|\ww.6432| node \verb|\www.6432| node \verb|\ww.6432| n$ 

deff-464b-abe8-61c8648d939b}[name] Oueries value:

 $HKLM \label{limits} NkLM \label{limits} HKLM \label{limits} Which \lab$ deff-464b-abe8-61c8648d939b}[parentfolder]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a302545d-baseling \} \\ (a302545d-baseling ) \\ (a30254d-baseling ) \\ (a30254d-baseling$ deff-464b-abe8-61c8648d939b}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-10084, and a basic boundary and a basic boundary between the software \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ microsoft \ microsoft \ windows \ microsoft \ m$ deff-464b-abe8-61c8648d939b}[relativepath]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545ddeff-464b-abe8-61c8648d939b}[parsingname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ far 302545 descriptions \ for the sum of the$ deff-464b-abe8-61c8648d939b}[infotip]

Queries value:

deff-464b-abe8-61c8648d939b}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ far 302545 descriptions \ for the sum of the$ deff-464b-abe8-61c8648d939b}[icon]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ deff-464b-abe8-61c8648d939b}[security]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a302545d-baseling \} \\ for the first of the fi$ deff-464b-abe8-61c8648d939b}[streamresource]

deff-464b-abe8-61c8648d939b}[streamresourcetype]

Oueries value:

```
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-10084, and a basic boundary and a basic boundary between the software \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ current \ wow 6432 node \ microsoft \ windows \ microsoft \ microsoft \ windows \ microsoft \ m
deff-464b-abe8-61c8648d939b}[localredirectonly]
             Queries value:
deff-464b-abe8-61c8648d939b}[roamable]
             Oueries value:
deff-464b-abe8-61c8648d939b}[precreate]
             Queries value:
deff-464b-abe8-61c8648d939b}[stream]
             Oueries value:
HKLM \label{eq:hkkk} In the latest and the latest
 deff-464b-abe8-61c8648d939b}[publishexpandedpath]
             Queries value:
deff-464b-abe8-61c8648d939b}[attributes]
            Queries value:
 HKLM \label{lem:hklm} Which is the latest and the
deff-464b-abe8-61c8648d939b}[foldertypeid]
             Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-
deff-464b-abe8-61c8648d939b}[initfolderhandler]
             Queries value:
                                                                                                                                                                                                     HKCR\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
 e946b44c8dd5}[sortorderindex]
             Queries value:
                                                                                                                                                                                                     HKCR\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[attributes]
                                                                                                                                                                                                     HKCR\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
             Queries value:
e946b44c8dd5}\shellfolder[callforattributes]
                                                                                                                                                                                                     HKCR\wow6432node\clsid\{031e4825-7b94-4dc3-b131-
               Queries value:
 e946b44c8dd5}\shellfolder[restrictedattributes]
             Queries value:
                                                                                                                                                                                                     e946b44c8dd5}\shellfolder[foldervalueflags]
             Queries value:
\label{lem:hklm} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$ is software \end{tabular} $$
 e946b44c8dd5}]
             Oueries value:
 HKLM\software\www6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdes
bbf8-452a-850d-79d08e667ca7}[category]
 HKLM \label{lem:hklm} Which was the latest and th
bbf8-452a-850d-79d08e667ca7}[name]
             Oueries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer 
 bbf8-452a-850d-79d08e667ca7}[parentfolder]
             Queries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer 
bbf8-452a-850d-79d08e667ca7}[description]
             Oueries value:
 HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labe
bbf8-452a-850d-79d08e667ca7}[relativepath]
             Queries value:
bbf8-452a-850d-79d08e667ca7}[parsingname]
```

Oueries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ bbf8-452a-850d-79d08e667ca7}[infotip]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-10ac 0837 c-10ac$ bbf8-452a-850d-79d08e667ca7}[localizedname] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 constructions \ explorer \ folder \ f$ bbf8-452a-850d-79d08e667ca7}[icon] Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ bbf8-452a-850d-79d08e667ca7}[security] Oueries value:

bbf8-452a-850d-79d08e667ca7}[streamresource]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837c-microsoft \ \ \ \ \ \ \ \}$ bbf8-452a-850d-79d08e667ca7}[streamresourcetype]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \\ version \setminus explorer$ bbf8-452a-850d-79d08e667ca7}[localredirectonly]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-1047 c$ bbf8-452a-850d-79d08e667ca7}[roamable]

Oueries value:

 $HKLM \label{lem:hkk} In the latest and the latest$ bbf8-452a-850d-79d08e667ca7}[precreate]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \\ version \setminus explorer$ bbf8-452a-850d-79d08e667ca7}[stream]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell{lkklm} White \labell} White \labell{lkklm} White \labell{lkklm} White \labe$ bbf8-452a-850d-79d08e667ca7}[publishexpandedpath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0ac \\ 0837 \\ c-rent \\ version \setminus explorer \\ version \setminus explorer$ bbf8-452a-850d-79d08e667ca7}[attributes]

Oueries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ bbf8-452a-850d-79d08e667ca7}[foldertypeid]

Oueries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} \begin{tabul$ bbf8-452a-850d-79d08e667ca7}[initfolderhandler]

Queries value: HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[attributes]

HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

```
08002b30309d}\shellfolder[callforattributes]
                                                                                                                                                            HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
           Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
           Oueries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[foldervalueflags]
           Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}1
           Queries value:
5ca8-4905-ae3b-bf251ea09b53}[category]
           Oueries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fd20 \\ beec4-descriptions \setminus
 5ca8-4905-ae3b-bf251ea09b53}[name]
           Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (d20 beec4-d20 be
5ca8-4905-ae3b-bf251ea09b53}[parentfolder]
           Queries value:
 HKLM \label{lem:hklm} Which is the like the li
5ca8-4905-ae3b-bf251ea09b53}[description]
           Oueries value:
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limit
5ca8-4905-ae3b-bf251ea09b53}[relativepath]
           Queries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{d20beec4-d10beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20beec4-d20b
5ca8-4905-ae3b-bf251ea09b53}[parsingname]
           Oueries value:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-information}
 5ca8-4905-ae3b-bf251ea09b53}[infotip]
           Queries value:
 HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} HKLM \label{lem:hklm} With \label{lem:hklm} With \label{lem:hklm} With \label{lem:hklm} HKLM \label{lem:hklm} With \label{lklm} 
5ca8-4905-ae3b-bf251ea09b53}[localizedname]
           Oueries value:
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W
 5ca8-4905-ae3b-bf251ea09b53}[icon]
           Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-
5ca8-4905-ae3b-bf251ea09b53}[security]
           Oueries value:
 HKLM \label{lem:hklm} White the latest and the la
5ca8-4905-ae3b-bf251ea09b53}[streamresource]
           Queries value:
HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{d20beec4-
5ca8-4905-ae3b-bf251ea09b53}[streamresourcetype]
 HKLM \label{lem:hklm} Which will be a substitute of the latest and the latest a
5ca8-4905-ae3b-bf251ea09b53}[localredirectonly]
           Oueries value:
5ca8-4905-ae3b-bf251ea09b53}[roamable]
           Queries value
5ca8-4905-ae3b-bf251ea09b53}[precreate]
           Queries value:
 HKLM \label{lem:hklm} Which is the like the li
 5ca8-4905-ae3b-bf251ea09b53}[stream]
           Oueries value:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-
 5ca8-4905-ae3b-bf251ea09b53}[publishexpandedpath]
           Queries value:
 5ca8-4905-ae3b-bf251ea09b53}[attributes]
           Oueries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fd20 \\ beec4-descriptions \setminus
 5ca8-4905-ae3b-bf251ea09b53}[foldertypeid]
           Queries value:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} With the lemma \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} With the lemma \label{lem:hklm} HKLM \label{lem:hklm} With the lemma \label{lem:hklm} With the lemm
5ca8-4905-ae3b-bf251ea09b53}[initfolderhandler]
                                                                                                                                                            HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
           Oueries value:
 7367fc96ef3c}[sortorderindex]
                                                                                                                                                            HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
         Queries value:
 7367fc96ef3c}\shellfolder[attributes]
                                                                                                                                                            HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
         Oueries value:
7367fc96ef3c}\shellfolder[callforattributes]
                                                                                                                                                            HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
         Queries value:
 7367fc96ef3c}\shellfolder[restrictedattributes]
           Queries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{f02c1a0d-be21-4350-88b0-
 7367fc96ef3c}\shellfolder[foldervalueflags]
         Oueries value:
 HKLM \label{likelihood} HKLM \label{likelihood} HKLM \label{likelihood} Software \mbox{\tt microsoft} \mbox{\tt windows} \mbox{\tt currentversion} \mbox{\tt policies} \mbox{\tt nonenum} \mbox{\tt [f02c1a0d-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-88b0-be21-450-8
 7367fc96ef3c}]
           Queries value:
                                                                                                                                                              HKCR \setminus \{71f96385 - ddd6 - 48d3 - a0c1 - ae06e8b055fb\}[]
           Oueries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprocserver32[inprocserver32]
                                                                                                                                                            HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
         Queries value:
ae06e8b055fb}\inprocserver32[]
           Queries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprocserver32[threadingmodel]
                                                                                                                                                            HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}[]
           Oueries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
           Queries value:
  136f78c3f258}\inprocserver32[inprocserver32]
           Queries value:
                                                                                                                                                            HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
 136f78c3f258}\inprocserver32[]
                                                                                                                                                            HKCR\wow6432node\clsid\{104846ab-42b1-4e38-a80d-
         Queries value:
  136f78c3f258}\inprocserver32[threadingmodel]
           Queries value:
                                                                                                                                                            HKLM\software\wow6432node\microsoft\windows\currentversion\explorer[max
 cached icons]
           Queries value:
                                                                                                                                                              HKCU\control panel\desktop\windowmetrics[shell icon size]
           Oueries value:
                                                                                                                                                            HKCU\control panel\desktop\windowmetrics[shell small icon size]
```

Queries value:

6fba-4fcf-9d55-7b8e7f157091}[category]

Oueries value:

 $HKLM \label{lem:hkk} In the latest and the latest$ 6fba-4fcf-9d55-7b8e7f157091}[name]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lkklm} White \lab$ 6fba-4fcf-9d55-7b8e7f157091}[description]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lkklm} White \lab$ 6fba-4fcf-9d55-7b8e7f157091}[relativepath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{f1b32785-1647\} \\ f1b32785-1647 \\ f1b32785-$ 6fba-4fcf-9d55-7b8e7f157091}[parsingname]

Oueries value:

6fba-4fcf-9d55-7b8e7f157091}[infotip]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localizedname]

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| f 1b 32785-100 and the second secon$ 6fba-4fcf-9d55-7b8e7f157091}[icon]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 6fba-4fcf-9d55-7b8e7f157091}[security]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{f1b32785-1000\} \\ folder \\ descriptions \setminus \{f1b3275-1000\} \\ folder \\ descriptions \setminus \{f1b3275-10000\} \\ folder \\ descriptions \setminus \{f1b3275-100000\} \\ folder \\ descriptions \setminus \{f1b3275-10000000$ 6fba-4fcf-9d55-7b8e7f157091}[streamresource]

Queries value:

6fba-4fcf-9d55-7b8e7f157091}[streamresourcetype]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f1b32785-microsoft \setminus kinds \setminus kin$ 6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ f \ 1b32785 - to \ folder \$ 6fba-4fcf-9d55-7b8e7f157091}[roamable]

Oueries value:

6fba-4fcf-9d55-7b8e7f157091}[precreate]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{f1b32785-1647\} \\ f1b32785-1647 \\ f1b32785-$ 6fba-4fcf-9d55-7b8e7f157091}[stream]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lkklm} White \lab$ 6fba-4fcf-9d55-7b8e7f157091}[publishexpandedpath]

Queries value:  $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| f 1b 32785-100 and the state of the state$ 

6fba-4fcf-9d55-7b8e7f157091}[attributes] Oueries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ 6fba-4fcf-9d55-7b8e7f157091}[foldertypeid] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f1b32785-b2785$ 

6fba-4fcf-9d55-7b8e7f157091}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value: folders[local appdata]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{5e6c858f-4c41\} \\ for the first of the first o$ 0e22-4760-9afe-ea3317b67173}[category]

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ 0e22-4760-9afe-ea3317b67173}[name]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 0e22-4760-9afe-ea3317b67173}[parentfolder]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[description]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 0e22-4760-9afe-ea3317b67173}[relativepath]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

0e22-4760-9afe-ea3317b67173}[infotip]

Queries value:

0e22-4760-9afe-ea3317b67173}[localizedname]

Queries value:

0e22-4760-9afe-ea3317b67173}[icon]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ 0e22-4760-9afe-ea3317b67173}[security]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{5e6c858f-4c41\} \\ for the first of the first o$ 0e22-4760-9afe-ea3317b67173}[streamresource]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-microsoft \ windows \ node \ microsoft \ and \ node \ node$ 0e22-4760-9afe-ea3317b67173}[streamresourcetype]

Oueries value:

```
0e22-4760-9afe-ea3317b67173}[localredirectonly]
         Queries value:
 HKLM \label{lem:hklm} Which was the simulation of the simulation
 0e22-4760-9afe-ea3317b67173}[roamable]
         Oueries value:
0e22-4760-9afe-ea3317b67173}[precreate]
         Queries value:
0e22-4760-9afe-ea3317b67173}[stream]
         Oueries value:
0e22-4760-9afe-ea3317b67173}[publishexpandedpath]
         Queries value:
0e22-4760-9afe-ea3317b67173}[attributes]
        Queries value:
 HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le
0e22-4760-9afe-ea3317b67173}[foldertypeid]
         Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-
0e22-4760-9afe-ea3317b67173}[initfolderhandler]
         Queries value:
                                                                                                                                        1923240461-1905901954-2556564120-1001[profileimagepath]
         Queries value:
                                                                                                                                        HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}[]
         Oueries value:
                                                                                                                                        HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
 00c04fd706ec}\inprocserver32[inprocserver32]
         Oueries value:
                                                                                                                                        HKCR\wow6432node\clsid\{603d3800-bd81-11d0-a3a5-
 00c04fd706ec}\inprocserver32[threadingmodel]
         Queries value:
HKCU \ software \ microsoft \ windows \ current version \ (explorer \ comdlg 32 \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ last visited pidlmrule gacy \ [mrulistex] \ and \ (explorer \ last visited pidlmrule gacy \ last visited pid
         Oueries value:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} 
33be-4251-ba85-6007caedcf9d}[category]
        Queries value:
33be-4251-ba85-6007caedcf9d}[name]
         Oueries value:
33be-4251-ba85-6007caedcf9d}[parentfolder]
         Queries value:
 33be-4251-ba85-6007caedcf9d}[description]
         Oueries value:
 HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM
 33be-4251-ba85-6007caedcf9d}[relativepath]
         Queries value:
 HKLM \label{lem:hklm} Which is the second of the second 
33be-4251-ba85-6007caedcf9d}[parsingname]
        Oueries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{352481e8-1641e1\} \\ note that the first interest is the first of the first interest in the first interest
```

33be-4251-ba85-6007caedcf9d}[infotip]

Queries value:

33be-4251-ba85-6007caedcf9d}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ 33be-4251-ba85-6007caedcf9d}[icon] Queries value:

33be-4251-ba85-6007caedcf9d}[security]

Oueries value:

 $HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM$  $33 be-4251-ba85-6007 caedcf9d \} \verb|[streamresource]|$ 

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[streamresourcetype]

33be-4251-ba85-6007caedcf9d}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklm} Which is the second of the second$ 33be-4251-ba85-6007caedcf9d}[roamable]

Queries value:

33be-4251-ba85-6007caedcf9d}[precreate]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label$ 33be-4251-ba85-6007caedcf9d}[stream]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{352481e8-1641e1\} \\ node \setminus \{352481e1\} \\ node \setminus$ 33be-4251-ba85-6007caedcf9d}[publishexpandedpath]

33be-4251-ba85-6007caedcf9d}[attributes]

Oueries value:

 $HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM$ 33be-4251-ba85-6007caedcf9d}[foldertypeid]

Queries value:

33be-4251-ba85-6007caedcf9d}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value: folders[cache]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (9e52ab10-10e4) \ description \ folder \ description \ folder \ description \ folder \ description \ folder \$ 

f80d-49df-acb8-4330f5687855}[category]

```
Queries value:
f80d-49df-acb8-4330f5687855}[name]
          Oueries value:
 HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l
 f80d-49df-acb8-4330f5687855}[parentfolder]
        Oueries value:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-
 f80d-49df-acb8-4330f5687855}[description]
          Queries value:
 HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \labell} White \labell{lkklm} White \labell} White \labell{lkklm} Wh
 f80d-49df-acb8-4330f5687855}[relativepath]
        Queries value:
 HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \labell} White \labell{lkklm} White \labell} White \labell{lkklm} Wh
 f80d-49df-acb8-4330f5687855}[parsingname]
          Queries value:
f80d-49df-acb8-4330f5687855}[infotip]
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W
 f80d-49df-acb8-4330f5687855}[localizedname]
          Oueries value:
f80d-49df-acb8-4330f5687855}[icon]
          Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (9e52ab10-10e4) \ description \ folder \ description \ folder \ description \ folder \ description \ folder \ 
 f80d-49df-acb8-4330f5687855}[security]
        Queries value:
 HKLM \label{lem:hklm} Which is the latest and the
 f80d-49df-acb8-4330f5687855}[streamresource]
          Queries value:
f80d-49df-acb8-4330f5687855}[streamresourcetype]
          Queries value:
 f80d-49df-acb8-4330f5687855}[localredirectonly]
          Oueries value:
 HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folde
 f80d-49df-acb8-4330f5687855}[roamable]
          Queries value:
f80d-49df-acb8-4330f5687855}[precreate]
        Oueries value:
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W
 f80d-49df-acb8-4330f5687855}[stream]
          Queries value:
f80d-49df-acb8-4330f5687855}[publishexpandedpath]
          Oueries value:
 HKLM \label{lem:hklm} Which is the soft windows \current version \explorer \folder descriptions \cite{lem:hklm} and \cite{lem:hklm} are the soft \cite{lem:hklm
 f80d-49df-acb8-4330f5687855}[attributes]
          Queries value:
f80d-49df-acb8-4330f5687855}[foldertypeid]
          Oueries value:
 HKLM \label{lem:hklk} In the latest and the lates
 f80d-49df-acb8-4330f5687855}[initfolderhandler]
                                                                                                                                               HKCU\software\microsoft\windows\currentversion\explorer\user shell
          Oueries value:
 folders[cd burning]
          Queries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus explorer [noview on drive]
          Queries value:
                                                                                                                                               08002b30309d}\inprocserver32[]
        Queries value:
 HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-7c88-d5291c64-
 11e3-be65-806e6f6e6963}[data]
          Queries value:
 HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{d5291c64-7c88-
 11e3-be65-806e6f6e6963}[generation]
          Queries value:
                                                                                                                                                HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
                                                                                                                                                HKLM\software\wow6432node\microsoft\windows\currentversion[devicepath]
           Queries value:
           Queries value:
                                                                                                                                                HKCR\drive\shellex\folder extensions\fibeb 8a 05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                                                                                                                               HKCR\wow6432node\clsid\{a07034fd-6caa-4954-ac3f-
        Queries value:
 97a27216f98a}\inprocserver32[]
                                                                                                                                                HKCR\directory[docobject]
           Queries value:
           Queries value:
                                                                                                                                                HKCR\folder[docobject]
          Queries value:
                                                                                                                                                {\tt HKCR\ left} lesystemobjects [docobject]
                                                                                                                                                HKCR\directory[browseinplace]
          Oueries value:
                                                                                                                                                HKCR\folder[browseinplace]
          Queries value:
                                                                                                                                                HKCR\allfilesystemobjects[browseinplace]
           Queries value:
           Queries value:
                                                                                                                                                HKCR\directory[isshortcut]
          Oueries value:
                                                                                                                                                HKCR\folder[isshortcut]
                                                                                                                                                HKCR\allfilesystemobjects[isshortcut]
          Queries value:
          Queries value:
                                                                                                                                                HKCR\directory[alwaysshowext]
           Queries value:
                                                                                                                                                HKCR\directory[nevershowext]
           Queries value:
                                                                                                                                                HKCR\folder[nevershowext]
          Queries value:
                                                                                                                                                HKCR\allfilesystemobjects[nevershowext]
                                                                                                                                                HKCR\wow6432node\clsid\{75847177-f077-4171-bd2c-
          Oueries value:
```

Queries value: HKCR\allfilesystemobjects[isshortcut]
Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]
Queries value: HKCR\allfilesystemobjects[nevershowext]
Queries value: HKCR\wow6432node\clsid\{75847177-f077-4171-bd2c-a6bb2164fbd0}\inprocserver32[]
Queries value: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[inprocserver32]
Queries value: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[inprocserver32]
Queries value: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[inprocserver32[inprocserver32]
Queries value: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[threadingmodel]
Queries value: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[threadingmodel]
Queries value: HKCR\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-HKLM\software\wow6432node\microsoft\window

b587-4786-b4ef-bd1dc332aeae}[category]

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parent folder]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{thm:local-problem} HKL\begin{tabular}{l} HKL\begin{tabula$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Oueries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \cite{hb3ea5dc-b587-4786-b4ef-bd1dc332aeae} [localized name]$ 

Oueries value:

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[security]

Queries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current \version \explorer \folder descriptions \folder \$ 

Queries value

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

Oueries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \fill 1b3ea5dc-b587-4786-b4ef-bd1dc332 aeae \fill [initfolder handler]$ 

 $\label{lem:condition} Queries value: $$HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}]$$ 

to1ders[{1b3ea5dc-b58/ Queries value:

 $\label{thm:local-bound} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \cite{1}{category} \]$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Oueries value:

 $\label{thm:hklm:software} HKLM \software \swow6432 node \swir cos of twindows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $\label{thm:hklm} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\[description]$ 

Queries value:

 $HKLM\software\\\wow6432node\\\mbox{microsoft}\windows\\\currentversion\\\explorer\\\folderdescriptions\\\foreign{4}{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[relativepath]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder 65f9-4cf6-a03a-e3ef65729f3d \cite{Gamma} \cite{Gamma}$ 

Queries value:

 $HKLM \setminus software \setminus wow6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [infotip]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\[icon]$ 

Queries value:

WKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[security]

Queries value:

 $\label{thm:local-bound} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \footnote{1} descriptions \footnote{2} description$ 

Queries value:

 $\label{thm:local-bound} HKL\mbox{\correntversion} \end{\corrent} Although the local-bound of the local-bou$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[local redirectonly]$ 

65f9-4cf6-a03a-e3ef65729f3d}[roamable]

Oueries value:

65f9-4cf6-a03a-e3ef65729f3d}[precreate]

Oueries value:

65f9-4cf6-a03a-e3ef65729f3d}[stream]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 65f9-4cf6-a03a-e3ef65729f3d}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 65f9-4cf6-a03a-e3ef65729f3d}[attributes]

Queries value:

65f9-4cf6-a03a-e3ef65729f3d}[foldertypeid]

 $HKLM \label{lem:hkk} \label{lem:hkkk} HKLM \label{lem:hkkkk} Which is a simple constraint of the lemma support the lemma support of the lemma support the$ 65f9-4cf6-a03a-e3ef65729f3d}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value:

folders[appdata]

Queries value:  $HKCR \setminus wow6432 node \\ clsid \\ \{76765b11-3f95-4af2-ac9d-ea55d8994f1a\}[]$ 

Queries value: HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprocserver32[inprocserver32]

HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-Oueries value:

ea55d8994f1a}\inprocserver32[]

Oueries value: HKCR\wow6432node\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprocserver32[threadingmodel]

Queries value: HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}[system.namespaceclsid]

HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[{28636aa6-Oueries value:

953d-11d2-b5d6-00c04fd918d0} 6]

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{d5291c63-7c88-1c44, d144, d244, d$ 11e3-be65-806e6f6e6963}[data]

HKCR\wow6432node\clsid\{4df0c730-df9d-4ae3-9153-Queries value:

aa6b82e9795a}\inprocserver32[]

11e3-be65-806e6f6e6963}[generation]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fdd \\ 39ad \\ 0-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fdd \\ 39ad \\ 0-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fdd \\ 39ad \\ 0-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fdd \\ 39ad \\ 0-microsoft \\ 0-mi$ 238f-46af-adb4-6c85480369c7}[category]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{fdd39ad0-descriptions\} \setminus \{fd39ad0-descriptions\} \setminus \{fd39ad0-descripti$ 238f-46af-adb4-6c85480369c7}[name]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 238f-46af-adb4-6c85480369c7}[parentfolder]

Queries value:

 $HK\dot{L}M\ software\ wow 6432 node\ microsoft\ windows\ current version\ verplorer\ folder descriptions\ fdd 39ad0-descriptions\ fdd 39ad0-description$ 238f-46af-adb4-6c85480369c7}[description]

Oueries value:

238f-46af-adb4-6c85480369c7}[relativepath] Queries value:

238f-46af-adb4-6c85480369c7}[parsingname] Queries value: 

238f-46af-adb4-6c85480369c7}[infotip]

Queries value:  $HKLM \label{lem:hklm} Which is the latest and the$ 

238f-46af-adb4-6c85480369c7}[localizedname] Oueries value:

238f-46af-adb4-6c85480369c7}[icon]

Queries value:

238f-46af-adb4-6c85480369c7}[security]

Oueries value:

238f-46af-adb4-6c85480369c7}[streamresource]

238f-46af-adb4-6c85480369c7}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 238f-46af-adb4-6c85480369c7}[localredirectonly]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{fdd39ad0-descriptions\} \setminus \{fd39ad0-descriptions\} \setminus \{fd39ad0-descripti$ 238f-46af-adb4-6c85480369c7}[roamable]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 238f-46af-adb4-6c85480369c7}[precreate]

Queries value:

238f-46af-adb4-6c85480369c7}[stream]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a function of the limit of the lemma support of the lemma suppo$  $238f-46af-adb4-6c85480369c7 \} [publish expanded path] \\$ 

Queries value:

 $\label{thm:hklm} HKL^{\tt Mklm} software \verb|\www6432node\microsoft\windows\currentversion\end{|linearize} explorer \verb|\folderdescriptions\fidd39ad0-linearized explorer \verb|\folderdescriptions\fidd39ad0-linearized explorer e$ 238f-46af-adb4-6c85480369c7}[attributes]

Queries value:

238f-46af-adb4-6c85480369c7}[foldertypeid]

238f-46af-adb4-6c85480369c7}[initfolderhandler]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ 4824 \\ af-explorer \setminus fo$ dce4-45a8-81e2-fc7965083634}[category]

Queries value:

dce4-45a8-81e2-fc7965083634}[name]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ 4824 \\ af-explorer \setminus fo$ dce4-45a8-81e2-fc7965083634}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ dce4-45a8-81e2-fc7965083634}[description]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ dce4-45a8-81e2-fc7965083634}[relativepath]

Queries value:

 $HKLM \setminus software \setminus wow6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus explorer \setminus explorer \setminus folder \\ descriptions \setminus \{ed4824 \\ af-microsoft \setminus explorer \setminus expl$ dce4-45a8-81e2-fc7965083634}[parsingname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ dce4-45a8-81e2-fc7965083634}[infotip]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-eq dce4-45a8-81e2-fc7965083634}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} Which is a few and the latest and the late$ dce4-45a8-81e2-fc7965083634}[icon]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} H$ dce4-45a8-81e2-fc7965083634}[security]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824afdce4-45a8-81e2-fc7965083634}[streamresource]

Oueries value:

 $HKLM \label{lem:hklm} Ns of two woods 22 node \label{lem:hklm} windows \label{lem:hklm} \label{lem:hklm} Wilder \label{lem:hklm} which is a simple state of the lemma of the$ dce4-45a8-81e2-fc7965083634}[streamresourcetype]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824afdce4-45a8-81e2-fc7965083634}[localredirectonly]

 $HKLM \label{lem:hklm} Ns of two woods 22 node \label{lem:hklm} windows \label{lem:hklm} \label{lem:hklm} Wilder \label{lem:hklm} which is a simple state of the lemma of the$ dce4-45a8-81e2-fc7965083634}[roamable]

Oueries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which is a substitution of the limits of the limits$ dce4-45a8-81e2-fc7965083634}[precreate]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824af-microsoft \ windows \ explorer \ folder \ descriptions \ explorer \ folder \ fold$ dce4-45a8-81e2-fc7965083634}[stream]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ dce4-45a8-81e2-fc7965083634}[publishexpandedpath]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824afdce4-45a8-81e2-fc7965083634}[attributes] Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ dce4-45a8-81e2-fc7965083634}[foldertypeid]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ descriptions \setminus fed \\ 4824 \\ af-explorer \setminus folder \\ 4824 \\ af-explorer \setminus fo$ dce4-45a8-81e2-fc7965083634}[initfolderhandler] HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user

Queries value:

shell folders[common documents]

Queries value: HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[category]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{33e28130-1646432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{33e28130-1646432 node \verb|\microsoft| explorer \verb|\folderdescriptions| explorer expl$ 4e1e-4676-835a-98395c3bc3bb}[name]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 4e1e-4676-835a-98395c3bc3bb}[parentfolder]

Queries value:

4e1e-4676-835a-98395c3bc3bb}[description]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hkklm} Windo$ 4e1e-4676-835a-98395c3bc3bb}[relativepath]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164e14, 24e14, 24$ 4e1e-4676-835a-98395c3bc3bb}[parsingname]

4e1e-4676-835a-98395c3bc3bb}[infotip]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164e14214, \\ node \setminus folder \\ descriptions \setminus \{33e28130-164e142, \\ node \setminus folder \\ descriptions \setminus \{33e28130-164e14, \\ node \setminus folder \\ descriptions \setminus \{33e28140, \\ node$ 4e1e-4676-835a-98395c3bc3bb}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-19646432 node \ microsoft \ windows \ explorer \ folder \ descriptions \ folder \$ 4e1e-4676-835a-98395c3bc3bb}[icon]

Queries value:

 $HKLM \label{lem:hklk} In the large three largest expectations of the largest expectation of the larg$ 4e1e-4676-835a-98395c3bc3bb}[security]

Oueries value:

4e1e-4676-835a-98395c3bc3bb}[streamresource]

Oueries value:

4e1e-4676-835a-98395c3bc3bb}[streamresourcetype]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \labe$ 4e1e-4676-835a-98395c3bc3bb}[roamable]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164e14, 24424, 24$ 4e1e-4676-835a-98395c3bc3bb}[precreate]

Queries value:

4e1e-4676-835a-98395c3bc3bb}[stream]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164614\} \\ node \setminus \{35e28130-164614\} \\ node \setminus \{35e28130-164614\} \\ node \setminus \{35e28130-164614\} \\ node \setminus \{35e28130-164614\} \\ node \setminus \{35e38130-164614\} \\ node \setminus \{35e381300-164614\} \\ node \setminus \{35e3813000-164614\} \\ node \setminus \{35e3813000-164614\} \\ node \setminus \{35e3813000-164614\} \\ node \setminus \{35e3813000-164614\} \\ nod$ 4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Carrent \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{l$ 4e1e-4676-835a-98395c3bc3bb}[attributes]

Oueries value:

 $HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local$ 4e1e-4676-835a-98395c3bc3bb}[foldertypeid]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{33e28130-164e14, 24424, 24$ 4e1e-4676-835a-98395c3bc3bb}[initfolderhandler]

Oueries value: folders[my pictures] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value:

6907-413c-9af7-4fc2abf07cc5}[category]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Lem \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkkl$ 6907-413c-9af7-4fc2abf07cc5}[name]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-infomether the control of 6907-413c-9af7-4fc2abf07cc5}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder before \ folder descriptions \ folder before \ folder \ fo$ 6907-413c-9af7-4fc2abf07cc5}[description]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus folder \\ de$ 6907-413c-9af7-4fc2abf07cc5}[relativepath]

Queries value:

6907-413c-9af7-4fc2abf07cc5}[parsingname]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 6907-413c-9af7-4fc2abf07cc5}[infotip]

Queries value:

6907-413c-9af7-4fc2abf07cc5}[localizedname]

Oueries value:

 $HKLM \label{lem:hklk} Which was the statement of the st$ 6907-413c-9af7-4fc2abf07cc5}[icon] Queries value:

6907-413c-9af7-4fc2abf07cc5}[security]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{b6ebfb86-1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000$ 6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} Which was the software \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{l$ 6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Oueries value:

6907-413c-9af7-4fc2abf07cc5}[localredirectonlv1

Queries value:

6907-413c-9af7-4fc2abf07cc5}[roamable]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus folder \\ de$ 6907-413c-9af7-4fc2abf07cc5}[precreate]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ fo$ 6907-413c-9af7-4fc2abf07cc5}[stream]

Oueries value:

 $HKLM \label{lem:hkkkk} Which was the statement of the s$ 6907-413c-9af7-4fc2abf07cc5}[publishexpandedpath]

Queries value:

6907-413c-9af7-4fc2abf07cc5}[attributes]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ 6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

6907-413c-9af7-4fc2abf07cc5}[initfolderhandler]

Oueries value: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user shell folders[commonpictures]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bd8d571-4bd8$ 6d19-48d3-be97-422220080e43}[category]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571$ 6d19-48d3-be97-422220080e43}[name]

Oueries value:

```
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571-bd8d571
6d19-48d3-be97-422220080e43}[parentfolder]
             Queries value:
 HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:h
 6d19-48d3-be97-422220080e43}[description]
             Oueries value:
6d19-48d3-be97-422220080e43}[relativepath]
             Queries value:
```

6d19-48d3-be97-422220080e43}[parsingname] Oueries value:

6d19-48d3-be97-422220080e43}[infotip]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571$ 6d19-48d3-be97-422220080e43}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:h$ 6d19-48d3-be97-422220080e43}[icon]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571$ 6d19-48d3-be97-422220080e43}[security]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571$ 6d19-48d3-be97-422220080e43}[streamresource]

Oueries value:

 $HKL^{\'}M\ software \ wow 6432 node \ microsoft \ windows \ current version \ level or relative to the folder descriptions \ folder \ folder descriptions \ folder descriptions \ folder \ folder \ f$ 6d19-48d3-be97-422220080e43}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Lem \label{lem:hklm} Windows \label{lem:hkklm} Wi$ 6d19-48d3-be97-422220080e43}[localredirectonly]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-bd8d571$ 6d19-48d3-be97-422220080e43}[roamable]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bd8d571-4bd8$ 6d19-48d3-be97-422220080e43}[precreate]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 6d19-48d3-be97-422220080e43}[stream]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[publishexpandedpath]

6d19-48d3-be97-422220080e43}[attributes]

Oueries value:

6d19-48d3-be97-422220080e43}[foldertypeid]

Queries value:

6d19-48d3-be97-422220080e43}[initfolderhandler]

Queries value: folders[my music] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{3214 fab5-124 fab$ 9757-4298-bb61-92a9deaa44ff}[category]

Queries value:

9757-4298-bb61-92a9deaa44ff}[name] Queries value:

9757-4298-bb61-92a9deaa44ff}[parentfolder]

Oueries value:

 $HKLM \label{lem:hkkkk} In the label of the$ 9757-4298-bb61-92a9deaa44ff}[description]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[relativepath]

Queries value:

9757-4298-bb61-92a9deaa44ff}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ 9757-4298-bb61-92a9deaa44ff}[infotip]

Queries value:

9757-4298-bb61-92a9deaa44ff}[localizedname]

Oueries value:

9757-4298-bb61-92a9deaa44ff}[icon]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{3214fab5-1646, 1$ 9757-4298-bb61-92a9deaa44ff}[security]

9757-4298-bb61-92a9deaa44ff}[streamresource]

Oueries value:

 $HKLM \label{lem:hkkkk} In the label of the$ 9757-4298-bb61-92a9deaa44ff}[streamresourcetype]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{3214 fab5-124 fab$ 9757-4298-bb61-92a9deaa44ff}[localredirectonly] Queries value:

9757-4298-bb61-92a9deaa44ff}[roamable]

Oueries value:

9757-4298-bb61-92a9deaa44ff}[precreate]

Oueries value:

9757-4298-bb61-92a9deaa44ff}[stream]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 9757-4298-bb61-92a9deaa44ff}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hkkkk} In the label of the$ 9757-4298-bb61-92a9deaa44ff}[attributes]

Queries value:

 $\label{thm:local_explorer_folder} \begin{tabular}{ll} HKLM \label{thm:local_explorer_folder} HKLM \label{thm:local_explorer_folder} \end{tabular} Algorithms \label{thm:local_explorer_folder} \begin{tabular}{ll} HKLM \label{thm:local_explorer_folder} \begin{tabular}{ll} HKLM$ 9757-4298-bb61-92a9deaa44ff}[foldertypeid]

Queries value:

9757-4298-bb61-92a9deaa44ff}[initfolderhandler]

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Oueries value: shell folders[commonmusic]

Oueries value:

99b5-455b-841c-ab7c74e4ddfc}[category]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[name]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \lab$ 99b5-455b-841c-ab7c74e4ddfc}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ 99b5-455b-841c-ab7c74e4ddfc}[description]

Queries value:

99b5-455b-841c-ab7c74e4ddfc}[relativepath1

Queries value:

 $HKLM \label{lem:hklm} White the latest and the la$ 99b5-455b-841c-ab7c74e4ddfc}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{18989b1d-14042\} \\ node \setminus folder \\ descriptions \setminus \{18040b1d-14042\} \\ node \setminus \{18040b1d-14042\} \\ node \setminus folder \\ descriptions \setminus \{18040b1d-14042\} \\ node \setminus$ 99b5-455b-841c-ab7c74e4ddfc}[infotip]

 $99b5\text{-}455b\text{-}841c\text{-}ab7c74e4ddfc} [localizedname]$ 

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-b2d \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-b2d \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-b2d \\ explorer \setminus folder \\ explorer \\ ex$ 99b5-455b-841c-ab7c74e4ddfc}[icon]

Queries value:

99b5-455b-841c-ab7c74e4ddfc}[security]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \lab$ 99b5-455b-841c-ab7c74e4ddfc}[streamresource]

Queries value:

 $HKLM \label{thm:hkkm} \label{thkkm} HKLM \label{thkkm} White \label{thkm} White \label{thkkm} White \label{thkkm} White \lab$ 99b5-455b-841c-ab7c74e4ddfc}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hklm} Ns of two woods 22 node \label{lem:hklm} and the label lem is a constant of the label lem is a constant of the label lem in the label lem is a constant of the label lem in the label lem is a constant of the label lem in the label lem is a constant of the label lem in the label lem is a constant of the label lem in the label lem is a constant of the label lem in the label lem in the label lem is a constant of the label lem in the label le$ 99b5-455b-841c-ab7c74e4ddfc}[localredirectonly] Oueries value:

99b5-455b-841c-ab7c74e4ddfc}[roamable]

Queries value:

99b5-455b-841c-ab7c74e4ddfc}[precreate] Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ 99b5-455b-841c-ab7c74e4ddfc}[stream]

Oueries value:

99b5-455b-841c-ab7c74e4ddfc}[publishexpandedpath]

Queries value:

99b5-455b-841c-ab7c74e4ddfc}[attributes]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus folder \\ descriptions \setminus \{18989 \\ b1d-1401 \\ explorer \setminus \{18080 \\ b1d-1401$ 99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

99b5-455b-841c-ab7c74e4ddfc}[initfolderhandler]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[category]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[name]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 6185-49fb-a2d8-4a392a602ba3}[description]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[relativepath]

6185-49fb-a2d8-4a392a602ba3}[parsingname]

Oueries value:

6185-49fb-a2d8-4a392a602ba3}[infotip]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 6185-49fb-a2d8-4a392a602ba3}[localizedname]

Oueries value:

6185-49fb-a2d8-4a392a602ba3}[icon]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[security]

Oueries value:

6185-49fb-a2d8-4a392a602ba3}[streamresource]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 6185-49fb-a2d8-4a392a602ba3}[localredirectonly]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[roamable]

Queries value:

6185-49fb-a2d8-4a392a602ba3}[precreate]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[stream]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$  $6185\text{-}49 fb\text{-}a2 d8\text{-}4a 392 a 602 ba3\} \texttt{[publishexpanded path]}$ 

Oueries value:

6185-49fb-a2d8-4a392a602ba3}[attributes]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ a folder \\ descriptions \setminus \{2400183 \\ a-mathematical \\ a folder \\ a$ 6185-49fb-a2d8-4a392a602ba3}[foldertypeid]

Oueries value:

6185-49fb-a2d8-4a392a602ba3}[initfolderhandler]

Queries value: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user shell folders[commonvideo]

Queries value:

 $\label{thm:local-continuous} HKLM \software \wow 6432 node \mbox{microsoft} \windows \current version \explorer \folder descriptions \folds 7d1d3a04-page \current \current$ debb-4115-95cf-2f29da2920da}[category]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7d1d3a04-14d1d3a04-1$ debb-4115-95cf-2f29da2920da}[name]

Queries value:

debb-4115-95cf-2f29da2920da}[parentfolder]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7d1d3a04-14d1d3a04-1$ debb-4115-95cf-2f29da2920da}[description] Queries value:

debb-4115-95cf-2f29da2920da}[relativepath] Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ debb-4115-95cf-2f29da2920da}[parsingname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7d1d3a04-14d1d3a04-1$ debb-4115-95cf-2f29da2920da}[infotip]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limit$ debb-4115-95cf-2f29da2920da}[localizedname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04debb-4115-95cf-2f29da2920da}[icon]

Queries value:

debb-4115-95cf-2f29da2920da}[security]

Queries value:

debb-4115-95cf-2f29da2920da}[streamresource]

Queries value:

debb-4115-95cf-2f29da2920da}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkkl$ debb-4115-95cf-2f29da2920da}[localredirectonly]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7d1d3a04-14d1d3a04-1$ debb-4115-95cf-2f29da2920da}[roamable]

Queries value:

debb-4115-95cf-2f29da2920da}[precreate]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7d1d3a04-14d1d3a04-1$ debb-4115-95cf-2f29da2920da}[stream]

Queries value:

debb-4115-95cf-2f29da2920da}[publishexpandedpath]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ debb-4115-95cf-2f29da2920da}[attributes]

Oueries value:

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parent folder]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \description \folder \folder \folder \description \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \cite{parsing name} \]$ 

Queries value

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ [infotip]$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \flocalized name]$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ficon \final \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ficon \final \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ficon \final \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ficon \final \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \final \final \ff38bf404-$ 

Queries value:

 $\label{thm:hklm} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de \folder \folder \ff38bf404-1d43-42f2-9305-67 de \folder \f$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \[stream resource]$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [stream resource type]$ 

Oueries value:

 $HKL M \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0 b28fc23 \floar edirection \floar \fl$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0 b28fc23 \from able \from \fro$ 

Queries value:

 $\label{thm:local-ham} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \ff38bf404-1d43-47 de0b28fc23 \ff38bf404-1d43-47 de0b28fc23 \ff38bf404-1d43-47 de0b28fc23 \ff38bf404-1d43-47 de0b28fc23 \ff38bf404-1d43-47 de0b28f$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0b28fc23 \cite{local-problem} \cite{local$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de0 b28fc23 \[attributes]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b28 fc 23 \ff older type id \ff$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ff 38bf 404-1d43-42f2-9305-67 de 0b28 fc 23 \ [init folder handler]$ 

Oueries value:

 $\label{thm:hklm} $$HKLM\software\cdot\wow6432node\cdot\microsoft\cdot\windows\cdot\currentversion\cdot\explorer\cdot\folderdescriptions\folderdescrip$ 

Queries value:

 $\label{thm:hklm} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\}\[name]$ 

Queries value:

 $HKLM\software\nowe432 node\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[parentfolder]$ 

Queries value

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder \ext{fff1ed05-9f6d-47a2-aaae-29d317c6f066} \[description]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ffolded 5-9f6d-47a2-aaae-29d317c6f066 \[relative path]$ 

Queries value:

Queries value:

 $\label{lem:hklm} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\[infotip]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \[localized name]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-f8f1ed05-f$ 

9f6d-47a2-aaae-29d317c6f066}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 9f6d-47a2-aaae-29d317c6f066}[localredirectonly]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[roamable]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ 9f6d-47a2-aaae-29d317c6f066}[precreate]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ 9f6d-47a2-aaae-29d317c6f066}[stream]

Queries value:

9f6d-47a2-aaae-29d317c6f066}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f7f1ed05-f8f1ed05$ 9f6d-47a2-aaae-29d317c6f066}[attributes]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ 9f6d-47a2-aaae-29d317c6f066}[initfolderhandler]

Queries value:

 $HKLM \setminus software \setminus wow6432 node \setminus microsoft \setminus windows \setminus current version [common files dir] \\$ 

Queries value:

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ c86a-4ffe-a368-0de96e47012e}[category]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Wow 6432 node \label{limits} Windows \label{limits} \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \la$ c86a-4ffe-a368-0de96e47012e}[name]

Queries value:

c86a-4ffe-a368-0de96e47012e}[parentfolder]

Oueries value:

c86a-4ffe-a368-0de96e47012e}[description]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0ac86a-4ffe-a368-0de96e47012e}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} Which is the large was a full minimum of the large was a full minimum$ c86a-4ffe-a368-0de96e47012e}[parsingname]

Oueries value:

 $HK\dot{L}M\ software\ wow 6432 node\ microsoft\ windows\ current version\ verylorer\ folder descriptions\ \{2112ab0a-140144, 140$ c86a-4ffe-a368-0de96e47012e}[infotip]

Queries value:

c86a-4ffe-a368-0de96e47012e}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ c86a-4ffe-a368-0de96e47012e}[icon]

Oueries value:

c86a-4ffe-a368-0de96e47012e}[security] Queries value:

c86a-4ffe-a368-0de96e47012e}[streamresource] Oueries value:

c86a-4ffe-a368-0de96e47012e}[streamresourcetype] Queries value:

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ c86a-4ffe-a368-0de96e47012e}[localredirectonly]

Oueries value:

 $HKLM \label{limits} Which was the limits of the limits o$ c86a-4ffe-a368-0de96e47012e}[roamable]

Queries value:

 $\label{thm:local-continuous} \label{thm:local-continuous} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \color="10"> \{2112ab0a-12a$ c86a-4ffe-a368-0de96e47012e}[precreate]

Queries value:

c86a-4ffe-a368-0de96e47012e}[stream]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0ac86a-4ffe-a368-0de96e47012e}[publishexpandedpath]

Queries value:

c86a-4ffe-a368-0de96e47012e}[attributes]

Queries value:

c86a-4ffe-a368-0de96e47012e}[foldertypeid]

Queries value:

c86a-4ffe-a368-0de96e47012e}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value: folders[{2112ab0a-c86a-4ffe-a368-0de96e47012e}]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 between \ explorer \ folder \ explorer \ folder \ explorer \ folder \ fo$ e6cf-4f4e-b800-0e69d84ee384}[category]

Queries value:

 $HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} Simply \label{thm:local-continuous} HKLM \label{thm:local-continuous} HK$ e6cf-4f4e-b800-0e69d84ee384}[name]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[parentfolder]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[description]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hkklm} Wh$ e6cf-4f4e-b800-0e69d84ee384}[relativepath]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} H$ e6cf-4f4e-b800-0e69d84ee384}[parsingname]

Queries value:

e6cf-4f4e-b800-0e69d84ee384}[infotip]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 between \ betw$ e6cf-4f4e-b800-0e69d84ee384}[localizedname]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[icon]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hkklm} Wh$ e6cf-4f4e-b800-0e69d84ee384}[security]

Oueries value:

 $HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} Simply \label{thm:local-continuous} HKLM \label{thm:local-continuous} HK$ e6cf-4f4e-b800-0e69d84ee384}[streamresource]

Queries value:

e6cf-4f4e-b800-0e69d84ee384}[streamresourcetype]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[localredirectonly]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[roamable]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 between \ descriptions \ folder \ folder \ folder \ descriptions \ folder \ fo$ e6cf-4f4e-b800-0e69d84ee384}[precreate]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 between \ betw$ e6cf-4f4e-b800-0e69d84ee384}[stream]

Oueries value:

e6cf-4f4e-b800-0e69d84ee384}[publishexpandedpath]

Queries value:

 $HKLM \label{lem:hklm} Which was the software \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{l$ e6cf-4f4e-b800-0e69d84ee384}[attributes]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80be6cf-4f4e-b800-0e69d84ee384}[foldertypeid]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 between \ betw$ e6cf-4f4e-b800-0e69d84ee384}[initfolderhandler]

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Oueries value: shell folders[{48daf80b-e6cf-4f4e-b800-0e69d84ee384}]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKL$ c82a-4d63-906a-5644ac457385}[category] Queries value:

c82a-4d63-906a-5644ac457385}[name] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fdfdf 76a2-1000 \ folder \ fo$ c82a-4d63-906a-5644ac457385}[parentfolder] Queries value:

 $HKLM \label{lem:hklm} Which is the like the li$ c82a-4d63-906a-5644ac457385}[description]

Oueries value:

c82a-4d63-906a-5644ac457385}[relativepath1

Queries value:

c82a-4d63-906a-5644ac457385}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{dfdf76a2-the folder \\ descript$ c82a-4d63-906a-5644ac457385}[infotip]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fdfdf 76a2-response \ folder \ folder$ c82a-4d63-906a-5644ac457385}[localizedname]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ fo$ c82a-4d63-906a-5644ac457385}[icon]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{dfdf76a2-dfdf, folder \} \\ descriptions \setminus$ c82a-4d63-906a-5644ac457385}[security]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ c82a-4d63-906a-5644ac457385}[streamresource]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ folder \ descriptions \ folder \ folde$ c82a-4d63-906a-5644ac457385}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} Which is the label{lem:hklm} HKLM \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lklm}$ c82a-4d63-906a-5644ac457385}[localredirectonly]

Oueries value:

c82a-4d63-906a-5644ac457385}[roamable]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fdf df 76a2-1000 \ microsoft \ windows \ folder \ folder$ c82a-4d63-906a-5644ac457385}[precreate]

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder \cdots \folder \folder \cdots \folder \folder \cdots \folder \folder$ 

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}[attributes]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

 $Queries \ value: \\ HKLM \ software \ microsoft \ windows \ nt \ current version \ profile list[public]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \folder$ 

Queries value:

Oueries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $\label{local-ham} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \capacity \capac$ 

Queries value

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \folder$ 

Queries value:

 $\label{tklmsoftware} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{thmsoftware} \cal{thmsoftware}$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \folder$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \capacity \capac$ 

Oueries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \folder$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current \version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current \version \explorer \folder descriptions \capacity \capa$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $\label{local-HKLM-software-wow6432} HKLM \end{align*} HKLM \end{align*} White \end{align*} HKLM \end{align*} Algorithms \end$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \capacity \capac$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \capacity \capac$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \c4aa340d-f20f-4863-afef-f87ef2e6ba25 \[folder typeid]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \capacity \cite{C4aa340d-f20f-4863-afef-f87ef2e6ba25} [initfolder handler]$ 

 $\label{thm:condense} Queries value: $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user shell folders[common desktop]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:498-4044-8644-86979315a281} \ [category]$ 

Queries value:

 $\label{thm:hklm:software} HKLM \software \swow6432 node \swir cos of twindows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \gray \folder \folder \folder \folder \folder \gray \gray \folder \folder \folder \folder \folder \gray \gray \folder \folder \folder \gray \$ 

Queries value:

 $\label{thm:prop:linear} White MtM to fit ware two words as the first of two fits are two words as the first of two fits are two words as the first of two fits are two words as the first of two fits are two words as the fits are the fits and the fits are the fits$ 

Queries value

Queries value:

 $\label{tklmsoftware} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:498-4044-8644-66979315a281} \cite{2098-4044-8644-66979315a281} \cite{2098-4044-66979315a281} \cite{2098-4098-4044-6697931} \cite{2098-4098-4044-66979315a281} \cite{2098-4098-4044-66979315a281} \cite{2098-4098-40$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:proposed} \eqref$ 

2098-4d44-8644-66979315a281}[localizedname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{98ec0e18-1864\} \\ explorer \setminus \{98ec0e18-1864\} \\ explo$ 2098-4d44-8644-66979315a281}[icon]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[security]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White$ 2098-4d44-8644-66979315a281}[streamresource]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White$ 2098-4d44-8644-66979315a281}[streamresourcetype]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-1806, 1$ 2098-4d44-8644-66979315a281}[localredirectonly]

2098-4d44-8644-66979315a281}[roamable]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[precreate]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White$ 2098-4d44-8644-66979315a281}[stream]

Queries value:

2098-4d44-8644-66979315a281}[publishexpandedpath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{98ec0e18-1864\} \\ explorer \setminus \{98ec0e18-1864\} \\ explo$ 2098-4d44-8644-66979315a281}[attributes]

Queries value:

2098-4d44-8644-66979315a281}[foldertypeid]

Oueries value:

2098-4d44-8644-66979315a281}[initfolderhandler]

 $\verb|d62e-491d-aa7c-e74b8be3b067|| [category]|$ 

Oueries value:

d62e-491d-aa7c-e74b8be3b067}[name]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a4115719-1614, a4115719-1614, a4115719-1$ d62e-491d-aa7c-e74b8be3b067}[parentfolder]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lkklm} White \lab$ d62e-491d-aa7c-e74b8be3b067}[description]

Queries value:

d62e-491d-aa7c-e74b8be3b067}[relativepath] Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a substitution \label{lem:hklm} Which is a substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Which \label{lem:hklm} \label{lklm} \labell} \l$ d62e-491d-aa7c-e74b8be3b067}[parsingname] Queries value:

d62e-491d-aa7c-e74b8be3b067}[infotip] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fa4115719-1000 \ for the property of the property$ d62e-491d-aa7c-e74b8be3b067}[localizedname] Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ d62e-491d-aa7c-e74b8be3b067}[icon]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719d62e-491d-aa7c-e74b8be3b067}[securitv]

Queries value:

d62e-491d-aa7c-e74b8be3b067}[streamresource]

Oueries value:

d62e-491d-aa7c-e74b8be3b067}[streamresourcetype]

d62e-491d-aa7c-e74b8be3b067}[localredirectonly]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ d62e-491d-aa7c-e74b8be3b067}[roamable]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a4115719-1614\} \\ for the first of the first o$ d62e-491d-aa7c-e74b8be3b067}[precreate]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lkklm} White \lab$ d62e-491d-aa7c-e74b8be3b067}[stream]

Queries value:

d62e-491d-aa7c-e74b8be3b067}[publishexpandedpath]

 $HKLM \label{lem:hkkkk} In the latest and the late$ d62e-491d-aa7c-e74b8be3b067}[attributes]

Queries value:

d62e-491d-aa7c-e74b8be3b067}[foldertypeid]

Queries value:

d62e-491d-aa7c-e74b8be3b067}[initfolderhandler]

Queries value: shell folders[common start menu] Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b53d-4edc-92d7-6b2e8ac19434}[category]

Oueries value:

b53d-4edc-92d7-6b2e8ac19434}[name]

Queries value:

b53d-4edc-92d7-6b2e8ac19434}[parentfolder]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ factor 22c1 and \ explorer \ folder descriptions \ \ factor 22c1 and \ explorer \ folder descriptions \ \ factor 22c1 and \ explorer \ folder descriptions \ \ factor 22c1 and \ explorer \ folder descriptions \ \ factor 22c1 and \ explorer \ folder \ fo$ b53d-4edc-92d7-6b2e8ac19434}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for a cast of the cast of the$ b53d-4edc-92d7-6b2e8ac19434}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1ab53d-4edc-92d7-6b2e8ac19434}[infotip]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b53d-4edc-92d7-6b2e8ac19434}[localizedname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-mainly + mainly + main$ b53d-4edc-92d7-6b2e8ac19434}[icon]

Queries value:

 $HKLM \label{lem:hklm} While the latest and the la$ b53d-4edc-92d7-6b2e8ac19434}[security]

Oueries value:

 $HKLM \label{limits} Which was the limits of the limits o$ b53d-4edc-92d7-6b2e8ac19434}[streamresource]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1ab53d-4edc-92d7-6b2e8ac19434}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ b53d-4edc-92d7-6b2e8ac19434}[localredirectonly]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1ab53d-4edc-92d7-6b2e8ac19434}[roamable]

 $HKLM \label{lem:hklm} In the latest and the lates$ b53d-4edc-92d7-6b2e8ac19434}[precreate]

Oueries value:

 $HK\dot{L}M\ software \ wow 6432 node \ microsoft\ windows \ current version \ explorer\ folder descriptions \ (cac 52c 1a-1b) \ descr$ b53d-4edc-92d7-6b2e8ac19434}[stream]

Queries value:

b53d-4edc-92d7-6b2e8ac19434}[publishexpandedpath] Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b53d-4edc-92d7-6b2e8ac19434}[attributes] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus \{cac52c1a-microsoft \} \\ version \setminus explorer \\ descriptions \setminus \{cac52c1a-microsoft \} \\ version \setminus \{cac52c1a-microsoft \} \\ ver$ b53d-4edc-92d7-6b2e8ac19434}[foldertypeid] Queries value:

b53d-4edc-92d7-6b2e8ac19434}[initfolderhandler] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52a4f021-1401\} \\ folder \\ descriptions \setminus$ 7b75-48a9-9f6b-4b87a210bc8f}[category] Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} \label{lem:hkklm} White \label{lem:hkklm} \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkl$ 7b75-48a9-9f6b-4b87a210bc8f}[name]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 7b75-48a9-9f6b-4b87a210bc8f}[parentfolder]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52a4f021-1401\} \\ folder \\ descriptions \setminus$ 7b75-48a9-9f6b-4b87a210bc8f}[description]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 7b75-48a9-9f6b-4b87a210bc8f}[relativepath]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parsingname] Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ 7b75-48a9-9f6b-4b87a210bc8f}[infotip]

Queries value:

7b75-48a9-9f6b-4b87a210bc8f}[localizedname]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ 7b75-48a9-9f6b-4b87a210bc8f}[icon]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{52a4f021-144644, 19446,$ 7b75-48a9-9f6b-4b87a210bc8f}[security]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-1446144, 14461444, 14461444, 1446144, 14461444, 14461444, 14461444, 14461444, 14461444, 14461444, 14$ 7b75-48a9-9f6b-4b87a210bc8f}[streamresource]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{52a4f021-164664, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 246666, 2466$ 7b75-48a9-9f6b-4b87a210bc8f}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 7b75-48a9-9f6b-4b87a210bc8f}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklm} Which was the simple set of the set of the$ 7b75-48a9-9f6b-4b87a210bc8f}[roamable]

Oueries value:

7b75-48a9-9f6b-4b87a210bc8f}[precreate]

Queries value:

7b75-48a9-9f6b-4b87a210bc8f}[stream]

Oueries value:

 $HK\`L M\ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer\ folder descriptions \ \ \{52a4f021-44621-46621$ 7b75-48a9-9f6b-4b87a210bc8f}[publishexpandedpath]

Oueries value:

7b75-48a9-9f6b-4b87a210bc8f}[attributes]

Queries value:

 $HKLM \label{lem:hklm} Which was the simple set of the set of the$ 7b75-48a9-9f6b-4b87a210bc8f}[foldertypeid]

Queries value:

7b75-48a9-9f6b-4b87a210bc8f}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{de974d24-de974d9-de974d24-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9$ d9c6-4d3e-bf91-f4455120b917}[category]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} H$ d9c6-4d3e-bf91-f4455120b917}[name]

Queries value:

d9c6-4d3e-bf91-f4455120b917}[parentfolder]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}[relativepath]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ de 974d24-de 1974d24-de 1974$ d9c6-4d3e-bf91-f4455120b917}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ d9c6-4d3e-bf91-f4455120b917}[infotip]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fde \\ de \\ descriptions \setminus fde \\ descripti$ d9c6-4d3e-bf91-f4455120b917}[localizedname]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}[icon]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fde \\ de \\ descriptions \setminus fde \\ descripti$ d9c6-4d3e-bf91-f4455120b917}[security] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}[streamresource] Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ d9c6-4d3e-bf91-f4455120b917}[streamresourcetype] Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{de974d24-de974d9-de974d24-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9-de974d9$ d9c6-4d3e-bf91-f4455120b917}[localredirectonly] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus fde \\ de \\ descriptions \setminus fde \\ descripti$ d9c6-4d3e-bf91-f4455120b917}[roamable]

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24d9c6-4d3e-bf91-f4455120b917}[precreate]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ d9c6-4d3e-bf91-f4455120b917}[stream]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ d9c6-4d3e-bf91-f4455120b917}[publishexpandedpath]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ de 974d24-de 1974d24-de 1974$ d9c6-4d3e-bf91-f4455120b917}[attributes]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkklm}$ d9c6-4d3e-bf91-f4455120b917}[foldertypeid]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} H$ d9c6-4d3e-bf91-f4455120b917}[initfolderhandler]

2e97-45d1-88ff-b0d186b8dedd}[category]

Oueries value:

2e97-45d1-88ff-b0d186b8dedd}[name]

Queries value:

2e97-45d1-88ff-b0d186b8dedd}[parentfolder] Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ 2e97-45d1-88ff-b0d186b8dedd}[description]

Oueries value:

2e97-45d1-88ff-b0d186b8dedd}[relativepath]

Queries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{constraint} \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$ 

Oueries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{constraint} \folds \footnote{1.5cm} \$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [security]$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \end{constraints} \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \current \cu$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [stream resource type]$ 

Oueries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM\software\\wow6432node\\microsoft\\windows\\currentversion\\explorer\\folderdescriptions\\\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\\\{[localredirectonly]\end{tabular}$ 

Queries value:

 $\label{thm:hklm} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$ 

Oueries value:

 $\label{thm:hamman} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:hamman} \footnote{2b-2e97-45d1-88ff-b0d186b8dedd} \cite{2b-2e97-45d1-88ff-b0d186b8dedd} \cite{$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{constraint} \folder \$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \end{folded} \folds \folds$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \end{folded} $$ esp-45d1-88ff-b0d186b8dedd \end{folded} $$ [attributes] $$$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{thm:local-basis} HKL\basel{thm:local-basel} HKL\basel{thm:local-basel} HKL\basel{thm:local-basel} Which is the software wow 6432 node \basel{thm:local-basel} in the software wow 6432 node \basel{thm:local-basel} HKL\basel{thm:local-basel} HKL\basel\basel{thm:local-basel} HKL\basel\basel\basel{thm:local-basel} HKL\basel\$ 

Oueries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value: KLM\software

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \swow6432 node \swow643$ 

Queries value:

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[parsingname]
Oueries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{thm:local-hammer} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $\label{thm:main} HKL\begin{tabular}{l} HKL$ 

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{tklmsoftware} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folded a d6ad-4519-a663-37 bd 56068185 \cite{the description} \cite{the description}$ 

Queries value:

 $\label{thm:hklm} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cdot \folder \cdot \folder \folde$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-

d6ad-4519-a663-37bd56068185}[attributes] Oueries value:

d6ad-4519-a663-37bd56068185}[foldertypeid]

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ d6ad-4519-a663-37bd56068185}[initfolderhandler]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 5643-4af4-a7eb-4e7a138d8174}[category]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ de$ 5643-4af4-a7eb-4e7a138d8174}[name]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{491e922f-101e144144, 101e14414, 101e14414, 101e14414, 101e144, 101e144,$ 5643-4af4-a7eb-4e7a138d8174}[parentfolder]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ desc$ 5643-4af4-a7eb-4e7a138d8174}[description]

Queries value:

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ 5643-4af4-a7eb-4e7a138d8174}[relativepath]

Oueries value:

 $HK L^{M} software \verb|\www6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| (491e922f-1992) and the substitution of the substitution$ 5643-4af4-a7eb-4e7a138d8174}[parsingname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ de$ 5643-4af4-a7eb-4e7a138d8174}[infotip]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-10016, 10$ 5643-4af4-a7eb-4e7a138d8174}[localizedname]

Queries value:

5643-4af4-a7eb-4e7a138d8174}[icon]

5643-4af4-a7eb-4e7a138d8174}[security]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{491e922f-101e144144, 101e14414, 101e14414, 101e14414, 101e144, 101e144,$ 5643-4af4-a7eb-4e7a138d8174}[streamresource]

Queries value:

5643-4af4-a7eb-4e7a138d8174}[streamresourcetype]

Queries value:

5643-4af4-a7eb-4e7a138d8174}[localredirectonly]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ desc$ 5643-4af4-a7eb-4e7a138d8174}[roamable]

Queries value:

5643-4af4-a7eb-4e7a138d8174}[precreate]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ descri$ 5643-4af4-a7eb-4e7a138d8174}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ descriptions \setminus \{491e922f-161e1\} \\ folder \\ descriptions \setminus \{491e92f-161e1\} \\ folder \\ de$ 5643-4af4-a7eb-4e7a138d8174}[publishexpandedpath]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ 5643-4af4-a7eb-4e7a138d8174}[attributes]

Queries value:

5643-4af4-a7eb-4e7a138d8174}[foldertypeid]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 5643-4af4-a7eb-4e7a138d8174}[initfolderhandler]

 $\label{local-continuous} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$ Oueries value: folders[{491e922f-5643-4af4-a7eb-4e7a138d8174}]

Queries value:

2adb-4296-a8f7-e4701232c972}[category]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{8ad10c31-microsoft\} \\ descript$ 2adb-4296-a8f7-e4701232c972}[name]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (8 ad 10 c 31 - 1$ 2adb-4296-a8f7-e4701232c972}[parentfolder]

Oueries value:

2adb-4296-a8f7-e4701232c972}[description]

Queries value:

2adb-4296-a8f7-e4701232c972}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 2adb-4296-a8f7-e4701232c972}[parsingname]

Queries value:

2adb-4296-a8f7-e4701232c972}[infotip]

 $HKLM \label{lem:hkkkk} In the latest and the late$ 2adb-4296-a8f7-e4701232c972}[localizedname]

Queries value:

2adb-4296-a8f7-e4701232c972}[icon]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (8 ad 10 c 31 - 1$ 2adb-4296-a8f7-e4701232c972}[security]

Oueries value:

 $HKL \label{lem:hklm} INCOME which will be a simple of the state of t$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \ext{8ad10c31-2adb-4296-a8f7-e4701232c972} \ [local redirectonly]$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$ 

Queries value:

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{28d10c31-2adb-4296-a8f7-e4701232c972} \ [publish expanded path]$ 

Queries value:

 $\label{thm:hklm} \begin{tabular}{ll} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.000} \end{tabular} $$4010231-2adb-4296-a8f7-e4701232c972\[attributes] $$4010231-4296-a8f7-e4701232c972\[attributes] $$4010231-4296-a8f7-e4701232\[attributes] $$4010231-4296-a8f7-e470123\[attributes] $$4010231-4296-a8f7-e470123\[attributes] $$4010231-4296-$ 

Oueries value

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \all b-4296-a8f7-e4701232c972 \finitfolder \a$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \end{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \cite{2.000} \cite{2.$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{282} d9cd-47c5-9629-e15d2f714e6e \cite{local-prop} [parent folder]$ 

Queries value

 $\label{thm:local-bound} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \gather{length} \footnote{2.5cm} \f$ 

Oueries value:

 $HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folderdescriptions\cde{482a5ea35-d9cd-47c5-9629-e15d2f714e6e}[relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fol$ 

Queries value:

 $\label{thm:local-ham} HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[infotip]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \called \folder \called \folder \folder \called \folder \called \folder \called \folder \folder \called \folder \called \folder \f$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \end{282} d9cd-47c5-9629-e15d2f714e6e \cite{licon} \end{29} icon \folder \f$ 

Queries value:

 $\label{thm:local-problem} HKL\begin{tabular}{l} HKL\begin{tabula$ 

Queries value:

 $\label{lem:hklmsoftwarewow6432} HKLM \software\wow6432 node\microsoft\windows\currentversion\explorer\folder descriptions \end{20} \\ dscd-47c5-9629-e15d2f714e6e \footnote{1}{streamresource} \\ Oueries value: \\ \\ dscd-47c5-9629-e15d2f714e6e \footnote{1}{streamresource} \\ dscd$ 

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$ 

Queries value:

 $\label{thm:hklm:software} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[localredirectonly\]$ 

Queries value:

 $\label{thm:loss} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[ roamable \] $$$ 

Queries value:

 $HKLM \label{likelihoof} HKLM \label{likelihoof} HKLM \label{likelihoof} Software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \descriptions \explorer \folder \folder$ 

Queries value

 $\label{lem:www.equation.pdf} WKLM\software\nowe432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream]}$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

Queries value:

 $\label{thm:local-bound} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[foldertypeid]}$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[initfolderhandler]$ 

 $Queries \ value: \ HKLM\ software\ wow 6432 node\ microsoft\ windows\ current version\ explorer\ user shell folders [common startup]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ descriptions \ folder \ folde$ e1a8-4c59-b6a2-414586476aea}[parentfolder]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {debf2536-properties of the context of the contex$ e1a8-4c59-b6a2-414586476aea}[description]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ debf2536-debf256-debf2$ e1a8-4c59-b6a2-414586476aea}[relativepath]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ debf 2536-debf 25$ e1a8-4c59-b6a2-414586476aea}[parsingname]

Oueries value:

e1a8-4c59-b6a2-414586476aea}[infotip]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ descriptions \ folder \ folde$ e1a8-4c59-b6a2-414586476aea}[localizedname]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {debf2536-properties of the context of the contex$ e1a8-4c59-b6a2-414586476aea}[icon]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folder \ debf 2536-debf 253$ e1a8-4c59-b6a2-414586476aea}[security]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {debf2536-properties of the context of the contex$ e1a8-4c59-b6a2-414586476aea}[streamresource]

Oueries value:

 $HKLM \label{eq:hkkk} In the latest and the latest$ e1a8-4c59-b6a2-414586476aea}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} Which is a few and the latest and the late$  $\verb|e1a8-4c59-b6a2-414586476aea|| [local redirectonly]|$ 

Oueries value:

e1a8-4c59-b6a2-414586476aea}[roamable]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus folder \\ de$ e1a8-4c59-b6a2-414586476aea}[precreate]

Oueries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {debf2536-debf256-debf2536-debf256-debf26-debf256-debf26-d$ e1a8-4c59-b6a2-414586476aea}[stream]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536e1a8-4c59-b6a2-414586476aea}[publishexpandedpath]

 $HKLM \label{lem:hklm} Which is the large when the large la$ e1a8-4c59-b6a2-414586476aea}[attributes]

Oueries value:

 $HK\dot{L}M\ software \ wow 6432 node \ microsoft\ windows \ current version \ explorer\ folder descriptions \ (debf 2536-1200) \ debf 2536-1200 \ debf 2536-1200$ e1a8-4c59-b6a2-414586476aea}[foldertypeid]

Queries value:

e1a8-4c59-b6a2-414586476aea}[initfolderhandler]

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Queries value: shell folders[{debf2536-e1a8-4c59-b6a2-414586476aea}]

fdc1-4dc3-a9dd-070d1d495d97}[category]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ fdc1-4dc3-a9dd-070d1d495d97}[name]

Queries value:

fdc1-4dc3-a9dd-070d1d495d97}[parentfolder]

Oueries value:

 $HKLM \label{lem:hkkkk} In the latest and the late$ fdc1-4dc3-a9dd-070d1d495d97}[description]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82fdc1-4dc3-a9dd-070d1d495d97}[relativepath]

Queries value:

fdc1-4dc3-a9dd-070d1d495d97}[parsingname] Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ fdc1-4dc3-a9dd-070d1d495d97}[infotip] Queries value:

fdc1-4dc3-a9dd-070d1d495d97}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkk$ fdc1-4dc3-a9dd-070d1d495d97}[icon]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{62ab5d82-1482, 1$ fdc1-4dc3-a9dd-070d1d495d97}[security]

fdc1-4dc3-a9dd-070d1d495d97}[streamresource]

Oueries value:

fdc1-4dc3-a9dd-070d1d495d97}[streamresourcetype]

fdc1-4dc3-a9dd-070d1d495d97}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ fdc1-4dc3-a9dd-070d1d495d97}[roamable]

Oueries value:

fdc1-4dc3-a9dd-070d1d495d97}[precreate]

Oueries value:

fdc1-4dc3-a9dd-070d1d495d97}[stream]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} Wh$ fdc1-4dc3-a9dd-070d1d495d97}[publishexpandedpath]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \labe$ fdc1-4dc3-a9dd-070d1d495d97}[attributes]

Queries value:

 $\label{thm:local-continuous} \label{thm:local-continuous} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ fdc1-4dc3-a9dd-070d1d495d97}[foldertypeid]

Queries value:

fdc1-4dc3-a9dd-070d1d495d97}[initfolderhandler]

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\profilelist[programdata] Oueries value:

b1d3-4a90-bba9-27cbc0c5389a}[category]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{0f214138b1d3-4a90-bba9-27cbc0c5389a}[name]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-1608, 0f214138-1608, 0f21418-1608, 0f$ b1d3-4a90-bba9-27cbc0c5389a}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-16476, 201418-16476, 201418-164760, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 20147$ b1d3-4a90-bba9-27cbc0c5389a}[description]

Queries value:

 $\label{thm:local-continuous} HKLM \software \wow 6432 node \mbox{microsoft} \windows \current version \explorer \folder descriptions \colored for the continuous \current version \explorer \colored for the continuous \colored for \colored for the continuous \colored for \colored for$ b1d3-4a90-bba9-27cbc0c5389a}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lklm} HKLM \label{lklm} White \label{lklm} White \label{lklm} HKLM \label{lklm} White \label{lklm} HKLM \label{lklm} White \label{lklm} White \label{lklm} HKLM \label{lklm} White \label{lklm} HKLM \label{lklm} White \labell} White \labell{lklm} White \labell{lklm} White \labell} White \labell{lklm} White \labell{lklm} White \labell} White \labell{lklm} White \labell{lklm} White \labell{lklm} White \labell} White \labell{lklm} White \labell{lklm} White \labell{lklm} White$ b1d3-4a90-bba9-27cbc0c5389a}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0f214138-1641418-164148-1641418-1641418-1641418-164148-16$ b1d3-4a90-bba9-27cbc0c5389a}[infotip]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0f214138-14188-14188$  $\verb|b1d3-4a90-bba9-27cbc0c5389a|[localized name]|$ 

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0f214138-1648\} \\ folder \\ folder \\ descr$ b1d3-4a90-bba9-27cbc0c5389a}[icon]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0f214138-1641418-16414138-1641418-16414-1$ b1d3-4a90-bba9-27cbc0c5389a}[security]

Oueries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ b1d3-4a90-bba9-27cbc0c5389a}[streamresource]

Queries value:

b1d3-4a90-bba9-27cbc0c5389a}[streamresourcetype]

Oueries value:

b1d3-4a90-bba9-27cbc0c5389a}[localredirectonly] Oueries value:

b1d3-4a90-bba9-27cbc0c5389a}[roamable] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-14188-141888-141888-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188-14188$ b1d3-4a90-bba9-27cbc0c5389a}[precreate] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-16476, 201418-16476, 201418-164760, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 201418-16476, 20147$ b1d3-4a90-bba9-27cbc0c5389a}[stream]

Oueries value:

b1d3-4a90-bba9-27cbc0c5389a}[publishexpandedpath1

Queries value:

b1d3-4a90-bba9-27cbc0c5389a}[attributes]

Oueries value:

b1d3-4a90-bba9-27cbc0c5389a}[foldertypeid]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0f214138-14188-14188$ b1d3-4a90-bba9-27cbc0c5389a}[initfolderhandler]

Oueries value:

 $HKLM \label{limits} Which was the limits of the limits o$ b784-432e-a781-5a1130a75963}[category] Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{d9dc8a3b-d10der \} \\ descriptions \setminus \{d9dc8ab-d10der \} \\$ b784-432e-a781-5a1130a75963}[name]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \lab$ b784-432e-a781-5a1130a75963}[parentfolder]

Queries value:

b784-432e-a781-5a1130a75963}[description]

Oueries value:

 $HKLM \label{limits} NkLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{lim$ b784-432e-a781-5a1130a75963}[relativepath]

Queries value:

b784-432e-a781-5a1130a75963}[parsingname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-descriptions\} \ description \ descrip$ b784-432e-a781-5a1130a75963}[infotip]

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folds a 3b-b784-432e-a781-5a1130a75963 \folds a 12ed name \folds$ 

Oueries value:

 $\label{thm:local-bound} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \footnote{1} d9 dc8 a 3 b-b784-432 e-a781-5 a 1130 a 75963 \footnote{1} [icon]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ d9dc 8a3b-b784-432e-a781-5a1130a75963 \ [stream resource type]$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folds a3b-b784-432e-a781-5a1130a75963 \folds a1redirect only \folds and \fo$ 

Oueries value:

 $\label{thm:hklm} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{tklmsoftware} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folds a 3b-b784-432e-a781-5a1130a75963 \footnote{a} \footnote{b} \footnote{b} \footnote{c} \$ 

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3bb784-432e-a781-5a1130a75963\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current \version \explorer \folder descriptions \folder \$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

 $\label{lem:cosoft} Queries value: $$HKLM\software\wow6432\node\microsoft\windows\currentversion\explorer\usershell folders[\{c4900540-2379-4c75-844b-64e6faf8716b\}]$$ 

Queries value:

 $\label{thm:local-bound} HKL\mbox{\currentversion} \end{\current} In the constant of the cons$ 

Oueries value:

 $\label{thm:hklm} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{thm:hklm} \cline{289a9a43-be44-4057-a41b-587a76d7e7f9} \cline{289a9a43-be44-4057$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{eq:current} \end{area} a 444-4057-a 41b-587a 76d \cal{eq:current} \folder \cal{eq:current} \folder \cal{eq:current} \end{area} \folder \cal{eq:current} \folder \cal{e$ 

Queries value:

 $HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \explorer \folder \folder$ 

Queries value:

 $HKLM \software \swow6432 node \swirent \swow6432 node \swirent \swow6432 node \$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder \current version \explorer \folder \current version \explorer \folder \current \cur$ 

Queries value:

 $\label{lem:hkkmlsoftware} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkmlsoftware} a 41b-587a \folder \cal{lem:hkkmlsoftware} filter \cal{lem:hkkmlsoft$ 

Queries value:

WKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[security]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource]$ 

Queries value:

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current \version \explorer \folder descriptions \called the description \called the descr$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{eq:current} \end{area} a 444-4057-a 41b-587a 76d 7e7f \cite{Continuous} \cite{Continuou$ 

Queries value

 $\label{thm:local-bound} HKLM \software \wow6432 node \microsoft \windows \current version \explorer \folder descriptions \end{289a9a43-be44-4057-a41b-587a76d7e7f9} \cite{1.00cm} \cit$ 

Queries value:

 $HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{289a9a43-be44-4057-a41b-587a76d7e7f9} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 41b-587a 76d 7e7f9 \cal{lem:hklmsoftware} \cal{lem:hklms$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \cal{local-basis} 289a9a43-be44-4057-a41b-587a76d7e7f9 \cal{local-basis} [attributes]$ 

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-

be44-4057-a41b-587a76d7e7f9}[foldertypeid]

Oueries value:

be44-4057-a41b-587a76d7e7f9}[initfolderhandler]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{l$ 347d-4006-a5be-ac0cb0567192}[category]

Oueries value:

347d-4006-a5be-ac0cb0567192}[name]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bfefb45-1647\} \\ folder \\ descriptions \setminus$ 347d-4006-a5be-ac0cb0567192}[parentfolder]

Queries value:

347d-4006-a5be-ac0cb0567192}[description]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the like the li$ 347d-4006-a5be-ac0cb0567192}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{l$ 347d-4006-a5be-ac0cb0567192}[parsingname]

Oueries value:

 $HK LM \label{lem:hklm} L Mk L Mk Label Mkl L Mk Label Mkl Label$ 347d-4006-a5be-ac0cb0567192}[infotip]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bfefb45-1647\} \\ folder \\ descriptions \setminus$ 347d-4006-a5be-ac0cb0567192}[localizedname]

Oueries value:

347d-4006-a5be-ac0cb0567192}[icon] Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[security]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem$ 347d-4006-a5be-ac0cb0567192}[streamresource]

Queries value:

347d-4006-a5be-ac0cb0567192[streamresourcetype]

Oueries value:

347d-4006-a5be-ac0cb0567192}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklm} Which is the like the li$ 347d-4006-a5be-ac0cb0567192}[roamable]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bfefb45-1647\} \\ folder \\ descriptions \setminus$ 347d-4006-a5be-ac0cb0567192}[precreate]

Queries value:

 $HKLM \label{lem:hklm} Which is the like the li$ 347d-4006-a5be-ac0cb0567192}[stream]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4bfefb45-1647\} \\ folder \\ descriptions \setminus$ 347d-4006-a5be-ac0cb0567192}[publishexpandedpath]

Queries value:

347d-4006-a5be-ac0cb0567192}[attributes]

Queries value:

 $HK LM \label{lem:hklm} L Mk L Mk Label Mkl L Mk Label Mkl Label$ 347d-4006-a5be-ac0cb0567192}[foldertypeid]

Queries value:

 $\label{thm:local-continuous} HKLM \software \wow 6432 node \mbox{microsoft} \windows \current version \explorer \folder descriptions \color="10">(4bfefb45-100) \color="10">(4bfefb45$ 347d-4006-a5be-ac0cb0567192}[initfolderhandler]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-information} 3ecb-4c18-be4e-64cd4cb7d6ac}[category]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\fb7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[name]

Queries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 3ecb-4c18-be4e-64cd4cb7d6ac}[description]

Queries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} White the latest and the la$ 3ecb-4c18-be4e-64cd4cb7d6ac}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b7534046-1000\} \\ for the first of the first o$ 3ecb-4c18-be4e-64cd4cb7d6ac}[infotip]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for 534046-1000 \ for 54046-1000 \ for 54046-10000 \ for 54046-$ 3ecb-4c18-be4e-64cd4cb7d6ac}[localizedname]

Oueries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[icon]

Queries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[security]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ 3ecb-4c18-be4e-64cd4cb7d6ac}[streamresource]

Oueries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[streamresourcetype]

Oueries value:

3ecb-4c18-be4e-64cd4cb7d6ac}[localredirectonly]

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ 3ecb-4c18-be4e-64cd4cb7d6ac}[roamable]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-microsoft \ windows \ node \ n$ 3ecb-4c18-be4e-64cd4cb7d6ac}[precreate]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{b7534046-1000\} \\ for the first of the first o$ 3ecb-4c18-be4e-64cd4cb7d6ac}[stream]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for 534046-1000 \ for 54046-1000 \ for 54046-10000 \ for 54046-$ 3ecb-4c18-be4e-64cd4cb7d6ac}[publishexpandedpath]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-information} 3ecb-4c18-be4e-64cd4cb7d6ac}[attributes]

Queries value:

 $HKLM \label{lem:hklm} While the large statement with the large statem$ 3ecb-4c18-be4e-64cd4cb7d6ac}[foldertypeid]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple that the lemma support the lemma suppor$ 3ecb-4c18-be4e-64cd4cb7d6ac}[initfolderhandler]

Queries value:

31ca-4aba-814f-a5ebd2fd6d5e}[category]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus feed \\ 2e446 - folder \\ descriptions \setminus feed \\ descriptions \setminus$ 31ca-4aba-814f-a5ebd2fd6d5e}[name]

Queries value:

31ca-4aba-814f-a5ebd2fd6d5e}[parentfolder]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-16464, and the second s$ 31ca-4aba-814f-a5ebd2fd6d5e}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-16464, and the contraction \ explorer \ folder \ descriptions \ explorer \ folder \ f$ 31ca-4aba-814f-a5ebd2fd6d5e}[relativepath]

Oueries value:

31ca-4aba-814f-a5ebd2fd6d5e}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem$ 31ca-4aba-814f-a5ebd2fd6d5e}[infotip]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem$ 31ca-4aba-814f-a5ebd2fd6d5e}[icon]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus feed \\ 2e446 - folder \\ descriptions \setminus feed \\ descriptions \setminus$ 31ca-4aba-814f-a5ebd2fd6d5e}[security] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-16464, and the context \ endowed \ en$ 31ca-4aba-814f-a5ebd2fd6d5e}[streamresource] Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ 31ca-4aba-814f-a5ebd2fd6d5e}[streamresourcetype] Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{ee32e446-164e4\} \\ explorer \setminus \{ee42e446-164e4\} \\ explorer \setminus \{ee42e46-164e4\} \\$ 31ca-4aba-814f-a5ebd2fd6d5e}[localredirectonly] Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[roamable] Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[precreate]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-16464, and the second s$ 31ca-4aba-814f-a5ebd2fd6d5e}[stream]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem$ 31ca-4aba-814f-a5ebd2fd6d5e}[publishexpandedpath]

Queries value:

31ca-4aba-814f-a5ebd2fd6d5e}[attributes]

Queries value:

 $HKLM \label{lem:hklm} While the large statement of the large state$ 31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limit$ 31ca-4aba-814f-a5ebd2fd6d5e}[initfolderhandler]

f49e-4126-a9c3-b52a1ff411e8}[category]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ f49e-4126-a9c3-b52a1ff411e8}[name]

Queries value:

f49e-4126-a9c3-b52a1ff411e8}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ f49e-4126-a9c3-b52a1ff411e8}[description]

Queries value:

f49e-4126-a9c3-b52a1ff411e8}[relativepath]

Oueries value:

f49e-4126-a9c3-b52a1ff411e8}[parsingname]

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkl$ f49e-4126-a9c3-b52a1ff411e8}[infotip]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ f49e-4126-a9c3-b52a1ff411e8}[localizedname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ descriptions \setminus \{c870044b-m$ f49e-4126-a9c3-b52a1ff411e8}[icon]

Queries value:

f49e-4126-a9c3-b52a1ff411e8}[security]

Oueries value:

 $HKLM \label{limits} NkLM \label{limits} HKLM \label{limits} Which \lab$ f49e-4126-a9c3-b52a1ff411e8}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkl$ f49e-4126-a9c3-b52a1ff411e8}[streamresourcetype]

Oueries value:

 $HKLM \label{thm:local-microsoft-windows-current-version-explorer-folder-descriptions-continuous} \label{thm:local-windows-current-version-explorer-folder-descriptions-folder-descriptions-continuous-current-version-explorer-folder-descriptions-continuous-current-version-explorer-folder-descriptions-continuous-current-version-explorer-folder-descriptions-current-version-explorer-folder-descriptions-current-version-explorer-folder-descriptions-current-version-explorer-folder-descriptions-current-version-explorer-folder-descriptions-current-version-explorer-folder-description-explorer-folder-folder-folder-description-explorer-folder-description-explorer-folder-folder$ f49e-4126-a9c3-b52a1ff411e8}[localredirectonly]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c870044b-microsoft \setminus windows \setminus current \\ descriptions \setminus \{c870044b-m$ f49e-4126-a9c3-b52a1ff411e8}[roamable]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ f49e-4126-a9c3-b52a1ff411e8}[precreate]

Oueries value:

f49e-4126-a9c3-b52a1ff411e8}[stream]

f49e-4126-a9c3-b52a1ff411e8}[publishexpandedpath]

Queries value:

f49e-4126-a9c3-b52a1ff411e8}[attributes]

Oueries value:

f49e-4126-a9c3-b52a1ff411e8}[foldertypeid]

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} \begin{tabul$ f49e-4126-a9c3-b52a1ff411e8}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value:

folders[{c870044b-f49e-4126-a9c3-b52a1ff411e8}]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 6afe-49f2-8690-3dafcae6ffb8}[category]

Queries value:

6afe-49f2-8690-3dafcae6ffb8}[name]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which$ 6afe-49f2-8690-3dafcae6ffb8}[parentfolder] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-1944 \ node \ no$ 6afe-49f2-8690-3dafcae6ffb8}[description] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0139d44e-144e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-14$ 6afe-49f2-8690-3dafcae6ffb8}[relativepath] Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ 

6afe-49f2-8690-3dafcae6ffb8}[parsingname] Queries value: 

6afe-49f2-8690-3dafcae6ffb8}[infotip] Queries value: 

6afe-49f2-8690-3dafcae6ffb8}[localizedname] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0139d44e-descriptions\} \setminus \{0139d4$ 6afe-49f2-8690-3dafcae6ffb8}[icon]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0139d44e-10134e-1014$ 6afe-49f2-8690-3dafcae6ffb8}[security]

Oueries value:

 $HKLM \label{lem:hkk} Which was the software wow 6432 node \\ microsoft windows \current version \explorer \\ folder descriptions \\ \{0139d44e-1013e-101$ 6afe-49f2-8690-3dafcae6ffb8}[streamresource]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0139d44e-descriptions\} \setminus \{0139d4$ 6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 6afe-49f2-8690-3dafcae6ffb8}[localredirectonly]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0139d44e-descriptions\} \setminus \{0139d4$ 6afe-49f2-8690-3dafcae6ffb8}[roamable]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which$ 6afe-49f2-8690-3dafcae6ffb8}[precreate]

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} \begin{tabul$ 6afe-49f2-8690-3dafcae6ffb8}[stream]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0139d44e-144e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-1444e-14$ 6afe-49f2-8690-3dafcae6ffb8}[publishexpandedpath]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-1446, 1$ 6afe-49f2-8690-3dafcae6ffb8}[attributes]

Oueries value:

6afe-49f2-8690-3dafcae6ffb8}[foldertypeid]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[initfolderhandler]

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Queries value: shell folders[common programs]

Oueries value:

e17f-4121-8900-86626fc2c973}[category]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-c4abf53$ e17f-4121-8900-86626fc2c973}[name]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-b614, c124, c$ e17f-4121-8900-86626fc2c973}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-bc14, c5abbf53-bc14, c$ e17f-4121-8900-86626fc2c973}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c5abbf53-c4bf53$ e17f-4121-8900-86626fc2c973}[relativepath] Oueries value:

e17f-4121-8900-86626fc2c973}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hkklm} Wind$ e17f-4121-8900-86626fc2c973}[infotip]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM$ e17f-4121-8900-86626fc2c973}[localizedname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53e17f-4121-8900-86626fc2c973}[icon]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White$ e17f-4121-8900-86626fc2c973}[security]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53e17f-4121-8900-86626fc2c973}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple set of the lemma set of the$ e17f-4121-8900-86626fc2c973}[streamresourcetype]

Queries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} \label{limits} HKLM \$ e17f-4121-8900-86626fc2c973}[localredirectonly]

Queries value:

e17f-4121-8900-86626fc2c973}[roamable]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{le$ e17f-4121-8900-86626fc2c973}[precreate]

Queries value:

e17f-4121-8900-86626fc2c973}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-current \} \\ version \setminus explorer \setminus folder \\ descriptions \setminus explorer \\ de$ e17f-4121-8900-86626fc2c973}[publishexpandedpath] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{c5abbf53-b12424, c12424, c$ e17f-4121-8900-86626fc2c973}[attributes]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hkklm} Wind$ e17f-4121-8900-86626fc2c973}[foldertypeid]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-b614, c5abbf53-b614, c$ e17f-4121-8900-86626fc2c973}[initfolderhandler]

Queries value: folders[nethood]  $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+user\ shell$ 

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{l$ c6cb-462b-8169-88e350acb882}[category]

Queries value:

c6cb-462b-8169-88e350acb882}[name]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hkklm} Windo$ c6cb-462b-8169-88e350acb882}[parentfolder]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{56784854 - 100885 + 10$ c6cb-462b-8169-88e350acb882}[description]

c6cb-462b-8169-88e350acb882}[relativepath]

Oueries value:

c6cb-462b-8169-88e350acb882}[parsingname]

Queries value:

c6cb-462b-8169-88e350acb882}[infotip]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple set of the lemma set of the$ c6cb-462b-8169-88e350acb882}[localizedname]

Oueries value:

```
c6cb-462b-8169-88e350acb882}[icon]
        Oueries value:
c6cb-462b-8169-88e350acb882}[security]
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{l
c6cb-462b-8169-88e350acb882}[streamresource]
       Oueries value:
c6cb-462b-8169-88e350acb882}[streamresourcetype]
```

Queries value:  $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{56784854-16481\} \\ for the first of the first$ c6cb-462b-8169-88e350acb882}[localredirectonly]

Queries value:

c6cb-462b-8169-88e350acb882}[roamable]

Oueries value:

c6cb-462b-8169-88e350acb882}[precreate]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hkklm} Wh$ c6cb-462b-8169-88e350acb882}[stream]

Oueries value:

 $HKLM \label{lem:hkkkk} In the large larg$ c6cb-462b-8169-88e350acb882}[publishexpandedpath]

Queries value:

c6cb-462b-8169-88e350acb882}[attributes]

Oueries value:

c6cb-462b-8169-88e350acb882}[foldertypeid]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{56784854c6cb-462b-8169-88e350acb882}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both 3057-1000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ f$ ca5c-4622-b42d-bc56db0ae516}[category]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ ca5c-4622-b42d-bc56db0ae516}[name]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{bcbd3057-bcbd$ ca5c-4622-b42d-bc56db0ae516}[parentfolder]

Queries value:

ca5c-4622-b42d-bc56db0ae516}[description]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ ca5c-4622-b42d-bc56db0ae516}[relativepath]

Queries value:

ca5c-4622-b42d-bc56db0ae516}[parsingname]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the hard-section of the hard-secti$ ca5c-4622-b42d-bc56db0ae516}[infotip] Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both 3057-1000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ f$ ca5c-4622-b42d-bc56db0ae516}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ ca5c-4622-b42d-bc56db0ae516}[icon]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \lab$ ca5c-4622-b42d-bc56db0ae516}[security]

Oueries value:

ca5c-4622-b42d-bc56db0ae516}[streamresource]

Queries value:

ca5c-4622-b42d-bc56db0ae516}[streamresourcetype]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{bcbd3057-bcbd$ ca5c-4622-b42d-bc56db0ae516}[localredirectonly]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ ca5c-4622-b42d-bc56db0ae516}[roamable]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both 3057-1000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ for both 3057-10000 \ f$ ca5c-4622-b42d-bc56db0ae516}[precreate]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus folder \\ de$ ca5c-4622-b42d-bc56db0ae516}[stream]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ ca5c-4622-b42d-bc56db0ae516}[publishexpandedpath]

Queries value:

ca5c-4622-b42d-bc56db0ae516}[attributes]

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the hard-section of the hard-secti$ ca5c-4622-b42d-bc56db0ae516}[foldertypeid]

Oueries value:

ca5c-4622-b42d-bc56db0ae516}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value: folders[{bcbd3057-ca5c-4622-b42d-bc56db0ae516}]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} KLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \labe$ 2219-4a67-b85d-6c9ce15660cb}[category]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 2219-4a67-b85d-6c9ce15660cb}[name]

Oueries value:

2219-4a67-b85d-6c9ce15660cb}[parentfolder]

Queries value:

2219-4a67-b85d-6c9ce15660cb}[description]

Oueries value:

2219-4a67-b85d-6c9ce15660cb}[relativepath]

Queries value:

2219-4a67-b85d-6c9ce15660cb}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 2219-4a67-b85d-6c9ce15660cb}[infotip]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{5cd7aee2-microsoft \ windows \ node \$ 2219-4a67-b85d-6c9ce15660cb}[icon]

Oueries value:

2219-4a67-b85d-6c9ce15660cb}[security]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Consider \label{lem:hklm} Windows \label{lem:hkklm} Windows \label$ 2219-4a67-b85d-6c9ce15660cb}[streamresource]

Oueries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \lab$ 2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Queries value:

2219-4a67-b85d-6c9ce15660cb}[localredirectonly]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} KLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \labe$ 2219-4a67-b85d-6c9ce15660cb}[roamable]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[precreate]

 $HKLM \label{lem:hklk} In the latest and the lates$ 2219-4a67-b85d-6c9ce15660cb}[stream]

Oueries value:

Queries value:

 $HKLM \label{thm:local-soft-windows} HKLM \label{thm:local-windows} HKLM \label{thm:local-wi$ 2219-4a67-b85d-6c9ce15660cb}[publishexpandedpath]

2219-4a67-b85d-6c9ce15660cb}[attributes]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 2219-4a67-b85d-6c9ce15660cb}[foldertypeid]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 2219-4a67-b85d-6c9ce15660cb}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}] Queries value:

ed94-4e48-96a1-3f6217f21990}[category] Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limit$ ed94-4e48-96a1-3f6217f21990}[name]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{00bcfc5aed94-4e48-96a1-3f6217f21990}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{00bcfc5a-10bcfc5a$ ed94-4e48-96a1-3f6217f21990}[description]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ ed94-4e48-96a1-3f6217f21990}[relativepath] Queries value:

ed94-4e48-96a1-3f6217f21990}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} White the latest and the la$ ed94-4e48-96a1-3f6217f21990}[infotip]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{00bcfc5a-bcfc4a-bcf$ ed94-4e48-96a1-3f6217f21990}[localizedname]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{00bcfc5a-1$ ed94-4e48-96a1-3f6217f21990}[icon]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{00bcfc5a-bcfc4a-bcf$ ed94-4e48-96a1-3f6217f21990}[security] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{00bcfc5a-10bcfc5a$ ed94-4e48-96a1-3f6217f21990}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a fixed with the lemma support of the lemm$ ed94-4e48-96a1-3f6217f21990}[streamresourcetype]

Oueries value:

ed94-4e48-96a1-3f6217f21990}[localredirectonly]

Oueries value:

ed94-4e48-96a1-3f6217f21990}[roamable]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} Wh$ ed94-4e48-96a1-3f6217f21990}[precreate]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{00bcfc5a-thcMs) \ for the contract \ folder \ folder \ for the contract \ folder \$ ed94-4e48-96a1-3f6217f21990}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{00bcfc5a-bcfc4a-bcf$ ed94-4e48-96a1-3f6217f21990}[publishexpandedpath]

Oueries value:

ed94-4e48-96a1-3f6217f21990}[attributes]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{00bcfc5a-theorem \} \\ folder \\ descriptions \setminus$ ed94-4e48-96a1-3f6217f21990}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} Wh$ ed94-4e48-96a1-3f6217f21990}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value: folders[{00bcfc5a-ed94-4e48-96a1-3f6217f21990}]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-16444, 2b0f765d-16444, 2b0f766d-16444, 2b0f76d-16444, 2b0f76d-16444, 2b0f76d-16444, 2b0f76d-16444, 2b0f76d-16444, 2b0f76d-164444, 2b0$ c0e9-4171-908e-08a611b84ff6}[category]

Queries value:

c0e9-4171-908e-08a611b84ff6}[name]

Queries value:

c0e9-4171-908e-08a611b84ff6}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} White the latest and the la$ c0e9-4171-908e-08a611b84ff6}[description]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2b0f765d-16424\} \\ descript$ c0e9-4171-908e-08a611b84ff6}[relativepath]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-16464, 2b0f765d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b$ c0e9-4171-908e-08a611b84ff6}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2b0f765d-16464\} \\ explorer \setminus \{2b0f76d-16464\} \\ explorer \setminus \{2b0f76d-1$ c0e9-4171-908e-08a611b84ff6}[infotip]

Queries value:

c0e9-4171-908e-08a611b84ff6}[localizedname]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ c0e9-4171-908e-08a611b84ff6}[icon]

Queries value:

c0e9-4171-908e-08a611b84ff6}[security]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which is$  $\verb|c0e9-4171-908e-08a611b84ff6|| [streamresource]|$ Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-16464, 2b0f765d-16464, 2b0f766d-16464, 2b0f766d-16464,$ c0e9-4171-908e-08a611b84ff6}[streamresourcetype] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-16464, 2b0f765d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b$ c0e9-4171-908e-08a611b84ff6}[localredirectonly] Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ c0e9-4171-908e-08a611b84ff6}[roamable]

Oueries value:

c0e9-4171-908e-08a611b84ff6}[precreate]

Queries value:

c0e9-4171-908e-08a611b84ff6}[stream]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2b0f765d-16424\} \\ descript$ c0e9-4171-908e-08a611b84ff6}[publishexpandedpath]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-16464, 2b0f765d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f766d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b0f76d-16464, 2b$ c0e9-4171-908e-08a611b84ff6}[attributes]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ c0e9-4171-908e-08a611b84ff6}[foldertypeid]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2b0f765d-16464\} \\ explorer \setminus \{2b0f76d-16464\} \\ explorer \setminus \{2b0f76d-1$ c0e9-4171-908e-08a611b84ff6}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

224c-49de-b8d1-440df7ef3ddc}[category]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 224c-49de-b8d1-440df7ef3ddc}[name]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \\ version$ 224c-49de-b8d1-440df7ef3ddc}[parentfolder]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-particles \ particles \ par$ 224c-49de-b8d1-440df7ef3ddc}[description]

Oueries value:

 $HKLM \label{lem:hklm} White the latest and the la$ 224c-49de-b8d1-440df7ef3ddc}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 224c-49de-b8d1-440df7ef3ddc}[parsingname]

Queries value:

224c-49de-b8d1-440df7ef3ddc}[infotip]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} With the lem \label{lem:hklm} HKLM \label{lem:hklm} With the lem \label{lem:hklm} With the lem \label{lem:hklm} With the lem \label{lem:hklm} With the lem \label{lem:hklm} HKLM \label{lem:hklm} With the lem \label{lem:hkklm} With the lem \label{lem:hk$ 224c-49de-b8d1-440df7ef3ddc}[localizedname]

Oueries value:

224c-49de-b8d1-440df7ef3ddc}[icon]

Queries value:

224c-49de-b8d1-440df7ef3ddc}[security]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 224c-49de-b8d1-440df7ef3ddc}[streamresource]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \\ version$ 224c-49de-b8d1-440df7ef3ddc}[streamresourcetype]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \\ version$ 224c-49de-b8d1-440df7ef3ddc}[localredirectonly]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-interval folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescript 224c-49de-b8d1-440df7ef3ddc}[roamable]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkkl$  $224c\text{-}49de\text{-}b8d1\text{-}440df7ef3ddc}[\texttt{precreate}]$ 

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} Label{limits} HKLM \label{limits} HKLM$ 224c-49de-b8d1-440df7ef3ddc}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \\ version$ 224c-49de-b8d1-440df7ef3ddc}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hklm} White the latest and the la$ 224c-49de-b8d1-440df7ef3ddc}[attributes]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{2a00375e-the lattice \\ version \setminus explorer \\ version$ 224c-49de-b8d1-440df7ef3ddc}[foldertypeid]

 $HK LM \label{lem:hklm} Label{lem:hklm} Which is the statement of the label l$ 224c-49de-b8d1-440df7ef3ddc}[initfolderhandler]

Oueries value:

153b-4d17-9f04-a5fe99fc15ec}[category]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-explorer, folder \ explorer, folder \ explorer$ 153b-4d17-9f04-a5fe99fc15ec}[name]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 153b-4d17-9f04-a5fe99fc15ec}[parentfolder]

Oueries value:

153b-4d17-9f04-a5fe99fc15ec}[description] Queries value:

153b-4d17-9f04-a5fe99fc15ec}[relativepath] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{e555ab60-folder \} \\ folder \\ descriptions \setminus \{e556ab60-folder \} \\ folder \\ descriptions \setminus \{e566ab60-folder \} \\ folder \\ folder \\ descriptions \setminus \{e566ab60-folder \} \\ folder \\ folder \\ descriptions \setminus \{e566ab60-folder \} \\ folder \\ fo$ 

153b-4d17-9f04-a5fe99fc15ec}[parsingname] Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hkklm} Windows \la$ 153b-4d17-9f04-a5fe99fc15ec}[infotip]

Oueries value:

Queries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 153b-4d17-9f04-a5fe99fc15ec}[localizedname]

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{e555ab60-folder \} \\ descriptions \setminus \{e556ab60-folder \} \\ descriptions \setminus \{e556ab60-folder \} \\ descriptions \setminus \{e566ab60-folder \} \\ de$ 153b-4d17-9f04-a5fe99fc15ec}[icon]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 153b-4d17-9f04-a5fe99fc15ec}[security]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[streamresource] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-explorer, folder \ explorer, folder \ explorer$ 153b-4d17-9f04-a5fe99fc15ec}[streamresourcetype]

Queries value: 

153b-4d17-9f04-a5fe99fc15ec}[localredirectonly] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ 153b-4d17-9f04-a5fe99fc15ec}[roamable]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 153b-4d17-9f04-a5fe99fc15ec}[precreate]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ 153b-4d17-9f04-a5fe99fc15ec}[stream]

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{e555ab60-fabrical explorer| folderdescriptions| folderdescriptions|$ 153b-4d17-9f04-a5fe99fc15ec}[publishexpandedpath]

Oueries value:

```
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{e555ab60-fabrical explorer \verb|\folderdescriptions| explorer expl
   153b-4d17-9f04-a5fe99fc15ec}[attributes]
                        Queries value:
   HKLM \label{lem:hklm} Which is the latest and the
   153b-4d17-9f04-a5fe99fc15ec}[foldertypeid]
                        Oueries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-microsoft \ windows \ explorer \ folder \ explorer \ explorer \ folder \ explorer \ folder \ explorer \ exp
   153b-4d17-9f04-a5fe99fc15ec}[initfolderhandler]
```

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Queries value: shell folders[{e555ab60-153b-4d17-9f04-a5fe99fc15ec}]

Queries value:

4dd8-4787-80b6-090220c4b700}[category]

Queries value:

4dd8-4787-80b6-090220c4b700}[name]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{054fae61-1014, 1$ 4dd8-4787-80b6-090220c4b700}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} Which is a few and the latest and the late$ 4dd8-4787-80b6-090220c4b700}[description]

Oueries value:

 $HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} Windows \label{thm:local-prop} \label{thm:local-prop} Windows \label{$ 4dd8-4787-80b6-090220c4b700}[relativepath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{054fae61-1647\} \\$ 4dd8-4787-80b6-090220c4b700}[parsingname]

Oueries value:

 $\label{thm:condition} \begin{tabular}{ll} HKLM \label{thm:condition} HKLM \label{thm:condition} \begin{tabular}{ll} H$ 4dd8-4787-80b6-090220c4b700}[infotip] Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentyersion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[localizedname]

4dd8-4787-80b6-090220c4b700}[icon]

Queries value:

4dd8-4787-80b6-090220c4b700}[security]

Oueries value:

4dd8-4787-80b6-090220c4b700}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ 4dd8-4787-80b6-090220c4b700}[streamresourcetype]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-1054fae$ 4dd8-4787-80b6-090220c4b700}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ 4dd8-4787-80b6-090220c4b700}[roamable]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{054fae61-1014, 1$ 4dd8-4787-80b6-090220c4b700}[precreate]

Queries value:

4dd8-4787-80b6-090220c4b700}[stream]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ 4dd8-4787-80b6-090220c4b700}[publishexpandedpath] Queries value:

4dd8-4787-80b6-090220c4b700}[attributes] Oueries value:

 $HKLM \label{lem:hkkkk} Which was the sum of the sum o$ 4dd8-4787-80b6-090220c4b700}[foldertypeid]

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentyersion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[{054fae61-4dd8-4787-80b6-090220c4b700}]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1777f761-1616\} \\ folder \\ descriptions \setminus$ 68ad-4d8a-87bd-30b759fa33dd}[category]

68ad-4d8a-87bd-30b759fa33dd}[name]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 68ad-4d8a-87bd-30b759fa33dd}[parentfolder]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1777f761-1616\} \\ folder \\ descriptions \setminus$ 68ad-4d8a-87bd-30b759fa33dd}[description]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 68ad-4d8a-87bd-30b759fa33dd}[relativepath]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1777f761-1616\} \\ folder \\ descriptions \setminus$ 68ad-4d8a-87bd-30b759fa33dd}[parsingname]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which$ 68ad-4d8a-87bd-30b759fa33dd}[infotip]

Queries value:

68ad-4d8a-87bd-30b759fa33dd}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1777f761-1616464, 1777f761-16164, 1777f761-161$ 68ad-4d8a-87bd-30b759fa33dd}[icon]

68ad-4d8a-87bd-30b759fa33dd}[security]

Oueries value:

 $68ad-4d8a-87bd-30b759fa33dd\} \verb[streamresource]$ 

Oueries value:

68ad-4d8a-87bd-30b759fa33dd}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 68ad-4d8a-87bd-30b759fa33dd}[localredirectonly]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 68ad-4d8a-87bd-30b759fa33dd}[roamable]

Queries value:

68ad-4d8a-87bd-30b759fa33dd}[precreate]

Oueries value:

68ad-4d8a-87bd-30b759fa33dd}[stream]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[publishexpandedpath]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1777f761-1616464, 1777f761-16164, 1777f761-161$ 68ad-4d8a-87bd-30b759fa33dd}[attributes]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 68ad-4d8a-87bd-30b759fa33dd}[foldertypeid]

Queries value:

68ad-4d8a-87bd-30b759fa33dd}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[favorites]

Queries value: shell folders[{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}]

Queries value:

b9e3-4add-b60d-588c2dba842d}[category]

Oueries value:

b9e3-4add-b60d-588c2dba842d}[name1

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b9e3-4add-b60d-588c2dba842d}[parentfolder]

Oueries value:

b9e3-4add-b60d-588c2dba842d}[description]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b9e3-4add-b60d-588c2dba842d}[relativepath]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-descriptions \setminus$ b9e3-4add-b60d-588c2dba842d}[parsingname]

Queries value:

b9e3-4add-b60d-588c2dba842d}[infotip]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ b9e3-4add-b60d-588c2dba842d}[localizedname]

Queries value:

b9e3-4add-b60d-588c2dba842d}[icon]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ b9e3-4add-b60d-588c2dba842d}[security]

Queries value:

b9e3-4add-b60d-588c2dba842d}[streamresource]

Queries value:

b9e3-4add-b60d-588c2dba842d}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b9e3-4add-b60d-588c2dba842d}[localredirectonly]

Queries value:

b9e3-4add-b60d-588c2dba842d}[roamable]

Queries value:

 $HKLM \label{lem:hklm} While the latest and the la$ b9e3-4add-b60d-588c2dba842d}[precreate]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-descriptions \setminus$ b9e3-4add-b60d-588c2dba842d}[stream]

b9e3-4add-b60d-588c2dba842d}[publishexpandedpath]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{52528 \\ a6b-microsoft \setminus windows \setminus current \\ descriptions \setminus explorer \\ descriptions \\ descriptions \setminus explorer \\ descriptions \setminus explorer \\ descr$ b9e3-4add-b60d-588c2dba842d}[attributes]

Queries value:

b9e3-4add-b60d-588c2dba842d}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ b9e3-4add-b60d-588c2dba842d}[initfolderhandler]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[category]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[name]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 27c0-404b-8f08-102d10dcfd74}[parentfolder]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[description]

Queries value:

27c0-404b-8f08-102d10dcfd74}[relativepath]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \lab$ 27c0-404b-8f08-102d10dcfd74}[parsingname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[infotip]

Queries value:

27c0-404b-8f08-102d10dcfd74}[localizedname]

Oueries value:

 $HKLM \label{thm:local-continuous} HKLM \label{thm:local-continuous} HKLM$ 27c0-404b-8f08-102d10dcfd74}[icon]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{8983036c-1000\} \\ for the first of the first o$ 27c0-404b-8f08-102d10dcfd74}[security]

Oueries value:

 $27c0\text{-}404b\text{-}8f08\text{-}102d10dcfd74} [streamresource]$ 

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[streamresourcetype]

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \lab$ 27c0-404b-8f08-102d10dcfd74}[localredirectonly]

Queries value:

27c0-404b-8f08-102d10dcfd74}[roamable]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[precreate]

Queries value:

27c0-404b-8f08-102d10dcfd74}[stream]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[publishexpandedpath]

Queries value:

27c0-404b-8f08-102d10dcfd74}[attributes]

Oueries value:

27c0-404b-8f08-102d10dcfd74}[foldertypeid]

Queries value:

27c0-404b-8f08-102d10dcfd74}[initfolderhandler]

Queries value: folders[sendto] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0482 af6c-10482 af6c$ 08f1-4c34-8c90-e17ec98b1e17}[category]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ 08f1-4c34-8c90-e17ec98b1e17}[name]

Oueries value:

08f1-4c34-8c90-e17ec98b1e17}[parentfolder]

Queries value:

08f1-4c34-8c90-e17ec98b1e17}[description]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0482 \\ affice \}$ 08f1-4c34-8c90-e17ec98b1e17}[relativepath]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0482 af6c-10482 af6c-1$ 08f1-4c34-8c90-e17ec98b1e17}[parsingname]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 08f1-4c34-8c90-e17ec98b1e17}[infotip]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0482 \\ af6c-index \} \\ folder \\ descriptions \setminus \{048$ 08f1-4c34-8c90-e17ec98b1e17}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 08f1-4c34-8c90-e17ec98b1e17}[icon]

Queries value:

08f1-4c34-8c90-e17ec98b1e17}[security]

 $HKLM \label{lem:hklm} Which is the large was a full minimum of the large was a full minimum$  $08f1\text{-}4c34\text{-}8c90\text{-}e17ec98b1e17} [streamresource]$ 

Queries value:

08f1-4c34-8c90-e17ec98b1e17}[streamresourcetype]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0482 af6c-10482 af6c$ 08f1-4c34-8c90-e17ec98b1e17}[localredirectonly]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0482 af6c-10482 af6c-1$ 08f1-4c34-8c90-e17ec98b1e17}[roamable]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0482 af6c-10482 af6c-1$ 08f1-4c34-8c90-e17ec98b1e17}[precreate]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{0482af6c-08f1-4c34-8c90-e17ec98b1e17}[stream]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 08f1-4c34-8c90-e17ec98b1e17}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lem:hkklm}$ 08f1-4c34-8c90-e17ec98b1e17}[attributes]

Queries value:

08f1-4c34-8c90-e17ec98b1e17}[foldertypeid]

 $HKLM \label{lem:hkk} In the latest and the latest$ 08f1-4c34-8c90-e17ec98b1e17}[initfolderhandler]

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user Oueries value: shell folders[{0482af6c-08f1-4c34-8c90-e17ec98b1e17}]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ 79f6-4cee-b725-dc34e402fd46}[category]

Oueries value:

79f6-4cee-b725-dc34e402fd46}[name]

Queries value:

 $HKLM \label{lem:hklm} While the latest and the la$ 79f6-4cee-b725-dc34e402fd46}[parentfolder]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ for both \ descriptions \ for both \ descriptions \ for both \ descriptions \ for \ descr$ 79f6-4cee-b725-dc34e402fd46}[description]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[relativepath]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 79f6-4cee-b725-dc34e402fd46}[parsingname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[infotip]

 $HKLM \label{lem:hklm} In the latest and the lates$ 79f6-4cee-b725-dc34e402fd46}[localizedname]

Oueries value:

 $HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} Light \label{thm:local-prop} HKLM \label{thm:local-prop} Light \label{thm:local-prop} HKLM \label{thm:local-prop} Light \label{thm:local-prop} HKLM \label{thm:local-prop} Light \label{thm:local-prop} Light \label{thm:local-prop} Light \label{thm:local-prop} Light \label{thm:local-prop} Light \label{thm:local-prop} HKLM \label{thm:local-prop} Light \label{thm:local$ 79f6-4cee-b725-dc34e402fd46}[icon]

Queries value:

79f6-4cee-b725-dc34e402fd46}[security]

Queries value:

 $HKLM \label{lem:hklm} Which is the software \label{lem:hkklm} Which is the software \label{lem$ 79f6-4cee-b725-dc34e402fd46}[streamresource]

Oueries value:

79f6-4cee-b725-dc34e402fd46}[streamresourcetype]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \ for both \ for the property \ for$ 79f6-4cee-b725-dc34e402fd46}[localredirectonly] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{bcb5256f-bcb256f-b$ 79f6-4cee-b725-dc34e402fd46}[roamable] Queries value:

 $HKLM \label{lem:hklm} Which is a substitution of the latest and the latest and$ 79f6-4cee-b725-dc34e402fd46}[precreate] Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 79f6-4cee-b725-dc34e402fd46}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus f$ 79f6-4cee-b725-dc34e402fd46}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ 79f6-4cee-b725-dc34e402fd46}[attributes]

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-infometry} folderdescriptions \folderdescriptions \folderdescripti 79f6-4cee-b725-dc34e402fd46}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 79f6-4cee-b725-dc34e402fd46}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value: folders[{bcb5256f-79f6-4cee-b725-dc34e402fd46}]

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{9e3995 absolute and the properties of the proper$ 1f9c-4f13-b827-48b24b6c7174}[category]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Wow 6432 node \label{limits} Windows \label{limits} Variety \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W$ 1f9c-4f13-b827-48b24b6c7174}[name]

Queries value:

1f9c-4f13-b827-48b24b6c7174}[parentfolder]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ 1f9c-4f13-b827-48b24b6c7174}[description]

Queries value:

1f9c-4f13-b827-48b24b6c7174}[relativepath] Oueries value: 1f9c-4f13-b827-48b24b6c7174}[parsingname]  $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} Wh$ 

1f9c-4f13-b827-48b24b6c7174}[infotip]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limi$ 1f9c-4f13-b827-48b24b6c7174}[localizedname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{9e3995ab-1014, 1$ 1f9c-4f13-b827-48b24b6c7174}[icon]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{9e3995 absolute and the properties of the proper$ 1f9c-4f13-b827-48b24b6c7174}[security]

Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 1f9c-4f13-b827-48b24b6c7174}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White$ 1f9c-4f13-b827-48b24b6c7174}[streamresourcetype]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which is the lemma substitution \label{lemma} Which is the lemma substitution \label{lem:hkklm} Which is$ 1f9c-4f13-b827-48b24b6c7174}[localredirectonly]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{9e3995ab-16422 \\ node \setminus folder \\ descriptions \setminus \{9e396ab-16422 \\ node \setminus folder \\ descriptions \setminus \{9e36ab-16422 \\ node \setminus folder \\ descriptions \setminus \{9e36ab-16422 \\ node \setminus \{9e36ab-16422 \\ n$ 1f9c-4f13-b827-48b24b6c7174}[roamable]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limi$ 1f9c-4f13-b827-48b24b6c7174}[precreate]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[stream]

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{9e3995 absolute and the properties of the proper$ 1f9c-4f13-b827-48b24b6c7174}[publishexpandedpath]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{9e3995 absolute and the properties of the proper$ 1f9c-4f13-b827-48b24b6c7174}[attributes]

Oueries value:

 $\label{thm:local-continuous} HKLM \software \wow 6432 node \mbox{microsoft} \windows \current version \explorer \folder descriptions \colored \co$ 1f9c-4f13-b827-48b24b6c7174}[foldertypeid]

Queries value:

 $HK \dot{L} M software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{9e3995ab-partial explorer\} and the property of the property of$ 1f9c-4f13-b827-48b24b6c7174}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value:

folders[{9e3995ab-1f9c-4f13-b827-48b24b6c7174}]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ a42d-4fef-9f26-b60e846fba4f}[category]

Queries value: 

a42d-4fef-9f26-b60e846fba4f}[name] Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which is the lemma substitution \label{lemma} Which is the lemma substitution \label{lem:hkklm} Which is$ a42d-4fef-9f26-b60e846fba4f}[parentfolder] Queries value:

a42d-4fef-9f26-b60e846fba4f}[description] Queries value: 

a42d-4fef-9f26-b60e846fba4f}[relativepath] Queries value:  $HKLM \label{lem:hklm} Which is the latest and the$ 

a42d-4fef-9f26-b60e846fba4f}[parsingname]

Oueries value: 

a42d-4fef-9f26-b60e846fba4f}[infotip] Queries value:

a42d-4fef-9f26-b60e846fba4f}[localizedname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{724ef170-164ef182, 164ef182, 1$ a42d-4fef-9f26-b60e846fba4f}[icon]

a42d-4fef-9f26-b60e846fba4f}[security]

Oueries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} \label{limits} HKLM \label{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \lab$ a42d-4fef-9f26-b60e846fba4f}[streamresource]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{724ef170-1941, 1$ a42d-4fef-9f26-b60e846fba4f}[streamresourcetype]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l$ a42d-4fef-9f26-b60e846fba4f}[localredirectonly]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{724ef170-164ef182\} \\ node \setminus folder \\ descriptions \setminus \{724ef170-164ef182\} \\ node \setminus folder \\ descriptions \setminus \{724ef182\} \\ node \setminus \{724ef182$ a42d-4fef-9f26-b60e846fba4f}[roamable]

Oueries value:

 $HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local$ a42d-4fef-9f26-b60e846fba4f}[precreate]

Oueries value:

a42d-4fef-9f26-b60e846fba4f}[stream]

Queries value:

a42d-4fef-9f26-b60e846fba4f}[publishexpandedpath]

a42d-4fef-9f26-b60e846fba4f}[attributes]

Oueries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} \label{limits} HKLM \label{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \lab$ a42d-4fef-9f26-b60e846fba4f}[foldertypeid]

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170a42d-4fef-9f26-b60e846fba4f}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[administrative tools]

Oueries value:

 $HK\dot{L}M\ software\ wow 6432 node\ microsoft\ windows\ current version\ verplorer\ folder descriptions\ (a77f5d77-b1) and the contraction of the$ 2e2b-44c3-a6a2-aba601054a51}[category]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (a77f5d77-b77) \ description \ folder \ description \ descrip$ 2e2b-44c3-a6a2-aba601054a51}[name]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \labell} \label{lklm} \label{lklm} \labell{lklm$ 2e2b-44c3-a6a2-aba601054a51}[parentfolder]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{limits} HKLM \label{limits} LM \label{limits} HKLM \label{lim$ 2e2b-44c3-a6a2-aba601054a51}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (a77f5d77-b1) \ description \ explorer \ folder \ descriptions \ explorer \ folder \ description \ explorer \ folder \ folder$ 2e2b-44c3-a6a2-aba601054a51}[relativepath]

Oueries value:

2e2b-44c3-a6a2-aba601054a51}[parsingname]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \labe$ 2e2b-44c3-a6a2-aba601054a51}[infotip]

Oueries value:

 $HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \label{limits} HKLM \label{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \labell{limits} \lab$ 2e2b-44c3-a6a2-aba601054a51}[localizedname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[icon]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 2e2b-44c3-a6a2-aba601054a51}[security]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[streamresource]

 $HKLM \label{lem:hklk} In the large three largest expectations of the largest expectation of the larg$ 2e2b-44c3-a6a2-aba601054a51}[streamresourcetype]

Oueries value:

 $HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-prop} HKLM \label{thm:local-prop} Limit \label{thm:local-$ 2e2b-44c3-a6a2-aba601054a51}[localredirectonly] Queries value:

2e2b-44c3-a6a2-aba601054a51}[roamable] Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \labell} \label{lklm} \label{lklm} \labell{lklm$ 2e2b-44c3-a6a2-aba601054a51}[precreate] Oueries value:

2e2b-44c3-a6a2-aba601054a51}[stream] Queries value: 

2e2b-44c3-a6a2-aba601054a51}[publishexpandedpath]

Oueries value:  $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{a77f5d77-b142424, b142424, b142444, b142$ 

2e2b-44c3-a6a2-aba601054a51}[attributes] Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \labe$ 

2e2b-44c3-a6a2-aba601054a51}[foldertypeid] Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and the latest and$ 2e2b-44c3-a6a2-aba601054a51}[initfolderhandler]

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+user\ shell$ 

folders[programs]

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {de61d971-de61d9$ 5ebc-4f02-a3a9-6c82895e5c04}[category]

Queries value:

5ebc-4f02-a3a9-6c82895e5c04}[name]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Lem \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:h$ 5ebc-4f02-a3a9-6c82895e5c04}[parentfolder]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{de61d971-de82d + de82d + d$ 5ebc-4f02-a3a9-6c82895e5c04}[description]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ 5ebc-4f02-a3a9-6c82895e5c04}[relativepath]

Oueries value:

 $HKLM \label{lem:hkk} In the latest and the latest$ 5ebc-4f02-a3a9-6c82895e5c04}[parsingname1

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ 5ebc-4f02-a3a9-6c82895e5c04}[infotip]

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ 5ebc-4f02-a3a9-6c82895e5c04}[localizedname]

Oueries value:

5ebc-4f02-a3a9-6c82895e5c04}[icon] Oueries value: 5ebc-4f02-a3a9-6c82895e5c04}[security]  $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkl$ 5ebc-4f02-a3a9-6c82895e5c04}[streamresource] Oueries value: 

5ebc-4f02-a3a9-6c82895e5c04}[streamresourcetype] Queries value:

5ebc-4f02-a3a9-6c82895e5c04}[localredirectonly]

Queries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ f$ 5ebc-4f02-a3a9-6c82895e5c04}[roamable]

Oueries value:

 $HKLM \label{lem:hkk} In the latest and the latest$ 5ebc-4f02-a3a9-6c82895e5c04}[precreate]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:h$ 5ebc-4f02-a3a9-6c82895e5c04}[stream]

Oueries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ 5ebc-4f02-a3a9-6c82895e5c04}[publishexpandedpath]

Queries value:

5ebc-4f02-a3a9-6c82895e5c04}[attributes]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which is$ 5ebc-4f02-a3a9-6c82895e5c04}[foldertypeid]

Queries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentyersion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[initfolderhandler]

c50a-4bb0-a382-697dcd729b80}[category]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0762d272-107660472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-1076047$ c50a-4bb0-a382-697dcd729b80}[name]

Oueries value:

c50a-4bb0-a382-697dcd729b80}[parentfolder]

Queries value:

c50a-4bb0-a382-697dcd729b80}[description]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0.762d272-1.04444, 1.044$ c50a-4bb0-a382-697dcd729b80}[relativepath]

Queries value:

c50a-4bb0-a382-697dcd729b80}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{0762d272-140424, \\ node \setminus folder \\ descriptions \setminus \{0762d272-14042, \\ node \setminus \{0762d272-1404$ c50a-4bb0-a382-697dcd729b80}[infotip]

Queries value:

c50a-4bb0-a382-697dcd729b80}[localizedname]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ c50a-4bb0-a382-697dcd729b80}[icon] Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{0.762 d272-10.75 d272-10$ 

c50a-4bb0-a382-697dcd729b80}[security] Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0.762d272-1.04444, 1.044$ c50a-4bb0-a382-697dcd729b80}[streamresource]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272c50a-4bb0-a382-697dcd729b80}[streamresourcetype]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0762d272-1076d144, 10762d272-1076d144, 10762d272-10762$ c50a-4bb0-a382-697dcd729b80}[localredirectonly]

Queries value:

c50a-4bb0-a382-697dcd729b80}[roamable]

Queries value:

c50a-4bb0-a382-697dcd729b80}[precreate]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hkklm} Windo$ c50a-4bb0-a382-697dcd729b80}[stream]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0.762d272-1.04444, 1.044$ c50a-4bb0-a382-697dcd729b80}[publishexpandedpath]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0762d272-107660472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760472-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-10760470-1076047$ c50a-4bb0-a382-697dcd729b80}[attributes]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0.762d272-1.04444, 1.044$ c50a-4bb0-a382-697dcd729b80}[foldertypeid]

Queries value:

c50a-4bb0-a382-697dcd729b80}[initfolderhandler]

HKLM\software\microsoft\windows Queries value:

nt\currentversion\profilelist[profilesdirectory]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[category]

4e0c-4904-967b-40b0d20c3e4b}[name]

Oueries value:

4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[description]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{$ 4e0c-4904-967b-40b0d20c3e4b}[parsingname]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[infotip]

Oueries value:

4e0c-4904-967b-40b0d20c3e4b}[localizedname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[icon]

4e0c-4904-967b-40b0d20c3e4b}[security]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[streamresource]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4d9f7874-1408\} \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ folder \\ folder \\ folder$ 4e0c-4904-967b-40b0d20c3e4b}[streamresourcetype]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[localredirectonly] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4d9f7874-1408\} \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ folder \\ folder \\ folder$ 4e0c-4904-967b-40b0d20c3e4b}[roamable]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (4d9f7874-1000) \ descriptions \$ 4e0c-4904-967b-40b0d20c3e4b[precreate]

Oueries value:

4e0c-4904-967b-40b0d20c3e4b}[stream]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{4d9f7874-1408\} \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ descriptions \setminus \{4d9f784-1408\} \\ folder \\ folder \\ folder \\ folder \\ folder$ 4e0c-4904-967b-40b0d20c3e4b}[publishexpandedpath]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{$ 4e0c-4904-967b-40b0d20c3e4b}[attributes]

Queries value:

4e0c-4904-967b-40b0d20c3e4b}[foldertypeid]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple substitution \label{lem:hkklm} Which is a simple substitution \label{lkklm} Which$  $4 e 0 c - 4904 - 967 b - 40 b 0 d 20 c 3 e 4 b \} \texttt{[initfolderhandler]}$ Queries value:

02e7-4e5d-b744-2eb1ae5198b7}[category] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1ac14e77-1ac14e77$ 02e7-4e5d-b744-2eb1ae5198b7}[name] Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-1$ 02e7-4e5d-b744-2eb1ae5198b7}[parentfolder] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1ac14e77-1$ 02e7-4e5d-b744-2eb1ae5198b7}[description] Queries value:

02e7-4e5d-b744-2eb1ae5198b7}[relativepath] Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1ac14e77-1$ 02e7-4e5d-b744-2eb1ae5198b7}[parsingname]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1ac14e77-1ac14e77$ 02e7-4e5d-b744-2eb1ae5198b7}[infotip]

Oueries value:

 $HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} \begin{tabular}{ll} HKLM$ 02e7-4e5d-b744-2eb1ae5198b7}[localizedname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{1ac14e77-14c14e77-14c14e74-14c1$ 02e7-4e5d-b744-2eb1ae5198b7}[icon]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{le$ 02e7-4e5d-b744-2eb1ae5198b7}[security]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[streamresource]

 $02e7\text{-}4e5d\text{-}b744\text{-}2eb1ae5198b7} [streamresourcetype]$ 

Queries value:

02e7-4e5d-b744-2eb1ae5198b7}[localredirectonly]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1ac14e77-1ac14e77$ 02e7-4e5d-b744-2eb1ae5198b7}[roamable]

```
Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1ac14e77-1
02e7-4e5d-b744-2eb1ae5198b7}[precreate]
HKLM \label{lem:hkk} In the latest and the latest
02e7-4e5d-b744-2eb1ae5198b7}[stream]
     Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-
02e7-4e5d-b744-2eb1ae5198b7}[publishexpandedpath]
     Queries value:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l
02e7-4e5d-b744-2eb1ae5198b7} [attributes]
     Queries value:
02e7-4e5d-b744-2eb1ae5198b7}[foldertypeid]
     Queries value:
02e7-4e5d-b744-2eb1ae5198b7}[initfolderhandler]
                                                                            HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]
     Queries value:
                                                                            HKLM\software\microsoft\ole[defaultaccesspermission]
     Oueries value:
                                                                           HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
     Oueries value:
HKLM\software\wow6432node\microsoft\cryptography\defaults\provider\microsoft strong cryptographic
provider[type]
     Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ cryptography \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ strong \ cryptographic \ defaults \ provider \ microsoft \ defaults \ provider \ provid
provider[image path]
                                                                            HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
     Queries value:
     Oueries value
{\tt HKLM} \verb|\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]|}
     Queries value:
                                                                           HKLM \setminus software \setminus policies \setminus microsoft \setminus cryptography [privatekey lifetimeseconds] \\
     Oueries value:
                                                                           HKLM\software\microsoft\cryptography[machineguid]
HKCR\wow6432node\interface\{00000134-0000-0000-c000-
     Oueries value:
00000000046}\proxystubclsid32[]
HKLM \verb|\software\microsoft\windows\currentversion\policies\explorer[disable thumbnails]|
     Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[fullrowselect]
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\advanced[fullrowselect]
     Queries value:
                                                                           HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}[]
     Queries value:
                                                                           HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprocserver32[inprocserver32]
     Queries value:
                                                                           HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprocserver32[]
     Queries value:
                                                                           HKCR\wow6432node\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprocserver32[threadingmodel]
                                                                           HKCU\software\classes\local
    Oueries value:
settings\software\microsoft\windows\shell[bagmru size]
    Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[mrulistex]
Queries value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru[nodeslots]
                                                                           HKCU\software\classes\local
    Queries value:
 settings\software\microsoft\windows\shell\bagmru[0]
                                                                           HKCU\software\classes\local
     Queries value:
settings \verb|\software\microsoft\windows\shell\bagmru[3]|
                                                                           HKCU\software\classes\local
    Oueries value:
settings\software\microsoft\windows\shell\bagmru[2]
                                                                           HKCU\software\classes\local
     Queries value:
 settings\software\microsoft\windows\shell\bagmru\2[mrulistex]
Queries value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\2[0]
                                                                           HKCU\software\classes\local
    Queries value:
 settings\software\microsoft\windows\shell\bagmru\2\0[mrulistex]
                                                                           HKCU\software\classes\local
     Queries value:
settings \verb|\software\microsoft\windows\shell\bagmru\2\0[3]
    Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2\0[0]
    Queries value:
                                                                           HKCU\software\classes\local
 settings\software\microsoft\windows\shell\bagmru\2\0[1]
     Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2\0[2]
                                                                           HKCU\software\classes\local
    Queries value:
settings\software\microsoft\windows\shell\bagmru\2\0\2[mrulistex]
                                                                           HKCU\software\classes\local
     Queries value:
Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2\0\2[1]
    Queries value:
                                                                           HKCU\software\classes\local
Queries value:
                                                                            HKCU\software\classes\local
settings \verb|\software\microsoft\windows\shell\bagmru\2\0\2\1[nodeslot]|
                                                                           HKCU\software\classes\local
    Queries value:
settings\software\microsoft\windows\shell\bags\18\shell[foldertype]
                                                                           HKCU\software\classes\local
settings \verb|\software\microsoft\windows\shell\bagmru\2\0\2[nodeslot]|
    Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2\0[nodeslot]
    Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2[nodeslot]
     Queries value:
                                                                           HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[nodeslot]
                                                                           HKCU\software\classes\local
    Queries value:
settings\software\microsoft\windows\shell\bags\allfolders\shell[foldertype]
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{625b53c3-b126b2b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b23c3-b126b25
ab48-4ec1-ba1f-a1ef4146fc19}[category]
     Oueries value:
```

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{625b53c3-162b] and the state of the stat$ ab48-4ec1-ba1f-a1ef4146fc19}[name]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ ab48-4ec1-ba1f-a1ef4146fc19}[parentfolder]

Oueries value:

ab48-4ec1-ba1f-a1ef4146fc19}[description]

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} HKLM \label{thm:local_hammon} \begin{tabular}{ll} HKLM \label{$ ab48-4ec1-ba1f-a1ef4146fc19}[relativepath]

Oueries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple substitution \label{lem:hklm} Which is a simple substitution \label{lem:hklm} Which is a simple substitution \label{lem:hklm} \label{lem:hklm} Hklm \label{lem:hklm} Which is a simple substitution \label{lklm} Which is a simple substitution \label{lk$ ab48-4ec1-ba1f-a1ef4146fc19}[parsingname]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{625b53c3-162b] and the state of the stat$ ab48-4ec1-ba1f-a1ef4146fc19}[infotip]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ ab48-4ec1-ba1f-a1ef4146fc19}[localizedname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3ab48-4ec1-ba1f-a1ef4146fc19}[icon]

Queries value:

ab48-4ec1-ba1f-a1ef4146fc19}[security]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-information} ab48-4ec1-ba1f-a1ef4146fc19}[streamresource]

Queries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Carrent \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{le$  $ab 48 - 4ec1 - ba1f - a1ef4146fc19 \} [stream resource type] \\$ 

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} Wow 6432 node \label{limits} Windows \label{limits} Current \label{limits} Very \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W$ ab48-4ec1-ba1f-a1ef4146fc19}[localredirectonly]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3ab48-4ec1-ba1f-a1ef4146fc19}[roamable]

Oueries value:

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White$ ab48-4ec1-ba1f-a1ef4146fc19}[precreate]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3ab48-4ec1-ba1f-a1ef4146fc19}[stream]

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is a simple substitution \label{lem:hklm} Which is a simple substitution \label{lem:hklm} Which is a simple substitution \label{lem:hklm} \label{lem:hklm} Hklm \label{lem:hklm} Which is a simple substitution \label{lklm} Which is a simple substitution \label{lk$ ab48-4ec1-ba1f-a1ef4146fc19}[publishexpandedpath]

Oueries value:

 $HKLM \label{thm:local-soft-windows} HKLM \label{thm:local-windows} HKLM \label{thm:local-wi$ ab48-4ec1-ba1f-a1ef4146fc19}[attributes]

Queries value:

ab48-4ec1-ba1f-a1ef4146fc19}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ ab48-4ec1-ba1f-a1ef4146fc19}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[start menu] Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ ebd2-438a-8655-8a092e34987a}[category]

Queries value:

ebd2-438a-8655-8a092e34987a}[name]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-constraints \ ae50c081-constraints \ ae50$ ebd2-438a-8655-8a092e34987a}[parentfolder]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081ebd2-438a-8655-8a092e34987a}[description]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-constraints \ ae50c081-constraints \ ae50$ ebd2-438a-8655-8a092e34987a}[relativepath]

Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the second of the se$ ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value:

ebd2-438a-8655-8a092e34987a}[infotip]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkklm}$ ebd2-438a-8655-8a092e34987a}[localizedname]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{ae50c081-baseling \} \\ for the first of the fi$ ebd2-438a-8655-8a092e34987a}[icon]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fae 50c081-configuration \ folder \ fo$ ebd2-438a-8655-8a092e34987a}[security]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-constraints \ ae50c081-constraints \ ae50$ ebd2-438a-8655-8a092e34987a}[streamresource]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-constraints \ explorer \ folder \ f$  $ebd2-438a-8655-8a092e34987a\} [streamresource type] \\$ 

Queries value:

 $HKLM \label{lem:hklm} In the latest and the lates$ ebd2-438a-8655-8a092e34987a}[localredirectonly]

Oueries value:

```
ebd2-438a-8655-8a092e34987a}[roamable]
        Oueries value:
ebd2-438a-8655-8a092e34987a}[precreate]
HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \la
ebd2-438a-8655-8a092e34987a}[stream]
       Oueries value:
```

ebd2-438a-8655-8a092e34987a}[publishexpandedpath]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081ebd2-438a-8655-8a092e34987a}[attributes]

Oueries value:

ebd2-438a-8655-8a092e34987a}[foldertypeid]

Oueries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{ae50c081-microsoft\} \\ descript$ ebd2-438a-8655-8a092e34987a}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[recent]

Queries value: HKCU\software\classes\local

settings\software\microsoft\windows\shell\bags\18\shell[sniffedfoldertype]

Queries value:

4c97-b1c6-ecdf5910c5c0}[canonicalname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{292108be-88ab-4f33-9a26-7748e62e37ad}[canonicalname]

Queries value:

4dca-aa4d-3ee8648d03e5}[canonicalname]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limit$ 4e07-834e-67c98610f39d}[canonicalname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-f11db97c5cc7}[canonicalname]

Oueries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} White \label{lem:hkkm} HKLM \label{lem:hkkm} White \label{lem:hkkm} W$ 441a-8eab-01b3f3861156}[canonicalname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dcc-40fe-aa3d-6177ea401788}[canonicalname]

 $HKLM \label{lem:hkkkk} Which was a constant with the statement of the st$ 483c-ac93-691d05850de8}[canonicalname]

Queries value:

418a-bff8-f18370157b55}[canonicalname]

Queries value:

4e7b-a4e1-46378ad77a61}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} Which was the last of the last$ 43b8-b8fe-e91ef9d8ba69}[canonicalname]

Oueries value:

46ff-8023-9dceab9c3ee3}[canonicalname] Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{5f4eab9a-6833-6833-6832\} \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{5f4eab9a-6833-6833-6832\} \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{5f4eab9a-6833-6833-6832\} \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{5f4eab9a-6833-6833-6833-6832\} \\ node \setminus microsoft \\ node \setminus micros$ 

4f61-899d-31cf46979d49}[canonicalname] Oueries value: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{3f98a740-839c-

4af7-8c36-5badfb33d5fd}[canonicalname]

Queries value: 

4007-aba6-af877d526ea6}[canonicalname] Queries value:

 $HKLM \label{local-bound} HKLM \label{local-bound} HKLM \label{local-bound} Software \label{local-bound} Windows \label{local-bound} Current version \label{local-bound} Version \label{local-bound} Windows \label{local-bound}$ 49a5-93b8-6be14cfa4943}[canonicalname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{7f2f5b96-ff74-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{7f2f5b96-ff74-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{7f2f5b96-ff74-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{7f2f5b96-ff74-microsoft \setminus windows \setminus current \\ version \setminus explorer \\ types \setminus \{7f2f5b96-ff74-microsoft \setminus windows \setminus current \\ version \setminus explorer \\ types \setminus \{7f2f5b96-ff74-microsoft \} \\ types \setminus \{7f2f5b96-microsoft \} \\ types \setminus \{7f2f5b6-microsoft \} \\ types \setminus \{7f2f5b6$ 41da-afd8-1c78a5f3aea2}[canonicalname]

Queries value:

4aad-8011-f5b3db2123ec}[canonicalname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\fb3690e58-e961-423b-b687-386ebfd83239}[canonicalname]

Queries value:

4c4f-8817-bb27601267a9}[canonicalname]

Queries value:

 $HK \dot{L} M \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder types \setminus \{71689ac1-cc88-creative version \setminus explorer \setminus folder version \setminus explorer \setminus expl$ 45d0-8a22-2943c3e7dfb3}[canonicalname]

Queries value:

415e-a6ee-cad625207853}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} White \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} White \label{lklm} \label{lk$ 43aa-a329-c37430c58d2a}[canonicalname]

Oueries value:

4785-8658-4ca6c63e38c6}[canonicalname]

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ folder types \ folder \ fol$ 4a93-bd3d-243f7881d492}[canonicalname]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ for Bb050-8a6a-1000 \ for the boundary between the bou$ 4d79-8344-9dfb5cf391fb}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} Which was the last of the last$ 4ddb-a5a8-c604edf61d6b}[canonicalname]

Oueries value:

46e5-9690-5bcd9f57aab3}[canonicalname]

Queries value:

479e-b447-812bfa7d2e8f}[canonicalname]

Oueries value:

4d7e-9ad2-ecc64154418d}[canonicalname]

Queries value:

4fe0-9942-826416082da9}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} Which was the last of the last$ 4f05-99aa-fdc2c9474656}[canonicalname]

Queries value: 4cec-9b59-3135b9c49ccf}[canonicalname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ (e053a11a-dced-microsoft) \ microsoft \ windows \ microsoft) \ microsoft \ microsoft$ 4515-8c4e-d51ba917517b}[canonicalname]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{834d8a44-0974-4ed6-866e-f203d80b3810}[canonicalname]

Queries value:

4035-a745-28ac066dc6ed}[canonicalname]

Oueries value:

 $\label{thm:ham} HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ folder \ types \ folder \ fol$ 4229-821a-26553a67fc18}[canonicalname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{de4f0660 - fa10 - f$ 4b8f-a494-068b20b22307}[canonicalname]

Oueries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 4175-a374-bd584a510b78}[canonicalname]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{6d9969ff-612f-48ef-9b90-853fd82e6ec2}[canonicalname]

Queries value:

4c80-ba29-f1204c4502c3}[canonicalname]

Oueries value:

4a0a-91fa-cef6f59cfda1}[canonicalname]

Queries value:

4c28-be02-ca8c2126280d}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} Which was the simple of the simple$ 409e-b97f-3352240903f4}[canonicalname] Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder types \ \{921c636d-9fc8-16464, 1946, 19$ 40d7-899e-0845dcd03010}[canonicalname] Queries value:

4cbb-87f7-585d0e0ce070}[canonicalname] Oueries value: 

438f-9151-098b2e36b887}[canonicalname]

Queries value: 

4635-a6d4-da33fd102b7a}[canonicalname] Oueries value:

 $HKLM \label{local-soft-wave-wow6432} HKLM \label{local-soft-windows-current-version-explorer-folder-types-feb-586b-586b-686}.$ 4eba-8d75-d17434b8cdf6}[canonicalname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ types \setminus \{fbb3477e-c9e4-types \setminus \{fbb347e-c9e4-types \}\}\}\}$ 4b3b-a2ba-d3f5d3cd46f9}[canonicalname]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \$ 4e84-8e60-f11db97c5cc7}[parent]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-f11db97c5cc7}[perceivedtype]

Queries value:

4e84-8e60-f11db97c5cc7}[theme]

Queries value:

4e84-8e60-f11db97c5cc7}[layouttype]

Oueries value:

4e84-8e60-f11db97c5cc7}[topviewpersistence]

Queries value:

 $HKLM \label{lem:hklm} Which was the simple of the simple$ 4e84-8e60-f11db97c5cc7}[viewsettingspersistence]

Oueries value:

4e84-8e60-f11db97c5cc7}[mode]

4e84-8e60-f11db97c5cc7}[helptopic]

Oueries value:

```
4e84-8e60-f11db97c5cc7}[class]
     Queries value:
HKLM \label{lem:hklm} Which was the label of the label 
4e84-8e60-f11db97c5cc7}[mostrelevant]
     Queries value:
4e84-8e60-f11db97c5cc7}[defaultview]
     Queries value:
4e84-8e60-f11db97c5cc7}\topviews[overrideparenttopviews]
     Oueries value:
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[name]
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[version]
     Queries value:
HKLM \label{lem:hklm} Which was the simple of the simple
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[logicalviewmode]
     Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-000000000000}[iconsize]
     Queries value:
Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-
4e84-8e60-f11db97c5cc7 \\ \texttt{\colored} [hidefilenames]
     Queries value:
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-00000000000}[datecategorizerinfo]
     Oueries value:
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Software \label{limits} \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} H
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[childviewid]
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[groupby]
     Oueries value:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \
Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[stackby]
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits}
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[primaryproperty]
     Queries value:
Queries value
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-00000000000}[columnlist]
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[sortbylist]
     Oueries value:
4e84-8e60-f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[order]
                                                                                  HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}[]
     Queries value:
      Queries value:
                                                                                  HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprocserver32[inprocserver32]
                                                                                 HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
     Oueries value:
5d7904798f4b}\inprocserver32[]
     Oueries value:
                                                                                  HKCR\wow6432node\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprocserver32[threadingmodel]
     Queries value:
                                                                                  HKCR \verb|\wow6432| node \verb|\clsid| \{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4\}[]
     Oueries value:
                                                                                  HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32[inprocserver32]
     Queries value:
                                                                                  HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32[]
     Queries value:
                                                                                 HKCR\wow6432node\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32[threadingmodel]
     Queries value:
                                                                                  HKCU\software\classes\local
settings\software\microsoft\windows\shell\bags\18\shell[extshellfolderviews\default]
     Queries value:
                                                                                  HKCU\software\classes\local
settings software \verb|microsoft| windows \verb|shell| bags all folders \verb|shell| [extshell folder views \verb|default]| |
     Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[serveradminui]
     Queries value:
                                                                                 HKCU\software\microsoft\windows\currentversion\explorer[iconunderline]
      Queries value:
HKLM \verb|\software\\| wow 6432 node \verb|\microsoft\\| windows \verb|\currentversion\\| explorer[iconunderline]|
     Oueries value:
                                                                                  HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}[]
                                                                                  HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
     Queries value:
9fb30670320e}\inprocserver32[inprocserver32]
     Queries value:
                                                                                  HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprocserver32[]
     Queries value:
                                                                                 HKCR\wow6432node\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprocserver32[threadingmodel]
     Queries value:
\label{thm:linear} \mbox{\convex} \mbox{\conv} \
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\advanced[growpolicy]
     Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[memorydivisor]
     Queries value:
HKLM \verb|\software| \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[memory divisor]| and the software \verb|\wow6432| node \verb|\wo
      Queries value:
```

```
Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ (explorer \ advanced \ [maxthumbnailmemory in screenfulls]
     Queries value:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:linear} max memory \end{tabular}
     Queries value
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[initialpolicy]
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\advanced[initialpolicy]
     Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer[globalassocchangedcounter]
     Queries value:
\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \microsoft \windows \current version \end{tabular} explorer [global assocchanged counter] \end{tabular}
     Queries value:
                                                                         HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-6843707eb41f}[]
     Queries value:
                                                                         HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
6843707eb41f}\inprocserver32[inprocserver32]
                                                                         HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
     Queries value:
6843707eb41f}\inprocserver32[]
                                                                         HKCR\wow6432node\clsid\{2155fee3-2419-4373-b102-
     Queries value
6843707eb41f}\inprocserver32[threadingmodel]
     Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[disablethumbnailsonnetworkfolders]
    Queries value:
                                                                         HKLM\system\currentcontrolset\control\session
manager[safeprocesssearchmode]
     Queries value:
                                                                         HKCR \ wow 6432 node \ clsid \ \{317d06e8-5f24-433d-bdf7-79ce68d8abc2\}[]
                                                                         Oueries value:
79ce68d8abc2}\inprocserver32[inprocserver32]
     Oueries value:
                                                                         HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
79ce68d8abc2}\inprocserver32[]
    Queries value
                                                                         HKCR\wow6432node\clsid\{317d06e8-5f24-433d-bdf7-
79ce68d8abc2}\inprocserver32[threadingmodel]
     Oueries value:
HKLM \label{limits} \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} HKLM \label{limits} \label{limits} \label{limits} \label{limits} HKLM \label{limits} \labell{limits} \labell{limits} \labe
                                                                          HKCR\wow6432node\interface\{000214e3-0000-0000-c000-
     Queries value
00000000046}\proxystubclsid32[]
                                                                         HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}[]
     Oueries value:
                                                                         HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
     Queries value:
a5c5bc1c2ae6}\inprocserver32[inprocserver32]
     Queries value:
                                                                         HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprocserver32[]
     Queries value:
                                                                         HKCR\wow6432node\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprocserver32[threadingmodel1
     Queries value:
                                                                          HKCR\wow6432node\interface\{00000114-0000-0000-c000-
000000000046}\proxystubclsid32[]
     Queries value:
                                                                          HKLM \verb|\software\microsoft\sqmclient\windows\disabled processes [29ed 373a]
     Oueries value:
                                                                          HKLM \setminus software \setminus microsoft \setminus sqmclient \setminus windows [studyid]
                                                                          HKLM\software\microsoft\telemetryclient\samplestore\sqm[sampledout]
     Queries value:
                                                                          HKCR\wow6432node\interface\{6d5140c1-7436-11ce-8034-
     Queries value:
00aa006009fa}\proxystubclsid32[]
     Queries value
HKLM\software\microsoft\windows\currentversion\policies\explorer[nocdburning]
                                                                          HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2\{11
     Oueries value:
                                                                          HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
     Queries value:
 f4b4263d2fd2}\inprocserver32[inprocserver32]
                                                                         HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
     Queries value
f4b4263d2fd2}\inprocserver32[]
                                                                         HKCR\wow6432node\clsid\{7efc002a-071f-4ce7-b265-
    Queries value:
f4b4263d2fd2}\inprocserver32[threadingmodel]
     Queries value:
                                                                          HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}[]
     Queries value
                                                                         HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprocserver32[inprocserver32]
                                                                         HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
    Oueries value:
c911b1710180}\inprocserver32[]
     Oueries value
                                                                         HKCR\wow6432node\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprocserver32[threadingmodel]
     Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[allowfileclsidjunctions]
                                                                         HKLM\software\wow6432node\microsoft\windows
     Oueries value:
search[systemindexnormalization]
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
     Queries value:
5595fe6b30ee}\shellfolder[attributes]
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
     Queries value:
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[restrictedattributes]
     Queries value:
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[foldervalueflags]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
     Queries value
                                                                         HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\inprocserver32[]
    Queries value:
\label{thm:hklm} HKL^{M} software \verb|\wow6432| node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| f3ce0 f7c-label{thm:hklm} f3ce0 f7ce0 f7ce
4901-4acc-8648-d5d44b04ef8f}[category]
     Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0f7c-f1ce1, f1ce1, 
4901-4acc-8648-d5d44b04ef8f}[name]
     Queries value:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White 
4901-4acc-8648-d5d44b04ef8f}[parentfolder]
     Oueries value:
4901-4acc-8648-d5d44b04ef8f}[description]
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| face of face of the face of the
4901-4acc-8648-d5d44b04ef8f}[relativepath]
     Oueries value:
```

```
HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{f3ce 0 f7c-10 from 1 folderdescription | folderdescription| folderdescriptio
4901-4acc-8648-d5d44b04ef8f}[parsingname]
       Queries value:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White 
4901-4acc-8648-d5d44b04ef8f}[infotip]
       Oueries value:
4901-4acc-8648-d5d44b04ef8f}[localizedname]
       Queries value:
4901-4acc-8648-d5d44b04ef8f}[icon]
       Oueries value:
4901-4acc-8648-d5d44b04ef8f}[security]
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ descriptions \ \ face 0 free \ folder \ \ face 0 free \ folder \ \ face 0 free \ \ face 
4901-4acc-8648-d5d44b04ef8f}[streamresource]
      Queries value:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White 
4901-4acc-8648-d5d44b04ef8f}[streamresourcetype]
       Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-
4901-4acc-8648-d5d44b04ef8f}[localredirectonly]
       Queries value:
4901-4acc-8648-d5d44b04ef8f}[roamable]
       Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-1000}
4901-4acc-8648-d5d44b04ef8f}[precreate]
       Queries value:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \label{lem:hkk
4901-4acc-8648-d5d44b04ef8f}[stream]
       Oueries value:
HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} HKLM \label{limits} Which \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} HKLM \label{limits} Which \label{limits} W
4901-4acc-8648-d5d44b04ef8f}[publishexpandedpath]
       Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-
4901-4acc-8648-d5d44b04ef8f}[attributes]
       Oueries value:
HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \l
4901-4acc-8648-d5d44b04ef8f}[foldertypeid]
       Queries value:
HKLM\software\wow6432node\microsoft\windows\currentyersion\explorer\folderdescriptions\{f3ce0f7c-
4901-4acc-8648-d5d44b04ef8f}[initfolderhandler]
                                                                                                             HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-delta \ explorer \ ex
       Queries value:
3aea-1069-a2d8-08002b30309d}\defaulticon[]
      Oueries value:
                                                                                                            3aea-1069-a2d8-08002b30309d}\defaulticon[openicon]
                                                                                                            HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
       Queries value:
3aea-1069-a2d8-08002b30309d}[]
       Queries value:
                                                                                                            HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}[localizedstring]
                                                                                                            HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}[]
       Oueries value:
                                                                                                             HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
       Queries value:
 f9a4e16a21b8}\inprocserver32[inprocserver32]
                                                                                                            HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
       Queries value
f9a4e16a21b8}\inprocserver32[]
                                                                                                            HKCR\wow6432node\clsid\{18907f3b-9afb-4f87-b764-
      Queries value:
f9a4e16a21b8}\inprocserver32[threadingmodel]
       Queries value:
\label{lem:hklm} \verb+KLM\ system \ \verb+current control set \ \verb+services \ \verb+lanman work station \ \verb+parameters [rpccache time out] \\
       Queries value:
                                                                                                             HKCR \setminus wow6432 node \\ clsid \setminus \{50ef4544 - ac9f - 4a8e - b21b - 8a26180db13f\}[]
                                                                                                            HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
       Oueries value:
8a26180db13f}\inprocserver32[inprocserver32]
       Queries value:
                                                                                                            HKCR\wow6432node\clsid\{50ef4544-ac9f-4a8e-b21b-
8a26180db13f}\inprocserver32[]
       Queries value:
                                                                                                            HKCR\wow6432 node\clsid\{50ef4544-ac9f-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-4a8e-b21b-6a8e-b21b-6a8e-b21b-6a8e-b21b-6a8e-b21b-6a8e-b21b-6a8e-b21b-6a8e-
8a26180db13f}\inprocserver32[threadingmodel]
                                                                                                             HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.cpx]
       Oueries value:
        Queries value:
                                                                                                             HKCU\software\microsoft\windows\shell\associations[isconnectedatlogon]
        Queries value:
                                                                                                             HKCR\unknown[docobject]
        Queries value:
                                                                                                             HKCR\unknown[browseinplace]
                                                                                                             HKCR\unknown[isshortcut]
       Oueries value:
                                                                                                             HKCR\unknown[alwaysshowext]
       Queries value:
        Queries value:
                                                                                                             HKCR\unknown[nevershowext]
        Queries value:
                                                                                                             HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.png]
        Queries value:
                                                                                                             HKCU\software\classes\.png[content type]
       Queries value:
                                                                                                             HKCR\.png[content type]
                                                                                                             HKCU\software\classes\.png[]
       Oueries value:
       Queries value:
                                                                                                             HKCR\.png[]
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.png\userchoice[hash]
       Queries value:
                                                                                                            HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah[docobject]
        Queries value:
                                                                                                             HKCR\systemfileassociations\.png[docobject]
        Queries value:
                                                                                                             HKCR\systemfileassociations\image[docobject]
        Queries value:
HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah[browseinplace]
       Queries value:
                                                                                                             HKCR\systemfileassociations\.png[browseinplace]
                                                                                                             HKCR\systemfileassociations\image[browseinplace]
        Oueries value:
        Queries value:
                                                                                                             HKCU \ \ software \ \ \ \ appx9vdwcvrwnbettpahnt26jswq0n8hgyah[isshortcut]
       Queries value:
                                                                                                             HKCR\systemfileassociations\.png[isshortcut]
                                                                                                             HKCR\systemfileassociations\image[isshortcut]
        Oueries value:
        Queries value:
HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah[alwaysshowext]
                                                                                                             HKCR\systemfileassociations\.png[alwaysshowext]
        Queries value:
        Oueries value:
                                                                                                             HKCR\systemfileassociations\image[alwaysshowext]
```

HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah[nevershowext]

Oueries value:

Queries value: HKCR\systemfileassociations\.png[nevershowext] Oueries value: HKCR\systemfileassociations\image[nevershowext] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.dll] Queries value: HKCR\.dll[content type] Queries value: HKCR\.dll[] Oueries value: HKCR\.dll[perceivedtype] Queries value: HKCR\systemfileassociations\.dll[perceivedtype] HKCR\dllfile[docobject] Oueries value: HKCR\systemfileassociations\.dll[docobject] Queries value: HKCR\dllfile[browseinplace] Queries value: Queries value: HKCR\systemfileassociations\.dll[browseinplace] Oueries value: HKCR\dllfile[isshortcut] Queries value: HKCR\systemfileassociations\.dll[isshortcut] Queries value: HKCR\dllfile[alwaysshowext] Queries value: HKCR\dllfile[nevershowext] Queries value: HKCR\systemfileassociations\.dll[nevershowext] Oueries value: Queries value: HKCR\.tlb[content type] Oueries value: HKCR\.tlb[] Queries value: HKCR\.tlb[perceivedtype] Queries value: HKCR\.tlb[docobject] Oueries value: HKCR\.tlb[browseinplace] Queries value: HKCR\.tlb[isshortcut] Queries value: HKCR\.tlb[alwaysshowext] Queries value: HKCR\.tlb[nevershowext] Queries value:  $\label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap \verb+[.cpl]+ in the lemma + lemma +$ Oueries value: HKCR\.cpl[content type] HKCR\.cpl[] Queries value: Oueries value: HKCR\cplfile[docobject] HKCR\systemfileassociations\system[docobject] Queries value: Queries value: HKCR\cplfile[browseinplace] Queries value: HKCR\systemfileassociations\system[browseinplace] Oueries value: HKCR\cplfile[isshortcut] Queries value: HKCR\systemfileassociations\system[isshortcut] HKCR\cplfile[alwaysshowext] Queries value: Queries value:  ${\tt HKCR} \verb|\systemfileassociations| system[always showext]$ Oueries value: HKCR\cplfile[nevershowext]  ${\tt HKCR} \\ \texttt{`systemfile associations `system[never showext]}$ Queries value: Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe] Queries value: HKCR\.exe[content type] Oueries value: HKCR\.exe[] Queries value: HKCR\exefile[docobject] HKCR\systemfileassociations\.exe[docobject] Oueries value: Queries value: HKCR\exefile[browseinplace] HKCR\systemfileassociations\.exe[browseinplace] Queries value: Queries value: HKCR\exefile[isshortcut] Oueries value: HKCR\systemfileassociations\.exe[isshortcut] HKCR\exefile[alwaysshowext] Queries value: Queries value: HKCR\systemfileassociations\.exe[alwaysshowext] Queries value: HKCR\exefile[nevershowext] Queries value: HKCR\systemfileassociations\.exe[nevershowext] Queries value:  $\label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap[.msc]$ Oueries value: HKCR\.msc[content type] HKCR\.msc[] Queries value: HKCR\mscfile\shellex\iconhandler[] Oueries value: Queries value: HKCR\mscfile[docobject] Oueries value: HKCR\.msc[perceivedtype] HKCR\mscfile[browseinplace] Oueries value: HKCR\mscfile[isshortcut] Queries value: Queries value: HKCR\mscfile[alwaysshowext] Queries value: HKCR\mscfile[nevershowext] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.ax] HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.sdi] Oueries value: Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.uce] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.scr] HKCR\.scr[content type] Queries value: Queries value: HKCR\.scr[] Oueries value: HKCR\scrfile[docobject] HKCR\scrfile[browseinplace] Oueries value: Queries value: HKCR\scrfile[isshortcut] Queries value: HKCR\scrfile[alwaysshowext] Queries value: HKCR\scrfile[nevershowext] HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.rs] Oueries value:  $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} . The constraint of the const$ Queries value: Queries value: HKCR\.com[content type] Queries value: HKCR\.com[] Queries value: HKCR\comfile[docobject] Queries value: HKCR\comfile[browseinplace] HKCR\comfile[isshortcut] Oueries value: Queries value: HKCR\comfile[alwaysshowext] Queries value: HKCR\comfile[nevershowext] Queries value:  $\label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap[.rll]$ Oueries value: HKCR\.rll[content type] HKCR\.rll[] Queries value: Queries value: HKCR\.rll[perceivedtype]  $\label{thm:local_equation} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \end{tabular} in \end{tabular} in \end{tabular} in \end{tabular} in \end{tabular} $$HKLM \end{tabular} in \end{tabular$ Queries value: Oueries value: HKCR\.nls[content type] Queries value: HKCR\.nls[] HKCR\.nls[perceivedtype] Oueries value: Queries value: HKCR\.nls[docobject] Oueries value: HKCR\.nls[browseinplace] Queries value: HKCR\.nls[isshortcut] Oueries value: HKCR\.nls[alwaysshowext] HKCR\.nls[nevershowext] Oueries value: Queries value:  $HKCU \ software \ microsoft \ windows \ current version \ lex plorer \ mountpoints \ 2 \ \{d5291c64-7c88-11e3-be65-$ 806e6f6e6963}[\_labelfromreg] Oueries value

HKCU\software\microsoft\windows\currentversion\explorer[showdrivelettersfirst]

Queries value: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer[showdrivelettersfirst] Queries value:  $\label{thm:local} \verb+KLM\software\microsoft\windows\currentversion\policies\explorer[displayname\_opticaldisk]+ optical displayname\_optical displa$ Oueries value: HKLM\software\microsoft\windows\currentversion\policies\explorer[displayname\_fixeddisk] Queries value: HKLM\software\microsoft\windows\currentversion\policies\explorer[displayname\_remotedrive] Queries value: HKLM\software\microsoft\windows\currentversion\policies\explorer[displayname floppy] Oueries value:  $HKLM \verb|\software\microsoft\windows\currentversion\policies\explorer[turnoffspianimations]|$ Queries value  $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| fd228 cb7-level folderdescriptions| fol$ ae11-4ae3-864c-16f3910ab8fe}[category] Queries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fd 228 cb7-microsoft \ windows \ windows \ fd 228 cb7-microsoft \ windows \ fd 228 cb7-microsoft \ windows \ wind$ ae11-4ae3-864c-16f3910ab8fe}[name] Oueries value: ae11-4ae3-864c-16f3910ab8fe}[parentfolder] Queries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fd 228 cb7-microsoft \ windows \ windows \ fd 228 cb7-microsoft \ windows \ fd 228 cb7-microsoft \ windows \ wind$ ae11-4ae3-864c-16f3910ab8fe}[description] Oueries value: ae11-4ae3-864c-16f3910ab8fe}[relativepath] Queries value:  $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \labe$ ae11-4ae3-864c-16f3910ab8fe}[parsingname] Oueries value:  $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ ae11-4ae3-864c-16f3910ab8fe}[infotip] Queries value:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus fd228 cb7-descriptions \setminus fd228 cb7-de$ ae11-4ae3-864c-16f3910ab8fe}[localizedname] Oueries value:  $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| fd228 cb7-level folderdescriptions| fol$ ae11-4ae3-864c-16f3910ab8fe}[icon] Queries value: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7ae11-4ae3-864c-16f3910ab8fe}[security]  $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} Which is the lemma substitution \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lemma substitution \label{lem:hkklm} Which is the lemma substitution \label{lemma} Which is the lemma substitution \label{lem:hkklm} Which is$ ae11-4ae3-864c-16f3910ab8fe}[streamresource] Oueries value:  $HK\dot{L}M\ software\ wow 6432 node\ microsoft\ windows\ current version\ verylorer\ folder descriptions\ ffd 228cb7-descriptions\ folder descriptions\ folde$ ae11-4ae3-864c-16f3910ab8fe}[streamresourcetype] Oueries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{fd 228cb7-microsoft \ windows \ explorer \ \ folder \ descriptions \ \ \ \}$ ae11-4ae3-864c-16f3910ab8fe}[localredirectonly] Queries value:  $HKLM \label{lem:hklm} Which is the latest and the$ ae11-4ae3-864c-16f3910ab8fe}[roamable] Oueries value: ae11-4ae3-864c-16f3910ab8fe}[precreate] Queries value:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus fd228 cb7-descriptions \setminus fd228 cb7-de$ ae11-4ae3-864c-16f3910ab8fe}[stream] Oueries value:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus fd228 cb7-descriptions \setminus fd228 cb7-de$ ae11-4ae3-864c-16f3910ab8fe}[publishexpandedpath] Queries value:  $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} Windows \label{lem:hklm} \label{lem:hklm} Windows \label{lem:hkklm} Windows \labe$ ae11-4ae3-864c-16f3910ab8fe}[attributes] Oueries value:  $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ ae11-4ae3-864c-16f3910ab8fe}[foldertypeid] Queries value:  $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus fd228 cb7-descriptions \setminus fd228 cb7-de$ ae11-4ae3-864c-16f3910ab8fe}[initfolderhandler] Oueries value: Queries value: HKCU\software\microsoft\windows\currentversion\explorer\cabinetstate[fullpath] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru[0] Queries value:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus comdlg 32 \setminus cidsizemru \cite{Complex} and the property of the property$ Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru[1] Queries value: HKCR\wow6432node\clsid\{c206f324-bb45-4765-93ff-3bca7306ff2e}\inprocserver32[] Queries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ property system \ property handlers \ .png[]$ HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-Oueries value: 0a3a9e801682}[disableprocessisolation]

HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682}[nooplock] Oueries value: Queries value: HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-0a3a9e801682}[useinprochandlercache] HKCR\wow6432node\clsid\{a38b883c-1682-497e-97b0-Queries value: 0a3a9e801682}[useoutofprochandlercache] Queries value:  $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ property system \ property \ handlers \ . \ dll[]$ Queries value: HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}[disableprocessisolation]

Queries value: HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}[nooplock]

Oueries value: HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-

0000f81fedee}[useinprochandlercache]

Oueries value: HKCR\wow6432node\clsid\{66742402-f9b9-11d1-a202-

0000f81fedee}[useoutofprochandlercache]

Queries value:

b2f1-4857-a4ce-a8e7c6ea7d27}[category]

Queries value:

 $HKLM \label{lem:hklm} White the latest and the la$ b2f1-4857-a4ce-a8e7c6ea7d27}[name]

Oueries value:

b2f1-4857-a4ce-a8e7c6ea7d27}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (d65231b0-d652500-d652500-d652500-d652500-d652500-d652500-d652500-d652500-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d652000-d65000-d65000-d65000-d65000-d65000-d65000-d65000-d650000-d650000-d65000-d650000-d650000-d650000-d650000-d650000-d650000-d650000-d650000-d6500000-d650$ b2f1-4857-a4ce-a8e7c6ea7d27}[description]

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$ b2f1-4857-a4ce-a8e7c6ea7d27}[relativepath]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0b2f1-4857-a4ce-a8e7c6ea7d27}[parsingname]

Queries value:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d65231b0-d1042 \} \cap \{d65231b0-d1042 \}$ b2f1-4857-a4ce-a8e7c6ea7d27}[infotip]

Oueries value:

 $HKLM\software\wow6432$ node\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-explorer\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescript b2f1-4857-a4ce-a8e7c6ea7d27}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} Which is a simple with the second constant of the second constant o$ b2f1-4857-a4ce-a8e7c6ea7d27}[icon]

Oueries value:

 $HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} HKLM \label{limits} LKLM \label{limits} HKLM \label{limits} HKLM$ b2f1-4857-a4ce-a8e7c6ea7d27}[security]

Queries value:

 $HKLM \setminus software \setminus wow 6432 node \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d65231b0-d1042 \} \cap \{d65231b0-d1042 \}$ b2f1-4857-a4ce-a8e7c6ea7d27}[streamresource]

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lkklm} White \labell} White \labell{lkklm} White \labell} White \labell{lkklm} Wh$ b2f1-4857-a4ce-a8e7c6ea7d27}[streamresourcetype]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0b2f1-4857-a4ce-a8e7c6ea7d27}[localredirectonly]

Queries value:

 $HKLM \label{lem:hklk} In the latest and the lates$ b2f1-4857-a4ce-a8e7c6ea7d27}[roamable]

Oueries value:

 $HKLM \label{thm:main} IN Model \ Microsoft \ Microso$ b2f1-4857-a4ce-a8e7c6ea7d27}[precreate]

Queries value: 

b2f1-4857-a4ce-a8e7c6ea7d27}[stream] Queries value:

 $HKLM \label{lem:hklm} Which was the simulation of the simulation$ 

b2f1-4857-a4ce-a8e7c6ea7d27}[publishexpandedpath] Oueries value: 

b2f1-4857-a4ce-a8e7c6ea7d27}[attributes] Queries value: 

b2f1-4857-a4ce-a8e7c6ea7d27}[foldertypeid] Oueries value:  $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{d65231b0-d1014\} \\ descriptions \setminus \{d6524b0-d1014\} \\ descriptions \setminus \{d654b0-d1014\} \\ descriptions \setminus \{d654b0-d101$ 

b2f1-4857-a4ce-a8e7c6ea7d27}[initfolderhandler] Queries value:

 $HKLM \label{lem:hklm} Which is a simple with the second constant of the second constant o$ c1bf-494e-b29c-65b732d3d21a}[category] Oueries value:

 $HKLM \label{lem:hkk} IN \label{lem:hkk} Which is a few and the latest and the l$ 

c1bf-494e-b29c-65b732d3d21a}[name] Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{905e63b6-1001, 1$ c1bf-494e-b29c-65b732d3d21a}[parentfolder]

Queries value:

c1bf-494e-b29c-65b732d3d21a}[description]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6c1bf-494e-b29c-65b732d3d21a}[relativepath]

Queries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| (905e63b6-1000) and the state of the stat$ c1bf-494e-b29c-65b732d3d21a}[parsingname]

Queries value:

c1bf-494e-b29c-65b732d3d21a}[infotip]

Oueries value:

 $HKLM \verb|\software| wow 6432 node \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| (905e63b6-1000) and the state of the stat$ c1bf-494e-b29c-65b732d3d21a}[localizedname]

Queries value:

c1bf-494e-b29c-65b732d3d21a}[icon]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ property system \ property handlers \ .cpl[]$ Queries value:

c1bf-494e-b29c-65b732d3d21a}[security]

Oueries value:

```
c1bf-494e-b29c-65b732d3d21a}[streamresource]
                Oueries value:
c1bf-494e-b29c-65b732d3d21a}[streamresourcetype]
HKLM \label{lem:hklm} Which is a simple with the second constant of the second constant o
c1bf-494e-b29c-65b732d3d21a}[localredirectonly]
              Oueries value:
c1bf-494e-b29c-65b732d3d21a}[roamable]
                  Queries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{905e63b6-1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1
c1bf-494e-b29c-65b732d3d21a}[precreate]
                Queries value:
c1bf-494e-b29c-65b732d3d21a}[stream]
                Oueries value:
  HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{905e63b6-1006, \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 1006 \\ 10
c1bf-494e-b29c-65b732d3d21a}[publishexpandedpath]
                Queries value:
HKLM \label{lem:hklm} Which is a substitution of the latest and 
c1bf-494e-b29c-65b732d3d21a}[attributes]
              Oueries value:
HKLM \label{lem:hklm} Which is the large was defined as the large was
c1bf-494e-b29c-65b732d3d21a}[foldertypeid]
                Queries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{905e63b6-1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1001, 1
c1bf-494e-b29c-65b732d3d21a}[initfolderhandler]
                Oueries value:
HKLM\software\wow6432node\microsoft\windows\currentversion[programfilesdir]
                Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ property system \ property handlers \ .exe[]
              Oueries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40effolder \ and \ baselines \ and \ and \ baselines \ and \
a0fb-4bfc-874a-c0f2e0b9fa8e}[category]
                Queries value:
HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus current \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus windows \setminus current \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus windows \setminus windows \setminus windows \setminus windows \\ descriptions \setminus \{7c5a40ef-microsoft \setminus windows \setminus windows \setminus windows \setminus windows \\ descriptions \setminus windows \setminus windows \setminus windows \setminus windows \\ descriptions \setminus windows \setminus windows \setminus windows \\ descriptions \setminus windows \setminus windows \setminus windows \\ descriptions \setminus windows \setminus windows \\ descriptions \setminus windows \setminus windows \setminus windows \\ descriptions \setminus windows \\ descriptions \setminus windows \setminus windows \\ descriptions \setminus windows
a0fb-4bfc-874a-c0f2e0b9fa8e}[name]
                Oueries value:
  HKLM \label{lem:hklm} Which was the simulation of the simulation
  a0fb-4bfc-874a-c0f2e0b9fa8e}[parentfolder]
                Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-
a0fb-4bfc-874a-c0f2e0b9fa8e}[description]
                Queries value:
HKLM \label{lem:hklm} Which is the large which is
a0fb-4bfc-874a-c0f2e0b9fa8e}[relativepath]
              Queries value:
a0fb-4bfc-874a-c0f2e0b9fa8e}[parsingname]
                Queries value:
a0fb-4bfc-874a-c0f2e0b9fa8e}[infotip]
                Queries value:
  HKLM \label{lem:hklm} Which is the like the li
  a0fb-4bfc-874a-c0f2e0b9fa8e}[localizedname]
                Oueries value:
a0fb-4bfc-874a-c0f2e0b9fa8e}[icon]
                Queries value:
  HKLM \label{lem:hklm} Which is the like the li
a0fb-4bfc-874a-c0f2e0b9fa8e}[security]
                Oueries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40effolder \ and \ baselines \ and \ and \ baselines \ and \
a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresource]
                Queries value:
HKLM \label{lem:hklm} Which is a few and the latest and the late
a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]
                Oueries value:
  HKLM \label{lem:hkk} IN \label{lem:hkk} Which is the latest and 
  a0fb-4bfc-874a-c0f2e0b9fa8e}[localredirectonly]
```

Queries value:

 $HKLM \setminus software \setminus wow 6432 \\ node \setminus microsoft \setminus windows \setminus current \\ version \setminus explorer \setminus folder \\ descriptions \setminus \{7c5a40ef-descriptions\} \setminus \{7c5a40$ a0fb-4bfc-874a-c0f2e0b9fa8e}[roamable]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7c5a40effolder \ and \ baselines \ and \ and \ baselines \ and \ and \ baselines \ and \ and$ a0fb-4bfc-874a-c0f2e0b9fa8e}[precreate]

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40efa0fb-4bfc-874a-c0f2e0b9fa8e}[stream]

Queries value:

 $a Ofb-4bfc-874a-c Of2e Ob9fa8e \} \cite{Continuous} [publishex panded path]$ Queries value:

a0fb-4bfc-874a-c0f2e0b9fa8e}[attributes]

Queries value:

a0fb-4bfc-874a-c0f2e0b9fa8e}[foldertypeid]

Queries value:

 $HKLM \label{lem:hklm} Which is the like the li$ a0fb-4bfc-874a-c0f2e0b9fa8e}[initfolderhandler]

Oueries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\propertysystem[formatfordisp]ayhelperl

HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}[] Queries value:

Queries value: HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprocserver32[inprocserver32]

Queries value: HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprocserver32[]

```
Queries value:
                                                 HKCR\wow6432node\clsid\{82c588e7-e54b-408c-9f8c-
6af9adf6f1e9}\inprocserver32[threadingmodel]
   Queries value:
                                                  HKCR\directory[friendlytypename]
   Queries value:
                                                  HKCR\unknown\defaulticon[]
   Queries value:
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.ocx]
                                                  HKCR\.ocx[content type]
   Oueries value:
   Queries value:
                                                  HKCR\.ocx[]
                                                  HKCR\unknown[friendlytypename]
   Oueries value:
   Queries value:
                                                  HKCR\unknown[]
                                                  HKCR\.ocx[perceivedtype]
   Queries value:
   Queries value:
                                                  HKCR\ocxfile[docobject]
   Oueries value:
                                                  HKCR\svstemfileassociations\.ocx[docobiect]
   Queries value:
                                                  HKCR\ocxfile[browseinplace]
   Queries value:
                                                  HKCR\systemfileassociations\.ocx[browseinplace]
   Queries value:
                                                  HKCU \ software \ classes \ appx 9 vdwc vrwnbettpahnt 26 jswq 0n8hgyah \ defaulticon \ []
   Queries value:
                                                  HKCR\ocxfile[isshortcut]
                                                  HKCR\systemfileassociations\.ocx[isshortcut]
   Oueries value:
                                                  HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-22e519f8b63b}[]
   Queries value:
                                                  HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-
   Oueries value
22e519f8b63b}\inprocserver32[inprocserver32]
   Queries value:
                                                 HKCR\ocxfile[alwaysshowext]
                                                  {\tt HKCR} \verb|\systemfileassociations|.ocx[always showext]|\\
   Queries value:
   Oueries value:
                                                  HKCR\ocxfile[nevershowext]
   Queries value:
                                                  22e519f8b63b}\inprocserver32[]
   Queries value:
                                                 HKCR\wow6432node\clsid\{c60f637a-07f3-411d-b577-
22e519f8b63b}\inprocserver32[threadingmodel]
                                                  HKCR\systemfileassociations\.ocx[nevershowext]
   Queries value:
   Queries value:
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.dat]
   Queries value:
                                                  HKCR\.dat[content type]
   Queries value:
                                                  HKCR\.dat[]
   Queries value:
                                                 HKCR\.dat[perceivedtype]
HKCR\.dat[docobject]
   Oueries value:
   Queries value:
                                                  HKCR\.dat[browseinplace]
                                                  HKCR\.dat[isshortcut]
   Queries value:
   Queries value:
                                                  HKCR\.dat[alwaysshowext]
   Oueries value:
                                                  HKCR\.dat[nevershowext]
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.xsl]
   Queries value:
   Queries value:
                                                  HKCR\.xsl[content type]
   Queries value:
                                                  HKCR\.xsl[]
   Oueries value:
                                                  HKCR\.xsl[perceivedtype]
   Queries value:
                                                 HKCR\xslfile[docobject]
HKCR\systemfileassociations\text[docobject]
   Oueries value:
   Queries value:
                                                  HKCR\xslfile[browseinplace]
                                                  HKCR\xslfile\browseinplace[]
   Queries value:
   Queries value:
                                                  HKCR\systemfileassociations\text[browseinplace]
   Oueries value:
                                                  HKCR\xslfile\clsid[]
   Queries value:
                                                  HKCR\xslfile[isshortcut]
                                                  HKCR\systemfileassociations\text[isshortcut]
   Queries value:
   Queries value:
                                                  HKCR\xslfile[alwaysshowext]
   Queries value:
                                                  HKCR\systemfileassociations\text[alwaysshowext]
   Queries value:
                                                  HKCR\xslfile[nevershowext]
   Oueries value:
                                                  HKCR\systemfileassociations\text[nevershowext]
   Queries value:
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.tsp]
   Oueries value:
                                                  HKCR\.tsp[content type]
   Queries value:
                                                  HKCR\.tsp[]
   Oueries value:
                                                  HKCR\.tsp[perceivedtype]
                                                  HKCR\.tsp[docobject]
   Oueries value:
                                                  HKCR\.tsp[browseinplace]
   Queries value:
   Queries value:
                                                  HKCR\.tsp[isshortcut]
                                                  {\tt HKCR} \verb|\.tsp[alwaysshowext]|\\
   Queries value:
   Queries value:
                                                  HKCR\.tsp[nevershowext]
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.iec]
   Oueries value:
   Queries value:
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.rat]
   Queries value:
                                                  HKCR\.rat[content type]
   Queries value:
                                                  HKCR\.rat[]
   Queries value:
                                                  HKCR\.rat[perceivedtype]
                                                 HKCR\ratfile[docobject]
HKCR\ratfile[browseinplace]
   Oueries value:
   Oueries value:
   Queries value:
                                                  HKCR\ratfile[isshortcut]
                                                  HKCR\ratfile[alwaysshowext]
   Queries value:
   Queries value:
                                                  HKCR\ratfile[nevershowext]
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.infl
   Oueries value:
                                                  HKCR\.inf[content type]
   Queries value:
   Queries value:
                                                  HKCR\.inf[]
                                                  HKCR\.inf[perceivedtype]
   Queries value:
   Queries value:
                                                  HKCR\inffile[docobject]
   Queries value:
                                                  HKCR\inffile[browseinplace]
                                                  HKCR\inffile[isshortcut]
   Oueries value:
   Queries value:
                                                  HKCR\inffile[alwaysshowext]
   Queries value:
                                                  HKCR\inffile[nevershowext]
   Queries value:
                                                  \label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap \verb+[.acm]+ acm+ in the lemma + le
   Oueries value:
                                                  HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.lex]
   Queries value:
                                                  HKCR\.lex[content type]
   Queries value:
                                                  HKCR\.lex[]
   Queries value:
                                                  HKCR\.lex[perceivedtype]
   Oueries value:
                                                  HKCR\lexfile[docobject]
   Queries value:
                                                  HKCR\lexfile[browseinplace]
                                                  HKCR\lexfile[isshortcut]
   Oueries value:
   Queries value:
                                                  HKCR\lexfile[alwaysshowext]
   Oueries value:
                                                  HKCR\lexfile[nevershowext]
   Queries value:
                                                  \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \end{tabular} are \begin{tabular}{ll} HKLM \end{tabular} are \begin{tabula
   Oueries value:
                                                  \label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap[.rtf]
                                                  HKCR\.rtf[content type]
   Oueries value:
                                                  HKCR\.rtf[]
   Queries value:
   Queries value:
                                                  HKCR\wordview.rtf.8[allowsilentdefaulttakeover]
                                                  HKCR\rtffile[allowsilentdefaulttakeover]
   Queries value:
   Queries value:
                                                  HKCR\.rtf[perceivedtype]
   Oueries value:
                                                  HKCR\wordview.rtf.8[docobject]
```

```
Queries value:
                          HKCR\systemfileassociations\.rtf[docobject]
 Oueries value:
                          HKCR\systemfileassociations\document[docobject]
 Queries value:
                          HKCR\wordview.rtf.8[browseinplace]
  Oueries value:
                           HKCR\systemfileassociations\.rtf[browseinplace]
                          HKCR\systemfileassociations\document[browseinplace]
  Queries value:
 Oueries value:
                          HKCR\wordview.rtf.8[isshortcut]
 Queries value:
                          HKCR\systemfileassociations\.rtf[isshortcut]
HKCR\systemfileassociations\document[isshortcut]
 Oueries value:
 Queries value:
                          HKCR\wordview.rtf.8[alwaysshowext]
                          HKCR\systemfileassociations\.rtf[alwaysshowext]
  Queries value:
  Queries value:
                          {\tt HKCR} \verb|\systemfileassociations| document[always showext]
 Oueries value:
                          HKCR\wordview.rtf.8[nevershowext]
                          HKCR\systemfileassociations\.rtf[nevershowext]
 Queries value:
  Queries value:
                          {\tt HKCR} \verb|\systemfileassociations| document[nevershowext]|\\
  Queries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.xml]
                          HKCR\.xml[content type]
 Queries value:
                          HKCR\.xml[1
 Oueries value:
                          HKCR\.xml[perceivedtype]
 Queries value:
                           HKCR\xmlfile[docobject]
  Oueries value:
  Queries value:
                          HKCR\systemfileassociations\.xml[docobject]
 Oueries value:
                          HKCR\xmlfile[browseinplace]
 Oueries value:
                          HKCR\xmlfile\browseinplace[]
 Oueries value:
                          HKCR\systemfileassociations\.xml[browseinplace]
  Queries value:
                          HKCR\xmlfile\clsid[]
                          HKCR\xmlfile[isshortcut]
  Queries value:
 Queries value:
                          HKCR\systemfileassociations\.xml[isshortcut]
 Oueries value:
                          {\tt HKCR} \verb|\xmlfile[alwaysshowext]|\\
                          HKCR\systemfileassociations\.xml[alwaysshowext]
 Queries value:
  Oueries value:
                          HKCR\xmlfile[nevershowext]
                          HKCR\systemfileassociations\.xml[nevershowext]
  Queries value:
 Queries value:
                          HKLM \verb|\software\m| icrosoft \verb|\windows\currentversion\explorer\kindmap[.drv]|
 Queries value:
                          HKCR\.drv[content type]
                          HKCR\.drv[]
 Oueries value:
 Queries value:
                          HKCR\.drv[perceivedtype]
                          HKCR\drvfile[docobject]
  Queries value:
  Queries value:
                          HKCR\drvfile[browseinplace]
 Oueries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                          Queries value:
settings[createuricachesize]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                          HKLM\software\wow6432node\microsoft\windows\currentversion\internet
 Oueries value:
settings[createuricachesize]
 Queries value
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
 Queries value:
                          HKCR\drvfile[isshortcut]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablepunycode]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[enablepunycode]
 Queries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security_hklm_only]
 Queries value:
                          HKCR\drvfile[alwaysshowext]
  Oueries value:
                          HKCR\drvfile[nevershowext]
  Queries value:
HKCU\software\classes\appx9vdwcvrwnbettpahnt26jswq0n8hgyah[]
 Oueries value:
                          HKCR\systemfileassociations\.png[friendlytypename]
  Queries value:
  Queries value:
                          HKCR\systemfileassociations\image[friendlytypename]
  Queries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.ime]
  Queries value:
                          HKCR\dllfile\defaulticon[]
                          HKCR\dllfile[friendlytypename]
 Oueries value:
 Queries value:
                          HKCU\software\classes\local
settings\software\microsoft\windows\currentversion\appmodel\repository\packages\microsoft.windowsphotos_16.4.4204.712_x64__8wekyb3d8bbwe[packagerootfolder]
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.chs]
  Queries value:
  Queries value:
                          HKLM \verb|\software\microsoft\windows\currentversion\explorer\kindmap[.cht]|
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.jpn]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.tha]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.rsp]
                          HKCR\.rsp[content type]
  Queries value:
  Queries value:
                          HKCR\.rsp[]
 Oueries value:
                          HKCR\.rsp[perceivedtype]
                          HKCR\.rsp[docobject]
 Queries value:
  Queries value:
                          HKCR\.rsp[browseinplace]
                          HKCR\.rsp[isshortcut]
  Queries value:
  Queries value:
                          HKCR\.rsp[alwaysshowext]
 Queries value:
                          HKCR\.rsp[nevershowext]
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.sep]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.ico]
  Queries value:
                          HKCR\.ico[content type]
  Queries value:
                          HKCR\.ico[]
                          HKCR\icofile[docobject]
 Oueries value:
                          HKCR\systemfileassociations\.ico[docobject]
 Queries value:
 Queries value:
                          HKCR\icofile[browseinplace]
  Queries value:
                          HKCR\systemfileassociations\.ico[browseinplace]
  Oueries value:
                          HKCR\icofile[isshortcut]
 Queries value:
                          HKCR\systemfileassociations\.ico[isshortcut]
                          HKCR\icofile[alwaysshowext]
 Oueries value:
                          HKCR\systemfileassociations\.ico[alwaysshowext]
 Queries value:
  Oueries value:
                          HKCR\icofile[nevershowext]
  Queries value:
                          HKCR\systemfileassociations\.ico[nevershowext]
 Oueries value:
                          \label{lem:hkklm} \verb+Kklm\+ software\+ windows\+ current version\+ explorer\+ kindmap[.h]
                          HKCR\.h[content type]
 Oueries value:
                          HKCR\.h[]
 Queries value:
  Queries value:
                          HKCR\.h[perceivedtype]
                          HKCR\.h[docobject]
  Queries value:
 Queries value:
                          HKCR\.h[browseinplace]
 Oueries value:
                          HKCR\.h[isshortcut]
```

```
Queries value:
                                                 HKCR\.h[alwaysshowext]
   Oueries value:
                                                 HKCR\.h[nevershowext1
   Queries value:
                                                 HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.mof]
   Queries value:
                                                 HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.vbs]
                                                 HKCR\.vbs[content type]
   Queries value:
   Oueries value:
                                                 HKCR\.vbs[]
                                                 HKCR\.vbs[perceivedtype]
HKCR\vbsfile[docobject]
   Queries value:
   Oueries value:
                                                 HKCR\vbsfile[browseinplace]
   Queries value:
   Queries value:
                                                 HKCR\vbsfile[isshortcut]
   Queries value:
                                                 HKCR\vbsfile[alwaysshowext]
   Oueries value:
                                                 HKCR\vbsfile[nevershowext]
                                                 HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.cmd]
   Queries value:
   Queries value:
                                                 HKCR\.cmd[content type]
   Queries value:
                                                 HKCR\.cmd[]
   Queries value:
                                                 HKCR\cmdfile[docobject]
                                                 HKCR\cmdfile[browseinplace]
   Oueries value:
                                                 HKCR\cmdfile[isshortcut]
   Queries value:
   Oueries value:
                                                 HKCR\cmdfile[alwaysshowext]
   Queries value:
                                                 HKCR\cmdfile[nevershowext]
   Queries value:
                                                 \label{lem:hklm} \verb+KKLM\software\microsoft\windows\currentversion\explorer\kindmap[.dtd]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nostrcmplogical]
   Queries value:
                                                 HKCU\control panel\international\user profile[languages]
   Queries value:
                                                 HKCR\wow6432 node\clsid\{66e4e4fb-f385-4dd0-8d74-a2efd1bc6178\}[]
   Queries value:
                                                 HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-4dd0-8d74-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f385-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb-f386-66e4e4fb
a2efd1bc6178}\inprocserver32[inprocserver32]
                                                 HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
   Queries value:
a2efd1bc6178}\inprocserver32[]
   Queries value:
                                                 HKCR\wow6432node\clsid\{66e4e4fb-f385-4dd0-8d74-
a2efd1bc6178}\inprocserver32[threadingmodel]
   Queries value:
                                                 HKLM\hardware\devicemap\video[maxobjectnumber]
HKLM\hardware\devicemap\video[\device\video0]
   Oueries value:
   Queries value:
                                                 HKLM\system\currentcontrolset\control\class\{4d36e968-e325-11ce-bfc1-
08002be10318}\0000[pruningmode]
   Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nothumbnailcache]
                                                 HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-e212013ea917}[]
   Queries value:
   Queries value:
                                                 HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
e212013ea917}\inprocserver32[inprocserver32]
   Queries value:
                                                 HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
e212013ea917}\inprocserver32[]
                                                 HKCR\wow6432node\clsid\{9ac9fbe1-e0a2-4ad6-b4ee-
   Oueries value:
e212013ea917}\inprocserver32[threadingmodel]
   Sets/Creates value:
   Value changes:
                                                 HKCU\software\classes\local
                                                 HKCU\software\classes\local
   Value changes:
                                                 HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\2\0[mrulistex]
Value changes: HKCU\software\classes\local
```

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \comdlg 32 \astvisited pidlm rule gacy \cite{local_hammon_ham$ 

settings\software\microsoft\windows\shell\bagmru[nodeslots] settings\software\microsoft\windows\shell\bagmru[mrulistex] Value changes:

settings\software\microsoft\windows\shell\bagmru\2\0\2[mrulistex]

Value changes: HKCU\software\classes\local

 $settings \verb|\software\microsoft\windows\shell\bags\18\shell\[sniffedfolder type]|$