Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 3319, Task ID: 785

Task ID: 785 Risk Level: 10

Date Processed: 2016-05-18 10:38:06 (UTC)

Processing Time: 6.86 seconds Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe"

Sample ID: Type: basic Owner: admin

f0d96afe8a3c58bf99f8b24ff10b1a07 Label: 2016-05-18 10:30:50 (UTC) Date Added:

PE32:win32:gui File Type:

File Size: 93184 bytes

f0d96afe8a3c58bf99f8b24ff10b1a07 MD5:

d04b163e862ba9ead5cf9f379edf96bde8a146b4aea6987312b2a739c0b81701 SHA256:

Description: None

Pattern Matching Results

6 Checks task list from command line

10 Creates malicious events: Beebone [Trojan]

3 Long sleep detected

4 Terminates process under Windows subfolder

Static Events

Anomaly: PE: Contains a virtual section

Process/Thread Events

C:\windows\temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe Creates process:

["C:\windows\temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe"]

C:\Windows\System32\cmd.exe ["C:\Windows\System32\cmd.exe" /c Creates process:

tasklist&&del f0d96afe8a3c58bf99f8b24ff10b1a07.exe]

Creates process: C:\Windows\system32\tasklist.exe [tasklist]

Terminates process: C:\Windows\Temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe

Terminates process: C:\Windows\System32\tasklist.exe Terminates process: C:\Windows\System32\cmd.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet

files!content.ie5!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

\Sessions\1\BaseNamedObjects\WininetStartupMutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex Creates mutex:

\Sessions\1\BaseNamedObjects\RasPbFile Creates mutex:

\Sessions\1\BaseNamedObjects\ZonesCounterMutex Creates mutex:

\Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex Creates mutex:

 $\verb|\Sessions|1| BaseNamedObjects| ZonesCacheCounterMutex|$ Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

\Sessions\1\BaseNamedObjects\!IETld!Mutex Creates mutex: \KernelObjects\MaximumCommitCondition Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX Creates event:

\BaseNamedObjects\BFE_Notify_Event_{a8167df2-f56a-457b-b3f6-Creates event:

28b793eeb458}

\BaseNamedObjects\ConsoleEvent-0x00000AA8 Creates event: Creates event: \BaseNamedObjects\TermSrvReadyEvent

\Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP? Creates semaphore:

F0D96AFE8A3C58BF99F8B24FF10B1A07.EXE

File System Events

Creates: C:\Users\Admin

C:\Users\Admin\AppData\Local Creates

C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files Creates:

Creates: C:\Users\Admin\AppData\Roaming

C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\History Creates: $C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches|$ Creates:

```
C:\Windows\Prefetch\F0D96AFE8A3C58BF99F8B24FF10B1-664BA9E9.pf
 Opens:
 Opens:
                          C:\Windows\Svstem32
                          C:\windows\temp\MSVBVM60.DLL
 Opens:
 Opens:
                          C:\Windows\System32\msvbvm60.dll
 Opens:
                          C:\Windows\System32\sechost.dll
 Opens:
                          C:\Windows\System32\imm32.dll
                          C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
 Opens:
                          C:\Windows\System32\rpcss.dll
 Opens:
                          C:\windows\temp\CRYPTBASE.dll
 Opens:
                          C:\Windows\System32\cryptbase.dll
 Opens:
                          C:\Windows\System32\uxtheme.dll
 Opens:
                          C:\windows\temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe.cfg
 Opens:
                          C:\windows\temp\SXS.DLL
 Opens:
                          C:\Windows\System32\sxs.dll
 Opens:
                          C:\Windows\System32\C_932.NLS
 Opens:
                          C:\Windows\System32\C_949.NLS
 Opens:
                          C:\Windows\System32\C_950.NLS
 Opens:
                          C:\Windows\System32\C_936.NLS
 Opens:
                          C:\Windows\Temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe
 Opens:
 Opens:
                          C:\windows\temp\SspiCli.dll
 Opens:
                          C:\Windows\System32\sspicli.dll
 Opens:
                          C:\Windows\Svstem32\wininet.dll
 Opens:
                          C:\windows\temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe.Local\
 Opens:
                          C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                          C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                         C:\Windows\WindowsShell.Manifest
 Opens:
 Opens:
                          C:\windows\temp\profapi.dll
 Opens:
                          C:\Windows\System32\profapi.dll
 Opens:
                          C:\Users\Admin
 Opens:
                          C:\Users\Admin\AppData\Local
 Opens:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
                          {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\desktop.ini
 Opens:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\desktop.ini
                          C:\Users\Admin\AppData\Roaming
 Opens:
                          C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\History
 Opens:
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini|\\
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini| \\
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\index.dat
 Opens:
                          C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
\verb|C:\USers\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\Index.dat| \\
 Opens:
                          C:\windows\temp\ntmarta.dll
 Opens:
                          C:\Windows\System32\ntmarta.dll
 Opens:
                          C:\windows\temp\dnsapi.DLL
 Opens:
                          C:\Windows\System32\dnsapi.dll
 Opens:
                          C:\windows\temp\iphlpapi.DLL
 Opens:
                          C:\Windows\System32\IPHLPAPI.DLL
                          {\tt C:\windows\temp\WINNSI.DLL}
 Opens:
 Opens:
                          C:\Windows\System32\winnsi.dll
 Opens:
                          C:\windows\temp\RASAPI32.dll
 Opens:
                          C:\Windows\System32\rasapi32.dll
 Opens:
                          C:\windows\temp\rasman.dll
 Opens:
                          C:\Windows\System32\rasman.dll
 Opens:
                          C:\windows\temp\rtutils.dll
                          C:\Windows\System32\rtutils.dll
 Opens:
 Opens:
                          C:\ProgramData\Microsoft\Network\Connections\Pbk\
 Opens:
                          C:\Windows\System32\ras
 Opens:
                          C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
 Opens:
                          C:\windows\temp\sensapi.dll
                          C:\Windows\System32\SensApi.dll
 Opens:
 Opens:
                          C:\Windows\System32\nlaapi.dll
 Opens:
                          C:\windows\temp\rasadhlp.dll
 Opens:
                          C:\Windows\System32\rasadhlp.dll
 Opens:
                          C:\windows\temp\VERSION.dll
 Opens:
                          C:\Windows\Svstem32\version.dll
 Opens:
                          C:\Windows\System32\en-US\urlmon.dll.mui
 Opens:
                          C:\Windows\System32\NapiNSP.dll
 Opens:
                          C:\Windows\System32\pnrpnsp.dll
 Opens:
                          C:\Windows\System32\mswsock.dll
 Opens:
                          C:\Windows\System32\winrnr.dll
                          C:\Windows\System32\WSHTCPIP.DLL
 Opens:
 Opens:
                          C:\Windows\System32\wship6.dll
```

C:\windows\temp\dhcpcsvc6.DLL Opens: Opens: C:\Windows\System32\dhcpcsvc6.dll C:\windows\temp\dhcpcsvc.DLL Opens: Opens: C:\Windows\System32\dhcpcsvc.dll Opens: C:\Windows\System32\drivers\etc\hosts Opens: C:\Windows\System32\FWPUCLNT.DLL Opens: C:\Windows\System32\netprofm.dll Opens: C:\windows\temp\CRYPTSP.dll Opens: C:\Windows\System32\cryptsp.dll Opens: C:\Windows\System32\rsaenh.dll C:\windows\temp\RpcRtRemote.dll Opens: Opens: C:\Windows\System32\RpcRtRemote.dll Opens: C:\Windows\System32\npmproxy.dll C:\windows\temp\PROPSYS.dll Opens: Opens: C:\Windows\System32\propsys.dll C:\Windows\System32\shell32.dll Opens: Opens: C:\windows\temp\apphelp.dll Opens: C:\Windows\System32\apphelp.dll Opens: C:\Windows\System32\ieframe.dll C:\Windows\System32\oleacc.dll Opens: Opens: C:\windows\temp\OLEACCRC.DLL Opens: C:\Windows\System32\oleaccrc.dll Opens: C:\Windows\System32\en-US\setupapi.dll.mui Opens: C:\Windows Opens: $C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db|$ Opens: 4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db Opens: C:\Users\Admin\Desktop\desktop.ini C:\Windows\System32\en-US\propsys.dll.mui Opens: Opens: C:\Windows\System32\cmd.exe Opens: C:\Windows\System32\cmd.exe:Zone.Identifier Opens: C:\Windows\WINHELP.INI Opens: C:\Windows\system32\.HLP Opens: C:\Windows\Help\.HLP C:\Windows\Prefetch\CMD.EXE-4A81B364.pf Opens: Opens: Opens: C:\Program Files C:\Program Files\Adobe Opens: Opens: C:\Program Files\Adobe\Reader 9.0 Opens: C:\Program Files\Adobe\Reader 9.0\Reader Opens: C:\Windows\Branding Opens: C:\Windows\Branding\Basebrd Opens: C:\Windows\Branding\Basebrd\en-US Opens: C:\Windows\Globalization Opens: C:\Windows\Globalization\Sorting Opens: C:\Windows\System32\en-US Opens: C:\Windows\System32\ntdll.dll Opens: C:\Windows\System32\kernel32.dll Opens: C:\Windows\System32\apisetschema.dll Opens: C:\Windows\System32\KernelBase.dll Opens: C:\Windows\System32\locale.nls Opens: C:\Windows\System32\msvcrt.dll C:\Windows\System32\winbrand.dll Opens: Opens: C:\Windows\System32\user32.dll Opens: C:\Windows\System32\gdi32.dll Opens: C:\Windows\System32\lpk.dll Opens: C:\Windows\System32\usp10.dll Opens: C:\Windows\System32\msctf.dll Opens: C:\Windows\System32\en-US\cmd.exe.mui Opens: C:\Windows\Branding\Basebrd\basebrd.dll Opens: C:\Windows\Branding\Basebrd\en-US\basebrd.dll.mui Opens: C:\Program Files\Adobe\Reader 9.0\Reader\icucnv36.dll Opens: C:\Windows\System32\tasklist.exe Opens: C:\Windows\AppPatch\sysmain.sdb Opens: C:\Windows\system32\ui\SwDRM.dll Opens: C:\Windows\Prefetch\TASKLIST.EXE-C6CEE193.pf Opens: C:\Windows\System32\mpr.dll C:\Windows\System32\secur32.dll Opens: Opens: C:\Windows\System32\framedynos.dll Opens: C:\Windows\System32\wtsapi32.dll C:\Windows\System32\netapi32.dll Opens: Opens: C:\Windows\System32\netutils.dll Opens: C:\Windows\System32\srvcli.dll Opens: C:\Windows\System32\wkscli.dll Opens: C:\Windows\System32\dbghelp.dll Opens: C:\Windows\System32\en-US\tasklist.exe.mui

C:\Windows\System32\en-US\KernelBase.dll.mui Opens: C:\Windows\System32\wbem\wbemprox.dll Opens: C:\Windows\system32\wbem\wbemcomn.dll Opens: C:\Windows\System32\wbemcomn.dll Opens: C:\Windows\System32\wbem\Logs Opens: C:\Windows\System32\winsta.dll Opens: C:\Windows\System32\wbem\wbemsvc.dll

Opens:

C:\Windows\System32\wbem\fastprox.dll Opens: C:\Windows\system32\wbem\NTDSAPI.dll Opens: Opens: C:\Windows\System32\ntdsapi.dll Opens: C:\Windows\System32\wbem\wmiutils.dll

Opens: C:\Windows\System32\wbem\en-US\wmiutils.dll.mui

Opens: $C: \verb|\windows\system32\f0d96afe8a3c58bf99f8b24ff10b1a07.exe|$ Reads from: C:\Windows\Temp\f0d96afe8a3c58bf99f8b24ff10b1a07.exe

Reads from: C:\Windows\System32\drivers\etc\hosts Reads from: C:\Users\Admin\Desktop\desktop.ini Reads from: C:\Windows\Prefetch\CMD.EXE-4A81B364.pf Reads from: C:\Windows\System32\tasklist.exe

Network Events

DNS guery: domai.05dns.biz DNS query: wnad Sends data to: 8.8.8.8:53 0.0.0.0:5355 Sends data to: 224.0.0.252:5355 Sends data to: Receives data from: 8.8.8.8:53

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates kev:

HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32

Creates kev:

HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\connections

Creates key:

HKCU\software\microsoft\windows nt\currentversion\network\location Creates key:

awareness

HKCU\software\microsoft\visual basic\6.0 Creates key:

Creates kev: HKCU\software

HKCU\software\microsoft Creates key:

Creates key: HKCU\software\microsoft\visual basic HKLM\software\microsoft\wbem\cimom Creates key:

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[autoconfigurl]

HKCU\software\microsoft\windows\currentversion\internet Deletes value:

settings\zonemap[proxybypass] Deletes value:

HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass] Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Opens key: HKLM\system\currentcontrolset\control\session manager HKLM\system\currentcontrolset\control\terminal server Opens key: Opens key: HKLM\system\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key:

HKCU\control panel\desktop\muicached\machinelanguageconfiguration Opens key:

Opens key: HKLM\software\policies\microsoft\mui\settings Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens kev: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key:

HKLM\software\microsoft\windows nt\currentversion\windows Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole HKLM\software\microsoft\ole\tracing Opens key: Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale

```
Opens key:
                                   HKLM\system\currentcontrolset\control\nls\extendedlocale
  Opens key:
                                   HKLM\system\currentcontrolset\control\nls\locale
  Opens key:
                                   HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
                                   HKLM\system\currentcontrolset\control\nls\language groups
  Opens key:
  Opens key:
                                   HKLM\software\microsoft\windows\windows error reporting\wmr
  Opens key:
                                   HKLM\system\currentcontrolset\control\nls\codepage
  Opens key:
                                   HKLM\software\microsoft\vba\monitors
                                   HKCU\software\classes\
  Opens key:
  Opens key:
                                   HKLM\software\microsoft\com3
                                   HKCU\software\classes\clsid\{1857ee93-c29a-4421-bf5e-4aff9abf109c}
  Opens key:
                                   HKCR\clsid\{1857ee93-c29a-4421-bf5e-4aff9abf109c}
  Opens key:
  Opens key:
                                   HKCU \setminus software \setminus classes \setminus clsid \setminus \{2433df16-b661-424b-8b68-94b7c9a8936e\}
  Opens key:
                                   HKCR\clsid\{2433df16-b661-424b-8b68-94b7c9a8936e}
                                   HKLM \verb|\system| current controlset \verb|\services| disk \verb|\enum|
  Opens key:
  Opens key:
                                   HKLM\software\microsoft\rpc
  Opens key:
                                   HKLM\system\currentcontrolset\control\computername\activecomputername
  Opens kev:
                                   HKLM\system\setup
  Opens key:
                                   HKLM\software\policies\microsoft\windows nt\rpc
  Opens key:
                                   HKLM\software\policies\microsoft\sqmclient\windows
  Opens key:
                                   HKLM\software\microsoft\sqmclient\windows
  Opens key:
                                   HKLM\system\currentcontrolset\services\crypt32
  Opens key:
                                   HKLM\software\microsoft\windows\currentversion\internet settings
  Opens key:
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings
                                   HKCU\software\microsoft\windows\currentversion\internet settings
  Opens key:
  Opens key:
                                   HKLM\software\policies
  Opens key:
                                   HKCU\software\policies
                                   HKCU\software
  Opens key:
  Opens key:
                                   HKLM\software
  Opens key:
                                   HKLM\software\policies\microsoft\internet explorer
  Opens key:
                                   HKLM\software\policies\microsoft\internet explorer\main
  Opens key:
                                   \label{lem:hklm} \verb+Kklm \+ software \+ policies \+ microsoft \+ internet explorer \+ main \+ feature control
  Opens key:
                                   HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                   HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                   HKLM\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                   HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache
                                   HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\content
                                   HKLM\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\content
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
  Opens key:
ba85-6007caedcf9d}
  Opens key:
ba85-6007caedcf9d}\propertybag
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer
  Opens kev:
                                   HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in following \ description \ for the context of the context of
  Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders
  Opens key:
                                   HKLM\software\policies\microsoft\windows\explorer
  Opens key:
                                   HKCU\software\policies\microsoft\windows\explorer
  Opens key:
9d55-7b8e7f157091}
  Opens key:
9d55-7b8e7f157091\propertybag
  Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-
9afe-ea3317b67173}
  Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-
9afe-ea3317b67173}\propertybag
  Opens kev:
                                   HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-
2160590473-689474908-1361669368-1002
  Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
                                   HKLM\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\cookies
```

```
Opens key:
908e-08a611b84ff6}
HKLM \\ software \\ microsoft \\ windows \\ current version \\ (2b0f765d-c0e9-4171-cons) \\ (2b0f765d-cons) \\ (2b0f765d-cons
908e-08a611b84ff6}\propertybag
a03a-e3ef65729f3d}
    Opens key:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer \ 'folder descriptions' \ 'explorer \ 'folder \ 'explorer \ 'folder \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explore
a03a-e3ef65729f3d}\propertybag
                                                          HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\5.0\cache\history
                                                           \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
    Opens key:
settings\5.0\cache\history
   Opens key:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a5b-b784-432e-d9dc8a5b-b784-432e-d9dc8a5b-b
a781-5a1130a75963}
    Opens key:
a781-5a1130a75963}\propertybag
                                                          HKCU\software\microsoft\windows\currentversion\internet
    Opens kev:
settings\5.0\cache\extensible cache
   Opens key:
                                                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore
                                                           HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\5.0\cache\extensible cache\feedplat
                                                          HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\5.0\cache\extensible cache\iecompat
                                                          HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\5.0\cache\extensible cache\ietld
                                                           HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\5.0\cache\extensible cache\privacie:
                                                          HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
                                                          HKLM\software\microsoft\internet
    Opens kev:
\verb|explorer\main\featurecontrol\retry_header on ly post\_on connection reset|\\
                                                           HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_bufferbreaking_818408
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
   Opens kev:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
                                                           HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
    Opens key:
                                                           HKLM \verb|\software\policies\microsoft\windows\currentversion\ | internet
settings\5.0\cache
   Opens kev:
                                                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
                                                           HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature fix chunked proxy script download kb843289
    Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                                                          HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                                                          HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature use cname for spn kb911149
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
                                                          HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
   Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature disable unicode handle closing callback
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                                                          HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
    Opens key:
                                                          HKLM\software\microsoft\internet
```

explorer\main\featurecontrol\feature_disallow_null_in_response_headers

HKCU\software\microsoft\internet

Opens key:

```
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                   HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
 Opens key:
                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
 Opens key:
                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
 Opens key:
                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
 Opens key:
                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens key:
                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature release kevs on unload kb975619
 Opens key:
                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
                   HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens key:
                   HKLM\system\currentcontrolset\control\lsa\accessproviders
 Opens kev:
                   HKLM\svstem\currentcontrolset\services\ldap
 Opens key:
                   HKLM\system\currentcontrolset\services\winsock2\parameters
 Opens key:
                   HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\0262b795
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005
 Opens key:
Opens key:
Opens key:
HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\0000000000000
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
 Opens kev:
Opens key:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016
 Opens kev:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens kev:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog5 \ catalog\_entries \ 000000000001
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000003
 Opens kev:
```

Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000006 Opens kev: HKCU\software\microsoft\windows\currentversion\internet settings\wpad Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature http username password disable Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_http_username_password_disable Opens key: HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32 Opens key: HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07 rasmancs Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist Opens key: HKLM\system\currentcontrolset\control\sqmservicelist Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\ Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\ Opens key: HKU\ HKCU\software\classes\autoproxytypes Opens kev: Opens key: HKCR\autoproxytypes Opens key: HKCU\software\classes\autoproxytypes\application/x-internet-signup HKCR\autoproxytypes\application/x-internet-signup Opens key: Opens key: HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig HKLM\system\currentcontrolset\services\dnscache\parameters Opens kev: Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient Opens key: HKLM\system\currentcontrolset\services\dns HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens key: Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_include_port_in_spn_kb908209 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_include_port_in_spn_kb908209 HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_mime_handling HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_mime_handling Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\ HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap\domains\ HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zonemap\domains\ $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ Opens key: settings\zonemap\ranges\ HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zonemap\ranges\ HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature unc savedfilecheck HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_unc_savedfilecheck Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\ HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap Opens key: $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}$ settings\zonemap Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\ranges\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\protocoldefaults\ Opens key: $\label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\$ settings\zonemap\domains\ Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\zonemap\domains\ Opens key: HKLM\software\policies\microsoft\internet explorer\security Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0

HKCU\software\microsoft\windows\currentversion\internet settings\zones\1

 $\label{lem:hkcu} \mbox{\current} windows \mbox{\current} internet settings \mbox{\current} settings \mbox{\current} and \mbox{\current} settings \mbox{\current} settings$

Opens key: Opens key:

```
Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
 Opens kev:
                          HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\1
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\2
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\3
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\4
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\zones\4
                          HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_localmachine_lockdown
                          HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_localmachine_lockdown
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\
 Opens key:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\0
                          \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Opens key:
settings\lockdown_zones\0
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\0
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\1
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\1
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\2
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
                          \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Opens key:
settings\lockdown_zones\4
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\4
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
 Opens key:
                          HKCU\software\microsoft\internet explorer\ietld
 Opens key:
                          HKLM\system\currentcontrolset\control\cmf\config
 Opens key:
                          HKLM\software\policies\microsoft\system\dnsclient
 Opens key:
                          HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                          HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                          HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens key:
                          HKLM\system\currentcontrolset\services\winsock\setup migration\providers
```

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6

Opens key:

c19ce8a73253}

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces

Opens key:

 $\label{thm:local-equation} HKLM \system \current control set \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\}$

C19Ce8a/325

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-

806e6f6e6963} Opens key:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-

806e6f6e6963} Opens key:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{8ff7f47b-d658-4061-baea-

1709a0196aed}

 $Opens \ key: \\ HKLM \ system \ (7b9cb019-1924-49a5-867c-1924-4967c-1924-496700-1924-49676-1924-49676-1924-496760-1924-49676-1924-49676-1924-49676-1924-49676-1924-49676-1924-1924-1924-1924-1924-1924-1924-1$

a68f334c8d34}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage

Opens key: $\label{local-software} HKCU \setminus software \setminus classes \setminus clsid \setminus \{dcb00c01-570f-4a9b-8d69-199fdba5723b\}$

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\treatas

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\progid

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler32

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprochandler

Opens key: HKLM\software\microsoft\rpc\extensions

 $Opens~key: \\ HKCU \setminus software \\ \\ classes \setminus clsid \\ \\ \{a47979d2-c419-11d9-a5b4-001185ad2b89\}$

001185ad2b89}\treatas
Opens kev:

 Opens key:
 HKCR\clsid\\a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas

 Opens key:
 HKCU\software\classes\clsid\\a47979d2-c419-11d9-a5b4

001185ad2b89}\progid

 Opens key:
 HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid

 Opens key:
 HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4

001185ad2b89}\inprocserver32

Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler32

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32

Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler
Opens key: HKCU\software\classes\appid\f0d96afe8a3c58bf99f8b24ff10b1a07.exe

Opens key: HKCR\appid\f0d96afe8a3c58bf99f8b24ff10b1a07.exe

Opens key: HKLM\software\microsoft\ole\appcompat
Opens key: HKLM\system\currentcontrol\set\control\lsa

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

 $Opens~key: \\ \qquad \qquad HKLM\system\current control\set\control\slagorithm policy$

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography\offload

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-00000000046}

Opens key: HKCR\interface\{00000134-0000-0000-0000000000046} Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-

000000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-0000-00000000046}\proxystubclsid32

Opens key: HKLM\system\currentcontrolset\services\bfe

Opens key: HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}

Opens key: $\label{eq:hkcr} \mbox{HKCR} \mbox{interface} \mbox{$\langle d0074ffd-570f-4a9b-8d69-199fdba5723b \rangle$}$

```
HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-
 Opens key:
199fdba5723b}\proxystubclsid32
 Opens key:
                        HKCR \setminus \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \setminus proxystubclsid32
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
 Opens key:
 Opens key:
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
 Opens key:
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\treatas
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\progid
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprochandler32
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\
 Opens kev:
 Opens key:
                        HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprochandler
                        HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler
 Opens key:
 Opens key:
                        HKLM\system\currentcontrolset\services\netbt\linkage
 Opens key:
                        HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
                        HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
 Opens kev:
 Opens key:
                        HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-
4f0ef901a406}\proxystubclsid32
                        Opens key:
 Opens key:
                        HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
 Opens key:
                        HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
                        HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
 Opens kev:
6d613e2ceaec}\proxystubclsid32
 Opens key:
                        HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32
                        HKCU \setminus software \setminus classes \setminus interface \setminus \{55272a00-42cb-11ce-8135-00aa004bb851\}
 Opens key:
 Opens key:
                        HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
 Opens key:
                        HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-
00aa004bb851}\proxystubclsid32
 Opens key:
                        HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
 Opens kev:
                        HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\treatas
                        HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\progid
                        HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32
                        HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler32
                        HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32
 Opens key:
                        HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
 Opens kev:
00aa00341d07}\inprochandler
                        HKCR \ clsid \ \{b196b286-bab4-101a-b69c-00aa00341d07\} \ \ in prochandler
 Opens key:
                        HKCU \setminus software \setminus classes \setminus interface \setminus \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\}
 Opens key:
 Opens kev:
                        HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
 Opens key:
                        HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-
4a74e101f8c1}\proxystubclsid32
                        HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32
 Opens kev:
                        HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
 Opens key:
 Opens key:
                        HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
 Opens key:
                        HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-
63278fcb8037}\proxystubclsid32
                        HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\wpad\{1b7b6586-60aa-4cdd-91a5-554248c31a3a}
 Opens kev:
Opens key:
                        HKLM\software\microsoft\windows\currentversion\explorer
 Opens key:
                        HKLM\software\microsoft\windows\currentversion\policies\explorer
 Opens kev:
                        HKCU\software\microsoft\windows\currentversion\policies\explorer
 Opens key:
Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace
 Opens key:
b131-e946b44c8dd5}
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{04731b67-d933-450a-
90e6-4acd2e9408fe}
 Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{11016101-e366-4d22-desktop \ names pace \ \{11016101-e366-4d22-desktop \ names pace \ \}
bc06-4ada335c892b}
```

Opens key:

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ explorer \ desktop \ `namespace \ \{4336a54d-038b-4685-ab02-99bb52d3fb8b\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{450d8fba-ad25-11d0-98a8-0800361b1103}$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ desktop \ `namespace \ `\{5399e694-6ce5-4d6c-8fce-1d8870fdcba0\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{59031a47-3f72-44a7-89c5-5595fe6b30ee\}$

Opens key:

 $\label{thm:hklm} HkLM \software \microsoft \windows \current version \explorer \desktop \namespace \eqref{645ff040-5081-101b-9f08-00aa002f954e} \\$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ desktop \ namespace \ \{89d83576-6bd1-4c86-9454-beb04e94c819\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ desktop \ namespace \ \{8fd8b88d-30e1-4f25-ac2b-553d3d65f0ea\}$

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ explorer \ desktop \ `namespace \ \{9343812e-1c37-4a49-a12e-4b2d810d956b\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{98d99750-0b8a-4c59-9151-589053683d73\}}$

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{bd7a2e7b-21cb-41b2-a086-b309680c6b7e\}$

Opens kev:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ desktop \ `namespace \ '\{daf95313-e44d-46af-be1b-cbacea2c3065\}$

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ desktop \ namespace \ \{ed228fdf-9ea8-4870-83b1-96b02cfe0d52\}$

Opens key:

 $\label{twindows} HKL\begin{tabular}{ll} HKL$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{f3f5824c-ad58-4728-af59-a1ebe3392799\}$

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\desktop\namespace\delegatefolders
 Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\desktop\namespace
Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\desktop\namespace\delegatefolders
Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

 $Opens~key: \\ HKCR\clsid{20d04fe0-3aea-1069-a2d8-08002b30309d}\\ shellfolder$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

 $Opens \ key: \\ HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04feo-designed \ explorer \ clsid \ and \ explorer \ begin{picture}(1,0) \put(0,0) \put($

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\classes\clsid\{208d2c60-3aea-1069-a2d7-

08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{208d2c60-

3aea-1069-a2d7-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{208d2c60-

3aea-1069-a2d7-08002b30309d}\shellfolder

Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\shellfolder

 $Opens~key: \\ HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\\\ \ shellfolder$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-

42a0-1069-a2ea-08002b30309d}\shellfolder

Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\inprocserver32

Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32

```
Opens key:
                                                                                                  HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
       Opens kev:
                                                                                                  HKLM\system\currentcontrolset\control\session manager\appcompatibility
                                                                                                  HKLM\software\policies\microsoft\windows\appcompat
       Opens key:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows nt\currentversion
       Opens key:
                                                                                                  \label{local-operator} \mbox{HKCU\software\mbox{\sc microsoft\windows} nt\current\version\app\compatflags\layers} \\
       Opens key:
                                                                                                  HKLM\software\microsoft\windows nt\currentversion\appcompatflags
                                                                                                  HKLM\software\microsoft\windows
       Opens key:
nt\currentversion\appcompatflags\custom\ieframe.dll
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\shell extensions\cached
                                                                                                  HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
       Opens key:
       Opens key:
                                                                                                  HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
       Opens key:
                                                                                                  HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
 08002b30309d}\treatas
       Opens key:
                                                                                                  HKCR\clsid{871c5380-42a0-1069-a2ea-08002b30309d}\treatas
       Opens key:
                                                                                                  HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\progid
       Opens key:
                                                                                                  HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid
       Opens key:
                                                                                                  HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
 08002b30309d}\inprochandler32
       Opens key:
                                                                                                  HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler32
       Opens key:
                                                                                                  HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler
       Opens key:
                                                                                                  HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler
       Opens key:
a2ea-08002b30309d}
       Opens key:
                                                                                                  HKCU\software\classes\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder
       Opens key:
                                                                                                  HKCR\clsid\{645ff040-5081-101b-9f08-00aa002f954e}\shellfolder
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{645ff040-
       Opens kev:
5081-101b-9f08-00aa002f954e}\shellfolder
                                                                                                  Opens key:
 5081-101b-9f08-00aa002f954e}\shellfolder
                                                                                                  HKCU \setminus software \setminus classes \setminus clsid \setminus \{26ee0668-a00a-44d7-9371-a00a-44d7-9371-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d7-a00a-44d
       Opens key:
 beb064c98683}\shellfolder
                                                                                                 HKCR\clsid\{26ee0668-a00a-44d7-9371-beb064c98683}\shellfolder
       Opens kev:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{26ee0668-
 a00a-44d7-9371-beb064c98683}\shellfolder
                                                                                                 HKLM\software\microsoft\windows\currentversion\explorer\clsid\{26ee0668-
       Opens key:
a00a-44d7-9371-beb064c98683}\shellfolder
                                                                                                 HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-
       Opens key:
5595fe6b30ee}\shellfolder
                                                                                                 HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder
       Opens key:
                                                                                                  Opens key:
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
       Opens key:
                                                                                                  HKLM \setminus software \setminus irrent version \setminus explorer \setminus \{59031a47-true, true \} = true \setminus \{59031a47-true
 3f72-44a7-89c5-5595fe6b30ee}\shellfolder
                                                                                                 HKCU\software\classes\clsid\{031e4825-7b94-4dc3-b131-
      Opens kev:
 e946b44c8dd5}\shellfolder
                                                                                                  HKCR\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5}\shellfolder
       Opens key:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{031e4825-
7b94-4dc3-b131-e946b44c8dd5}\shellfolder
       Opens key:
                                                                                                  HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus \{031e4825-explorer\} \setminus \{031e4825-explore
 7b94-4dc3-b131-e946b44c8dd5}\shellfolder
       Opens key:
                                                                                                 HKCU\software\classes\clsid\{04731b67-d933-450a-90e6-
 4acd2e9408fe}\shellfolder
                                                                                                 HKCR\clsid\{04731b67-d933-450a-90e6-4acd2e9408fe}\shellfolder
       Opens kev:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{04731b67-
 d933-450a-90e6-4acd2e9408fe}\shellfolder
      Opens key:
                                                                                                 HKLM\software\microsoft\windows\currentversion\explorer\clsid\{04731b67-
 d933-450a-90e6-4acd2e9408fe}\shellfolder
                                                                                                 HKCU\software\classes\clsid\{11016101-e366-4d22-bc06-
       Opens key:
4ada335c892b}\shellfolder
                                                                                                 HKCR \verb|\clsid|{11016101-e366-4d22-bc06-4ada335c892b} \verb|\shellfolder| \\
       Opens key:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{11016101-
e366-4d22-bc06-4ada335c892b}\shellfolder
       Opens key:
                                                                                                 HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ `\{11016101-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{11016101-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{11016101-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `all `all `all `all `explorer\ `clsid\ `all `all `explorer\ `clsid\ `all `all `explorer\ `clsid\ `all `all `explorer\ `clsid\ `explorer\ `explorer\ `clsid\ `explorer\ `clsid\ `explorer\ `explo
 e366-4d22-bc06-4ada335c892b}\shellfolder
       Opens kev:
                                                                                                 HKCU\software\classes\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder
                                                                                                  HKCR\clsid\{4336a54d-038b-4685-ab02-99bb52d3fb8b}\shellfolder
       Opens kev:
       Opens key:
                                                                                                  HKCU\software\microsoft\windows\currentversion\explorer\clsid\{4336a54d-
038b-4685-ab02-99bb52d3fb8b}\shellfolder
       Opens key:
                                                                                                  HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{4336a54d-microsoft \setminus windows \setminus current version \setminus clsid \setminus explorer \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus
038b-4685-ab02-99bb52d3fb8b}\shellfolder
       Opens key:
                                                                                                 HKCU\software\classes\clsid\{450d8fba-ad25-11d0-98a8-
```

0800361b1103}\shellfolder HKCR\clsid\{450d8fba-ad25-11d0-98a8-0800361b1103}\shellfolder Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{450d8fba-

ad25-11d0-98a8-0800361b1103}\shellfolder

Opens key: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{450d8fba-microsoft\} \ description \ description$

ad25-11d0-98a8-0800361b1103}\shellfolder

Opens key: HKCU\software\classes\clsid\{5399e694-6ce5-4d6c-8fce-

1d8870fdcba0}\shellfolder

Opens key: HKCR\clsid\{5399e694-6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{5399e694-

6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{5399e694-

6ce5-4d6c-8fce-1d8870fdcba0}\shellfolder

Opens key: HKCU\software\classes\clsid\{89d83576-6bd1-4c86-9454-

beb04e94c819}\shellfolder

Opens key: HKCR\clsid\{89d83576-6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{89d83576-

6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{89d83576-

6bd1-4c86-9454-beb04e94c819}\shellfolder

Opens key: HKCU\software\classes\clsid\{8fd8b88d-30e1-4f25-ac2b-

553d3d65f0ea}\shellfolder

Opens key: HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-553d3d65f0ea}\shellfolder

30e1-4f25-ac2b-553d3d65f0ea}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{8fd8b88d-

30e1-4f25-ac2b-553d3d65f0ea\shellfolder

Opens key: HKCU\software\classes\clsid\{9343812e-1c37-4a49-a12e-

4b2d810d956b}\shellfolder

Opens key: HKCR\clsid\{9343812e-1c37-4a49-a12e-4b2d810d956b}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{9343812e-

1c37-4a49-a12e-4b2d810d956b}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{9343812e-

1c37-4a49-a12e-4b2d810d956b}\shellfolder

Opens key: HKCU\software\classes\clsid\{98d99750-0b8a-4c59-9151-

589053683d73}\shellfolder

Opens key: HKCR\clsid\{98d99750-0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{98d99750-

0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{98d99750-

0b8a-4c59-9151-589053683d73}\shellfolder

Opens key: HKCU\software\classes\clsid\{b4fb3f98-c1ea-428d-a78a-

d1f5659cba93}\shellfolder

Opens key: HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{b4fb3f98-

c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{b4fb3f98-

c1ea-428d-a78a-d1f5659cba93}\shellfolder

Opens key: HKCU\software\classes\clsid\{bd7a2e7b-21cb-41b2-a086-

b309680c6b7e}\shellfolder

 $Opens~key: \\ HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-b309680c6b7e}\\\ \ shellfolder$

21cb-41b2-a086-b309680c6b7e}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{bd7a2e7b-

21cb-41b2-a086-b309680c6b7e}\shellfolder

Opens key: HKCU\software\classes\clsid\{daf95313-e44d-46af-be1b-

cbacea2c3065}\shellfolder

Opens key: HKCR\clsid\{daf95313-e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{daf95313-

e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{daf95313-

e44d-46af-be1b-cbacea2c3065}\shellfolder

Opens key: HKCU\software\classes\clsid\{e345f35f-9397-435c-8f95-

4e922c26259e}\shellfolder

Opens key: HKCR\clsid\{e345f35f-9397-435c-8f95-4e922c26259e}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{e345f35f-

9397-435c-8f95-4e922c26259e}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{e345f35f-

9397-435c-8f95-4e922c26259e}\shellfolder

Opens key: HKCU\software\classes\clsid\{ed228fdf-9ea8-4870-83b1-

96b02cfe0d52}\shellfolder

Opens key: HKCR\clsid\{ed228fdf-9ea8-4870-83b1-96b02cfe0d52}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{ed228fdf-

9ea8-4870-83b1-96b02cfe0d52}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{ed228fdf-

9ea8-4870-83b1-96b02cfe0d52}\shellfolder

Opens key: HKCU\software\classes\clsid\{f02c1a0d-be21-4350-88b0-

7367fc96ef3c}\shellfolder

Opens key: HKCR\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{f02c1a0d-

be21-4350-88b0-7367fc96ef3c}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{f02c1a0d-

be21-4350-88b0-7367fc96ef3c}\shellfolder

Opens key: HKCU\software\classes\clsid\{f3f5824c-ad58-4728-af59-

a1ebe3392799}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{f3f5824c-

ad58-4728-af59-a1ebe3392799}\shellfolder

 $Opens~key: \\ HKLM\software\microsoft\windows\currentversion\explorer\clsid\f3f5824c-relation \\ Consideration \\ Consideration$

ad58-4728-af59-a1ebe3392799}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\app paths\cmd.exe
Opens key: HKLM\software\microsoft\windows\currentversion\app paths\cmd.exe

Opens key:

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions
Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \ software \ microsoft \ windows \ shell \ registered applications \ urlass ociations \ directory \ open with progids$

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: ${\sf HKCU \backslash software \backslash classes \backslash allfile systemobjects \backslash docobject}$

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus all filesystemobjects \setminus browsein place}$

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid Opens key: HKCU\software\classes\.exe

Opens key: HKCR\.exe

Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\

Opens key:

Opens key: HKCU\software\classes\exefile

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver
Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler

Opens key: HKCR\exefile\shellex\iconhandler

Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCU\software\classes\exefile\docobject

Opens key: HKCR\exefile\docobject

 $Opens\ key: \\ \hspace{1.5cm} \mathsf{HKCU} \setminus \mathsf{software} \setminus \mathsf{classes} \setminus \mathsf{systemfileassociations} \setminus \mathsf{.exe} \setminus \mathsf{docobject}$

```
Opens key:
                      HKCR\systemfileassociations\.exe\docobject
 Opens key:
                      HKCU\software\classes\exefile\browseinplace
 Opens kev:
                      HKCR\exefile\browseinplace
                      HKCU\software\classes\systemfileassociations\.exe\browseinplace
 Opens key:
 Opens key:
                      HKCR\systemfileassociations\.exe\browseinplace
 Opens key:
                      HKCU\software\classes\exefile\clsid
 Opens key:
                      HKCR\exefile\clsid
                      HKCU\software\classes\systemfileassociations\.exe\clsid
 Opens key:
 Opens key:
                      HKCR\systemfileassociations\.exe\clsid
 Opens key:
b029-7fe99a87c641}
 Opens key:
b029-7fe99a87c641}\propertybag
 Opens key:
                      HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
                      HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
 Opens kev:
 Opens key:
                      HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\treatas
                      HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas
 Opens key:
 Opens key:
                      HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\progid
                      HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid
 Opens kev:
 Opens key:
                      HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32
                      HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32
 Opens key:
 Opens key:
b8dc300d9f9d}\inprochandler32
 Opens kev:
 Opens key:
                      HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprochandler
 Opens key:
 Opens key:
b4ef-bd1dc332aeae}
```

HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-

b4ef-bd1dc332aeae}\propertybag

HKLM\software\microsoft\windows\currentversion\explorer\kindmap Opens key:

Opens key: HKCU\software\classes\exefile\shell

HKCR\exefile\shell Opens key:

Opens key: HKCU\software\classes\exefile\shell\open

Opens key: HKCR\exefile\shell\open Opens key: HKCR\exefile\shell\open\

Opens key: HKCU\software\classes\exefile\shell\open\command

Opens key: HKCR\exefile\shell\open\command

Opens key: $\label{loopendroptarget} \mbox{HKCU\software\classes\exefile\shell\open\droptarget} \\$

Opens key: HKCR\exefile\shell\open\droptarget

HKLM\software\microsoft\windows\currentversion\policies\associations Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\policies\associations

Opens key: HKCU\software\classes\.ade

Opens key: HKCR\.ade

HKCU\software\classes\.adp Opens key:

Opens key: HKCR\.adp

HKCU\software\classes\.app Opens kev:

Opens key: HKCR\.app

Opens key: HKCU\software\classes\.asp

Opens key: HKCR\.asp

HKCU\software\classes\.bas Opens key:

Opens key: HKCR\.bas

Opens key: HKCU\software\classes\.bat

Opens key: HKCR\.bat Opens key: HKCU\software\classes\.cer

Opens key: HKCR\.cer

Opens key: HKCU\software\classes\.chm Opens key: HKCR\.chm

Opens key: HKCU\software\classes\.cmd

Opens key: HKCR\.cmd

Opens key: HKCU\software\classes\.com

Opens kev: HKCR\.com

Opens key: HKCU\software\classes\.cpl Opens key: HKCR\.cpl Opens key: HKCU\software\classes\.crt

Opens key: HKCR\.crt

Opens key: HKCU\software\classes\.csh

Opens kev: HKCR\.csh

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4} Opens key: Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\treatas

 $HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\ \ treat as$ Opens key: Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\progid

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprocserver32

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprochandler32

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler32

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprochandler

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler

Opens key: HKCU\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_initialize_urlaction_shell execute_to_allow_kb936610$

Opens key: HKLM\software\microsoft\internet

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\zones\0

Opens key: HKCU\software\classes\exefile\progid

Opens key: HKCR\exefile\progid

Opens key:

 $HKLM \verb|\software\m| icrosoft \verb|\windows\currentversion\shellcompatibility \verb|\progids\exefile| |$

Opens key: HKCU\software\classes\exefile\shell\open\ddeexec

Opens key: HKCR\exefile\shell\open\ddeexec

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\cmd.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\cmd.exe

Opens key: HKLM\software\microsoft\windows

 $\begin{tabular}{lll} Opens~key: & HKLM\software\microsoft\windows\html ~help \\ Opens~key: & HKLM\software\microsoft\windows\help \\ \end{tabular}$

Opens key: HKCU\software\policies\microsoft\windows\system
Opens key: HKLM\software\microsoft\command processor
Opens key: HKCU\software\microsoft\command processor

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\tasklist.exe

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\custom\tasklist.exe

Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder

Opens key: HKLM\software\microsoft\wbem\cimom

Opens key: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters

Opens key: HKCU\software\classes\appid\tasklist.exe

Opens key: HKCR\appid\tasklist.exe

Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}

Opens key: HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}
Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\treatas

Opens key: HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\treatas Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\progid

Opens key: HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\progid Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\inprocserver32

Opens key: HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\inprocserver32

Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\inprochandler32

 $Opens~key: \\ HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}\ \ inprochandler 32 \\$

Opens key: HKCU\software\classes\clsid\{4590f811-1d3a-11d0-891f-

00aa004b2e24}\inprochandler

Opens key: HKCR\clsid\\4590f811-1d3a-11d0-891f-00aa004b2e24\\inprochandler

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters
Opens key: HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}

 Opens key:
 HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}

 Opens key:
 HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075

00c04fb68820}\treatas

Opens key: $\label{eq:hccl} \begin{tabular}{ll} HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}\treatas \\ Opens key: \\ HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-d86b-11d0-a$

00c04fb68820}\progid

 Opens key:
 HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}\progid

 Opens key:
 HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075

00c04fb68820}\inprocserver32

Opens key: HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}\inprocserver32

Opens key: HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-

00c04fb68820}\inprochandler32

HKCU\software\classes\clsid\{8bc3f05e-d86b-11d0-a075-Opens key: 00c04fb68820}\inprochandler Opens kev: HKCU\software\classes\interface\{f309ad18-d86a-11d0-a075-00c04fb68820} Opens key: Opens kev: HKCR\interface\{f309ad18-d86a-11d0-a075-00c04fb68820} HKCU\software\classes\interface\{f309ad18-d86a-11d0-a075-Opens key: 00c04fb68820}\proxystubclsid32 HKCR\interface\{f309ad18-d86a-11d0-a075-00c04fb68820}\proxystubclsid32 Opens key: Opens key: HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-00aa004b2e24} HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24} Opens key: Opens key: HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\treatas Opens key: $HKCR \ clsid \ \{7c857801-7381-11cf-884d-00aa004b2e24\} \ treat as$ HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-Opens key: 00aa004b2e24}\progid HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprocserver32 Opens key: HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprocserver32 Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{7c857801-7381-11cf-884d-11cf-885d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11cf-884d-11c$ 00aa004b2e24}\inprochandler32 HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprochandler32 Opens key: Opens kev: HKCU\software\classes\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprochandler Opens key: $HKCR \ clsid \ \{7c857801-7381-11cf-884d-00aa004b2e24\} \ \ in prochandler$ HKCU\software\classes\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887} Opens key: Opens key: HKCR\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887} Opens key: HKCU\software\classes\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887}\proxystubclsid32 Opens key: $HKCR\ interface \ \{d4781cd6-e5d3-44df-ad94-930efe48a887\}\ proxystubclsid32$ Opens key: HKLM\system\currentcontrolset\control\computername $HKCU \setminus software \setminus classes \setminus interface \setminus \{9556dc99 - 828c - 11cf - a37e - 00aa003240c7\}$ Opens key: Opens key: HKCR\interface\{9556dc99-828c-11cf-a37e-00aa003240c7} Opens key: HKCU\software\classes\interface\{9556dc99-828c-11cf-a37e-00aa003240c7}\proxystubclsid32 Opens key: HKCR\interface\{9556dc99-828c-11cf-a37e-00aa003240c7}\proxystubclsid32 Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea} HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea} Opens key: Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504ce99a996d9ea}\treatas HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504ce99a996d9ea}\progid HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\progid Opens key: Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504ce99a996d9ea}\inprocserver32 $HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\ \ in procserver 32$ Opens key: Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504ce99a996d9ea}\inprochandler32 $HKCR\clsid\\\{d68af00a-29cb-43fa-8504-ce99a996d9ea\\\}\inprochandler32$ Opens key: Opens key: HKCU\software\classes\clsid\{d68af00a-29cb-43fa-8504ce99a996d9ea}\inprochandler $HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\tinprochandler$ Opens key: Opens key: $\label{localization} HKCU \setminus software \\ \\ classes \\ \\ interface \\ \\ \{027947e1-d731-11ce-a357-000000000001\} \\ \\ \\ equivalent \\$ Opens kev: HKCR\interface\{027947e1-d731-11ce-a357-00000000001} Opens key: 00000000001}\proxystubclsid32 HKCR\interface\{027947e1-d731-11ce-a357-00000000001}\proxystubclsid32 Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd} Opens key: Opens key: HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd} Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\treatas $HKCR\clsid$ {1b1cad8c-2dab-11d2-b604-00104b703efd}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\progid Opens key: HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\progid Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\inprocserver32 Opens key: $HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\inprocserver32$ HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-Opens kev: 00104b703efd}\inprochandler32 Opens key: HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\inprochandler32 Opens key: HKCU\software\classes\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\inprochandler Opens key: $HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\ \ in prochandler$ HKCU\software\classes\interface\{1c1c45ee-4395-11d2-b60b-00104b703efd} Opens kev:

HKCR\interface\{1c1c45ee-4395-11d2-b60b-00104b703efd} Opens key: Opens key: HKCU\software\classes\interface\{1c1c45ee-4395-11d2-b60b-00104b703efd}\proxystubclsid32 Opens key: Opens key:

 $HKCU \setminus software \setminus classes \setminus interface \setminus \{423ec01e-2e35-11d2-b604-00104b703efd\}$ HKCR\interface\{423ec01e-2e35-11d2-b604-00104b703efd} Opens kev:

Opens key: HKCU\software\classes\interface\{423ec01e-2e35-11d2-b604-

00104b703efd}\proxystubclsid32 HKCR\interface\{423ec01e-2e35-11d2-b604-00104b703efd}\proxystubclsid32 Opens kev: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{eb87e1bd-3233-11d2-aec9-00c04fb68820\}$ Opens key: Opens key: HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820} Opens kev: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\treatas HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\treatas Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-Opens key: 00c04fb68820}\progid HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\progid Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-Opens kev: 00c04fb68820}\inprocserver32 Opens key: $HKCR\clsid\\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\\{inprocserver32}$ Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprochandler32 HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprochandler32 Opens key: HKCU\software\classes\clsid\{eb87e1bd-3233-11d2-aec9-Opens key: 00c04fb68820}\inprochandler Opens key: $HKCR\clsid\\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\\{inprochandler}$ Oueries value: HKLM\system\currentcontrolset\control\session manager[cwdillegalindllsearch] Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat] HKLM\system\currentcontrolset\control\terminal server[tsuserenabled] Queries value: Queries value: HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled] Queries value: HKCU\control panel\desktop[preferreduilanguages] Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages] Queries value: $\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} $$ HKLM \end{tabular} an if est] $$$ Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[] Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions[usefilter] Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions[msvbvm60.dll] HKLM\software\microsoft\windows Queries value: nt\currentversion\gre_initialize[disablemetafiles] HKLM\software\microsoft\windows Oueries value: nt\currentversion\compatibility32[f0d96afe8a3c58bf99f8b24ff10b1a07] HKLM\software\microsoft\windows Queries value: nt\currentversion\windows[loadappinit_dlls] HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409] HKLM\system\currentcontrolset\control\nls\language groups[1] Oueries value: Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable] HKLM\system\currentcontrolset\control\session Oueries value: manager[safeprocesssearchmode] HKLM\system\currentcontrolset\control\nls\codepage[932] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\codepage[949] Oueries value: HKLM\system\currentcontrolset\control\nls\codepage[950]

Queries value: HKLM\system\currentcontrolset\control\nls\codepage[936]

Oueries value: HKLM\software\microsoft\com3[com+enabled] Queries value: HKLM\software\microsoft\ole[maxsxshashcount] HKLM\system\currentcontrolset\services\disk\enum[0] Oueries value:

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Oueries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]

Oueries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags] $\label{lem:hklm} \verb+ HKLM \+ software \+ microsoft \+ windows \+ current version \+ internet$ Oueries value:

settings[disableimprovedzonecheck]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[security_hklm_only]

Queries value: HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440da3fe-553973d0b723]

Queries value:

HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-

b924-d51178a59ce4]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[fromcachetimeout]

Queries value: $\label{lem:hklmsoftware policies microsoft windows \current version \cite{thmsoftware} in the lemma of the$

settings[secureprotocols]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[secureprotocols]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[secureprotocols]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[certificaterevocation]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

```
settings[disablekeepalive]
                    HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablepassport]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[idnenabled]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[cachemode]
                    HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttp1_1]
 Queries value:
                    HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
 Queries value:
                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                    HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyhttp1.1]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablenegotiate]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablebasicoverclearchannel]
                    HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
                    HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[clientauthbuiltinui]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[syncmode5]
                    HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache[sessionstarttimedefaultdeltasecs]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache[signature]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[peruseritem]
                    HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[peruseritem]
 Queries value:
ba85-6007caedcf9d}[category]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[name]
 Queries value:
ba85-6007caedcf9d}[parentfolder]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[description]
 Oueries value:
ba85-6007caedcf9d}[relativepath]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[parsingname]
 Oueries value:
ba85-6007caedcf9d}[infotip]
 Queries value:
ba85-6007caedcf9d}[localizedname]
 Oueries value:
ba85-6007caedcf9d}[icon]
 Queries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \ 352481e8-33be-4251-4251-4251e
ba85-6007caedcf9d}[security]
 Oueries value:
ba85-6007caedcf9d}[streamresource]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[streamresourcetype]
 Oueries value:
ba85-6007caedcf9d}[localredirectonly]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[roamable]
 Oueries value:
```

ba85-6007caedcf9d}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[relativepath]

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifthfully folderdescriptions \fifth a 2785-6 fba-4 fcf-9 d55-7 b8e7 f157091\fifth parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}{5}ecurity\figure{1}{2}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}fth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}ft$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Queries value:

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f157091\fifth{1}{5}2785-7b8e7f1570$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [category]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \cite{Constraint} \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \cite{Constraint} \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \cite{Constraint} \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \cite{Constraint} \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \eqref{2b0f765d-c0e9-4171-$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[parentfolder]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\fstreamresourcel

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [local redirectonly]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [roamable]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[precreate]$

Ougries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[initfolderhandler]}$

Queries value:

 $\label{local-loc$

folders[cookies]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeddescriptions} \begin{tabular}{lem:hklmsoftwaremicrosoftwindows} (3eb685db-65f9-4cf6-a03a-e3ef65729f3d) [parent folder] \end{tabular}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} a 03a-e3ef65729f3d \cal{lem:hklk} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[security]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $\label{local-bound} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\ [relative path]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[infotip]} Infotip in the property of the property$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\\ folder descriptions\\ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}\\ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \[\columnwidth{ road-prop} \columnwidth{ r$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a9dc8a3b-b784-432e-b784-4$

```
a781-5a1130a75963}[publishexpandedpath]
  Oueries value:
a781-5a1130a75963}[attributes]
  Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and
a781-5a1130a75963}[foldertypeid]
  Oueries value:
a781-5a1130a75963}[initfolderhandler]
                                     HKCU\software\microsoft\windows\currentversion\explorer\user shell
  Oueries value:
folders[history]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\history[cacheprefix]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\history[cachelimit]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\domstore[cacherepair]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\domstore[cachepath]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\domstore[cacheprefix]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\domstore[cachelimit]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\domstore[cacheoptions]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cacherepair]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cachepath]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\feedplat[cacheprefix]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cachelimit]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacheoptions]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\iecompat[cacherepair]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachepath]
  Queries value:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings\5.0\cache\extensible cache\iecompat[cacheprefix]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\iecompat[cachelimit]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
  Queries value:
                                     \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\5.0\cache\extensible cache\ietld[cacherepair]
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachepath]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cacheprefix]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachelimit]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\ietld[cacheoptions]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacherepair]
  Queries value:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet}} \\
settings\5.0\cache\extensible cache\privacie:[cachepath]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cachelimit]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
                                    HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[enableautoproxyresultcache]
  Queries value:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings[displayscriptdownloadfailureui]
  Queries value:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings[mbcsservername]
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[mbcsapiforcrack]
  Queries value:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings[utf8servernameres]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[disableworkerthreadhibernation]
                                     \label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet
  Oueries value:
settings[disableworkerthreadhibernation]
  Queries value:
                                     \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[disablereadrange]
```

 $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

Queries value:

```
settings[socketsendbufferlength]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[socketreceivebufferlength]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[keepalivetimeout]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[maxhttpredirects]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[maxconnectionsperserver]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxconnectionsperserver]
  Queries value:
                                      \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[maxconnectionsper1_0server]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxconnectionsperproxv]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[serverinfotimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connecttimeout]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connecttimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connectretries]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connectretries]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[sendtimeout]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[sendtimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[receivetimeout]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[receivetimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablentlmpreauth]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[scavengecachelowerbound]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[certcachenovalidate]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache[scavengecachefilelifetime]
  Queries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache[scavengecachefilelimit]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[httpdefaultexpirytimesecs]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[ftpdefaultexpirytimesecs]
  Queries value:
                                      HKLM\software\microsoft\internet
explorer \verb|\main| featurecontrol \verb|\feature_disable_unicode_handle_closing_callback[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]| | the property of the property of
  Queries value:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disablecachingofsslpages]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[perusercookies]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[leashlegacycookies]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dialupuselansettings]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dialupuselansettings]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[sendextracrlf]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[wpadsearchalldomains]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[bypasshttpnocachecheck]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[bypasshttpnocachecheck]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[bypasssslnocachecheck]
  Oueries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[enablehttptrace]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[nocheckautodialoverride]
```

```
Oueries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[nocheckautodialoverride]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
                         HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dontusednsloadbalancing]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[sharecredswithwinhttp]
 Queries value:
                         \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
settings[mimeexclusionlistforcache]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[headerexclusionlistforcache]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[dnscacheenabled]
                         \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
 Queries value:
settings[dnscacheentries]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dnscachetimeout]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[warnonpost]
                         \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
 Queries value:
settings[warnalwaysonpost]
                         \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Oueries value:
settings[warnonzonecrossing]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[warnonbadcertrecving]
                         \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[warnonpostredirect]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[alwaysdrainonredirect]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[warnonhttpstohttpredirect]
 Queries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                         HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
 Queries value:
                         HKLM \verb|\system| current controlset \verb|\services|| ldap[use old host resolution order]
 Queries value:
 Oueries value:
                         HKLM\svstem\currentcontrolset\services\ldap[usehostnameasalias]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[tcpautotuning]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
HKLM\svstem\currentcontrolset\services\winsock2\parameters[namespace callout]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Queries value:
HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ protocol\_catalog 9 [next\_catalog\_entry\_id]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem]
 Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 0000000000010 \ [packed catalog item]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
 Oueries value:
```

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000002 [displaystring] \\ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 00000000000002 [address family] \\ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[librarypath]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000003 \ [displaystring] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 0000000000003 \ [provider info] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[displaystring]
 Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace_catalog \shape \current \shape \s$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000005 \ [displaystring] \ Queries \ value:$

```
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog S \setminus catalog\_entries \setminus 0000000000005[providerid]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[addressfamily]
  Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[version]
  Oueries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
  Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
  Queries value:
Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog \ set alog\_entries \ (00000000000006 \ [version]) \ and \ (version) \ and \ (ve
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
  Queries value:
                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadoverride]
  Queries value:
                               HKCU\software\microsoft\windows\currentversion\internet
settings[enableautodial]
                               HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[nonetautodial]
  Queries value:
                                HKCU\software\microsoft\windows\currentversion\internet
settings[globaluseroffline]
  Queries value:
                               HKCU\software\microsoft\windows\currentversion\internet
settings[badproxyexpirestime]
                               HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablebranchcache]
  Queries value:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]
  Queries value:
                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                               HKLM\software\microsoft\tracing[enableconsoletracing]
  Oueries value:
  Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[enablefiletracing]
  Oueries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[filetracingmask]
  Oueries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[enableconsoletracing]
  Oueries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[consoletracingmask]
  Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07 rasapi32[filedirectorv]
  Oueries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[enablefiletracing]
  Queries value:
Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[enableconsoletracing]
  Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[consoletracingmask]
  Oueries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[filedirectory]
                                HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\profilelist[programdata]
                               HKLM\system\currentcontrolset\control\samservicelist[samservicelist]
  Oueries value:
  Oueries value:
                               HKLM\software\microsoft\sqmclient\windows\disabledprocesses[7393e979]
```

Queries value:

Queries value:

HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]

```
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxysettingsperuser]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[migrateproxy]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[proxyenable]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyserver]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
 Queries value:
                         \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
settings[autoconfigurl]
                         \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
 Queries value:
settings\connections[savedlegacysettings]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[autoconfigcustomua]
                        HKCR\autoproxytypes\application/x-internet-signup[dllfile]
 Queries value:
 Queries value:
                         HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
 Queries value:
                         HKCR\autoproxytypes\application/x-internet-signup[default]
 Oueries value:
                         HKCR\autoproxytypes\application/x-internet-signup[flags]
 Queries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
 Queries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
 Queries value:
                         {\tt HKCR} \verb| autoproxytypes \verb| application/x-ns-proxy-autoconfig[flags]|
 Queries value:
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [queryadaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [prioritize record data]
HKLM\svstem\currentcontrolset\services\dnscache\parameters[allowungualifiedguerv]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Queries value:
Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [screen badtlds]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Queries value:
Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [queryipm atching]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
 Oueries value:
```

```
Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
 Oueries value:
 Queries value:
                          HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets]
HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags]
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [multicasts endermax time out]
 Oueries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
HKLM\svstem\currentcontrolset\services\dnscache\parameters[usecompartments]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration]
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[*]
                         HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
 Queries value:
                         HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\1[flags]
 Queries value:
                          \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\zones\2[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
```

```
settings\zones\3[flags]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\4[flags]
  Queries value:
                                    HKCU\software\microsoft\internet
explorer \verb|\main| featurecontrol| feature_local machine_lockdown[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]|
  Queries value:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                                   HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[f0d96afe8a3c58bf99f8b24ff10b1a07.exe]
  Queries value:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
  Queries value:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                   \label{thm:linear} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \normalises \part \part
  Oueries value:
settings[createuricachesize]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[enablepunycode]
  Queries value:
                                    HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                    HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow]
  Queries value:
  Queries value:
                                    HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh]
  Queries value:
                                    HKLM\system\currentcontrolset\control\cmf\config[system]
                                    HKCU\software\microsoft\internet explorer\ietld[ietldversionlow]
  Oueries value:
  Queries value:
                                    HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zonemap[autodetect]
                                    HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
  Queries value:
  Queries value:
                                    HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
  Oueries value:
                                    HKLM\system\currentcontrolset\services\winsock\parameters[transports]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
  Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                                    HKLM\system\currentcontrolset\services\winsock\setup
  Queries value:
migration\providers\psched[winsock 2.0 provider id]
                                    HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
                                    HKLM\system\currentcontrolset\services\winsock\setup
  Oueries value:
migration\providers\tcpip[winsock 2.0 provider id]
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [minsock addrlength]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
  Queries value:
                                    HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6[winsock 2.0 provider id]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]
  Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]
  Queries value:
c19ce8a73253}[searchlist]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[enabledhcp]
  Queries value:
c19ce8a73253}[registrationenabled]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[registeradaptername]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[domain]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[dhcpdomain]
  Queries value:
```

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}\Ghcpv6domainl

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253\[nameserver]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ finameser \ ver \ 1$

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpnameserver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enabled \ hcp]$

Queries value:

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [register adapter name]$

Queries value:

 $HKLM \ system \ current control set \ services \ trip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [domain]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [dhcpdomain]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [names erver]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpnameserver]

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \tcpip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [queryadaptername]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [disable adapter domain name]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \true interfaces \end{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [registration max address count]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value:

 $\label{lem:hkkm} HKLM \system \current control set \services \troip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [enable multicast]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [queryadaptername]$

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable adapter domain name]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[disabledynamicupdate]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[maxnumberofaddressestoregister]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enablemulticast]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist] Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[1a10]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[inprocserver32]

 $Queries\ value: \qquad \qquad \text{HKCR} \\ \text{clsid} \\ \text{dcb00c01-570f-4a9b-8d69-199fdba5723b} \\ \text{vinprocserver32[]}$

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll] Queries value: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]

Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]

Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]

 $\label{thm:linear} Queries \ value: \\ HKLM \ system \ current control \ sa[every one includes an ony mous] \\$

```
Queries value:
                                 HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[type]
  Queries value:
                                 HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[image path]
                                HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicv[enabled]
  Oueries value:
  Queries value:
                                 HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
  Oueries value:
                                HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
  Oueries value:
HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
  Queries value:
                                 HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
                                HKLM\software\microsoft\cryptography[machineguid]
  Oueries value:
  Queries value:
                                 Queries value:
                                 HKLM\software\microsoft\rpc\extensions[remoterpcdll]
  Oueries value:
                                 HKLM\software\microsoft\ole[maximumallowedallocationsize]
  Queries value:
                                 HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32[]
  Queries value:
                                 HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Oueries value:
2299f0398e27}\inprocserver32[inprocserver32]
  Queries value:
                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]
  Oueries value:
                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32[threadingmodel]
                                HKLM\system\currentcontrolset\services\netbt\linkage[export]
  Queries value:
                                HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
  Oueries value:
  Queries value:
                                 HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32[]
  Queries value:
                                 HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
  Queries value:
                                HKCR\clsid\{b196b286-bab4-101a-b69c-
  Queries value:
00aa00341d07}\inprocserver32[inprocserver32]
                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
  Oueries value:
                                HKCR\clsid\{b196b286-bab4-101a-b69c-
  Queries value:
00aa00341d07}\inprocserver32[threadingmodel]
                                HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32[]
  Queries value:
                                HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
  Queries value:
  Queries value:
                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
                                HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[autoproxvdetecttvpe]
                                HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps]
  Queries value:
                                HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]
  Queries value:
  Queries value:
b131-e946b44c8dd5}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{04731b67-d933-450a-
90e6-4acd2e9408fe}[suppressionpolicy]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{11016101-e366-4d22-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d1016101-e366-d10161001-e366-d1016101-e366-d101610001-e366-d10161001-e366-d10160001-e366-d1016000000000000000000
bc06-4ada335c892b}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{26ee0668-a00a-44d7-
9371-beb064c98683}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{4336a54d-038b-4685-
ab02-99bb52d3fb8b}[suppressionpolicy]
  Oueries value:
-HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{450d8fba-ad25-11d0
98a8-0800361b1103}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{5399e694-6ce5-4d6c-
8fce-1d8870fdcba0}[suppressionpolicy]
  Queries value:
89c5-5595fe6b30ee}[suppressionpolicy]
  Oueries value:
9f08-00aa002f954e}[suppressionpolicy]
  Queries value:
9454-beb04e94c819}[suppressionpolicy]
  Oueries value:
ac2b-553d3d65f0ea}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{9343812e-1c37-4a49-
a12e-4b2d810d956b}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{98d99750-0b8a-4c59-
9151-589053683d73}[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{b4fb3f98-c1ea-428d-
a78a-d1f5659cba93}[suppressionpolicy]
  Oueries value:
```

```
a086-b309680c6b7e}[suppressionpolicy]
   Oueries value:
be1b-cbacea2c3065}[suppressionpolicy]
   Oueries value:
8f95-4e922c26259e}[suppressionpolicy]
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ namespace \ \{ed228fdf-9ea8-4870-1968, namespace\} \ desktop \ namespace \ for the property \ desktop \ namespace \ namespace \ for the property \ desktop \ namespace \ namespace \ namespace \ for the property \ desktop \ namespace \ namespace
83b1-96b02cfe0d52}[suppressionpolicy]
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ desktop \ names pace \ \{f02c1a0d-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-4350-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be21-450-be
88b0-7367fc96ef3c}[suppressionpolicy]
   Oueries value:
af59-a1ebe3392799}[suppressionpolicy]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[attributes]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[restrictedattributes]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsfordisplay]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hidefolderverbs]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[usedrophandler]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[queryforinfotip]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideinwebview]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
   Queries value:
08002b30309d}1
   Queries value:
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[attributes]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[callforattributes]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Queries value:
08002b30309d}\shellfolder[restrictedattributes]
   Oueries value:
                                                HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[wantsfordisplay]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[usedrophandler]
                                                HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
   Queries value:
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[mapnetdriveverbs]
   Oueries value:
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[queryforinfotip]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
08002b30309d}\shellfolder[hideinwebview]
   Oueries value:
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[hideondesktopperuser]
                                                 HKCR\clsid\{208d2c60-3aea-1069-a2d7-
   Oueries value:
```

08002b30309d}\shellfolder[wantsaliasednotifications]

```
Queries value:
                                           HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Oueries value:
                                           HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[nofilefolderjunction]
                                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
  Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
  Oueries value:
                                          HKCR\clsid\{208d2c60-3aea-1069-a2d7-
08002b30309d}\shellfolder[hasnavigationenum]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{208d2c60-3aea-1069-a2d7-
08002b30309d}1
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[attributes]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[callforattributes]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[restrictedattributes]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsfordisplay]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[usedrophandler]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
  Queries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforoverlay]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[queryforinfotip]
  Queries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hideinwebview]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
  Oueries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsaliasednotifications]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[nofilefolderiunction]
  Queries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[pintonamespacetree]
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
                                           HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (871c5380-microsoft) \setminus (871c5380-microsoft)
  Queries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{871c5380-42a0-1069-a2ea-
08002b30309d}1
  Queries value:
                                           HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32[]
  Queries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[loadwithoutcom]
  Queries value:
                                          HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}
0xffff1
                                           HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
  Queries value:
                                           HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\inprocserver32[inprocserver32]
  Oueries value:
                                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[threadingmodel]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[attributes]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[callforattributes]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Queries value:
00aa002f954e}\shellfolder[restrictedattributes]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[wantsfordisplay]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[hidefolderverbs]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Queries value:
00aa002f954e}\shellfolder[usedrophandler]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[wantsforparsing]
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[wantsparsedisplayname]
  Queries value:
                                          HKCR\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder[queryforoverlay]
                                           HKCR\clsid\{645ff040-5081-101b-9f08-
  Oueries value:
00aa002f954e}\shellfolder[mapnetdriveverbs]
```

```
HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[queryforinfotip]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[hideinwebview]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Oueries value:
00aa002f954e}\shellfolder[nofilefolderjunction]
 Oueries value:
                          HKCR\clsid\{645ff040-5081-101b-9f08-
00aa002f954e}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{645ff040-5081-101b-9f08-
 Queries value:
00aa002f954e}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{645ff040-5081-101b-9f08-
00aa002f954e}]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[callforattributes]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[restrictedattributes]
                         HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[usedrophandler]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[queryforoverlay]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[queryforinfotip]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[hideinwebview]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[wantsuniversaldelegate]
 Queries value:
                         HKCR\clsid\{26ee0668-a00a-44d7-9371-
beb064c98683}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Oueries value:
beb064c98683}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{26ee0668-a00a-44d7-9371-
 Queries value:
beb064c98683}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{26ee0668-a00a-44d7-9371-
beb064c98683}1
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[callforattributes]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsforparsing]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[queryforoverlay]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideinwebview]
 Queries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
```

```
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[pintonamespacetree]
 Oueries value:
                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}1
 Queries value:
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[attributes]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[callforattributes]
 Queries value:
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[usedrophandler]
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[wantsforparsing]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[queryforoverlay]
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[queryforinfotip]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hideinwebview]
                          HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[nofilefolderjunction]
 Queries value:
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{031e4825-7b94-4dc3-b131-
e946b44c8dd5}]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[attributes]
 Queries value:
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[callforattributes]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[restrictedattributes]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[wantsfordisplay]
 Oueries value:
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[usedrophandler]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[wantsforparsing]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Queries value:
4acd2e9408fe}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[queryforoverlay]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[mapnetdriveverbs]
 Queries value:
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[queryforinfotip]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[hideinwebview]
                         HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[hideondesktopperuser]
 Oueries value:
                         HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{04731b67-d933-450a-90e6-
 Oueries value:
4acd2e9408fe}\shellfolder[wantsuniversaldelegate]
```

```
HKCR\clsid\{04731b67-d933-450a-90e6-
  Queries value:
4acd2e9408fe}\shellfolder[nofilefolderjunction]
  Oueries value:
                                       HKCR\clsid\{04731b67-d933-450a-90e6-
4acd2e9408fe}\shellfolder[pintonamespacetree]
                                       HKCR\clsid\{04731b67-d933-450a-90e6-
  Oueries value:
4acd2e9408fe}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{04731b67-d933-450a-90e6-
4acd2e9408fe}]
  Queries value:
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[attributes]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[callforattributes]
  Oueries value:
                                      HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[restrictedattributes]
  Queries value:
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[wantsfordisplay]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[hidefolderverbs]
                                      HKCR\clsid\{11016101-e366-4d22-bc06-
  Oueries value:
4ada335c892b}\shellfolder[usedrophandler]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[wantsparsedisplayname]
  Queries value:
                                      HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[mapnetdriveverbs]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[hideinwebview]
  Queries value:
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[hideondesktopperuser]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[wantsaliasednotifications]
  Queries value:
                                      HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[wantsuniversaldelegate]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[nofilefolderjunction]
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
  Queries value:
4ada335c892b}\shellfolder[pintonamespacetree]
  Queries value:
                                       HKCR\clsid\{11016101-e366-4d22-bc06-
4ada335c892b}\shellfolder[hasnavigationenum]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{11016101-e366-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d22-bc06-4d2-bc06-4d2-4d2-bc06-4d2-4d2-4d2-bc06-4d2-4d2-bc06-4d2-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2-bc06-4d2
4ada335c892b}1
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Oueries value:
99bb52d3fb8b}\shellfolder[attributes]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Oueries value:
99bb52d3fb8b}\shellfolder[callforattributes]
  Queries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[restrictedattributes]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Oueries value:
99bb52d3fb8b}\shellfolder[wantsfordisplay]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Oueries value:
99bb52d3fb8b}\shellfolder[hidefolderverbs]
  Oueries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[usedrophandler]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Queries value:
99bb52d3fb8b}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Queries value:
99bb52d3fb8b}\shellfolder[wantsparsedisplayname]
  Oueries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Queries value:
99bb52d3fb8b}\shellfolder[mapnetdriveverbs]
  Queries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[quervforinfotip]
  Queries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[hideinwebview]
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
  Oueries value:
99bb52d3fb8b}\shellfolder[hideondesktopperuser]
  Queries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[wantsaliasednotifications]
  Queries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[wantsuniversaldelegate]
  Oueries value:
                                       HKCR\clsid\{4336a54d-038b-4685-ab02-
99bb52d3fb8b}\shellfolder[nofilefolderjunction]
                                      HKCR\clsid\{4336a54d-038b-4685-ab02-
  Queries value:
99bb52d3fb8b}\shellfolder[pintonamespacetree]
```

HKCR\clsid\{4336a54d-038b-4685-ab02-

Queries value:

```
99bb52d3fb8b}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{4336a54d-038b-4685-ab02-
99bb52d3fb8b}1
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[attributes]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[callforattributes]
 Oueries value:
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[restrictedattributes]
 Oueries value:
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[wantsfordisplay]
 Queries value:
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[hidefolderverbs]
 Queries value:
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[usedrophandler]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Queries value:
0800361b1103}\shellfolder[queryforoverlay]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Queries value:
0800361b1103}\shellfolder[queryforinfotip]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Queries value:
0800361b1103}\shellfolder[hideinwebview]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Queries value:
0800361b1103}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
 Oueries value:
0800361b1103}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{450d8fba-ad25-11d0-98a8-
0800361b1103}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{450d8fba-ad25-11d0-98a8-
0800361b1103}1
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Queries value:
1d8870fdcba0}\shellfolder[attributes]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Queries value:
1d8870fdcba0}\shellfolder[callforattributes]
 Queries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Queries value:
1d8870fdcba0}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[wantsforparsing]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Queries value:
1d8870fdcba0}\shellfolder[queryforoverlay]
 Oueries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[queryforinfotip]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[hideinwebview]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Queries value:
1d8870fdcba0}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
 Oueries value:
1d8870fdcba0}\shellfolder[wantsuniversaldelegate]
 Queries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[nofilefolderjunction]
 Oueries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[pintonamespacetree]
 Oueries value:
                          HKCR\clsid\{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{5399e694-6ce5-4d6c-8fce-
1d8870fdcba0}1
 Queries value:
                          HKCR\clsid\{89d83576-6bd1-4c86-9454-
```

```
beb04e94c819}\shellfolder[attributes]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[callforattributes]
  Queries value:
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[restrictedattributes]
  Queries value:
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[wantsfordisplay]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[hidefolderverbs]
  Oueries value:
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[usedrophandler]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[wantsforparsing]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Oueries value:
beb04e94c819}\shellfolder[wantsparsedisplayname]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[queryforoverlay]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[mapnetdriveverbs]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[queryforinfotip]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[hideinwebview]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[hideondesktopperuser]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[wantsaliasednotifications]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[wantsuniversaldelegate]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[nofilefolderjunction]
  Queries value:
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
beb04e94c819}\shellfolder[pintonamespacetree]
                                      HKCR\clsid\{89d83576-6bd1-4c86-9454-
  Queries value:
beb04e94c819}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{89d83576-6bd1-4c86-9454-
beb04e94c819}1
                                       HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Queries value:
553d3d65f0ea}\shellfolder[attributes]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[callforattributes]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[restrictedattributes]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[wantsfordisplay]
  Queries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-}
553d3d65f0ea}\shellfolder[hidefolderverbs]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[usedrophandler]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[wantsforparsing]
  Queries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[wantsparsedisplayname]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[queryforoverlay]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[mapnetdriveverbs]
  Oueries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[queryforinfotip]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Queries value:
553d3d65f0ea}\shellfolder[hideinwebview]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Queries value:
553d3d65f0ea}\shellfolder[hideondesktopperuser]
  Queries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[wantsaliasednotifications]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Queries value:
553d3d65f0ea}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[nofilefolderiunction]
  Queries value:
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
553d3d65f0ea}\shellfolder[pintonamespacetree]
                                      HKCR\clsid\{8fd8b88d-30e1-4f25-ac2b-
  Oueries value:
553d3d65f0ea}\shellfolder[hasnavigationenum]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{8fd8b88d-30e1-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b-4f25-ac2b
553d3d65f0ea}]
  Oueries value:
                                      HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[attributes]
  Queries value:
                                      HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[callforattributes]
                                      HKCR\clsid\{9343812e-1c37-4a49-a12e-
  Oueries value:
4b2d810d956b}\shellfolder[restrictedattributes]
```

```
HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[wantsfordisplay]
 Oueries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[queryforoverlay]
 Queries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[queryforinfotip]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[hideinwebview]
 Queries value:
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
4b2d810d956b}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Queries value:
4b2d810d956b}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{9343812e-1c37-4a49-a12e-
 Oueries value:
4b2d810d956b}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{9343812e-1c37-4a49-a12e-
4b2d810d956b}]
 Queries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[attributes]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[callforattributes]
                         HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Oueries value:
589053683d73}\shellfolder[restrictedattributes]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[usedrophandler]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsparsedisplayname]
 Queries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[queryforoverlay]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Oueries value:
589053683d73}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[hideinwebview]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Oueries value:
589053683d73}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Queries value:
589053683d73}\shellfolder[wantsaliasednotifications]
 Oueries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Oueries value:
589053683d73}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
 Oueries value:
589053683d73}\shellfolder[pintonamespacetree]
 Queries value:
                          HKCR\clsid\{98d99750-0b8a-4c59-9151-
589053683d73}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{98d99750-0b8a-4c59-9151-
589053683d73}]
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
 Oueries value:
d1f5659cba93}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[callforattributes]
 Queries value:
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[restrictedattributes]
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
 Oueries value:
d1f5659cba93}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
 Queries value:
d1f5659cba93}\shellfolder[hidefolderverbs]
 Queries value:
                          HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
```

```
d1f5659cba93}\shellfolder[usedrophandler]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Oueries value:
d1f5659cba93}\shellfolder[wantsforparsing]
  Queries value:
                                      HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[wantsparsedisplayname]
  Queries value:
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[queryforoverlay]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Oueries value:
d1f5659cba93}\shellfolder[mapnetdriveverbs]
  Queries value:
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[queryforinfotip]
  Queries value:
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[hideinwebview]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Oueries value:
d1f5659cba93}\shellfolder[hideondesktopperuser]
  Queries value:
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
d1f5659cba93}\shellfolder[wantsaliasednotifications]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Queries value:
d1f5659cba93}\shellfolder[wantsuniversaldelegate]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Queries value:
d1f5659cba93}\shellfolder[nofilefolderjunction]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Queries value:
d1f5659cba93}\shellfolder[pintonamespacetree]
                                     HKCR\clsid\{b4fb3f98-c1ea-428d-a78a-
  Queries value:
d1f5659cba93}\shellfolder[hasnavigationenum]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{b4fb3f98-c1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-t1ea-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d-a78a-428d
d1f5659cba93}1
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[attributes]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[callforattributes]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[restrictedattributes]
  Oueries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsfordisplay]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[hidefolderverbs]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[usedrophandler]
  Queries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsforparsing]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[wantsparsedisplayname]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[queryforoverlay]
  Queries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[mapnetdriveverbs]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[queryforinfotip]
                                     Oueries value:
b309680c6b7e}\shellfolder[hideinwebview]
  Queries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[hideondesktopperuser]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Oueries value:
b309680c6b7e}\shellfolder[wantsaliasednotifications]
  Oueries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[wantsuniversaldelegate]
  Oueries value:
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
b309680c6b7e}\shellfolder[nofilefolderjunction]
                                     HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[pintonamespacetree]
                                      HKCR\clsid\{bd7a2e7b-21cb-41b2-a086-
  Queries value:
b309680c6b7e}\shellfolder[hasnavigationenum]
  Queries value:
b309680c6b7e}1
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
  Queries value:
cbacea2c3065}\shellfolder[attributes]
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[callforattributes]
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-}
  Oueries value:
cbacea2c3065}\shellfolder[restrictedattributes]
  Queries value:
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsfordisplay]
  Oueries value:
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[hidefolderverbs]
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[usedrophandler]
  Queries value:
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsforparsing]
                                     HKCR\clsid\{daf95313-e44d-46af-be1b-
  Oueries value:
cbacea2c3065}\shellfolder[wantsparsedisplayname]
```

```
Queries value:
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[queryforoverlay]
 Oueries value:
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
 Oueries value:
cbacea2c3065}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[hideinwebview]
 Queries value:
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
 Oueries value:
cbacea2c3065}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
cbacea2c3065}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
 Queries value:
cbacea2c3065}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
 Oueries value:
cbacea2c3065}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{daf95313-e44d-46af-be1b-
 Queries value:
cbacea2c3065}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{daf95313-e44d-46af-be1b-
cbacea2c3065}1
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[attributes]
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[callforattributes]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[restrictedattributes]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[wantsfordisplay]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hidefolderverbs]
 Queries value:
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[usedrophandler]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[wantsforparsing]
                         {\tt HKCR\clsid\{e345f35f-9397-435c-8f95-}}
 Queries value:
4e922c26259e}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[queryforoverlay]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[mapnetdriveverbs]
                          {\tt HKCR\clsid\{e345f35f-9397-435c-8f95-}}
 Queries value:
4e922c26259e}\shellfolder[queryforinfotip]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hideinwebview]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[hideondesktopperuser]
 Queries value:
                         HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[wantsaliasednotifications]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Oueries value:
4e922c26259e}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Queries value:
4e922c26259e}\shellfolder[nofilefolderjunction]
 Queries value:
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
4e922c26259e}\shellfolder[pintonamespacetree]
                          HKCR\clsid\{e345f35f-9397-435c-8f95-
 Oueries value:
4e922c26259e}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{e345f35f-9397-435c-8f95-
4e922c26259e}]
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[callforattributes]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[restrictedattributes]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[wantsfordisplay]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[wantsparsedisplayname]
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[queryforoverlay]
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
```

```
96b02cfe0d52}\shellfolder[queryforinfotip]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[hideinwebview]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[hideondesktopperuser]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[wantsuniversaldelegate]
 Queries value:
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
96b02cfe0d52}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Queries value:
96b02cfe0d52}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{ed228fdf-9ea8-4870-83b1-
 Oueries value:
96b02cfe0d52}\shellfolder[hasnavigationenum]
 Queries value:
96b02cfe0d52}]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Queries value:
7367fc96ef3c}\shellfolder[attributes]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Queries value:
7367fc96ef3c}\shellfolder[callforattributes]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[restrictedattributes]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Queries value:
7367fc96ef3c}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[usedrophandler]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[wantsforparsing]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[wantsparsedisplayname]
 Oueries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[queryforoverlay]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Queries value:
7367fc96ef3c}\shellfolder[queryforinfotip]
 Queries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hideinwebview]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[wantsaliasednotifications]
 Queries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
 Oueries value:
7367fc96ef3c}\shellfolder[pintonamespacetree]
 Queries value:
                         HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}]
 Oueries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[attributes]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Queries value:
a1ebe3392799}\shellfolder[callforattributes]
 Queries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[restrictedattributes]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[hidefolderverbs]
 Queries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[usedrophandler]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[wantsforparsing]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[queryforoverlay]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[mapnetdriveverbs]
 Oueries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[queryforinfotip]
 Queries value:
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[hideinwebview]
                         HKCR\clsid\{f3f5824c-ad58-4728-af59-
 Oueries value:
a1ebe3392799}\shellfolder[hideondesktopperuser]
```

```
HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[wantsaliasednotifications]
  Oueries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[wantsuniversaldelegate]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Oueries value:
a1ebe3392799}\shellfolder[nofilefolderjunction]
  Oueries value:
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
a1ebe3392799}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{f3f5824c-ad58-4728-af59-
  Queries value:
a1ebe3392799}\shellfolder[hasnavigationenum]
  Oueries value:
a1ebe3392799}1
  Oueries value:
11e3-b3bc-806e6f6e6963}[data]
  Oueries value:
11e3-b3bc-806e6f6e6963}[generation]
                                    HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion[devicepath]
  Queries value:
  Queries value:
                                    HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                    HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
  Queries value:
                                    HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [hidden]
  Queries value:
  Queries value:
HKCU \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'advanced [showcompcolor]
  Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{linear} hidefile ext] \end{tabular}
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
  Queries value:
\label{thm:condition} \label{thm:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condition:condi
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced[filter]} \\
  Queries value:
  Oueries value:
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
11e3-b3bc-806e6f6e6963}[data]
  Queries value:
11e3-b3bc-806e6f6e6963}[generation]
  Oueries value:
                                    HKCR\directory[docobject]
                                    HKCR\folder[docobject]
  Queries value:
  Queries value:
                                    HKCR\allfilesystemobjects[docobject]
  Oueries value:
                                    HKCR\directory[browseinplace]
                                    HKCR\folder[browseinplace]
  Queries value:
  Queries value:
                                    HKCR\allfilesystemobjects[browseinplace]
  Oueries value:
                                    HKCR\directory[isshortcut]
                                    HKCR\folder[isshortcut]
  Oueries value:
  Queries value:
                                    HKCR\allfilesystemobjects[isshortcut]
  Queries value:
                                    HKCR\directory[alwaysshowext]
  Queries value:
                                    HKCR\directory[nevershowext]
  Oueries value:
                                    HKCR\folder[nevershowext]
  Queries value:
                                    HKCR\allfilesystemobjects[nevershowext]
  Oueries value:
                                    HKCR\.exe[]
  Oueries value:
                                    HKCR\exefile[docobiect]
  Queries value:
                                    HKCR\systemfileassociations\.exe[docobject]
  Queries value:
                                    HKCR\exefile[browseinplace]
  Oueries value:
                                    HKCR\systemfileassociations\.exe[browseinplace]
  Queries value:
                                    HKCR\.exe[content type]
  Oueries value:
                                    HKCR\exefile[isshortcut]
                                    HKCR\systemfileassociations\.exe[isshortcut]
  Oueries value:
  Oueries value:
                                    HKCR\exefile[alwaysshowext]
  Queries value:
                                    HKCR\systemfileassociations\.exe[alwaysshowext]
                                    HKCR\exefile[nevershowext]
  Oueries value:
```

HKCR\systemfileassociations\.exe[nevershowext]

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Lemma construction $$Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[streamresourcetype]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later in the software $$ Hklm \end{area} $$ Hk$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[foldertypeid]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

 $Queries\ value: \qquad \qquad HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\[]$

Oueries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 's plorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Queries value:

 $HKLM\software\mbox{$1b$3ea5dc-b587-4786-b4ef-bd1dc332aeae} [relative path] \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{lb3ea5dc-b587-4786-b4ef-bd1dc332aeae} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]

Queries value: HKCR\exefile[nostaticdefaultverb]

Queries value: HKCR\exefile\shell[]

Queries value: HKCR\exefile\shell\open[neverdefault]

Queries value: HKCR\exefile\shell\open\command[delegateexecute]

Queries value: HKCR\.asp[] Queries value: HKCR\.bas[] HKCR\.bat[] Oueries value: Queries value: HKCR\.cer[] Queries value: HKCR\.chm[] Oueries value: HKCR\.cmd[] Oueries value: HKCR\.com[] HKCR\.cpl[] Queries value: HKCR\.crt[] Queries value:

Queries value: $\label{eq:hkcr} \mbox{HKCR\clsid\f7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]$

Queries value: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprocserver32[inprocserver32]

 $Queries\ value: \\ HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\ \ inprocserver32[]$

Queries value: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprocserver32[threadingmodel]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[specialfolderscachesize]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| feature \| feature \verb|\main| feature \| featu$

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1806]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[1806]

```
Oueries value:
                                   HKCR\exefile\shell\open\command[command]
                                   HKCR\exefile\shell\open\command[]
  Oueries value:
  Oueries value:
                                   HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
  Queries value:
                                   HKCR\exefile\shell\open[noworkingdirectory]
  Oueries value:
Oueries value:
                                  HKLM\software\microsoft\windows nt\currentversion\image file execution
options[disablelocaloverride]
  Queries value:
                                  HKCU\software\microsoft\visual basic\6.0[allowunsafeobjectpassing]
  Oueries value:
                                   HKLM\software\microsoft\windows\html help[.hlp]
                                   HKLM\software\microsoft\windows nt\currentversion\compatibility32[cmd]
  Oueries value:
  Queries value:
                                   HKLM\software\microsoft\command processor[disableunccheck]
  Oueries value:
                                   HKLM\software\microsoft\command processor[enableextensions]
  Oueries value:
                                   HKLM\software\microsoft\command processor[delayedexpansion]
  Queries value:
                                   HKLM\software\microsoft\command processor[defaultcolor]
  Queries value:
                                   HKLM\software\microsoft\command processor[completionchar]
  Oueries value:
                                   HKLM\software\microsoft\command processor[pathcompletionchar]
  Queries value:
                                   HKLM\software\microsoft\command processor[autorun]
  Oueries value:
                                   HKCU\software\microsoft\command processor[disableunccheck]
                                   HKCU\software\microsoft\command processor[enableextensions]
  Oueries value:
  Queries value:
                                   HKCU\software\microsoft\command processor[delayedexpansion]
  Queries value:
                                   HKCU\software\microsoft\command processor[defaultcolor]
  Oueries value:
                                   HKCU\software\microsoft\command processor[completionchar]
  Queries value:
                                   HKCU\software\microsoft\command processor[pathcompletionchar]
                                   HKCU\software\microsoft\command processor[autorun]
  Queries value:
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]
                                   HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\appcompatflags\layers[c:\windows\system32\tasklist.exe]
                                  HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\compatibility32[tasklist]
                                  HKLM\software\microsoft\wbem\cimom[logging]
  Queries value:
  Queries value:
HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]
                                  HKCR\clsid\{4590f811-1d3a-11d0-891f-00aa004b2e24}[]
  Oueries value:
                                  HKCR\clsid\{4590f811-1d3a-11d0-891f-
  Queries value:
00aa004b2e24}\inprocserver32[inprocserver32]
                                  \label{local-eq:hkcr} $$ HKCR\clsid_{4590f811-1d3a-11d0-891f-00aa004b2e24} \in \clsid_{4590f811-1d3a-11d0-891f-00aa004b2e24} $$ In processing the second of 
  Oueries value:
                                  HKCR\clsid\{4590f811-1d3a-11d0-891f-
  Queries value:
00aa004b2e24}\inprocserver32[threadingmodel]
                                  HKLM\software\microsoft\wbem\cimom[logging directory]
  Oueries value:
                                   HKLM\software\microsoft\wbem\cimom[log file max size]
  Queries value:
                                   HKCR\clsid\{8bc3f05e-d86b-11d0-a075-00c04fb68820}[]
  Oueries value:
  Queries value:
                                  HKLM\software\microsoft\sqmclient\windows\disabledprocesses[36a1bda3]
                                   HKCR \land f309ad18-d86a-11d0-a075-00c04fb68820 \\ \land proxystubclsid32[]
  Oueries value:
                                   HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}[]
  Queries value:
  Queries value:
                                  HKCR\clsid\{7c857801-7381-11cf-884d-
00aa004b2e24}\inprocserver32[inprocserver32]
                                  HKCR\clsid\{7c857801-7381-11cf-884d-00aa004b2e24}\inprocserver32[]
  Oueries value:
  Queries value:
                                  HKCR\clsid\{7c857801-7381-11cf-884d-
00aa004b2e24}\inprocserver32[threadingmodel]
                                  HKCR\interface\{d4781cd6-e5d3-44df-ad94-930efe48a887}\proxystubclsid32[]
  Oueries value:
  Queries value:
                                  HKLM\system\currentcontrolset\control\nls\customlocale[en]
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\extendedlocale[en]
                                   Oueries value:
  Queries value:
                                  HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}[]
                                  HKCR\clsid\{d68af00a-29cb-43fa-8504-
  Oueries value:
ce99a996d9ea}\inprocserver32[inprocserver32]
                                  HKCR\clsid\{d68af00a-29cb-43fa-8504-ce99a996d9ea}\inprocserver32[]
  Oueries value:
                                  HKCR\clsid\{d68af00a-29cb-43fa-8504-
ce99a996d9ea}\inprocserver32[threadingmodel]
  Oueries value:
                                  HKLM\software\microsoft\wbem\cimom[processid]
                                   HKLM\software\microsoft\wbem\cimom[enableprivateobjectheap]
  Queries value:
  Oueries value:
                                   HKLM\software\microsoft\wbem\cimom[contextlimit]
  Queries value:
                                  HKLM\software\microsoft\wbem\cimom[objectlimit]
                                   HKLM\software\microsoft\wbem\cimom[identifierlimit]
  Oueries value:
                                   HKCR\interface\{027947e1-d731-11ce-a357-00000000001}\proxystubclsid32[]
  Queries value:
  Queries value:
                                  HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd\}[]
  Queries value:
                                  HKCR\clsid\{1b1cad8c-2dab-11d2-b604-
00104b703efd}\inprocserver32[inprocserver32]
                                  HKCR\clsid\{1b1cad8c-2dab-11d2-b604-00104b703efd}\nprocserver32[]
  Queries value:
  Oueries value:
                                  HKCR\clsid\{1b1cad8c-2dab-11d2-b604-
00104b703efd}\inprocserver32[threadingmodel]
                                  HKCR\interface\{1c1c45ee-4395-11d2-b60b-00104b703efd}\proxystubclsid32[]
  Queries value:
  Queries value:
                                  Oueries value:
                                  HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}[]
  Queries value:
                                  HKCR\clsid\{eb87e1bd-3233-11d2-aec9-
00c04fb68820}\inprocserver32[inprocserver32]
                                  HKCR\clsid\{eb87e1bd-3233-11d2-aec9-00c04fb68820}\inprocserver32[]
  Oueries value:
  Oueries value:
                                  HKCR\clsid\{eb87e1bd-3233-11d2-aec9-
```

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus fod96afe8a3c58bf99f8b24ff10b1a07_rasapi32[enablefile tracing]$

00c04fb68820}\inprocserver32[threadingmodel]

Sets/Creates value:

Sets/Creates value:

HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[enableconsoletracing]
Sets/Creates value:

HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[filetracingmask]
Sets/Creates value:

 $\label{local-bound} HKLM\software\microsoft\tracing\fod96afe8a3c58bf99f8b24ff10b1a07_rasapi32[consoletracingmask] Sets/Creates value:$

HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[maxfilesize]
 Sets/Creates value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasapi32[filedirectory] Sets/Creates value:$

 $HKLM \ software \ microsoft \ tracing \ fod 96 a fe 8a 3c 58b f 99f 8b 24ff 10b 1a 07_rasmancs \ [enable file tracing] \\ Sets/Creates \ value:$

 $\label{lem:hklmsoftware} HKLM\software\mbox{\sc tracing} $$ For the consoletracing $$ Sets/Creates value: $$ The consoletracing $$ Sets/Creates value $$ The consoletracing $$$

 $\label{lem:hkklmsoftware} HKLM\software\mbox{\sc ing fod96afe8a3c58bf99f8b24ff10b1a07_rasmancs[consoletracingmask]} Sets/Creates value:$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\tracing\f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs\mbox{[maxfilesize]} \\ Sets/Creates\ value:$

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus f0d96afe8a3c58bf99f8b24ff10b1a07_rasmancs[filedirectory]$

 $\label{thm:condition} Value\ changes: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$

settings[proxyenable]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\connections[savedlegacysettings]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[uncasintranet]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]