# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 110, Task ID: 440

Task ID: 440 Risk Level: 5

Date Processed: 2016-04-28 12:59:16 (UTC)

Processing Time: 62.87 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\4a777d2bc8502cecf394a701613e5c81.exe"

Sample ID: 110
Type: basic
Owner: admin

Label: 4a777d2bc8502cecf394a701613e5c81

Date Added: 2016-04-28 12:45:01 (UTC)

File Type: PE32:win32:gui File Size: 180224 bytes

MD5: 4a777d2bc8502cecf394a701613e5c81

SHA256: 8f7cf37e25f2852ceb6c95840991b75622de5f15291c8cf20aad513b005b11a6

Description: None

### Pattern Matching Results

5 PE: Contains compressed section

#### Process/Thread Events

Creates process: C:\windows\temp\4a777d2bc8502cecf394a701613e5c81.exe

["C:\windows\temp\4a777d2bc8502cecf394a701613e5c81.exe"]

#### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

### File System Events

Opens: C:\Windows\Prefetch\4A777D2BC8502CECF394A701613E5-F737168A.pf

Opens: C:\windows\temp\4a777d2bc8502cecf394a701613e5c81.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comct132.dll

Opens: C:\windows\temp\MSVCP60.dll
Opens: C:\Windows\System32\msvcp60.dll
Opens: C:\Windows\System32\imm32.dll
Opens: C:\Windows\System32\odbcint.dll

Opens: C:\Windows\System32\en-US\odbcint.dll.mui
Opens: C:\Windows\System32\en-US\MFC42.dll.mui

Opens: C:\Windows\system32\MFC42LOC.DLL
Opens: C:\Windows\system32\MFC42LOC.DLL.DLL
Opens: C:\Windows\WindowsShell.Manifest
Opens: C:\Windows\System32\rpcss.dll
Opens: C:\windows\temp\CRYPTBASE.dll

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\system32\uxtheme.dll.Config

Opens: C:\Windows\Fonts\StaticCache.dat
Reads from: C:\Windows\Fonts\StaticCache.dat

## Windows Registry Events

Creates key: HKCU\software\softwareok.de

Creates key: HKCU\software\softwareok.de\fontviewok

Creates key: HKCU\software\softwareok.de\fontviewok\recent file list

Creates key: HKCU\software\softwareok.de\fontviewok\settings

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop

Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\bidinterface\loader
Opens key: HKLM\system\currentcontrol\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKCU\software\odbc\odbc.ini\odbc
Opens key: HKLM\software\odbc\odbc.ini\odbc

Opens key: HKCU\software

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus 4a777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus compatibility \setminus aa777d2bc8502cecf394a701613e5c81. exercise the software \setminus microsoft \setminus ctf \setminus ctf$ 

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore\_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback\ms sans serif

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}

Opens key: HKLM\software\microsoft\ctf\

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\gre\_initialize[disablemetafiles]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[4a777d2bc8502cecf394a701613e5c81]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]

Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value: HKLM\system\currentcontrolset\config[system]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

HKCU\software\softwareok.de\fontviewok\recent file list[file1] Queries value: Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file2] Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file3] HKCU\software\softwareok.de\fontviewok\recent file list[file4] Queries value: Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file5] Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file6] HKCU\software\softwareok.de\fontviewok\recent file list[file7] Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file8] Oueries value: Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file9] Queries value: HKCU\software\softwareok.de\fontviewok\recent file list[file10] Queries value: HKCU\software\softwareok.de\fontviewok\settings[previewpages]

Queries value: HKCU\software\softwareok.de\fontviewok\settings[lisens]

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]

Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]

Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]

Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0[disable]
Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0[datafilepath]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane1] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane2] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane4] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7]

HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane8] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane10] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane11] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane12] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane13] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane14] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane15] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane16]

Queries value:  $HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}\[enable\]$ 

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]