Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 65, Task ID: 260

Task ID: 260 Risk Level: 4

Date Processed: 2016-04-28 12:54:07 (UTC)

Processing Time: 61.13 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe"

Sample ID: 65
Type: basic
Owner: admin

Label: 1e603920e455ad705834a17dc7cf711d

Date Added: 2016-04-28 12:44:56 (UTC)

File Type: PE32:win32:gui File Size: 68624 bytes

MD5: 1e603920e455ad705834a17dc7cf711d

SHA256: 0f70ed5de99c26bd8c0f51ce1a99b6804836c0f14f44418276d8f9e5d38a282a

Description: None

Pattern Matching Results

4 Checks whether debugger is present

Process/Thread Events

Creates process: C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe

["C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData\Roaming

Opens: C:\Windows\Prefetch\1E603920E455AD705834A17DC7CF7-24CFF5BE.pf

Opens: C:\Windows\System32

Opens: C:\windows\temp\VERSION.dll
Opens: C:\Windows\System32\version.dll
Opens: C:\windows\temp\mfc100u.dll
Opens: C:\Windows\System32\mfc100u.dll
Opens: C:\windows\temp\MSVCR100.dll
Opens: C:\Windows\System32\msvcr100.dll

Opens: C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comct132.dll

Opens: C:\windows\temp\MSIMG32.dll C:\Windows\System32\msimg32.dll Opens: C:\Windows\System32\sechost.dll Opens: C:\windows\temp\MSVCP100.dll Opens: Opens: C:\Windows\System32\msvcp100.dll Opens: C:\Windows\System32\imm32.dll C:\Windows\WindowsShell.Manifest Opens: Opens: C:\windows\temp\UxTheme.dll

Opens: C:\Windows\system32\mfc100u.dll.2.Manifest
Opens: C:\Windows\system32\mfc100u.dll.3.Manifest
Opens: C:\Windows\system32\mfc100u.dll.Manifest

Opens: C:\windows\temp\MFC100ENU.DLL
Opens: C:\Windows\System32\mfc100enu.dll

Opens: C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe.2.Manifest
Opens: C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe.3.Manifest
Opens: C:\windows\temp\1e603920e455ad705834a17dc7cf711d.exe.Config

 Opens:
 C:\Windows\Temp\1e603920e455ad705834a17dc7cf711d.exe

 Opens:
 C:\windows\temp\1e603920e455ad705834a17dc7cf711dENU.dll

 Opens:
 C:\windows\temp\1e603920e455ad705834a17dc7cf711dLOC.dll

Opens: C:\windows\temp\CRYPTBASE.dll
Opens: C:\Windows\System32\cryptbase.dll

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\windows\temp\profapi.dll
Opens: C:\Windows\System32\profapi.dll

Opens: C:\Users\Admin

Opens: C:\Users\Admin\AppData\Roaming
Opens: C:\windows\temp\NitroPDFReader.exe

Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus side by side \setminus assembly storage roots$

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKCU\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\network
Opens key: HKCU\software\microsoft\windows\currentversion\policies\comdlg32

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $HKLM \setminus software \setminus irrest \setminus software \setminus softwar$ a03a-e3ef65729f3d}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1 Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders

HKCU\software\microsoft\windows\currentversion\explorer\user shell Opens key:

folders

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{5e6c858f-0e22-4760-160c, folder beautiff \setminus \{5e6c85660-160c, folder beautiff \setminus \{5e6c85660-160c, folder beautiff \setminus \{5e6c85660-160c$ 9afe-ea3317b67173}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-

9afe-ea3317b67173}\propertybag

HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-Opens key:

2160590473-689474908-1361669368-1002

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key:

HKLM\software\microsoft\windows Opens key:

nt\currentversion\languagepack\datastore v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

HKLM\software\microsoft\windows Opens key: nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key:

HKLM\software\microsoft\ctf\compatibility\1e603920e455ad705834a17dc7cf711d.exe HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-Opens key: Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}

Opens key: HKLM\software\microsoft\ctf\

HKLM\software\microsoft\ctf\knownclasses Opens key: Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest] HKLM\system\currentcontrolset\control\nls\sorting\versions[] Queries value:

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\gre_initialize[disablemetafiles]

HKLM\software\microsoft\windows Queries value:

nt\currentversion\compatibility32[1e603920e455ad705834a17dc7cf711d]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragmindist] Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]

Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [category]$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [name]$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [parent folder]$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [description]$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [localized name]$

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \e$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [stream resource type]$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \explorer$

Queries value:

 $HKLM \setminus software \setminus increase f the first on the first one of the first one of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [name]$

Oueries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[infotip]

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [local redirect only]$

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}\[precreate]$

Oueries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[attributes]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]

Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[disable] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\datastore_v1.0[datafilepath] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane1] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane2] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane3] HKLM\software\microsoft\windows Oueries value:

nt\currentversion\languagepack\surrogatefallback[plane4]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6]

nt\currentversion\languagepack\surrogatefallback[plane6]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane7]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane10] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane11]
 Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane12]
 Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane14] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane15]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]

Queries value: $\label{lem:hklmsoftwaremicrosoft} $$\operatorname{hklmsoftwaremicrosoft}_{0000897b-83df-4b96-be07-0fb58b01c4a4}\sim \operatorname{hklmsoftwaremicrosoft}_{0001bea3-ed56-483d-a2e2-aeae25577436}_{enable}$

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]