# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 124, Task ID: 496

Task ID: 496 Risk Level: 5

Date Processed: 2016-04-28 13:00:54 (UTC)

Processing Time: 61.2 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe"

Sample ID: 124
Type: basic
Owner: admin

Label: 687e73cedc8a0deb1092b88e51bf3d72

Date Added: 2016-04-28 12:45:02 (UTC)
File Type: PE32:win32:gui

File Type: PE32:win32:gui File Size: 368312 bytes

MD5: 687e73cedc8a0deb1092b88e51bf3d72

SHA256: 1678d7800accd2f19920552733c824ec4df1ef6f8be35e387e60510d794c17e1

Description: None

## Pattern Matching Results

2 PE: Nonstandard section

5 Packer: UPX

5 PE: Contains compressed section

#### Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Packer: UPX

#### Process/Thread Events

Creates process: C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe

["C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe"]

### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex:

\Sessions\1\BaseNamedObjects\687e73cedc8a0deb1092b88e51bf3d72.exedOWbZ7Ks

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \KernelObjects\MaximumCommitCondition

Creates semaphore: \Sessions\1\BaseNamedObjects\INI-687e73cedc8a0deb1092b88e51bf3d72.data

Creates semaphore: \Sessions\1\BaseNamedObjects\GR\_FileChecker

Creates semaphore: \Sessions\1\BaseNamedObjects\GRO

Creates semaphore: \Sessions\1\BaseNamedObjects\GR\_FlushingList \Creates semaphore: \Sessions\1\BaseNamedObjects\GR\_Write

Creates semaphore: \Sessions\1\BaseNamedObjects\GR\_GErrMsg \Sessions\1\BaseNamedObjects\GR1 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR2 Creates semaphore: \Sessions\1\BaseNamedObjects\GR3 Creates semaphore: \Sessions\1\BaseNamedObjects\GR4 Creates semaphore: \Sessions\1\BaseNamedObjects\GR5 Creates semaphore: \Sessions\1\BaseNamedObjects\GR6 \Sessions\1\BaseNamedObjects\GR7 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR8 Creates semaphore: \Sessions\1\BaseNamedObjects\GR9 \Sessions\1\BaseNamedObjects\GR10

Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR11 Creates semaphore: \Sessions\1\BaseNamedObjects\GR12  $\verb|\Sessions|1| BaseNamedObjects| GR13|$ Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR14 Creates semaphore: \Sessions\1\BaseNamedObjects\GR15 \Sessions\1\BaseNamedObjects\GR16 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR17 Creates semaphore: \Sessions\1\BaseNamedObjects\GR18 Creates semaphore: \Sessions\1\BaseNamedObjects\GR19

Creates semaphore: \Sessions\1\BaseNamed0bjects\GR20
Creates semaphore: \Sessions\1\BaseNamed0bjects\GR21
Creates semaphore: \Sessions\1\BaseNamed0bjects\GR22
Creates semaphore: \Sessions\1\BaseNamed0bjects\GR23
Creates semaphore: \Sessions\1\BaseNamed0bjects\GR23

Creates semaphore: \Sessions\1\BaseNamedObjects\GR24
Creates semaphore: \Sessions\1\BaseNamedObjects\GR25
Creates semaphore: \Sessions\1\BaseNamedObjects\GR26
Creates semaphore: \Sessions\1\BaseNamedObjects\GR27
Creates semaphore: \Sessions\1\BaseNamedObjects\GR28

Creates semaphore: \Sessions\1\BaseNamedObjects\GR28
Creates semaphore: \Sessions\1\BaseNamedObjects\GR29

\Sessions\1\BaseNamedObjects\GR30 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR31 \Sessions\1\BaseNamedObjects\GR32 Creates semaphore: \Sessions\1\BaseNamedObjects\GR33 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR34 Creates semaphore: \Sessions\1\BaseNamedObjects\GR36 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR37 Creates semaphore: \Sessions\1\BaseNamedObjects\GR38 Creates semaphore: \Sessions\1\BaseNamedObjects\GR39 Creates semaphore: \Sessions\1\BaseNamedObjects\GR40 Creates semaphore:  $\Sessions\1\BaseNamedObjects\GR41$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR42 \Sessions\1\BaseNamedObjects\GR43 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR44 Creates semaphore: \Sessions\1\BaseNamedObjects\GR45 \Sessions\1\BaseNamedObjects\GR46 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR47 Creates semaphore: \Sessions\1\BaseNamedObjects\GR48 Creates semaphore: \Sessions\1\BaseNamedObjects\GR49 Creates semaphore: \Sessions\1\BaseNamedObjects\GR50 Creates semaphore: \Sessions\1\BaseNamedObjects\GR51 \Sessions\1\BaseNamedObjects\GR52 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR53 Creates semaphore: \Sessions\1\BaseNamedObjects\GR54 Creates semaphore: \Sessions\1\BaseNamedObjects\GR55 Creates semaphore: \Sessions\1\BaseNamedObjects\GR56 Creates semaphore: \Sessions\1\BaseNamedObjects\GR57 Creates semaphore: \Sessions\1\BaseNamedObjects\GR58 Creates semaphore: \Sessions\1\BaseNamedObjects\GR59 Creates semaphore: \Sessions\1\BaseNamedObjects\GR60 \Sessions\1\BaseNamedObjects\GR61 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR62 Creates semaphore: \Sessions\1\BaseNamedObjects\GR63 \Sessions\1\BaseNamedObjects\GR64 Creates semaphore: Creates semaphore:  $\Sessions\1\BaseNamedObjects\GR65$ \Sessions\1\BaseNamedObjects\GR66 Creates semaphore: \Sessions\1\BaseNamedObjects\GR67 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR68 Creates semaphore: \Sessions\1\BaseNamedObjects\GR69 \Sessions\1\BaseNamedObjects\GR70 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR71 \Sessions\1\BaseNamedObjects\GR72 Creates semaphore: \Sessions\1\BaseNamedObjects\GR73 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR74 \Sessions\1\BaseNamedObjects\GR75 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR76 Creates semaphore: \Sessions\1\BaseNamedObjects\GR77 Creates semaphore: \Sessions\1\BaseNamedObjects\GR78 Creates semaphore: \Sessions\1\BaseNamedObjects\GR79 \Sessions\1\BaseNamedObjects\GR80 Creates semaphore: \Sessions\1\BaseNamedObjects\GR81 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR82 \Sessions\1\BaseNamedObjects\GR83 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR84 Creates semaphore: \Sessions\1\BaseNamedObjects\GR85 \Sessions\1\BaseNamedObjects\GR86 Creates semaphore: \Sessions\1\BaseNamedObjects\GR87 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR88 Creates semaphore: \Sessions\1\BaseNamedObjects\GR89 Creates semaphore: \Sessions\1\BaseNamedObjects\GR90 Creates semaphore: \Sessions\1\BaseNamedObjects\GR91 Creates semaphore: \Sessions\1\BaseNamedObjects\GR92 Creates semaphore: \Sessions\1\BaseNamedObjects\GR93 \Sessions\1\BaseNamedObjects\GR94 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR95 Creates semaphore: \Sessions\1\BaseNamedObjects\GR96 Creates semaphore: \Sessions\1\BaseNamedObjects\GR97 Creates semaphore:  $\verb|\Sessions|1\BaseNamedObjects|| GR98||$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR99 Creates semaphore: \Sessions\1\BaseNamedObjects\GR100

Creates semaphore: \Sessions\1\BaseNamedObjects\INI-687e73cedc8a0deb1092b88e51bf3d72.data0

## File System Events

 $\label{lem:condition} {\it C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches} \\$ 

Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData

Creates: C:\Users\Admin\AppData\Roaming

 $\label{lem:condition} Creates: $C:\Users\land Admin\AppData\Roaming\GetRightToGo. $C:\Users\land Admin\AppData\Roaming\GetRightToGo. $$C:\Users\land Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\App$ 

Creates:

```
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data
 Creates
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data0
                         C:\Windows\Prefetch\687E73CEDC8A0DEB1092B88E51BF3-744D989C.pf
 Opens:
 Opens:
                         C:\Windows\System32
 Opens:
                         C:\Windows\System32\sechost.dll
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe.Local\
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
 Opens:
                         C:\windows\temp\oledlg.dll
 Opens:
                         C:\Windows\System32\oledlg.dll
                         C:\windows\temp\Secur32.dll
 Opens:
 Opens:
                         C:\Windows\System32\secur32.dll
 Opens:
                         C:\windows\temp\SSPICLI.DLL
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\windows\temp\WINSPOOL.DRV
 Opens:
                         C:\Windows\System32\winspool.drv
 Opens:
                         C:\Windows\System32\imm32.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
 Opens:
                         C:\Windows\System32\uxtheme.dll
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe.2.Manifest
 Opens:
 Opens:
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe.3.Manifest
 Opens:
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe.Config
 Opens:
                         C:\Windows\Temp\687e73cedc8a0deb1092b88e51bf3d72.exe
 Opens:
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72.exe.1000.Manifest
 Opens:
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72ENU.dll
 Opens:
                         C:\windows\temp\687e73cedc8a0deb1092b88e51bf3d72L0C.dll
 Opens:
                         C:\
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Windows\System32\tzres.dll
 Opens:
                         C:\Windows\System32\en-US\tzres.dll.mui
 Opens:
                         C:\Windows\Fonts\tahoma.ttf
 Opens:
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
 Opens:
                         C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                         C:\Windows\System32\rpcss.dll
 Opens:
                         C:\windows\temp\CRYPTBASE.dll
 Opens:
                         C:\Windows\System32\cryptbase.dll
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
 Opens:
                         C:\Windows\System32\shell32.dll
 Opens:
                         C:\Users\Admin\Desktop
 Opens:
                         C:\Windows\System32\propsys.dll
 Opens:
                         C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db|
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
                        C:\Users\desktop.ini
 Opens:
 Opens:
                        C:\Users
 Opens:
                        C:\Users\Admin
                        C:\Users\Admin\Desktop\desktop.ini
 Opens:
 Opens:
                         C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Roaming
 Opens:
                         C:\Users\Admin\AppData
                         C:\Users\Admin\AppData\Roaming\GetRightToGo
 Opens:
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data
 Opens:
                         C:\Windows\Temp
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data0
                        C:\Users\Admin\Desktop\Downloads\
 Opens:
 Opens:
                         C:\Users\Admin\Documents
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
 Opens:
                        C:\Users\Public\Desktop
 Opens:
                        C:\Users\Public\desktop.ini
 Opens:
                         C:\Users\Public
 Opens:
                         C:\Users\Public\Desktop\desktop.ini
                         C:\Windows\Fonts\sserife.fon
 Opens:
 Writes to:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data
 Writes to:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data0
 Reads from:
                        C:\Windows\Fonts\StaticCache.dat
 Reads from:
                         C:\Users\desktop.ini
 Reads from:
                         C:\Users\Admin\Desktop\desktop.ini
                         C:\Windows\Temp\687e73cedc8a0deb1092b88e51bf3d72.exe
 Reads from:
 Reads from:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data
 Reads from:
C:\Users\Admin\AppData\Roaming\GetRightToGo\687e73cedc8a0deb1092b88e51bf3d72.data0
 Reads from:
                         C:\Users\Admin\Documents\desktop.ini
```

Reads from: C:\Users\Public\desktop.ini C:\Users\Public\Desktop\desktop.ini Reads from:

## Windows Registry Events

HKCU\software\headlight Creates key: Creates key: HKCU\software\headlight\getrighttogo Creates key: HKCU\software\headlight\getrighttogo\sharedconfig Creates key: HKCU\software\headlight\getrighttogo\customizedapps Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\terminal server Opens kev: HKLM\svstem\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\ Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration HKLM\software\policies\microsoft\mui\settings Opens kev: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration Opens key: Opens key: HKCU\control panel\desktop Opens key: HKCU\control panel\desktop\muicached HKLM\software\microsoft\windows\currentversion\sidebyside Opens key: Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\ Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens kev: HKLM\svstem\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\windows Opens key: HKLM\software\microsoft\ole Opens kev: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut Opens key: HKCU\software\classes\ HKCU\software\classes\clsid Opens kev: Opens key: HKCR\clsid Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\network Opens key: HKCU\software\microsoft\windows\currentversion\policies\comdlg32 HKLM\system\currentcontrolset\control\nls\customlocale Opens key: Opens kev: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\system\currentcontrolset\control\computername Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername Opens key: HKLM\system\setup HKLM\system\currentcontrolset\control\nls\locale Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key: HKLM\software\microsoft\ctf\compatibility\687e73cedc8a0deb1092b88e51bf3d72.exe Opens key: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436} Opens key: HKLM\software\microsoft\ctf\ Opens key: HKLM\software\microsoft\ctf\knownclasses Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0 HKLM\software\microsoft\windows Opens kev: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2 Opens key: HKLM\software\policies\microsoft\sqmclient\windows Opens key: HKLM\software\microsoft\sqmclient\windows Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog\338e8025 HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries Opens kev: 

Opens kev:

Opens key:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
     Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007
     Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ parameters \ protocol\_catalog\_entries \ protocol\_catalog \ parameters \ parameters
     Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010
     Opens key:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap col\_catalog 9 \setminus catalog\_entries \setminus 0000000000011
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015
    Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000016) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
     Opens key:
HKLM \ system \ current control set \ services \ win sock 2 \ parameters \ name space\_catalog 5 \ 0000000c
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
    Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003
     Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004
     Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006
     Opens key:
                                                                         HKLM\software\microsoft\windows\currentversion\policies\explorer
     Opens kev:
HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ 687e73 cedc \ 8a0 deb \ 1092b88e51bf3d72.exe
     Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions
    Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}
    Opens kev:
b029-7fe99a87c641}\propertybag
                                                                        HKCU\software\microsoft\windows\currentversion\explorer
     Opens key:
     Opens key:
                                                                        HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1
     Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current \vee explorer \setminus session in follows \cap the following of the fol
     Opens key:
                                                                        HKCU\software\microsoft\windows\currentversion\explorer\user shell
 folders
    Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus known folders ettings
     Opens key:
                                                                        HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
                                                                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
     Opens key:
                                                                         HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-dered, and all the context \ explorer \ before \ dered \ explorer \ explorer
     Opens key:
3aea-1069-a2d8-08002b30309d}\shellfolder
```

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens kev: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer HKCU\software\policies\microsoft\windows\explorer Opens key:

HKLM\software\microsoft\com3 Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\treatas

Opens key:  $HKCR\clsid$ {1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key:

b8dc300d9f9d}\progid

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key:  $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32$ 

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key:  $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\) in prochandler 32$ 

Opens kev:

b8dc300d9f9d}\inprochandler

Opens key:  $HKCR \verb|\clsid|{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} \verb|\inprochandler| \\$  $HKLM \verb|\system| current controlset \verb|\control| lsa \verb|\accessproviders| \\$ Opens key: Opens key: HKLM\system\currentcontrolset\services\ldap Opens key: HKCU\software\microsoft\windows\currentversion\explorer\ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \ software \ microsoft \ windows \ shell \ registered applications \ urlassociations \ directory \ open with progids$ 

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

HKCU\software\classes\directory\curver Opens key:

Opens key: HKCR\directorv\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler HKCU\software\classes\folder Opens key:

Opens key: HKCR\folder

HKCU\software\classes\folder\shellex\iconhandler Opens kev:

HKCR\folder\shellex\iconhandler Opens key:

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \all file system objects \shellex \classes \classes \all file system objects \shellex \classes \classes \all file system objects \shellex \classes \shellex \classes \shellex \shellex$ 

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens kev: HKCU\software\classes\directory\docobject Opens key: HKCR\directory\docobject Opens key: HKCU\software\classes\folder\docobject

HKCR\folder\docobject Opens key:

HKCU\software\classes\allfilesystemobjects\docobject Opens key:

HKCR\allfilesystemobjects\docobject Opens key:

HKCU\software\classes\directorv\browseinplace Opens kev:

Opens key: HKCR\directory\browseinplace

HKCU\software\classes\folder\browseinplace Opens key:

Opens key: HKCR\folder\browseinplace

HKCU\software\classes\allfilesystemobjects\browseinplace Opens key:

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

HKCU\software\classes\allfilesystemobjects\clsid Opens key:

Opens key: HKCR\allfilesystemobjects\clsid

Opens key: HKLM\software\microsoft\windows\currentversion\setup Opens key:  ${\it HKLM \ } software \ \\ microsoft \ \\ windows \ \\ current version$ 

Opens key: HKLM\software\microsoft\rpc

Opens kev: HKLM\software\policies\microsoft\windows nt\rpc

Opens key: HKCU\software

a03a-e3ef65729f3d}

Opens key:

a03a-e3ef65729f3d}\propertybag

11e3-b3bc-806e6f6e6963}\

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (ab 3ea 5dc - b 587 - 4786 - b 587 - b 587$ b4ef-bd1dc332aeae}

Opens key:

b4ef-bd1dc332aeae}\propertybag

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key:

adb4-6c85480369c7}

Opens key:

adb4-6c85480369c7}\propertybag

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

afef-f87ef2e6ba25}

Opens kev:

afef-f87ef2e6ba25}\propertybag

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrol\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrol\terminal server[tsuserenabled]

Queries value:

 $HKLM \verb|\software| policies \verb|\microsoft| windows \verb|\safer| code identifiers[transparentenabled]|$ 

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrol\sorting\versions[]

Queries value: HKLM\system\currentcontrol\set\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[687e73cedc8a0deb1092b88e51bf3d72]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]
Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\system\currentcontrol\set\control\nls\locale[00000409]

Queries value: HKLM\system\currentcontrol\set\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\datastore\_v1.0[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0[datafilepath] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane1] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane2] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane4]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane5]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7] Queries value: HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\surrogatefallback[plane8]
                       HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
 Queries value:
                       HKLM\software\microsoft\windows
nt\current version \verb|\languagepack\surrogatefallback[plane10]|
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                       HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
                       HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
 Oueries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                       HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9[num catalog entries]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\000000000003[packedcatalogitem]
 Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 000000000004 \ [packed catalog item]
 Oueries value:
Queries value:
Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 000000000007 \ [packed catalog item]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000018[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[supportednamespace]
```

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[enabled]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog \ set alog\_entries \ (0000000000001 \ [version])$ 

Oueries value:

Queries value:

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[storesserviceclassinfo]

  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[displaystring]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[supportednamespace]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[version]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[librarypath] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog5 \ catalog\_entries \ 0000000000003 \ [displaystring] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerid] Queries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \names pace\_catalog 5 \catalog\_entries \names family] \\ Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[supportednamespace]
   Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace\_catalog 5 \catalog\_entries \namespace\_catal$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[version]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[storesserviceclassinfo]
  Queries value:
- $\label{lem:hklmsystem} Hklm\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerinfo]\queries\value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000004[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerid]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000004[supportednamespace]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[enabled]
  Queries value:
- $\label{lem:hklm} \begin{tabular}{ll} HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[version]\\ Oueries\ value: \begin{tabular}{ll} Color of the color of$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerinfo]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[supportednamespace]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[enabled]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[version]
- $\label{local-parameters} HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000005[storesserviceclassinfo]\ Queries\ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[providerinfo]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[providerid]
  Oueries value:

Oueries value:

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[version]
Queries value:

 $HKLM \system \current control set \services \winsock 2 \parameters \namespace\_catalog5 \catalog\_entries \namespace\_catalog5 \catalog3 \catalog5 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalo$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[providerinfo]
Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2\_32numhandlebuckets]

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2\_32spincount]

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$ 

b029-7fe99a87c641}[category]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[relative path]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$ 

Queries value

Queries value

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[security]\]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresource]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the lemma of the label} In the label lemma of the label lem$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [precreate]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[attributes\]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
08002b30309d}\shellfolder[wantsfordisplay]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus monenum [\{20d04fe0-3aea-1069-a2d8-microsoft\}] + (20d04fe0-3aea-1069-a2d8-microsoft) + (20d04fe0-3aea-1069-a2d8-mi
08002b30309d}1
11e3-b3bc-806e6f6e6963}[data]
11e3-b3bc-806e6f6e6963}[generation]
                                                 HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
   Queries value:
                                                 HKLM\software\microsoft\com3[com+enabled]
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
   Queries value:
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
   Oueries value:
b8dc300d9f9d}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]
   Oueries value:
   Queries value:
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[threadingmodel]
   Queries value:
                                                 HKLM\software\microsoft\ole[maxsxshashcount]
   Oueries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                                                 HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
   Oueries value:
                                                 HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
   Oueries value:
   Queries value:
                                                 HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
   Queries value:
\label{thm:limit} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:limits} and \cite{thm:limits} an
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
   Queries value:
                                                 HKCR\directory[docobject]
```

Queries value: HKCR\folder[docobject]

 $\label{lem:condition} Queries \ value: \qquad \qquad \mathsf{HKCR} \ all filesystem objects [docobject]$ 

Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]

Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value: HKCU\software\headlight\getrighttogo\sharedconfig[useloadimage]
Queries value: HKCU\software\headlight\getrighttogo\sharedconfig[doxpthemes]
Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ '[category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ab685 db-65 f9-4 cf6-a03a-e3ef65729 f3d \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[parsingname]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} a be 685db-65f9-4cf6-a03a-e3ef65729f3d \cal{lem:hkkm} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{thm:local-continuity} HKCU software \\ \mbox{microsoft} \mbox{windows} \mbox{currentversion} \mbox{explorer} \mbox{mountpoints2} \mbox{cpc} \mbox{volume} \mbox{69d250e3-6c18-11e3-b3bc-806e6f6e6963} \mbox{[data]}$ 

Queries value:

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-11e3-b3bc-806e6f6e6963\}[generation]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[icon]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 's the abded-b587-4786-b4ef-bd1dc332aeae \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$ 

Queries value:

 $\label{local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publish expanded path]$ 

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[attributes]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[folder typeid]$ 

Queries value:

Queries value:  $HKCU \setminus software \in \windows \subset \windows$ 

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

 $\label{lem:policies} $$\operatorname{Queries value:}$ $\operatorname{HKLM}\operatorname{software}\operatorname{icrosoft}\widetilde{\operatorname{system}}[\operatorname{copyfilechunksize}]$$ $\operatorname{HKLM}\operatorname{software}\operatorname{icrosoft}\widetilde{\operatorname{system}}[\operatorname{copyfileoverlapped}]$$$ 

Queries value: HKCU\software\headlight\getrighttogo\sharedconfig[debug]

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\cite{Continuous}\$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[name]$$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwarem$ 

Queries value:

```
adb4-6c85480369c7}[relativepath]
    Oueries value:
adb4-6c85480369c7}[parsingname]
    Oueries value:
adb4-6c85480369c7}[infotip]
    Oueries value:
adb4-6c85480369c7}[localizedname]
    Oueries value:
adb4-6c85480369c7}[icon]
    Oueries value:
adb4-6c85480369c7}[security]
    Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ fdd 39 ad 0-238 f-46 af-46 
adb4-6c85480369c7}[streamresource]
    Queries value:
adb4-6c85480369c7}[streamresourcetype]
    Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ fdd 39 ad 0-238 f-46 af-46 
adb4-6c85480369c7}[localredirectonly]
    Queries value:
adb4-6c85480369c7}[roamable]
    Oueries value:
adb4-6c85480369c7}[precreate]
    Queries value:
adb4-6c85480369c7}[stream]
    Oueries value:
adb4-6c85480369c7}[publishexpandedpath1
    Queries value:
adb4-6c85480369c7}[attributes]
    Oueries value:
adb4-6c85480369c7}[foldertypeid]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ fdd 39 ad 0-238 f-46 af-46 af
adb4-6c85480369c7}[initfolderhandler]
    Queries value:
                                                         \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}
folders[personal]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[attributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Queries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforoverlay]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Queries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideinwebview]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
```

5595fe6b30ee}\shellfolder[nofilefolderjunction]

5595fe6b30ee}\shellfolder[pintonamespacetree]

Queries value:

Queries value:

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hasnavigationenum]

Queries value:

5595fe6b30ee}]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ for earlier \ folder \ folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [stream] \\$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{cases} \end{cases} The label{lem:hklmsoftwaremicrosoftwindows} af ef-f87ef2e6ba25 \end{cases} The label{lem:hklmsoftwaremicrosoftwindows} also shows the label{lem:hklmsoftwaremicrosoftwindows} The label{lem:hklmsoftwaremicrosoftwindows} and the label{lem:hklmsoftwaremicrosoftwindows} The label{lem:hklmsoftwaremicrosoftwaremicrosoftwidef} The label{lem:hklmsoftwaremicrosoftwaremicrosoftwidef} The label{lem:hklmsoftwaremicrosoftwaremi$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[foldertypeid]

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \c1initfolder \chandler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common desktop]

Sets/Creates value:

HKCU\software\headlight\getrighttogo\customizedapps[687e73cedc8a0deb1092b88e51bf3d72]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[busypause]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecache]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecachekb]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[rollback]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[dotgetright]