Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 5, Task ID: 19

Task ID: 19 Risk Level: 5

Date Processed: 2016-04-28 12:46:41 (UTC)

Processing Time: 62.22 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\700aa61e9dbd14abfcc633546a5be910.exe"

Sample ID: 5
Type: basic
Owner: admin

Label: 700aa61e9dbd14abfcc633546a5be910

Date Added: 2016-04-28 12:44:50 (UTC)

File Type: PE32:win32:gui File Size: 673560 bytes

MD5: 700aa61e9dbd14abfcc633546a5be910

SHA256: 129286051a8bdcd2a27601d98ae44002bfc430fe0d98f3307de97b15ec75bc65

Description: None

Pattern Matching Results

3 Writes to a log file [Info]

3 HTTP connection - response code 200 (success) [HTTP, POST, GET, web, network, response code]

Creates a file extension shortcut

5 Creates shortcut on desktop

3 Long sleep detected

Static Events

Anomaly: PE: Contains a virtual section

Process/Thread Events

Creates process: C:\windows\temp\700aa61e9dbd14abfcc633546a5be910.exe

["C:\windows\temp\700aa61e9dbd14abfcc633546a5be910.exe"]

 $\label{lem:condition} Creates process: C: \windows \temp \700aa61e9dbd14abfcc633546a5be910.exe ["C: \windows \temp \700aa61e9dbd14abfcc633546a5be910.exe" /_ShowProgress] \\ Terminates process: C: \windows \Temp \700aa61e9dbd14abfcc633546a5be910.exe \\ \end{tabular}$

Calls function: mshtml.dll:document.write

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

Creates mutex: \Sessions\1\BaseNamedObjects\!IETld!Mutex
Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_
Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet files!content.ie5!

Creates mutex

 $\verb|\Sessions|| 1 \\ Base Named Objects \\ c: |users|| admin!| appdata|| roaming|| microsoft|| windows|| cookies|| appdata|| appda$

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

Creates mutex: \Sessions\1\BaseNamedObjects\MSIMGSIZECacheMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex

Creates mutex: \Sessions\1\BaseNamedObjects\RasPbFile
Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX_0_208
Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \BaseNamedObjects\SvcctrlStartEvent A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{1b81d936-6e20-44ec-a10b-

46031e2090e0}

Creates semaphore: \Sessions\1\BaseNamedObjects\1VtPOS1F102ZtGOW1T1C1PtP1V

File System Events

Creates: C:\Users\Admin\AppData\Local\Temp\0000BC01.log
Creates: C:\Users\Admin\AppData\Local\Temp\ish48409
Creates: C:\Users\Admin\AppData\Local\Temp\ish48409\css

Creates: C:\Users\Admin\AppData\Local\Temp\ish48409\css\ie6_main.css
Creates: C:\Users\Admin\AppData\Local\Temp\ish48409\css\main.css

```
C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\browse.css
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\button.css
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\checkbox.css
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images
   Creates:
   Creates:
                                                       bg.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\progress-
bg-corner.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\progress-
bg.png
   Creates:
                                                       bg2.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\progress-bar.css
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\csshover3.htc
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\form.bmp.Mask
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\BG.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close.png
                                                       Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button.png
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button_Hover.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button.png
   Creates:
                                                       Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Icon_Generic.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Loader.gif
   Creates:
                                                       \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Progress.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\ProgressBar.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Quick_Specs.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\images\Resume_Button.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\locale
   Creates:
                                                       C: \verb|\USers\Admin\AppData\Local\Temp\ish48409\locale\DE.locale|\\
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\locale\EN.locale
                                                       C: \verb|Vsers\Admin\AppData\Local\Temp\ish48409\sdk|
   Creates:
                                                       Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish48409\bootstrap_30591.html
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
                                                       C:\Users\Admin\AppData\Local\Temp\0000E0F8.log
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592
   Creates:
   Creates:
                                                       C: \label{local-Temp} \label{local-Temp} Ish 57592 \label{local-Temp} \label{local-Temp} \\
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\ie6_main.css
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\main.css
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\browse.css
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\button.css
   Creates:
   Creates:
                                                        C: \Users \land Admin \land PpData \land Local \land Temp \land S7592 \land Sdk-ui \land Css \land Sdk-ui \land Sd
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\button-
   Creates:
bg.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-
   Creates:
bg-corner.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-
bg.png
   Creates:
                                                       bg2.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\progress-bar.css
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\csshover3.htc
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\form.bmp.Mask
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\BG.png
   Creates:
                                                       Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Color_Button.png
   Creates:
                                                       \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button_Hover.png
   Creates:
   Creates:
                                                       Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Loader.gif
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Pause_Button.png
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Progress.png
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\ProgressBar.png
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Quick_Specs.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\images\Resume_Button.png
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\locale
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\locale\DE.locale
   Creates:
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\locale\EN.locale
                                                       C:\Users\Admin\AppData\Local\Temp\ish57592\sdk
   Creates:
                                                       Creates:
   Creates:
                                                       C:\Users\Admin
   Creates:
                                                       C:\Users\Admin\AppData\Local
                                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
   Creates:
   Creates:
                                                       C:\Users\Admin\AppData\Roaming
```

```
C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
  Creates:
                                  C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Creates:
  Creates:
                                  C:\Users\Admin\AppData\Local\Temp\00010C28.log
  Creates:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_700aa61e9dbd14abfcc633546a5be910.exe
  Creates:
                                  C:\Users\Admin\Desktop\Continue CCleaner Installation.lnk
                                  C:\Users\Admin\AppData\Local\Temp\00011170.log
  Creates:
  Creates:
                                  C:\Users\Admin\AppData\Local\Temp\is956058749
                                  \label{local-temp} $$C:\Users\Admin\AppData\Local\Temp\is956058749\70104\_Setup.EXE $$
  Creates:
                                  C:\Windows\Prefetch\700AA61E9DBD14ABFCC633546A5BE-6FFB2112.pf
  Opens:
  Opens:
                                  C:\Windows\System32
  Opens:
                                  C:\Windows\System32\sechost.dll
  Opens:
                                  C:\windows\temp\700aa61e9dbd14abfcc633546a5be910.exe.Local\
                                  C:\Windows\winsxs\x86_microsoft.windows.common-
  Opens:
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
  Opens:
                                  C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
  Opens:
                                  C:\Windows\System32\imm32.dll
  Opens:
                                  C:\Windows\Temp\700aa61e9dbd14abfcc633546a5be910.exe
  Opens:
                                  C:\windows\temp\version.dll
  Opens:
                                  C:\Windows\System32\version.dll
  Opens:
                                  C:\Windows\System32\uxtheme.dll
  Opens:
                                  C:\windows\temp\olepro32.dll
  Opens:
                                  C:\Windows\System32\olepro32.dll
  Opens:
                                  C:\Windows\System32\rpcss.dll
                                  C:\windows\temp\CRYPTBASE.dll
  Opens:
  Opens:
                                  C:\Windows\System32\cryptbase.dll
  Opens:
                                  C:\Windows\winsxs\x86_microsoft.windows.c..-
controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2
                                  C:\Windows\winsxs\x86_microsoft.windows.c..
  Opens:
controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2\comctl32.dll.mui
                                  C:\windows\temp\dwmapi.dll
  Opens:
  Opens:
                                  C:\Windows\System32\dwmapi.dll
  Opens:
                                  C:\Windows\Fonts\StaticCache.dat
  Opens:
                                  C:\Windows\System32\en-US\user32.dll.mui
  Opens:
                                  C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp
  Opens:
                                  C: \verb|Vsers| Admin| AppData| Local| Temp| 0000BC01.log
  Opens:
                                  C:\
  Opens:
                                  C:\Users
                                  C:\Users\Admin
  Opens:
  Opens:
                                  C:\Users\Admin\AppData
  Opens:
                                  C:\Users\Admin\AppData\Local
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\
  Opens:
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\
  Opens:
                                  Opens:
                                  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\main.css
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\browse.css
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\button.css
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\checkbox.css
  Opens:
                                  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\button-
bg.png
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images
  Opens:
                                  C: \label{local-Temp} \label{local-Temp} is h48409 \css\sdk-ui\images\progress-local-Temp, and the control of the control of
  Opens:
bg-corner.png
  Opens:
                                  bg.png
  Opens:
                                  bg2.png
                                  Opens:
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\csshover3.htc
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\form.bmp.Mask
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\BG.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close.png
  Opens:
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close_Hover.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button_Hover.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button.png
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button_Hover.png
  Opens:
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Icon_Generic.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Loader.gif
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Pause_Button.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Progress.png
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\ProgressBar.png
                                  C: \verb|Vsers\Admin\AppData\Local\Temp\ish48409\\images\Quick\_Specs.png|
  Opens:
  Opens:
                                  C:\Users\Admin\AppData\Local\Temp\ish48409\images\Resume_Button.png
```

```
C:\Users\Admin\AppData\Local\Temp\ish48409\locale\
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish48409\locale\DE.locale
   Opens:
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish48409\locale
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish48409\locale\EN.locale
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish48409\sdk\
   Opens:
                                                  C:\windows\temp\IpHlpApi.dll
   Opens:
   Opens:
                                                  C:\Windows\System32\IPHLPAPI.DLL
   Opens:
                                                  C:\windows\temp\WINNSI.DLL
   Opens:
                                                  C:\Windows\System32\winnsi.dll
   Opens:
                                                  C:\windows\temp\dhcpcsvc.DLL
   Opens:
                                                  C:\Windows\System32\dhcpcsvc.dll
   Opens:
                                                  C:\Program Files\Internet Explorer
                                                  C:\Program Files\Internet Explorer\iexplore.exe
   Opens:
   Opens:
                                                  C:\Program Files\Internet Explorer\en-US\iexplore.exe.mui
   Opens:
                                                  C:\Windows\System32\ieframe.dll
   Opens:
                                                  C:\Windows\System32\oleacc.dll
   Opens:
                                                  C:\windows\temp\OLEACCRC.DLL
   Opens:
                                                  C:\Windows\System32\oleaccrc.dll
                                                  C:\Windows\winsxs\x86_microsoft.windows.common-
   Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                                                  C:\Windows\winsxs\x86_microsoft.windows.common-
   Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
   Opens:
                                                  C:\Windows\WindowsShell.Manifest
   Opens:
                                                  C:\windows\temp\SXS.DLL
   Opens:
                                                  C:\Windows\System32\sxs.dll
   Opens:
                                                  C:\windows\temp\SspiCli.dll
   Opens:
                                                  C:\Windows\System32\sspicli.dll
                                                  C:\Windows\system32\uxtheme.dll.Config
   Opens:
   Opens:
                                                  C:\Windows\System32\shell32.dll
   Opens:
                                                  C:\Windows\System32\propsys.dll
   Opens:
                                                  C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
   Opens:
                                                  C:\Windows\System32\en-US\setupapi.dll.mui
   Opens:
                                                  C:\windows\temp\ntmarta.dll
   Opens:
                                                  C:\Windows\System32\ntmarta.dll
                                                  Opens:
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
   Opens:
                                                  C:\Users\desktop.ini
   Opens:
                                                  C:\windows\temp\MLANG.dll
   Opens:
                                                  C:\Windows\System32\mlang.dll
   Opens:
                                                  C:\windows\temp\apphelp.dll
   Opens:
                                                  C:\Windows\System32\apphelp.dll
   Opens:
                                                  C:\Windows\System32\en-US\ieframe.dll.mui
                                                  {\tt C:\Windows\Temporary\ Internet\ Files}
   Opens:
   Opens:
                                                  C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish48409\bootstrap_30591.html
   Opens:
 \verb|C:\Users\Admin\AppData\Local\Temp\ish48409\bootstrap_30591.html: Zone. Identifier | AppData | AppData
                                                  C:\Windows\System32\mshtml.dll
   Opens:
                                                  C:\Windows\System32\msls31.dll
   Opens:
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\0000E0F8.log
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\
   Opens:
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\ie6_main.css
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\main.css
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\browse.css
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\button.css
   Opens:
                                                   C: \Users \land Admin \land PpData \land Local \land Temp \land S7592 \land Sdk-ui \land Css \land Sdk-ui \land Sd
   Opens:
                                                  Opens:
                                                  bg.png
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images
   Opens:
                                                  bg-corner.png
   Opens:
                                                  bg.png
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-
bg2.png
   Opens:
                                                  Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\csshover3.htc
   Opens:
                                                  Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\BG.png
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\Close.png
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\Close_Hover.png
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\Color_Button.png
                                                  \label{thm:local-temp} $$C:\Users\Admin\AppData\Local\Temp\sh57592\simeq\Color\_Button\_Hover.png$$
   Opens:
   Opens:
                                                  C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button.png
```

```
C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button_Hover.png
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Icon_Generic.png
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Loader.gif
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Pause_Button.png
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Progress.png
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Quick_Specs.png
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\images\Resume_Button.png
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\locale\
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\locale\DE.locale
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish57592\locale
  Opens:
                                    Opens:
                                     C: \verb|\USers\Admin\AppData\Local\Temp\ish57592\sdk\exceptlist.txt |
  Opens:
  Opens:
                                    C:\Windows\System32\msimtf.dll
  Opens:
                                    C:\Windows\Fonts\times.ttf
  Opens:
                                    C:\Windows\System32\jscript.dll
  Opens:
                                    C:\windows\temp\CRYPTSP.dll
  Opens:
                                    C:\Windows\System32\cryptsp.dll
  Opens:
                                    C:\Windows\System32\rsaenh.dll
  Opens:
                                    C:\windows\temp\RpcRtRemote.dll
  Opens:
                                    C:\Windows\System32\RpcRtRemote.dll
                                    C: \verb|Vsers\Admin\AppData\Local\Temp\ish48409\sdk|
  Opens:
  Opens:
                                    Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish48409\script\
                                    \label{thm:local-temp-ish48409} C: \label{temp-ish48409} $$ C: \label{temp-ish48409} $$$ C: \label{temp-ish48409} $$$ C: \label{temp-ish4840
  Opens:
bar.css:Zone.Identifier
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\ish48409\css\main.css:Zone.Identifier
                                    C:\windows\temp\ImgUtil.dll
  Opens:
  Opens:
                                    C:\Windows\System32\imgutil.dll
  Opens:
                                    C:\Windows\System32\pngfilt.dll
                                    C:\Windows\System32\en-US\urlmon.dll.mui
  Opens:
  Opens:
                                    C:\windows\temp\profapi.dll
  Opens:
                                    C:\Windows\System32\profapi.dll
                                    {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
  Opens:
Files\desktop.ini
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Opens:
Files\Content.IE5\desktop.ini
                                    C:\Users\Admin\AppData\Roaming
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
  Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
  Opens:
                                    {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\index.dat
  Opens:
                                    C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
  Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\index.dat
                                    C:\Windows\Fonts\arial.ttf
  Opens:
  Opens:
                                    C:\Windows\Fonts\arialbd.ttf
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\MSIMGSIZ.DAT
  Opens:
                                    C:\windows\temp\powrprof.dll
                                    C:\Windows\System32\powrprof.dll
  Opens:
  Opens:
                                    C:\Windows\System32\wininet.dll
  Opens:
                                    C:\windows\temp\dnsapi.DLL
  Opens:
                                    C:\Windows\System32\dnsapi.dll
                                    C: \verb|Vsers| Admin| AppData| Local| Temp| 00010C28.log|
  Opens:
  Opens:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_700aa61e9dbd14abfcc633546a5be910.exe
  Opens:
                                    C:\windows\temp\RASAPI32.dll
  Opens:
                                    C:\Windows\System32\rasapi32.dll
  Opens:
                                    C:\windows\temp\rasman.dll
  Opens:
                                    C:\Windows\System32\rasman.dll
  Opens:
                                    C:\windows\temp\rtutils.dll
  Opens:
                                    C:\Windows\System32\rtutils.dll
  Opens:
                                    C:\ProgramData\Microsoft\Network\Connections\Pbk\
  Opens:
                                    C:\Windows\System32\ras
  Opens:
                                    C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
  Opens:
                                    C:\windows\temp\sensapi.dll
  Opens:
                                    C:\Windows\System32\SensApi.dll
  Opens:
                                    C:\Windows\System32\nlaapi.dll
  Opens:
                                    C:\windows\temp\rasadhlp.dll
  Opens:
                                    C:\Windows\System32\rasadhlp.dll
  Opens:
                                    C:\Windows\System32\NapiNSP.dll
  Opens:
                                    C:\Windows\System32\pnrpnsp.dll
  Opens:
                                    C:\Windows\System32\mswsock.dll
                                    C:\Windows\System32\winrnr.dll
  Opens:
  Opens:
                                    C:\Windows\System32\WSHTCPIP.DLL
```

C:\Windows\System32\wship6.dll Opens: Opens: C:\windows\temp\dhcpcsvc6.DLL Opens: C:\Windows\System32\dhcpcsvc6.dll C:\Windows\System32\drivers\etc\hosts Opens: Opens: C:\Windows\System32\FWPUCLNT.DLL Opens: C:\Windows\System32\netprofm.dll Opens: C:\Windows\System32\npmproxy.dll Opens: C:\Users\Admin\Desktop Opens: C:\Users\Admin\Desktop\desktop.ini Opens: C:\Users\Admin\Searches\desktop.ini Opens: C:\Users\Admin\Videos\desktop.ini Opens: C:\Users\Admin\Pictures\desktop.ini Opens: C:\Users\Admin\Contacts\desktop.ini Opens: C:\Users\Admin\Favorites\desktop.ini Opens: C:\Users\Admin\Music\desktop.ini Opens: C:\Users\Admin\Downloads\desktop.ini Opens: C:\Users\Admin\Documents\desktop.ini Opens: C:\Users\Admin\Links\desktop.ini Opens: C:\Users\Admin\Saved Games\desktop.ini Opens: C:\Windows\System32\shdocvw.dll Opens: C:\windows\temp\LINKINFO.dll Opens: C:\Windows\System32\linkinfo.dll Opens: C:\windows\temp\ntshrui.dll Opens: C:\Windows\System32\ntshrui.dll Opens: C:\windows\temp\srvcli.dll C:\Windows\System32\srvcli.dll Opens: Opens: C:\windows\temp\cscapi.dll Opens: C:\Windows\System32\cscapi.dll Opens: C:\windows\temp\slc.dll Opens: C:\Windows\System32\slc.dll Opens: C:\Users\Admin\Desktop\Continue CCleaner Installation.lnk Opens: C:\Users\Admin\AppData\Local\Temp\00011170.log Opens: $C: \verb|\Users\Admin\AppData\Local\Temp\is956058749\\|$ C:\Users\Admin\AppData\Local\Temp\is956058749 Opens: Opens: C:\Windows\System32\msimg32.dll Opens: Opens: C:\Windows\System32\tzres.dll C:\Windows\System32\en-US\tzres.dll.mui Opens: Opens: C:\Windows\System32\en-US\jscript.dll.mui Writes to: C:\Users\Admin\AppData\Local\Temp\0000BC01.log Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\main.css Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\browse.css Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\button.css Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\buttonbg.png Writes to: bg-corner.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\progressbg.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\images\progressbg2.png $\verb| C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\progress-bar.css| \\$ Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\csshover3.htc Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\BG.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close_Hover.png Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button_Hover.png C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button.png Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Icon_Generic.png Writes to: $\label{thm:local-local$ Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Pause_Button.png Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\images\Progress.png Writes to: Writes to: $\label{local-temp-ish48409-images-progressBar.png} C: \Users \land Admin \land PpD at a \land Local \land Temp \land ish48409 \land images \land Progress Bar.png$ Writes to: $C:\Users\Admin\AppData\Local\Temp\ish48409\\images\Quick_Specs.png$ C:\Users\Admin\AppData\Local\Temp\ish48409\images\Resume_Button.png Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\locale\DE.locale C:\Users\Admin\AppData\Local\Temp\ish48409\locale\EN.locale Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\sdk\exceptlist.txt Writes to: C:\Users\Admin\AppData\Local\Temp\ish48409\bootstrap_30591.html Writes to: C:\Users\Admin\AppData\Local\Temp\0000E0F8.log Writes to: C:\Users\Admin\AppData\Local\Temp\ish57592\css\ie6_main.css Writes to: C:\Users\Admin\AppData\Local\Temp\ish57592\css\main.css C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\browse.css Writes to: Writes to: $C: \verb|\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\button.css|$ Writes to: C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\checkbox.css

bg.png

Writes to:

 $\label{lem:continuous} Writes to: $$C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-ui\arrow and the continuous sequences of the continuous sequen$

```
bg-corner.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-
bg.png
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\css\sdk-ui\images\progress-
  Writes to:
bg2.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\csshover3.htc
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\form.bmp.Mask
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\BG.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Close.png
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Close_Hover.png
  Writes to:
                                   \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Color_Button_Hover.png
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button.png
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Grey_Button_Hover.png
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Icon_Generic.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Loader.gif
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Pause_Button.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Progress.png
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\ProgressBar.png
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Quick_Specs.png
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\images\Resume_Button.png
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\locale\DE.locale
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\ish57592\locale\EN.locale
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\00010C28.log
  Writes to:
  Writes to:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_700aa61e9dbd14abfcc633546a5be910.exe
                                   C:\Users\Admin\Desktop\Continue CCleaner Installation.lnk
  Writes to:
  Writes to:
                                   C:\Users\Admin\AppData\Local\Temp\00011170.log
  Reads from:
                                   C:\Windows\Temp\700aa61e9dbd14abfcc633546a5be910.exe
  Reads from:
                                   C:\Windows\Fonts\StaticCache.dat
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\0000BC01.log
  Reads from:
                                   C:\Windows\System32\ieframe.dll
  Reads from:
                                   C:\Users\desktop.ini
  Reads from:
                                   Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\0000E0F8.log
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\css\sdk-ui\progress-bar.css
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\css\main.css
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\BG.png
  Reads from:
                                   C: \verb|Vsers\Admin\AppData\Local\Temp\ish48409\\images\Quick\_Specs.png|
  Reads from:
                                   Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button.png
  Reads from:
                                   C: \Users\Admin\AppData\Local\Temp\ish48409\images\Color\_Button.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\ProgressBar.png
                                   C: \verb|\USers\Admin\AppData\Local\Temp\ish48409\\ | images\Progress.png \\
  Reads from:
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Pause_Button.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Resume_Button.png
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Loader.gif
  Reads from:
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\form.bmp.Mask
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Close Hover.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Grey_Button_Hover.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Color_Button_Hover.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\00010C28.log
  Reads from:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_700aa61e9dbd14abfcc633546a5be910.exe
  Reads from:
                                   C:\Windows\System32\drivers\etc\hosts
  Reads from:
                                   C:\Users\Admin\Desktop\desktop.ini
  Reads from:
                                   C:\Users\Admin\Searches\desktop.ini
  Reads from:
                                   C:\Users\Admin\Videos\desktop.ini
  Reads from:
                                   C:\Users\Admin\Pictures\desktop.ini
  Reads from:
                                   C:\Users\Admin\Contacts\desktop.ini
  Reads from:
                                   C:\Users\Admin\Favorites\desktop.ini
  Reads from:
                                   C:\Users\Admin\Music\desktop.ini
  Reads from:
                                   C:\Users\Admin\Downloads\desktop.ini
  Reads from:
                                   C:\Users\Admin\Documents\desktop.ini
  Reads from:
                                   C:\Users\Admin\Links\desktop.ini
  Reads from:
                                   C:\Users\Admin\Saved Games\desktop.ini
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\00011170.log
                                   C:\Users\Admin\AppData\Local\Temp\ish48409\images\Icon_Generic.png
  Reads from:
                                   C:\Users\Admin\AppData\Local\Temp\0000BC01.log
  Deletes:
  Deletes:
                                   C:\Users\Admin\AppData\Local\Temp\0000E0F8.log
                                   C: \verb|\Users\Admin\AppData\Local\Temp\ish48409\bootstrap_30591.html| \\
  Deletes:
```

C:\Users\Admin\AppData\Local\Temp\00010C28.log

Deletes: C:\Users\Admin\AppData\Local\Temp\00011170.log Network Events

Deletes:

DNS query: wpad

DNS query: os.softwarenetcdn.com DNS query: www.soft-ware.net

DNS response: www.soft-ware.net \Rightarrow 104.27.164.7

DNS response: www.soft-ware.net \Rightarrow 104.27.165.7 DNS response: os.softwarenetcdn.com \Rightarrow 54.77.202.184 DNS response: os.softwarenetcdn.com \Rightarrow 52.31.134.147 DNS response: os.softwarenetcdn.com \Rightarrow 54.194.194.239

 Connects to:
 54.77.202.184:80

 Connects to:
 104.27.164.7:80

 Sends data to:
 0.0.0.0:5355

 Sends data to:
 224.0.0.252:5355

 Sends data to:
 8.8.8.8:53

 Sends data to:
 www.soft-ware.net:80 (104.27.164.7)

 Sends data to:
 os.softwarenetcdn.com:80 (54.77.202.184)

Receives data from: 8.8.8.8:53

Receives data from: www.soft-ware.net:80 (104.27.164.7)
Receives data from: os.softwarenetcdn.com:80 (54.77.202.184)

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates key:

HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32

Creates key:

HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\connections

Creates key: HKCU\software\microsoft\windows nt\currentversion\network\location

awareness

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}\66-9b-05-ad-63-35

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\66-9b-05-ad-63-35

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]
Deletes value: HKCU\

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]

settings[autoconfigurl]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKCU\

 $Opens\ key: \\ HKCU \ control\ panel \ desktop \ muicached \ machine language configuration$

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\ole Opens key: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut

Opens key: ${\tt HKLM \backslash software \backslash microsoft \backslash windows\ nt \backslash current version \backslash diagnostics}$

Opens key: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKCU\software\borland\locales
Opens key: HKLM\software\borland\locales
Opens key: HKCU\software\borland\delphi\locales

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale

```
HKLM\system\currentcontrolset\control\nls\extendedlocale
     Opens key:
                                                                      HKLM\software\microsoft\windows\windows error reporting\wmr
     Opens key:
                                                                      HKLM\system\currentcontrolset\control\cmf\config
     Opens kev:
     Opens key:
                                                                      HKLM\system\currentcontrolset\control\nls\locale
     Opens kev:
                                                                      HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
     Opens key:
                                                                      HKLM\system\currentcontrolset\control\nls\language groups
                                                                      HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
     Opens key:
                                                                      HKLM\software\microsoft\windows
     Opens key:
nt\currentversion\languagepack\datastore_v1.0
                                                                      HKLM\software\microsoft\windows
     Opens key:
nt\currentversion\languagepack\surrogatefallback
     Opens key:
                                                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\segoe ui
                                                                      HKLM\software\microsoft\rpc
     Opens key:
     Opens key:
                                                                      HKLM\system\currentcontrolset\control\computername\activecomputername
     Opens key:
                                                                      HKLM\system\setup
     Opens key:
                                                                      HKLM\software\policies\microsoft\windows nt\rpc
     Opens key:
                                                                      HKLM\software\policies\microsoft\sqmclient\windows
     Opens key:
                                                                      HKLM\software\microsoft\sqmclient\windows
                                                                      \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \begin{tabular}{ll} system \begin{tabular}{ll} control set \begin{tabular}{ll} set \begin{tabular}{ll} control set \begin{tabular}{ll} set 
     Opens key:
     Opens key:
c19ce8a73253}
     Opens key:
                                                                      HKLM\system\currentcontrolset\services\tcpip\linkage
     Opens key:
\label{thm:local_hammon} \begin{tabular}{l} HKCU \software \verb|microsoft| windows \verb|shell| associations \urlassociations \| http \userchoice \| ht
     Opens key:
                                                                      HKCU\software\classes\
     Opens key:
                                                                      HKCU\software\classes\http\shell\open\command
                                                                      HKCR\http\shell\open\command
     Opens key:
     Opens key:
                                                                      HKLM\software\microsoft\windows\currentversion\app paths\iexplore.exe
     Opens key:
                                                                      HKLM\software\microsoft\com3
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
     Opens key:
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
     Opens key:
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\treatas
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treatas
     Opens key:
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\progid
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid
     Opens key:
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32
     Opens key:
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprochandler32
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32
     Opens key:
                                                                      HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprochandler
     Opens key:
                                                                      HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\ inprochandler
                                                                      HKCU\software\classes\typelib
     Opens kev:
                                                                      HKCR\typelib
     Opens key:
     Opens key:
                                                                      HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}
     Opens key:
                                                                      HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}
                                                                      \label{local-equation} HKCU \software \classes \typelib \end{2.2} aco-30c1-11cf-a7eb-0000c05bae0b \end{2.1} 1.1
     Opens key:
     Opens key:
                                                                      HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1
     Opens key:
                                                                      HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-
 0000c05bae0b}\1.1\0
                                                                      HKCR \ typelib \ \{eab 22 ac 0 - 30 c 1 - 11 c f - a7 eb - 000 0 c 05 bae 0b\} \ 1.1 \ 0
     Opens key:
     Opens key:
                                                                      HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-
0000c05bae0b}\1.1\0\win32
     Opens key:
                                                                      HKCR \ typelib \ \{eab 22 ac 0 - 30 c 1 - 11 c f - a7 eb - 000 0 c 05 bae 0b\} \ 1.1 \ 0 \ win 32
     Opens key:
                                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
 settings\
     Opens key:
                                                                      \label{lem:hklm} \verb+Kklm \+ software \+ policies \+ microsoft \+ internet explorer \+ main \+ feature control
     Opens key:
                                                                      HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
                                                                      HKLM\software\microsoft\internet explorer\main\featurecontrol
     Opens key:
     Opens key:
                                                                      HKCU\software\microsoft\internet explorer\main\featurecontrol
     Opens key:
                                                                      HKCU\software\microsoft\internet
 explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
     Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
                                                                      \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} explicitly independent of the local property of the local 
     Opens key:
 settings\zonemap\domains\
    Opens key:
                                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
 settings\zonemap\domains\
     Opens key:
                                                                      \label{lem:hklmsoftware bolicies microsoft windows \current version \cite{thmsoftware} in the lemma of the 
settings\zonemap\ranges\
     Opens key:
                                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
 settings\zonemap\ranges\
    Opens key:
                                                                      HKCU\software\microsoft\internet
 explorer\main\featurecontrol\feature_unc_savedfilecheck
     Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
```

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap\ Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 Opens key: HKLM\software\policies Opens key: HKCU\software\policies HKCU\software Opens key: Opens key: HKLM\software Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zonemap Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\ranges\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\protocoldefaults\ HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\domains\ HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\domains\ Opens key: HKLM\software\policies\microsoft\internet explorer Opens key: HKLM\software\policies\microsoft\internet explorer\security HKCU\software\microsoft\windows\currentversion\internet settings\zones\ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1 HKCU\software\microsoft\windows\currentversion\internet settings\zones\2 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\4 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zones\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zones\ HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\0 HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\0 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\1 HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\1 HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\2 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \label{lem:hkcu} software \policies \microsoft \windows \current version \parelines \par$ Opens key: settings\zones\2 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zones\3 HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zones\3 Opens key: $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ settings\zones\4 Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zones\4 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\lockdown_zones\ HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\lockdown_zones\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\lockdown_zones\ HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\lockdown_zones\0 HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\lockdown_zones\0 Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\lockdown_zones\0 HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\lockdown_zones\1 HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\lockdown_zones\1 Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\lockdown_zones\1 HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\lockdown_zones\2

settings\lockdown_zones\1
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
Opens key: HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
Opens key: HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2

```
Opens key:
                                                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                                                          \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
    Opens key:
settings\lockdown_zones\3
                                                          HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\4
   Opens key:
                                                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                                                          \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
    Opens key:
settings\lockdown_zones\4
                                                          HKCR\clsid\{3050f4e1-98b5-11cf-bb82-00aa00bdce0b}
    Opens key:
    Opens key:
                                                          HKCR\clsid\{3050f4f5-98b5-11cf-bb82-00aa00bdce0b}
    Opens key:
                                                          HKCR\clsid\{3050f819-98b5-11cf-bb82-00aa00bdce0b}
    Opens key:
HKLM\software\microsoft\ctf\compatibility\700aa61e9dbd14abfcc633546a5be910.exe
                                                          Opens key:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
    Opens key:
                                                          HKLM\software\microsoft\ctf\
    Opens key:
                                                          HKLM\software\microsoft\ctf\knownclasses
                                                          \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet}} \ \ \mbox{\tt settings} \ \ \mbox{\tt microsoft\windows\currentversion\color=lem:} \ \mb
    Opens key:
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
    Opens kev:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
    Opens key:
                                                          HKLM\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
                                                          HKCU\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version' shell compatibility \ 'applications' \ '700aa61e9dbd14abfcc633546a5be910.exe
                                                          HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
    Opens key:
08002b30309d}\shellfolder
                                                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens key:
    Opens key:
                                                          HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-derivative for the context of 
3aea-1069-a2d8-08002b30309d}\shellfolder
                                                          HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-dered, and the context \ explorer \ before \ dered \ explorer \ explore
    Opens key:
3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens key:
                                                          HKCU\software\microsoft\windows\currentversion\policies\nonenum
    Opens key:
                                                          HKLM\software\microsoft\windows\currentversion\policies\nonenum
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume
    Opens key:
11e3-b3bc-806e6f6e6963}\
                                                          HKCU\software\classes\drive\shellex\folderextensions
    Opens key:
    Opens key:
                                                          HKCR\drive\shellex\folderextensions
    Opens key:
                                                          HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-
4442-804e-409d6c4515e9}
                                                          HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
    Opens key:
409d6c4515e9}
    Opens key:
                                                          HKLM\software\policies\microsoft\windows\explorer
    Opens key:
                                                          HKCU\software\policies\microsoft\windows\explorer
    Opens kev:
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
    Opens key:
                                                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
    Opens key:
b8dc300d9f9d}\treatas
                                                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas
    Opens key:
    Opens key:
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\progid
    Opens key:
                                                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid
    Opens key:
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32
                                                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32
    Opens key:
    Opens key:
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprochandler32
                                                          HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32
    Opens key:
    Opens key:
                                                          HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprochandler
                                                          HKCR \verb|\clsid|{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} \verb|\inprochandler|
    Opens key:
    Opens key:
                                                          Opens key:
                                                          HKLM\software\microsoft\windows\currentversion\setup
    Opens key:
                                                          HKLM\software\microsoft\windows\currentversion
    Opens key:
                                                          HKLM\system\currentcontrolset\services\ldap
    Opens kev:
                                                          HKCU\software\microsoft\windows\currentversion\explorer
    Opens key:
                                                          HKCU\software\microsoft\windows\currentversion\explorer\
                                                          HKCU\software\microsoft\windows\currentversion\explorer\advanced
    Opens kev:
    Opens key:
HKLM\software\microsoft\windows\shell\registeredapplications\urlassociations\directory\openwithprogids
    Opens key:
HKCU\software\microsoft\windows\shell\associations\urlassociations\directory
```

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

HKCU\software\classes\directory\curver Opens key:

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens kev: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler

HKCU\software\classes\folder Opens key:

HKCR\folder Opens key:

HKCU\software\classes\folder\shellex\iconhandler Opens key:

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject Opens key: HKCR\folder\docobject

HKCU\software\classes\allfilesystemobjects\docobject

Opens key:

 ${\tt HKCR\ `allfilesystemobjects\ `docobject}$ Opens key:

Opens key: HKCU\software\classes\directory\browseinplace Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid Opens key: HKCR\directory\clsid

HKCU\software\classes\folder\clsid Opens kev:

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

 ${\tt HKCR\ leftle systemobjects\ leftle syst$ Opens key:

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\microsoft\internet explorer\main Opens key: HKLM\software\microsoft\internet explorer\main HKLM\software\policies\microsoft\internet explorer\main Opens key: Opens key: HKCU\software\policies\microsoft\internet explorer\main

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615

Opens key: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_show_failed_connect_content_kb942615$ HKCU\software\microsoft\internet explorer\international Opens key:

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_iedde_register_protocol HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_iedde_register_protocol

Opens key: HKCU\software\classes\.html

Opens key: HKCR\.html

Opens key: HKCU\software\classes\.html\openwithprogids

Opens key: HKCR\.html\openwithprogids

Opens key:

Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \explorer \fileexts \cdots. html \\$ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\userchoice

Opens key: HKCU\software\classes\htmlfile

Opens key: HKCR\htmlfile

HKCU\software\classes\htmlfile\curver Opens key:

Opens key: HKCR\htmlfile\curver Opens key: HKCR\htmlfile\

HKCU\software\classes\htmlfile\shellex\iconhandler Opens key:

Opens key: HKCR\htmlfile\shellex\iconhandler Opens key: HKCU\software\classes\htmlfile\docobject

HKCR\htmlfile\docobject Opens key:

Opens key: HKCU\software\classes\systemfileassociations\.html

Opens key: HKCR\systemfileassociations\.html

HKCU\software\classes\systemfileassociations\.html\docobject Opens key:

Opens key: HKCR\systemfileassociations\.html\docobject

Opens key: HKCU\software\classes\systemfileassociations\document

Opens key: HKCR\systemfileassociations\document Opens key: HKCU\software\classes\htmlfile\browseinplace

Opens key: HKCR\htmlfile\browseinplace

 $\label{lem:html} \begin{tabular}{ll} HKCU \software \classes \system file associations \label{lem:html} . \label{lem:html} \end{tabular}$ Opens key:

Opens key: HKCR\systemfileassociations\.html\browseinplace

Opens key: HKCU\software\classes\htmlfile\clsid

Opens kev: HKCR\htmlfile\clsid

Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{25336920 - 03f9 - 11cf - 8fd0 - 11cf - 1$ 00aa00686f13}\implemented categories\{00021490-0000-0000-c000-00000000046}

Opens key: $\label{lem:hkcrclsid} $$HKCR\clsid_{25336920-03f9-11cf-8fd0-00aa00686f13}\le entering $$ Leman = 1.00 + 1.0$

```
categories\{00021490-0000-0000-c000-00000000046}
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
   Opens key:
00aa004ae837}\inprocserver32
   Opens key:
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprocserver32
   Opens key:
                                                HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
   Opens key:
                                                \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+shell extensions \verb+blocked+ \\
   Opens key:
                                                HKLM\system\currentcontrolset\control\session manager\appcompatibility
   Opens key:
                                                HKLM\software\policies\microsoft\windows\appcompat
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
   Opens key:
00aa004ae837}\shellfolder
   Opens kev:
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\shellfolder
                                                \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+shell extensions \verb+ cached | \\
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
   Opens key:
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
   Opens key:
00aa004ae837}\treatas
   Opens key:
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\treatas
   Opens key:
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\progid
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\progid
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler32
   Opens key:
                                                HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler32
   Opens key:
                                                HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler
                                               HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler
   Opens key:
   Opens key:
a9bb-00aa004ae837}
   Opens key:
                                                HKLM\software\policies\microsoft\internet explorer\browseremulation
   Opens key:
                                                HKCU\software\policies\microsoft\internet explorer\browseremulation
   Opens key:
                                                HKLM\software\microsoft\internet explorer\mediatypeclass
   Opens key:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings\accepted documents
                                               HKLM\software\microsoft\windows\currentversion\policies\ratings
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature zones_default_drive_intranet_kb941000
                                                HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
   Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}
ba85-6007caedcf9d}\propertybag
   Opens key:
                                                HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Opens kev:
folders
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
   Opens kev:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-d1474-d14744-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474
908e-08a611b84ff6}
   Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-descriptions \ 'folder \ 'f
908e-08a611b84ff6}\propertybag
   Opens key:
                                                HKCU\software\microsoft\internet explorer
                                                HKLM\software\microsoft\internet explorer
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling
                                               HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_mime_handling
   Opens key:
                                               HKCU\software\classes\protocols\name-space handler\
   Opens key:
                                               HKCR\protocols\name-space handler
   Opens key:
                                                HKCU\software\classes\protocols\name-space handler\file\
   Opens key:
                                                HKCR\protocols\name-space handler\file
                                               HKCU\software\classes\protocols\name-space handler\*\
   Opens key:
   Opens key:
                                                HKCR\protocols\name-space handler\*
   Opens key:
                                                HKCU\software\classes\protocols\filter\text/html
                                                HKCR\protocols\filter\text/html
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
   Opens key:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
   Opens key:
                                               HKLM\software\microsoft\internet
```

explorer\main\featurecontrol\feature_safe_bindtoobject

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{25336920-03f9-11cf-8fd0-00aa00686f13\}$

Opens key:

HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13} Opens key: HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-Opens key: 00aa00686f13}\treatas HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas Opens key: Opens kev: HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid Opens kev: Opens key: HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32 HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32 Opens key: HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-Opens kev: 00aa00686f13}\inprochandler32 Opens kev: $HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler 32$ HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-Opens key: 00aa00686f13}\inprochandler Opens key: HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131 Opens kev: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_aria_support HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_aria_support HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_legacy_dispparams Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dispparams HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_private_font_setting HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_private_font_setting Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_css_show_hide_events HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_css_show_hide_events Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_display_node_advise_kb833311 HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_display_node_advise_kb833311 HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_allow_expanduri_bypass Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_allow_expanduri_bypass Opens kev: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245 HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature body size in editable iframe kb943245 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_databinding_support HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_databinding_support HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature enforce bstr HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_enforce_bstr Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_enable_dynamic_object_caching HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_enable_dynamic_object_caching Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_object_caching Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_object_caching Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_tostring_in_compatview Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_tostring_in_compatview Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454

Opens key: HKCU\software\microsoft\windows nt\currentversion\windows Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_cleanup_at_fls

HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454

Opens key:

```
HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_cleanup_at_fls
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\app paths\outlook.exe
                         HKLM\software\microsoft\internet explorer\application compatibility
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\domstorage
 Opens kev:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\domstorage
                         HKCU\software\microsoft\internet explorer\domstorage
 Opens key:
 Opens key:
                         HKLM\software\microsoft\internet explorer\domstorage
                         HKLM\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKLM\software\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\700aa61e9dbd14abfcc633546a5be910.exe
 Opens key:
                         HKLM\system\currentcontrolset\control\session manager\appcertdlls
 Opens key:
                         HKCU\software\microsoft\windows nt\currentversion
 Opens key:
                         HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\appcompatflags
 Opens key:
                         HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\700aa61e9dbd14abfcc633546a5be910.exe
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_restrict_filedownload
 Opens key:
                         HKLM\software\microsoft\internet explorer\security\floppy access
                         HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
 Opens key:
detection
 Opens key:
                         HKLM\software\microsoft\internet explorer\security\adv addrbar spoof
detection
 Opens key:
                         HKCU\software\classes\protocols\name-space handler\about\
 Opens key:
                         HKCR\protocols\name-space handler\about
                         HKCU\software\classes\protocols\handler\about
 Opens key:
 Opens key:
                         HKCR\protocols\handler\about
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\treatas
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\treatas
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\progid
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler32
                         HKCR \verb|\clsid|{3050f406-98b5-11cf-bb82-00aa00bdce0b} \verb|\inprochandler32|
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_document_compatible_mode
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_document_compatible_mode
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_protocol_lockdown
                         HKLM\software\policies\microsoft\internet explorer\zoom
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\zoom
 Opens key:
                         HKCU\software\microsoft\internet explorer\zoom
 Opens key:
                         HKLM\software\microsoft\internet explorer\zoom
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_weboc_document_zoom
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_weboc_document_zoom
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors
 Opens key:
                         HKLM\software\microsoft\internet
```

explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors Opens key: HKCU\software\policies\microsoft\internet explorer

HKLM\software\policies\microsoft\internet explorer\international\scripts Opens key:

Opens key: HKCU\software\microsoft\internet explorer\international\scripts

```
HKLM\software\microsoft\internet explorer\international\scripts
    Opens key:
                                                                       HKLM\software\policies\microsoft\internet explorer\settings
    Opens key:
    Opens kev:
                                                                       HKCU\software\microsoft\internet explorer\settings
    Opens key:
                                                                       HKLM\software\microsoft\internet explorer\settings
    Opens kev:
                                                                       HKCU\software\microsoft\internet explorer\stvles
    Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus active desktop
    Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\policies
    Opens key:
                                                                       HKCU\software\microsoft\internet explorer\pagesetup
    Opens key:
                                                                       HKCU\software\microsoft\internet explorer\menuext
    Opens key:
                                                                       HKCU\software\microsoft\internet explorer\menuext\%s
    Opens key:
                                                                       HKLM\svstem\currentcontrolset\control\nls\codepage
                                                                       Opens key:
    Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\explorer\travellog
                                                                       HKLM\software\microsoft\windows\currentversion\explorer\travellog
    Opens key:
    Opens key:
                                                                       HKLM\software\microsoft\internet explorer\version vector
    Opens key:
                                                                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zone_elevation
    Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zone_elevation
                                                                      HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_sslux
    Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux
    Opens key:
                                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation
                                                                     HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_browser_emulation
    Opens key:
                                                                      HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
                                                                      HKCU\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_xssfilter
    Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter
    Opens key:
                                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones
    Opens key:
                                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
    Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
                                                                      HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_enable_compat_logging
                                                                      HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_enable_compat_logging
    Opens key:
                                                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\
                                                                       \label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+internet\+settings\+.
    Opens key:
    Opens key:
                                                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\
                                                                       HKCU\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\zonemap\
                                                                       HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
    Opens kev:
                                                                       HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
    Opens key:
    Opens key:
                                                                       HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\treatas
                                                                       HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treatas
    Opens key:
    Opens key:
                                                                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{50d5107a - d278 - 4871 - 8989 - d278 - d
f4ceaaf59cfc}\progid
                                                                       HKCR \clsid \foots107a-d278-4871-8989-f4ceaaf59cfc \progid
    Opens key:
                                                                       HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
    Opens key:
f4ceaaf59cfc}\inprocserver32
                                                                       \label{local-eq:hkcr} $$ HKCR\clsid_{50d5107a-d278-4871-8989-f4ceaaf59cfc} \in \clsid_{50d5107a-d278-4871-8989-f4ceaaf59cfc} $$ in processor of the context 
    Opens key:
    Opens key:
                                                                       HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\inprochandler32
                                                                      HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler32
    Opens key:
    Opens key:
                                                                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{50d5107a - d278 - 4871 - 8989 - d278 - d
f4ceaaf59cfc}\inprochandler
    Opens key:
                                                                      HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler
                                                                       HKCU\software\policies\microsoft\internet explorer\control panel
    Opens key:
    Opens key:
                                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_urlecho
    Opens key:
                                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_urlecho
                                                                      HKCU \setminus software \setminus classes \setminus clsid \setminus \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\}
    Opens key:
    Opens key:
                                                                       HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
    Opens key:
                                                                       HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\treatas
    Opens key:
                                                                       HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\treatas
                                                                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{f414c260-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac
    Opens kev:
00aa00bbbb58}\progid
    Opens key:
                                                                       HKCR \clsid \f414c260-6ac0-11cf-b6d1-00aa00bbbb58 \progid
                                                                      HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
    Opens key:
00aa00bbbb58}\inprocserver32
    Opens key:
                                                                       HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32
```

Opens key: $\label{lem:hkcu} \begin{tabular}{ll} HKCU\software\classes\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbb58}\clsid$

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprochandler32

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprochandler

Opens key: HKLM\software\microsoft\windows script\features

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547

Opens key: HKLM\software\microsoft\internet explorer\activex compatibility

Opens key: HKLM\software\microsoft\internet explorer\activex

 $compatibility \setminus \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\}$

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key: HKCU\software\classes\appid\700aa61e9dbd14abfcc633546a5be910.exe

Opens key: HKCR\appid\700aa61e9dbd14abfcc633546a5be910.exe
Opens key: HKLM\software\microsoft\ole\appcompat

Opens key: HKLM\sortware\microsort\ole\appcompat

HKLM\system\currentcontrolset\control\lsa

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key:

Opens key: HKLM\software\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography\offload

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-000000000046}

Opens key: HKCR\interface\{00000134-0000-0000-0000000000046} Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-

000000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32

Opens key: HKLM\system\currentcontrolset\services\bfe

Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\url history

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\url history

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\url

history

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\url

history

Opens key: HKCU\software\microsoft\ftp

Opens key: HKLM\software\policies\microsoft\internet explorer\services

Opens key: HKCU\software\microsoft\internet explorer\services

Opens key: ${\tt HKLM\backslash software\backslash policies\backslash microsoft\backslash internet\ explorer\backslash activities}$

Opens key: HKCU\software\microsoft\internet explorer\activities
Opens key: HKLM\software\microsoft\internet explorer\activities

Opens key: HKLM\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_binary_caller_service_provider

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_binary_caller_service_provider

Opens key: HKLM\software\policies\microsoft\internet explorer\restrictions
Opens key: HKCU\software\policies\microsoft\internet explorer\restrictions

Opens key: HKCU\software\microsoft\internet

 $\verb|explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup| \\$

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup
Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert
 Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_subdownload_lockdown Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature subdownload lockdown

Opens key: HKCU\software\classes\protocols\name-space handler

Opens key: HKCU\software\classes\.css

Opens key: HKCR\.css

Opens key: HKCU\software\microsoft\internet

 $\verb|explorer| a in \verb|\feature| custom_image_mime_types_kb910561|$

Opens key: HKLM\software\microsoft\internet

Opens key: HKCU\software\microsoft\internet explorer\dxtrans
Opens key: HKLM\software\microsoft\internet explorer\dxtrans

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation

Opens kev:

HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_scripturl_mitigation

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_scripturl_mitigation Opens key: HKCU\software\classes\.png

Opens key: HKCR\.png

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01} Opens key: Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\treatas

 $\label{locality} $$ HKCR\clsid{30c3b080-30fb-11d0-b724-00aa006c1a01} \times Calculate (a) $$ The extraction of the context of the$ Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-Opens key:

00aa006c1a01}\progid

Opens key: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32

Opens key: $HKCR \c1sid \ \{30c3b080-30fb-11d0-b724-00aa006c1a01\} \ \ inprocserver 32$

HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-Opens key:

00aa006c1a01}\inprochandler32

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprochandler32 Opens key:

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprochandler

Opens key: $HKCR \c1sid \ \{30c3b080-30fb-11d0-b724-00aa006c1a01\} \ \ in prochandler$ HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01} Opens key:

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01} Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\treatas

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\progid

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid Opens key: Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler32

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler

 $HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{clsid\}$ Opens key:

Opens key: HKCU\software\classes\mime\database\content type

Opens key: HKCR\mime\database\content type

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \mime \database \content type \label{lem:hkcu} image/bmp \bits \end{tabular}$ Opens key:

Opens key: HKCR\mime\database\content type\image/bmp\bits

HKCU\software\classes\mime\database\content type\image/gif\bits Opens kev:

Opens key: HKCR\mime\database\content type\image/gif\bits Opens key: HKCU\software\classes\mime\database\content type\image/jpeg\bits

HKCR\mime\database\content type\image/jpeg\bits Opens key: Opens key: HKCU\software\classes\mime\database\content type\image/pjpeg\bits

Opens key: HKCR\mime\database\content type\image/pjpeg\bits

Opens kev: HKCU\software\classes\mime\database\content type\image/png\bits

Opens key: HKCR\mime\database\content type\image/png\bits

Opens key: HKCU\software\classes\mime\database\content type\image/tiff\bits

Opens key: HKCR\mime\database\content type\image/tiff\bits

HKCU\software\classes\mime\database\content type\image/x-icon\bits Opens key:

Opens key: HKCR\mime\database\content type\image/x-icon\bits Opens key: HKCU\software\classes\mime\database\content type\image/x-jg\bits

Opens key: $HKCR\mbox{\tt Mime} \mbox{\tt database} \mbox{\tt content type} \mbox{\tt image} \mbox{\tt x-jg} \mbox{\tt bits}$ Opens key: HKCU\software\classes\mime\database\content type\image/x-png\bits

Opens key: HKCR\mime\database\content type\image/x-png\bits

HKCU\software\classes\mime\database\content type\image/x-wmf\bits Opens key:

Opens key: HKCR\mime\database\content type\image/x-wmf\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-png

Opens key: HKCR\mime\database\content type\image/x-png

Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{a3ccedf7-2de2-11d0-86f4-00a0c913f750\}$

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750} Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\treatas

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\treatas HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-Opens key:

00a0c913f750}\progid

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid Opens kev: Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler32

 $HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\$ Opens key:

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler Opens kev: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination Opens key: HKCU\software\microsoft\internet explorer\ietld HKCU\software\classes\.gif Opens key: Opens key: HKCR\.gif Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\cache Opens key: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ settings\5.0\cache Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\content HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\content Opens key: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w$ 9d55-7b8e7f157091} 9d55-7b8e7f157091}\propertybag $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$ 9afe-ea3317b67173} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002 HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\cookies Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\cache\cookies $HKLM \setminus software \setminus irrosoft \setminus ir$ a03a-e3ef65729f3d} Opens key: a03a-e3ef65729f3d}\propertybag HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\history $\label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet$ Opens key: settings\5.0\cache\history Opens key: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ ' \{d9dc8a3b-b784-432e-d74b, and a simple based on the contraction \ 'current version' \ explorer \ 'folder descriptions' \ 'current version' \ explorer \ 'folder descriptions' \ 'current version' \ explorer \ explorer$ a781-5a1130a75963} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}\propertybag HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\domstore Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\iecompat HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\ietld Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\privacie: HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_restricted_zone_when_file_not_found HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature restricted zone when file not found $HKCU \setminus software \setminus classes \setminus (e569bde7 - a8dc - 47f3 - 893f - fd2b31b3eefd) \\$ Opens key: Opens key: $HKCR \verb|\clsid| \{e569bde7-a8dc-47f3-893f-fd2b31b3eefd\}$ Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\treatas HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\progid Opens key: $HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\progid$ Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\inprocserver32

 $\label{lem:defd} $$ fd2b31b3eefd} inprochandler 32 $$ Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd} inprochandler 32 $$ Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd} inprochandler $$ default of the prochandler $$ default of the$

Opens key: Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprocserver32

HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

```
HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\ \ in prochandler
 Opens key:
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_block_lmz_img
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature block lmz img
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking 818408
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_allow_long_international_filenames
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
                         HKCU\software\microsoft\internet
 Opens key:
explorer \verb|\main| featurecontrol| feature\_disable\_unicode\_handle\_closing\_callback| \\
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature digest no extras in uri
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature enable passport session store kb948608
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature use utf8 for basic auth kb967545
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens kev:
                         HKLM\svstem\currentcontrolset\services\winsock2\parameters
 Opens key:
                         HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\075ac856
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
 Opens kev:
```

Opens kev:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001 Opens kev:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004 Opens kev:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008 Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011 Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000015

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016 Opens kev:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5

Opens kev:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001 Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\0000000000004 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006

HKCU\software\microsoft\windows\currentversion\internet settings\wpad Opens kev: Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615

HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_include_port_in_spn_kb908209

HKLM\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_include_port_in_spn_kb908209

HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32

Opens key:

HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs

HKLM\software\microsoft\windows nt\currentversion\profilelist Opens kev:

Opens key: HKII\

Opens key: HKLM\system\currentcontrolset\control\sqmservicelist

Opens key: HKCU\software\classes\autoproxytypes

Opens key: HKCR\autoproxytypes

Opens key: HKCU\software\classes\autoproxytypes\application/x-internet-signup

Opens kev: HKCR\autoproxytypes\application/x-internet-signup

Opens key: HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig

Opens key: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient

Opens key: HKLM\system\currentcontrolset\services\dns HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens key:

Opens key:

```
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
                                                            HKLM\software\policies\microsoft\system\dnsclient
    Opens key:
    Opens key:
                                                             HKLM\system\currentcontrolset\services\winsock\parameters
    Opens key:
                                                             HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
    Opens key:
                                                             HKLM\system\currentcontrolset\services\psched\parameters\winsock
    Opens key:
                                                             HKLM\system\currentcontrolset\services\winsock\setup migration\providers
                                                             HKLM\system\currentcontrolset\services\winsock\setup
    Opens key:
migration\providers\psched
                                                            \label{lem:hklm} \verb+Kklm \system \current control set \services \tcpip \parameters \winsock
    Opens key:
                                                             HKLM\system\currentcontrolset\services\winsock\setup
    Opens key:
migration\providers\tcpip
    Opens key:
                                                             HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
                                                             {\tt HKLM \ } system \verb|\ current control set \verb|\ services \verb|\ dns cache \verb|\ parameters \ param
    Opens key:
    Opens key:
c19ce8a73253}
    Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
    Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e69633
    Opens key:
1709a0196aed}
    Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-
a68f334c8d34}
    Opens key:
                                                             HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
    Opens key:
                                                             HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
                                                             HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
    Opens key:
199fdba5723b}\treatas
                                                             HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
    Opens key:
                                                             HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
    Opens key:
199fdba5723b}\progid
    Opens key:
                                                             HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
                                                            HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
    Opens key:
199fdba5723b}\inprocserver32
    Opens key:
                                                            HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32
                                                            Opens key:
199fdba5723b}\inprochandler32
    Opens key:
                                                            HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\inprochandler32
                                                            HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
    Opens key:
199fdba5723b}\inprochandler
                                                            HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprochandler
    Opens key:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
    Opens key:
    Opens key:
                                                             HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
    Opens key:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\treatas
                                                             HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas
    Opens key:
    Opens key:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\progid
    Opens key:
                                                             HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid
    Opens kev:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprocserver32
                                                            HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32
    Opens key:
    Opens key:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprochandler32
    Opens key:
                                                             HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\} \ \ in prochandler 32
    Opens key:
                                                             HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprochandler
    Opens key:
                                                             HKCR\clsid\a47979d2-c419-11d9-a5b4-001185ad2b89\\inprochandler
    Opens key:
                                                             HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
    Opens key:
                                                             HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
    Opens key:
                                                             HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-
199fdba5723b}\proxystubclsid32
                                                            HKCR \verb|\| interface \verb|\| \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \verb|\| proxystubclsid32| 
    Opens key:
    Opens key:
                                                             HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\}
    Opens key:
                                                             HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
                                                             HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a
    Opens key:
2299f0398e27}\treatas
    Opens key:
                                                             HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas
                                                             HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
    Opens key:
2299f0398e27}\progid
                                                             HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid
    Opens kev:
    Opens key:
                                                             HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32
    Opens key:
                                                            HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32
                                                            HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a-bb0f-be14b6a
    Opens key:
2299f0398e27}\inprochandler32
                                                            HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32
    Opens kev:
    Opens key:
                                                             HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
```

```
2299f0398e27}\inprochandler
                                                                               HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler
     Opens key:
                                                                               HKCU \setminus software \setminus classes \setminus interface \setminus \{26656eaa-54eb-4e6f-8f85-4f0ef901a406\}
     Opens key:
                                                                               HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
     Opens key:
     Opens kev:
                                                                               HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-
4f0ef901a406}\proxystubclsid32
                                                                               Opens key:
                                                                               HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
     Opens key:
                                                                               HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
     Opens key:
                                                                               HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
     Opens key:
6d613e2ceaec}\proxystubclsid32
     Opens key:
                                                                               Opens key:
                                                                               HKCU \setminus software \setminus classes \setminus interface \setminus \{55272a00-42cb-11ce-8135-00aa004bb851\}
                                                                               HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
     Opens key:
     Opens key:
                                                                               HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-
 00aa004bb851}\proxystubclsid32
     Opens key:
                                                                               HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32
     Opens key:
                                                                               HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
     Opens key:
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
     Opens key:
                                                                               HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\treatas
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas
     Opens key:
                                                                               HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
     Opens kev:
 00aa00341d07}\progid
     Opens key:
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid
                                                                               HKCU \setminus software \setminus classes \setminus clsid \setminus \{b196b286 - bab4 - 101a - b69c - bab4 - 101a - b69c - bab4 - b
     Opens key:
00aa00341d07}\inprocserver32
     Opens key:
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32
                                                                               HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
     Opens kev:
 00aa00341d07}\inprochandler32
     Opens key:
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32
     Opens key:
                                                                               HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler
     Opens key:
                                                                               HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\
                                                                               HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
     Opens key:
     Opens key:
                                                                               HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
     Opens key:
                                                                               HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-
4a74e101f8c1}\proxystubclsid32
     Opens key:
b029-7fe99a87c641}
     Opens key:
                                                                               HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
     Opens kev:
                                                                               HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
     Opens key:
                                                                               HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-
     Opens kev:
63278fcb8037}\proxystubclsid32
                                                                               HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32
     Opens key:
     Opens key:
b029-7fe99a87c641}\propertybag
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-00000000046}
     Opens kev:
     Opens key:
                                                                               HKCR\clsid\{00021401-0000-0000-c000-00000000046}
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-
     Opens key:
 000000000046}\treatas
     Opens kev:
                                                                               HKCR\clsid\{00021401-0000-0000-c000-00000000046}\treatas
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-
     Opens key:
000000000046}\progid
     Opens key:
                                                                               HKCR\clsid\{00021401-0000-0000-c000-00000000046}\progid
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-
     Opens key:
 000000000046}\inprocserver32
     Opens key:
                                                                               HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprocserver32
     Opens key:
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-
00000000046}\inprochandler32
     Opens key:
                                                                               HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler32
                                                                               HKCU\software\classes\clsid\{00021401-0000-0000-c000-
     Opens key:
00000000046}\inprochandler
     Opens key:
                                                                              HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler
     Opens key:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-47
b4ef-bd1dc332aeae}
     Opens key:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-47
b4ef-bd1dc332aeae}\propertybag
     Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-
8648-d5d44b04ef8f}
     Opens key:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4
8648-d5d44b04ef8f}\propertybag
     Opens key:
                                                                              HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder
```

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder
Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da}'$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{property bag}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}\ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\e$

Onens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \end{4.8} \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855)$

Opens kev:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \folder \general \general \folder \general \$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $HKLM\software\mbox{microsoft}\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\propertybag}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag}$

Opens key

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \end{picture}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens kev:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\property\bag$

Opens key

 $\label{local-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \eqref \folder de scriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \eqref \eqref$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{absolute} $$ a663-37bd56068185 \simeq 10^{19-a663-37bd56068185} $$ absolute{Absolute} $$ a663-37bd56068185 \simeq 10^{19-a663-37bd56068185} $$ absolute{Absolute} $$ a$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \equal 491e92f-5643-4af4-a7eb-4e7a138d8174 \equal 491e92f-5643-4af4-a7eb-4e7a136d8174 \equal 491e92f-66436d8174 \equal 491e92f-66436d8174 \equal 491e92f-66436d8174 \equa$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ property bag$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{thm:local-continuous} \footnote{Abs-98395c3bc3bb} \end{tabular}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ 33e28130-4e1e-4676-835a-98395c3bc3bb \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Opens key:

 $\label{thm:local-prop} $HKLM \setminus software \min(s) {2400183a-6185-49fb-a2d8-4a392a602ba3} $$$

Opens kev:

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ property bag$

Opens key:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}$$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bfefb45-347d-4006-a5be-ac0cb0567192}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\fold$

Opens key:

be4e-64cd4cb7d6ac}\propertybag

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}$

Opens kev:

Opens key:

Opens kev:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\expl$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}$

Opens kev:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \property bag$

Opens key:

Opens key:

 $\label{local-property-def} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}\property\bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d17-9f04-a5fe99fc15ec \property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}\propertybag}$

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag

Opens key:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \$

Opens key:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Opens key:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\ property bag$

Opens key:

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Opens kev

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key

 $\label{thm:local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\property\bag}$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\property\bag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Large to the sum of the$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\folderdes\gamma\folderd$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$

Opens key:

 $\label{twist} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fol$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\earself{lem:hklmsoftware} ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ property bag$

Opens key:

 $\label{lem:hkklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}} \\$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}\ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e467b\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\}$

Opens kev:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens kev:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \property bag$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}}$

Opens key:

 $HKL\dot{M}\ software\ microsoft\ windows\ current version\ explorer\ folder descriptions\ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}\ property bag$

Opens kev:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}}$

Opens key:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\propertybag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \explorer \folder descriptions \folder descriptions \folder \folder$

Opens key:

b827-48b24b6c7174}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ 'property bag$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}\property\bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}\ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\}$

Opens key:

 $\label{lem:hkkkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\property\bag}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228cb 7-ae 11-4ae 3-864c-16f 3910ab 8fe \}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b97d20bb-f46a-4c97-ba10-5e3608430854}$

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}\propertybag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}\propertybag

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ de 92c1c7-837f-4f69-a3bb-86e631204a23 \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{10c07cd0-ef91-4567-b850-448b77cb37f9}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ property bag$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

Opens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

 $\label{thm:local-observation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{24eed2e0-e7ca-4fdb-9148-0f4247291cfa}\property\beg$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\property\beg$

Onens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}\ property bag$

Opens key

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early a 63293e8-664e-48db-a079-df759e0509f7 \end{picture}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c02886155\}$

Opens kev:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\property\bag}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\propertybag}$

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Opens key:

Opens key:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}$

Opens key:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

 $HKLM \ software \ windows \ current version \ explorer \ users files \ name space \ delegate folders \ defiacd constraints \ delegate folders \$

679f-4156-8947-c5c76bc0b67f}

Opens kev:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ users files \ name space \ delegate folders$

Opens key:

 $\label{prop:linear_hamilton} HKCU \software \microsoft \windows \current version \explorer \soft \microsoft \microsoft$

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in follows \ current version \ explorer \ session in follows \ current version \ explorer \ session \ in follows \ explorer \ expl$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\custom\shdocvw.dll

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

 $\label{lem:continuous} Opens~key: $$ HKCR\clsid\\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\treatas $$ Opens~key: $$ HKCU\software\classes\clsid\\{dffacdc5-679f-4156-8947-}$

c5c76bc0b67f}\progid

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: $HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32$ Opens key: $HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}$

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\treatas

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

 $Opens~key: \\ HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\ \ inprochandler 32 \\$

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

8947-c5c76bc0b67f}

Opens key: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters
Opens key: HKLM\system\currentcontrolset\services\lanmanserver\defaultsecurity

Opens key: HKLM\system\currentcontrolset\control\computername
Opens key: HKLM\system\currentcontrolset\services\netb\linkage

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKCU\software\microsoft\windows\currentversion\app

 $paths \verb|\700| aa61e9dbd14abfcc633546a5be910.exe|$

Opens key: HKLM\software\microsoft\windows\currentversion\app

paths\700aa61e9dbd14abfcc633546a5be910.exe
 Opens key: HKCU\software\soft-ware

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Oueries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

```
Queries value:
                         HKLM\software\microsoft\windows
\verb|nt\currentversion\gre_initialize[disablemetafiles]|\\
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\compatibility32[700aa61e9dbd14abfcc633546a5be910]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
 Oueries value:
                         HKLM\software\microsoft\ole[pageallocatorusesystemheap]
                         HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Oueries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
 Queries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security_hklm_only]
                         HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
                         HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
 Oueries value:
                         HKLM\svstem\currentcontrolset\control\cmf\config[svstem]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\datastore_v1.0[disable]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane1]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                         HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\languagepack\surrogatefallback[plane12]|
                         HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane13]|
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
 Queries value:
                         HKLM\software\microsoft\rpc[maxrpcsize]
 Oueries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
 Oueries value:
                         HKLM\system\setup[oobeinprogress]
                         HKLM\system\setup[systemsetupinprogress]
 Queries value:
 Queries value:
                         HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Oueries value:
c19ce8a73253}[enabledhcp]
 Oueries value:
                         HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
 Oueries value:
                         HKCR\http\shell\open\command[]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\app paths\iexplore.exe[]
 Oueries value:
                         HKLM\software\microsoft\com3[com+enabled]
 Queries value:
                         \label{locality} $$ HKCR\clsid_{8856f961-340a-11d0-a96b-00c04fd705a2} \rightarrow [] $$
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[inprocserver32]
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[]
 Oueries value:
 Oueries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[threadingmodel]
 Oueries value:
                         HKLM\software\microsoft\ole[maxsxshashcount]
 Queries value:
                         HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0\win32[]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature unc savedfilecheck[700aa61e9dbd14abfcc633546a5be910.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
 Oueries value:
                         HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
```

```
Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\1[flags]
                                                 HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\zones\2[flags]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
                                                 HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be07 - be07 - be18 - b
   Oueries value:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
                                                 HKLM\software\microsoft\ctf[enableanchorcontext]
   Queries value:
   Oueries value:
                                                 settings[createuricachesize]
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[createuricachesize]
                                                 HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings[createuricachesize]
                                                HKLM\software\microsoft\windows\currentversion\internet
   Queries value:
settings[createuricachesize]
                                                HKLM\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[enablepunycode]
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[enablepunycode]
                                                 HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings[enablepunycode]
                                                 HKLM\software\microsoft\internet
   Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[700aa61e9dbd14abfcc633546a5be910.exe]
                                                HKLM\software\microsoft\internet
   Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[attributes]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[restrictedattributes]
   Oueries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hidefolderverbs]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[usedrophandler]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[queryforinfotip]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideinwebview]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideondesktopperuser]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
   Oueries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8
08002b30309d}1
   Queries value:
11e3-b3bc-806e6f6e6963}[data]
   Queries value:
11e3-b3bc-806e6f6e6963}[generation]
   Queries value:
                                                 HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
   Oueries value:
   Oueries value:
                                                HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[inprocserver32]
                                                HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]
   Oueries value:
   Queries value:
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
```

```
b8dc300d9f9d}\inprocserver32[threadingmodel]
 Oueries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                         HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion[devicepath]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
 Oueries value:
                         HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
                         HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
 Oueries value:
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
 Oueries value:
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                         HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
 Oueries value:
 Oueries value:
HKCU \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'advanced [show superhidden]
 Queries value:
HKCU \ software \ microsoft \ windows \ current version \ (separate process)
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
 Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[iconsonly]| \\ \end{tabular}
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
 Oueries value:
                         HKCR\directory[docobject]
                         HKCR\folder[docobject]
 Queries value:
 Queries value:
                         HKCR\allfilesystemobjects[docobject]
 Oueries value:
                         HKCR\directory[browseinplace]
                         HKCR\folder[browseinplace]
 Queries value:
                         HKCR\allfilesystemobjects[browseinplace]
 Oueries value:
 Oueries value:
                         HKCR\directory[isshortcut]
                         HKCR\folder[isshortcut]
 Oueries value:
                         HKCR\allfilesystemobjects[isshortcut]
 Queries value:
 Oueries value:
                         HKCR\directory[alwaysshowext]
                         HKCR\directory[nevershowext]
 Queries value:
 Oueries value:
                         HKCR\folder[nevershowext]
 Queries value:
                         HKCR\allfilesystemobjects[nevershowext]
 Oueries value:
11e3-b3bc-806e6f6e6963}[data]
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-
11e3-b3bc-806e6f6e6963}[generation]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[frametabwindow]
                         HKLM\software\microsoft\internet explorer\main[frametabwindow]
 Oueries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[framemerging]
                         HKLM\software\microsoft\internet explorer\main[framemerging]
 Queries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[sessionmerging]
 Oueries value:
                         HKLM\software\microsoft\internet explorer\main[sessionmerging]
                         HKCU\software\microsoft\internet explorer\main[admintabprocs]
 Queries value:
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[admintabprocs]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[tabprocgrowth]
                         HKLM\software\microsoft\internet explorer\main[tabprocgrowth]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[navigationdelay]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[urlencoding]
                         HKCU\software\microsoft\internet explorer\international[acceptlanguage]
 Oueries value:
 Queries value:
                         HKCR\.html[]
                         HKCR\htmlfile\shellex\iconhandler[]
 Oueries value:
 Oueries value:
                         HKCR\htmlfile[docobiect]
 Oueries value:
                         HKCR\systemfileassociations\.html[docobject]
 Queries value:
                         HKCR\htmlfile[browseinplace]
                         HKCR\systemfileassociations\.html[browseinplace]
 Oueries value:
 Queries value:
                         HKCR\.html[content type]
 Oueries value:
                         HKCR\htmlfile\clsid[]
```

Queries value: HKCR\systemfileassociations\.html[alwaysshowext]
Queries value: HKCR\htmlfile[nevershowext]

HKCR\htmlfile[isshortcut]

HKCR\htmlfile[alwaysshowext]

HKCR\systemfileassociations\.html[isshortcut]

Oueries value:

Queries value: Queries value: Queries value: HKCR\systemfileassociations\.html[nevershowext]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprocserver32[]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\inprocserver32[loadwithoutcom]

Queries value: HKCU\software\microsoft\windows\currentversion\shell

extensions\cached[{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} {000214e6-0000-0000-c000-000000000046}

0xffff]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}[]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\windows\currentversion\policies\ratings[key]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[relativepath]

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \cal{lem:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [localized name]$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{352481e8-33be-4251-ba85-6007caedcf9d} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$352481e8-33be-4251-ba85-6007} (a constant) \label{lem:hklmsoftware} The label{lem:hklmsoftware} The label{lem:hklmsoftwar$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 caed \ 'folder \ 'explorer' \ 'folder \ 'f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder type id]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \{352481e8-33be-4251-ba85-6007caedcf9d\} [initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[category]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} HKLM \software \end{arrange} 100 e-08a611b84ff6 \ [publish \expanded \path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value: HKCU\software\microsoft\internet explorer[no3dborder]
Queries value: HKLM\software\microsoft\internet explorer[no3dborder]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[urlencoding]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[urlencoding]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_mime_handling[700aa61e9dbd14abfcc633546a5be910.exe]|$

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_mime_handling[*]

 $\label{lem:queries} \mbox{Queries value:} & \mbox{HKLM} \mbox{ hicrosoft} \mbox{ lemaximumal lowed allocation size] } \\ \mbox{Queries value:} & \mbox{HKCU} \mbox{ hicrosoft} \mbox{ windows} \mbox{ current version} \mbox{ internet } \\ \mbox{ lemaximum allowed allocation size] } \\ \mbox{ lemaximum allowed allocation size]} \\ \mbox{ lemaxim allowed allocation size]} \\ \mbox{ lemaxim allowed allocation size]} \\ \mbox{ lemaxim allocation size]} \\ \mbox{ lemaxim allocat$

settings[proxyenable]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_mime_sniffing[700aa61e9dbd14abfcc633546a5be910.exe]

Queries value: HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[istextplainhonored]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_safe_bindtoobject[700aa61e9dbd14abfcc633546a5be910.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_safe_bindtoobject[*] HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[] Oueries value: HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[] Queries value: Oueries value: HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[inprocserver32] HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[] Oueries value: Oueries value: HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[threadingmodel] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dispparams[700aa61e9dbd14abfcc633546a5be910.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dispparams[*] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_object_caching[700aa61e9dbd14abfcc633546a5be910.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature object caching[*] Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay] Queries value: HKLM\system\currentcontrolset\control\wmi\security[Ocfe0455-93ba-440da3fe-553973d0b7231 Queries value: HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796b924-d51178a59ce4] HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-Oueries value: 91a2-7b624e0e7244] Queries value: HKLM\software\microsoft\internet explorer\application compatibility[700aa61e9dbd14abfcc633546a5be910.exe] HKCU\software\microsoft\internet explorer\domstorage[totallimit] Queries value: HKCU\software\microsoft\internet explorer\domstorage[domainlimit] Queries value: Oueries value: Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options[disablelocaloverride] HKCU\software\microsoft\windows Queries value: nt\currentversion\windows[dragscrollinset] Oueries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragscrolldelay] HKCU\software\microsoft\windows Oueries value: nt\currentversion\windows[dragscrollinterval] HKLM\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature_restrict_filedownload[700aa61e9dbd14abfcc633546a5be910.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_restrict_filedownload[*] HKCR\protocols\handler\about[clsid] Oueries value: Queries value: HKCR\clsid\{3050f406-98b5-11cf-bb82-Oueries value: 00aa00bdce0b}\inprocserver32[inprocserver32] HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[] Oueries value: Queries value: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[threadingmodel] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown[700aa61e9dbd14abfcc633546a5be910.exe] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown[*] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\zones\3[2106] Queries value: HKCU\software\microsoft\internet explorer\zoom[zoomdisabled] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors[700aa61e9dbd14abfcc633546a5be910.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors[*] Queries value: HKLM\software\policies\microsoft\internet explorer[smartdithering] Oueries value: HKCU\software\microsoft\internet explorer[smartdithering] HKCU\software\microsoft\internet explorer[rtfconverterflags] Queries value: Queries value: HKCU\software\microsoft\internet explorer\main[usecleartype] Oueries value: HKCU\software\microsoft\internet explorer\main[page_transitions] HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\main[anchor underline] Oueries value: HKCU\software\microsoft\internet explorer\main[css_compat] Queries value: HKCU\software\microsoft\internet explorer\main[expand alt text] Queries value: HKCU\software\microsoft\internet explorer\main[display inline images] Queries value: HKCU\software\microsoft\internet explorer\main[display inline videos] HKLM\software\microsoft\internet explorer\main[display inline videos] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\main[play_background_sounds] Queries value: HKCU\software\microsoft\internet explorer\main[play_animations] Queries value: HKCU\software\microsoft\internet explorer\main[print_background] HKCU\software\microsoft\internet explorer\main[use stylesheets] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\main[smoothscroll] HKCU\software\microsoft\internet explorer\main[xmlhttp] Oueries value:

Queries value: HKCU\software\microsoft\internet explorer\main[show image placeholders]
Queries value: HKCU\software\microsoft\internet explorer\main[disable script debugger]
Queries value: HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie]
Queries value: HKCU\software\microsoft\internet explorer\main[move system caret]
Queries value: HKCU\software\microsoft\internet explorer\main[force offscreen

```
composition]
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\main[enable autoimageresize]
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\main[usethemes]
                                   HKCU\software\microsoft\internet explorer\main[usehr]
  Queries value:
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\main[q300829]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\main[cleanup htcs]
                                   HKCU\software\microsoft\internet explorer\main[xdomainrequest]
  Oueries value:
                                   HKLM\software\microsoft\internet explorer\main[xdomainrequest]
  Oueries value:
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\main[domstorage]
  Oueries value:
                                   HKCU\software\microsoft\internet
explorer\international[default_codepage]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\international[autodetect]
  Oueries value:
                                   HKCU\software\microsoft\internet
explorer\international\scripts[default iefontsizeprivate]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[anchor color]
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\settings[anchor color visited]
                                   HKCU\software\microsoft\internet explorer\settings[anchor color hover]
  Oueries value:
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[always use my colors]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[always use my font
size1
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[always use my font
face]
  Oueries value:
                                   HKCU\software\microsoft\internet explorer\settings[disable visited
hyperlinks]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[use anchor hover
color1
  Queries value:
                                   HKCU\software\microsoft\internet explorer\settings[miscflags]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\policies[allow
programmatic cut_copy_paste]
  Queries value:
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings[disablecachingofsslpages]
                                   HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[disablecachingofsslpages]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings[disablecachingofsslpages]
                                   HKCU\software\microsoft\internet explorer\pagesetup[print_background]
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\codepage[950]
  Oueries value:
  Oueries value:
                                   HKCU\software\microsoft\internet
explorer\international\scripts\3[iefontsize]
                                   HKCU\software\microsoft\internet
  Queries value:
explorer\international\scripts\3[iefontsizeprivate]
                                   HKCU\software\microsoft\internet
  Queries value:
explorer\international\scripts\3[iepropfontname]
  Queries value:
                                   HKCU\software\microsoft\internet
explorer\international\scripts\3[iefixedfontname]
                                   HKLM\software\microsoft\internet explorer\version vector[ie]
  Queries value:
  Queries value:
                                   HKLM\software\microsoft\internet explorer\version vector[vml]
  Queries value:
                                   HKLM\software\microsoft\internet explorer\version vector[windowsedition]
  Oueries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zone_elevation[700aa61e9dbd14abfcc633546a5be910.exe]
                                   HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature zone elevation[*]
  Queries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux[700aa61e9dbd14abfcc633546a5be910.exe]
                                   HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_sslux[*]
  Queries value:
                                   HKLM\software\microsoft\internet
Queries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation[*]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[2700]
                                   HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zones\0[2700]
                                   HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_xssfilter[700aa61e9dbd14abfcc633546a5be910.exe]
  Queries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter[*]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\zones[securitysafe]
  Queries value:
                                   HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner]
  Oueries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature mshtml autoload ieframe[700aa61e9dbd14abfcc633546a5be910.exel
  Queries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[*]
  Oueries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[2106]
  Queries value:
                                   HKLM\software\microsoft\windows\currentversion\internet
settings\zones\0[2106]
  Queries value:
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings[warnonintranet]
                                   \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu} \mbox{\tt hkcu\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu
  Oueries value:
```

settings[warnonintranet]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[warnonintranet]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32[]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1400]

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[]

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32[]

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1201]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[1201]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]

Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]

 $\label{thm:linear_queries} Queries \ value: & HKLM\system\currentcontrolset\control\sa[everyoneincludes anonymous] \\ Queries \ value: & HKLM\software\microsoft\cryptography\defaults\provider\microsoft\ strong \\ \\$

cryptographic provider[type]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider[image path]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]

Queries value:

HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]

Queries value: HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]

Queries value: HKLM\software\microsoft\cryptography[machineguid]

Queries value: HKCR\interface\{00000134-0000-0000-0000-00000000046}\proxystubclsid32[]

 $\label{thm:condition} Queries \ value: \\ HKLM \ software \ microsoft \ rpc \ extensions \ [remoterpcdll]$

Queries value: HKLM\software\microsoft\sqmclient\windows\disabledprocesses[7c8f8e60]

Queries value:

 $HKLM \verb|\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]|$

Queries value:

 $HKLM \verb|\software\microsoft\sqmclient\windows\disabledsessions[globalsession]|$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]
Oueries value:

Queries value: HKLM\software\microsoft\windows\currentversion\internet settings\url

history[daystokeep]

Queries value: HKCU\software\microsoft\ftp[use web based ftp]

Queries value: HKCU\software\microsoft\internet

explorer\services[selectionactivitybuttondisable]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

 ${\tt settings[cointernetcombineiuricachesize]}$

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_subdownload_lockdown[700aa61e9dbd14abfcc633546a5be910.exe]|$

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_subdownload_lockdown[*]

Queries value: HKCR\.css[content type] Queries value: HKCR\.png[content type]

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[]

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[]
Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

```
00aa006c1a01}\inprocserver32[threadingmodel]
      Oueries value:
                                                                                            HKCR\mime\database\content type\image/bmp\bits[0]
      Oueries value:
                                                                                             HKCR\mime\database\content type\image/gif\bits[0]
      Queries value:
                                                                                             HKCR\mime\database\content type\image/jpeg\bits[0]
      Oueries value:
                                                                                             HKCR\mime\database\content type\image/pjpeg\bits[0]
      Queries value:
                                                                                             HKCR\mime\database\content type\image/png\bits[0]
      Oueries value:
                                                                                             HKCR\mime\database\content type\image/x-png\bits[0]
                                                                                             HKCR\mime\database\content type\image/x-wmf\bits[0]
      Oueries value:
      Oueries value:
                                                                                             HKCR\mime\database\content type\image/x-png[image filter clsid]
                                                                                             HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[]
      Queries value:
                                                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[]
      Oueries value:
      Queries value:
                                                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
 00a0c913f750}\inprocserver32[inprocserver32]
                                                                                           HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[]
      Oueries value:
      Oueries value:
                                                                                           HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
 00a0c913f750}\inprocserver32[threadingmodel]
                                                                                           HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow]
      Oueries value:
      Queries value:
                                                                                            HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh]
      Queries value:
                                                                                            HKCU\software\microsoft\internet explorer\ietld[ietldversionlow]
      Oueries value:
                                                                                            HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]
      Queries value:
                                                                                            HKCR\.gif[content type]
      Queries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings[syncmode5]
                                                                                            HKLM\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache[sessionstarttimedefaultdeltasecs]
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache[signature]
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\content[peruseritem]
                                                                                            HKLM\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\content[peruseritem]
      Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w
9d55-7b8e7f157091}[category]
      Oueries value:
9d55-7b8e7f157091}[name]
      Oueries value:
9d55-7b8e7f157091}[parentfolder]
      Oueries value:
9d55-7b8e7f157091}[description]
      Queries value:
9d55-7b8e7f157091}[relativepath]
      Oueries value:
9d55-7b8e7f157091}[parsingname]
      Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w
9d55-7b8e7f157091}[infotip]
      Queries value:
9d55-7b8e7f157091}[localizedname]
      Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-
9d55-7b8e7f157091}[icon]
      Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w
9d55-7b8e7f157091}[security]
      Oueries value:
9d55-7b8e7f157091}[streamresource]
      Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w
9d55-7b8e7f157091}[streamresourcetype]
      Queries value:
9d55-7b8e7f157091}[localredirectonly]
      Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w
9d55-7b8e7f157091}[roamable]
      Queries value:
9d55-7b8e7f157091}[precreate]
      Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ f 1b 3 2785 - 6fba - 4fcf - 10 fba - 10 fb
9d55-7b8e7f157091}[stream]
```

9d55-7b8e7f157091}[publishexpandedpath]
Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[foldertypeid]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-fib32785-6 fba-4fcf-9d55-7b8e7f157091} [initfolder-handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclose \ To explorer \ 'folder descriptions \ 'folder descriptions' \ To explore \ 'folder descriptions' \ To explore \ To exp$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'encountersion' \ explorer \ 'folder descriptions' \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}{streamresource}

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[roamable]}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\ [publishexpanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [attributes]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]
 Queries value: HKCU\software\

Queries value: HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]
Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeddescriptions} \ abbeddescriptions \end{abbeddescriptions} \ abbddescriptions \end{abbeddescriptions} \ abbddescriptions \end{abbddescriptions} \ abbddescriptions \end{abbd$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder\f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[local\ rection\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ '[initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[relativepath]

a781-5a1130a75963}[parsingname] Oueries value: a781-5a1130a75963}[infotip] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[icon] Queries value: a781-5a1130a75963}[security] Queries value: a781-5a1130a75963}[streamresource] a781-5a1130a75963}[streamresourcetype] a781-5a1130a75963}[localredirectonly] $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-d74b, d9dc8a3b-b784-432e-d74b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a4b, d9dc8a$ a781-5a1130a75963}[roamable] Queries value: a781-5a1130a75963}[precreate] $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d9dc8a3b-b784-432e-d9dc8a4b-b784-432e-d9dc8a4b-b784-432e-d9dc8a400-d9dc8a4b-b784-4360-d9dc8a4b-b784-4360-d9dc8a4b-b784-4360-d9dc$ a781-5a1130a75963}[stream] a781-5a1130a75963}[publishexpandedpath] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[attributes] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-b784-436e-b784-436e-b784-436e-b784-4$ a781-5a1130a75963}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[initfolderhandler] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[history] Queries value: $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}$ settings\5.0\cache\history[cacheprefix] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\history[cachelimit] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\domstore[cacherepair] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\domstore[cachepath] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\domstore[cacheprefix] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\domstore[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\domstore[cacheoptions] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat[cacherepair] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat[cachepath] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat[cacheprefix] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\feedplat[cachelimit] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat[cacheoptions] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\iecompat[cacherepair] HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\extensible cache\iecompat[cachepath] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\iecompat[cacheprefix] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\iecompat[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacherepair] $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ Queries value:

```
settings\5.0\cache\extensible cache\ietld[cachepath]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\ietld[cacheprefix]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\ietld[cachelimit]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\ietld[cacheoptions]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\privacie:[cacherepair]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachepath]
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
  Oueries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachelimit]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}[]
  Queries value:
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-
  Queries value:
fd2b31b3eefd}\inprocserver32[inprocserver32]
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprocserver32[]
  Queries value:
  Queries value:
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprocserver32[threadingmodel]
                                       HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_block_lmz_img[700aa61e9dbd14abfcc633546a5be910.exe]
  Queries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img[*]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[fromcachetimeout]
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Queries value:
settings[secureprotocols]
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[secureprotocols]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[secureprotocols]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[certificaterevocation]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[disablekeepalive]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablepassport]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[idnenabled]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[cachemode]
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[enablehttp1_1]
  Queries value:
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings[enablehttp1_1]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[proxyhttp1.1]
  Queries value:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablenegotiate]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablebasicoverclearchannel]
  Queries value:
                                       HKCU\software\microsoft\internet
explorer\main\featurecontrol[feature_clientauthcertfilter]
  Oueries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol[feature_clientauthcertfilter]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[clientauthbuiltinui]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \cite{thm:hkcu}. The third \cite{thm:hkcu} is the third \cite{thm:hkcu} is the third \cite{thm:hkcu} is the third \cite{thm:hkcu}. The third \cite{thm:hkcu} is the third \cite{thm
settings[enableautoproxyresultcache]
                                       \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings[displayscriptdownloadfailureui]
  Oueries value:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[mbcsservername]
  Queries value:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[mbcsapiforcrack]
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[utf8servernameres]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[disableworkerthreadhibernation]
  Queries value:
                                       HKLM\software\microsoft\windows\currentversion\internet
settings[disableworkerthreadhibernation]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disablereadrange]
```

```
Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[socketsendbufferlength]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[socketreceivebufferlength]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[keepalivetimeout]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[maxhttpredirects]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxconnectionsperserver]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[maxconnectionsper1_0server]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[maxconnectionsper1_0server]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxconnectionsperproxy]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[serverinfotimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connecttimeout]
                           HKI M\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[connecttimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connectretries]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connectretries]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[sendtimeout]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[sendtimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[receivetimeout]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[receivetimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablentlmpreauth]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[scavengecachelowerbound]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[certcachenovalidate]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelifetime]
 Oueries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelimit]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[httpdefaultexpirytimesecs]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[ftpdefaultexpirytimesecs]
                           HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[700aa61e9dbd14abfcc633546a5be910.exe]
 Oueries value:
                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature disable unicode handle closing callback[*1
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[perusercookies]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[leashlegacycookies]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[dialupuselansettings]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[dialupuselansettings]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[sendextracrlf]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[wpadsearchalldomains]
 Queries value:
                           \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings[bypasshttpnocachecheck]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[bypasshttpnocachecheck]
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[bypasssslnocachecheck]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttptrace]
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[nocheckautodialoverride]
 Queries value:
                           \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
```

```
settings[nocheckautodialoverride]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dontusednsloadbalancing]
  Queries value:
                                   HKLM\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
  Queries value:
                                   \label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet
settings[sharecredswithwinhttp]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[mimeexclusionlistforcache]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings[headerexclusionlistforcache]
  Queries value:
                                   \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[dnscacheenabled]
                                   \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
  Oueries value:
settings[dnscacheentries]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings[dnscachetimeout]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpost]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnalwaysonpost]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonzonecrossing]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonbadcertrecving]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonpostredirect]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings[alwaysdrainonredirect]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonhttpstohttpredirect]
  Queries value:
                                   HKLM\software\microsoft\windows\currentversion\internet
settings[tcpautotuning]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
HKLM\svstem\currentcontrolset\services\winsock2\parameters[namespace callout]
  Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 [serial\_access\_num] \ pr
  Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 [next\_catalog\_entry\_id]
HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9[num catalog entries]
  Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000005[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem]
  Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
  Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog5[num\_catalog\_entries]
```

- Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Queries value:
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace_catalog \catalog_entries \namespace_catalog \catalog_entries \catalog \catalog_entries \catalog \catalog_entries \catalog \cat$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 00000000000004 \ [enabled] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000005 [supported name space] \\ Queries \ value:$

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000005 [version]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
 Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000006 \ [displaystring]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
 Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 000000000006 [supported name space]]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_\catalog_entries\00000000006[storesserviceclassinfo]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
                        HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\wpad[wpadoverride]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings[enableautodial]
                        HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[nonetautodial]
                        HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[globaluseroffline]
                        \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings[badproxyexpirestime]
                        HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablebranchcache]
 Queries value:
                        HKLM\software\microsoft\tracing[enableconsoletracing]
 Oueries value:
Oueries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[filetracingmask]
 Queries value:
Oueries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[consoletracingmask]
 Oueries value:
HKLM \ software \ microsoft \ tracing \ \ 700 aa 61 e 9 db d14 ab f cc 633546 a5 be 910\_ras ap i32 [max file size]
 Queries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[filedirectory]
 Oueries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[enablefiletracing]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\profilelist[programdata]
 Oueries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[filetracingmask]
 Queries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[enableconsoletracing]
 Queries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[consoletracingmask]
 Queries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[maxfilesize]
 Queries value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[filedirectory]
 Queries value:
                        HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
                        \label{lem:hklm} \verb+Kklm/software/policies/microsoft/windows/currentversion/internet \\
 Oueries value:
settings[proxysettingsperuser]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings[migrateproxy]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings[proxyserver]
                        HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyoverride]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings[autoconfigurl]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings\connections[savedlegacysettings]
```

HKCU\software\microsoft\windows\currentversion\internet

Oueries value:

settings\connections[defaultconnectionsettings]

```
Oueries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[autoconfigcustomua]
 Oueries value:
                         HKCR\autoproxytypes\application/x-internet-signup[dllfile]
 Queries value:
                         HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
                         HKCR\autoproxytypes\application/x-internet-signup[default]
 Oueries value:
 Queries value:
                         HKCR\autoproxytypes\application/x-internet-signup[flags]
 Oueries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
 Oueries value:
 Oueries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
 Queries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[flags]
                         HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
 Oueries value:
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [allow unqualified query]
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Queries value:
\label{local-parameters} $$HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]$$
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [filter clusterip]
HKLM\svstem\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval]
 Oueries value:
```

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] $HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [maxcachettl]$ Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [server priority time limit]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Queries value: HKLM\svstem\currentcontrolset\services\tcpip\parameters[dnsquickquervtimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping] Oueries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping] HKLM\system\currentcontrolset\services\winsock\setup Oueries value: migration\providers\psched[winsock 2.0 provider id] HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping] Oueries value: HKLM\system\currentcontrolset\services\winsock\setup Queries value: migration\providers\tcpip[winsock 2.0 provider id] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname] HKLM\svstem\currentcontrolset\services\winsock\setup Oueries value: migration\providers\tcpip6[winsock 2.0 provider id] HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip6 \setminus parameters \setminus winsock [used elayed acceptance]$ Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname] Oueries value:

c19ce8a73253}[searchlist]

Queries value:

 $\label{lem:hklm} HKLM \ system \ `current controlset \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [registration enabled]$

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \[register adapter name] \]$

Oueries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [domain]$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[dhcpdomain]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[dhcpv6domain]

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip6 \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [nameserver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [names erver]$

Oueries value:

Queries value:

 $HKLM \ system \ current controls et \ e29 ac 6c 2-7037-11 de-816 de6f 6e 6963 \ [enabled hcp]$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registrationenabled]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [register adapter name]$

Oueries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [domain]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpdomain]

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [names erver]$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \system \controlset \services \tcpip\parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [queryadaptername]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[disableadapterdomainname]

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[maxnumberofaddressestoregister]

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [enablemulticast]$

Oueries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [queryadaptername]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[disableadapterdomainname]

Queries value:

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [maxnumber of addresses to register]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable multicast]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]

```
Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]
```

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32[]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]

Queries value: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]

Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]

Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprocserver32[threadingmodel]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\cite{category}\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learned the software $$ Hklm\software in explorer folder descriptions $$ b4bfcc3a-db2c-424c-b029-7fe99a87c641 $$ [relative path] $$$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[parsingname]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$

Oueries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[localized\name]$

Queries value: HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32[]
Queries value: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \curre$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bullet on lemma to the software in the softwar$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{00021401-0000-0000-0000-00000000046}\inprocserver32[]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046}\inprocserver32[threadingmodel]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parsingname]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 's current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localredirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $\label{local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Queries value:

 $\label{local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[foldertypeid]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \cite{times} [initfolder \cite{times}]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

```
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-
8648-d5d44b04ef8f}[description]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[relativepath]
       Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[parsingname]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[infotip]
       Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[localizedname]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[icon]
       Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[security]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[streamresource]
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[streamresourcetype]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[localredirectonly]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[roamable]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[precreate]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[stream]
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[publishexpandedpath]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[attributes]
       Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-
8648-d5d44b04ef8f}[foldertypeid]
       Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[initfolderhandler]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Oueries value:
 5595fe6b30ee}\shellfolder[attributes]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[callforattributes]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Oueries value:
 5595fe6b30ee}\shellfolder[restrictedattributes]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[wantsfordisplay]
       Queries value:
                                                                                                           HKCU\software\microsoft\windows\currentversion\internet
 settings\wpad[wpadlastnetwork]
                                                                                                           HKCU\software\microsoft\windows\currentversion\internet
       Queries value:
 settings[autoproxydetecttype]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[usedrophandler]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
 5595fe6b30ee}\shellfolder[wantsforparsing]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[queryforoverlay]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Oueries value:
 5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
       Queries value:
                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[hideinwebview]
```

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[hideondesktopperuser]
Queries value: HKCR\clsid\\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsaliasednotifications]
Queries value: HKCR\clsid\\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsuniversaldelegate] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[nofilefolderjunction] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[pintonamespacetree] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[hasnavigationenum] Oueries value: HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-5595fe6b30ee}1 Oueries value: 95cf-2f29da2920da}[category] Oueries value: 95cf-2f29da2920da}[name] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parentfolder] Queries value: 95cf-2f29da2920da}[description] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[relativepath] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[parsingname] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[infotip] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[localizedname] Oueries value: 95cf-2f29da2920da}[icon] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[security] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresource] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-debb-415-debb-4115-debb-4115-debb$ 95cf-2f29da2920da}[streamresourcetype] Oueries value: 95cf-2f29da2920da}[localredirectonly] Queries value: 95cf-2f29da2920da}[roamable] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream] Oueries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[attributes] Queries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7} d1 d3 a0 4- debb-4115-d$ 95cf-2f29da2920da}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[initfolderhandler] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[category] Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ folds \ f$

9305-67de0b28fc23}[name]

9305-67de0b28fc23}[parentfolder]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-

9305-67de0b28fc23}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[\] streamresourcetype \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirector \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [precreate]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23\}\[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[category\]$$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(initfolderhandler)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f0$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ (2112ab0a-c86a-4ffe-a368-0de96e47012e) \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[icon]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource]$

Queries value

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} [stream resource type]$

Queries value:

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[initfolder \ handler]$

Oueries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\category\cite{Addaf80b-e6cf-4f4e-b800-0e69d84ee384}\cite{Addaf80b-e6cf-4f4e-b800-0e69d84ee384}\cite{Addaf80b-e6cf-4f4e-b800-oe69d84ee384}\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\cdots\folderdescriptions\cdots\folderdescriptions\cdots\folderdescription\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdescription\cdots\folderdes\cdots\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ endows \ 'endows' \ endows' \ endows'' \ endows' \ endows'' \ e$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf80b-e6cf-4f4e-b800-0e69d84ee384\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [roamable]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[initfolderhandler]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebases \current \curr$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [relative path]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[parsingname]}$

Queries value:

 $\label{thm:local_thm:loc$

afef-f87ef2e6ba25}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [publish expanded path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ folder type id \ like \ folder \ folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[initfolder \ handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}{category1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ Hklm\software\microsoft\windows\current version\end{error} $$ exceptions \end{error} $$ exceptions \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[localizedname]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$

Ounring value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \cite{Monthson-prop} \end{subarray} \ and \microsoft \micr$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:general-2098-4d44-8644-66979315a281} [security]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[stream]}$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[publishexpandedpath]$

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[name]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [publish expanded path]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{`microsoft`windows\currentversion`explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[folder typeid]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[category]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parentfolder]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[icon]}$

Queries value:

92d7-6b2e8ac19434}[security]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} \ [local redirector \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [stream]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ formula \ fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parentfolder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [infotip]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[publishexpandedpath]

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{52a4f021-7b75-48a9-9f6b-4b87a210bc8f} [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52a4f021-7b75-48a9-9f6b-4b87a210bc8f} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\frac{52a4f021-7b75-4b87a210bc8f}\frac{52a4f021-7b75-

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource type]$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} HKLM \software \end{align* in the label} HklLM \software \end{align* in the label} HklLM$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{arguments} $$HkLM \software \end{arguments} $$1-7b75-48a9-9f6b-4b87a210bc8f} [initfolder \end{arguments} $$1-7b75-48a9-9f6b-4b87a210bc8f} $$[initfolder \end{arguments} $$1-7b75-48a9-9f6b-4b87a210bc8f} $$[initfolder \end{arguments} $$[initfolder \end{arguments} $$1-8b87a210bc8f} $$[initfolder \end{arguments} $$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 4455120 b 917\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 445 5 120 b 917\} \ [description]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \[relative path \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [security]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource type]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [roamable]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [publish \explorer \folder \fold$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eqdef} \end{2.0} Hklm\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\eqdef} \end{2.0} \end{2.0} Initfolder\end{2.0} and in the second substitution of t$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [category]$

Queries value: KLM\software

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} explorer $$ 1-88ff-b0d186b8dedd [parent folder] $$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [relative path]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish \ expanded \ path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'explorer' \ 'folder descriptions \ 'active the software \ 'folder descriptions \ 'folder descri$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$76fc4e2d-d6ad-4519-a663-37bd56068185} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185}[icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource type]$

Queries value:

 $\label{local-def} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[local\redirectonly]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$

Queries value:

 $HKLM) software | microsoft | windows | current | version | explorer | folder descriptions | \{76fc4e2d-d6ad-4519-a663-37bd56068185\}[stream] | folder descriptions | (76fc4e2d-d6ad-4519-a663-37bd56068185)[stream] | folder descriptions | (76fc4e2d-d6ad-4519-a663-37bd66068185)[stream] | folder descriptions | (76fc4e2d-d6ad-4519-a663-37bd660681$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[publishexpandedpath]}$

Oueries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \\ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

a663-37bd56068185}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ 'lname' \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ 'lname'$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[streamresource]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ for each \ folder \ fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{arguments} $$ \arguments (a75d362e-50fc-4fb7-ac2c-a8beaa314493)[attributes] $$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\$ [name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (491e922f-5643-4af4-a7eb-4e7a138d8174) \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[description]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[parsingname]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[infotip]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[name]

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\color=4676-835a-98395c3bc3bb\[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[relativepath]}$

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[infotip]$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localizedname]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[icon]$

Queries value:

 $\label{lem:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localredirectonly]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}[init folder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ forme1$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \explorer\folderdescriptions \explorer\folderde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant with the second content of the second c$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant with the statement of the statement of$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [roamable]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} \end{area} HKLM \software \end{area} \end{area} \software \end{area} \end{area} \software \software \end{area} \softwar$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[folder typeid]$

Oueries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\debf2536-e1a8-4c59-b6a2-414586476aea}\ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parentfolder]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [icon]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\folderdescriptions\footnote{\currentversion\explorer\ex$

b6a2-414586476aea}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [local redirector \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ebf2536-e1a8-4c59-b6a2-414586476aea) \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [precreate]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ folder \ fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localredirectonly]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local-qa90-bba9-27cbc0c5389a} [roamable]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[precreate]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish expanded path]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[initfolderhandler]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} [icon]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[publishexpandedpath]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[foldertypeid]}$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} explorer $$ a248-4a392a602ba3$ [initfolder handler] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \center{folder} \]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \center{folder} \center{$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6 \ faf8716b \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6faf8716b \ [local redirectorly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[precreate]

Oueries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{c4900540-2379-4c75-844b-64e6faf8716b} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[initfolder \ handler]$

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[parsingname]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\infotipl

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \eqref{289a9a43-be44-4057-a41b-587a76d7e7f9} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (289a9a43-be44-4057-be44-4$

a41b-587a76d7e7f9}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ Four \ folder \ label{eq:helmonormal}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[infotip]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [security]$

Queries value:

 $\label{thm:microsoft} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[streamresourcetype]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \current \folder \current \folder \folder \current \folder \current \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [parsing name]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [local redirectonly]$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$

Oueries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software\mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [foldertypeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\footnote{\currentversion\explorer\folderdescriptions}.$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\earself{lem:hklm} \end{subarray} $$14f-a5ebd2fd6d5e\[parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d2fd 6d 5e \} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} [localized name]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq e32e446-31ca-4aba-814f-a5ebd2fd6d5e\folderdescription]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [stream resource]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ eas 2e446-31ca-4aba-814f-a5ebd2fd6d5e \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ erd \ derdescriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [publish \ expanded \ path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e) \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\ex$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[icon]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$

Queries value:

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$

Queries value:

 $HKLM\ software\ microsoft\ windows\ current version\ explorer\ folder descriptions\ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[precreate]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colore$

a9c3-b52a1ff411e8}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{baseline} \ci$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ flocalized name \ label{eq:label_folder}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ 139d44e-6afe-49f2-8690-3dafcae6ffb8 [security] $$$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} \ [local redirect only]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[publishexpandedpath]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}\{attributes}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [initfolder \mbox{handler}]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parent folder]$

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource type]$

 $\label{thm:local-equality} HKLM \software \mbox{$c5abbf53-e17f-4121-8900-86626fc2c973} [local-redirectonly]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklk} for the label \cite{lem:hklk}$

Queries value:

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[description]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[relativepath]}$

Queries value:

 $\label{thm:microsoftwindows\currentversion} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[parsingname]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \folder \cite{100} \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [stream resource]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [publish \ explorer \ 'folder descriptions \ '\ (56784854-c6cb-462b-8169-88e350 \ acb 882) \ [publish \ explorer \ 'folder descriptions \ '\ (56784854-c6cb-462b-8169-88e350 \ acb 882) \ [publish \ explorer \ 'folder descriptions \ '\ (56784854-c6cb-462b-8169-88e350 \ acb 882) \ [publish \ explorer \ 'folder descriptions \ '\ (56784854-c6cb-462b-8169-88e350 \ acb 882) \ [publish \ explorer \ 'folder \ 'folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [name]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[attributes]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [local redirectonly]$

Queries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{100} \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}\ \ [initfolder\handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parentfolder]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [relative path]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\farbox{$a302545d-deff-464b-d$

abe8-61c8648d939b}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[precreate]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}[publishexpandedpath]

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 302545 d-deff-464 b-abe8-61c8648 d939b \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[name]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [relative path]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\graphical parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$Hklm\software\microsoft\windows\current version\end{allower} $$1-440df7ef3ddc\[localized name]$$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[localredirectonly]

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2a00375e-224c-49de-b8d1-440df7ef3ddc) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [initfolder \ handler]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}\[category\]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [parent folder]$

Ougries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{2.0} \end{2.0} folderdescriptions\eqned{2.0} \end{2.0} folderdescriptions\eqned{2.0} \end{2.0} folderdescriptions\eqned{2.0} \end{2.0} \end{2.0} folderdescriptions\eqned{2.0} \end{2.0} \en$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [relative path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [infotip]$

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[localized name] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ escriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [security]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[streamresource]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[streamresourcetype]}$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[precreate]$

Queries value:

 $\label{lem:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[Extream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [publishexpanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [initfolder \ handler]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[category]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} \ 'lname1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [relative path]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [icon]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explo$

Queries value:

HKLM is of tware incress of twindows in the content of the conte

Oueries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \curre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [local redirector ly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \folder \current \folder \folder \current \folder \current$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[category\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} [description]$

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \\ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[parsingname]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [localized name]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1777f761-68 ad-4d8 a-4d8 a-4$

87bd-30b759fa33dd}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$

folders[favorites]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[streamresourcetype]}$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \gamma$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [precreate]$

Queries value:

a63c-290ee7d1aa1f}[stream]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{52528a6b-b9e3-4add-b60d-588c2dba842d} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ flocalized name \ label{eq:flocalized name}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\[streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish \ expanded path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\{attributes}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [folder type id]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{8983036c-27c0-404b-8f08-102d10dcfd74} \[[description] \]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ Ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ [stream resource type]$

Oueries value

 $\label{thm:local-condition} HKLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74} [local redirectorly]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [publish \ expanded \ path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Oueries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[parsing name]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [icon]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[roamable]\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (724ef170-a42d-4fef-9f26-b60e846fba4f) \ [category]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{724ef170-a42d-4fef-9f26-b60e846fba4f}\[local\ rection\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \forested{724ef170-a42d-4fef-descriptions}.$

9f26-b60e846fba4f}[foldertypeid]

Oueries value:

9f26-b60e846fba4f}[initfolderhandler]

Oueries value:

be97-422220080e43}[category]

Oueries value:

be97-422220080e43}[name]

Oueries value:

be97-422220080e43}[parentfolder]

Oueries value:

be97-422220080e43}[description]

Oueries value:

be97-422220080e43}[relativepath]

Queries value:

be97-422220080e43}[parsingname]

Oueries value:

be97-422220080e43}[infotip]

Queries value:

be97-422220080e43}[localizedname]

Oueries value:

be97-422220080e43}[icon]

Queries value:

be97-422220080e43}[security]

Oueries value:

be97-422220080e43}[streamresource]

Queries value:

be97-422220080e43}[streamresourcetype]

Queries value:

be97-422220080e43}[localredirectonlv]

Queries value:

be97-422220080e43}[roamable]

Queries value:

be97-422220080e43}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[stream]

Queries value:

be97-422220080e43}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[attributes]

Oueries value:

be97-422220080e43}[foldertypeid]

Oueries value:

be97-422220080e43}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

a3a9-6c82895e5c04}[category]

Oueries value:

a3a9-6c82895e5c04}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[parentfolder]

Oueries value:

a3a9-6c82895e5c04}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[relativepath]

Oueries value:

a3a9-6c82895e5c04}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[localized name]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[stream]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ fattributes \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \[init folder \chandler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}\category\cite{Control of the control of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ forme1$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[infotip]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[localredirectonly]

 $HKLM \ software \ microsoft \ windows \ current version \ (0762d272-c50a-4bb0-a382-697dcd729b80) \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [initfolder \ handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]}$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localized name]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [icon]$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresourcetype]}$

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\cite{2d1} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef 4d9f7874-4e0c-4904-967b-40b0d20c3e4b\end{20c3e4b} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Currentversion \explorer $$ folderdescriptions $$ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b$$ [initfolderhandler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[category]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ 'lname1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parentfolder]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[description]$$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$a77f5d77-2e2b-44c3-a6a2-aba601054a51} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-44c3-44c4\} \ descriptions \ folder \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ folder$

a6a2-aba601054a51}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{arguments} $100-7908667 \cap{parent folder} arguments \end{arguments} $100-790867 \cap{parent folder} arguments \end{arg$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\explorer\folderdescription\explorer$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [par sing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[infotip]} Infotip \cite{Abbd-7} and \cite{Abbd-7}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[localized name]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scriptions} \class{\scriptions} \clas$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresourcetype]

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \[local redirect only \]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [precreate]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parentfolder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [relative path]$

Oueries value.

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresource]}$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \dos 40384e7d-bac3-4797-8f14-cba229b392b5 \[stream resource type]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[local\redirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\[stream]

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]}$

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[foldertypeid]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[name]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[streamresourcetype]

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [publish \ explorer\ \ \]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[attributes]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [folder type id]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ '[category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[name]}$

Queries value:

 $\label{local-bounds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ '[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{a} e50c081-ebd2-438a-8655-8a092e34987a \end{a} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv a constant \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [stream resource]$

Queries value:

8655-8a092e34987a}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ 'endows'' \ 'endows' \ 'endows'' \ 'en$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[security]}$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolderhandler]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} It is a finite simulation of the second state of the$

Oueries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[roamable]}$

Oueries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[precreate]}$

Queries value:

 $\label{local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{arguments} $$HklM \software \end{arguments} $$13c-9af7-4fc2abf07cc5} $$[initfolder \end{arguments} $$13c-9af7-4fc2abf07cc5} $$[initfolder \end{arguments} $$13c-9af7-4fc2abf07cc5} $$[initfolder \end{arguments} $$[initfold$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \ga$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}\[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parent folder]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gray \gray \gr$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[infotip]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9274bd8d-cfd1-41c3-b35e-b13f55a758f4) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[name]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} Software \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[description]$$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localizedname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ ficon 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [security]$

Queries value:

 $HKLM\software\mbox{$^{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresource]} \label{eq:hklm} HKLM\software\mbox{$^{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [roamable]$

Queries value:

9a0c-ebb0f0fcb43c}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}\cite{Control of the control of the con$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \forer\folder \cite{2.00} \forer\cite{2.00} \forer\c$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \forer \folder \cite{2.00} \forer \cite{2.0$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ folder \ for \ for \ explorer \ folder \ for \ for \ explorer \ folder \ for \ f$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{374} de 290-123 f-4565-9164-39c4925e 467b} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[localredirectonly]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \forer\folder \cite{2.00} \forer\cite{2.00} \forer\c$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[attributes]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{100} \cite{100} \footnote{100} \cite{100} \footnote{100} \cite{100} \cite{100}$

Queries value:

a71a-0969cb56a6cd}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [parsing name]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd \ flocal redirection \ \}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [Froamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[stream]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ fattributes \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [folder type id]$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[initfolderhandler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[description]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [relative path]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 305ce 99-f527-492b-8b1a-7e76fa98d6e4 \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [icon]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [precreate]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[publish expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[category]} \end{substitute}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[relativepath]}$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localized name]} \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [icon]$

Queries value:

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[security]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresourcetype]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[publishexpandedpath]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a 990 a e 9 f - a 0 3 b - 4 e 8 0 - 9 4 b c - 9 9 1 2 d 7 5 0 4 1 0 4 \} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[relativepath]}$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [localized name]$

Queries value:

 $HKLM software \mbox{$MLM$ software microsoft windows \current version \explorer folder descriptions \end{$A990$ as $94bc-9912d7504104} \ \cite{100} \ \cite{1000} \ \cite{10$

Oueries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{a990ae9f-a03b-4e80-94bc-9912d7504104} [stream resource type]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\[localredirectonly]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a990ae9f-a03b-4e80-94bc-9912d7504104\} [stream]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [folder type id]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [initfolderhandler]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [description]$

Queries value:

 $\label{thm:local_thm:loc$

906a-5644ac457385}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[icon]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [precreate]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{descriptions} \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream resource]$

Queries value:

 $HKLM\software\mbox{$1a6fdba2-f42d-4358-a798-b74d745926c5}[streamresourcetype] \\$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [initfolder \ handler]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} [parentfolder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520 a 1 a 4-1780-4 ff 6-b d 18-167343 c 5 a f 16 \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [stream resource type]$

Queries value:

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520 a 1a 4-1780-4ff 6-bd 18-167343 c 5a f 16 \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a520a1a4-1780-4ff6-bd18-167343c5af16 \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [initfolder \ handler]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresourcetype]}$

Oueries value:

 $\label{local-equal-equal-equal-equal-equal-equal} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]$

Queries value:

 $\label{local-equal-equal-equal-equal-equal-equal} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [publish expanded path]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]$

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[foldertypeid]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[category]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ former \ folder \ fold$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\calebox{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[description]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} \[relative path \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[infotip]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

bfd0-4cd0dfb19b39}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [publish \ expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \current bfd0-4cd0dfb19b39} [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [category]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}\range l

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hamilton} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \folder \general \general \folder \general \genera$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parentfolder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [description]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[relativepath]

Oueries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[infotip]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[localizedname]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[streamresource]}$

Queries value:

 $\label{local-bounds} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[streamresourcetype]$

Queries value:

 $\label{localized-equation} HKLM\software\mbox{df7266ac-9274-4867-8d55-3bd661de872d} [localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[precreate]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[stream]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [publishexpandedpath]$

Queries value

 $\label{thm:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{ed4824 af-dce4-45 a8-81 e2-fc7965083634\} \ [category]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{ed 4824 af-dce 4-45 a8-81 e2-fc 79650 83634\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824 af-dce4-45 a8-81 e2-fc7965083634\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [security] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [local redirection] \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [precreate] \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream] \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\\[-2pt] [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{ed4824 af-dce4-45a8-81e2-fc7965083634\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[category]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27) \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[security]}$

Queries value:

a4ce-a8e7c6ea7d27}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} \ [category]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ for \ explorer \ folder \ folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[description]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{15} ace 1-6b 5ec 372 af b5 \footnote{15} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [localized name]$

Queries value:

 $\label{thm:local-state} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresourcetype]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrentversion' \ explorer \ 'folder descriptions' \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[initfolderhandler]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and 'explorer' \ 'folder descriptions' \ 'all and 'explorer' \ 'all and 'ex$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder' \ 'fold$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [relative path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa44ff} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and the sum of the s$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 9239 dea a 44ff \color= 124 fab - 9239 dea a 44ff \color= 12$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current b61-92a9 deaa 44ff \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[attributes\]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 4214 fab 5-9757-4298-bb 61-92 a 9 dea a 44 ff \cal{lem:hklmsoftware} [init folder \mbox{handler}]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\cite{2000}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} and \cit$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicroso$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[parsingname]$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [category]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[relative path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[icon]$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}\[security] \label{eq:hklm}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\} [stream resource]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[streamresourcetype]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [local redirector \]$

Queries value:

864c-16f3910ab8fe}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[stream]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [init folder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ flocalized name \ label{eq:helmonormal}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[streamresource]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[streamresourcetype]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Constraint} \cite{Constraint} \subseteq \cite{Constraint} \subse$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[localredirectonly]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [folder type id]$

Queries value:

 $\label{thm:local-ball-algorithm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\earself{local-ball-algorithm} \end{substitute} abstract $$4146fc19\[initfolderhandler]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [category]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [stream resource]$

Queries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion\explorer\folderdescriptions} \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} [streamresourcetype] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-490 5-ae 3b-bf 251 ea 09 b 53\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[foldertypeid]}$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[streamresourcetype]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [roamable]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[precreate]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[stream]}$

Queries value:

a3bb-86e631204a23}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [name]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[streamresourcetype]}$

Queries value:

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{allowersplorer} $$10c07cd0-ef91-4567-b850-448b77cb37f9} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[attributes]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \category \cite{Control of the property of the prope$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[description]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relativepath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [security]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream resource]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[roamable]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[publishexpandedpath]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[attributes\]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\foldertypeid\]$

Oueries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \[init folder \handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{c1bae2d0-10df-4334-bedd-7aa20b227a9d} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [relative path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [infotip]$

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \footnote{10calized name} \]$

Queries value:

 $HKLM \ software \ icrosoft \ ic$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [stream resource]$

 $HKLM\software\mbox{currentversion}\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[streamresourcetype]}$

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[category]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[security]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[local redirectonly]$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[roamable]} In the control of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [precreate]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [folder type id]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[icon]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{54eed2e0-e7ca-4fdb-9148-0f4247291cfa} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource type]$

Queries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[local\ rectonly]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[roamable \] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (54 eed 2e0-e7ca-4fdb-9148-0f4247291cfa) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[foldertypeid]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[initfolderhandler]}$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} explorer \begin{substitute} folder descriptions \begin{substitute} fbb 2 december \begin{substitute} fbb 2 de$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \\ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [description]$

Oueries value:

 $HKLM\c software\c microsoft\windows\c urrentversion\explorer\folderdescriptions\folderd$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

b2b2-ae6db6af4968}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [category]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cd7 aee 2-2219-4a67-b85d-6c9ce 15660cb \cd7 icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [local redirectonly]$

Queries value:

 $\label{thm:local_thm:loc$

b85d-6c9ce15660cb}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7 a e e 2-2219-4a67-b85 d -6c9 c e 15660 c b\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder \ handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ 'fdescription' \ 'explorer' \ 'folder description' \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ parsing name \ label{eq:helmonop}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}flocalizedname1

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies a 664e-48db-a079-df759e0509f7 \category]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[name]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [localized name]$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localredirectonly]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factor \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{a 63293e8-664e-48db-a079-df759e0509f7} [initfolder handler]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} [infotip]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish \ expanded \ path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [attributes]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\explo$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{82a74aeb-aeb4-465c-a014-d097ee346d63} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[localizedname]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[icon]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[security]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}\[streamresource]

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-aeb4-4$

a014-d097ee346d63}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-a014-d097ee346d63) \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [init folder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'folder descriptions' \ 'folder \ 'folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e', [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ for \ explorer \ folder \ for \ explorer \ folder \ for \ folder \ for \ for$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \soft \soft\soft \soft \soft \soft \soft \soft \soft \soft \soft \soft \soft$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[parsingname]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]} Infotip in the property of the property$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$

Queries value

 $HKLM\software\mbox{$M$icrosoft\windows\currentversion} explorer\folderdescriptions \end{$43668bf8-c14e-49b2-97c9-747784d784b7} [streamresource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [stream resource type]$

Oueries value

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{43668 bf8-c14e-49b2-97c9-747784d784b7\} \ [roamable]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{43668bf8-c14e-49b2-97c9-747784d784b7\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[foldertypeid]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\category\cite{200}} Icategory\cite{200}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[parentfolder]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{915221fb-9efe-4bda-8fd7-f78dca774f87} \ [description]$

Queries value:

 $\label{lem:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[parsingname]}$

Queries value:

 $\label{local-prop} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [localized name]$

Queries value:

 $\label{local-hklm} HKLM \ software \ ion \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream resource type]$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{915221} fb-9efe-4bda-8fd7-f78dca774f87} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[localizedname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[icon]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[stream resource]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \current \folder \current \folder \current \folder \current \folder \folder$

Queries value:

 $\label{localized-hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[localredirectonly]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[stream]$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[attributes]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\[foldertypeid]$

Queries value:

```
b5b4-2d72e54eaaa4}[initfolderhandler]
                                                  HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Oueries value:
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ name space \ delegate folders \ [suppression policy]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ versfiles \ name space \ delegate folders \ []
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ \ dff acd c 5-like \ names \ pace \ delegate folders \ \ delegate \ folders \ \ delegate \ names \ pace \ names \ names \ pace \ names \
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[attributes]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[callforattributes]
   Queries value:
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[restrictedattributes]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hidefolderverbs]
   Queries value:
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[usedrophandler]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{dffacdc5-679f-4156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-
c5c76bc0b67f}1
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\\inprocserver32[]
   Queries value:
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\inprocserver32[loadwithoutcom1
   Queries value:
                                                  HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
   Oueries value:
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
   Oueries value:
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
                                                  HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
   Queries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                                                  HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
   Oueries value:
                                                  HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
   Queries value:
c66de400274e}\inprocserver32[threadingmodel]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
   Oueries value:
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
   Oueries value:
HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]
   Oueries value:
```

```
Queries value:
                                                HKLM\system\currentcontrolset\services\netbt\linkage[export]
   Oueries value:
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common desktop]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common documents]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[commonpictures]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[commonmusic]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[commonvideo]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{de92c1c7-837f-4f69-a3bb-86e631204a23}]
                                                \label{thm:local_hammon} \mbox{\tt HKLM\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}
   Queries value:
folders[{3d644c9b-1fb8-4f30-9b45-f670235f79c0}]
                                                HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\profilelist[profilesdirectory]
                                                HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Queries value:
folders[startup]
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
   Queries value:
folders[common startup]
                                                HKLM\software\microsoft\windows nt\currentversion\profilelist[public]
   Queries value:
   Oueries value:
                                                HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[programs]
                                                HKLM\software\microsoft\windows\currentversion\explorer\user shell
   Queries value:
folders[common programs]
                                                HKLM\software\microsoft\windows\currentversion[programfilesdir]
   Queries value:
                                                HKLM\software\microsoft\windows\currentversion[commonfilesdir]
   Queries value:
   Oueries value:
                                                HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}]
                                                HKLM\software\microsoft\internet explorer\main[maxrenderline]
   Oueries value:
   Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ \ 700 aa 61 e 9 db d14 ab fcc 63354 6a 5be 910\_rasapi 32 [enable file tracing] \ declared by the control of the co
   Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ 100 aa 61e 9db d14 abf cc 633546 a5 be 910\_rasapi 32 [enable consolet racing] \ microsoft \ micr
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[filetracingmask]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[consoletracingmask]
   Sets/Creates value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus 700 aa 61 e 9 db d14 ab fcc 633546 a 5 be 910\_rasapi 32 [max filesize]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasapi32[filedirectory]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[enablefiletracing]
   Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ \ 700 aa 61e 9dbd 14 abf cc 633546 a5 be 910\_ras mancs \ [enable consolet racing]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[filetracingmask]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[consoletracingmask]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910_rasmancs[maxfilesize]
   Sets/Creates value:
HKLM\software\microsoft\tracing\700aa61e9dbd14abfcc633546a5be910 rasmancs[filedirectory]
   Sets/Creates value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}[wpaddecisionreason]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Sets/Creates value:
settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}[wpaddecisiontime]
   Sets/Creates value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}[wpaddecision]
   Sets/Creates value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bb8883ed-8493-40bc-b70f-afccc6f8ed45}[wpadnetworkname]
   Sets/Creates value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\66-9b-05-ad-63-35[wpaddecisionreason]
   Sets/Creates value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\66-9b-05-ad-63-35[wpaddecisiontime]
   Sets/Creates value:
                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings\wpad\66-9b-05-ad-63-35[wpaddecision]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Value changes:
settings\zonemap[uncasintranet]
                                                \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
   Value changes:
settings\zonemap[autodetect]
   Value changes:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings[proxyenable]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Value changes:
settings\connections[savedlegacysettings]
   Value changes:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Value changes:
settings\wpad[wpadlastnetwork]
```