Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 180, Task ID: 720

Task ID: 720 Risk Level: 5

Date Processed: 2016-04-28 13:07:33 (UTC)

Processing Time: 61.24 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\5a02a7e79d0da1407518ce5699543625.exe"

Sample ID: 180 Type: basic Owner: admin

Label: 5a02a7e79d0da1407518ce5699543625

Date Added: 2016-04-28 12:45:08 (UTC)
File Type: PE32:win32:gui

File Type: PE32:win32:gui File Size: 713216 bytes

MD5: 5a02a7e79d0da1407518ce5699543625

SHA256: 750a7fb5bf14fda75a94ed2fca0d56ed96c98e4aba315ed7fc2c4737f1177eca

Description: None

Pattern Matching Results

5 Packer: Asprotect2 PE: Nonstandard section

5 PE: Contains compressed section

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Packer: ASProtect

Process/Thread Events

Creates process: C:\windows\temp\5a02a7e79d0da1407518ce5699543625.exe

["C:\windows\temp\5a02a7e79d0da1407518ce5699543625.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\MutexNPA_UnitVersioning_2508 \Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0 \Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Opens: C:\Windows\Prefetch\5A02A7E79D0DA1407518CE5699543-49D6EF4A.pf

Opens: C:\Windows\System32

Opens: C:\windows\temp\5a02a7e79d0da1407518ce5699543625.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af

 $Opens: C: \windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dl1$

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls
Opens: C:\Windows\Temp\5a02a7e79d0da1407518ce5699543625.exe

Opens: C:\

 Opens:
 C:\windows\temp\5a02a7e79d0da1407518ce5699543625.ENU

 Opens:
 C:\windows\temp\5a02a7e79d0da1407518ce5699543625.ENU.DLL

 Opens:
 C:\windows\temp\5a02a7e79d0da1407518ce5699543625.EN

 Opens:
 C:\windows\temp\5a02a7e79d0da1407518ce5699543625.EN.DLL

Opens: C:\windows\temp\dwmapi.dll
Opens: C:\Windows\System32\dwmapi.dll
Opens: C:\Windows\Fonts\StaticCache.dat
Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\windows\temp\Wship6.dll
Opens: C:\Windows\System32\wship6.dll

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start

Menu\Programs\Administrative Tools

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start

Menu\Programs\Startup

Opens: C:\Users\Admin\AppData\Roaming

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Burn\Burn

Opens: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Administrative

Tools

Opens: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup

Opens: C:\windows\temp\profapi.dll
Opens: C:\Windows\System32\profapi.dll

Opens: C:\ProgramData

Opens: C:\Users\Public\Desktop
Opens: C:\Users\Public\Documents
Opens: C:\Users\Admin\Favorites
Opens: C:\Users\Public\Music
Opens: C:\Users\Public\Pictures

Opens: C:\ProgramData\Microsoft\Windows\Start Menu\Programs

Opens: C:\ProgramData\Microsoft\Windows\Start Menu
Opens: C:\ProgramData\Microsoft\Windows\Templates

Opens: C:\Users\Public\Videos

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies

Opens: C:\Users\Admin\Desktop
Opens: C:\Windows\Fonts

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\History

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files

Opens: C:\Users\Admin\AppData\Local

Opens: C:\Users\Admin\Music
Opens: C:\Users\Admin\Pictures
Opens: C:\Users\Admin\Videos

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Network Shortcuts

Opens: C:\Users\Admin\Documents

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Printer Shortcuts

Opens: C:\Users\Admin
Opens: C:\Program Files

Opens: C:\Program Files\Common Files

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start Menu\Programs

 Opens:
 C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Recent

 Opens:
 C:\Users\Admin\AppData\Roaming\Microsoft\Windows\SendTo

 Opens:
 C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start Menu

 Opens:
 C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Templates

Opens: C:\Windows

Opens: C:\Windows\System32\rpcss.dll
Opens: C:\windows\temp\CRYPTBASE.dll
Opens: C:\Windows\System32\cryptbase.dll

Opens: C:\Windows\winsxs\x86_microsoft.windows.c..controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2
Opens: C:\Windows\winsxs\x86_microsoft.windows.c..-

controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2\comctl32.dll.mui

Opens: C:\Windows\Fonts\sserife.fon

Opens: C:\Windows\system32\uxtheme.dll.Config
Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

 $Opens: C: \windows \winsxs \x 86_microsoft. windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2 \comctl32.dl1$

Opens: C:\Windows\WindowsShell.Manifest
Reads from: C:\Windows\Fonts\StaticCache.dat

Windows Registry Events

Creates key: HKCR\.key

Creates key: HKCU\software\rar recovery toolbox

Creates key: HKCU\software\rar recovery toolbox\cbfilename
Creates key: HKCU\software\rar recovery toolbox\cbunzipfolder
Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\system\currentcontrol\set\control\nis\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\ole
Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKCU\software\borland\locales

Opens key: HKCU\software\borland\delphi\locales

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\10a710d4
 Opens key:

Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus protocol_catalog 9 \setminus 00000019$

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
Opens key

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014
Opens key:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \protocol_catalog 9 \catalog_entries \000000000015 \parameters \end{substitute} Opens key:$

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens key:

Opens key: HKCU\software\rar recovery toolbox
Opens key: HKLM\software\rar recovery toolbox

Opens key: HKCU\software\classes\
Opens key: HKCU\software\classes\.key
Opens key: HKLM\software\classes

HKCR\.key Opens key: Opens key: HKLM\software\borland\locales Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes Opens key: HKLM\svstem\currentcontrolset\control\nls\locale Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0 HKLM\software\microsoft\windows Opens kev: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: Opens key: 9f26-b60e846fba4f} Opens key: 9f26-b60e846fba4f}\propertybag HKCU\software\microsoft\windows\currentversion\explorer Opens key: Opens key: $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus session in fo \setminus 1$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell Opens key: folders Opens key: a6a2-aba601054a51} $HKLM \setminus software \setminus irrosoft \setminus ir$ a6a2-aba601054a51}\propertybag HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings Opens key: ba10-5e3608430854} Opens key: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-f46a$ ba10-5e3608430854}\propertybag Opens key: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ '$ a03a-e3ef65729f3d} Opens key: a03a-e3ef65729f3d}\propertybag Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac} Opens key: be4e-64cd4cb7d6ac}\propertybag Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49dfacb8-4330f5687855} Opens key: acb8-4330f5687855}\propertybag Opens key: 9d55-7b8e7f157091} Opens key: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' \ 'explorer \ 'f1b32785-6fba-4fcf-1000' and the software \ 'windows \ 'explorer \ 'f1b32785-6fba-4fcf-1000' and the software \ 'windows \ '$ 9d55-7b8e7f157091}\propertybag Opens key: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac4797-bac479-bac47$ 8f14-cba229b392b5} Opens key:

8f14-cba229b392b5}\propertybag

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}\propertybag

Opens kev:

9629-e15d2f714e6e}

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ 'property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97)$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ def-f87ef2e6ba25 \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45 a8-81 e2-fc7965083634\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ de4824 af-dce4-45a8-81e2-fc7965083634 \ property bag$

Opens key

 $HKLM\software\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}$

Opens key:

 $\label{thm:local-state} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag$

Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}\propertybag}$

Opens key

Opens kev:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag$

Opens key

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}\propertybag}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\property\bag}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} with the sum of the sum of$

Opens key

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\propertybag}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $\label{thm:local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\propertybag}$

Opens kev:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 33e28130-4e1e-4676-835a-98395c3bc3bb \end{substitute}$

Opens key:

Opens kev:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\property\bag$

Opens key:

Opens key:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53)$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \end{substitute}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ fdd 39 ad 0-238 f-46 af-ad b 4-6 c 85 480 369 c 7 \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens kev:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \solder \folder \fold$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens kev:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key: $\label{local-condition} HKLM \software \microsoft \windows nt \current version \profile list \s-1-5-21-2160590473-689474908-1361669368-1002$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

b29c-65b732d3d21a}\propertybag

Opens key: HKLM\software\microsoft\windows\currentversion

Opens kev:

aaae-29d317c6f066}

Opens key:

aaae-29d317c6f066}\propertybag

Opens kev:

8655-8a092e34987a}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e 34987a \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\}\ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}\property\bag}$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ property bag$

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsuserenabled]

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} Software \policies \microsoft \windows \safer \code identifiers \cite{transparentenabled} \end{tabular}$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrol\set\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[5a02a7e79d0da1407518ce5699543625]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\svstem\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Oueries value:

 $\label{lem:hklm} \mbox{\tt HKLM} \mbox{\tt system} \mbox{\tt current} \mbox{\tt controlset} \mbox{\tt services} \mbox{\tt winsock2} \mbox{\tt parameters} \mbox{\tt [winsock_registry_version]}$

HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000001[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 0000000000008 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000009 \ [packed catalog item] \ Queries \ value:$
- $HKLM \system \current control set \services \winsock 2 \parameters \protocol_catalog 9 \catalog_entries \noon0000000010 \[packed catalog item] \\ Queries value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 000000000011 \ [packed catalog item] \ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 000000000012 \ [packed catalog item] \ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 0000000000013 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 000000000017 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 000000000001 \ [enabled] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 0000000000001 [provider info] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 00000000000002 [storesservice class info] \ Queries \ value:$

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[storesserviceclassinfo]

 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[storesserviceclassinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
 Oueries value:
- $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters [ws 2_32 spin count]$

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms]

shell dlg 2]

Queries value: HKLM\system\currentcontrol\set\control\nls\locale[00000409] Queries value: HKLM\system\currentcontrol\set\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\datastore_v1.0[disable]
                                                                                  HKLM\software\microsoft\windows
      Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
      Queries value:
                                                                                  HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
      Queries value:
                                                                                 HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
                                                                                 HKLM\software\microsoft\windows
      Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
      Oueries value:
                                                                                  HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
      Queries value:
                                                                                 HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
     Oueries value:
                                                                                 HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
                                                                                  HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
      Queries value:
                                                                                 HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
                                                                                 HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                                                                                  HKLM\software\microsoft\windows
      Queries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane10]|
                                                                                 HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
      Queries value:
                                                                                 HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
                                                                                 HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
                                                                                 HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
      Queries value:
                                                                                 HKLM\software\microsoft\windows
 nt\currentversion\languagepack\surrogatefallback[plane15]
                                                                                 HKLM\software\microsoft\windows
      Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                                                                                 HKLM\system\currentcontrolset\control\cmf\config[system]
      Queries value:
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{724ef170-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4f
9f26-b60e846fba4f}[category]
      Queries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a4
9f26-b60e846fba4f}[name]
      Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4f
9f26-b60e846fba4f}[parentfolder]
      Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4f
9f26-b60e846fba4f}[description]
     Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-
9f26-b60e846fba4f}[relativepath]
      Oueries value:
9f26-b60e846fba4f}[parsingname]
      Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-
9f26-b60e846fba4f}[infotip]
      Oueries value:
9f26-b60e846fba4f}[localizedname]
      Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-
9f26-b60e846fba4f}[icon]
      Oueries value:
9f26-b60e846fba4f}[security]
      Queries value:
9f26-b60e846fba4f}[streamresource]
      Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-
 9f26-b60e846fba4f}[streamresourcetype]
     Oueries value:
9f26-b60e846fba4f}[localredirectonly]
      Oueries value:
9f26-b60e846fba4f}[roamable]
     Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-
9f26-b60e846fba4f}[precreate]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{724ef170-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4fef-a42d-4f
```

9f26-b60e846fba4f}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[administrative tools]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [relative path]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]} Infotip \cite{Additional content of the content of t$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{`a77f5d77-2e2b-44c3-a6a2-aba601054a51} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[roamable]} \\$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}\publishexpandedpath1

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[programs]

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[name]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b97d20bb-f46a-4c97-ba10-5e3608430854) \ [relative path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[parsingname]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [localized name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b97d20bb-f46a-4c97-ba10-5e3608430854) \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[startup]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parentfolder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[description]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\ [relative path]$

Queries value

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 03a-e 3e f 65 72 9f 3d \cal{lem:hklm} [par sing name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} a 03a-e3ef65729f3d \[info tip]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[local\ rection\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4 cf6-a03a-e3ef65729 f3d \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} a 03a-e3ef65729f3d \cite{lem:hklmsoftware} [initfolder \mbox{handler}]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parent folder]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parsing name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{18-be4e-64cd4cb7d6ac} [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[parsingname]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \soft \swindows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [precreate]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$

Queries value:

 $HKLM \coftware \mbox{$

Queries value:

 $\label{thm:local_equation} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\user shell} \\$

folders[cd burning]

Queries value:

 $\label{thm:local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}(category)$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[name]$

Queries value:

9d55-7b8e7f157091}[description]

Queries value:

9d55-7b8e7f157091}[relativepath]

Oueries value:

9d55-7b8e7f157091}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[icon]

Queries value:

9d55-7b8e7f157091}[security]

Queries value:

9d55-7b8e7f157091}[streamresource]

Queries value:

9d55-7b8e7f157091}[streamresourcetype]

Queries value:

9d55-7b8e7f157091}[localredirectonly]

Oueries value:

9d55-7b8e7f157091}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-explorer' \ 'folder \ 'f1b32785-6fba-4fcf-explorer' \ 'f1b32785-6fba-4fc$ 9d55-7b8e7f157091}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-explorer' \ 'folder \ 'f1b32785-6fba-4fcf-explorer' \ 'f1b32785-6fba-4fc$ 9d55-7b8e7f157091}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[initfolderhandler]

Oueries value: folders[local appdata]

Queries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d0384e7d-bac3-479-d03$

HKCU\software\microsoft\windows\currentversion\explorer\user shell

8f14-cba229b392b5}[category] Oueries value:

8f14-cba229b392b5}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[relativepath]

Queries value:

8f14-cba229b392b5}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d0384e7d-bac3-4797-bac3-479-bac3-479-bac3-4797-bac3-479-bac3-$ 8f14-cba229b392b5}[security]

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[folder type id]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd0384e7d-bac3-4797-8f14-cba229b392b5\[initfolderhandler\]$

 $\label{thm:linear} Queries \ value: \\ HKLM\ software \ microsoft\ windows\ current version\ explorer\ user\ shell$

folders[common administrative tools]

Oueries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fold$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[localizedname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[streamresource]}$

Queries value

 $\label{thm:main} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the large of the l$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} windows \end{tabular} explorer \end{tabular} user shell$

folders[common programs]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ (82a5ea35-d9cd-47c5-9629-e15d2f714e6e) \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[[streamresourcetype] \]$

Queries value:

 $\label{local-equ$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[stream]

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[publishexpandedpath]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[foldertypeid]$$

Queries value:

HKLM is of tware incress of twindows it current version in explorer in the folder descriptions in the folder descriptions in the folder descriptions in the folder description in the folder descripti

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common startup]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97) \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[description]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97) \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [publish expanded path]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [initfolder handler]$

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[programdata]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$c4aa340d-f20f-4863-afef-f87ef2e6ba25} [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [description]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [icon]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [security]$

 $HKLM \ software \ `microsoft \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25\} [stream resource]$

Oueries value:

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ for each \ for \ for\ \ for \ f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder typeid]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common desktop]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af -dce 4-45a8-81e2-fc7965083634\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \equal to the software \microsoft \microsoft \equal to the software \microsoft \mi$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\[relative\path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [localized name]$

Queries value:

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \[security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}{streamresource}

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}\[streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [local redirection] \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[publishexpandedpath]

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common documents]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ ficon 1$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[security]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-bound} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\publishexpandedpath\}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[favorites]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{3214 fab5-9757-4298-bb61-92a9} deaa 44ff \slabel{lem:hklmsoftware} [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff\} \ [parent folder]$

Queries value:

 $\label{thm:local_explorer_folderdescriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5} \cite{1.5} \cite{1.$

bb61-92a9deaa44ff}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all the best of the bes$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44ff} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [local redirector \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ \ froamable \ \ \}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[precreate]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder type id' | folder type id' |$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ finit folder \ handler \ label{eq:finit}$

Queries value:

 $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$

folders[commonmusic]

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[category]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer folder descriptions \explorer \folder \end{figure} 413c-9af7-4fc2abf07cc5 \cite{lem:hklmsoftwaremicrosoftwindows} and \cite{lem:h$

Queries value:

 $\label{local-operator} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{b6ebfb86-6907-413c-9af7-4fc2abf07cc5} [description]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{thm:} HKLM \software \software \end{thm:} HKLM \software \end{thm:} HKLM \software \software \end{thm:} HKLM \software \software \software \end{thm:} HKLM \software \softw$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]} In the property of the p$

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \gamma \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[icon]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-

9af7-4fc2abf07cc5}[streamresource]

Oueries value:

9af7-4fc2abf07cc5}[streamresourcetype]

Oueries value:

9af7-4fc2abf07cc5}[localredirectonly]

Oueries value:

9af7-4fc2abf07cc5}[roamable]

Oueries value:

9af7-4fc2abf07cc5}[precreate]

Oueries value:

9af7-4fc2abf07cc5}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[publishexpandedpath]

Queries value:

9af7-4fc2abf07cc5}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{b6ebfb86-6907-413c-16907-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007-41007$ 9af7-4fc2abf07cc5}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[commonpictures]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-de2e-49$ aa7c-e74b8be3b067}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-de2e-49$ aa7c-e74b8be3b067}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[icon1

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[security]

Queries value:

aa7c-e74b8be3b067}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[streamresourcetype]

Queries value:

aa7c-e74b8be3b067}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{a4115719-d62e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-491d-d66e-49$

aa7c-e74b8be3b067}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common start menu]

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$$

Queries value:

 $HKLM\software\mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [name] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[security]

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [stream resource type]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [roamable]$

Oueries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream]$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lklm} \label{lklm$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[attributes]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b94237e7-57ac-4347-9151-b08c6c32d1f7) \ [folder type id]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[common templates]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parentfolder]$}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localized name]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream]$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[commonvideo]

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\folderdescriptions\explorer\explorer\folderdescriptions\explorer\$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\end{200} \end{200} \footnote{\colorer} \folderdescriptions\end{200} \footnote{\colorer} \folderdescriptions\end{200} \footnote{\colorer} \footnote{\colo$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[relativepath]}$

Queries value

 $\label{thm:microsoft} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\end{tabular} \{82a74aeb-aeb4-465c-a014-d097ee346d63\}\ [parsing name] \end{tabular}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[streamresource]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\[local\ rection\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[stream]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[publishexpandedpath]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parentfolder]$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[parsingname]}$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[infotip]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{2b0f765d-c0e9-4171-908e-08a611b84ff6}[icon]$

Queries value:

 $\label{thm:local-prop} $HKLM \cdot explorer \endown it is a constant, which is a constant, and the second of the sec$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[streamresource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream]}$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \current \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \$

908e-08a611b84ff6}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[initfolder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localized name]$

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} $$ HklM \software \end{area} $$ 1029-7fe99a87c641 \publishex \part \end{area} $$ 1029-7fe99a87c641 \publishex \part \end{area} $$ 1029-7fe99a87c641 \publishex \part \part \end{area} $$ 1029-7fe99a87c641 \publishex \part \part$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[folder typeid]$

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [parent folder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[description]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[relativepath]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} \ [par sing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d 08e 667 ca7\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \[\cross{1.5cm} \cross{1.5cm$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} [init folder handler]$

Queries value:

 $\label{lem:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \category \cite{Acceptain} \cite{$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [name]$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\}[description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fid228cb7-ae11-4ae3-864c-16f3910ab8fe\[Parsingname]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\[[infotip] \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 's current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [stream resource type]$

Queries value:

864c-16f3910ab8fe}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'entre \ 'folder descriptions \ 'entre \ '$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ \lceil description \rceil$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[infotip]} Infotip \cite{Additional content of the content of t$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[localized name]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \end{substitute} icon \footnote{A} \footnote{A$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for \ explore$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[local\redirectonly]}$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4d9 f7874-4e0c-4904-967b-40b0d20c3e4b \cupred{folder} \equal 2d2bd20c3e4b \cupred{folder} \equa$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} $$HklM \software \end{area} $$14967874-4e0c-4904-967b-40b0d20c3e4b} [publish \end{area} $$14967b-40b0d20c3e4b} $$[publish \end{area} $$14967b-40b0d20c3e4b} $$[publish \end{area} $$14967b-40b0d20c3e4b} $$[publish \end{area} $$[publish \end{area} $$14967b-40b0d20c3e4b} $$[publish \end{area} $$[publish \end{area}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the soft windows in the soft in the$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[foldertypeid]

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [parent folder]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \co$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [relative path]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[infotip]

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ 'icon' \ 'explorer' \ 'explorer$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ cf9d \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{1.5} \cal{lem:hklm} \footnote{1.5} \cal{lem:hklm} \footnote{1.5} \cal{lem:hklm} \footnote{1.5} \cal{lem:hklm} \cal{lem:hk$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder type id' | folder type id' |$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$

folders[cache]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[category]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bd8d571-6d19-48d3-be97-422220080e43} \ [parsing name]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{4bd8d571-6d19-48d3-be97-42222080e43} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ parsing \ name \ label{eq:helmonton}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ 'infotip' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explore$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}flocalizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$33e28130-4e1e-4676-835a-98395c3bc3bb}[icon]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.33} \footnote{2.33} \footn$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} Is treatment \end{align* in the label} In the label \end{align* int$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \endowners folder descriptions \endowners \endowner$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[precreate]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[stream]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

841c-ab7c74e4ddfc}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ for create1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ publishex \ panded path \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my_video]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[category]} \label{lem:hkkm}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \color= 8900-86626fc2c973\footnote{1.5cm} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-e17$

8900-86626fc2c973}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{correntversion} explorer \folder descriptions \color= 17f-4121-8900-86626 \footnote{folder} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localredirectonly]

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[roamable]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [stream]$

Queries value:

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [folder type id]$

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[nethood]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[relativepath]}$

Queries value:

 $\label{local-holosoft} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal (d20beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53) \cite{Monthson} \cite{Month$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[infotip]} Infotip \[\] \]$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[localizedname]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

ae3b-bf251ea09b53}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ finfotip \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \{fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7\} [local redirector ly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \fid 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

a663-37bd56068185}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{absolute} $$Hklm\software\microsoft\windows\current version\end{absolute} $$a663-37bd56068185\[initfolder\microsoft\makebox[absolute]]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}\ [name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [icon]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9274bd8d-cfd1-41c3-b35e-b13f55a758f4) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[printhood]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'encountersion' \ explorer \ 'folder descriptions' \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-description-descrip$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\explor$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]} Infotip \[\] $$ (a) $$ (a) $$ (a) $$ (b) $$ (b) $$ (b) $$ (c) $$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[localizedname]

Queries value:

 $\label{local-parameters} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [local redirect only]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]}$

Queries value:

 $\label{lem:hkklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]}$

Queries value: $HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} which is a simple of the label{lem:hklmsoftware} wh$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parsingname]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ flocalized name \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$905e63b6-c1bf-494e-b29c-65b732d3d21a} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \[name \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: Oueries value:

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-

HKLM\software\microsoft\windows\currentversion[commonfilesdir1

8655-8a092e34987a}[category] Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$ae50c081-ebd2-438a-8655-8a092e34987a} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [security]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ '[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrentversion' \ explorer \ 'folder descriptions' \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a092 e 34987 a \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ for \ explorer \ folder \ explorer \ explorer$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [publish \ expanded \ path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[recent]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ \Gamma name \ label{eq:helmonoper}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ folder \ fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[infotip]$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[attributes]

Oueries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[sendto]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$

Oueries value:

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [infotip]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [security]$

Queries value:

Queries value:

 $\label{thm:local-ball-algorithm} HKLM\software\mbox{$625b53c3-ab48-4ec1-balf-alef4146fc19}[streamresourcetype]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[roamable]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer \\ folder descriptions \\ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[publishexpandedpath]

Oueries value:

WKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}fattributes1

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[initfolderhandler]}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[start menu]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[category]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parentfolder]}$

Queries value:

 $\label{thm:local_thm:loc$

b744-2eb1ae5198b7}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ fattributes \ 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ finitfolder \ handler \ label{eq:helmonormal}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[parent folder]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early a 63293e8-664e-48db-a079-df759e0509f7 \[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a63293e8-664e-48db-a079-df759e0509f7 \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[templates]

Oueries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ parent folder \ label{eq:helmonop}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\[parsingname]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{f38bf404-1d43-42f2-9305-67de0b28fc23}[icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\fill\colored\cite{lem:hklmsoftware}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\mbox{localredirectonly}\fill\cite{lem:hklmsoftware}\mbox{localredirectonly}\mbox{local$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \final fisher panded path] \\$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67 de \folder \folder$

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \folder type id \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [initfolder \ handler]$

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms

sans serif]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe

ui]

Queries value: HKCU\software\rar recovery toolbox[installpath]
Queries value: HKCU\software\rar recovery toolbox\cbfilename[val0]
Queries value: HKCU\software\rar recovery toolbox\cbunzipfolder[val0]
Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Sets/Creates value: HKCR\.key[] Value changes: HKCR\.key[]