Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 170, Task ID: 678

Task ID: 678 Risk Level: 5

Date Processed: 2016-04-28 13:05:39 (UTC)

Processing Time: 61.28 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe"

Sample ID: 170 Type: basic Owner: admin

Label: c1a5167faf749c474083cf838ee771c6

Date Added: 2016-04-28 12:45:07 (UTC)
File Type: PE32:win32:gui

File Type: PE32:win32:gu File Size: 368288 bytes

MD5: c1a5167faf749c474083cf838ee771c6

SHA256: 78154134c9c621850328f4826bcd314f3852c60ff0e1b4ffd3b45a9f84adcd9c

Description: None

Pattern Matching Results

2 PE: Nonstandard section

5 Packer: UPX

5 PE: Contains compressed section

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Packer: UPX

Process/Thread Events

Creates process: C:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe

["C:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex:

\Sessions\1\BaseNamedObjects\c1a5167faf749c474083cf838ee771c6.exe23SjAgtg

Creates semaphore: \Sessions\1\BaseNamedObjects\INI-c1a5167faf749c474083cf838ee771c6.data

Creates semaphore: \Sessions\1\BaseNamedObjects\GR_FileChecker

Creates semaphore: \Sessions\1\BaseNamedObjects\GRO

Creates semaphore: \Sessions\1\BaseNamedObjects\GR_FlushingList \Creates semaphore: \Sessions\1\BaseNamedObjects\GR_Write

Creates semaphore: \Sessions\1\BaseNamedObjects\GR_GErrMsg

Creates semaphore: \Sessions\1\BaseNamedObjects\GR1 \Sessions\1\BaseNamedObjects\GR2 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR3 Creates semaphore: \Sessions\1\BaseNamedObjects\GR4 \Sessions\1\BaseNamedObjects\GR5 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR6 Creates semaphore: \Sessions\1\BaseNamedObjects\GR7 Creates semaphore: \Sessions\1\BaseNamedObjects\GR8 Creates semaphore: \Sessions\1\BaseNamedObjects\GR9 Creates semaphore: \Sessions\1\BaseNamedObjects\GR10

Creates semaphore: \Sessions\1\BaseNamedObjects\GR11
Creates semaphore: \Sessions\1\BaseNamedObjects\GR12
Creates semaphore: \Sessions\1\BaseNamedObjects\GR13
Creates semaphore: \Sessions\1\BaseNamedObjects\GR14
Creates semaphore: \Sessions\1\BaseNamedObjects\GR14

Creates semaphore: \Sessions\1\BaseNamedObjects\GR16
Creates semaphore: \Sessions\1\BaseNamedObjects\GR17
Creates semaphore: \Sessions\1\BaseNamedObjects\GR18
Creates semaphore: \Sessions\1\BaseNamedObjects\GR19
Creates semaphore: \Sessions\1\BaseNamedObjects\GR20
Creates semaphore: \Sessions\1\BaseNamedObjects\GR21

Creates semaphore: \Sessions\1\BaseNamedObjects\GR22
Creates semaphore: \Sessions\1\BaseNamedObjects\GR23
Creates semaphore: \Sessions\1\BaseNamedObjects\GR24
Creates semaphore: \Sessions\1\BaseNamedObjects\GR25
Creates semaphore: \Sessions\1\BaseNamedObjects\GR25

Creates semaphore: \Sessions\1\BaseNamedObjects\GR27
Creates semaphore: \Sessions\1\BaseNamedObjects\GR28
Creates semaphore: \Sessions\1\BaseNamedObjects\GR29
Creates semaphore: \Sessions\1\BaseNamedObjects\GR30
Creates semaphore: \Sessions\1\BaseNamedObjects\GR31

Creates semaphore: \Sessions\1\BaseNamedObjects\GR32 \Creates semaphore: \Sessions\1\BaseNamedObjects\GR33

\Sessions\1\BaseNamedObjects\GR34 Creates semaphore: \Sessions\1\BaseNamedObjects\GR35 Creates semaphore: $\verb|\Sessions|1\\BaseNamedObjects|GR36|$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR37 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR38 Creates semaphore: $\Sessions\1\BaseNamedObjects\GR39$ \Sessions\1\BaseNamedObjects\GR40 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR41 \Sessions\1\BaseNamedObjects\GR42 Creates semaphore: \Sessions\1\BaseNamedObjects\GR43 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR44 \Sessions\1\BaseNamedObjects\GR45 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR46 \Sessions\1\BaseNamedObjects\GR47 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR48 \Sessions\1\BaseNamedObjects\GR49 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR50 Creates semaphore: \Sessions\1\BaseNamedObjects\GR51 Creates semaphore: \Sessions\1\BaseNamedObjects\GR52 Creates semaphore: \Sessions\1\BaseNamedObjects\GR53 Creates semaphore: \Sessions\1\BaseNamedObjects\GR54 \Sessions\1\BaseNamedObjects\GR55 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR56 Creates semaphore: \Sessions\1\BaseNamedObjects\GR57 Creates semaphore: \Sessions\1\BaseNamedObjects\GR58 \Sessions\1\BaseNamedObjects\GR59 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR60 Creates semaphore: \Sessions\1\BaseNamedObjects\GR61 Creates semaphore: \Sessions\1\BaseNamedObjects\GR62 Creates semaphore: \Sessions\1\BaseNamedObjects\GR63 Creates semaphore: \Sessions\1\BaseNamedObjects\GR64 \Sessions\1\BaseNamedObjects\GR65 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR66 Creates semaphore: \Sessions\1\BaseNamedObjects\GR67 Creates semaphore: \Sessions\1\BaseNamedObjects\GR68 Creates semaphore: \Sessions\1\BaseNamedObjects\GR69 Creates semaphore: \Sessions\1\BaseNamedObjects\GR70 Creates semaphore: \Sessions\1\BaseNamedObjects\GR71 Creates semaphore: \Sessions\1\BaseNamedObjects\GR72 Creates semaphore: \Sessions\1\BaseNamedObjects\GR73 \Sessions\1\BaseNamedObjects\GR74 Creates semaphore: Creates semaphore: $\Sessions\1\BaseNamedObjects\GR75$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR76 \Sessions\1\BaseNamedObjects\GR77 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR78 Creates semaphore: \Sessions\1\BaseNamedObjects\GR79 \Sessions\1\BaseNamedObjects\GR80 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR81 \Sessions\1\BaseNamedObjects\GR82 Creates semaphore: \Sessions\1\BaseNamedObjects\GR83 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR84 Creates semaphore: \Sessions\1\BaseNamedObjects\GR85 Creates semaphore: \Sessions\1\BaseNamedObjects\GR86 Creates semaphore: \Sessions\1\BaseNamedObjects\GR87 Creates semaphore: \Sessions\1\BaseNamedObjects\GR88 $\verb|\Sessions|1\BaseNamedObjects|| GR89$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR90 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR91 Creates semaphore: \Sessions\1\BaseNamedObjects\GR92 Creates semaphore: \Sessions\1\BaseNamedObjects\GR93 Creates semaphore: \Sessions\1\BaseNamedObjects\GR94 Creates semaphore: \Sessions\1\BaseNamedObjects\GR95 Creates semaphore: \Sessions\1\BaseNamedObjects\GR96 Creates semaphore: \Sessions\1\BaseNamedObjects\GR97 \Sessions\1\BaseNamedObjects\GR98 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR99 Creates semaphore: \Sessions\1\BaseNamedObjects\GR100 Creates semaphore: \Sessions\1\BaseNamedObjects\INI-c1a5167faf749c474083cf838ee771c6.data0

File System Events

Creates: C:\Users
Creates: C:\Users\Admin
Creates: C:\Users\Admin\AppData
Creates: C:\Users\Admin\AppData\Roaming

Creates: C:\Users\Admin\AppData\Roaming\GetRightToGo Creates: C:\Users\Admin\AppData\Roaming\GetRightToGo\

Creates:

C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data Creates:

Opens: C:\Windows

```
C:\Windows\System32\wow64.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64
                         C:\Windows\SysWOW64\apphelp.dll
 Opens:
 Opens:
                         C:\Windows\Temp\c1a5167faf749c474083cf838ee771c6.exe
 Opens:
                         C:\Windows\SysWOW64\ntdll.dll
 Opens:
                         C:\Windows\SysWOW64\kernel32.dll
                         C:\Windows\SysWOW64\KernelBase.dll
 Opens:
 Opens:
                         C:\Windows\apppatch\sysmain.sdb
                         C:\Windows\WinSxS\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.9200.16384_none_893961408605e985
                         C:\Windows\WinSxS\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.9200.16384_none_893961408605e985\comctl32.dll
 Opens:
                         C:\Windows\SysWOW64\oledlg.dll
                         C:\Windows\SysWOW64\secur32.dll
 Opens:
                         C:\Windows\SysWOW64\winspool.drv
 Opens:
                         C:\Windows\SysWOW64\sechost.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\combase.dll
 Opens:
                         C:\Windows\SysWOW64\SHCore.dll
 Opens:
                         C:\Windows\SysWOW64\msvcrt.dll
                         C:\Windows\SysWOW64\bcryptprimitives.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\cryptbase.dll
                         C:\Windows\SysWOW64\sspicli.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\rpcrt4.dll
 Opens:
                         C:\Windows\SysWOW64\advapi32.dll
 Opens:
                         C:\Windows\SysWOW64\user32.dll
 Opens:
                         C:\Windows\SysWOW64\gdi32.dll
 Opens:
                         C:\Windows\SysWOW64\shlwapi.dll
 Opens:
                         C:\Windows\SysWOW64\shell32.dll
                         C:\Windows\SysWOW64\comdlg32.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\ole32.dll
 Opens:
                         C:\Windows\SysWOW64\oleaut32.dll
                         C:\Windows\SysWOW64\nsi.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\ws2_32.dll
 Opens:
                         C:\Windows\SysWOW64\imm32.dll
 Opens:
                         C:\Windows\SysWOW64\msctf.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
 Opens:
                         C:\Windows\SysWOW64\uxtheme.dll
                         C:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe.2.Manifest
 Opens:
 Opens:
                         C:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe.3.Manifest
 Opens:
                         C:\windows\temp\c1a5167faf749c474083cf838ee771c6.exe.Config
 Opens:
                         C: \verb|\windows| temp\\|c1a5167faf749c474083cf838ee771c6.exe.1000.Manifest|\\
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local
                         C:\Windows\SysWOW64\tzres.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\en-US\tzres.dll.mui
 Opens:
                         C:\Windows\Fonts\tahoma.ttf
                         {\tt C:\Windows\Globalization\Sorting\SortDefault.nls}
 Opens:
 Opens:
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
                         C:\Windows\SysWOW64\clbcatq.dll
 Opens:
                         C:\Windows\SysWOW64\propsys.dll
 Opens:
                         4C77-AF34-C647E37CA0D9}.1.ver0x00000000000000e.db
                         C:\Users\desktop.ini
 Opens:
 Opens:
                         C:\Users
 Opens:
                         C:\Users\Admin
                         C:\Users\Admin\Desktop\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\AppData
                         C:\Windows\SysWOW64\cfgmgr32.dll
 Opens:
 Opens:
                         C:\Windows\SysWOW64\devobj.dll
 Opens:
                         C:\Windows\SysWOW64\setupapi.dll
 Opens:
                         C:\Users\Admin\AppData\Roaming\GetRightToGo
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data
 Opens:
                         C:\Windows\Temp
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data0
 Opens:
                         C:\Windows\SysWOW64\ntmarta.dll
                         C:\Users\Admin\Desktop
 Opens:
 Opens:
                         C:\Users\Admin\Desktop\Downloads\
 Opens:
                         C:\Windows\SysWOW64\dwmapi.dll
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
 Opens:
                         C:\Users\Public\desktop.ini
 Opens:
                         C:\Users\Public
                         C:\Users\Public\Desktop\desktop.ini
 Opens:
 Opens:
                         C:\Windows\Fonts\sserife.fon
 Writes to:
C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data
C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data0
 Reads from:
                         C:\Windows\Fonts\StaticCache.dat
 Reads from:
                         C:\Users\desktop.ini
 Reads from:
                         C:\Users\Admin\Desktop\desktop.ini
 Reads from:
                         C:\Windows\Temp\c1a5167faf749c474083cf838ee771c6.exe
```

Reads from:

C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data

Reads from:

C:\Users\Admin\AppData\Roaming\GetRightToGo\c1a5167faf749c474083cf838ee771c6.data0

Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Public\desktop.ini Reads from: C:\Users\Public\Desktop\desktop.ini

Windows Registry Events

HKCU\software\headlight Creates key:

Creates key: HKCU\software\headlight\getrighttogo

HKCU\software\headlight\getrighttogo\sharedconfig Creates key: Creates key: HKCU\software\headlight\getrighttogo\customizedapps

Opens key: HKLM\software\microsoft\wow64

HKLM\system\currentcontrolset\control\terminal server Opens key: Opens key: HKLM\system\currentcontrolset\control\safeboot\option HKLM\system\currentcontrolset\control\srp\gp\dll Opens kev:

Opens key:

HKLM\software\wow6432node\policies\microsoft\windows\safer\codeidentifiers

HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\language Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages\en-us

HKLM\system\currentcontrolset\control\mui\uilanguages\pendingdelete Opens key:

Opens key: HKLM\software\wow6432node\policies\microsoft\mui\settings

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration HKLM\system\currentcontrolset\control\mui\settings\languageconfiguration Opens key:

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

HKCU\control panel\desktop Opens key:

HKCU\control panel\desktop\muicached Opens kev:

Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\sidebyside Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens kev: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\dbglog

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags

HKLM\software\microsoft\windows Opens key: nt\currentversion\appcompatflags\disable8and16bitmitigation

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ side by side \ assembly storage roots$

HKLM\system\currentcontrolset\control\session manager Opens kev:

Opens key: $HKLM \ software \ wow 6432 node \ microsoft \ windows \ nt \ current version \ limits ge \ file$

execution options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options

Opens key:

HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key: HKLM\system\currentcontrolset\control\lsa

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration

HKLM\software\wow6432node\microsoft\windows Opens key:

nt\currentversion\gre_initialize

Opens key: HKLM\software\wow6432node\microsoft\windows

nt\currentversion\compatibility32

Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\ime

compatibility

Opens key:

HKLM\software\wow6432node\microsoft\windows nt\currentversion\windows Opens key:

Opens key: HKLM\software\wow6432node\microsoft\ole

Opens key: HKLM\software\microsoft\ole

HKLM\software\wow6432node\microsoft\ole\tracing Opens key:

Opens key: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\wow6432node\microsoft\oleaut

HKCU\software\classes\ Opens key:

Opens key: HKCU\software\classes\wow6432node\clsid

Opens key: HKCR\wow6432node\clsid

Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ policies\+ network$ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\policies\comdlg32

Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\software\wow6432node\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\system\currentcontrolset\control\computername

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\system\currentcontrolset\control\nls\locale

 $\label{locale} \verb|HKLM\| system \| current controls et \| control \| nls \| locale \| alternate sorts \| control \| sorts \| control \| contro$ Opens kev:

Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key: HKCU\software\microsoft\windows\currentversion\directmanipulation Opens key: HKLM\system\currentcontrolset\control\nls\sorting\ids Opens key: Opens key: HKLM\software\wow6432node\microsoft\ctf\ Opens key: HKLM\software\wow6432node\microsoft\ctf\knownclasses HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0 HKLM\software\microsoft\windows Opens kev: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\0cb22320 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000005 Opens kev: Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003 Opens kev: Opens key: Opens kev: Opens kev: Opens key: Opens key: Opens kev: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\00000014 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens key: Opens key: Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\policies\explorer Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens kev: Opens key: Opens kev:

db2c-424c-b029-7fe99a87c641}

Opens kev:

db2c-424c-b029-7fe99a87c641}\propertybag

Opens kev: HKCU\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens kev:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders Opens kev:

HKCU\software\classes\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-Opens key:

08002b30309d}\shellfolder

HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-Opens key:

08002b30309d}\shellfolder

Opens kev:

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens kev:

a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum

Opens kev:

Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key: HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\inprocserver32

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{d5291c64-7c88-4cqc\} \ d5291c64-7c88-4cqc \ d5291c64$

11e3-be65-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: $HKLM \verb|\software\\| wow 6432 node\\| policies\\| microsoft\\| windows\\| explorer$

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: HKCR\wow6432node\clsid\{75847177-f077-4171-bd2c-

a6bb2164fbd0}\inprocserver32

HKLM\software\microsoft\com3 Opens key:

Opens key: HKLM\software\microsoft\windowsruntime\clsid

Opens key: $HKLM \setminus software \setminus microsoft \setminus windows runtime \setminus clsid \setminus \{1f486a52 - 3cb1 - 48fd - 8f50 - 48fd - 8f$

b8dc300d9f9d}

Opens key:

Opens key: HKCR\activatableclasses\clsid

Opens key: HKCR\activatableclasses\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-Opens key: b8dc300d9f9d}

Opens key:

 $HKCU \setminus software \setminus classes \setminus wow 6432 \\ node \setminus clsid \setminus \{1f486a52 - 3cb1 - 48fd - 8f50 - 48fd - 8f50$ b8dc300d9f9d}\treatas HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens kev:

HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

 $HKCU \setminus software \setminus classes \setminus wow 6432 \\ node \setminus clsid \setminus \{1f486a52 - 3cb1 - 48fd - 8f50 - 48fd - 8f50$ Opens key: b8dc300d9f9d}\inprocserv er32

HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprocserver32

Opens key:

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

HKCU\software\classes\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprochandler

HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprochandler

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

HKCU\software\microsoft\windows\currentversion\explorer\advanced Opens key:

Opens key: HKCR\wow6432node\clsid\{a07034fd-6caa-4954-ac3f-

97a27216f98a}\inprocserver32

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler Opens key: HKCU\software\classes\folder

HKCR\folder Opens key:

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

HKCU\software\classes\allfilesystemobjects\shellex\iconhandler Opens kev:

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject Opens key: HKCR\directory\docobject

Opens key:

HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens kev: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

HKCU\software\classes\allfilesystemobjects\browseinplace Opens key:

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key: HKCU\software

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens kev:

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ property bag$

Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion

Opens key: HKLM\system\currentcontrolset\control\deviceclasses\{53f5630d-b6bf-11d0-

94f2-00a0c91efb8b}

Opens key: HKLM\system\currentcontrol\set\control\deviceclasses\{53f5630d-b6bf-11d0-

94f2-00a0c91efb8b}\properties

Opens key:

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{d5291c63-7c88-11e3-be65-806e6f6e6963}\$

Opens key: HKLM\software\wow6432node\policies\microsoft\windows\system

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key:

 $\label{local-bound} HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}}$

Opens kev:

 $\label{thm:local-bound} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folds 39ad0-238f-46af-adb4-6c85480369c7 \property bag$

Opens key: HKCU\software\classes\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

89c5-5595fe6b30ee}\shellfolder

Opens key: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\inprocserver32

Opens key: HKCR\wow6432node\clsid\{4df0c730-df9d-4ae3-9153-

aa6b82e9795a}\inprocserver32

Opens key:

 $\label{local-continuous} HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\fol$

Opens key:

 $\label{thm:local-condition} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\propertybag$

Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\user

shell folders

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif

Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsuserenabled]

Oueries value:

Queries value:

HKLM\system\currentcontrolset\control\nls\language[installlanguagefallback]

Queries value: HKLM\system\currentcontrol\mui\uilanguages\en-us[type]

Queries value: HKLM\system\currentcontrolset\control\mui\uilanguages\en-

us[alternatecodepage]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages] Queries value:

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKCU\software\microsoft\windows

 $\verb|nt\currentversion\appcompatflags[showdebuginfo]|\\$

Queries value: HKLM\system\currentcontrol\session manager[safedllsearchmode] Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions[usefilter]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions[c1a5167faf749c474083cf838ee771c6.exe]

```
Oueries value:
                         HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
                         HKLM \verb|\system| current controlset| control \verb|\lag| fips algorithm policy]
 Oueries value:
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
                         HKLM\software\wow6432node\microsoft\windows
 Oueries value:
nt\currentversion\compatibility32[c1a5167faf749c474083cf838ee771c6]
 Queries value:
                         HKLM\software\wow6432node\microsoft\windows
nt\currentversion\windows[loadappinit dlls]
 Queries value:
                         HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Oueries value:
                         HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
 Oueries value:
                         HKLM\software\microsoft\ole[aggressivemtatesting]
 Queries value:
                         HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[en]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[en]
 Queries value:
                         HKLM\software\wow6432node\microsoft\windows\windows error
reporting\wmr[disable]
 Queries value:
HKLM\system\setup[oobeinprogress]
 Queries value:
 Queries value:
                         HKLM\system\setup[systemsetupinprogress]
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\sorting\versions[000602xx]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\sorting\ids[en-us]
                         HKLM\system\currentcontrolset\control\nls\sorting\ids[en]
 Queries value:
 Queries value:
                         HKLM\software\wow6432node\microsoft\ctf[enableanchorcontext]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane1]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                         HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\languagepack\surrogatefallback[plane15]|
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
 Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ entries \ 0000000000003 \ [packed catalog item]
 Queries value:
```

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (0000000000004 [packed catalog item]) \ details \$

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem]

 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace] Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Oueries value:
- $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 00000000000002 [providerid] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[storesserviceclassinfo]

 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 0000000000004 \ [displaystring] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog \ set alog_entries \ 000000000000004 \ [version]$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[storesserviceclassinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerinfo] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ (catalog_entries \ 00000000005[library path])$ Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ (catalog_entries \ 0000000000005 \ [displaystring]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000005 \ [address family]$ Oueries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[version] Oueries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 0000000000005 [storesservice class in fo]$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath] Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000006 \ [displaystring]$ Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap amespace_catalog \\ S \setminus catalog_entries \setminus 0000000000006[providerid]$ Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000006 \ [address family]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ set alog_entries \ (00000000000006 \ [enabled]) \ (enabled)$ Oueries value:

Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap services \setminus ser$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\explorer[nopropertiesmycomputer]

HKLM\software\microsoft\windows\currentversion\policies\explorer[nopropertiesrecyclebin] Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\explorer[nocontrolpanel]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\explorer[nosetfolders]

HKLM\software\microsoft\windows\currentversion\policies\explorer[nointerneticon] Queries value:

HKLM\software\microsoft\windows\currentversion\policies\explorer[nocommongroups] Oueries value:

db2c-424c-b029-7fe99a87c641}[category]

Oueries value:

db2c-424c-b029-7fe99a87c641}[name]

Queries value:

db2c-424c-b029-7fe99a87c641}[parentfolder]

Oueries value:

db2c-424c-b029-7fe99a87c641}[description]

Queries value:

db2c-424c-b029-7fe99a87c641}[relativepath]

Oueries value:

db2c-424c-b029-7fe99a87c641}[parsingname]

Oueries value:

db2c-424c-b029-7fe99a87c641}[infotip]

Oueries value:

db2c-424c-b029-7fe99a87c641}[localizedname]

Oueries value:

db2c-424c-b029-7fe99a87c641}[icon]

Oueries value:

```
db2c-424c-b029-7fe99a87c641}[security]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[streamresource]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[streamresourcetype]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[localredirectonly]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[roamable]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[precreate]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[stream]
    Queries value:
db2c-424c-b029-7fe99a87c641}[publishexpandedpath]
    Oueries value:
db2c-424c-b029-7fe99a87c641}[attributes]
    Queries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{b4bfcc3a-bc1, b4bfcc3a-bc1, b4
db2c-424c-b029-7fe99a87c641}[foldertypeid]
    Oueries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b4bfcc3a-b
db2c-424c-b029-7fe99a87c641}[initfolderhandler]
    Queries value:
                                                                   HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[desktop]
    Queries value:
                                                                   HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[attributes]
                                                                   HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[callforattributes]
    Oueries value:
                                                                   HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[restrictedattributes]
                                                                   HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[foldervalueflags]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}1
                                                                    HKCR\wow6432node\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\inprocserver32[]
    Queries value:
HKCU \ software \ icrosoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{d5291c64-7c88-4cq24, d54291c64-7c88-4cq24, d54291c64-7c88-4cq24000000000
11e3-be65-806e6f6e6963}[data]
    Queries value:
11e3-be65-806e6f6e6963}[generation]
    Queries value:
                                                                    HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                                                  HKCR\wow6432node\clsid\{75847177-f077-4171-bd2c-
    Oueries value:
a6bb2164fbd0}\inprocserver32[]
    Queries value:
                                                                  HKLM\software\microsoft\com3[com+enabled]
                                                                   HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
    Oueries value:
    Oueries value:
                                                                   HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[inprocserver32]
                                                                  HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
    Queries value:
b8dc300d9f9d}\inprocserver32[]
    Queries value:
                                                                  HKCR\wow6432node\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[threadingmodel]
    Queries value:
                                                                   HKLM\software\microsoft\ole[maxsxshashcount]
HKLM\software\microsoft\windows\currentversion\policies\explorer[dontshowsuperhidden]
    Queries value:
                                                                   HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus explorer [nowebview]
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[classicshell]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[separateprocess]
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\explorer[nonetcrawling]
    Queries value:
                                                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
    Oueries value:
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
    Oueries value:
HKCU \ software \ microsoft \ windows \ current version \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ advanced \ advanced \ advanced \ advanced \ adva
```

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{lem:hkcu} advanced \cite{lem:$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Queries value:

Oueries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced \ [autocheck select]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Queries value:

 $\label{lem:hcu} \begin{tabular}{ll} HKCU software \verb|microsoft| windows \verb|currentversion| explorer \verb|advanced[showtypeoverlay]| \\ \end{tabular}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showstatusbar]

Queries value: HKCR\wow6432node\clsid\{a07034fd-6caa-4954-ac3f-

97a27216f98a}\inprocserver32[]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

 $\label{lem:queries} \mbox{Queries value:} & \mbox{HKCU\software\headlight\getrighttogo\sharedconfig[useloadimage]} \\ \mbox{Queries value:} & \mbox{HKCU\software\headlight\getrighttogo\sharedconfig[doxpthemes]} \\ \mbox{} \mbox{}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ wow 6432 node \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[parentfolder]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream resource]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream resource type]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$

Queries value:

 $\label{local-ham} HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]$

Queries value:

65f9-4cf6-a03a-e3ef65729f3d}[precreate]

Oueries value:

65f9-4cf6-a03a-e3ef65729f3d}[stream]

Queries value:

65f9-4cf6-a03a-e3ef65729f3d}[publishexpandedpath]

Oueries value:

65f9-4cf6-a03a-e3ef65729f3d}[attributes]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{3eb685db-microsoft \ wow \ baselines \$ 65f9-4cf6-a03a-e3ef65729f3d}[foldertypeid]

Queries value:

65f9-4cf6-a03a-e3ef65729f3d}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[category]

Oueries value:

b587-4786-b4ef-bd1dc332aeae}[name]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-part \ b3ea5dc-part \ b3ea5dc-part$ b587-4786-b4ef-bd1dc332aeae}[parentfolder]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-part \ part \$ b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[relativepath]

Oueries value:

b587-4786-b4ef-bd1dc332aeae}[parsingname]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-part \ b3ea5dc-part \ b3ea5dc-part$ b587-4786-b4ef-bd1dc332aeae}[infotip]

Oueries value:

b587-4786-b4ef-bd1dc332aeae}[localizedname]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-part \ b3ea5dc-part \ b3ea5dc-part$ b587-4786-b4ef-bd1dc332aeae}[icon]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[security]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[streamresource]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[streamresourcetype]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[localredirectonly]

Oueries value:

b587-4786-b4ef-bd1dc332aeae}[roamable]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-16b4e$ b587-4786-b4ef-bd1dc332aeae}[precreate]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-part \ b3ea5dc-part \ b3ea5dc-part$ b587-4786-b4ef-bd1dc332aeae}[stream]

Oueries value:

b587-4786-b4ef-bd1dc332aeae}[publishexpandedpath]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-part \ and \ bar \$ b587-4786-b4ef-bd1dc332aeae}[attributes]

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-particles \ explorer \ based on the content of the c$ b587-4786-b4ef-bd1dc332aeae}[foldertypeid]

Queries value:

b587-4786-b4ef-bd1dc332aeae}[initfolderhandler]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Oueries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Queries value: HKLM\software\wow6432node\microsoft\windows\currentversion[devicepath]

 $HKCU \ software \ icrosoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{d5291c63-7c88-11e3-be65-806e6f6e6963\} \ [data]$

Queries value

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{d5291c63-7c88-11e3-be65-806e6f6e6963\}[generation]}$

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKCU\software\headlight\getrighttogo\sharedconfig[debug]

Queries value:

 $HKLM \ software \ wow 6432 node \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [category]$

Queries value:

 $\label{thm:local-bound} $HKLM \cdot oftware \cdot wow 6432 node \cdot microsoft \cdot windows \cdot current version \cdot explorer \cdot folder descriptions \cdot \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [name]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(description)\f(desc$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [relative path]$

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [parsing name]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [infotip]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(icon)\f(icon)\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(icon)\f$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folder description \ explorer \ folder description \ explorer \ folder descriptions] \ fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [Folde description \ explorer \ folder \ fo$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(streamresourcetype)\f(streamres$

Queries value:

 $\label{thm:localization} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af-ad b4-6c85480369 c7 \[local redirectionly]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(roamable)\f(roamabl$

Queries value:

Queries value:

 $\label{local-prop} HKLM\software\wow6432 node\microsoft\windows\currentversion\explorer\folder descriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(stream) \\$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(attributes)\f(att$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd 39ad 0-238f-46af-adb 4-6c85480369c7\} \ [folder type id]$

Queries value:

Queries value:

HKLM\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[attributes]

Queries value: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[callforattributes]
Queries value: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[restrictedattributes]

Queries value: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[foldervalueflags]

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-

5595fe6b30ee}1

Queries value: HKCR\wow6432node\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\inprocserver32[]

Queries value: HKCR\wow6432node\clsid\{4df0c730-df9d-4ae3-9153-

aa6b82e9795a}\inprocserver32[]

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm \color= \co$

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [relative path]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm\software\wow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\ex$

Queries value:

 $HKLM \ software \ wow 6432 node \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]$

Queries value:

Queries value:

 $HKLM \ software \ wow 6432 node \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[icon]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource]$

Oueries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource type]$

Oueries value:

 $\label{lem:hklmsoftwarewow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdesc$

Queries value:

 $\label{thm:local-ham} HKLM \software \wow 6432 node \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \cur$

Queries value:

 $\label{lem:hklmsoftwarewow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer$

Queries value:

 $\label{lem:hklmsoftwarewow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\exp$

Queries value:

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwarewow6432node} Hklm \color= \co$

Queries value:

Queries value:

 $\label{lem:hklmsoftwarewow6432node\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdesc$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM$\software\mbox{$\mbox{$m$icrosoft$\windows\currentversion}\policies\explorer[turnoffspianimations]} \\$

Sets/Creates value:

HKCU\software\headlight\getrighttogo\customizedapps[c1a5167faf749c474083cf838ee771c6]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[busypause]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecache]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecachekb]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[rollback]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[dotgetright]