Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 139, Task ID: 556

Task ID: 556 Risk Level:

Date Processed: 2016-04-28 13:02:05 (UTC)

Processing Time: 64.64 seconds Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\3c8f7cba29f3aa462740dd7998c5cb74.exe"

Sample ID: 139 Type: basic Owner: admin

3c8f7cba29f3aa462740dd7998c5cb74 Label:

2016-04-28 12:45:04 (UTC) Date Added: PE32:win32:gui File Type:

File Size: 673560 bytes

3c8f7cba29f3aa462740dd7998c5cb74 MD5:

a5d8ce156441214f92d2ef6aaf78749fb7e85d6209a1d947e9675d4385a885b4 SHA256:

Description: None

Pattern Matching Results

3 Writes to a log file [Info]

- 4 Downloads executable
- 3 Long sleep detected
- 5 Creates shortcut on desktop
- 3 HTTP connection response code 200 (success) [HTTP, POST, GET, web, network, response code]
- 3 Creates a file extension shortcut

Static Events

Anomaly: PF: Contains a virtual section

Process/Thread Events

C:\windows\temp\3c8f7cba29f3aa462740dd7998c5cb74.exe Creates process:

["C:\windows\temp\3c8f7cba29f3aa462740dd7998c5cb74.exe"] Calls function: mshtml.dll:document.write

Named Object Events

\Sessions\1\BaseNamedObjects\DBWinMutex Creates mutex:

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

\Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

 $\verb|\Sessions|| 1 \\ | BaseNamedObjects|| CicLoadWinStaWinStaO$ Creates mutex:

\Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

\Sessions\1\BaseNamedObjects\!IETld!Mutex Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_ Creates mutex: Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet files!content.ie5!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

\Sessions\1\BaseNamedObjects\MSIMGSIZECacheMutex Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex Creates mutex:

\Sessions\1\BaseNamedObjects\RasPbFile Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX_0_208 Creates mutex: \KernelObjects\MaximumCommitCondition Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED Creates event:

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{534f1a02-d789-4e59-8f16-

85053ccf1647}

Creates semaphore: \Sessions\1\BaseNamedObjects\1VtPOS1F102ZtGOW1T1C1PtP1V

File System Events

Creates C:\Users\Admin\AppData\Local\Temp\0000D333.log C:\Users\Admin\AppData\Local\Temp\ish54067 Creates C:\Users\Admin\AppData\Local\Temp\ish54067\css Creates:

Creates: C:\Users\Admin\AppData\Local\Temp\ish54067\css\main.css Creates: C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui Creates:

Creates:

```
C: \Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\button.css
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\checkbox.css
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\button-
bg.png
  Creates:
                                   bg-corner.png
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\progress-
  Creates:
bg.png
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\progress-
bg2.png
  Creates:
                                   Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\csshover3.htc
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\form.bmp.Mask
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\BG.png
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close.png
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\\images\Close\_Hover.png
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button.png
                                   C: \ \ \ Color\_Button\_Hover.png
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button.png
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button_Hover.png
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Icon_Generic.png
  Creates:
  Creates:
                                   Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Pause_Button.png
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Progress.png
  Creates:
                                   C: \verb|\USers\Admin\AppData\Local\Temp\ish54067\\| images\ProgressBar.png \\
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Quick_Specs.png
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\images\Resume_Button.png
  Creates:
                                   C: \label{local-local-local-local-local} C: \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-l
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\locale\DE.locale
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\locale\EN.locale
  Creates:
                                   Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\sdk\exceptlist.txt
                                   C:\Users\Admin\AppData\Local\Temp\ish54067\bootstrap_52173.html
  Creates:
                                   C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
  Creates:
                                   C:\Users\Admin
  Creates:
                                   C:\Users\Admin\AppData\Local
  Creates:
                                   C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
  Creates:
                                   C:\Users\Admin\AppData\Roaming
  Creates:
                                   C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
  Creates:
                                   C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\0000E12A.log
  Creates:
  Creates:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_3c8f7cba29f3aa462740dd7998c5cb74.exe
                                   C:\Users\Admin\Desktop\Continue Any Video Converter Installation.lnk
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\0000E731.log
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\is956058749
                                   C: \verb|\Users\Admin\AppData\Local\Temp\is956058749\59219\_Setup.EXE|
  Creates:
  Creates:
                                   C:\Users\Admin\AppData\Local\Temp\is956058749\59219_Setup.EXE.part
                                   C:\Windows\Prefetch\3C8F7CBA29F3AA462740DD7998C5C-8D703987.pf
  Opens:
                                   C:\Windows\System32
  Opens:
  Opens:
                                   C:\Windows\System32\sechost.dll
                                   C:\windows\temp\3c8f7cba29f3aa462740dd7998c5cb74.exe.Local\
  Opens:
  Opens:
                                   C:\Windows\winsxs\x86 microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
                                   C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
  Opens:
                                   C:\Windows\System32\imm32.dll
  Opens:
                                   C:\Windows\Temp\3c8f7cba29f3aa462740dd7998c5cb74.exe
  Opens:
                                   C:\windows\temp\version.dll
  Opens:
                                   C:\Windows\System32\version.dll
  Opens:
                                   C:\Windows\System32\uxtheme.dll
  Opens:
                                   C:\windows\temp\olepro32.dll
  Opens:
                                   C:\Windows\System32\olepro32.dll
  Opens:
                                   C:\Windows\System32\rpcss.dll
  Opens:
                                   C:\windows\temp\CRYPTBASE.dll
  Opens:
                                   C:\Windows\System32\cryptbase.dll
  Opens:
                                   C:\Windows\winsxs\x86_microsoft.windows.c..-
controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2
  Opens:
                                   C:\Windows\winsxs\x86_microsoft.windows.c..-
controls.resources_6595b64144ccf1df_5.82.7600.16385_en-us_020378a8991bbcc2\comct132.dll.mui
                                   C:\windows\temp\dwmapi.dll
  Opens:
  Opens:
                                   C:\Windows\System32\dwmapi.dll
  Opens:
                                   C:\Windows\Fonts\StaticCache.dat
  Opens:
                                   C:\Windows\Svstem32\en-US\user32.dll.mui
  Opens:
                                   C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                   C:\Users\Admin\AppData\Local\Temp
  Opens:
                                   C:\Users\Admin\AppData\Local\Temp\0000D333.log
  Opens:
                                   C:\
  Opens:
                                   C:\Users
                                   C:\Users\Admin
  Opens:
  Opens:
                                   C:\Users\Admin\AppData
```

```
C:\Users\Admin\AppData\Local
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\
   Opens:
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\ie6_main.css
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\main.css
   Opens:
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\browse.css
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui
   Opens:
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\button.css
   Opens:
                                                  C: \Users \land Admin \land PpData \land Local \land Temp \land Sh54067 \land Css \land Sdk-ui \land 
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\
                                                 Opens:
bg.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images
                                                 Opens:
bg-corner.png
   Opens:
                                                 bg.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\progress-
bg2.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\progress-bar.css
   Opens:
                                                 Opens:
                                                 Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\
   Opens:
                                                 Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\\images\Close\_Hover.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button.png
   Opens:
                                                 C: \ \ \ Color\_Button\_Hover.png
   Opens:
                                                 Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button_Hover.png
   Opens:
                                                 Opens:
                                                 Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Pause_Button.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Progress.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\ProgressBar.png
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\images\Quick_Specs.png
                                                 \label{thm:local-temp-ish} C: \label{thm:local-temp-ish} Admin\appData\allocal\Temp\ish} Admin\appData\allocal\Temp\sh, ish 54067\sh, images\appResume\_Button.png
   Opens:
   Opens:
                                                 C: \label{local} C: \
   Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\locale\DE.locale
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\locale
   Opens:
   Opens:
                                                 Opens:
                                                 C:\Users\Admin\AppData\Local\Temp\ish54067\sdk\
   Opens:
                                                 Opens:
                                                 C:\windows\temp\IpHlpApi.dll
   Opens:
                                                 C:\Windows\Svstem32\IPHLPAPI.DLL
   Opens:
                                                 C:\windows\temp\WINNSI.DLL
   Opens:
                                                 C:\Windows\System32\winnsi.dll
   Opens:
                                                 C:\windows\temp\dhcpcsvc.DLL
   Opens:
                                                 C:\Windows\System32\dhcpcsvc.dll
   Opens:
                                                 C:\Program Files\Internet Explorer
   Opens:
                                                 C:\Program Files\Internet Explorer\iexplore.exe
   Opens:
                                                 C:\Program Files\Internet Explorer\en-US\iexplore.exe.mui
   Opens:
                                                 C:\Windows\System32\ieframe.dll
   Opens:
                                                 C:\Windows\System32\oleacc.dll
   Opens:
                                                 C:\windows\temp\OLEACCRC.DLL
   Opens:
                                                 C:\Windows\System32\oleaccrc.dll
   Opens:
                                                 C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                                                 C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                                                 C:\Windows\WindowsShell.Manifest
   Opens:
   Opens:
                                                 C:\windows\temp\SXS.DLL
   Opens:
                                                 C:\Windows\System32\sxs.dll
   Opens:
                                                 C:\windows\temp\SspiCli.dll
   Opens:
                                                 C:\Windows\System32\sspicli.dll
   Opens:
                                                 C:\Windows\system32\uxtheme.dll.Config
   Opens:
                                                 C:\Windows\System32\shell32.dll
   Opens:
                                                 C:\Windows\System32\en-US\setupapi.dll.mui
   Opens:
                                                 C:\Windows\System32\propsys.dll
                                                 C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db|
   Opens:
   Opens:
                                                 C:\windows\temp\ntmarta.dll
   Opens:
                                                 C:\Windows\Svstem32\ntmarta.dll
   Opens:
                                                 C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
   Opens:
                                                 C:\Users\desktop.ini
   Opens:
                                                 C:\windows\temp\MLANG.dll
   Opens:
                                                 C:\Windows\System32\mlang.dll
                                                 C:\windows\temp\apphelp.dll
   Opens:
```

C:\Windows\System32\apphelp.dll

Opens:

```
C:\Windows\System32\en-US\ieframe.dll.mui
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
  Opens:
  Opens:
                                       C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
                                       C:\Users\Admin\AppData\Local\Temp\ish54067\bootstrap_52173.html
  Opens:
  Opens:
 \verb|C:\Users\Admin\AppData\Local\Temp\ish54067\bootstrap_52173.html: Zone. Identifier | AppData | AppData
                                       C:\Windows\System32\mshtml.dll
  Opens:
                                       C:\Windows\System32\msls31.dll
  Opens:
  Opens:
                                       C:\Windows\System32\msimtf.dll
  Opens:
                                       C:\Windows\System32\jscript.dll
  Opens:
                                       C:\windows\temp\CRYPTSP.dll
  Opens:
                                       C:\Windows\System32\cryptsp.dll
  Opens:
                                       C:\Windows\System32\rsaenh.dll
                                       C:\windows\temp\RpcRtRemote.dll
  Opens:
  Opens:
                                       C:\Windows\System32\RpcRtRemote.dll
  Opens:
                                       C:\Users\Admin\AppData\Local\Temp\ish54067\sdk
  Opens:
                                       C: \verb|Vsers\Admin\AppData\Local\Temp\ish54067\sdk\ui\\|
  Opens:
                                       C:\Users\Admin\AppData\Local\Temp\ish54067\script\
  Opens:
                                       C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\progress-
bar.css:Zone.Identifier
  Opens:
                                       C:\Users\Admin\AppData\Local\Temp\ish54067\css\main.css:Zone.Identifier
  Opens:
                                       C:\windows\temp\ImgUtil.dll
                                       C:\Windows\System32\imgutil.dll
  Opens:
  Opens:
                                       C:\Windows\System32\pngfilt.dll
  Opens:
                                       C:\Windows\System32\en-US\urlmon.dll.mui
  Opens:
                                       C:\windows\temp\profapi.dll
  Opens:
                                       C:\Windows\System32\profapi.dll
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Opens:
Files\Content.IE5\desktop.ini
  Opens:
                                       C:\Users\Admin\AppData\Roaming
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Opens:
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
  Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
                                      C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Opens:
Files\Content.IE5\index.dat
                                       C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
  Opens:
  Opens:
\label{lem:c:start} C: \label{lem:c:start} Admin\ App Data \ Local\ Microsoft\ Windows\ History\ . IE5\ index.\ dat
                                       C:\Windows\Fonts\arial.ttf
  Opens:
  Opens:
                                       C:\Windows\Fonts\arialbd.ttf
                                       C:\Users\Admin\AppData\Local\Microsoft
  Opens:
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer
  Opens:
                                       C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\MSIMGSIZ.DAT
  Opens:
                                       C:\windows\temp\powrprof.dll
  Opens:
                                       C:\Windows\System32\powrprof.dll
  Opens:
                                       C:\Windows\System32\wininet.dll
  Opens:
                                       C:\windows\temp\dnsapi.DLL
  Opens:
                                       C:\Windows\System32\dnsapi.dll
  Opens:
                                       C:\windows\temp\RASAPI32.dll
  Opens:
                                       C:\Windows\System32\rasapi32.dll
  Opens:
                                       C:\windows\temp\rasman.dll
  Opens:
                                       C:\Windows\System32\rasman.dll
  Opens:
                                       C:\windows\temp\rtutils.dll
  Opens:
                                       C:\Windows\System32\rtutils.dll
  Opens:
                                       C:\ProgramData\Microsoft\Network\Connections\Pbk\
  Opens:
                                       C:\Windows\System32\ras
  Opens:
                                       C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
  Opens:
                                       C:\windows\temp\sensapi.dll
                                       C:\Windows\System32\SensApi.dll
  Opens:
  Opens:
                                       C:\Windows\System32\nlaapi.dll
  Opens:
                                       C:\windows\temp\rasadhlp.dll
  Opens:
                                       C:\Windows\System32\rasadhlp.dll
  Opens:
                                       C:\Windows\System32\NapiNSP.dll
  Opens:
                                       C:\Windows\System32\pnrpnsp.dll
  Opens:
                                       C:\Windows\System32\mswsock.dll
  Opens:
                                       C:\Windows\System32\winrnr.dll
  Opens:
                                       C:\Users\Admin\AppData\Local\Temp\0000E12A.log
  Opens:
                                       C:\Windows\System32\WSHTCPIP.DLL
  Opens:
                                       C:\Windows\System32\wship6.dll
  Opens:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_3c8f7cba29f3aa462740dd7998c5cb74.exe
                                       C:\windows\temp\dhcpcsvc6.DLL
  Opens:
  Opens:
                                       C:\Windows\Svstem32\dhcpcsvc6.dll
  Opens:
                                       C:\Windows\System32\drivers\etc\hosts
  Opens:
                                       C:\Windows\System32\FWPUCLNT.DLL
                                       C:\Windows\System32\netprofm.dll
  Opens:
  Opens:
                                       C:\Windows\System32\npmproxy.dll
```

```
C:\Users\Admin\Desktop
   Opens:
   Opens:
                                               C:\Users\Admin\Desktop\desktop.ini
   Opens:
                                               C:\Users\Admin\Searches\desktop.ini
                                               C:\Users\Admin\Videos\desktop.ini
   Opens:
   Opens:
                                               C:\Users\Admin\Pictures\desktop.ini
   Opens:
                                               C:\Users\Admin\Contacts\desktop.ini
   Opens:
                                               C:\Users\Admin\Favorites\desktop.ini
                                               C:\Users\Admin\Music\desktop.ini
   Opens:
   Opens:
                                               C:\Users\Admin\Downloads\desktop.ini
   Opens:
                                               C:\Users\Admin\Documents\desktop.ini
   Opens:
                                               C:\Users\Admin\Links\desktop.ini
   Opens:
                                               C:\Users\Admin\Saved Games\desktop.ini
   Opens:
                                               C:\Windows\System32\shdocvw.dll
   Opens:
                                               C:\windows\temp\LINKINFO.dll
   Opens:
                                               C:\Windows\System32\linkinfo.dll
   Opens:
                                               C:\windows\temp\ntshrui.dll
   Opens:
                                               C:\Windows\System32\ntshrui.dll
   Opens:
                                               C:\windows\temp\srvcli.dll
   Opens:
                                               C:\Windows\System32\srvcli.dll
   Opens:
                                               C:\windows\temp\cscapi.dll
   Opens:
                                               C:\Windows\System32\cscapi.dll
   Opens:
                                               C:\windows\temp\slc.dll
   Opens:
                                               C:\Windows\Svstem32\slc.dll
   Opens:
                                               C:\Users\Admin\Desktop\Continue Any Video Converter Installation.lnk
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\0000E731.log
   Opens:
                                               Opens:
                                               C:\Windows\System32\msimg32.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\is956058749
   Opens:
                                               C: \verb|\Users\Admin\AppData\Local\Temp\is956058749\59219\_Setup.EXE|
   Opens:
                                               Opens:
                                               C:\Windows\System32\tzres.dll
   Opens:
                                               C:\Windows\System32\en-US\tzres.dll.mui
   Opens:
                                               C:\Windows\System32\en-US\jscript.dll.mui
  Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\0000D333.log
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\css\ie6_main.css
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\css\main.css
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\browse.css
                                                \verb| C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\button.css| \\
   Writes to:
                                               Writes to:
                                               \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \\ \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \\ \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \label{thm:local-Temp} \\ \label{thm:local-Temp} \label{thm:loc
   Writes to:
bg.png
                                               Writes to:
bg-corner.png
                                               Writes to:
bg.png
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\css\sdk-ui\images\progress-
bg2.png
   Writes to:
                                               Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\csshover3.htc
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\BG.png
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close.png
   Writes to:
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close_Hover.png
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button.png
   Writes to:
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button_Hover.png
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button.png
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button_Hover.png
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Icon_Generic.png
   Writes to:
                                               \label{local-temp-ish} C: \Users \land Admin \land App Data \land Local \land Temp \land Show Admin \land
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Pause_Button.png
   Writes to:
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Progress.png
   Writes to:
                                               \label{local-temp-ish} $$C:\Users\Admin\AppData\Local\Temp\ish54067\times\ProgressBar.png $$
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\\images\Quick\_Specs.png
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\ish54067\images\Resume_Button.png
   Writes to:
                                               C: \verb|\USers\Admin\AppData\Local\Temp\ish54067\locale\DE.locale|\\
   Writes to:
                                               Writes to:
   Writes to:
                                               Writes to:
                                               Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\0000E12A.log
   Writes to:
C:\Users\Admin\AppData\Local\Temp\ICReinstall_3c8f7cba29f3aa462740dd7998c5cb74.exe
                                               C:\Users\Admin\Desktop\Continue Any Video Converter Installation.lnk
   Writes to:
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\0000E731.log
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\is956058749\59219_Setup.EXE
   Writes to:
                                               C:\Users\Admin\AppData\Local\Temp\is956058749\59219_Setup.EXE.part
   Reads from:
                                               C:\Windows\Temp\3c8f7cba29f3aa462740dd7998c5cb74.exe
   Reads from:
                                               C:\Windows\Fonts\StaticCache.dat
                                               C:\Users\Admin\AppData\Local\Temp\0000D333.log
   Reads from:
   Reads from:
                                               C:\Windows\System32\ieframe.dll
   Reads from:
                                               C:\Users\desktop.ini
   Reads from:
                                               C: \verb|\Users\Admin\AppData\Local\Temp\ish54067\bootstrap_52173.html| \\
   Reads from:
```

C:\Users\Admin\AppData\Local\Temp\ish54067\css\main.css

Reads from:

Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\BG.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Quick_Specs.png C:\Users\Admin\AppData\Local\Temp\ish54067\locale\EN.locale Reads from: Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Grey_Button.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close.png C:\Users\Admin\AppData\Local\Temp\ish54067\images\ProgressBar.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Progress.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Pause_Button.png Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Resume_Button.png Reads from: Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Loader.gif Reads from: Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Close_Hover.png Reads from: Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Color_Button_Hover.png C:\Users\Admin\AppData\Local\Temp\0000E12A.log Reads from:

C:\Users\Admin\AppData\Local\Temp\ICReinstall_3c8f7cba29f3aa462740dd7998c5cb74.exe

Reads from: C:\Windows\System32\drivers\etc\hosts C:\Users\Admin\Desktop\desktop.ini Reads from: Reads from: C:\Users\Admin\Searches\desktop.ini Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini C:\Users\Admin\Music\desktop.ini Reads from: Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini C:\Users\Admin\Links\desktop.ini Reads from: Reads from: C:\Users\Admin\Saved Games\desktop.ini Reads from: C:\Users\Admin\AppData\Local\Temp\0000E731.log

Reads from: C:\Users\Admin\AppData\Local\Temp\ish54067\images\Icon_Generic.png

Deletes: C:\Users\Admin\AppData\Local\Temp\0000D333.log

Deletes: C:\Users\Admin\AppData\Local\Temp\ish54067\bootstrap_52173.html

Deletes: C:\Users\Admin\AppData\Local\Temp\0000E12A.log
Deletes: C:\Users\Admin\AppData\Local\Temp\0000E731.log

Network Events

DNS query:

Reads from:

DNS query: os.softwarenetcdn.com DNS query: www.soft-ware.net DNS query: az745087.vo.msecnd.net os.softwarenetcdn.com \Rightarrow 52.18.52.15 DNS response: os.softwarenetcdn.com \Rightarrow 52.49.88.152 DNS response: DNS response: os.softwarenetcdn.com ⇒ 54.229.179.58 DNS response: www.soft-ware.net \Rightarrow 104.27.164.7 www.soft-ware.net \Rightarrow 104.27.165.7 DNS response: DNS response: $cs3.wpc.v0cdn.net \Rightarrow 68.232.45.201$ Connects to: 52.18.52.15:80

wpad

 Connects to:
 104.27.164.7:80

 Connects to:
 68.232.45.201:80

 Sends data to:
 0.0.0.0:5355

 Sends data to:
 224.0.0.252:5355

 Sends data to:
 8.8.8.8:53

 Sends data to:
 www.soft-ware.net:80 (104.27.164.7)

 Sends data to:
 os.softwarenetcdn.com:80 (52.18.52.15)

 Sends data to:
 cs3.wpc.v0cdn.net:80 (68.232.45.201)

 Receives data from:
 8.8.8.8:53

Receives data from: www.soft-ware.net:80 (104.27.164.7)
Receives data from: os.softwarenetcdn.com:80 (52.18.52.15)
Receives data from: cs3.wpc.v0cdn.net:80 (68.232.45.201)

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates key

Creates key:

settings\connections

Creates key: HKCU\software\microsoft\windows nt\currentversion\network\location

awareness

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Creates key: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\wpad|{|} dc6fde82-a393-4c18-a825-981179a97026}|$

Creates key: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\wpad|{dc6fde82-a393-4c18-a825-981179a97026} \verb|\c2-80-13-e2-25-f3| \\$

 $\label{lem:condition} \begin{tabular}{ll} \b$

settings\wpad\c2-80-13-e2-25-f3

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[autoconfigurl]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

 $Opens\;key: \\ \qquad \qquad \mathsf{HKLM}\backslash \mathsf{software}\backslash \mathsf{microsoft}\backslash \mathsf{windows}\backslash \mathsf{current} \mathsf{version}\backslash \mathsf{side} \mathsf{byside}$

Opens key:

 $\label{thm:local} \verb+HKLM\software\microsoft\windows\currentversion\sidebyside\assembly storage roots$

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\ole
Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKCU\software\borland\locales
Opens key: HKLM\software\borland\locales
Opens key: HKCU\software\borland\delphi\locales

 Opens key:
 HKLM\system\currentcontrolset\control\nls\customlocale

 Opens key:
 HKLM\system\currentcontrolset\control\nls\extendedlocale

 Opens key:
 HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\system\currentcontrolset\control\cmf\config
Opens key: HKLM\system\currentcontrolset\control\nls\locale

 $Opens\;key: \\ \qquad \qquad \text{HKLM} \\ system \\ \current control \\ solvable \\ \control \\ \control$

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback\segoe ui
 Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

 $Opens\ key: \\ HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces$

Opens key:

c19ce8a73253}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage

Opens key:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \verb|\microsoft| windows \shell \associations \urlassociations \http\\ \associations \associ$

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\http\shell\open\command

Opens key: HKCR\http\shell\open\command

Opens key: HKLM\software\microsoft\windows\currentversion\app paths\iexplore.exe

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\treatas

 $Opens~key: \\ HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\ \ treat as$

HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-Opens key: 00c04fd705a2}\progid $HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid$ Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-Opens key: 00c04fd705a2}\inprocserver32 Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-Opens key: 00c04fd705a2}\inprochandler32 HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32 Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-Opens key: 00c04fd705a2}\inprochandler $\label{locality} HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\ \ in prochandler$ Opens key: Opens key: HKCU\software\classes\typelib HKCR\typelib Opens key: Opens key: HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b} HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b} Opens key: HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1 Opens kev: Opens key: HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1 Opens key: HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0 Opens key: HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0 Opens key: HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0\win32 Opens key: HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0\win32 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\ Opens key: HKLM\software\policies\microsoft\internet explorer\main\featurecontrol Opens key: HKCU\software\policies\microsoft\internet explorer\main\featurecontrol Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap\domains\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zonemap\domains\ HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ranges\ HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ranges\ HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_unc_savedfilecheck HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_unc_savedfilecheck HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001 HKLM\software\policies Opens key: Opens key: HKCU\software\policies Opens kev: HKCU\software Opens key: HKLM\software Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zonemap HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ranges\ $\label{lem:hkcu} \verb+KCU\+software\+microsoft\+windows\+currentversion\+internet$ Opens key: settings\zonemap\protocoldefaults\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\domains\ Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\zonemap\domains\ HKLM\software\policies\microsoft\internet explorer Opens key: Opens key: HKLM\software\policies\microsoft\internet explorer\security

Opens key: HKLM\software\policies\microsoft\internet explorer\security
Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\2

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3

 $\label{thm:continuous} Opens~key: \\ HKLM\software\policies\mbox{\mbox{$microsoft\windows\currentversion\internet}}$

settings\zones\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zones\

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

```
settings\zones\0
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
    Opens kev:
settings\zones\0
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
                                                               HKLM\software\microsoft\windows\currentversion\internet
    Opens key:
settings\zonemap\
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
    Opens key:
                                                               \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\zones\2
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\4
                                                               \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
    Opens key:
settings\zones\4
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                                               HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\
                                                               HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\0
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\0
    Opens key:
                                                               HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\1
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\1
                                                               HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\2
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\2
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                                               HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\lockdown_zones\3
                                                               \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} explicitly independent of the local property of the local 
    Opens key:
settings\lockdown_zones\3
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                                                               HKCU\software\microsoft\windows\currentversion\internet
    Opens kev:
settings\lockdown_zones\4
    Opens key:
                                                               \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\4
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                                                               HKCR\clsid\{3050f4e1-98b5-11cf-bb82-00aa00bdce0b}
    Opens kev:
                                                               HKCR\clsid\{3050f4f5-98b5-11cf-bb82-00aa00bdce0b}
    Opens key:
    Opens key:
                                                               HKCR\clsid\{3050f819-98b5-11cf-bb82-00aa00bdce0b}
    Opens key:
HKLM \setminus software \setminus microsoft \setminus ctf \setminus compatibility \setminus 3c8f7cba29f3aa462740dd7998c5cb74.exe
                                                               HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be07 - be07 - be18 - b
    Opens key:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
    Opens key:
                                                               HKLM\software\microsoft\ctf\
    Opens key:
                                                               HKLM\software\microsoft\ctf\knownclasses
    Opens key:
                                                               HKCU\software\microsoft\windows\currentversion\internet settings
    Opens key:
                                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
    Opens key:
                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
    Opens kev:
                                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
    Opens key:
                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
    Opens kev:
                                                               HKLM\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
                                                               HKCU\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
HKLM \ software \ `microsoft \ windows \ current version \ shell compatibility \ applications \ 3c8f7cba29f3aa462740dd7998c5cb74. exemple the shell compatibility \ applications \ and \ applications \
    Opens key:
                                                               HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
                                                               HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens kev:
    Opens key:
                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-theoryte \} + theoryte \setminus foreign + theoryte \}
```

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

 $\label{lem:constant} \mbox{ Opens key:} & \mbox{ HKCU\software\mbox{\mbox{microsoft\windows\currentversion\policies\nonenum}} \\ \mbox{ HKLM\software\mbox{\mbox{microsoft\windows\currentversion\policies\nonenum}}$

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens kev:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

b8dc300d9f9d\progid

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler
Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders
Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus shell \setminus registered applications \setminus urlassociations \setminus directory \setminus open with progids$

Opens kev:

 $\label{thm:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \shell \associations \urlassociations \directory \end{tabular}$

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: $\label{lem:hkcusoftware} \mbox{ HKCU\software\classes\directory\shellex\iconhandler}$

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key: HKCU\software\microsoft\internet explorer\main

```
HKLM\software\microsoft\internet explorer\main
 Opens key:
 Opens key:
                          HKLM\software\policies\microsoft\internet explorer\main
 Opens kev:
                          HKCU\software\policies\microsoft\internet explorer\main
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
 Opens key:
                         HKCU\software\microsoft\internet explorer\international
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
 Opens key:
                          HKCU\software\classes\.html
                          HKCR\.html
 Opens key:
 Opens key:
                          HKCU\software\classes\.html\openwithprogids
                          HKCR\.html\openwithprogids
 Opens key:
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\userchoice
 Opens key:
                          HKCU\software\classes\htmlfile
 Opens key:
                          HKCR\htmlfile
                          HKCU\software\classes\htmlfile\curver
 Opens key:
 Opens key:
                          HKCR\htmlfile\curver
 Opens key:
                          HKCR\htmlfile\
                          HKCU\software\classes\htmlfile\shellex\iconhandler
 Opens kev:
 Opens key:
                          HKCR\htmlfile\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\htmlfile\docobject
                          HKCR\htmlfile\docobject
 Opens key:
 Opens key:
                          HKCU\software\classes\systemfileassociations\.html
 Opens key:
                          HKCR\systemfileassociations\.html
 Opens key:
                          HKCU\software\classes\systemfileassociations\.html\docobject
 Opens key:
                          HKCR\systemfileassociations\.html\docobject
 Opens key:
                          HKCU\software\classes\systemfileassociations\document
 Opens key:
                          HKCR\systemfileassociations\document
 Opens key:
                          HKCU\software\classes\htmlfile\browseinplace
 Opens key:
                          HKCR\htmlfile\browseinplace
 Opens key:
                          \label{lem:hkcu} \verb+KKCU \software \classes \system file associations \verb+..html \browsein place+ \\
 Opens key:
                          {\tt HKCR} \verb|\systemfileassociations|.html| browsein place
 Opens key:
                          HKCU\software\classes\htmlfile\clsid
                          HKCR\htmlfile\clsid
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\implemented categories\{00021490-0000-0000-c000-000000000046}
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\ implemented
 Opens key:
categories\{00021490-0000-0000-c000-000000000046}
 Opens key:
                          HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32
 Opens key:
                          HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\\\\inprocserver32
```

Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\shell} extensions\label{lem:hkcu} blocked \\$ Opens key: Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens kev: HKLM\software\policies\microsoft\windows\appcompat Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\shellfolder

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-Opens key:

00aa004ae837}\treatas

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\treatas Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\progid

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\progid Opens key: $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \clsid \e7e4bc40-e76a-11ce-a9bb-e7e4bc40-e7e4bc4$

00aa004ae837}\inprochandler32

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler32

HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-Opens key:

00aa004ae837}\inprochandler

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler

Opens key:

 $HKLM \label{loss} HKLM \label{loss} HKLM \label{loss} HKLM \label{loss} The loss \label{loss} HKLM \$ a9bb-00aa004ae837}

Opens key: HKLM\software\policies\microsoft\internet explorer\browseremulation Opens key: HKCU\software\policies\microsoft\internet explorer\browseremulation

Opens key: HKLM\software\microsoft\internet explorer\mediatypeclass Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\accepted documents

HKLM\software\microsoft\windows\currentversion\policies\ratings Opens key:

Opens key: HKCU\software\microsoft\internet

```
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
   Opens kev:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
    Opens key:
ba85-6007caedcf9d}
    Opens kev:
ba85-6007caedcf9d}\propertybag
    Opens key:
                                                            HKCU \ software \ `microsoft\ `windows \ `current version \ `explorer \ `session in fo' 1 \ in the context of the context of
    Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders
    Opens key:
                                                           HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
    Opens kev:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-d1474-d14744-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474-d1474
908e-08a611b84ff6}
    Opens key:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2b0f765d-c0e9-4171-descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `ex
908e-08a611b84ff6}\propertybag
    Opens key:
                                                           HKCU\software\microsoft\internet explorer
    Opens key:
                                                           HKLM\software\microsoft\internet explorer
    Opens key:
                                                            HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling
                                                           HKLM\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_mime_handling
    Opens key:
                                                           HKCU\software\classes\protocols\name-space handler\
    Opens key:
                                                           HKCR\protocols\name-space handler
    Opens key:
                                                            HKCU\software\classes\protocols\name-space handler\file\
    Opens key:
                                                            HKCR\protocols\name-space handler\file
                                                           HKCU\software\classes\protocols\name-space handler\*\
    Opens key:
    Opens key:
                                                            HKCR\protocols\name-space handler\*
    Opens key:
                                                            HKCU\software\classes\protocols\filter\text/html
                                                           HKCR\protocols\filter\text/html
    Opens key:
    Opens key:
                                                            HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
    Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
    Opens kev:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
                                                           HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_safe_bindtoobject
                                                           HKCU \setminus software \setminus classes \setminus clsid \setminus \{25336920-03f9-11cf-8fd0-00aa00686f13\}
    Opens key:
    Opens key:
                                                            HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
                                                            HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
    Opens kev:
00aa00686f13}\treatas
                                                            HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas
    Opens key:
                                                            HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
    Opens key:
00aa00686f13}\progid
                                                            HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid
    Opens key:
    Opens kev:
                                                           HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32
                                                            HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32
    Opens key:
                                                            HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
    Opens key:
00aa00686f13}\inprochandler32
    Opens key:
                                                            \label{lem:hkcrclsid} $$HKCR\clsid_{25336920-03f9-11cf-8fd0-00aa00686f13}\in All $$\clsid_{25336920-03f9-11cf-8fd0-00aa00686f13}$$
    Opens key:
                                                            HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler
                                                            HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler
    Opens key:
    Opens key:
                                                            HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
    Opens key:
                                                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
    Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
    Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
                                                           HKCU\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature aria support
    Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_aria_support
    Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams
                                                           HKLM\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_legacy_dispparams
    Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
    Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
```

```
HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_expanduri_bypass
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_allow_expanduri_bypass
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_databinding_support
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_object_caching
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
                         HKCU\software\microsoft\windows nt\currentversion\windows
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_cleanup_at_fls
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_cleanup_at_fls
                         HKLM\software\microsoft\windows\currentversion\app paths\outlook.exe
 Opens key:
 Opens key:
                         HKLM\software\microsoft\internet explorer\application compatibility
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\domstorage
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\domstorage
 Opens key:
                         HKCU\software\microsoft\internet explorer\domstorage
 Opens kev:
                         HKLM\software\microsoft\internet explorer\domstorage
                         HKLM\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKCU\software\microsoft\internet explorer\safety\privacie
                         HKLM\software\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_restrict_filedownload
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
                         HKLM\software\microsoft\internet explorer\security\floppy access
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
detection
                         \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} soft \end{tabular} addrbar spoof
 Opens key:
detection
 Opens key:
                         HKCU\software\classes\protocols\name-space handler\about\
 Opens key:
                         HKCR\protocols\name-space handler\about
 Opens key:
                         HKCU\software\classes\protocols\handler\about
                         HKCR\protocols\handler\about
 Opens kev:
                         HKCU \setminus software \setminus classes \setminus clsid \setminus \{3050f406-98b5-11cf-bb82-00aa00bdce0b\}
 Opens key:
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\treatas
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\treatas
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
 Opens key:
00aa00bdce0b}\progid
```

Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-

00aa00bdce0b}\inprocserver32

Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32

Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-

00aa00bdce0b}\inprochandler32

Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32

Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-

00aa00bdce0b}\inprochandler

Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_document_compatible_mode Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_document_compatible_mode Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown Opens key: HKLM\software\microsoft\internet

Opens key: HKLM\software\policies\microsoft\internet explorer\zoom Opens key: HKCU\software\policies\microsoft\internet explorer\zoom

Opens key: HKCU\software\microsoft\internet explorer\zoom
Opens key: HKLM\software\microsoft\internet explorer\zoom

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_weboc_document_zoom Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_weboc_document_zoom Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_protocol_lockdown

explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors

Opens key: HKCU\software\policies\microsoft\internet explorer

Opens key: HKLM\software\policies\microsoft\internet explorer\international\scripts

Opens key: HKCU\software\microsoft\internet explorer\international\scripts
Opens key: HKLM\software\microsoft\internet explorer\international\scripts
Opens key: HKLM\software\policies\microsoft\internet explorer\settings

Opens key: HKCU\software\microsoft\internet explorer\settings
Opens key: HKLM\software\microsoft\internet explorer\settings
Opens key: HKCU\software\microsoft\internet explorer\styles

 $Opens\ key: \\ \hspace*{0.5cm} \mbox{HKCU\software\mbox{\mbox{microsoft\windows\currentversion\space{0.05cm}{policies\activedesktop}} \\$

Opens key: HKCU\software\microsoft\windows\currentversion\policies
Opens key: HKCU\software\microsoft\internet explorer\pagesetup
Opens key: HKCU\software\microsoft\internet explorer\menuext
Opens key: HKCU\software\microsoft\internet explorer\menuext\%s
Opens key: HKLM\system\currentcontrol\nls\codepage

Opens key: HKCU\software\microsoft\internet explorer\international\scripts\3
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\travellog
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\travellog

Opens key: HKLM\software\microsoft\internet explorer\version vector

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_zone_elevation
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_zone_elevation
Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_sslux

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_sslux

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation

 $Opens\ key: \\ HKLM \ software \ microsoft \ windows \ current version \ internet\ settings \ zones \ \ 0$

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter

 $Opens~key: \\ HKCU\software\microsoft\windows\currentversion\internet~settings\cores$

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_mshtml_autoload_ieframe Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_mshtml_autoload_ieframe Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_enable_compat_logging Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_enable_compat_logging
 Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\

HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc} Opens key:

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc} Opens key: Opens kev: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\treatas

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\progid

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler32

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler32 Opens key:

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler

Opens key: $HKCR \clsid \ \{50d5107a-d278-4871-8989-f4ceaaf59cfc\} \ \ in prochandler$ HKCU\software\policies\microsoft\internet explorer\control panel Opens key:

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_iedde_register_urlecho HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_iedde_register_urlecho

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58} Opens key: Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\treatas

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\treatas Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\progid

 $HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbb58\}\progid$ Opens key: Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler32

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\inprochandler32 Opens key:

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler

Opens key: $HKCR \land \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\} \land inprochandler$

Opens key: HKLM\software\microsoft\windows script\features

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547

HKLM\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547

HKLM\software\microsoft\internet explorer\activex compatibility Opens key:

Opens key: HKLM\software\microsoft\internet explorer\activex

compatibility\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key: HKCU\software\classes\appid\3c8f7cba29f3aa462740dd7998c5cb74.exe

Opens key: HKCR\appid\3c8f7cba29f3aa462740dd7998c5cb74.exe

Opens key: HKLM\software\microsoft\ole\appcompat Opens key: HKLM\system\currentcontrolset\control\lsa

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration

Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography Opens key:

 ${\tt HKLM \backslash software \backslash microsoft \backslash cryptography \backslash offload}$ Opens key: $\label{local-cond} \mbox{HKCU\software\classes\interface} \ \{00000134-0000-0000-c000-000000000046\} \ \mbox{HKCU\software\classes\scales} \ \ \mbox{HKCU\software\classes\scales} \ \mbox{HKCU\soft\scales} \mbox{HKCU\soft\scales} \ \mbox{HKCU\soft\scales}$

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046} HKCU\software\classes\interface\{00000134-0000-0000-c000-Opens key:

000000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32

HKLM\system\currentcontrolset\services\bfe Opens key:

Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\ Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\ Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\url history

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\url history

HKCU\software\microsoft\windows\currentversion\internet settings\url

Opens key:

history Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\url

history

Opens key: HKCU\software\microsoft\ftp

HKLM\software\policies\microsoft\internet explorer\services Opens key:

Opens key: HKCU\software\microsoft\internet explorer\services

Opens kev: HKLM\software\policies\microsoft\internet explorer\activities

Opens key: HKCU\software\microsoft\internet explorer\activities Opens key: HKLM\software\microsoft\internet explorer\activities

Opens key: HKLM\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_binary_caller_service_provider

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_binary_caller_service_provider

Opens key: HKLM\software\policies\microsoft\internet explorer\restrictions
Opens key: HKCU\software\policies\microsoft\internet explorer\restrictions

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_subdownload_lockdown Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_subdownload_lockdown

Opens key: HKCU\software\classes\protocols\name-space handler

Opens key: HKCU\software\classes\.css

Opens key: HKCR\.css

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561

Opens key: HKLM\software\policies\microsoft\internet explorer\dxtrans

Opens key: HKCU\software\microsoft\internet explorer\dxtrans
Opens key: HKLM\software\microsoft\internet explorer\dxtrans

Opens key: $\mbox{HKCU\software\mbox{\sc microsoft\internet}}$

explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_scripturl_mitigation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_scripturl_mitigation Opens key: HKCU\software\classes\.png

Opens key: HKCR\.png

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}

 Opens key:
 HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01\}

 Opens key:
 HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724

00aa006c1a01}\treatas

Opens key: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\treatas Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\progid

 Opens key:
 HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid

 Opens key:
 HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724

00aa006c1a01}\inprocserver32

 $Opens~key: \\ HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01\}\inprocserver32.$

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprochandler32

Opens key: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprochandler32

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprochandler

Opens key: $\label{eq:hkcr} \begin{tabular}{ll} HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\end{tabular} $$ Opens key: $$ HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}$ \end{tabular}$

 Opens key:
 HKCR\clsid\\6a01fda0-30df-11d0-b724-00aa006c1a01\}

 Opens key:
 HKCU\software\classes\clsid\\6a01fda0-30df-11d0-b724

00aa006c1a01}\treatas

 $\label{lem:continuous} Opens \; key: & HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01\}\treatas} \\ Opens \; key: & HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas \\ Opens \; key: & HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas \\ Opens \; key: & HKCU\software\classes\clsid\cl$

00aa006c1a01}\progid

 $\label{lem:continuous} Opens \ key: $$ HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01\}\progid }$$ Opens \ key: $$ HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-}$$$

00aa006c1a01}\inprocserver32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler32

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler

Opens key: HKCU\software\classes\mime\database\content type

Opens key: HKCR\mime\database\content type

```
Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/bmp\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/bmp\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/gif\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/gif\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/jpeg\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/jpeg\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/pjpeg\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/pjpeg\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/png\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/png\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/tiff\bits
    Opens key:
                                                            {\tt HKCR\mbox{\tt Mime}\database\content\ type\limage/tiff\bits}
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/x-icon\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/x-icon\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/x-jg\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/x-jg\bits
    Opens kev:
                                                            HKCU\software\classes\mime\database\content type\image/x-png\bits
    Opens key:
                                                            HKCR\mime\database\content type\image/x-png\bits
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/x-wmf\bits
    Opens key:
                                                            \label{lem:hkcr} \mbox{HKCR} $$ \mbox{HKCR} \rightarrow \mbox{HKCR} $$ is a parameter of the lambda of the l
    Opens key:
                                                            HKCU\software\classes\mime\database\content type\image/x-png
    Opens key:
                                                            HKCR\mime\database\content type\image/x-png
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
    Opens key:
    Opens key:
                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
    Opens key:
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\treatas
    Opens key:
                                                            HKCR\clsid\a3ccedf7-2de2-11d0-86f4-00a0c913f750\treatas
    Opens key:
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\progid
    Opens key:
                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid
    Opens key:
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprocserver32
                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\
    Opens key:
    Opens key:
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprochandler32
                                                            HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\) in prochandler 32
    Opens key:
                                                            HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
    Opens kev:
00a0c913f750}\inprochandler
                                                            HKCR \land \{a3ccedf7-2de2-11d0-86f4-00a0c913f750\} \land \{a3ccedf7-2de2-11d0-86f4-00a
    Opens key:
                                                            HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
                                                            HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
    Opens key:
                                                            HKCU\software\microsoft\internet explorer\ietld
    Opens key:
                                                            HKCU\software\classes\.gif
    Opens key:
                                                            HKCR\.gif
    Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache
                                                            HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\5.0\cache
                                                            HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\5.0\cache\content
    Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content
   Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-
9d55-7b8e7f157091}
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-
9d55-7b8e7f157091}\propertybag
   Opens key:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \labe
9afe-ea3317b67173}
    Opens kev:
9afe-ea3317b67173}\propertybag
                                                            HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-
   Opens key:
2160590473-689474908-1361669368-1002
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
    Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
   Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}
    Opens kev:
a03a-e3ef65729f3d}\propertybag
                                                            HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\5.0\cache\history
    Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\history
    Opens key:
```

```
a781-5a1130a75963}
   Opens key:
a781-5a1130a75963}\propertybag
   Opens key:
                                               HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache
                                               HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\5.0\cache\extensible cache\domstore
                                               \label{lem:hkcu} \verb+KKCU \software \verb+microsoft + windows \verb+current version \verb+\internet+ in the lemma + the lemma 
   Opens key:
settings\5.0\cache\extensible cache\feedplat
   Opens key:
                                               \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\iecompat
                                               HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\5.0\cache\extensible cache\ietld
   Opens key:
                                               HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restricted_zone_when_file_not_found
                                              HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_restricted_zone_when_file_not_found
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}
   Opens key:
                                               HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}
   Opens kev:
   Opens key:
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\treatas
                                               HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\treatas
   Opens key:
   Opens key:
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\progid
                                               HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\progid
   Opens kev:
   Opens key:
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprocserver32
                                               HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\
   Opens key:
   Opens key:
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprochandler32
   Opens key:
                                               HKCR\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsid\ensuremath{\clsi}
   Opens key:
                                               HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprochandler
                                              HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprochandler
   Opens key:
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img
                                               HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_block_lmz_img
                                               HKCU\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
                                               HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
   Opens kev:
                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
                                               HKCU\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
   Opens key:
                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
   Opens kev:
                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
   Opens key:
                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
                                               HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
   Opens key:
                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                                               HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                                               HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
   Opens key:
                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
   Opens key:
                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
   Opens key:
                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
   Opens key:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature allow long international filenames
   Opens key:
                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
                                              HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
   Opens key:
                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
```

HKCU\software\microsoft\internet

Opens key:

```
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                  HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
 Opens key:
                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
 Opens key:
                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
 Opens key:
                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
 Opens key:
                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature exclude invalid client cert kb929477
 Opens key:
                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
                  HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
                  HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens key:
                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens key:
                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
                  HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens key:
                   HKLM\system\currentcontrolset\services\winsock2\parameters
                   HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens kev:
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\2ea375ce
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
 Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
 Opens kev:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017
 Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens kev:
```

```
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000003
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006
                       HKCU\software\microsoft\windows\currentversion\internet settings\wpad
 Opens kev:
 Opens key:
                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
                       HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
 Opens key:
                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_include_port_in_spn_kb908209
 Opens key:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_include_port_in_spn_kb908209
 Opens key:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32
```

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs

Opens kev:

Opens key: Opens key: HKLM\system\currentcontrolset\control\sqmservicelist

Opens key: HKCU\software\classes\autoproxytypes

Opens key: HKCR\autoproxytypes

Opens key: HKCU\software\classes\autoproxytypes\application/x-internet-signup

Opens key: HKCR\autoproxytypes\application/x-internet-signup

Opens key: HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig

HKCR\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient

Opens key: HKLM\system\currentcontrolset\services\dns

Opens key: HKLM\software\policies\microsoft\system\dnsclient Opens key: HKLM\system\currentcontrolset\services\winsock\parameters

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock Opens key: Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens kev: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

HKLM\system\currentcontrolset\services\winsock\setup Opens key:

migration\providers\tcpip

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6

Opens key: $\label{lem:hklm} \verb+Kklm \system \current control set \services \dns cache \parameters \dns cache$

Opens kev:

c19ce8a73253} Opens key:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}

Opens kev:

806e6f6e6963} Opens key:

1709a0196aed}

Opens key:

a68f334c8d34}

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b} Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\treatas

HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\progid

HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid Opens key: Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32

Opens key:

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler32

 $HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprochandler32$ Opens key:

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler

 $HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprochandler$ Opens key: Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2 - c419 - 11d9 - a5b4 - 001185ad2b89\}$

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89} Opens kev: Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

```
001185ad2b89}\treatas
```

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\progid

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprocserver32

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32

Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler32

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32

Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler
Opens key: HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}

Opens key: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
Opens key: HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-

199fdba5723b}\proxystubclsid32

Opens key: $\begin{tabular}{ll} HKCR\interface\\ (d0074ffd-570f-4a9b-8d69-199fdba5723b\\) proxystubclsid32\\ Opens key: \\ HKCU\software\\ classes\\ clsid\\ (1299cf18-c4f5-4b6a-bb0f-2299f0398e27)\\ \end{tabular}$

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\}
Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\treatas

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas
Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\progid

 Opens key:
 HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid

 Opens key:
 HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid

2299f0398e27}\inprocserver32

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprochandler32

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprochandler

Opens key: HKCR\clsid\\1299cf18-c4f5-4b6a-bb0f-2299f0398e27\\inprochandler
Opens key: HKCU\software\classes\interface\\26656eaa-54eb-4e6f-8f85-4f0ef901a406\}

Opens key: HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
Opens key: HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-

4f0ef901a406}\proxystubclsid32

Opens key: $\label{eq:hccn} \begin{tabular}{ll} HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32\\ Opens key: \\ HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\end{tabular}$

Opens key: HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
Opens key: HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-

6d613e2ceaec}\proxystubclsid32

Opens key: $\label{eq:hccn} \begin{tabular}{ll} HKCR\interface\8a40a45d-055c-4b62-abd7-6d613e2ceaec\proxystubclsid32\\ Opens key: \\ HKCU\software\classes\interface\55272a00-42cb-11ce-8135-00aa004bb851\} \end{tabular}$

Opens key: HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-

00aa004bb851}\proxystubclsid32

Opens key: $\label{eq:hccn} \begin{tabular}{ll} HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32\\ Opens key: \\ HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\\ \end{tabular}$

 Opens key:
 HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}

 Opens key:
 HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}

00aa00341d07}\treatas

00aa00341d07}\progid

 Opens key:
 HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid

 Opens key:
 HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c

00aa00341d07}\inprocserver32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler

 $\label{lem:continuous} Opens \; key: & HKCR\clsid\b196b286-bab4-101a-b69c-00aa00341d07\\\inprochandler \\ Opens \; key: & HKCU\software\classes\interface\b0d1de7e-2db1-418b-b047-4a74e101f8c1\\\end{tabular}$

Opens key: $\label{eq:hcc1} \begin{tabular}{ll} HKCR\interface {bcd1de7e-2db1-418b-b047-4a74e101f8c1} \\ Opens key: \\ HKCU\software \classes \interface {bcd1de7e-2db1-418b-b047-4a74e101f8c1} \\ \end{tabular}$

4a74e101f8c1}\proxystubclsid32

Opens key: $\label{eq:hccl} \begin{tabular}{ll} HKCR\interface\begin{tabular}{ll} HKCR\interface\begin{tabular}{ll} HKCU\software\classes\interface\classes\del{tabular} HKCU\software\classes\del{tabular} HKCU\software\classes\del{tabular} HKCU\software\del{tabular} HKCU\soft\del{tabular} HKC$

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
Opens key: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-

 $63278 fcb 8037 \} \verb|\proxystubclsid32| \\$

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}

Opens key: HKLM\system\currentcontrolset\services\netbt\linkage

Opens key:

b029-7fe99a87c641}

Opens kev:

b029-7fe99a87c641}\propertybag

HKCU\software\classes\clsid\{00021401-0000-0000-c000-00000000046} Opens kev:

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046} HKCU\software\classes\clsid\{00021401-0000-0000-c000-Opens key:

000000000046}\treatas

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\treatas HKCU\software\classes\clsid\{00021401-0000-0000-c000-Opens key:

000000000046}\progid

Opens key: Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

000000000046}\inprocserver32

Opens key:

HKCU\software\classes\clsid\{00021401-0000-0000-c000-Opens key:

00000000046}\inprochandler32

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler32

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

00000000046}\inprochandler

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b587$ b4ef-bd1dc332aeae}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}\propertybag

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-Opens kev:

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{59031a47-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus$ Opens key: 3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}\propertybag

Opens key:

9305-67de0b28fc23}

Opens key:

9305-67de0b28fc23}\propertybag

Opens key:

aaae-29d317c6f066}

Opens key:

aaae-29d317c6f066}\propertybag

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2112ab0a-c86a-4ffe-microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2112ab0a-c86a-4ffe-microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `expl$ a368-0de96e47012e}

Opens key:

a368-0de96e47012e}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6cf-4f4 e-equal to the second of the secon$ b800-0e69d84ee384}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-e6 description \ explorer \ folder descriptions \ explorer \ folder \ folder$ b800-0e69d84ee384}\propertybag

Opens key:

afef-f87ef2e6ba25}

Opens key:

afef-f87ef2e6ba25}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49dfacb8-4330f5687855}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-49df-f80d-69df-f8$ acb8-4330f5687855}\propertybag

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ 'property bag$

Opens kev

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag$

Opens key:

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\propertybag

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\property\bag$

Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \eqref de 974 d24 - d9c6 - 4d3e-bf91 - f4455120b917 \property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ property bag$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \current \folder descriptions \explorer \folder \f$

Opens key:

 $HKLM) software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| a 75 d 362 e - 50 f c - 4 f b 7 a c 2 c - a 8 b e a 3 1 4 4 9 3 \\| property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\}$

Opens key:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \property bag$

Opens key

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\property\bag$

Opone kov

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$

Opens key:

HKLM is of tware in crosoft windows in the content of the conten

Opens kov

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\propertybag}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \footnote{table for the control of the$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}\ property bag$

Opens kev:

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer $$ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ property bag$

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftware$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Opens key:

 $HKLM\ software \ microsoft\ windows \ current version \ explorer\ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}$

Opens key:

abe8-61c8648d939b}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec' \ 'e555ab60-1$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\property\pbeg$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \current \folder \folde$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \fold$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (a77f5d77-2e2b-44c3-a6a2-aba601054a51)$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\property\bag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ d0384e7d-bac3-4797-8f14-cba229b392b5 \ property bag$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}\property\bag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}}$

Opens key:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fole$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \end{tabular} HKLM \software \end{tabular} in \end{tabular} explorer \folder descriptions \folder \f$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqno(9274bd8d-cfd1-41c3-b35e-b13f55a758f4)\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \\$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer folder descriptions \eqref a 3-4fb7-9a0c-ebb0f0 fcb43c} \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} 4374 de 290-123 f-4565-9164-39 c4925 e 467 b \cal{lem:hklmsoftware}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{374de290-123f-4565-9164-39c4925e467b}\property\bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\}$

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{3d644c9b-1fb8-4f30-9b45-f670235f79c0}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Lagrange on the sum of the sum of$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ property bag$

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ 'property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ b88f4daa-e7bd-49a9-b74d-02885a5dc765 \ property bag$

Opens key:

Opens kev:

 $\label{thm:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}\ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens kev:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ property bag$

Opens key:

 $\label{thm:local-prop} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}}$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \defined a 4857-a4ce-a8e7c6ea7d27 \property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}}$

Opens key:

 $\label{thm:local-substance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{thm:local-928-bb61-92a9} \ dea a 44ff \property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\property\bag}$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \property bag$

Opens key:

ba10-5e3608430854}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ 'property bag$

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\}\ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

Opens key:

 $\label{thm:local-back-section} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337d1-b8ca-4121-a639-6d472d16972a \equiv 190337d1-b8ca-4121-a639-6d472a \equiv 1$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ 'property bag$

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}}$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a63293e8-664e-48db-a079-df759e0509f7 \ property bag$

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

```
a014-d097ee346d63}
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-
a014-d097ee346d63}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
874a-c0f2e0b9fa8e}
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
874a-c0f2e0b9fa8e}\propertybag
97c9-747784d784b7}
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-
97c9-747784d784b7}\propertvbag
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164, 164164,
8fd7-f78dca774f87}
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}\propertybag
b5b4-2d72e54eaaa4}
    Opens key:
b5b4-2d72e54eaaa4}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
    Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ name space \ delegate folders
    Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ (dffacdc5-microsoft) \ described by the software \ names 
679f-4156-8947-c5c76bc0b67f}
    Opens key:
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace\delegatefolders
                                                         HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens kev:
c5c76bc0b67f}\shellfolder
    Opens key:
                                                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
    Opens key:
                                                          \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \clsid \dff acd c5-lem \closer{lem:hkcu} and \closer{lem:hkcu} are \microsoft \windows \closer{lem:hkcu} are \microsoft \microsoft \closer{lem:hkcu} are \microsoft \microsoft
679f-4156-8947-c5c76bc0b67f}\shellfolder
    Opens key:
                                                         HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
                                                         HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
    Opens key:
c5c76bc0b67f}\inprocserver32
                                                          Opens key:
                                                          HKCU\software\microsoft\windows nt\currentversion
    Opens key:
    Opens key:
                                                          HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers
    Opens key:
                                                          HKLM\software\microsoft\windows nt\currentversion\appcompatflags
    Opens key:
                                                         HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\shdocvw.dll
                                                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
    Opens key:
    Opens key:
                                                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
    Opens key:
                                                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\treatas
                                                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas
    Opens kev:
    Opens key:
                                                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\progid
                                                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid
    Opens key:
    Opens key:
                                                          c5c76bc0b67f}\inprochandler32
                                                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32
    Opens key:
    Opens key:
                                                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler
                                                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler
    Opens kev:
    Opens key:
                                                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance
                                                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
    Opens key:
    Opens key:
                                                         HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32
    Opens key:
                                                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
    Opens key:
                                                          HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
    Opens key:
                                                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
```

Opens key: c66de400274e}\treatas

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00c66de400274e}\progid

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

 $HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\tinprochandler 32$ Opens key:

HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-Opens key:

c66de400274e}\inprochandler

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler Opens key:

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens kev:

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-

8947-c5c76bc0b67f}

Opens key: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters Opens key: HKLM\system\currentcontrolset\services\lanmanserver\defaultsecurity

Opens key: HKLM\system\currentcontrolset\control\computername

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens kev: HKCU\software\microsoft\windows\currentversion\app

paths\3c8f7cba29f3aa462740dd7998c5cb74.exe

Opens key: HKLM\software\microsoft\windows\currentversion\app

paths\3c8f7cba29f3aa462740dd7998c5cb74.exe Opens key: HKCU\software\soft-ware

Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig

Opens kev:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

 ${\tt HKCU \backslash control\ panel \backslash desktop[preferreduilanguages]}$ Oueries value:

HKCU\control panel\desktop\muicached[machinepreferreduilanguages] Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ side by side [preferex ternal manifest]$

HKLM\system\currentcontrolset\control\nls\sorting\versions[]

HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Queries value:

HKLM\software\microsoft\windows Oueries value: nt\currentversion\gre_initialize[disablemetafiles] Oueries value: HKLM\software\microsoft\windows

 $nt \verb|\currentversion| compatibility 32[3c8f7cba29f3aa462740dd7998c5cb74]|$

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\windows[loadappinit_dlls]

Oueries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] HKLM\system\currentcontrolset\services\crypt32[debugheapflags] Oueries value:

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck]

HKLM\software\policies\microsoft\windows\currentversion\internet Oueries value:

settings[security_hklm_only]

Oueries value:

HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[en-us] Oueries value: Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

HKLM\system\currentcontrolset\control\cmf\config[system] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\locale[00000409] Oueries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\datastore_v1.0[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[datafilepath] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane1] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane2] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3] HKLM\software\microsoft\windows Oueries value:

nt\currentversion\languagepack\surrogatefallback[plane4] HKLM\software\microsoft\windows Oueries value:

nt\currentversion\languagepack\surrogatefallback[plane5] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6]

Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane8]

HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9] Oueries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane10]

```
Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
                                     HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
  Oueries value:
                                     HKLM\software\microsoft\rpc[maxrpcsize]
  Oueries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
  Queries value:
                                     HKLM\system\setup[oobeinprogress]
  Oueries value:
                                     HKLM\svstem\setup[svstemsetupinprogress]
  Queries value:
                                     HKLM\software\microsoft\sqmclient\windows[ceipenable]
  Oueries value:
c19ce8a73253}[enabledhcp]
  Queries value:
                                     HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
  Queries value:
                                     HKCR\http\shell\open\command[]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\app paths\iexplore.exe[]
  Queries value:
                                     HKLM\software\microsoft\com3[com+enabled]
                                     HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid[]
  Queries value:
  Queries value:
                                     HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[]
  Queries value:
                                     HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{8856f961-340a-11d0-a96b-
  Oueries value:
00c04fd705a2}\inprocserver32[threadingmodel]
                                     HKLM\software\microsoft\ole[maxsxshashcount]
  Queries value:
  Queries value:
                                     HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0\win32[]
  Oueries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[3c8f7cba29f3aa462740dd7998c5cb74.exe]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
                                     HKLM\software\policies\microsoft\internet
  Queries value:
explorer\security[disablesecuritysettingscheck]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\1[flags]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\2[flags]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\4[flags]
                                     HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be07 - be07 - be18 - b
  Oueries value:
0 fb 58b 01c 4a 4 \\ language profile \\ 0 x 00000000 \\ \{0001 bea 3-ed 56-483 d-a 2e 2-a ea e 25577436\} [enable]
  Queries value:
                                     HKLM\software\microsoft\ctf[enableanchorcontext]
  Queries value:
                                     \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings[createuricachesize]
  Queries value:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[createuricachesize]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[createuricachesize]
  Queries value:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablepunycode]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablepunycode]
                                     HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[3c8f7cba29f3aa462740dd7998c5cb74.exe]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[attributes]
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[callforattributes]
  Oueries value:
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[restrictedattributes]
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[wantsfordisplay]
  Oueries value:
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[usedrophandler]
```

```
HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[wantsforparsing]
  Oueries value:
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
  Queries value:
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
  Oueries value:
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[hideinwebview]
  Queries value:
                                   HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideondesktopperuser]
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
  Queries value:
08002b30309d}]
  Queries value:
11e3-b3bc-806e6f6e6963}[data]
  Oueries value:
11e3-b3bc-806e6f6e6963}[generation]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
  Oueries value:
                                    HKLM\software\microsoft\windows\currentversion[devicepath]
                                    HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
  Queries value:
409d6c4515e9}[drivemask]
                                   HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
  Oueries value:
                                    HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
  Queries value:
b8dc300d9f9d}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]
  Oueries value:
                                    HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[threadingmodel]
  Queries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                                    HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
  Queries value:
  Queries value:
                                    \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
  Queries value:
                                    HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
                                    HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
  Oueries value:
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
  Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \advanced [mapnetdrvbtn]} \end{tabular}
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
  Oueries value:
                                    HKCR\directory[docobject]
  Oueries value:
                                    HKCR\folder[docobiect]
  Oueries value:
                                    HKCR\allfilesystemobjects[docobject]
```

11e3-b3bc-806e6f6e6963}[data]

```
Oueries value:
```

11e3-b3bc-806e6f6e6963}[generation]

HKCR\directory[browseinplace] Queries value: Oueries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Oueries value: HKCR\directory[isshortcut] HKCR\folder[isshortcut] Oueries value:

Oueries value: HKCR\allfilesystemobjects[isshortcut] Oueries value: HKCR\directory[alwaysshowext] Oueries value: HKCR\directory[nevershowext] Queries value: HKCR\folder[nevershowext]

Oueries value: HKCR\allfilesystemobjects[nevershowext]

HKCU\software\microsoft\internet explorer\main[frametabwindow] Oueries value: Queries value: HKLM\software\microsoft\internet explorer\main[frametabwindow] Queries value: HKCU\software\microsoft\internet explorer\main[framemerging] $\label{local-operator} \mbox{HKLM\software\mbox{\sc microsoft\internet explorer\mbox{\sc microsoft\sc micro$ Oueries value: Queries value: HKCU\software\microsoft\internet explorer\main[sessionmerging] Oueries value: HKLM\software\microsoft\internet explorer\main[sessionmerging] Oueries value: HKCU\software\microsoft\internet explorer\main[admintabprocs] Queries value: HKLM\software\microsoft\internet explorer\main[admintabprocs] Queries value: HKCU\software\microsoft\internet explorer\main[tabprocgrowth] Oueries value: HKLM\software\microsoft\internet explorer\main[tabprocgrowth] Queries value: HKLM\software\microsoft\internet explorer\main[navigationdelay]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[urlencoding]

HKCU\software\microsoft\internet explorer\international[acceptlanguage] Queries value:

Queries value: HKCR\.html[]

Oueries value: HKCR\htmlfile\shellex\iconhandler[]

Queries value: HKCR\htmlfile[docobject]

Queries value: HKCR\systemfileassociations\.html[docobject]

Queries value: HKCR\htmlfile[browseinplace]

HKCR\systemfileassociations\.html[browseinplace] Queries value:

Queries value: HKCR\.html[content type] HKCR\htmlfile\clsid[] Oueries value: HKCR\htmlfile[isshortcut] Queries value:

HKCR\systemfileassociations\.html[isshortcut] Oueries value:

Oueries value: HKCR\htmlfile[alwaysshowext]

HKCR\systemfileassociations\.html[alwaysshowext] Queries value:

Queries value: HKCR\htmlfile[nevershowext]

Queries value: HKCR\systemfileassociations\.html[nevershowext]

 $\label{locality} HKCR\clsid\e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\ \ linprocserver32[]$ Queries value:

HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-Oueries value:

00aa004ae837}\inprocserver32[loadwithoutcom]

HKCU\software\microsoft\windows\currentversion\shell Oueries value:

extensions\cached[{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} {000214e6-0000-0000-c000-000000000046}

0xffff]

Queries value: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}[]

HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-Oueries value: 00aa004ae837}\inprocserver32[inprocserver32] HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-Oueries value:

00aa004ae837}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\windows\currentversion\policies\ratings[key] Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[specialfolderscachesize] Oueries value:

HKCU\software\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

HKLM\software\microsoft\windows\currentversion\internet

settings[specialfolderscachesize]

Oueries value:

ba85-6007caedcf9d}[category]

Oueries value:

ba85-6007caedcf9d}[name]

Oueries value:

ba85-6007caedcf9d}[parentfolder]

Queries value:

ba85-6007caedcf9d}[description]

Queries value:

ba85-6007caedcf9d}[relativepath]

Queries value:

ba85-6007caedcf9d}[parsingname]

Oueries value:

ba85-6007caedcf9d}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder descriptions' \ 'folder descr$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'handler' \ 'folder \$

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell} \\$

folders[cache]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \endowners folder descriptions \endowners \endowner$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[parsingname]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[localizedname]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[security]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [roamable]$

Queries value:

```
908e-08a611b84ff6}[precreate]
 Oueries value:
908e-08a611b84ff6}[stream]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-
908e-08a611b84ff6}[publishexpandedpath]
 Oueries value:
908e-08a611b84ff6}[attributes]
 Queries value:
908e-08a611b84ff6}[foldertypeid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-
908e-08a611b84ff6}[initfolderhandler]
                       HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[cookies]
 Queries value:
                       HKCU\software\microsoft\internet explorer[no3dborder]
 Queries value:
                       HKLM\software\microsoft\internet explorer[no3dborder]
 Queries value:
                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
 Queries value:
                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
                       HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_mime_handling[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[*]
                       HKLM\software\microsoft\ole[maximumallowedallocationsize]
 Queries value:
                       HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyenable]
                       HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_mime_sniffing[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Oueries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing[*]
                       HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[istextplainhonored]
                       HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_safe_bindtoobject[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[*]
                       HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[]
 Oueries value:
                       HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[]
 Oueries value:
                       HKCR\clsid\{25336920-03f9-11cf-8fd0-
 Oueries value:
00aa00686f13}\inprocserver32[inprocserver32]
                       HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[]
 Oueries value:
 Queries value:
                       HKCR\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32[threadingmodel]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Oueries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams[*]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching[*]
 Oueries value:
                       HKCU\software\microsoft\windows nt\currentversion\windows[dragdelav]
 Oueries value:
                       HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-
a3fe-553973d0b723]
 Queries value:
                       HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-
b924-d51178a59ce41
                       HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-
 Queries value:
91a2-7b624e0e7244]
                       \label{lem:hklm} \verb+ HKLM \software \microsoft \ internet explorer \ \ application
 Queries value:
compatibility[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Queries value:
                       HKCU\software\microsoft\internet explorer\domstorage[totallimit]
 Queries value:
                       HKCU\software\microsoft\internet explorer\domstorage[domainlimit]
 Queries value:
                       HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollinset]
 Queries value:
                       HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrolldelay]
                       HKCU\software\microsoft\windows
 Oueries value:
nt\currentversion\windows[dragscrollinterval]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[3c8f7cba29f3aa462740dd7998c5cb74.exe]
 Queries value:
                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[*]
 Oueries value:
                       HKCR\protocols\handler\about[clsid]
                       HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}[]
 Oueries value:
 Queries value:
                       HKCR\clsid\{3050f406-98b5-11cf-bb82-
```

HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]

00aa00bdce0b}\inprocserver32[inprocserver32]

Queries value:

```
HKCR\clsid\{3050f406-98b5-11cf-bb82-
Oueries value:
```

00aa00bdce0b}\inprocserver32[threadingmodel]

Oueries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_protocol_lockdown[3c8f7cba29f3aa462740dd7998c5cb74.exe]

Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[2106]

Queries value: HKCU\software\microsoft\internet explorer\zoom[zoomdisabled]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors[3c8f7cba29f3aa462740dd7998c5cb74.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_legacy_dlcontrol_behaviors[*]

HKLM\software\policies\microsoft\internet explorer[smartdithering] Oueries value:

Queries value: HKCU\software\microsoft\internet explorer[smartdithering] HKCU\software\microsoft\internet explorer[rtfconverterflags] Queries value: HKCU\software\microsoft\internet explorer\main[usecleartype] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\main[page_transitions] Oueries value: HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors] Oueries value: HKCU\software\microsoft\internet explorer\main[anchor underline] Queries value: HKCU\software\microsoft\internet explorer\main[css_compat] Queries value: HKCU\software\microsoft\internet explorer\main[expand alt text] HKCU\software\microsoft\internet explorer\main[display inline images] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\main[display inline videos] Oueries value: HKLM\software\microsoft\internet explorer\main[display inline videos] Oueries value: HKCU\software\microsoft\internet explorer\main[play_background_sounds]

Queries value: HKCU\software\microsoft\internet explorer\main[play_animations] Queries value: HKCU\software\microsoft\internet explorer\main[print_background] Oueries value: HKCU\software\microsoft\internet explorer\main[use stylesheets] Queries value: HKCU\software\microsoft\internet explorer\main[smoothscroll] Queries value: HKCU\software\microsoft\internet explorer\main[xmlhttp]

Oueries value: HKCU\software\microsoft\internet explorer\main[show image placeholders] Queries value: HKCU\software\microsoft\internet explorer\main[disable script debugger] Queries value: HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie] HKCU\software\microsoft\internet explorer\main[move system caret] Oueries value: Queries value: $\label{lem:hkcu} \verb+KKCU\+ software\+ internet explorer\+ main[force offscreen]$

composition1

HKCU\software\microsoft\internet explorer\main[enable autoimageresize] Oueries value:

HKCU\software\microsoft\internet explorer\main[usethemes] Queries value: Queries value: HKCU\software\microsoft\internet explorer\main[usehr] $HKCU \setminus software \setminus microsoft \setminus internet \ explorer \setminus main[q300829]$ Oueries value: HKCU\software\microsoft\internet explorer\main[cleanup htcs] Queries value: HKCU\software\microsoft\internet explorer\main[xdomainrequest] Oueries value: Oueries value: HKLM\software\microsoft\internet explorer\main[xdomainrequest] HKCU\software\microsoft\internet explorer\main[domstorage] Oueries value:

HKCU\software\microsoft\internet Queries value:

explorer\international[default_codepage]

Queries value: HKCU\software\microsoft\internet explorer\international[autodetect]

Oueries value: HKCU\software\microsoft\internet explorer\international\scripts[default_iefontsizeprivate]

HKCU\software\microsoft\internet explorer\settings[anchor color] Oueries value: HKCU\software\microsoft\internet explorer\settings[anchor color visited] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\settings[anchor color hover] HKCU\software\microsoft\internet explorer\settings[always use my colors] Queries value: Oueries value: HKCU\software\microsoft\internet explorer\settings[always use my font

size1

Queries value: HKCU\software\microsoft\internet explorer\settings[always use my font

face1

Queries value: HKCU\software\microsoft\internet explorer\settings[disable visited

hyperlinks]

Queries value: HKCU\software\microsoft\internet explorer\settings[use anchor hover

color1 Queries value: HKCU\software\microsoft\internet explorer\settings[miscflags] HKCU\software\microsoft\windows\currentversion\policies[allow Oueries value:

programmatic cut_copy_paste] Oueries value:

HKLM\software\policies\microsoft\windows\currentversion\internet settings[disablecachingofsslpages]

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ settings[disablecachingofsslpages]

Oueries value:

HKCU\software\microsoft\windows\currentversion\internet

settings[disablecachingofsslpages]

HKCU\software\microsoft\internet explorer\pagesetup[print_background] Oueries value:

Oueries value: HKLM\system\currentcontrolset\control\nls\codepage[950]

Queries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefontsize]

Oueries value: HKCU\software\microsoft\internet explorer\international\scripts\3[iefontsizeprivate] Oueries value: HKCU\software\microsoft\internet explorer\international\scripts\3[iepropfontname]

Oueries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefixedfontname]

Oueries value: HKLM\software\microsoft\internet explorer\version vector[ie] Queries value: HKLM\software\microsoft\internet explorer\version vector[vml] Oueries value: HKLM\software\microsoft\internet explorer\version vector[windowsedition]

HKLM\software\microsoft\internet Oueries value:

 $\verb|explorer| main feature| control feature| zone_elevation[3c8f7cba29f3aa462740dd7998c5cb74.exe]| | the feature feature| control feature| con$

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_zone_elevation[*] Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_sslux[3c8f7cba29f3aa462740dd7998c5cb74.exe]

HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature_sslux[*]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_browser_emulation[3c8f7cba29f3aa462740dd7998c5cb74.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2700]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2700]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter[3c8f7cba29f3aa462740dd7998c5cb74.exe]

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature_xssfilter[*]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\zones[securitysafe]

HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner] Queries value:

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[3c8f7cba29f3aa462740dd7998c5cb74.exe]

HKLM\software\policies\microsoft\windows\currentversion\internet

HKLM\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[*]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[2106] HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\zones\0[1400]

Queries value:

settings[warnonintranet]

Oueries value:

HKCU\software\policies\microsoft\windows\currentversion\internet

settings[warnonintranet]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings[warnonintranet]

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ Queries value:

settings\zonemap[autodetect]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[] Oueries value:

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[inprocserver32]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32[] Queries value:

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[threadingmodel]

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\progid[] Oueries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[] Queries value:

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-Oueries value:

00aa00bbbb58}\inprocserver32[inprocserver32]

 $HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\tinprocserver32[]$ Oueries value:

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-Queries value:

00aa00bbbb58}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1201]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[1201]

HKLM\software\microsoft\rpc\extensions[ndroleextdll] Queries value: Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel] Oueries value: HKLM\software\microsoft\ole[defaultaccesspermission]

 $HKLM \setminus system \setminus current control \setminus lsa[everyone includes an onymous]$ Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong Oueries value:

cryptographic provider[type]

HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong Oueries value:

cryptographic provider[image path]

Queries value:

manager[safeprocesssearchmode]

HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicv[enabled] Oueries value: Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy] HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems] Oueries value: Oueries value:

HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]

Queries value: HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]

Oueries value: HKLM\software\microsoft\cryptography[machineguid]

Queries value:

Queries value: HKLM\software\microsoft\rpc\extensions[remoterpcdll]

HKLM\software\microsoft\sqmclient\windows\disabledprocesses[f1721a87] Oueries value:

Oueries value:

HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus sqmclient \setminus windows \setminus disabled sessions [global session]$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]

Queries value: HKI M\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]

HKLM\software\microsoft\windows\currentversion\internet settings\url Oueries value:

history[daystokeep]

Oueries value:

Queries value: HKCU\software\microsoft\ftp[use web based ftp]

HKCU\software\microsoft\internet Oueries value:

explorer\services[selectionactivitybuttondisable]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

HKCU\software\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_subdownload_lockdown[3c8f7cba29f3aa462740dd7998c5cb74.exe]

HKLM\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature_subdownload_lockdown[*]

Queries value: HKCR\.css[content type] HKCR\.png[content type] Oueries value:

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid[]

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}[]

HKCR\clsid\{30c3b080-30fb-11d0-b724-Oueries value:

00aa006c1a01}\inprocserver32[inprocserver32]

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[] Queries value:

HKCR\clsid\{30c3b080-30fb-11d0-b724-Oueries value:

00aa006c1a01}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[] HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[] Queries value:

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

 $HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[]$ Oueries value:

HKCR\clsid\{6a01fda0-30df-11d0-b724-Queries value:

00aa006c1a01}\inprocserver32[threadingmodel]

HKCR\mime\database\content type\image/bmp\bits[0] Oueries value: Queries value: HKCR\mime\database\content type\image/gif\bits[0] Queries value: HKCR\mime\database\content type\image/jpeg\bits[0] HKCR\mime\database\content type\image/pjpeg\bits[0] Oueries value: HKCR\mime\database\content type\image/png\bits[0] Queries value: HKCR\mime\database\content type\image/x-png\bits[0] Oueries value: HKCR\mime\database\content type\image/x-wmf\bits[0] Oueries value:

HKCR\mime\database\content type\image/x-png[image filter clsid] Oueries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[] Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[] Queries value:

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32[inprocserver32]

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[] Queries value:

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-Oueries value:

00a0c913f750}\inprocserver32[threadingmodel]

HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh] Queries value: Oueries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionlow] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]

Queries value: HKCR\.gif[content type]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[syncmode5]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache[sessionstarttimedefaultdeltasecs]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[signature] Oueries value:

HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

Queries value:

9d55-7b8e7f157091}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'f1b32785-6fba-4fcf-1000' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current version' and the software \ 'microsoft \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'current \ 'windows \ 'w$ 9d55-7b8e7f157091}[name]

Queries value:

9d55-7b8e7f157091}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ f 1b 3 2785 - 6fba - 4fcf - 10 fba - 10 fb$ 9d55-7b8e7f157091}[description]

Oueries value:

9d55-7b8e7f157091}[relativepath]

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}parsing name\figure{1}{2}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4fcf-9d55-7b8e7f157091 \cite{157091} [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream resource type]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[precreate]$

Oueries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}tream\figure{1}{1}{5}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$

Queries value:

Queries value:

Queries value: HKCU

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{\mathbb{N} indows \current version \explorer \shell} \\ \end{tabular}$

folders[local appdata]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[description]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLMMsoftware/microsoft/windows/currentversion/explorer/folderdescriptions/{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[security]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresourcetype]}$

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]}$

Queries value: $HKLM\software\microsoft\windows$ nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\category\cite{Acf6-a03a-e3ef65729f3d}\cite{Acf6-a$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[description]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]} \\$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]} \\$

Queries value:

a03a-e3ef65729f3d}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Queries value:

Queries value

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[publishexpandedpath]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$

```
settings\5.0\cache\history[cacheprefix]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\history[cachelimit]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cacherepair]
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\5.0\cache\extensible cache\domstore[cachepath]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\domstore[cacheprefix]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cachelimit]
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\5.0\cache\extensible cache\domstore[cacheoptions]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\feedplat[cacherepair]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cachepath]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cacheprefix]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cachelimit]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\feedplat[cacheoptions]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\iecompat[cacherepair]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachepath]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\iecompat[cacheprefix]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\iecompat[cachelimit]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\ietld[cacherepair]
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachepath]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cacheprefix]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\ietld[cachelimit]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\ietld[cacheoptions]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacherepair]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cachepath]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachelimit]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
  Queries value:
                                       HKCR\clsid\ensuremath{\texttt{HKCR}}\clsid\ensuremath{\texttt{G569bde7}}\-a8dc\ensuremath{\texttt{-47f3}}\-893f\ensuremath{\texttt{-fd2b31b3eefd}}\ensuremath{\texttt{[]}}
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-
  Oueries value:
fd2b31b3eefd}\inprocserver32[inprocserver32]
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\ \ inprocserver 32[]
  Queries value:
  Oueries value:
                                       HKCR\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprocserver32[threadingmodel]
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img[3c8f7cba29f3aa462740dd7998c5cb74.exe]
  Queries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img[*]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[fromcachetimeout]
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[secureprotocols]
                                       \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu} \mbox{\tt hkcu\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu\soft\color=lem:hkcu
  Queries value:
settings[secureprotocols]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[secureprotocols]
                                       \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings[certificaterevocation]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[disablekeepalive]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disablepassport]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[idnenabled]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[cachemode]
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablehttp1_1]
```

```
Oueries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[proxyhttp1.1]
  Queries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablenegotiate]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablebasicoverclearchannel]
                                      HKCU\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
                                      HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[clientauthbuiltinui]
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[enableautoproxyresultcache]
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[displayscriptdownloadfailureui]
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[mbcsservername]
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[mbcsapiforcrack]
                                      \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings[utf8servernameres]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disableworkerthreadhibernation]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disableworkerthreadhibernation]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[disablereadrange]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[socketsendbufferlength]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[socketreceivebufferlength]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[keepalivetimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[maxhttpredirects]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[maxconnectionsper1_0server]
  Oueries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperproxy]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[serverinfotimeout]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
  Oueries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connectretries]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connectretries]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[sendtimeout]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[sendtimeout]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disablentlmpreauth]
  Queries value:
                                      \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} in the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu
settings[scavengecachelowerbound]
  Queries value:
                                      \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt internet}
settings[certcachenovalidate]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache[scavengecachefilelifetime]
  Queries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
```

```
settings\5.0\cache[scavengecachefilelimit]
                                       HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache[scavengecachefilelimit]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[httpdefaultexpirytimesecs]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[ftpdefaultexpirytimesecs]
  Oueries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[3c8f7cba29f3aa462740dd7998c5cb74.exe]
  Queries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[perusercookies]
                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\
  Oueries value:
settings[leashlegacycookies]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dialupuselansettings]
  Queries value:
                                       HKLM\software\microsoft\windows\currentversion\internet
settings[dialupuselansettings]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[sendextracrlf]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[wpadsearchalldomains]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasshttpnocachecheck]
                                       \label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet
  Queries value:
settings[bypasshttpnocachecheck]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
                                       HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasssslnocachecheck]
                                       HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[enablehttptrace]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[nocheckautodialoverride]
                                       HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[nocheckautodialoverride]
  Oueries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
                                       HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dontusednsloadbalancing]
  Queries value:
                                       HKLM\software\microsoft\windows\currentversion\internet
settings[sharecredswithwinhttp]
                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\
  Queries value:
settings[mimeexclusionlistforcache]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[headerexclusionlistforcache]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} in the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu
settings[dnscacheenabled]
  Queries value:
                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt internet}
settings[dnscacheentries]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dnscachetimeout]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpost]
  Queries value:
                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt internet}
settings[warnalwaysonpost]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonzonecrossing]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonbadcertrecving]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpostredirect]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[alwaysdrainonredirect]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonhttpstohttpredirect]
  Queries value:
                                       HKLM\software\microsoft\windows\currentversion\internet
settings[tcpautotuning]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
  Oueries value:
```

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000015 \ [packed catalog item] \ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 0000000000016 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring] Queries value:
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace_catalog \catalog_entries \namespace_catalog \catalog_entries \catalog \catalog_entries \catalog \catalog_entries \catalog \cat$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 00000000000002 \ [enabled] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000003 \ [supported name space]$ Queries value:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap services \setminus mame space\_catalog \\ \setminus catalog\_entries \setminus 00000000000003 [version]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerinfo]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[displaystring]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000004 [supported name space]]
 Queries value:
Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000004 [version]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_\catalog_entries\00000000004[storesserviceclassinfo]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[librarypath]
 Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000005 \ [displaystring]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000005 [address family])
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
 Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 000000000006 \ [displaystring]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
 Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000006 [supported name space]]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000006[providerinfo]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
 Oueries value:
                      HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadoverride]
 Queries value:
                      HKCU\software\microsoft\windows\currentversion\internet
settings[enableautodial]
                      HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[nonetautodial]
 Oueries value:
                      HKCU\software\microsoft\windows\currentversion\internet
settings[globaluseroffline]
 Queries value:
                      HKCU\software\microsoft\windows\currentversion\internet
settings[badproxyexpirestime]
                      HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablebranchcache]
 Oueries value:
                      HKLM\software\microsoft\tracing[enableconsoletracing]
 Oueries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[enablefiletracing]
```

Queries value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[filetracingmask]

```
HKLM \ software \ microsoft \ tracing \ 3c8f7cba29f3aa462740dd7998c5cb74\_rasapi32[enableconsoletracing]
  Oueries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[consoletracingmask]
  Queries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[filedirectory]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\profilelist[programdata]
  Oueries value:
HKLM \ software \ microsoft \ tracing \ 3c8f7cba29f3aa462740dd7998c5cb74\_rasmancs \ [enable file tracing]
  Queries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[filetracingmask]
  Oueries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[enableconsoletracing]
  Oueries value:
HKLM \ software \ \{\ consolet \ racing \ 3c8f7cba29f3aa462740dd7998c5cb74\_rasmancs \ [\ consolet \ racing \ mask] \ \}
  Queries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[maxfilesize]
  Queries value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[filedirectory]
                                     HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
  Queries value:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[proxysettingsperuser]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[migrateproxy]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyserver]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyoverride]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoconfigurl]
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Queries value:
settings\connections[savedlegacysettings]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoconfigcustomua]
                                     HKCR\autoproxytypes\application/x-internet-signup[dllfile]
  Queries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
  Queries value:
  Oueries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[default]
                                     HKCR\autoproxytypes\application/x-internet-signup[flags]
  Queries value:
                                     HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
  Oueries value:
  Oueries value:
                                     HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
                                     HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
  Oueries value:
                                     HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[flags]
  Queries value:
  Queries value:
                                     Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [query adapter name]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
  Queries value:
\label{thm:local_transform} \parbox{$\tt HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]} \parbox{$\tt HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]} \parbox{$\tt HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]]} \parbox{$\tt HKLM\system\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\current\c
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
  Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
  Oueries value:
                                     HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback]
  Queries value:
```

```
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Oueries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[directaccessguervorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [registration maxaddress count]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [update top level domain zones]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
 Queries value:
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [use compartments]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
 Oueries value:
```

Oueries value: HKLM\svstem\currentcontrolset\services\tcpip\parameters[dnsquickquervtimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Queries value: Oueries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping] Oueries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping] Oueries value: HKLM\system\currentcontrolset\services\winsock\setup migration\providers\psched[winsock 2.0 provider id] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping] Queries value: HKLM\system\currentcontrolset\services\winsock\setup migration\providers\tcpip[winsock 2.0 provider id] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [used elayed acceptance]$ Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname] HKLM\system\currentcontrolset\services\winsock\setup Oueries value: migration\providers\tcpip6[winsock 2.0 provider id] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname] HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle] Oueries value: c19ce8a73253}[searchlist] Oueries value: c19ce8a73253}[registrationenabled] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

c19ce8a73253}[registeradaptername]

Queries value:

c19ce8a73253}[domain] Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[dhcpdomain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[dhcpv6domain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[nameserver]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[nameserver]

Oueries value:

c19ce8a73253}[dhcpnameserver]

Oueries value:

806e6f6e6963}[enabledhcp]

Oueries value:

806e6f6e6963}[registrationenabled]

Oueries value:

806e6f6e6963}[registeradaptername]

Queries value:

806e6f6e6963}[domain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpdomain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[nameserver]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpnameserver]

```
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[queryadaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[disableadapterdomainname]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[registrationmaxaddresscount]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[maxnumberofaddressestoregister]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[enablemulticast]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[queryadaptername]
 Queries value:
806e6f6e6963}[disableadapterdomainname]
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[disabledynamicupdate]
 Queries value:
806e6f6e6963}[enableadapterdomainnameregistration]
 Queries value:
806e6f6e6963}[registrationmaxaddresscount]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[maxnumberofaddressestoregister]
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[enablemulticast]
                      HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
 Queries value:
 Queries value:
                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]
                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
 Oueries value:
199fdba5723b}\inprocserver32[inprocserver32]
                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32[]
 Queries value:
                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
 Oueries value:
199fdba5723b}\inprocserver32[threadingmodel]
                      HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]
 Oueries value:
                      HKCR \verb|\| fd-570f-4a9b-8d69-199fdba5723b| \verb|\| proxystubclsid32[]| \\
 Queries value:
                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
 Oueries value:
                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
 Queries value:
2299f0398e27}\inprocserver32[inprocserver32]
 Queries value:
                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]
                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
 Oueries value:
2299f0398e27}\inprocserver32[threadingmodel]
                      HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
 Oueries value:
                      HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32[]
 Oueries value:
 Queries value:
                      HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
                      HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
 Queries value:
                      HKCR\clsid\{b196b286-bab4-101a-b69c-
 Oueries value:
00aa00341d07}\inprocserver32[inprocserver32]
                      HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
 Queries value:
 Queries value:
                      HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[threadingmodel]
 Queries value:
                      HKCR \land eface \land \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \land proxystubclsid32[]
 Queries value:
                      HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
 Oueries value:
                      HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
                      HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[autoproxydetecttype]
                      HKLM\system\currentcontrolset\services\netbt\linkage[export]
 Queries value:
b029-7fe99a87c641}[category]
 Oueries value:
b029-7fe99a87c641}[name]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}[parentfolder]
 Oueries value:
b029-7fe99a87c641}[description]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
```

b029-7fe99a87c641}[relativepath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bubble} bosential and the substitution of the sub$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish \ expanded path]$

Queries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\progid[]
Queries value: HKCR\clsid\{00021401-0000-0000-c000-00000000046}[]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprocserver32[]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046}\inprocserver32[threadingmodel]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| vers$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[infotip]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (1b3ea5dc-b587-4786-b4ef-bd1dc332aeae) \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[attributes]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\category\cite{Acc-1000} \cite{Acc-1000} \cite{Ac$

Oueries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [parentfolder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi3ce 0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \scalebox{\cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \cite{lem:hk$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi3ce0f7c-4901-4acc-8648-d5d44b04ef8f\fi]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[icon]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[local redirectonly]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi3ce 0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{thm:local-grade} \cite{thm:$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [publish \ expanded path]$

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[attributes]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[foldertypeid]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[initfolderhandler]
                                     HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[attributes]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[queryforoverlay]
                                     HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[hideinwebview]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[hideondesktopperuser]
  Oueries value:
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Queries value:
5595fe6b30ee}\shellfolder[nofilefolderjunction]
  Queries value:
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
  Oueries value:
5595fe6b30ee}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
  Queries value:
95cf-2f29da2920da}[category]
  Oueries value:
95cf-2f29da2920da}[name]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parentfolder]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[description]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[relativepath]
  Queries value:
95cf-2f29da2920da}[parsingname]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[infotip]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-deb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-41
95cf-2f29da2920da}[localizedname]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[icon]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[security]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[streamresource]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
```

95cf-2f29da2920da}[streamresourcetype]

95cf-2f29da2920da}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[foldertypeid]

Queries value:

95cf-2f29da2920da}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value: folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[category]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parentfolder]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[relativepath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parsingname]

Oueries value:

9305-67de0b28fc23}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[localizedname] Oueries value:

9305-67de0b28fc23}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[roamable]

Queries value:

9305-67de0b28fc23}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[stream]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f38bf404-1d43-42f2-1d43-44f2-1d43-44f4-1d4$ 9305-67de0b28fc23}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[attributes]

Queries value:

9305-67de0b28fc23}[foldertypeid]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(initfolderhandler)\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(f38bf404-1d43-67de0b28fc23)\f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [precreate]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[stream]$$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\[publishexpandedpath]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\\[1em] [foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} \end{center} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explore$

a368-0de96e47012e}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2112ab0a-c86a-4ffe-a368-0de96e47012e) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [attributes]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[category]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[description]}$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[relative path]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [parsing name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ `microsoft \ 'entry \ 'entry$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{48daf80b-e6cf-4f4e-b800-0e69d84ee384} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 6 9 d 8 4 e e 3 8 4) \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 6 9 d 8 4 e e 3 8 4\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 6 9 d 8 4 e e 3 8 4\} \ [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [init folder handler]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [relative path]$

Queries value

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \c$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} folder \cal{lem:$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource type]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [name]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[parsing name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish \ expanded path]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$microsoft$} \mbox{$windows$} \mbox{$currentversion} \mbox{$explorer$} \mbox{$folderdescriptions} \m$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\}[folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fo$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\ [parentfolder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ \lceil description \rceil$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsing name]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [icon]$

Queries value:

 $\label{thm:local_thm:loc$

8644-66979315a281}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish \ explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish \ explorer \ 'folder \ explorer \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[relativepath]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} \cite{A4115719-d62e-491d-aa7c-e74b8be3b067} \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresourcetype]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\[localredirectonly\]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[category]}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [parent folder] \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [description]$

Oueries value

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parsingname]}$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[infotip]

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[stream]}$

Oueries value:

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[foldertypeid]}$

Queries value:

 $\label{local-prop} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[initfolderhandler]}$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \cite{Category} \]$

Queries value:

 $\label{local-observation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [relative path]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \explorer\folderdescriptions \explorer\folderde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the properties of th$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$

folders[my video]

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicro$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [description]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindo$

Queries value

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[localizedname]}$

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[security]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource type]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[stream]}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 4455120 b 917\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ \lceil description \rceil$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$$ de974d24-d9c6-4d3e-bf91-f4455120b917} \ [localized name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455 120b 917\} [icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localredirectonly]}$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[publishexpandedpath]}$

Oueries value:

 $HKLM \coftware \mbox{$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[foldertypeid]}$

Queries value:

bf91-f4455120b917}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [Fecurity]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ folds \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [precreate]$

Queries value:

 $HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}| fstream| folderdescriptions explorer \verb|\folderdescriptions| folderdescriptions| folderdescriptions explorer \verb|\folderdescriptions| folderdescriptions| folderdescriptions explorer e$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{error} $$ 46f0cd92b-2e97-45d1-88ff-b0d186b8dedd [attributes] $$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}\ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \[\infotip]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [initfolder \ handler]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ 'lname' \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ 'lname'$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parsingname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[localizedname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[icon]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{`microsoft`windows\currentversion`explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[localredirectonly]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [precreate]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{491e922f-5643-4af4-a7eb-4e7a138d8174} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{491e922f-5643-4af4-a7eb-4e7a138d8174}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localredirectonly]$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [Froamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\category\cite{Abc2}} \label{lem:hklmsoftware}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[name]$

Queries value:

835a-98395c3bc3bb}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explorer\folderdescriptions \currentversion\explorer$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} [stream resource type]$

Oueries value:

 $\label{thm:local-equation} HKLM \software \mbox{$33e28130-4e1e-4676-835a-98395c3bc3bb} [local redirectorly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ for \ excess \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ folder \ for \ for \ explorer \ folder \ for \ for \ explorer \ folder \ for \ explorer \ for \ for \ explorer \ for \ explorer \ for \ explorer \ for \ for \ explorer \ for \ explorer \ for \ for \ explorer \ for \ explorer$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[attributes]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[foldertypeid\]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [initfolder \ handler]$

Queries value:

 $\label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$

folders[my pictures]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[category]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftware$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[icon]$

Queries value:

 $\label{thm:local_thm:loc$

a8f7-e4701232c972}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ forme1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[localizedname]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[icon]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[localredirectonly]

Queries value:

 $\label{local-hamma} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[publishexpandedpath]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parsingname]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{debf2536-e1a8-4c59-b6a2-414586476aea} \ [local redirection \end{debf2536-e1a8-4c59-b6a2-414586476aea} \ [local red in \end{debf2536-e1a8-4c59-$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Loss of the sum of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [relative path]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $HKLM \ software \ `microsoft \ 'of 214138-b1d3-4a90-bba9-27cbc0c5389a \ [initfolder handler]$

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[parentfolder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[relativepath]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parsingname]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[streamresourcetype]}$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explore$

a2d8-4a392a602ba3}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [relative path]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[localized name]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \cfu af 16b \cfu af$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [security]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[streamresource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[roamable]

Queries value:

 $\label{lem:hkk} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\e$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4900540-2379-4c75-844b-64e6faf8716b\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[attributes]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [initfolder handler]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$

Queries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [security]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[\] is tream resource type \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called \cite{thm:hklmsoftware} a 41b-587a \cite{thm:hklmsoftware} [local redirection] \cite{thm:hklmsoftware} a 41b-587a \cite{thm:hklmsoftware} a 41b$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[foldertypeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\cite{Control of the control of the con$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[parentfolder]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{abe-ac0cb0567192} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[attributes]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\ [parsing name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b7534046-3ecb-4c18-be4e-64cd4cb7d6ac) \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$

Queries value:

be4e-64cd4cb7d6ac}[stream]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq e32e446-31ca-4aba-814f-a5ebd2fd6d5e\folderdescriptions\eq [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e \} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ folda ized name \ left \ folda ized name \ folda \ folda ized name \ folda ized name \ folda \ fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \early \cite{1.00} \end{1.00} $$14f-a5ebd2fd6d5e \cite{1.00} \cite{1.00}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31 ca-4aba-814f-a5ebd2fd6d5e\footnote{1.5} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}{publishexpandedpath1

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\earself{local-equation} \end{center} $$14f-a5ebd2fd6d5e\fattributes\end{center} $$14f-a5ebd2fd6d6d5e\fattributes\end{center} $$14f-a5ebd2fd6d6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6e\fattributes\end{center} $$14f-a5ebd2fd6d6e\fattributes\end{center} $$14f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ equal to the software \ boundaries and the software \ boundaries \ \ defined a software \ boundaries \ \ defined \ boundaries \ \ defined \ \ define$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[initfolderhandler]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac870044b-f49e-4126-a9c3-b52a1ff411e8 \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$

Oueries value

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\ [publishexpanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [attributes]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \centering \center$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[initfolderhandler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\fold$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[description]} \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[relative path] $$$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{localized-hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parentfolder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} are \microsoft \mi$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c5 abbf53-e17f-4121-8900-86626fc2c973 \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [security]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresource]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [precreate]$

Queries value:

 $\label{thm:local-bound} $HKLM \cdot explorer \endown \en$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [publish expanded path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}\[attributes\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-e17$

8900-86626fc2c973}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ 'icon1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ for \ explorer \ folder \ descriptions \ explorer \ folder \ folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [stream resource type]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \for 8169-88e350 \ acb 882 \footnote{1} \footnote{1} \footnote{2} \footnote{2}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \endowners folder descriptions \endowners \fill the second of the second sec$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [attributes]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{56784854-c6cb-462b-8169-88e350acb882\[initfolderhandler\]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Oueries value:

 $HKLM \\ software \\ microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \\ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [relative path]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

be0a-2482ebae1a26}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish \ expanded \ path]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[initfolderhandler]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learned the substitution of the substitutio$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Lemma to the state of the s$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [initfolder \ handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Oueries value

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$

Oueries value:

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\category\cite{Abstraction}} \label{lem:hklmsoftware}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ Hklm\software\microsoft\windows\current version\end{allower} $$ b8d1-440df7ef3ddc\[relative path\] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$

Queries value:

 $\label{local-equ$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \currentversion \end{\current} explorer \folder descriptions \currentversion \end{\currentversion} explorer \folder descriptions \currentversion \end{\currentversion} explorer \folder descriptions \currentversion \end{\currentversion} explorer \currentversion \currentversion \end{\currentversion} explorer \currentversion \currentversion \end{\currentversion} explorer \currentversion \end{\currentv$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ \align*{ 2a00375e-224c-49de-b8d1-440df7ef3ddc}[foldertypeid] $$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolder \ handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [description]$

Queries value:

 $HKLM) software \ | microsoft \ | microsoft$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [localized name]$

Queries value:

9f04-a5fe99fc15ec}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec' [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [local redirectorly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ esplorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [category]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parentfolder]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\colorer\folderdescriptions\colorer\folderdescriptions\colorer\folderdescription\folderdescri$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{054} fae 61-4 dd 8-4787-80 b6-090220 c4 b700} \ [par sing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} $1-4dd8-4787-80b6-090220c4b700 \end{area} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [stream resource type]$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} a 60 - 4 dd 8 - 4 7 8 7 - 80 b6 - 0 90 2 2 0 c 4 b 7 0 0 \footnote{0.54} [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [precreate]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}\ [stream]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [relative path]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8a-87 bd-30 b759 fa 33 dd \current \curr$

Oueries value

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[localizedname]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} HKLM \software \end{arrange} 1777f761-68ad-4d8a-87bd-30b759fa33dd \software \end{arrange} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$

Queries value:

 $\label{local-equal-equal-equal-equal-equal-equal} HKLM\software\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}[local\mbox{local-equal-$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the label} $$1777f761-68ad-4d8a-87bd-30b759fa33dd [precreate] $$177640-68ad-4d8a-87bd-30b759fa33dd [precreate] $$177640-68ad-4d8ad-4d8ad-4d8ad$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{are the label} $$ Hklm\software\microsoft\windows\current version\end{are the label} $$ 87bd-30b759fa33dd\[attributes\] $$ 1777f761-68ad-4d8a-87bd-30b759fa33dd\[attributes\] $$ 1777f761-68ad-4d8a-87bd$

Queries value

 $\label{lem:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [folder type id]$

Queries value:

HKLM is of tware incress of twindows it current version in the context of the c

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [precreate]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$

Oueries value:

 $\label{thm:local_thm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[infotip]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource type]$

Queries value:

 $\label{local-beam-decomposition} HKLM\software\mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[security]$$

Oueries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresourcetype]}$

Oueries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{8983036c-27c0-404b-8f08-102d10dcfd74} \[local redirectonly \]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [attributes]$

Queries value:

8f08-102d10dcfd74}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [security]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ flocal redirect \ folder \ fold$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [name]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '724ef170-a42d-4fef-9f26-b60e846fba4f \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [parsing name]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-9f26-b60e846fba4f} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource type]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[local redirectonly]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[attributes]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$

Oueries value:

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\cite{local-be97-422220080e43}\cite{local-be97-422220080e43}\cite{local-be97-422220080e43}\cite{local-be97-422220080e43}\cite{local-be97-422220080e43}\cite{local-be97-42220080e43}\cite{local-be97-42220080e43}\cite{local-be97-42220080e43}\cite{local-be97-4222080e43}\cite{local-be97-422220080e43}\cite{local-be97-4222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-42222080e43}\cite{local-be97-4$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[relativepath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[localized name]}$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\[icon]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{abd8d571-6d19-48d3-be97-422220080e43} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[initfolderhandler]}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\cite{Category}\]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \[\mbox{linfotip} \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [localized name]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[icon]}$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Absolute to the content of the content$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [precreate]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \folder type id \folder type id \folder type id \folder \eqref{lem:hklmsoftware} a 1a 9-6c 8289 5e 5c 04 \folder \eqref{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ forme1$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$

Queries value:

 $\label{localized-explorer-folder-descriptions} HKLM\software \microsoft\windows\current version \explorer\folder descriptions \gray \gra$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}[init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef 4d9f7874-4e0c-4904-967b-40b0d20c3e4b\footnote{100} [description]$

Oueries value:

 $HKLM\software\ | microsoft\ | windows\ | current version\ | explorer\ | folder descriptions\ | \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\ | relative path]$

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]}$

Queries value:

 $\label{localized-hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localized name]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \fill \fill$

967b-40b0d20c3e4b}[icon]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresource]}$

Oueries value:

 $HKLM\software\mbox{$M$icrosoft\windows\currentversion} explorer\folderdescriptions \end{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [streamresourcetype]$

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ parent folder \ label{eq:helmonton}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[description]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\[stream]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [parsing name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource]$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[local\ rection]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ear \far a 77f5 d77 - 2e2b - 44c3 - a6a2 - aba601054a51 \[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolderhandler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-850d-79d08e667ca7\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0aco837c-bbf8-452a-850d-79d08e667ca7\}[description]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{0ac0837c-bbf8-452a-850d-79d08e667ca7} [infotip]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d 08e 667 ca7\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08e 667 ca7\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \[folder type id] \]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{category} \eqref{down}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[name]}$

Queries value:

 $\label{local-ham} HKLM \ software \ ion \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [parent folder]$

Oueries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$microsoft} \windows \current version \explorer \folder descriptions \folder \cite{lem:hkkm} folder \cite{lem:hkkm} folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\flocalizedname1

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream resource]$

Queries value:

8f14-cba229b392b5}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]}$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [folder type id]$

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[initfolderhandler]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[category\]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[name]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ folder \ fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [relative path]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ folda ized name \ 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the properties of th$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[streamresourcetype]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db 17d - 9cd2 - 4a93 - 9733 - 46cc89022e7c\}[precreate]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 17d-9cd2-4a93-9733-46cc89022e7c \folds 17d-9cd2-4a93-9733-4cc89022e7c \folds 17d-9cd2-4a93-973$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[foldertypeid]

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ 'initfolder \ 'handler' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer''$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \ '[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \ '[parsing name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c 081-ebd2-438a-8655-8a092e 34987a \ [icon]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]}$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \ear 50c081-ebd2-438a-8655-8a092e34987a \ear 12 [attributes]$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [foldertypeid]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[initfolderhandler]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}\ [parentfolder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fol$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[category]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[name]

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}\ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{thm:lem:hklk} windows \current version \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{tabular} $$HKLM \software \end{tabular} $$13c-9af7-4fc2abf07cc5 \end{tabular} $$13c-9af7-4fc2abf07c$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[infotip]

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localizedname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream resource]$

Queries value:

 $\label{local-ham} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[streamresourcetype]$$

Oueries value:

 $HKLM\software\mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[localredirectonly] \\$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

9af7-4fc2abf07cc5}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9274bd8d-cfd1-41c3-b35e-b13f55a758f4) \ [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ Ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[local\redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9274bd8d-cfd1-41c3-b35e-b13f55a758f4) \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\ [name]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [localized name]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [stream resource type]$

Ounring value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[\ roamable]$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} and the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} which is the label{lem:hklmsoftware} and the label{lem:hklmsoftware} which is the label{lem:hkl$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[publishexpanded path \]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [initfolder \mbox{handler}]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[category]$$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[description]

Queries value

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}\[parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[localized name]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \forer\folder \cite{2.00} \forer\cite{2.00} \forer\c$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \[\cline{100} \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'a 74 de 290-123 f-4565-9164-39c4925e 467b \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [folder type id]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value: $HKCU \setminus software \setminus icrosoft \setminus indows \setminus current version \setminus explorer \setminus shell folders [{374de290-123f-4565-9164-39c4925e467b}]$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}\category\cite{Control of the control of the$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [name]$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [parentfolder]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}[description]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A substitution and the substitution of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [infotip]$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[localized\name]$$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[icon]$

Queries value

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[streamresource]$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a 6cd\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [publish \ expanded \ path \]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [init folder handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\cutegory\cite{A305ce99-f527-492b-8b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-666fa98d6e4}\cite{A305ce99-f527-6666}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 305ce 99-f527-492b-8b1a-7e76 fa 98d 6e 4 \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a305ce99-f527-492b-8b1a-7e76fa98d6e4 \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a305ce99-f527-492b-8b1a-7e76fa98d6e4 \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [localized name]$

Queries value:

 $HKLM software \mbox{$M$icrosoft$ windows \current version} explorer \folder descriptions \fall a 305ce99-f527-492b-8b1a-7e76fa98d6e4\\ \ficon\fill a 305ce99-f527-492b-8b1a-7e76fa98d6e4\\ \fill a 305ce9$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} [initfolder \mbox{handler}]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parentfolder]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[description]$

Queries value:

 $\label{thm:local_explorer_folder_folder_folder} HKLM \software \microsoft \windows \current version \explorer \folder_f$

9b45-f670235f79c0}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[\ roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]}$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\cite{Category}\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoft$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[infotip]} In the property of the p$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [localized name]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[security]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresource]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$

 $\label{local-equal-equal-equal} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[local\redirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990 a e9f-a03b-4e80-9912d7504104 \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [attributes]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[foldertypeid]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [category]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder 4d63-906a-5644 ac 457385 \footnote{1}{ [description]} \label{lem:hklmsoftware}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[localized name]} \\$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[icon]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[streamresource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource type]$

Queries value:

 $\label{lem:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[localredirectonly]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the sum of the label of the sum of the sum$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{dfdf76a2-c82a-4d63-906a-5644ac457385} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[initfolderhandler]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1a6fdba2-f42d-4358-a798-b74d745926c5}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \footnote{1} \foo$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parsingname]}$

Queries value:

 $\label{lem:hkk} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Queries value:

 $\label{thm:local_thm:loc$

bd18-167343c5af16}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [category]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[parsing name]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [streamresource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectonly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[roamable]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[parentfolder]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [relative path]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[parsingname]}$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant the sum of the sum of$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions $$\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[roamable]$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[stream]

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [initfolder \ handler]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[category]}$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'especial on \ 'explorer \ 'folder descriptions \ 'especial on \ 'especial on$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[streamresourcetype]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} [initfolder \mbox{handler}]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\category\cite{Action}.$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [name]$

Queries value:

 $\label{local-parameters} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \df7266 ac-9274-4867-8d55-3bd661 de 872d \parent folder \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{df7266ac-9274-4867-8d55-3bd661de872d} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{df7266ac-9274-4867-8d55-3bd661de872d} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [security]$

Queries value:

8d55-3bd661de872d}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\ [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \category \cite{Category} \equal 45a8-81e2-fc7965083634 \cite{Category} \equal 45a8-61e2-fc7965083634 \cite{Category} \equal 45a8-61e2-fc796083634 \cite{Categor$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ Four \ folder \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [description]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\[relative\path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[parsingname]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 64824 af-dce 4-45 a8-81 e2-fc 7965083634 \ficon \cite{Condition}$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [security] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[streamresourcetype]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\\ [localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a 8-81e2-fc 79650 83634\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824 af-dce4-45 a8-81 e2-fc7965083634\} [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a8-81e2-fc 7965083634\} [attributes]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [icon]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[roamable]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[foldertypeid]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[initfolderhandler]}$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace1 - 6b5 ec 372 af b5\} \ [par sing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{are the highest lemma substitution} Hklm \end{are the highest$

Queries value:

 $\label{local-bound} HKLM \ software \ ion \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff \} [relative path]$

Oueries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \current \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\ \cite{10calizedname}\ \cite{10calizedname}$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff \ [icon]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{are the highest lemma substitution} Hklm \end{are the highest$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{3214 fab5-9757-4298-bb61-92a9 deaa44ff} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff \ [stream resource type]$

Queries value:

Queries value:

bb61-92a9deaa44ff}[roamable]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and the sum of the s$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'activities' \ 'explorer' \ 'folder descriptions' \ 'activities' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder type id' | folder type id' |$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44ff} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \gamma 905e63b6-c1bf-494e-b29c-65b732d3d21a\gamma\gam$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$

Oueries value:

HKLMM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[precreate]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [initfolder \ handler]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \cutegory \]$

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\} [localized name]$

Queries value:

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\} [security]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864c-16f 3910ab 8fe \} [stream resource]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream resource type]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [localredirectonly]$

Oueries value

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ 'enamble' \ 'enam$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe\}[init folder handler]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[name]$

Queries value:

 $\label{thm:balance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[parsing name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{100}\ folderdescriptions\footnote{100}\ footnote{100}\ footnote{$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [description]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{1.00cm} \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [localized name]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \[icon]$

Queries value:

 $\label{thm:local-ball-algorithm} HKLM\software\mbox{$625b53c3-ab48-4ec1-balf-alef4146fc19}[security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}\forall streamresourcel

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[localredirectonly]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \[\column{2cm} roamable \current version \eqref{explorer} \eqref{explorer} \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$

ba1f-a1ef4146fc19}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[parsingname]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ ficon1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ d20beec4-5ca8-4905-ae3b-bf251ea09b53 \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirectonly]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Ad3} \cite{Ad3}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[parentfolder]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de 92c1c7-837f-4f69-a3bb-86e631204a23) \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de 92c1c7-837f-4f69-a3bb-86e631204a23) \ [security]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[streamresourcetype]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [local redirectonly]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$

Oueries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[initfolderhandler]}$

Queries value:

 $\label{local-continuity} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [parentfolder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [description]$

Queries value

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fold$

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[infotip]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [icon]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[security]$

Queries value:

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[streamresourcetype]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\category\cite{Abstraction}.$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\cite{Abstraction} folderdescriptions\cite{Abstraction} folderdescriptions\cite{Abstraction}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \floor{\currentversion} \footnote{\currentversion} \footnote{$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[streamresourcetype]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[localredirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[\] stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{lem:hklmsoftware} \cite{lem:hklmsoft$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[foldertypeid]$

Queries value:

adb4-6c85480369c7}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdes$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parentfolder]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [localized name]$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [stream resource type]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [roamable]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} Hklm \soft$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{1.0df-4334-bedd-7aa20b227a9d} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [folder type id]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[initfolderhandler]}$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$

Queries value:

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 190337d1-b8ca-4121-b8ca-41$

a639-6d472d16972a}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{190337d1-b8ca-4121-a639-6d472d16972a} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ folder type id \ like \ folder \ folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [initfolder \ handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} I description \end$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[relativepath]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[parsingname]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [security]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[icon]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ higher $$ b2b2-ae6db6af4968 [folder type id] $$ higher $$ higher$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ forme1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [localized name]$

Oueries value

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource type]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [publishexpandedpath]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [category]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[name]

Queries value:

 $\label{thm:balance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[description]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[icon]}$

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [local redirectonly]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b94237e7-57ac-4347-9151-b08c6c32d1f7) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} [description]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$a63293e8-664e-48db-a079-df759e0509f7} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]} Infotip \[\] \[\] \[\] \[$

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A632$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[icon]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localredirectonly]}$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \[\columnwidth{ roamable} \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} [stream]$

Queries value:

 $\label{thm:local_thm:loc$

a079-df759e0509f7}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4e b-479d-b 89f-130c0 2886155\} \ [parent folder]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b89f-130c02886155\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ for earnesource \ folder \ fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}fattributes1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[description]

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[localredirectonly]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [roamable]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\explo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream]$

Queries value

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer \verb| folder descriptions \verb| {82a74aeb-aeb4-465c-a014-d097ee346d63}[init folder handler] | \end{substitute}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{arguments} $$ 434-c0f2e0b9fa8e [parent folder] $$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

Queries value:

 $\label{thm:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \folder 47c5 a 40ef-a 0fb-4bfc-874a-c 0f2e 0b9 fa 8e \cite{thm:hklm} [infotip]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource type]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[folder typeid]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder-a0fb-4bfc-874a-c0f2e0b9fa8e\[initfolderhandler\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream resource]$

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresourcetype]$$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[localredirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[roamable]}$

Queries value:

 $HKLM\software\mbox{$MLM\software\mbox{$MLM\software\mbox{$MLderdescriptions}$} - 14e-49b2-97c9-747784d784b7} [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[stream]}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

97c9-747784d784b7}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[icon]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource type]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\[local\cutrectonly\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [publish expanded path]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[attributes]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [initfolder \ handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[category]

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [infotip]$

```
b5b4-2d72e54eaaa4}[localizedname]
  Oueries value:
b5b4-2d72e54eaaa4}[icon]
  Queries value:
b5b4-2d72e54eaaa4}[security]
  Oueries value:
b5b4-2d72e54eaaa4}[streamresource]
b5b4-2d72e54eaaa4}[streamresourcetype]
  Queries value:
b5b4-2d72e54eaaa4}[localredirectonly]
b5b4-2d72e54eaaa4}[roamable]
b5b4-2d72e54eaaa4}[precreate]
b5b4-2d72e54eaaa4}[stream]
  Queries value:
b5b4-2d72e54eaaa4}[publishexpandedpath]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[attributes]
b5b4-2d72e54eaaa4}[foldertypeid]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[initfolderhandler]
                                \label{local-observation} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}
  Queries value:
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
  Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ \ dff acd c5-part \ delegate \ folders \ \ delegate \ \ delegate \ folders \ \ delegate \ \ dele
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
  Queries value:
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[attributes]
  Queries value:
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[callforattributes]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
  Queries value:
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
  Queries value:
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
  Queries value:
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                               HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
```

c5c76bc0b67f}\shellfolder[pintonamespacetree]

c5c76bc0b67f}\shellfolder[hasnavigationenum]

Oueries value:

HKCR\clsid\{dffacdc5-679f-4156-8947-

```
Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}1
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
  Queries value:
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
  Oueries value:
                                   HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
  Queries value:
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
  Queries value:
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[threadingmodel]
  Queries value:
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
  Oueries value:
                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
                                   HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[loadwithoutcom]
  Queries value:
                                   HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
                                   HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
                                   HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[threadingmodel]
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                                   HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
  Queries value:
HKLM\system\currentcontrolset\services\lanmanserver\defaultsecurity[srvsvcdefaultshareinfo]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common desktop]
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
  Queries value:
folders[common documents]
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
  Queries value:
folders[commonpictures]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[commonmusic]
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
  Queries value:
folders[commonvideo]
                                    \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell
  Queries value:
folders[{de92c1c7-837f-4f69-a3bb-86e631204a23}]
  Queries value:
                                   HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[{3d644c9b-1fb8-4f30-9b45-f670235f79c0}]
                                   HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\profilelist[profilesdirectory]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[startup]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common startup]
                                    HKLM\software\microsoft\windows nt\currentversion\profilelist[public]
  Oueries value:
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[programs]
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common programs]
                                    \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in constant \end{tabular} in \end{t
  Queries value:
                                    HKLM\software\microsoft\windows\currentversion[commonfilesdir]
  Oueries value:
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}]
                                   HKLM\software\microsoft\internet explorer\main[maxrenderline]
  Queries value:
  Queries value:
                                    9938-1d1bf31573a7]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}[wpaddecision]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}[wpaddecisiontime]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadexpirationdays]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}[wpaddecisionreason]
  Sets/Creates value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[enablefiletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[enableconsoletracing]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ 3c8f7cba29f3aa462740dd7998c5cb74\_rasapi32[file tracing mask]
```

Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[consoletracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[maxfilesize] Sets/Creates value:

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 3c8f7cba29f3aa462740dd7998c5cb74_rasapi32[filedirectory]$ Sets/Creates value:

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 3c8f7cba29f3aa462740dd7998c5cb74_rasmancs [enable file tracing]$ Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[enableconsoletracing] Sets/Creates value:

 $HKLM \ software \ microsoft \ tracing \ 3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[file tracing mask]$ Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[consoletracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[maxfilesize] Sets/Creates value:

HKLM\software\microsoft\tracing\3c8f7cba29f3aa462740dd7998c5cb74_rasmancs[filedirectory]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\wpad|{dc6fde82-a393-4c18-a825-981179a97026}| [wpaddecisionreason]|$

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}[wpaddecisiontime]

HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value:

settings\wpad\{dc6fde82-a393-4c18-a825-981179a97026}[wpaddecision]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\wpad|{dc6fde82-a393-4c18-a825-981179a97026}[wpadnetworkname]|$

HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value:

settings\wpad\c2-80-13-e2-25-f3[wpaddecisionreason]

HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value:

settings\wpad\c2-80-13-e2-25-f3[wpaddecisiontime]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\c2-80-13-e2-25-f3[wpaddecision]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\zonemap[uncasintranet]

HKCU\software\microsoft\windows\currentversion\internet

Value changes:

settings\zonemap[autodetect] HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings[proxyenable] $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ Value changes:

settings\connections[savedlegacysettings]

Value changes: $\label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\$

settings\connections[defaultconnectionsettings]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad[wpadlastnetwork]