Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 40, Task ID: 159

Task ID: 159 Risk Level:

Date Processed: 2016-04-28 12:51:25 (UTC)

Processing Time: 61.16 seconds Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe"

Sample ID: Type: basic admin Owner:

bb32f7634f66faa04bbed52fd1a61d36 Label:

Date Added: 2016-04-28 12:44:53 (UTC)

PE32:win32:gui File Type: File Size: 368296 bytes

bb32f7634f66faa04bbed52fd1a61d36 MD5:

1afffa3ede917f9f36bde62699523e7d9a2fdd9518e16cea59a6d596ab308c4c SHA256:

Description: None

Pattern Matching Results

2 PE: Nonstandard section

5 Packer: UPX

5 PE: Contains compressed section

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Packer:

Process/Thread Events

Creates process: C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe

["C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex:

Creates semaphore:

Creates semaphore:

Creates semaphore:

Creates semaphore:

Creates semaphore: Creates semaphore:

Creates semaphore:

\Sessions\1\BaseNamedObjects\bb32f7634f66faa04bbed52fd1a61d36.exebPaB7FwL

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

\Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 Creates mutex:

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

\Sessions\1\BaseNamedObjects\GR23

\Sessions\1\BaseNamedObjects\GR24

\Sessions\1\BaseNamedObjects\GR25 \Sessions\1\BaseNamedObjects\GR26

\Sessions\1\BaseNamedObjects\GR27

\Sessions\1\BaseNamedObjects\GR28

\Sessions\1\BaseNamedObjects\GR29

Creates event: \KernelObjects\MaximumCommitCondition

Creates semaphore: $\verb|\Sessions| 1 \\ BaseNamedObjects \\ INI-bb32f7634f66faaO4bbed52fd1a61d36.data \\ Abstraction of the control of$

Creates semaphore: \Sessions\1\BaseNamedObjects\GR_FileChecker

Creates semaphore: \Sessions\1\BaseNamedObjects\GR0

Creates semaphore: \Sessions\1\BaseNamedObjects\GR_FlushingList Creates semaphore: \Sessions\1\BaseNamedObjects\GR_Write Creates semaphore: \Sessions\1\BaseNamedObjects\GR_GErrMsg

\Sessions\1\BaseNamedObjects\GR1 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR2 Creates semaphore: \Sessions\1\BaseNamedObjects\GR3 \Sessions\1\BaseNamedObjects\GR4 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR5 Creates semaphore: \Sessions\1\BaseNamedObjects\GR6 \Sessions\1\BaseNamedObjects\GR7 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR8 Creates semaphore: \Sessions\1\BaseNamedObjects\GR9 \Sessions\1\BaseNamedObjects\GR10 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR11 Creates semaphore: \Sessions\1\BaseNamedObjects\GR12 \Sessions\1\BaseNamedObjects\GR13 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR14 Creates semaphore: \Sessions\1\BaseNamedObjects\GR15 Creates semaphore: \Sessions\1\BaseNamedObjects\GR16 Creates semaphore: \Sessions\1\BaseNamedObjects\GR17 \Sessions\1\BaseNamedObjects\GR18 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR19 \Sessions\1\BaseNamedObjects\GR20 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR21 Creates semaphore: \Sessions\1\BaseNamedObjects\GR22

\Sessions\1\BaseNamedObjects\GR30 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR31 \Sessions\1\BaseNamedObjects\GR32 Creates semaphore: \Sessions\1\BaseNamedObjects\GR33 Creates semaphore: \Sessions\1\BaseNamedObjects\GR34 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR36 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR37 Creates semaphore: \Sessions\1\BaseNamedObjects\GR38 Creates semaphore: \Sessions\1\BaseNamedObjects\GR39 \Sessions\1\BaseNamedObjects\GR40 Creates semaphore: Creates semaphore: $\Sessions\1\BaseNamedObjects\GR41$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR42 \Sessions\1\BaseNamedObjects\GR43 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR44 Creates semaphore: \Sessions\1\BaseNamedObjects\GR45 \Sessions\1\BaseNamedObjects\GR46 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR47 Creates semaphore: \Sessions\1\BaseNamedObjects\GR48 Creates semaphore: \Sessions\1\BaseNamedObjects\GR49 Creates semaphore: \Sessions\1\BaseNamedObjects\GR50 Creates semaphore: \Sessions\1\BaseNamedObjects\GR51 \Sessions\1\BaseNamedObjects\GR52 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR53 Creates semaphore: \Sessions\1\BaseNamedObjects\GR54 Creates semaphore: \Sessions\1\BaseNamedObjects\GR55 Creates semaphore: \Sessions\1\BaseNamedObjects\GR56 Creates semaphore: \Sessions\1\BaseNamedObjects\GR57 Creates semaphore: \Sessions\1\BaseNamedObjects\GR58 Creates semaphore: \Sessions\1\BaseNamedObjects\GR59 Creates semaphore: \Sessions\1\BaseNamedObjects\GR60 \Sessions\1\BaseNamedObjects\GR61 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR62 Creates semaphore: \Sessions\1\BaseNamedObjects\GR63 \Sessions\1\BaseNamedObjects\GR64 Creates semaphore: Creates semaphore: $\Sessions\1\BaseNamedObjects\GR65$ \Sessions\1\BaseNamedObjects\GR66 Creates semaphore: \Sessions\1\BaseNamedObjects\GR67 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR68 Creates semaphore: \Sessions\1\BaseNamedObjects\GR69 \Sessions\1\BaseNamedObjects\GR70 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR71 \Sessions\1\BaseNamedObjects\GR72 Creates semaphore: \Sessions\1\BaseNamedObjects\GR73 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR74 \Sessions\1\BaseNamedObjects\GR75 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR76 Creates semaphore: \Sessions\1\BaseNamedObjects\GR77 Creates semaphore: \Sessions\1\BaseNamedObjects\GR78 Creates semaphore: \Sessions\1\BaseNamedObjects\GR79 \Sessions\1\BaseNamedObjects\GR80 Creates semaphore: \Sessions\1\BaseNamedObjects\GR81 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR82 \Sessions\1\BaseNamedObjects\GR83 Creates semaphore: \Sessions\1\BaseNamedObjects\GR84 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR85 \Sessions\1\BaseNamedObjects\GR86 Creates semaphore: \Sessions\1\BaseNamedObjects\GR87 Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR88 $\verb|\Sessions|1\\BaseNamedObjects|GR89|$ Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR90 Creates semaphore: \Sessions\1\BaseNamedObjects\GR91 Creates semaphore: \Sessions\1\BaseNamedObjects\GR92 Creates semaphore: \Sessions\1\BaseNamedObjects\GR93 \Sessions\1\BaseNamedObjects\GR94 Creates semaphore: $\verb|\Sessions|1\BaseNamedObjects|| GR95||$ Creates semaphore: Creates semaphore: \Sessions\1\BaseNamedObjects\GR96 Creates semaphore: \Sessions\1\BaseNamedObjects\GR97 Creates semaphore: $\verb|\Sessions|1\BaseNamedObjects|| GR98||$ Creates semaphore: \Sessions\1\BaseNamedObjects\GR99 Creates semaphore: \Sessions\1\BaseNamedObjects\GR100

Creates semaphore: \Sessions\1\BaseNamedObjects\INI-bb32f7634f66faa04bbed52fd1a61d36.data0

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData

Creates: C:\Users\Admin\AppData\Roaming

 $\label{lem:condition} Creates: $C:\Users\land Admin\AppData\Roaming\GetRightToGo. $C:\Users\land Admin\AppData\Roaming\GetRightToGo. $$C:\Users\land Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\GetRightToGo. $$C:\Users\Admin\AppData\Roaming\App$

Creates:

```
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data
 Creates
C: \verb|Vsers| Admin| AppData| Roaming \\ GetRightToGo\\ bb32f7634f66faa04bbed52fd1a61d36.data0\\
                         C:\Windows\Prefetch\BB32F7634F66FAA04BBED52FD1A61-A090BD3D.pf
 Opens:
 Opens:
                         C:\Windows\System32
 Opens:
                         C:\Windows\System32\sechost.dll
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe.Local\
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
 Opens:
                         C:\windows\temp\oledlg.dll
 Opens:
                         C:\Windows\System32\oledlg.dll
 Opens:
                         C:\windows\temp\Secur32.dll
 Opens:
                         C:\Windows\System32\secur32.dll
 Opens:
                         C:\windows\temp\SSPICLI.DLL
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\windows\temp\WINSPOOL.DRV
 Opens:
                         C:\Windows\System32\winspool.drv
 Opens:
                         C:\Windows\System32\imm32.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
 Opens:
                         C:\Windows\System32\uxtheme.dll
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe.2.Manifest
 Opens:
 Opens:
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe.3.Manifest
 Opens:
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe.Config
 Opens:
                         C:\Windows\Temp\bb32f7634f66faa04bbed52fd1a61d36.exe
 Opens:
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36.exe.1000.Manifest
 Opens:
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36ENU.dll
 Opens:
                         C:\windows\temp\bb32f7634f66faa04bbed52fd1a61d36L0C.dll
 Opens:
                         C:\
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Windows\System32\tzres.dll
 Opens:
                         C:\Windows\System32\en-US\tzres.dll.mui
 Opens:
                         C:\Windows\Fonts\tahoma.ttf
 Opens:
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
 Opens:
                         C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                         C:\Windows\System32\rpcss.dll
 Opens:
                         C:\windows\temp\CRYPTBASE.dll
 Opens:
                         C:\Windows\System32\cryptbase.dll
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
 Opens:
                         C:\Windows\System32\shell32.dll
 Opens:
                         C:\Users\Admin\Desktop
 Opens:
                         C:\Windows\System32\propsys.dll
 Opens:
                         C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db|
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
                         C:\Users\desktop.ini
 Opens:
 Opens:
                         C:\Users
 Opens:
                         C:\Users\Admin
                         C:\Users\Admin\Desktop\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming
 Opens:
                         C:\Users\Admin\AppData
                         C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Roaming\GetRightToGo
 Opens:
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data
 Opens:
                         C:\Windows\Temp
 Opens:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data0
                         C:\Users\Admin\Desktop\Downloads\
 Opens:
 Opens:
                         C:\Users\Admin\Documents
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
 Opens:
                         C:\Users\Public\Desktop
 Opens:
                         C:\Users\Public\desktop.ini
 Opens:
                         C:\Users\Public
 Opens:
                         C:\Users\Public\Desktop\desktop.ini
                         C:\Windows\Fonts\sserife.fon
 Opens:
 Writes to:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data
 Writes to:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data0
 Reads from:
                         C:\Windows\Fonts\StaticCache.dat
 Reads from:
                         C:\Users\desktop.ini
 Reads from:
                         C:\Users\Admin\Desktop\desktop.ini
                         C:\Windows\Temp\bb32f7634f66faa04bbed52fd1a61d36.exe
 Reads from:
 Reads from:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data
 Reads from:
C:\Users\Admin\AppData\Roaming\GetRightToGo\bb32f7634f66faa04bbed52fd1a61d36.data0
 Reads from:
                         C:\Users\Admin\Documents\desktop.ini
```

Reads from: C:\Users\Public\desktop.ini C:\Users\Public\Desktop\desktop.ini Reads from:

Windows Registry Events

HKCU\software\headlight Creates key: Creates key: HKCU\software\headlight\getrighttogo Creates key: HKCU\software\headlight\getrighttogo\sharedconfig Creates key: HKCU\software\headlight\getrighttogo\customizedapps Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\terminal server Opens kev: HKLM\svstem\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\ Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration HKLM\software\policies\microsoft\mui\settings Opens kev: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration Opens key: Opens key: HKCU\control panel\desktop Opens key: HKCU\control panel\desktop\muicached HKLM\software\microsoft\windows\currentversion\sidebyside Opens key: Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\ Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens kev: HKLM\svstem\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\windows Opens key: HKLM\software\microsoft\ole Opens kev: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut Opens key: HKCU\software\classes\ HKCU\software\classes\clsid Opens kev: Opens key: HKCR\clsid Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\network Opens key: HKCU\software\microsoft\windows\currentversion\policies\comdlg32 Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens kev: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\system\currentcontrolset\control\computername Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername Opens key: HKLM\system\setup HKLM\system\currentcontrolset\control\nls\locale Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key: HKLM\software\microsoft\ctf\compatibility\bb32f7634f66faa04bbed52fd1a61d36.exe Opens key: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436} Opens key: HKLM\software\microsoft\ctf\ Opens key: HKLM\software\microsoft\ctf\knownclasses Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0 HKLM\software\microsoft\windows Opens kev: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2 Opens key: HKLM\software\policies\microsoft\sqmclient\windows Opens key: HKLM\software\microsoft\sqmclient\windows Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\37c48e35 HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries Opens kev:

Opens kev:

Opens key:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
    Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007
    Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ parameters \ protocol\_catalog\_entries \ protocol\_catalog \ parameters \ parameters
    Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010
    Opens key:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap col\_catalog 9 \setminus catalog\_entries \setminus 0000000000011
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015
    Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000016) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
    Opens key:
HKLM \ system \ current control set \ services \ win sock 2 \ parameters \ name space\_catalog 5 \ 0000000c
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
    Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004
    Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006
    Opens key:
                                                             HKLM\software\microsoft\windows\currentversion\policies\explorer
    Opens kev:
Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions
    Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}
    Opens kev:
b029-7fe99a87c641}\propertybag
                                                            HKCU\software\microsoft\windows\currentversion\explorer
    Opens key:
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1
    Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current \vee explorer \setminus session in follows \cap the following of the fol
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders
    Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus known folders ettings
    Opens key:
                                                            HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
                                                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens key:
```

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-development \ explorer \ explorer \ \ and \ explorer \$ Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder

Opens kev: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-Opens key:

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer HKCU\software\policies\microsoft\windows\explorer Opens key:

HKLM\software\microsoft\com3 Opens key:

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\}$ Opens key:

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens kev:

b8dc300d9f9d}\treatas

Opens key: $HKCR\clsid$ {1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\progid

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32$

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32$ Opens key:

Opens kev:

b8dc300d9f9d}\inprochandler

Opens key: $HKCR \c1sid \end{array} \label{limits} HKCR \c1sid \end{array} \$ Opens key: Opens key: HKLM\system\currentcontrolset\services\ldap Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \ software \ microsoft \ windows \ shell \ registered applications \ urlassociations \ directory \ open with progids$

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directorv

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler HKCU\software\classes\folder Opens key:

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

HKCR\folder\shellex\iconhandler Opens key:

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \all file system objects \shellex \classes \classes \classes \all file system objects \shellex \classes \cla$ Opens key:

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens kev: HKCU\software\classes\directory\docobject Opens key: HKCR\directory\docobject Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

HKCU\software\classes\allfilesystemobjects\docobject Opens key:

Opens key: HKCR\allfilesystemobjects\docobject

Opens kev: HKCU\software\classes\directorv\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

HKCU\software\classes\allfilesystemobjects\browseinplace Opens key:

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

HKCU\software\classes\allfilesystemobjects\clsid Opens key:

Opens key: HKCR\allfilesystemobjects\clsid

Opens key: HKCU\software

Opens key:

a03a-e3ef65729f3d}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$ a03a-e3ef65729f3d}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}

Opens key: HKLM\software\microsoft\windows\currentversion\setup HKLM\software\microsoft\windows\currentversion Opens key:

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\software\policies\microsoft\windows nt\rpc

Opens key:

b4ef-bd1dc332aeae}\propertybag

Opens key:

 $HKCU \setminus software \setminus icrosoft \setminus ic$

11e3-b3bc-806e6f6e6963}\

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key:

adb4-6c85480369c7}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ fdd 39 ad 0-238 f-46 af-46 af-4$

 $adb4-6c85480369c7 \} \verb|\propertybag|$

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-

afef-f87ef2e6ba25}

Opens kev:

afef-f87ef2e6ba25}\propertybag

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrol\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrol\terminal server[tsuserenabled]

Queries value:

 $HKLM \verb|\software| policies \verb|\microsoft| windows \verb|\safer| code identifiers[transparentenabled]|$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[bb32f7634f66faa04bbed52fd1a61d36]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]
Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\system\currentcontrol\set\control\nls\locale[00000409]

Queries value: HKLM\system\currentcontrol\set\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\datastore_v1.0[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[datafilepath] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane1] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane2] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane4]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]

nt\currentversion\languagepack\surrogatefallback[plane5]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
Queries value: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\languagepack\surrogatefallback[plane7]|$

Queries value: HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\surrogatefallback[plane8]
                       HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
 Queries value:
                       HKLM\software\microsoft\windows
\verb|nt\currentversion\languagepack\surrogatefallback[plane10]|
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                      HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
                       HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
 Oueries value:
                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                       HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9[num catalog entries]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\000000000003[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Oueries value:
Queries value:
Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 0000000000007 \ [packed catalog item]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000018[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[supportednamespace]
```

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ set alog_entries \ (0000000000001[version]) \ details \ de$

Oueries value:

Queries value:

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo]

 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 0000000000003 \ [displaystring] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid] Queries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \names pace_catalog 5 \catalog_entries \names family] \\ Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo]
 Queries value:
- $\label{lem:hklmsystem} Hklm\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]\queries\value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Queries value:
- $\label{lem:hklm} \begin{tabular}{ll} HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]\\ Oueries\ value: \begin{tabular}{ll} Color of the color of$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
- $\label{local-parameters} HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005[storesserviceclassinfo]\ Queries\ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid]
 Oueries value:

Oueries value:

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[version]
Queries value:

 $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog5 \catalog_entries \namespace_catalog5 \catalog3 \catalog5 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalog6 \catalo$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerinfo]
Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]

Queries value:

 $HKLM \setminus software \setminus increased in the content of the$

b029-7fe99a87c641}[category]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$

Queries value

Queries value

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresource]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the lemma of the label} In the label lemma of the label lem$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [precreate]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[attributes\]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
08002b30309d}\shellfolder[wantsfordisplay]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus monenum [\{20d04fe0-3aea-1069-a2d8-microsoft\}] + (20d04fe0-3aea-1069-a2d8-microsoft) + (20d04fe0-3aea-1069-a2d8-mi
08002b30309d}1
11e3-b3bc-806e6f6e6963}[data]
11e3-b3bc-806e6f6e6963}[generation]
                                                 HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
   Queries value:
                                                 HKLM\software\microsoft\com3[com+enabled]
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]
   Queries value:
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
   Oueries value:
b8dc300d9f9d}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]
   Oueries value:
   Queries value:
                                                 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-
b8dc300d9f9d}\inprocserver32[threadingmodel]
   Queries value:
                                                 HKLM\software\microsoft\ole[maxsxshashcount]
   Oueries value:
HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]
                                                 HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
   Oueries value:
                                                 HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
   Oueries value:
   Queries value:
                                                 HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
   Queries value:
\label{thm:limit} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:limits} advanced \cite{thm:limits}
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
   Queries value:
                                                 HKCR\directory[docobject]
```

Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Oueries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

 $\label{lem:queries} Queries \ value: $$ HKCU\software\headlight\getrighttogo\sharedconfig[useloadimage] $$ Queries \ value: $$ HKCU\software\headlight\getrighttogo\sharedconfig[doxpthemes] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [category]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localizedname]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} a 03a-e3ef65729f3d \cal{lem:hkklmsoftware} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [local redirectonly]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} a 03a-e3ef65729f3d \cal{lem:hkklmsoftware} in \cal{lem:hkklmsoftware} a 12ef65729f3d \cal{lem:hkklmsoftware} a 12ef65$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $HKLM\software\mbox{$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [name] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [security]$

Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[localredirectonly\]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 's the abded-b587-4786-b4ef-bd1dc332aeae \ [stream]$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Queries value:

 $HKLM\software\mbox{$1b$3ea5dc-b587-4786-b4ef-bd1dc332aeae}[initfolderhandler] \\$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

 $\label{thm:local-basis} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-11e3-b3bc-806e6f6e6963}\ \lceil data\rceil$

Oueries value:

 $HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [generation]$

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

Queries value: HKCU\software\headlight\getrighttogo\sharedconfig[debug]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\category\cite{Abstraction}.$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[name]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parent folder]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(description)\f$

Queries value:

```
adb4-6c85480369c7}[relativepath]
    Oueries value:
adb4-6c85480369c7}[parsingname]
    Oueries value:
adb4-6c85480369c7}[infotip]
    Oueries value:
adb4-6c85480369c7}[localizedname]
    Oueries value:
adb4-6c85480369c7}[icon]
    Oueries value:
adb4-6c85480369c7}[security]
    Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ fdd 39 ad 0-238 f-46 af-46 
adb4-6c85480369c7}[streamresource]
    Queries value:
adb4-6c85480369c7}[streamresourcetype]
    Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ fdd 39 ad 0-238 f-46 af-46 
adb4-6c85480369c7}[localredirectonly]
    Queries value:
adb4-6c85480369c7}[roamable]
    Oueries value:
adb4-6c85480369c7}[precreate]
    Queries value:
adb4-6c85480369c7}[stream]
    Oueries value:
adb4-6c85480369c7}[publishexpandedpath1
    Queries value:
adb4-6c85480369c7}[attributes]
    Oueries value:
adb4-6c85480369c7}[foldertypeid]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ fdd 39 ad 0-238 f-46 af-46 af
adb4-6c85480369c7}[initfolderhandler]
    Queries value:
                                                          \label{thm:local_explorer} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \user shell \end{tabular}
folders[personal]
                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[attributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Queries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforoverlay]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Queries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideinwebview]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
    Queries value:
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                                                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
   Oueries value:
```

5595fe6b30ee}\shellfolder[nofilefolderjunction]

5595fe6b30ee}\shellfolder[pintonamespacetree]

Queries value:

Queries value:

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hasnavigationenum]

Queries value:

5595fe6b30ee}]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ for earlier \ folder \ folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ def-f87ef2e6ba25 \ fstream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ flocal redirect \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [stream] \\$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[publishexpandedpath]}$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\finitfolderhandlerl

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common desktop]

Sets/Creates value:

HKCU\software\headlight\getrighttogo\customizedapps[bb32f7634f66faa04bbed52fd1a61d36]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[busypause]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecache]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[filecachekb]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[rollback]

Sets/Creates value: HKCU\software\headlight\getrighttogo\sharedconfig[dotgetright]