Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details Host: mag2, Sample ID: 3324, Task ID: 805

Task ID: 805 Risk Level: 10

2016-05-18 10:40:24 (UTC) Date Processed:

Processing Time: 64.41 seconds Virtual Environment: IntelliVM

"c:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.exe" **Execution Arguments:**

3324 Sample ID: Type: basic Owner:

0fe92a59448dcd7b0d7f239c237a351e Label:

Date Added: 2016-05-18 10:30:50 (UTC) File Type: PE32:win32:gui:.net File Size: 44544 bytes

MD5: 0fe92a59448dcd7b0d7f239c237a351e

SHA256: 5bf14321c62ae838db535affdb9ef20949c61ee3816a222e3f610b384feaca43

Description:

Pattern Matching Results

6 Modifies registry autorun entries

3 Long sleep detected

2 .NET compiled executable

10 Creates malicious events: Bladabindi 2 [Backdoor, RAT]

10 Creates malicious events: Bladabindi [Backdoor, RAT]

6 Creates executable in application data folder

7 Attempts to connect to dynamic DNS

4 Terminates process under Windows subfolder

4 Reads process memory

6 Modifies firewall

Adds autostart object

6 Checks Network Access Protection parameters

Process/Thread Events

C:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.exe Creates process:

["C:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\Trojan.exe

["C:\Users\Admin\AppData\Local\Temp\Trojan.exe"]

Creates process: C:\Windows\system32\netsh.exe [netsh firewall add allowedprogram "C:\Users\Admin\AppData\Local\Temp\Trojan.exe" "Trojan.exe" ENABLE]

PID:976 C:\Windows\System32\svchost.exe Reads from process: Reads from process: PID:1152 C:\Windows\System32\dwm.exe Reads from process: PID:2392 C:\Windows\System32\netsh.exe Reads from process: PID:1408 C:\Windows\System32\svchost.exe Reads from process: PID:696 C:\Windows\System32\svchost.exe PID:1496 C:\Windows\System32\svchost.exe Reads from process: Reads from process: PID:244 C:\Windows\System32\smss.exe Reads from process: PID:1400 C:\Windows\System32\taskhost.exe Reads from process: PID:1844 C:\Windows\System32\taskhost.exe PID:864 C:\Windows\System32\svchost.exe Reads from process: Reads from process: PID:328 C:\Windows\System32\csrss.exe PID:412 C:\Windows\System32\winlogon.exe Reads from process: Reads from process: PID:1568 C:\Windows\System32\svchost.exe Reads from process: PID:760 C:\Windows\System32\svchost.exe PID:576 C:\Windows\System32\svchost.exe Reads from process:

Reads from process: PID:2088 C:\Windows\System32\wbem\unsecapp.exe

Reads from process: PID:1284 C:\Program Files\Adobe\Reader 9.0\Reader\reader_sl.exe

Reads from process: PID:2260 C:\Windows\System32\conhost.exe PID:1100 C:\Windows\explorer.exe Reads from process: Reads from process: PID:804 C:\Windows\System32\svchost.exe PID:1364 C:\Windows\System32\spoolsv.exe Reads from process: Reads from process: PID:468 C:\Windows\System32\lsm.exe Reads from process: PID:644 C:\Windows\System32\svchost.exe PID:372 C:\Windows\System32\csrss.exe Reads from process: Reads from process: PID:460 C:\Windows\System32\lsass.exe Reads from process: PID:1972 C:\Windows\System32\UI0Detect.exe Reads from process: PID:2168 C:\Windows\System32\wbem\WmiPrvSE.exe Reads from process: PID:364 C:\Windows\System32\wininit.exe Reads from process: PID:448 C:\Windows\System32\services.exe

C:\Windows\Temp\0fe92a59448dcd7b0d7f239c237a351e.exe Terminates process:

Terminates process: C:\Windows\System32\netsh.exe

Named Object Events

Creates mutex:	\Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\ZonesCounterMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\RasPbFile
Creates mutex:	\BaseNamedObjects\3a886eb8-fe40-4d0a-b78b-9e0bcb683fb7
Creates mutex:	\Sessions\1\BaseNamedObjects\5cd8f17f4086744065eb0992a09e05a2

\BaseNamedObjects\.net clr networking Creates mutex: \BaseNamedObjects\CorDBIPCSetupSyncEvent_2272 Creates event: Creates event: \KernelObjects\LowMemoryCondition \KernelObjects\MaximumCommitCondition Creates event: Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED Creates event: \BaseNamedObjects\CorDBIPCSetupSyncEvent_2348 \BaseNamedObjects\ConsoleEvent-0x00000968 Creates event: Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

File System Events Creates: C:\Users\Admin Creates: C:\Users\Admin\AppData\Roaming C:\Users\Admin\AppData\Local\Temp\Trojan.exe Creates: Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start Creates: Menu\Programs\Startup\5cd8f17f4086744065eb0992a09e05a2.exe Creates: C:\Users\Admin\AppData\Local\Temp\Trojan.exe.tmp C:\Windows\Prefetch\OFE92A59448DCD7B0D7F239C237A3-710019A2.pf Opens: Opens: C:\Windows\System32 Opens: C:\Windows\System32\mscoree.dll C:\Windows\System32\sechost.dll Opens: Opens: C:\Windows\SYSTEM32\MSCOREE.DLL.local Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727 C:\Windows\Microsoft.NET\Framework\Upgrades.2.0.50727\ Opens: Opens: C:\Windows\System32\imm32.dll C:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.exe.config Opens: C:\Windows\Temp\0fe92a59448dcd7b0d7f239c237a351e.exe Opens: Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\mscorwks.dll C:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.exe.Local\ Opens: Opens: C:\Windows\winsxs\x86_microsoft.vc80.crt_1fc8b3b9a1e18e3b_8.0.50727.4940_none_d08cc06a442b34fc C:\Windows\winsxs\x86_microsoft.vc80.crt_1fc8b3b9a1e18e3b_8.0.50727.4940_none_d08cc06a442b34fc\msvcr80.dll Opens: C:\ C:\Windows Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\CONFIG\machine.config Opens: Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\fusion.localgac Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\security.config C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\security.config.cch Opens: Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\enterprisesec.config Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\enterprisesec.config.cch C:\Windows\Globalization\Sorting\SortDefault.nls Opens: Opens: C:\windows\temp\profapi.dll C:\Windows\System32\profapi.dll Opens: Opens: C:\Users\Admin Opens: C:\Users\Admin\AppData\Roaming Opens: C:\Users\Admin\AppData\Roaming\Microsoft\CLR Security Config\v2.0.50727.312\security.config C:\Users\Admin\AppData\Roaming\Microsoft\CLR Security Opens: Config\v2.0.50727.312\security.config.cch C:\Windows\assembly\NativeImages_v2.0.50727_32\index145.dat Opens: Opens: C:\Windows\assembly\NativeImages_v2.0.50727_32\mscorlib\62a0b3e4b40ec0e8c5cfaa0c8848e64a\mscorlib.ni.dll C:\Windows\assembly\GAC_32\mscorlib\2.0.0.0_b77a5c561934e089 Opens: Opens: C:\Windows\Temp C:\Windows\Microsoft.NET\Framework\v2.0.50727\ole32.dll Opens: Opens: C:\Windows\System32\rpcss.dll C:\windows\temp\CRYPTBASE.dll Opens: Opens: C:\Windows\System32\cryptbase.dll C:\Windows\System32\uxtheme.dll Opens: Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files C:\windows\temp\0fe92a59448dcd7b0d7f239c237a351e.config Opens: Opens: C:\Windows\Svstem32\l intl.nls Opens: C:\Windows\Microsoft.NET\Framework\v2.0.50727\mscorjit.dll Opens: C:\Windows\assembly\pubpol4.dat C:\Windows\assembly\GAC\PublisherPolicy.tme Opens: Opens: C:\Windows\assembly\NativeImages_v2.0.50727_32\System\9e0a3b9b9f457233a335d7fba8f95419\System.ni.dll Opens: Opens: C:\Windows\assembly\GAC_MSIL\Microsoft.VisualBasic\8.0.0.0__b03f5f7f11d50a3a Opens: C:\Windows\assembly\GAC_MSIL\System\2.0.0.0_b77a5c561934e089 Opens: $C: \windows\assembly\NativeImages_v2.0.50727_32\System.Drawing\dbfe8642a8ed7b2b103ad28e0c96418a\System.Drawing.ni.dll$ $C: \verb|Windows| assembly \verb|NativeImages_v2.0.50727_32 \verb|System.Windows.Forms|| 3 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 3 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 3 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 3 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.Forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.forms.ni.dll|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.forms.ni.dl|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.forms.ni.dl|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 \verb|System.Windows.forms.ni.dl|| 4 afcd 5168c7 a 6cb02e ab 99d7fd 71e102 a 6cb02e a$

C:\Windows\assembly\GAC_MSIL\System.Drawing\2.0.0.0_b03f5f7f11d50a3a

C:\Windows\assembly\GAC_32\mscorlib\2.0.0.0_b77a5c561934e089\sortkey.nlp

Opens: Opens:

Opens:

C:\Windows\assembly\GAC_MSIL\System.Windows.Forms\2.0.0.0_b77a5c561934e089

C:\Windows\assembly\GAC_32\mscorlib\2.0.0.0_b77a5c561934e089\sorttbls.nlp

C:\Windows\Globalization\en-us.nlp

```
C:\Users\Admin\AppData\Local\Temp\Trojan.exe
 Opens:
 Opens:
C:\Windows\assembly\GAC_MSIL\System\2.0.0.0_b77a5c561934e089\shell32.dll
                         C:\windows\temp\PROPSYS.dll
 Opens:
 Opens:
                         C:\Windows\System32\propsys.dll
 Opens:
                         C:\Windows\System32\shell32.dll
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x000000000000006.db
                         C:\Users\Admin\Desktop\desktop.ini
 Opens:
 Opens:
                         C:\Users\desktop.ini
 Opens:
                         C:\Users
 Opens:
                         C:\Users\Admin\Searches\desktop.ini
 Opens:
                         C:\Users\Admin\Videos\desktop.ini
 Opens:
                         C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
                         C:\Users\Admin\Pictures\desktop.ini
 Opens:
                         C:\Users\Admin\Contacts\desktop.ini
 Opens:
                         C:\Users\Admin\Favorites\desktop.ini
 Opens:
                         C:\Users\Admin\Music\desktop.ini
 Opens:
                         C:\Users\Admin\Downloads\desktop.ini
 Opens:
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
                         C:\Users\Admin\Links\desktop.ini
 Opens:
                         C:\Users\Admin\Saved Games\desktop.ini
                         C:\windows\temp\apphelp.dll
 Opens:
 Opens:
                         C:\Windows\System32\apphelp.dll
 Opens:
                         C:\Windows\System32\shdocvw.dll
 Opens:
                         C:\Windows\System32\en-US\propsys.dll.mui
 Opens:
                         C:\Windows\System32\urlmon.dll
 Opens:
                         C:\windows\temp\SspiCli.dll
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                         C:\Users\Admin\AppData
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Users\Admin\AppData\Local\Temp
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\Trojan.exe:Zone.Identifier
                         C:\Windows\AppPatch\sysmain.sdb
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\ui\SwDRM.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\tbd\greek01\background.gen
 Opens:
                         C:\Windows\Prefetch\TROJAN.EXE-CC69EF24.pf
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\Trojan.exe.config
 Opens:
                         Opens:
                         C:\Users\Admin\AppData\Local\Temp\profapi.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\CRYPTBASE.dll
                         C:\Users\Admin\AppData\Local\Temp\Trojan.config
 Opens:
 Opens:
                         C:\windows\temp\CRYPTSP.dll
 Opens:
                         C:\Windows\System32\cryptsp.dll
 Opens:
                         C:\Windows\System32\rsaenh.dll
 Opens:
                         C:\windows\temp\RpcRtRemote.dll
 Opens:
                         C:\Windows\System32\RpcRtRemote.dll
 Opens:
C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\security.config.cch.2272.55129
 Opens:
C:\Windows\Microsoft.NET\Framework\v2.0.50727\config\enterprisesec.config.cch.2272.55129
                         C:\Users\Admin\AppData\Roaming\Microsoft\CLR Security
Config\v2.0.50727.312\security.config.cch.2272.55249
                         C:\Users\Admin\AppData\Local\Temp\netsh.exe
 Opens:
 Opens:
                         C:\Windows\System32\netsh.exe
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\shfolder.dll
 Opens:
                         C:\Windows\System32\shfolder.dll
 Opens:
                         C:\Windows\Prefetch\NETSH.EXE-F1B6DA12.pf
 Opens:
                         C:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
 Opens:
Menu\Programs\Startup
                         C: \verb|\Users\Admin\AppData\Roaming\Microsoft\Windows\Start|
Menu\Programs\Startup\5cd8f17f4086744065eb0992a09e05a2.exe
                         C:\Windows\Globalization
 Opens:
 Opens:
                         C:\Windows\Globalization\Sorting
                         C:\Windows\System32\en-US
 Opens:
 Opens:
                         C:\Windows\System32\rasmontr.dll
 Opens:
                         C:\Windows\System32\nshwfp.dll
 Opens:
                         C:\Windows\System32\dhcpcmonitor.dll
 Opens:
                         C:\Windows\System32\wshelper.dll
 Opens:
                         C:\Windows\System32\nshhttp.dll
 Opens:
                         {\tt C:\Windows\System32\fwcfg.dll}\\
 Opens:
                         C:\Windows\System32\authfwcfg.dll
 Opens:
                         C:\Windows\System32\winipsec.dll
 Opens:
                         C:\Windows\System32\ifmon.dll
 Opens:
                         C:\Windows\System32\netiohlp.dll
                         C:\Windows\System32\whhelper.dll
 Opens:
 Opens:
                         C:\Windows\System32\hnetmon.dll
```

C:\Windows\System32\rpcnsh.dll

Opens:

Opens: C:\Windows\System32\dot3cfg.dll C:\Windows\System32\NAPMONTR.DLL Opens: C:\Windows\System32\nshipsec.dll Opens: Opens: C:\Windows\System32\ndfapi.dll Opens: C:\Windows\System32\WcnNetsh.dll Opens: C:\Windows\System32\p2pnetsh.dll Opens: C:\Windows\System32\wlancfg.dll Opens: C:\Windows\System32\wwancfg.dll Opens: C:\Windows\System32\PeerDistSh.dll C:\Windows\System32\ntdll.dll Opens: Opens: C:\Windows\System32\kernel32.dll Opens: C:\Windows\System32\apisetschema.dll Opens: C:\Windows\System32\KernelBase.dll C:\Windows\System32\locale.nls Opens: Opens: C:\Windows\System32\advapi32.dll Opens: C:\Windows\System32\msvcrt.dll Opens: C:\Windows\System32\rpcrt4.dll Opens: C:\Windows\System32\credui.dll Opens: C:\Windows\System32\user32.dll Opens: C:\Windows\System32\gdi32.dll Opens: C:\Windows\System32\lpk.dll C:\Windows\System32\usp10.dll Opens: C:\Windows\System32\mpr.dll Opens: Opens: C:\Windows\System32\ole32.dll Opens: C:\Windows\System32\oleaut32.dll Opens: C:\Windows\System32\msctf.dll C:\Windows\System32\en-US\netsh.exe.mui

Opens: C:\Windows\System32\en-US\netsh.exe.r
Opens: C:\Windows\System32\shlwapi.dll
Opens: C:\Windows\System32\rasapi32.dll

Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\msi.dl2
Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\msi.dl1
Opens: C:\Windows\System32\winnsi.dl1
Opens: C:\Windows\System32\odbcint.dl1
Opens: C:\Windows\System32\odbcint.dl1
Opens: C:\Windows\System32\en-US\odbcin

Opens: C:\Windows\System32\en-US\odbcint.dll.mui
Opens: C:\Windows\System32\en-US\MFC42u.dll.mui

Opens: C:\Windows\System32\crypt32.dll Opens: C:\Windows\System32\msasn1.dll Opens: C:\Windows\System32\slc.dll Opens: C:\Windows\System32\dhcpcsvc.dll C:\Windows\System32\dhcpcsvc6.dll Opens: Opens: C:\Windows\System32\DHCPQEC.DLL Opens: C:\Windows\System32\QUTIL.DLL Opens: C:\Windows\System32\wevtapi.dll C:\Windows\System32\ws2help.dll Opens: Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\httpapi.dll Opens: C:\Windows\System32\FirewallAPI.dll Opens: C:\Windows\System32\version.dll Opens: C:\Windows\System32\bcrypt.dll Opens: C:\Windows\System32\setupapi.dll Opens: C:\Windows\System32\cfgmgr32.dll Opens: C:\Windows\System32\devobj.dll Opens: C:\Windows\System32\nci.dll

Opens: C:\Windows\System32\devrtl.dll Opens: C:\Windows\System32\dnsapi.dll Opens: C:\Windows\System32\winhttp.dll Opens: C:\Windows\System32\webio.dll Opens: C:\Windows\System32\netshell.dll Opens: C:\Windows\System32\nlaapi.dll Opens: C:\Windows\System32\dot3api.dll Opens: C:\Windows\System32\atl.dll Opens: C:\Windows\System32\eappcfg.dll Opens: C:\Windows\System32\onex.dll Opens: C:\Windows\System32\eappprxy.dll Opens: C:\Windows\System32\certcli.dll Opens: C:\Windows\System32\Wldap32.dll Opens: C:\Windows\System32\netapi32.dll Opens: C:\Windows\System32\netutils.dll C:\Windows\System32\srvcli.dll Opens: Opens: C:\Windows\System32\wkscli.dll Opens: C:\Windows\System32\logoncli.dll Opens: C:\Windows\System32\userenv.dll Opens: C:\Windows\System32\activeds.dll Opens: C:\Windows\System32\adsldpc.dll Opens: C:\Windows\System32\polstore.dll Opens: C:\Windows\System32\nettrace.dll Opens: C:\Windows\System32\wdi.dll Opens: C:\Windows\System32\secur32.dll

C:\Windows\System32\tdh.dll
C:\Windows\System32\wlanapi.dll

C:\Windows\System32\P2P.dll

C:\Windows\System32\wlanutil.dll

Opens:

Opens:

Opens:

```
C:\Windows\System32\p2pcollab.dll
  Opens:
  Opens:
                                      C:\Windows\System32\wlanhlp.dll
  Opens:
                                      C:\Windows\System32\wwapi.dll
  Opens:
                                      C:\Windows\System32\WlSOWndH.dll
                                      C:\Windows\System32\en-US\fwcfg.dll.mui
  Opens:
  Opens:
                                      C:\Windows\System32\en-US\crypt32.dll.mui
  Opens:
                                      C:\Windows\System32\clbcatq.dll
  Opens:
                                      C:\Windows\System32\QAGENT.DLL
  Opens:
                                      C:\Windows\System32\en-US\p2pnetsh.dll.mui
  Opens:
                                      C:\Windows\System32\gpapi.dll
  Opens:
                                      C:\Windows\System32\bcryptprimitives.dll
  Opens:
                                      C:\Windows\System32\en-US\whhelper.dll.mui
                                      C:\Windows\System32\en-US\DHCPQEC.DLL.MUI
  Opens:
  Opens:
                                      C:\Windows\System32\napipsec.dll
  Opens:
                                      C:\Windows\System32\en-US\napipsec.dll.mui
  Opens:
                                      C:\Windows\System32\tsgqec.dll
                                      C:\Windows\System32\en-US\tsgqec.dll.mui
  Opens:
  Opens:
                                      C:\Windows\System32\EAPQEC.DLL
                                      C:\Windows\System32\en-US\EAPQEC.DLL.MUI
  Opens:
  Opens:
                                      C:\Windows\System32\en-US\nshhttp.dll.mui
                                      \label{lem:c:windows} $$C:\Windows\assembly\GAC_MSIL\System\2.0.0.0\_b77a5c561934e089\ntdll.dll $$
  Opens:
  Opens:
                                      C:\Windows\system32\netsh.exe.Local\
  Opens:
                                      C:\Windows\system32\MFC42LOC.DLL
  Opens:
                                      C:\Windows\system32\MFC42LOC.DLL.DLL
                                      C:\Windows\System32\QAGENTRT.DLL
  Opens:
  Opens:
                                      C:\Windows\System32\fveui.dll
  Opens:
                                      C:\Windows\assembly\GAC_MSIL\System\2.0.0.0_b77a5c561934e089\psapi.dll
  Opens:
                                      C:\Windows\System32\mprmsg.dll
  Opens:
                                      C:\Windows\System32\en-US\KernelBase.dll.mui
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\Trojan.exe.tmp
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\psapi.DLL
  Opens:
C: \windows \assembly \Native Images\_v2.0.50727\_32 \System. Configuration \bc09ad2d49d8535371845cd7532f9271 \System. Configuration. ii.dll \assembly \asse
  Opens
C:\Windows\assembly\GAC_MSIL\System.Configuration\2.0.0.0_b03f5f7f11d50a3a
Opens:
                                      C:\Windows\assembly\GAC_MSIL\System.Xml\2.0.0.0_b77a5c561934e089
                                      C:\Windows\assembly\GAC_MSIL\System\2.0.0.0_b77a5c561934e089\ws2_32.dll
  Opens:
  Opens:
                                      C:\Windows\Svstem32\WSHTCPIP.DLL
  Opens:
                                      C:\Windows\System32\wship6.dll
  Opens:
                                      C:\Windows\Globalization\en.nlp
                                      C:\Windows\System32\tzres.dll
  Opens:
  Opens:
                                      C:\Windows\System32\en-US\tzres.dll.mui
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\DNSAPI.dll
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\IPHLPAPI.DLL
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\WINNSI.DLL
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\dhcpcsvc6.DLL
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\dhcpcsvc.DLL
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\rasadhlp.dll
                                      C:\Windows\System32\rasadhlp.dll
  Opens:
  Opens:
                                      C:\Windows\System32\drivers\etc\hosts
  Writes to:
                                      C:\Users\Admin\AppData\Local\Temp\Trojan.exe
  Writes to:
                                      C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup\5cd8f17f4086744065eb0992a09e05a2.exe
                                      C:\Windows\Microsoft.NET\Framework\v2.0.50727\CONFIG\machine.config
  Reads from:
  Reads from:
                                      C:\Windows\Temp\0fe92a59448dcd7b0d7f239c237a351e.exe
  Reads from:
                                      C:\Users\Admin\Desktop\desktop.ini
  Reads from:
                                      C:\Users\desktop.ini
  Reads from:
                                      C:\Users\Admin\Searches\desktop.ini
  Reads from:
                                      C:\Users\Admin\Videos\desktop.ini
  Reads from:
                                      C:\Users\Admin\Pictures\desktop.ini
  Reads from:
                                      C:\Users\Admin\Contacts\desktop.ini
  Reads from:
                                      C:\Users\Admin\Favorites\desktop.ini
  Reads from:
                                      C:\Users\Admin\Music\desktop.ini
  Reads from:
                                      C:\Users\Admin\Downloads\desktop.ini
  Reads from:
                                      C:\Users\Admin\Documents\desktop.ini
  Reads from:
                                      C:\Users\Admin\Links\desktop.ini
  Reads from:
                                      C:\Users\Admin\Saved Games\desktop.ini
  Reads from:
                                      C:\Users\Admin\AppData\Local\Temp\Trojan.exe
  Reads from:
                                      C:\Windows\Prefetch\NETSH.EXE-F1B6DA12.pf
  Reads from:
                                      C:\Windows\System32\drivers\etc\hosts
Network Events
```

DNS query:	almashaks70.no-ip.org

Sends data to: 8.8.8.8:53 Receives data from: 8.8.8.8:53

Windows Registry Events

	Creates key:	<pre>HKLM\software\microsoft\fusion\gacchangenotification\default</pre>
	Creates key:	HKCU\software\5cd8f17f4086744065eb0992a09e05a2
	Creates key:	HKLM\system\currentcontrolset\services\napagent\localconfig
	Creates key:	
HKLM\system\currentcontrolset\services\napagent\localconfig\enroll\hcsgroups		olset\services\napagent\localconfig\enroll\hcsgroups
	Creates key:	HKLM\system\currentcontrolset\services\napagent\shas

Creates key: HKLM\system\currentcontrolset\services\napagent\qecs

```
Creates key:
                                                        HKLM\system\currentcontrolset\services\napagent\localconfig\ui
   Creates key:
                                                        HKCU\system\currentcontrolset\control\nettrace
    Creates key:
                                                        HKCU\system\currentcontrolset\control\nettrace\session
   Creates kev:
                                                       HKLM\system\currentcontrolset\services\tcpip\parameters
                                                       \label{lem:hkcu} \verb+KKCU\+'s of tware \verb+\micros of t\+'w indows \verb+\current version \verb+\internet+
   Deletes value:
settings\zonemap[proxybypass]
                                                       HKLM\software\microsoft\windows\currentversion\internet
   Deletes value:
settings\zonemap[proxybypass]
   Deletes value:
                                                       HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[intranetname]
   Deletes value:
                                                       {\tt HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus internet}
settings\zonemap[intranetname]
    Opens kev
                                                       HKLM\system\currentcontrolset\control\session manager
    Opens key:
                                                       HKLM\system\currentcontrolset\control\nls\sorting\versions
   Opens key:
                                                        HKLM\system\currentcontrolset\control\safeboot\option
                                                        HKLM\system\currentcontrolset\control\srp\gp\dll
   Opens key:
                                                        HKLM\software\policies\microsoft\windows\safer\codeidentifiers
   Opens key:
   Opens key:
                                                       HKCU\software\policies\microsoft\windows\safer\codeidentifiers
    Opens key:
                                                        HKCU\
   Opens key:
                                                        HKCU\control panel\desktop\muicached\machinelanguageconfiguration
   Opens key:
                                                        HKLM\software\policies\microsoft\mui\settings
   Opens key:
                                                        HKCU\software\policies\microsoft\control panel\desktop
   Opens key:
                                                       HKCU\control panel\desktop\languageconfiguration
    Opens key:
                                                        HKCU\control panel\desktop
   Opens key:
                                                        HKCU\control panel\desktop\muicached
    Opens key:
                                                        HKLM\software\microsoft\windows\currentversion\sidebyside
    Opens key:
                                                        HKLM\
   Opens key:
                                                        HKLM\software\microsoft\windows nt\currentversion\diagnostics
   Opens key:
                                                        HKLM\software\microsoft\.netframework\policy\
   Opens key:
                                                       HKLM\software\microsoft\.netframework\policy\v2.0
    Opens key:
                                                        HKLM\software\microsoft\.netframework
    Opens key:
                                                        HKLM\software\microsoft\.netframework\policy\upgrades
   Opens key:
                                                       HKLM\software\microsoft\.netframework\policy\standards
                                                        HKLM\software\microsoft\.netframework\policy\apppatch
   Opens key:
   Opens key:
                                                       HKLM\system\currentcontrolset\control\error message instrument\
   Opens key:
                                                        HKLM\system\currentcontrolset\control\error message instrument
    Opens key:
                                                        \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ gre\_initialize
   Opens key:
                                                        HKLM\software\microsoft\windows nt\currentversion\compatibility32
   Opens key:
                                                        HKLM\software\microsoft\windows nt\currentversion\ime compatibility
   Opens key:
                                                       HKLM\software\microsoft\windows nt\currentversion\windows
   Opens key:
                                                        \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ .net framework\+ policy\+ standards
   Opens key:
                                                       HKLM\software\microsoft\.netframework\policy\standards\v2.0.50727
    Opens key:
HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
                                                       HKCU\software\microsoft\.netframework
   Opens key:
   Opens key:
                                                       HKLM\software\microsoft\fusion
   Opens key:
                                                       \label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in the constant \end{tabular} in the 
options\0fe92a59448dcd7b0d7f239c237a351e.exe
    Opens key:
                                                       HKCU\software\microsoft\fusion
   Opens key:
                                                        HKLM\software\microsoft\windows nt\currentversion\image file execution
options
   Opens key:
HKLM \verb|\software\microsoft|. net framework \verb|\security\policy\extensions| name dpermission sets
   Opens key:
HKLM \label{lem:hklm} White the latest and the latest angle of t
   Opens key:
HKLM \ software \ microsoft \ .net framework \ security \ policy \ extensions \ named permission sets \ local intranet
                                                        Opens key:
2160590473-689474908-1361669368-1002
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
   Opens key:
                                                       HKLM\software\microsoft\ole
   Opens kev:
                                                       HKLM\software\microsoft\ole\tracing
   Opens key:
a03a-e3ef65729f3d}
a03a-e3ef65729f3d}\propertybag
                                                       HKCU\software\microsoft\windows\currentversion\explorer
    Opens key:
   Opens key:
                                                       HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in following \ description \ for the constraint \ description \
   Opens key:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \session in folders \end{tabular} \label{lem:hkcu}
                                                       HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Opens key:
folders
   Opens key:
                                                       HKLM\system\currentcontrolset\control\nls\customlocale
   Opens key:
                                                       HKLM\system\currentcontrolset\control\nls\extendedlocale
   Opens key:
                                                       HKLM\software\policies\microsoft\windows\explorer
   Opens key:
                                                       HKCU\software\policies\microsoft\windows\explorer
   Opens key:
9afe-ea3317b67173}
   Opens key:
9afe-ea3317b67173}\propertybag
   Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
   Opens key:
                                                       HKLM\software\microsoft\.netframework\v2.0.50727\security\policy
```

```
Opens key:
                                                                                                                         HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727 32
          Opens key:
                                                                                                                         HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\index145
         Opens key:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 181938c6 \ 7950e2c5
        Opens key:
 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\181938c6\7950e2c5\89
          Opens key:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus i1 \setminus 7950e2c5 \setminus 183e33de \setminus 8950e3e3de \setminus 1950e2e3de \setminus 195
        Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}
         Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}\propertybag
        Opens key:
 HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 77 \ v20 f75277\_32 \ ni \ v20 
         Opens key:
                                                                                                                        HKLM\software\microsoft\net framework setup\dotnetclient\v3.5
         Opens key:
                                                                                                                        HKLM\software\microsoft\strongname
         Opens key:
                                                                                                                        HKLM\software\microsoft\fusion\publisherpolicy\default
         Opens key:
 HKLM\software\microsoft\fusion\publisherpolicy\default\policy.8.0.microsoft.visualbasic b03f5f7f11d50a3a
         Opens key:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 1c22df2f \ 4f99a7c9
         Opens key:
Opens key:
Opens key:
HKLM \ software \ microsoft \ fusion \ native images in dex \ v2.0.50727\_32 \ i1 \ 6dc7d4c0 \ a5cd4db \ 86dc7d4c0 \ a5cd4db 
         Opens key:
 HKLM \ software \ microsoft \ fusion \ native images in dex \ v2.0.50727\_32 \ il\ 3ced59c5 \ 1b2590b1 \ 84ex \ description \ descrip \ description \ description \ description \ description \ descr
         Opens key:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727 32\il\f6e8397\46ad0879\77
        Opens kev
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ il\ 2b1a4e4 \ 38a3212c \ 4c
         Opens key:
Opens key:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727 32\il\4f99a7c9\53bea2b0\34
        Opens kev
HKLM \ software \ microsoft \ fusion \ native images in dex \ v2.0.50727\_32 \ ni\ 30bc7c4f \ 3f50fe4f \ 8ff \ native images in dex \ v2.0.50720\_32 \ ni\ 30bc7c4f \ 3f50fe4f \ 8ff \ native images in dex \ native images \
 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\424bd4d8\1c83327b\8d
        Opens key:
 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\19ab8d57\1bd7b0d8\8e
         Opens key
HKLM \ software \ microsoft \ fusion \ native images in dex \ v2.0.50727\_32 \ il\ 3f50 fe4f \ bf1 da7aa \ bf1 da7aaa \ bf1 d
         Opens key:
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system_b77a5c561934e089
        Opens key:
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.xml_b77a5c561934e089
        Opens key:
HKLM \label{lem:hklm} Which is not soft with the limit of the limit 
         Opens key:
 HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.web__b03f5f7f11d50a3a
         Opens kev
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.management_b03f5f7f11d50a3a
        Opens key:
 HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.runtime.remoting__b77a5c561934e089
          Opens key:
HKLM \backslash software \backslash microsoft \backslash fusion \backslash publisher policy \backslash default \backslash policy. 2.0. system. deployment \underline{~~}b03f5f7f11d50a3a
        Opens key:
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.drawing_b03f5f7f11d50a3a
        Opens key:
HKLM \ software \ windows. forms\_b77a5c561934e089
                                                                                                                        HKLM\software\microsoft\.netframework\policy\aptca
          Opens key:
         Opens key:
Opens kev:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 61e7e666 \ c991064 \ 82e8 \ ni \ nor \ nor
         Opens key:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus i1 \setminus 475 dce 40 \setminus 2d382 ce 6 \setminus 8c
         Opens key:
 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\2dd6ac50\163e1f5e\88
        Opens key:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus mative images index \setminus v2.0.50727\_32 \setminus i1 \setminus 41c04c7e \setminus 7f3b6ac4 \setminus 80
        Opens key:
 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\3cca06a0\6dc7d4c0\83
        Opens key:
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.runtime.serialization.formatters.soap b03f5f7f11d50a3a
        Opens key:
Opens key:
 HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.security_b03f5f7f11d50a3a
         Opens key:
                                                                                                                        HKCU\software\5cd8f17f4086744065eb0992a09e05a2
         Opens kev:
                                                                                                                        HKCU\environment
                                                                                                                        HKLM\software\policies\microsoft\windows\svstem
         Opens key:
         Opens key:
                                                                                                                        HKLM\software\microsoft\windows\currentversion\explorer
```

Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\software\microsoft\oleaut

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ \ 0fe92a59448dcd7b0d7f239c237a351e. exemple \ descriptions \ \$

HKCU\software\classes\ Opens key:

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens kev: $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta, for example of the context of$

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-microsoft\} \ description \ description$

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

HKCU\software\classes\drive\shellex\folderextensions Opens key:

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\ $\label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+ advanced \\$ Opens key:

Opens key: HKCU\software\classes\.exe

Opens key: HKCR\.exe

Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\ Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice

HKCU\software\classes\exefile Opens key:

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler

Opens key: HKCR\exefile\shellex\iconhandler

Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCU\software\classes\exefile\docobject

Opens key: HKCR\exefile\docobject

Opens key: HKCU\software\classes\systemfileassociations\.exe\docobject

Opens key: HKCR\systemfileassociations\.exe\docobject Opens key: HKCU\software\classes\exefile\browseinplace

Opens key: HKCR\exefile\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.exe\browseinplace

Opens key: HKCR\systemfileassociations\.exe\browseinplace

Opens key: HKCU\software\classes\exefile\clsid

Opens key: HKCR\exefile\clsid

Opens key: HKCU\software\classes\systemfileassociations\.exe\clsid

Opens kev: HKCR\systemfileassociations\.exe\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}

Opens key:

b029-7fe99a87c641}\propertybag

HKLM\software\microsoft\com3 Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens kev: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\progid

Opens key:

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprocserver32

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32$ Opens key:

HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens kev

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler$ Opens key: Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

 $HKLM \label{lem:hklm} Software \verb|\microsoft| windows \verb|\shell| registered applications \verb|\urlassociations| directory \verb|\openwithprogids| and the lemma sheet applications and the lemma sheet applications and the lem$

Opens kev:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

```
Opens key:
                                                                                                                  HKCR\directory
         Opens key:
                                                                                                                  HKCU\software\classes\directory\curver
         Opens key:
                                                                                                                  HKCR\directory\curver
        Opens kev:
                                                                                                                 HKCR\directorv\
                                                                                                                  HKCU\software\classes\directory\shellex\iconhandler
        Opens key:
        Opens key:
                                                                                                                 HKCR\directory\shellex\iconhandler
         Opens key:
                                                                                                                  HKCU\software\classes\folder
         Opens key:
                                                                                                                  HKCR\folder
        Opens key:
                                                                                                                  HKCU\software\classes\folder\shellex\iconhandler
        Opens kev:
                                                                                                                  HKCR\folder\shellex\iconhandler
        Opens key:
                                                                                                                 HKCU\software\classes\allfilesvstemobjects
        Opens key:
                                                                                                                  HKCR\allfilesystemobjects
         Opens key:
                                                                                                                 HKCU\software\classes\allfilesystemobjects\shellex\iconhandler
         Opens key:
                                                                                                                  HKCR\allfilesystemobjects\shellex\iconhandler
        Opens key:
                                                                                                                  HKCU\software\classes\directory\docobject
        Opens key:
                                                                                                                  HKCR\directory\docobject
                                                                                                                  HKCU\software\classes\folder\docobject
        Opens key:
        Opens key:
                                                                                                                 HKCR\folder\docobject
         Opens key:
                                                                                                                  HKCU\software\classes\allfilesystemobjects\docobject
        Opens key:
                                                                                                                  HKCR\allfilesystemobjects\docobject
        Opens key:
                                                                                                                  HKCU\software\classes\directory\browseinplace
        Opens key:
                                                                                                                  HKCR\directory\browseinplace
        Opens key:
                                                                                                                 HKCU\software\classes\folder\browseinplace
         Opens key:
                                                                                                                  HKCR\folder\browseinplace
        Opens key:
                                                                                                                  HKCU\software\classes\allfilesystemobjects\browseinplace
        Opens key:
                                                                                                                  HKCR\allfilesystemobjects\browseinplace
        Opens key:
                                                                                                                  HKCU\software\classes\directory\clsid
        Opens key:
                                                                                                                 HKCR\directory\clsid
        Opens key:
                                                                                                                  HKCU\software\classes\folder\clsid
        Opens key:
                                                                                                                 HKCR\folder\clsid
         Opens key:
                                                                                                                  HKCU\software\classes\allfilesystemobjects\clsid
         Opens key:
                                                                                                                  HKCR\allfilesystemobjects\clsid
        Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b587-4786-b
b4ef-bd1dc332aeae}
         Opens key:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-
b4ef-bd1dc332aeae}\propertybag
       Opens kev
HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo
8648-d5d44b04ef8f}
         Opens key:
HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo
 8648-d5d44b04ef8f}\propertybag
                                                                                                                HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-
       Opens key:
 5595fe6b30ee}\shellfolder
        Opens key:
                                                                                                                HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder
        Opens key:
                                                                                                                 HKCU \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'clsid \ '{59031a47-microsoft} \ 'windows \ 'current version \ 'explorer \ 'clsid \ '{59031a47-microsoft} \ 'explorer \ 'clsid \ '{59031a47-microsoft} \ 'explorer \ 'explo
 3f72-44a7-89c5-5595fe6b30ee}\shellfolder
       Opens key:
                                                                                                                HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
                                                                                                                 HKCU \setminus software \setminus classes \setminus clsid \setminus \{76765b11-3f95-4af2-ac9d-ea55d8994f1a\}
        Opens key:
        Opens key:
                                                                                                                 HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
        Opens key:
                                                                                                                 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}\treatas
                                                                                                                 HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\treatas
         Opens kev:
        Opens key:
                                                                                                                 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}\progid
        Opens key:
                                                                                                                  HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\progid
                                                                                                                 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
         Opens key
 ea55d8994f1a}\inprocserver32
        Opens key:
                                                                                                                 HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32
                                                                                                                 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
        Opens kev:
 ea55d8994f1a}\inprochandler32
        Opens key:
                                                                                                                 HKCR \clsid \footnote{1}{HKCR \clsid \footno
                                                                                                                 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
        Opens key
 ea55d8994f1a}\inprochandler
        Opens key:
                                                                                                                HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler
        Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}
        Opens key:
HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4
95cf-2f29da2920da}\propertybag
        Opens key:
9305-67de0b28fc23}
        Opens key:
HKLM \ software \ microsoft \ windows \ current version \ (f38bf404-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f2-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-42f3-1d43-44f3-1d43-42f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d43-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1d44-44f3-1
9305-67de0b28fc23}\propertybag
        Opens key:
aaae-29d317c6f066}
         Opens key:
```

Opens key:

aaae-29d317c6f066}\propertybag

 $HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{2112ab0a-c86a-4ffe-microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{2112ab0a-c86a-4ffe-microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `explorer\ `folder\ `fol$

a368-0de96e47012e}

Opens key:

 $HKL\dot{M} \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \general$

Opens key:

 $\label{thm:local-continuous} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{explorer\folderdescriptions}} \ensuremath{\mbox{\{98ec0e18-2098-4d44-8644-66979315a281\}}}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}\propertybag

Opens key:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{M\times$}}} a4115719-d62e-491d-aa7c-e74b8be3b067}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \end{subseteq}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \property bag$

Opens key:

 $\label{thm:local-bound} HKLM \software \end{align* in the local-bound} HKLM \software \software \end{align* in the local-bound} HKLM \software \sof$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folds \folds$

Opens key:

HKLM is of tware in cross of twindows in current version in the content of the

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \fold$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}

Opens key

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$

Opens key:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{1-}5643-4af4-a7eb-4e7a138d8174}} HKLM \software \ensuremath{\mbox{1-}38d8174}.$

Opens key

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1} \footnote$

Opens key:

Opens kev:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Opens key:

Opens key:

Onens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\debf2536-e1a8-4c59-b6a2-414586476aea\}\propertybag}$

Opens key

 $\label{thm:local-state} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Opens key

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \fold$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} $$ a2d8-4a392a602ba3\property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \property bag$

Opens key:

Opens kev:

Opens key

 $\label{lem:hkklmsoftware} HKLM software \end{area} A be 44-4057-a41b-587a 76d 7e7f9 \\$

Opens key:

 $\label{lem:hkkmlsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkmlsoftware} \end{substitute} A \substitute{-1000} \cal{lem:hkkmlsoftware} A \s$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$

Opens key

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ property bag$

Opens key:

 $HKLM\software\mbox{\tt hKLM}\software\mbox{\tt microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}}$

Opens key:

Opens key:

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \corrent version \explorer \folder descriptions \corrent \correct \correc$

Opens key:

 $\label{thm:local-bound} HKLM \software \ensuremath{\mbox{\mbox{6784854-$c6cb-$462b-$169-$8e350acb882}}$

Opens key:

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Opens key

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma_2b0f765d-c0e9-4171-908e-08a611b84ff6 \property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $\label{thm:local-continuous} HKLM \software \ensuremath{\mbox{\mbox{M}\mbox{M}}} (2a00375e-224c-49de-b8d1-440df7ef3ddc) \ensuremath{\mbox{V}\mbox{W}\mbox{W}}) \ensuremath{\mbox{W}\mb$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \folder \fill \equiv \folder \equiv \equiv \folder \equiv \equiv \folder \equiv \equ$

Opens key

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Opens key:

 $\label{thm:local-equation} HKLM \software \windows \current version \explorer \folder descriptions \gamma \footnote{1.4} \fo$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$

Opens key:

Opens key

 $\label{thm:local-decomp} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{explorer\folderdescriptions\footnote{1}}} \ensuremath{\mbox{explorer\footnote{1}}} \ensuremath$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}\propertybag

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Opens key

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{52528a6b-b9e3-4add-b60d-588c2dba842d}\propertybag$

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Opens key:

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key

 $\label{thm:local-prop} HKLM \software \mbox{0 indows \current version} explorer \folder descriptions \folds \f$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\propertybag}$

Opens key

 $HKLM \label{lem:hklm} KLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} with the lem \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} Whi$

a3a9-6c82895e5c04}

Opens key:

 $\label{twindows} HKLM \software \ensuremath{\mbox{\mbox{M\mbox{M}\mbox$

Opens key:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \fold$

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}$

Opens key:

 $\label{thm:local-bound} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windo$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ 'property bag$

Opens key:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{0ac0837c-bbf8-452a-850d-79d08e667ca7}} \\$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}\propertybag

Opens key:

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-prop} $$HKLM\software\wirdows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}}$

Opens key:

 $\label{thm:local-prop} HKLM \software \mbox{microsoft\windows\currentversion} explorer \folder descriptions \footnote{17b0db17d-9cd2-4a93-9733-46cc89022e7c} \parbox{picrosoft\windows\currentversion} explorer \parbox{picrosoft\currentversion} explorer \parbox{picrosoft\currentversi$

Opens key:

 $\label{thm:local-ebd2-438a-8655-8a092e34987a} HKLM \software \ensuremath{\mbox{\mbox{N}}} in \somth{\mbox{\mbox{N}}} especially in \somth{\mbox{N}} especially especiall$

Opens key:

 $\label{thm:local-ebd2-438a-8655-8a092e34987a} In the property of the propert$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}

Opens key:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\propertybag}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}

Opens key:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \final factors \folder descriptions \final factors \folder descriptions \final factors \folder descriptions \folder \folde$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key

 $\label{thm:local-basis} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox{bfebfb86-6907-413c-9af7-4fc2abf07cc5}} \ensuremath{\mbox{propertybag}} \ensuremath{\mbox{ver}} \$

Opens key

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{vindows\currentversion}} $$ \ensuremath{\mbox{vindows\currentversion}} $$$ \ensuremath{\mbo$

Opens key:

 $HKLM \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} Which is the label{lem:hklm} HKLM \label{lem:hklm} Which is the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} In the label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Which \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Software$

Opens key:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1}{374} de 290-123f-4565-9164-39c4925e467b \footnote{1}{374} de 290-123f-4565-916467b \footnote{1}{374} de 290-123f-4565-916467b \footnote{1}{374}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{374de290-123f-4565-9164-39c4925e467b}\propertybag$

Opens key:

Opens kev:

 $\label{thm:local-explorer} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gath{$\setminus $859ead94-2e85-48ad-a71a-0969cb56a6cd}\propertybag$

Opens key:

Opens key:

Opens key

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{1}} hkLM \software \ensuremath{\mbox{1}} hkLM \software \ensuremath$

Opens key:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{3d644c9b-1fb8-4f30-9b45-f670235f79c0}\property\bag$

Opens key

 $\label{thm:local-substance} HKLM \software \ensuremath{\mbox{\mbox{M}}} HKLM \software \ensuremath{\mbox{M}} exclaim \en$

Opens key

 $\label{local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1} a 6 fdba 2 - f 4 2 d - 4 3 5 8 - a 7 9 8 - b 7 4 d 7 4 5 9 2 6 c 5 \property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$

Opens kev:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma=67bd-49a9-b74d-02885a5dc765 \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \fold$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma 2c36c0aa-5812-4b87-bfd0-4cd0 \folder \gamma 2fd0-4cd0 \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key

 $HKLM \software \mbox{\tt hkLM} \software \mbox{\tt windows} \current version \explorer \folder descriptions \solved \folder \fol$

Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\}$

Opens key

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\sc d} 65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}$

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27 \property bag$

Opens key:

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{15} \ca69b3-30ee-49c1-ace1-6b5ec372 afb5 \property bag$

Opens key:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{$14fab5-9757-4298-bb61-92a9deaa44ff}}} \\$

Opens key

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

 $\label{thm:local-property} HKLM \software \ensuremath{\mbox{\mbox{1}} e3b6-c1bf-494e-b29c-65b732d3d21a} \party bag$

Opens key:

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox{balo-f46a-4c97-balo-5e3608430854}} \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{b97d20bb-f46a-4c97-ba10-5e3608430854} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{M}\mbox{$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\}$

Opens key:

 $\label{thm:local-substance} HKLM \software \ensuremath{\mbox{\mbox{M}\mb$

Opens key

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \ensuremath{\mbox{\mbox{10c07$cd0-ef91-4567-b850-448b77$cb37f9}}\ property bag$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \property bag$

Opens key

 $\label{thm:local-bedd-10df-4334-bedd-7aa20b227a9d} HKLM \software \ensuremath{ \mbox{currentversion} \ensuremath{ \mbox$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\propertybag

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key

Opens key

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{$160-e7$ca-$4fdb-9148-0f4247291cfa}} \\$

Opens key:

 $HKLM\software\mbox{$\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$

Opens key:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}}$$

Opens key:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{1.5} Cd7aee2-2219-4a67-b85d-6c9ce15660cb}\property bag} \\$

Opens key

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7}}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Opens key

```
a079-df759e0509f7}
       Opens key:
a079-df759e0509f7}\propertybag
       Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4e
b89f-130c02886155}
        Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-
b89f-130c02886155}\propertybag
       Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-a
a014-d097ee346d63}
        Opens key:
a014-d097ee346d63}\propertybag
        Opens kev
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0f
 874a-c0f2e0b9fa8e}
       Opens key:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
874a-c0f2e0b9fa8e}\propertybag
        Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e
 97c9-747784d784b7}
       Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-
97c9-747784d784b7}\propertybag
       Opens key:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}
        Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}\propertybag
       Opens key:
b5b4-2d72e54eaaa4}
       Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}\propertybag
         Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
 11e3-b3bc-806e6f6e6963}\
        Opens key:
                                                                                                              HKLM\system\currentcontrolset\control\cmf\config
        Opens key:
                                                                                                              HKLM\software\microsoft\windows\windows error reporting\wmr
        Opens key:
                                                                                                              HKLM\software\microsoft\windows\currentversion\setup
        Opens key:
                                                                                                               HKLM\software\microsoft\windows\currentversion
        Opens key:
                                                                                                              HKLM\software\microsoft\rpc
        Opens key:
                                                                                                              HKLM\system\currentcontrolset\control\computername\activecomputername
        Opens key:
                                                                                                              HKLM\system\setup
        Opens key:
                                                                                                              HKLM\software\policies\microsoft\windows nt\rpc
        Opens key:
                                                                                                              HKLM\software\policies\microsoft\sqmclient\windows
                                                                                                              HKLM\software\microsoft\sqmclient\windows
         Opens kev:
        Opens key:
11e3-b3bc-806e6f6e6963}\
       Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
         Opens kev
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
        Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'users files \ 'name space \ 'delegate folders \ '{dffacdc5-delegate folders}' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ '
679f-4156-8947-c5c76bc0b67f}
       Opens key:
 HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
        Opens key:
HKCU \ software \ microsoft \ windows \ current version \ (explorer \ session in followers files) \ names pace
 HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
       Opens key:
 c5c76bc0b67f}\shellfolder
                                                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
        Opens key:
        Opens key:
                                                                                                              HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus d \setminus dffacdc5-dcs
 679f-4156-8947-c5c76bc0b67f}\shellfolder
                                                                                                             HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{dffacdc5-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid 
       Opens key:
 679f-4156-8947-c5c76bc0b67f}\shellfolder
```

c5c76bc0b67f}\inprocserver32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32

Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked

Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key:

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

```
Opens key:
                                       \label{local-operator} \mbox{HKCU\software\mbox{\sc microsoft\windows} nt\current\version\app\compatflags\layers} \\
   Opens key:
                                       HKLM\software\microsoft\windows nt\currentversion\appcompatflags
   Opens key:
                                       HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\shdocvw.dll
   Opens key:
                                       HKCU\software\microsoft\windows\currentversion\shell extensions\cached
  Opens key:
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
   Opens key:
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\treatas
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas
  Opens kev:
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
  Opens key:
c5c76bc0b67f}\progid
   Opens key:
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
  Opens key:
c5c76bc0b67f}\inprochandler32
  Opens key:
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32
  Opens key:
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler
   Opens key:
  Opens key:
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance
   Opens key:
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
  Opens key:
                                       HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32
   Opens key:
                                       HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\ \ inprocserver 32
                                       \label{local-eq:hkcu} \begin{tabular}{ll} HKCU \software \classes \clsid \ \{0e5aae11-a475-4c5b-ab00-c66de400274e\} \end{tabular}
   Opens key:
  Opens key:
                                       HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
                                       HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
  Opens key:
c66de400274e}\treatas
   Opens key:
                                       HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
   Opens key:
                                       HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\progid
   Opens key:
                                       HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
  Opens key:
                                       HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler32
   Opens key:
                                       HKCR \verb|\clsid| \{0e5aae11-a475-4c5b-ab00-c66de400274e\} \verb|\inprochandler32| \\
   Opens key:
                                       HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler
                                       HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler
  Opens kev:
                                       HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
  Opens key:
c5c76bc0b67f}\instance\initpropertybag
   Opens key:
                                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
  Opens key:
HKLM \label{loss} HKLM \labe
8947-c5c76bc0b67f}
                                       HKLM\software\microsoft\windows\currentversion\explorer\kindmap
  Opens key:
  Opens key:
                                       HKCU\software\classes\exefile\shell
   Opens key:
                                       HKCR\exefile\shell
  Opens key:
                                       HKCU\software\classes\exefile\shell\open
   Opens key:
                                       HKCR\exefile\shell\open
  Opens key:
                                       HKCR\exefile\shell\open\
  Opens key:
                                       HKCU\software\classes\exefile\shell\open\command
  Opens key:
                                       HKCR\exefile\shell\open\command
   Opens key:
                                       HKCU\software\classes\exefile\shell\open\droptarget
   Opens key:
                                       HKCR\exefile\shell\open\droptarget
  Opens kev:
                                       HKLM\software\microsoft\windows\currentversion\policies\associations
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\policies\associations
  Opens key:
                                       HKCU\software\classes\.ade
   Opens key:
                                       HKCR\.ade
   Opens key:
                                       HKCU\software\classes\.adp
  Opens key:
                                       HKCR\.adp
  Opens kev:
                                       HKCU\software\classes\.app
  Opens key:
                                       HKCR\.app
                                       HKCU\software\classes\.asp
  Opens key:
  Opens key:
                                       HKCR\.asp
   Opens key:
                                       HKCU\software\classes\.bas
  Opens key:
                                       HKCR\.bas
  Opens kev:
                                       HKCU\software\classes\.bat
   Opens key:
                                       HKCR\.bat
  Opens key:
                                       HKCU\software\classes\.cer
   Opens key:
                                       HKCR\.cer
                                       HKCU\software\classes\.chm
   Opens key:
  Opens key:
                                       HKCR\.chm
   Opens key:
                                       HKCU\software\classes\.cmd
                                       HKCR\.cmd
  Opens key:
  Opens key:
                                       HKCU\software\classes\.com
                                       HKCR\.com
   Opens key:
   Opens key:
                                       HKCU\software\classes\.cpl
  Opens key:
                                       HKCR\.cpl
  Opens key:
                                       HKCU\software\classes\.crt
   Opens key:
                                       HKCR\.crt
  Opens key:
                                       HKCU\software\classes\.csh
   Opens key:
   Opens key:
                                       HKCU \setminus software \setminus classes \setminus clsid \setminus \{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4\}
                                       HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}
   Opens kev:
```

HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\treatas

Opens key:

```
HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\progid
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler32
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler32
  Opens kev:
  Opens kev
                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler
                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler
  Opens kev:
  Opens key:
                                    HKLM\system\currentcontrolset\services\crypt32
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\internet settings
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
                                     HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                     HKLM\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
  Opens key:
                                    HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature ignore policies zonemap if esc enabled kb918915
  Opens key:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                    HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
                                    HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\zonemap\ranges\
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_unc_savedfilecheck
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                    HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\zonemap\
                                    HKCU\software\microsoft\internet
  Opens key:
explorer \verb|\main|| feature control \verb|\feature|| zones check conemap policy | kb941001 | line control explorer | line explorer | line control explorer | line explore
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
  Opens key:
                                    HKLM\software\policies
  Opens key:
                                    HKCU\software\policies
  Opens key:
                                     HKCU\software
  Opens key:
                                     HKLM\software
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\zonemap\ranges\
                                    \label{thm:local_equation} \parbox{$HKCU\software\microsoft\windows\currentversion\internet} \\
  Opens key:
settings\zonemap\protocoldefaults\
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                    HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\internet settings
  Opens kev:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature allow reverse solidus in userinfo kb932562
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
  Opens key:
                                    HKLM\software\policies\microsoft\internet explorer
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\security
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
  Opens key:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet\ settings\sl}} \mbox{\tt zones\sl} \mbox{\tt 2}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
```

HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zones\
 Opens key:
settings\zones\

```
HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\0
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\0
   Opens key:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\1
   Opens key:
                                                 HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\
   Opens key:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
   Opens key:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\3
   Opens key:
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
   Opens key:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\4
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
   Opens key:
                                                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
   Opens key:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\
   Opens key:
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
   Opens key:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                                HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\0
   Opens key:
                                                HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
   Opens key:
                                                \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\0
                                                \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
   Opens kev
settings\lockdown_zones\1
   Opens key:
                                                \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\1
   Opens key:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                                HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\2
   Opens key:
                                                HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
   Opens key:
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                                HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\3
   Opens key:
                                                \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\3
   Opens key:
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown zones\3
                                                HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\4
   Opens key:
                                                HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus current version \setminus internet
settings\lockdown_zones\4
                                                \label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \normalisatio
   Opens key:
settings\lockdown_zones\4
                                                HKCU\software\microsoft\internet
   Opens key:
explorer \verb|\main| featurecontrol| feature\_zones\_default\_drive\_intranet\_kb941000
   Opens key:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature zones default drive intranet kb941000
   Opens key:
                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature protocol lockdown
                                                HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_protocol_lockdown
   Opens key:
                                                HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
   Opens key:
                                                 HKCU\software\classes\exefile\progid
   Opens key:
                                                HKCR\exefile\progid
   Opens key:
\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} \begin{tabul
   Opens key:
                                                HKCU\software\classes\exefile\shell\open\ddeexec
   Opens key:
                                                 HKCR\exefile\shell\open\ddeexec
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\app paths\trojan.exe
   Opens key:
                                                 HKLM\software\microsoft\windows\currentversion\app paths\trojan.exe
   Opens key:
                                                 HKLM\software\microsoft\windows nt\currentversion\image file execution
options\trojan.exe
   Opens key:
                                                 Opens key:
                                                HKCU\software\microsoft\windows\currentversion\explorer\shell folders
   Opens key:
                                                 HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
   Opens key:
                                                HKLM\software\microsoft\windows
\verb|nt\currentversion\appcompatflags\custom\trojan.exe|
                                                 HKCU\software\classes\appid\0fe92a59448dcd7b0d7f239c237a351e.exe
   Opens key:
   Opens key:
                                                 HKCR\appid\0fe92a59448dcd7b0d7f239c237a351e.exe
```

```
HKLM\software\microsoft\ole\appcompat
   Opens key:
   Opens key:
                                        HKLM\system\currentcontrolset\control\lsa
   Opens key:
                                        HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider
  Opens key:
                                       HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy
  Opens key:
\label{thm:linear} \begin{tabular}{ll} HKLM \end{tabular} \begin{tabular}{ll} HKLM \end{tabula
   Opens key:
                                       HKLM\software\policies\microsoft\cryptography
  Opens key:
                                       HKLM\software\microsoft\cryptography
                                       HKLM\software\microsoft\cryptography\offload
  Opens key:
                                       HKCU\software\classes\interface\{00000134-0000-0000-c000-0000000000046}
  Opens key:
  Opens key:
                                       HKCR\interface\{00000134-0000-0000-c000-00000000046}
                                       HKCU\software\classes\interface\{00000134-0000-0000-c000-
  Opens key:
000000000046}\proxystubclsid32
                                       HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32
  Opens key:
  Opens key:
                                       HKLM\software\microsoft\rpc\extensions
  Opens key:
                                       HKLM\svstem\currentcontrolset\services\bfe
  Opens key:
                                       HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
  Opens key:
                                       HKLM\software\microsoft\sqmclient\windows\disabledsessions\
  Opens key:
                                       HKLM\software\microsoft\windows nt\currentversion\image file execution
options\netsh.exe
                                       HKLM\software\microsoft\windows
  Opens key:
nt\currentversion\appcompatflags\custom\netsh.exe
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\run
  Opens key:
                                       HKLM\software\microsoft\windows\currentversion\run
  Opens key:
                                       HKLM\system\currentcontrolset\control\networkprovider\hworder
  Opens key:
                                       HKLM\software\microsoft\netsh
  Opens key:
                                       HKLM\software\microsoft\bidinterface\loader
  Opens key:
                                       HKCU\software\odbc\odbc.ini\odbc
  Opens key:
                                       HKLM\software\odbc\odbc.ini\odbc
  Opens key:
                                        HKLM\software\microsoft\windows nt\currentversion
  Opens key:
                                        HKLM\system\currentcontrolset\services\tcpip6\parameters
  Opens kev:
                                       HKLM\svstem\currentcontrolset\services\winsock2\parameters
  Opens key:
                                       Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\3a1794a4-3b84a398
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\3a1794a4
  Opens kev:
HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9
  Opens key:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ 00000019
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
  Opens key:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog\_entries \ 0000000000001
  Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
  Opens key:
  Opens kev:
Opens kev:
  Opens key:
```

Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010

Opens key:

Opens key:

Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013

Opens key: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog_entries \ 10000000000014$

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000015

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017 Opens key:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog_entries \ 000000000018$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5

Opens key:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM \end{tabular} winsock 2 \parameters \namespace_catalog 5 \norm{1}{0} \$

Opens key:

Opens key:

```
Opens key:
```

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\000000000006

Opens key: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters Opens key: HKLM\software\policies\microsoft\windows\ipsec\policy\local

Opens key: HKLM\system\currentcontrolset\control\sqmservicelist Opens key: HKLM\system\currentcontrolset\services\iphlpsvc\config Opens key: HKLM\software\microsoft\cryptography\defaults\provider

Opens key: $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ cryptography\+ defaults\+ provider\+ microsoft\+ base$ cryptographic provider v1.0

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft base dss and diffie-hellman cryptographic provider

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft base dss cryptographic provider

HKLM\software\microsoft\cryptography\defaults\provider\microsoft base Opens key:

smart card crypto provider

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft dh

schannel cryptographic provider

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft

enhanced cryptographic provider v1.0

 ${\tt HKLM} \verb|\software\microsoft\cryptography\defaults\provider\microsoft}$ Opens key:

enhanced dss and diffie-hellman cryptographic provider

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft

enhanced rsa and aes cryptographic provider

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft rsa

schannel cryptographic provider

HKLM\software\microsoft\crvptographv\oid Opens kev:

Opens key: HKLM\software\microsoft\cryptography\oid\encodingtype 0 Opens key $HKLM \verb|\software\microsoft\cryptography\oid\encoding type \\$

0\cryptdllfindoidinfo

Opens key:

0\cryptdllfindoidinfo\1.3.6.1.4.1.311.44.3.4!7

Opens kev: HKLM\svstem\currentcontrolset\control\mui\stringcachesettings Opens key: $HKCU \setminus software \setminus classes \setminus local\ settings \setminus muicache \setminus 27 \setminus 52c64b7e$ Opens key HKLM\software\microsoft\cryptography\oid\encodingtype

0\cryptdllfindoidinfo\1.3.6.1.4.1.311.47.1.1!7

Opens key: HKLM\software\microsoft\cryptography\oid\encodingtype

0\cryptdllfindoidinfo\1.3.6.1.4.1.311.64.1.1!7

Opens key: HKLM\software\microsoft\cryptography\oid\encodingtype 0\cryptdllfindoidinfo\1.3.6.1.4.1.311.67.1.1!7

Opens key:

HKLM\software\microsoft\cryptography\oid\encodingtype 0\cryptdllfindoidinfo\1.3.6.1.4.1.311.67.1.2!7

Opens key: HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}

Opens key: HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c} Opens key: HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-

28ecbd96ba8c}\treatas

Opens key: $HKCR\clsid\\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}\\{treatas}$ HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-Opens key: 28ecbd96ba8c}\progid

HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}\progid Opens kev: HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-Opens key:

28ecbd96ba8c}\inprocserver32

 $HKCR\clsid\\ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c\\\linerocserver32$ Opens key:

HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-Opens key

28ecbd96ba8c}\inprochandler32

Opens kev: HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}\inprochandler32

Opens key: HKCU\software\classes\clsid\{ea4a0a43-1c8f-4c7b-a4b1-

28ecbd96ba8c}\inprochandler

Opens key: $HKCR\clsid\\ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c\\inprochandler$ Opens key: HKLM\system\currentcontrolset\services\napagent\localconfig\

Opens key:

HKLM\system\currentcontrolset\services\napagent\localconfig\enroll\hcsgroups\

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{eb082ba1 - df8a - 46be - 82f3 - 35bf9e9be52f\}$ Opens key:

Opens key: HKCR\clsid\{eb082ba1-df8a-46be-82f3-35bf9e9be52f} Opens key: HKCU\software\classes\clsid\{eb082ba1-df8a-46be-82f3-

35bf9e9be52f}\treatas

HKCR\clsid\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{eb082ba1-df8a-46be-82f3-

35bf9e9be52f}\progid

Opens key: $HKCR\clsid\\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}\\{progid}$ Opens key HKCU\software\classes\clsid\{eb082ba1-df8a-46be-82f3-

35bf9e9be52f}\inprocserver32

 $HKCR\clsid\\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}\\{inprocserver32}$ Opens key:

Opens key: HKCU\software\classes\clsid\{eb082ba1-df8a-46be-82f3-

 $35bf 9e 9be 52f \} \verb|\inprochandler32|$

Opens key: $HKCR \land \{eb082ba1-df8a-46be-82f3-35bf9e9be52f\} \land \{eb082ba1-df8a-46be-82f3-36bf9e9be52f\} \land \{eb082ba1-df8a-46be-82f3-36bf9e9be52f\} \land \{eb082ba1-df8a-46be-82f3-36bf9e9be52f\} \land \{eb082ba1-df8a-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82f3-46be-82$

Opens key: HKCU\software\classes\clsid\{eb082ba1-df8a-46be-82f3-

35bf9e9be52f}\inprochandler

HKCR\clsid\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}\inprochandler Opens kev: Opens key: HKLM\system\currentcontrolset\services\napagent\gecs\79617 Opens key:

Opens key: HKLM\system\currentcontrolset\services\napagent\qecs\79621 Opens key: HKLM\system\currentcontrolset\services\napagent\qecs\79623 Opens key: HKLM\system\currentcontrolset\services\napagent\localconfig\qecs\79617 Opens kev: HKLM\system\currentcontrolset\services\napagent\localconfig\qecs\79619 Opens key: $HKLM \ system \ \verb|currentcontrolset| services \ \verb|napagent| local config \ \verb|qecs|| 79621$ Opens key: $HKLM \ system \ current control set \ services \ napagent \ local config \ qecs \ \ 79623$ Opens key: HKCU\software\classes\appid\netsh.exe Opens key: HKCR\appid\netsh.exe Opens key: HKLM\system\currentcontrolset\control\nettrace Opens kev: HKLM\system\currentcontrolset\control\nettrace\scenarios Opens kev: HKLM\software\microsoft\windows nt\currentversion\peerdist Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\policyprovider HKLM\software\microsoft\windows nt\currentversion\winlogon Opens key: Opens key: HKLM\software\policies\microsoft\peerdist Opens key: HKLM\software\policies\microsoft\peerdist\service Opens kev: HKLM\software\microsoft\windows nt\currentversion\peerdist\service Opens key: HKLM\software\policies\microsoft\peerdist\downloadmanager Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager Opens key: HKLM\software\policies\microsoft\peerdist\downloadmanager\protocol Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager\protocol Opens key: $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ peerdist\+ download manager\+ download$ Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager\download HKLM\software\policies\microsoft\peerdist\downloadmanager\discovery Opens kev: HKLM\software\microsoft\windows Opens key: nt\currentversion\peerdist\downloadmanager\discovery Opens key: HKLM\software\policies\microsoft\peerdist\downloadmanager\upload HKLM\software\microsoft\windows Opens key: nt\currentversion\peerdist\downloadmanager\upload Opens key: HKLM\software\policies\microsoft\peerdist\downloadmanager\utilityindex Opens key: HKLM\software\microsoft\windows $\verb|nt\currentversion| peer dist\download manager\utility in dex|$ Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager\peers\connection Opens key: HKLM\software\policies\microsoft\peerdist\securitymanager Opens key: ${\tt HKLM \backslash software \backslash microsoft \backslash windows}$ nt\currentversion\peerdist\securitymanager HKLM\software\policies\microsoft\peerdist\securitymanager\restricted Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\securitymanager\restricted HKLM\software\policies\microsoft\peerdist\cachemgr\republication Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\cachemgr\republication Opens kev: HKLM\software\policies\microsoft\peerdist\cachemgr\publication Opens key: HKLM\software\microsoft\windows $\verb| nt/currentversion| peer dist/cachemgr/publication| \\$ HKLM\software\policies\microsoft\peerdist\handlemgr Opens key: Opens key: $\label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in the current version \end{tabular} per dist \end{tabular} and \end{tabular} in the current version \end{tabular} per dist \end{tabular} and \end{tabular} in the current version \end{tabular} per dist \end{tabular} handle mgr$ Opens key: HKLM\software\policies\microsoft\peerdist\hostedcache\connection Opens kev: HKLM\software\microsoft\windows nt\currentversion\peerdist\hostedcache\connection HKLM\software\policies\microsoft\peerdist\hostedcache Opens kev: $\label{thm:loss} \begin{tabular}{ll} HKLM \end{tabular} in the current version \end{tabular} per dist \end{tabular} hosted cache$ Opens key: Opens key: HKLM\software\policies\microsoft\peerdist\cooperativecaching Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\cooperativecaching Opens key: HKLM\software\policies\microsoft\peerdist\discoverymanager Opens kev: HKLM\software\microsoft\windows nt\currentversion\peerdist\discoverymanager Opens key: HKLM\software\policies\microsoft\peerdist\publisher Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\publisher HKLM\software\policies\microsoft\peerdist\roaming Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\peerdist\roaming Opens kev: HKLM\system\currentcontrolset\control\cryptography\providers Opens key: ${\tt HKLM \ } system \verb|\ current control \ \\ control \verb|\ cryptography \ \\ configuration$ Opens key: HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}

Opens key: HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4} Opens key: HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a

b913c40c9cd4}\treatas

Opens key: HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\treatas HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a-Opens kev

b913c40c9cd4}\progid

Opens key: HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\progid Opens key: HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a-

b913c40c9cd4}\inprocserver32

Opens key: HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\inprocserver32

Opens key: HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a-

b913c40c9cd4}\inprochandler32

Opens key: $HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\tinprochandler 32$

Opens key: HKCU\software\classes\clsid\{304ce942-6e39-40d8-943a-

b913c40c9cd4}\inprochandler

Opens key: HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\inprochandler

Opens key: HKLM\software\microsoft\rpc\securityservice

```
Opens key:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\159a66b8\424bd4d8
 Opens key:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 159a66b8 \ 424bd4d8 \ 8ee
 Opens key:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\6faf58\19ab8d57
 Opens key:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus ni \setminus 6faf58 \setminus 19ab8d57 \setminus 8d
 Opens key:
Opens key:
HKLM\software\microsoft\fusion\publisherpolicy\default\policy.2.0.system.data.sqlxml__b77a5c561934e089
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\285675ef
                       HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                       HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                       HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens key:
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
                       HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
 Opens key:
                       HKLM\system\currentcontrolset\control\computername
 Opens key:
                       HKLM\system\currentcontrolset\services\.net clr networking\performance
 Opens key:
                       HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                       HKLM\software\policies\microsoft\windows nt\dnsclient
 Opens key:
                       HKLM\software\policies\microsoft\system\dnsclient
 Opens key:
                       Opens key:
                       HKLM\system\currentcontrolset\services\dns
 Opens kev:
                       HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig
 Opens key:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
c19ce8a73253}
 Opens kev:
                       HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
 Opens key:
c19ce8a73253}
806e6f6e6963}
 Opens key:
806e6f6e6963}
 Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{8ff7f47b-d658-4061-baea-
1709a0196aed}
 Opens key:
a68f334c8d34}
 Opens kev:
                       HKLM\svstem\currentcontrolset\services\tcpip\linkage
 Queries value:
                       HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
                       HKLM\system\currentcontrolset\control\nls\sorting\versions[]
 Queries value:
 Queries value:
HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]
                       {\tt HKLM \ } \dot{s} {\tt ystem \ } \dot{c} {\tt urrentcontrolset \ } \dot{o} {\tt manager [safedll search mode]}
 Oueries value:
 Queries value:
                       HKCU\control panel\desktop[preferreduilanguages]
                       HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
 Oueries value:
 Oueries value:
HKLM\software\microsoft\.netframework[installroot]
 Queries value:
                       HKLM\software\microsoft\.netframework[clrloadlogdir]
 Queries value:
 Queries value:
                       HKLM\software\microsoft\.netframework[onlyuselatestclr]
 Oueries value:
                       HKLM\software\microsoft\windows
\verb|nt\currentversion\gre_initialize[disablemetafiles]|\\
 Oueries value:
                       HKLM\software\microsoft\windows
nt\currentversion\compatibility32[0fe92a59448dcd7b0d7f239c237a351e]
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
                       \label{local-optimization} \mbox{HKLM} \mbox{$\setminus$ oftware} \mbox{$\setminus$ inetframework [gcstressstart]$}
 Oueries value:
                       HKLM\software\microsoft\.netframework[gcstressstartatjit]
 Queries value:
 Oueries value:
                       HKLM\software\microsoft\.netframework[disableconfigcache]
                       HKLM\system\currentcontrolset\control\wmi\security[e13c0d23-ccbc-4e12-
 Queries value:
931b-d9cc2eee27e4]
                       HKLM\system\currentcontrolset\control\wmi\security[cc2bcbba-16b6-4cf3-
 Queries value:
8990-d74c2e8af5001
 Oueries value:
                       HKLM\software\microsoft\fusion[cachelocation]
```

HKLM\software\microsoft\fusion[downloadcachequotainkb] Queries value: HKLM\software\microsoft\fusion[enablelog] Queries value: HKLM\software\microsoft\fusion[logginglevel] HKLM\software\microsoft\fusion[forcelog] Oueries value: Oueries value: HKLM\software\microsoft\fusion[logfailures] Oueries value: HKLM\software\microsoft\fusion[versioninglog]

Oueries value:

Queries value: HKLM\software\microsoft\fusion[logresourcebinds]

Queries value: HKLM\software\microsoft\fusion[uselegacyidentityformat]

Queries value: HKLM\software\microsoft\fusion[disablemsipeek]
Oueries value: HKLM\software\microsoft\fusion[noclientchecks]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[devoverrideenable]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \category\cite{Mklmsoftware} \cite{Mklmsoftware} \cite{Mklmsoftware}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \footnote{Action} \cal{lem:hklmsoftware} \cal{lem:$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\sc Nicrosoft \sc Nicrosoft \sc Nicrosoft \ensuremath{\sc Nicrosoft \sc Ni$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scale} infotip] $$HkLM \software \mbox{\scale} infotip] $$$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\sc Number \sc Number \$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{4}} eb685db-65f9-4cf6-a03a-e3ef65729f3d} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [security]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} descriptions \cite{2.00}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \ a03a-e3ef65729f3d \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \label{lem:hklmsoftware} \label{lem:hklmsoftware}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} eb685db-65f9-4cf6-a03a-e3ef65729f3d} \label{localredirectonly} I calredirectonly \ensuremath{\mbox{2}} eb685db-65f9-4cf6-a03a-e3ef65729f3d \ensuremath{\mbox{2}} eb685db-6$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\sc Nicrosoft \sc Nicrosoft \sc$

Queries value:

Oueries value:

Queries value:

 $HKLM \software \mbox{\tt MKLM} \software \mbox{\tt MKLM}$

Queries value:

 $\label{lem:hklmsoftware} HkLM software \mbox{$ab685db-65f9-4cf6-a03a-e3ef65729f3d} [foldertypeid]$

Queries value:

a03a-e3ef65729f3d}[initfolderhandler]
Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-164e1464-164464, 1990-16446, 1990-164$ 9afe-ea3317b67173}[parsingname] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ (5e6c858f-0e22-4760-1000) \ model \ model \ model) \ model \ model$ 9afe-ea3317b67173}[infotip] Queries value: 9afe-ea3317b67173}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[icon] Queries value: 9afe-ea3317b67173}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresource] Oueries value: 9afe-ea3317b67173}[streamresourcetype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[localredirectonly] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate] Queries value: 9afe-ea3317b67173}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[publishexpandedpath] Queries value: 9afe-ea3317b67173}[attributes] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[foldertypeid] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-164e1464-164464, 1990-16446, 1990-164$ 9afe-ea3317b67173}[initfolderhandler] $HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus profile list \setminus s-1-5-21-1000 + (1-5)$ Oueries value: 2160590473-689474908-1361669368-1002[profileimagepath] Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32[latestindex] Oueries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\index145[niusagemask] Queries value: $HKLM \verb|\software\microsoft\fusion\native images index \verb|\v2.0.50727_32\| index 145[il usage mask]|$ HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\181938c6\7950e2c5\89[displayname] Oueries value: $HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus ni \setminus 181938c6 \setminus 7950e2c5 \setminus 89[configmask]$ Oueries value: $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ ni \ 181938c6 \ 7950e2c5 \ 89[configstring]$ Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\181938c6\7950e2c5\89[mvid] Oueries value: $HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus ni \setminus 181938c6 \setminus 7950e2c5 \setminus 89[evalation data]$ Oueries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\181938c6\7950e2c5\89[status] Queries value: $HKLM \label{lem:hklm} Software \mbox{\sc hierarchicles} 1.50727_32 \mbox{\sc hierarchicles} 1.81938c6 \mbox{\sc hierarc$ Queries value: $HKLM \label{lem:hklm} Software \mbox{\sc hierarchicles} 181938c6 \mbox{\sc hierarchicles} 1820c2 \mbox{\sc hierarchicles} 181938c6 \mbox{\sc hierarchicles} 1820c2 \mbox{\sc hierarchicles}$ Oueries value: $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ ni \ 181938c6 \ 7950e2c5 \ 89 \ [missing dependencies]$ Oueries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\7950e2c5\183e33de\89[displayname] Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\7950e2c5\183e33de\89[status] Oueries value: $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ il\ 7950e2c5 \ 183e33de \ 89[modules]$ Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\7950e2c5\183e33de\89[sig] Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727 32\il\7950e2c5\183e33de\89[lastmodtime] Oueries value:

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[category] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[name]

Queries value:

ba85-6007caedcf9d}[parentfolder]

Oueries value:

ba85-6007caedcf9d}[description]

ba85-6007caedcf9d}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[parsingname]

ba85-6007caedcf9d}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[localizedname]

ba85-6007caedcf9d}[icon]

Oueries value:

ba85-6007caedcf9d}[security]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[streamresource]

Oueries value:

ba85-6007caedcf9d}[streamresourcetype]

Queries value:

ba85-6007caedcf9d}[localredirectonlv]

Oueries value:

ba85-6007caedcf9d}[roamable]

Queries value:

ba85-6007caedcf9d}[precreate]

Oueries value:

ba85-6007caedcf9d}[stream]

Queries value:

ba85-6007caedcf9d}[publishexpandedpath]

Queries value:

ba85-6007caedcf9d}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[foldertypeid]

Queries value:

ba85-6007caedcf9d}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[cache] HKLM\software\microsoft\fusion\publisherpolicy\default[latest] Oueries value: $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ fusion\+ publisher policy\+ default[index 4]$

Queries value: Queries value:

Oueries value:

HKLM\software\microsoft\fusion\publisherpolicy\default[legacypolicytimestamp]

HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\1c22df2f\4f99a7c9\34[displayname] Oueries value:

 $\label{local-hamilton} HKLM \setminus software \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus fusion \setminus ative images index \setminus v2.0.50727_32 \setminus introsoft \setminus ative images index \setminus ative images index$ Queries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ ni \ 1c22 df \ 2f \ 4f \ 99a7c9 \ 34 \ [configstring]$ Queries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ ni \ 1c22df2f \ 4f99a7c9 \ 34[mvid]$ Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus ni \setminus 1c22df2f \setminus 4f99a7c9 \setminus 3d[evalation data]$ Oueries value:

 $HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\mi\1c22df2f\4f99a7c9\3f[status]$ Queries value:

 $HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus ni \setminus 1c22df2f \setminus 4f99a7c9 \setminus 34[ildependencies]$ Oueries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ ni \ 1c22df \ 2f \ 4f99a7c9 \ 3f[nidependencies]$ Oueries value:

 $HKLM \setminus software \setminus icrosoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus i(1.22df2f) \setminus f(1.22df2f) \setminus f(1.22df$ Queries value:

HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727 32\il\c991064\2bd33e1c\81[displayname] Oueries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ il\ c991064 \ 2bd33e1c \ 81[status]$ Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727_32 \setminus i1 \setminus c991064 \setminus 2bd33e1c \setminus 81[modules]$ Queries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ il \ c991064 \ 2bd33e1c \ 81 \ [sig]$ Oueries value:

 $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ il\ c991064 \ 2bd33e1c\ 81[last mod time]$

- Queries value:
- $\label{lem:hklm} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\sl v2.0.50727_32\mbox{\sl}\sl (6dc7d4c0\a5cd4db\86[displayname] Queries value:$
- $\label{lem:hklmsoftware} HKLM \software \since \s$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\6dc7d4c0\a5cd4db\86[modules]
 Oueries value:
- $\label{lem:hklmsoftware} HKLM \software \since \s$
- $\label{lem:hklmsoftware} HkLM \software \sinces value: 0.50727_32 \s$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3ced59c5\1b2590b1\84[displayname] Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3ced59c5\1b2590b1\84[status]
 Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3ced59c5\1b2590b1\84[sig]
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\f6e8397\46ad0879\77[displayname] Oueries value:
- $\label{lem:hklmsoftware} HKLM \software \mbox{$$ \mbox{$$ W$ 2.0.50727_32\il\f6e8397\46ad0879\77[status] $$ Queries value: }$
- $\label{local-bound} HKLM \software \microsoft \sion \native images in dex \slash 2.0.50727_32 \slash 11 \slash 6e8397 \slash 46ad0879 \slash 77 \slash 6e8397 \slash 6e8$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\f6e8397\46ad0879\77[sig]
 Oueries value:
- $\label{lem:hklmsoftware} HkLM \software \sinces of this ion \sinces will be a single with the last single will be a single with the last single will be a sin$
- $\label{local-bound} HKLM\software\microsoft\fusion\native\magesindex\v2.0.50727_32\il\2b1a4e4\38a3212c\4c\[displayname]\ Oueries\ value:$
- $\label{lem:hklm} $HKLM \sim \frac{1}{2} \frac{32}{11} + \frac{38a3212c}{c} = \frac{1}{2} \frac{1}{2}$
- $\label{local-equation} HKLM\software\microsoft\fusion\native images in dex\v2.0.50727_32\il\2b1a4e4\38a3212c\4c\[modules]\ Oueries\ value:$
- $\label{local-equation} HKLM\software\microsoft\fusion\native images in dex \v2.0.50727_32\il\2b1a4e4\38a3212c\4c[sig] \\ Oueries\ value:$
- $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With \label{lklm} With \labe$
- $\label{lem:hklmsoftware} HkLM \software \sinces of this ion \native images in dex \v2.0.50727_32 \sinces 124bf93f6 \455bab30 \76[display name] Oueries value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\24bf93f6\455bab30\76[status]
 Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\24bf93f6\455bab30\76[modules]
 Oueries value:
- $\label{lem:hklmsoftware} $$HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\24bf93f6\455bab30\76[sig] Oueries value:$
- $\label{local-bound} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\il\24bf93f6\455bab30\76[last mod time] \\ Queries\ value:$
- $\label{lem:hklmsoftware} HkLM \software \since \s$
- $\label{local-bound} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\il\4f99a7c9\53bea2b0\34[status] Queries\ value:$
- $\label{lem:hklmsoftware} HkLM \software \microsoft \sinon \native images in dex \normalized 2.0.50727_32 \normalized 1 \normalized 4 \normalized 4 \normalized 4 \normalized 2.0.50727_32 \normalized 1 \normalized 4 \normalized 4 \normalized 4 \normalized 4 \normalized 2.0.50727_32 \normalized 1 \normalized 4 \normalized 4$
- $\label{thm:hkm} \begin{tabular}{ll} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\mbox{\scitching}\ all\end{tabular} Oueries\ value:$
- $\label{local-bound} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\il\4f99a7c9\53bea2b0\34[lastmodtime] Queries value:$
- $\label{lem:hklmsoftware} HkLM \software \since \s$
- $\label{local-bound} HKLM\software\mbox{\setminusmaxesindex$\v2.0.50727_32$\ni\30bc7c4f\3f50fe4f\8f[configmask] Queries value:}$
- $HKLM \ software \ microsoft \ fusion \ native images in dex \ v2.0.50727_32 \ ni \ 30bc7c4f \ 3f50fe4f \ 8f[configstring] \ Oueries \ value:$
- $\label{local-prop} HKLM\software\microsoft\fusion\native images in dex\v2.0.50727_32\ni\30bc7c4f\3f50fe4f\8f[mvid] Oueries value:$
- $\label{lem:hklmsoftware} HKLM \software \mbox{\mathbb{N} icrosoft fusion \native images in dex $$\v2.0.50727_32 \ni\30bc7c4f\3f50fe4f\8f[evalation data] $$ Queries value:$
- $\label{lem:hklmsoftware} HKLM \software \microsoft \sion \native images in dex \normalized 2.0.50727_32 \ni \30bc7c4f \3f50fe4f \8f[status] \normalized Queries value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\30bc7c4f\3f50fe4f\8f[ildependencies]
 Oueries value:
- $\label{lem:hklmsoftware} HkLM \software \since \s$
- $\label{lem:hklmsoftware} HKLM \software \since \single pendencies] Queries value:$
- $\label{local-prop} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\sl 2.0.50727_32\sl\mbox{il}\424bd4d8\label{local-soft}\sl\mbox{local-$
- $\label{local-prop} HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\il\424bd4d8\1c83327b\8d\[modules\] Queries\value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\424bd4d8\1c83327b\8d[sig]
 Oueries value:

```
Queries value:
```

- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\19ab8d57\1bd7b0d8\8e[displayname]
 Queries value:
- $\label{lem:hklmsoftware} HKLM \software \mbox{\mathbb{N} in \adive images in dex $$\2.0.50727_32\il\19ab8d57\1bd7b0d8\8e[status] Oueries value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\19ab8d57\1bd7b0d8\8e[modules]
 Oueries value:
- $\label{lem:hklmsoftware} HKLM \software \mbox{$\sim 1.50727_32\il\19ab8d57\lbd7b0d8\e[sig] Oueries\ value:}$
- $\label{lem:hklmsoftware} HkLM \software \sinces of this ion \native images in dex \v2.0.50727_32 \il\ 19ab8d57 \label{lem:hklmsoftware} 19ab8d57 \sline \sinces value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3f50fe4f\6f1da7aa\8f[displayname]
- $\label{local-observation} HKLM \software \end{align* in the local magnetic magneti$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3f50fe4f\6f1da7aa\8f[modules]
 Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\3f50fe4f\6f1da7aa\8f[sig]
- $\label{lem:hklmsoftware} HkLM \software \since \s$
- HKLM\software\microsoft\fusion\gacchangenotification\default[microsoft.visualbasic,8.0.0.0,,b03f5f7f11d50a3a,msil] Oueries value:
- $HKLM \ software \ microsoft \ fusion \ gacchange notification \ default [system, 2.0.0.0, ,b77a5c561934e089, msil] \\ Queries \ value:$
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.xml,2.0.0.0,,b77a5c561934e089,msil]
 Oueries value:
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.configuration,2.0.0.0,,b03f5f7f11d50a3a,msil] Oueries value:
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.web,2.0.0.0,,b03f5f7f11d50a3a,x86]
 Oueries value:
- $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White$
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.runtime.remoting,2.0.0.0,,b77a5c561934e089,msil]
 Queries value:
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.deployment,2.0.0.0,,b03f5f7f11d50a3a,msil]
 Oueries value:
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.drawing,2.0.0.0,,b03f5f7f11d50a3a,msil]
 Oueries value:
- HKLM\software\microsoft\fusion\gacchangenotification\default[system.windows.forms,2.0.0.0,,b77a5c561934e089,msil]
 Queries value:
- $\label{lem:hklmsoftware} HkLM \software \slices value: 0.50727_32 \s$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\61e7e666\c991064\82[configmask]
 Oueries value:
- $\label{lem:hklmsoftware} HKLM \software \since \s$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\61e7e666\c991064\82[mvid]
 Oueries value:
- $\label{lem:hklmsoftware} HkLM \software \since \s$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\61e7e666\c991064\82[ildependencies]
 Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\61e7e666\c991064\82[nidependencies]
 Oueries value:
- $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\fusion\native images in dex\v2.0.50727_32\ni\61e7e666\c991064\82[missing dependencies] \\ Oueries\ value: \begin{tabular}{ll} Color of the color of the$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\i1\475dce40\2d382ce6\8c[displayname]
 Oueries value:
- $\label{lem:hklmsoftware} HKLM \software \microsoft \sion \native images in dex \normalized 2.0.50727_32 \normalized 1475 \dots 475 \do$
- $\label{thm:hklm:software:microsoft} HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\475dce40\2d382ce6\8c[modules] \\ Oueries\ value:$
- $\label{lem:hklmsoftware} HKLM \software \end{array} HKLM \software \end{array} 1 \array \array \software \end{array} 1 \array \software \end{array} 1 \array \software \software \end{array} 1 \array \software \software \software \software \software \end{array} 1 \array \software \soft$
- $\label{thm:hkim} $$HKLM\software\microsoft\fusion\native\mbox{imagesindex}\v2.0.50727_32\il\475dce40\2d382ce6\8c[lastmodtime] Oueries value:$
- $\label{lem:hklmsoftware} HKLM \software \mbox{\le index$} \scales \s$
- $\label{lem:hklmsoftware} HKLM \software \microsoft \sion \native images in dex \normalized 2.0.50727_32 \normalized 163e1f5e \normalized 88[status] Oueries value:$
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\2dd6ac50\163e1f5e\88[modules]
 Oueries value:
- HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\2dd6ac50\163e1f5e\88[sig]
 Oueries value:
- $HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727_32 \ il \ 2dd6ac50 \ 163e1f5e \ 88[last mod time] \\ Queries \ value: \\ HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\ 32 \ il \ 41c04c7e \ 7f3b6ac4 \ 80[displayname]$
- Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\41c04c7e\7f3b6ac4\80[status]
- Queries value: HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\41c04c7e\7f3b6ac4\80[modules]
- Queries value:

 HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\il\41c04c7e\7f3b6ac4\80[sig]
- Queries value:

```
Queries value:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\3cca06a0\6dc7d4c0\83[displayname]
  Queries value:
HKLM \ software \ |\ microsoft \ fusion \ |\ mative images index \ |\ v2.0.50727\_32 \ |\ mi \ |\ aca06a0 \ |\ dc7d4c0 \ |\ 83[configmask]
 Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni\ 3cca06a0\ 6dc7d4c0\ 83 \ [configstring]
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\3cca06a0\6dc7d4c0\83[mvid]
 Queries value:
HKLM \ software \ `microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ini \ 3cca 06ao \ 6dc 7d4co \ 83[evalation data]
 Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni\ 3cca06a0\ 6dc7d4c0\ 83[status]
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus ni \setminus 3cca06a0 \setminus 6dc7d4c0 \setminus 83[ildependencies]
 Queries value:
\label{locality} HKLM \software \microsoft \fusion \native images in dex \v2.0.50727\_32 \ni\3cca06a0 \6dc7d4c0 \83[nidependencies]
  Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni\ 3cca06a0\ 6dc7d4c0\ 83 \ [missing dependencies]
HKLM \setminus software \setminus microsoft \setminus fusion \setminus gacchange notification \setminus default [system.runtime.serialization.formatters.soap, 2.0.0.0, ,b03f5f7f11d50a3a, msil] \\
 Queries value:
HKLM\software\microsoft\fusion\gacchangenotification\default[accessibility,2.0.0.0,,b03f5f7f11d50a3a,msil]
  Oueries value:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus gacchange notification \setminus default[system.security, 2.0.0.0, ,b03f5f7f11d50a3a, msil]
  Queries value:
                            HKCU\software\5cd8f17f4086744065eb0992a09e05a2[us]
  Queries value:
                            HKCU\environment[see_mask_nozonechecks]
  Oueries value:
HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]
  Queries value:
                            HKLM\software\policies\microsoft\windows\system[copyfilechunksize]
  Queries value:
                            HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[attributes]
 Queries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[restrictedattributes]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[wantsfordisplay]
  Oueries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[usedrophandler]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
 Queries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
 Oueries value:
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
 Queries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
  Oueries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
 Queries value:
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
  Oueries value:
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
  Queries value:
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
 Queries value:
                           HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}]
                            HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
  Queries value:
409d6c4515e9}[drivemask]
                            HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
 Queries value:
  Oueries value:
                            HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
 Queries value:
\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced[dontprettypath]} \\
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:linear} hide icons \cite{thm:linear} \end{tabular}
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
```

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter] Oueries value:

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} is a constant \cite{tabular} and \cite{tabular$

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]

Queries value:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} advanced \cite{tabular$

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [showtypeoverlay] \\ \end{tabular}$

HKCR\.exe[] Queries value:

HKCR\exefile[docobject] Oueries value:

Oueries value: HKCR\systemfileassociations\.exe[docobject] Oueries value: HKCR\exefile[browseinplace] Queries value: HKCR\systemfileassociations\.exe[browseinplace]

Queries value: HKCR\.exe[content type] Queries value: HKCR\exefile[isshortcut]

HKCR\systemfileassociations\.exe[isshortcut] Oueries value:

Queries value: HKCR\exefile[alwaysshowext]

 ${\tt HKCR} \verb|\systemfileassociations|.exe[always showext]|\\$ Queries value:

Queries value: HKCR\exefile[nevershowext]

Queries value: HKCR\systemfileassociations\.exe[nevershowext]

Oueries value:

b029-7fe99a87c641}[category]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[name]

Oueries value:

b029-7fe99a87c641}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[relativepath]

b029-7fe99a87c641}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[infotip]

Queries value:

b029-7fe99a87c641}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[security]

Oueries value:

b029-7fe99a87c641}[streamresource]

b029-7fe99a87c641}[streamresourcetype]

Oueries value:

b029-7fe99a87c641}[localredirectonly]

b029-7fe99a87c641}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[precreate]

b029-7fe99a87c641}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[attributes]

Oueries value:

b029-7fe99a87c641}[foldertypeid]

Queries value:

b029-7fe99a87c641}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value:

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value: HKCR\directory[docobject]
Oueries value: HKCR\folder[docobject]

 Queries value:
 HKCR\allfilesystemobjects[docobject]

 Queries value:
 HKCR\directory[browseinplace]

 Queries value:
 HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]

Oueries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]
Queries value: HKCR\directory[alwaysshowext]

Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]
Oueries value:

Queries value.

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ 41b3ea5dc-b587-4786-b4ef-bd1dc332aeae\[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} \end{substitute} $$HkLM \software \microsoft \windows \cite{lem:hklmsoftware} \footnote{lem:hklmsoftware \microsoft \mi$

Oueries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [security]$

Oueries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\mbox{\mbox{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresourcetype]

Queries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\mbox{\mbox{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}} [local redirectorly]$

Queries value:

 $HKLM\software\mbox{$\$

Queries value:

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [attributes]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[category]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f3ce0f7c-4901-4acc-4001-4acc-400$ 8648-d5d44b04ef8f}[name]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4$ 8648-d5d44b04ef8f}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 8648-d5d44b04ef8f}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 8648-d5d44b04ef8f}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[icon]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4$ 8648-d5d44b04ef8f}[localredirectonlv1

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-$ 8648-d5d44b04ef8f}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4$ 8648-d5d44b04ef8f}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-$ 8648-d5d44b04ef8f}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 8648-d5d44b04ef8f}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4$ 8648-d5d44b04ef8f}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[initfolderhandler]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[attributes]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[restrictedattributes]

Queries value:

HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsfordisplay]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[hidefolderverbs]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsforparsing]

Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforoverlay]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[mapnetdriveverbs]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[queryforinfotip] Oueries value:

HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hideinwebview]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[hideondesktopperuser] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[wantsaliasednotifications]

```
HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                       HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[nofilefolderjunction]
                       HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[pintonamespacetree]
                       HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hasnavigationenum]
 Queries value:
5595fe6b30ee}]
                       HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]
 Queries value:
                       HKCR\clsid\{76765b11-3f95-4af2-ac9d-
 Oueries value:
ea55d8994f1a}\inprocserver32[inprocserver32]
                       HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]
 Queries value:
 Oueries value:
                       HKCR\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprocserver32[threadingmodel]
 Oueries value:
```

 $HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-debb-4$

95cf-2f29da2920da}[category] Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the highest expectation \label{lem:hklm} HKLM \label{lem:hklm} With the highest expectation \label{lem:hklm} With the highest expectation \label{lem:hklm} With the highest expectation \label{lem:hkklm} With the highest expectation \label{lkklm} With the highest expectati$ 95cf-2f29da2920da}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-debb-4$ 95cf-2f29da2920da}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[localizedname]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-debased \ explorer\}$ 95cf-2f29da2920da}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[security]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-debased \ and \ based \ and \ and \ based \ and \$ 95cf-2f29da2920da}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[localredirectonlv1

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-debased \ and \ based \ and \ and \ based \ and \$ 95cf-2f29da2920da}[precreate]

Oueries value:

95cf-2f29da2920da}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-deback \ folder \ folde$ 95cf-2f29da2920da}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[attributes]

 $HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-debb-4$ 95cf-2f29da2920da}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

9305-67de0b28fc23}[category]

Oueries value:

9305-67de0b28fc23}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[description]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \wirdows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67de0b28fc23 \[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parsing name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23\finfotip\]$

Ouerieevelue

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [localized name]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de \folder \cite{thm:local-condition} \end{tikzpicture} in \cite{thm:local-condition} \end{tikzpicture} The thin \cite{thm:local-condition} \footnote{thm:local-condition} \cite{thm:local-condition} \cite{$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de0b28fc23 \[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream resource]$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed mresource type]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [roamable]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{1}} hKLM \software \ensuremath{\mbox{1}} hKLM \software \ensuremath$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{1}} hkLM \software \ensuremath{\mbox{1}} hklm \software \ensurem$

Oueries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \folder type id \folder \f$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\crite{lem:hklm}\cite{lem:$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{1.00} \footnote{1.00} \end{case}. The local descriptions \footnote{1.00} \footn$

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the limit of the limit of$

Queries value:

 $\label{thm:local-problem} HKLM \software \wire sion \explorer \folder descriptions \fff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \ficon\figure{100} \end{100} \end{100} is considered as a constant of the problem of t$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[stream resource]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[stream]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [folder type id]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cit$

Oueries value:

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{continuous} \cite{$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Oueries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} \end{substitute} a 368-0 de 96e 47012e \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \mbox{localized name} \end{substitute}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} [icon]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \e$

Queries value:

Oueries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$

Queries value:

Queries value

Queries value:

Queries value

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer$

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} \cite{2112ab0a-c86a-6ffe-a368-0de96e47012e} \cite{2112ab0a-c86a-6ffe-a366-0de96e47012e} \cite{2112ab0a-c86a-6ffe-a366-0de96e47012e} \cite{2112ab0a-c86a-6ffe-a366-0de96e4701$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4.8} \formalful 48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4 \category \cite{1.8} \cite$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

b800-0e69d84ee384}[name]

Queries value:

b800-0e69d84ee384}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 der descriptio$ b800-0e69d84ee384}[relativepath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-e6 cf$ b800-0e69d84ee384}[parsingname]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{48 daf 80 b-e6 cf-4f 4e-e6 cf-4f$ b800-0e69d84ee384}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-e6 cf$ b800-0e69d84ee384}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4e-e6 cf-4f4e-e6$ b800-0e69d84ee384}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 der descriptio$ b800-0e69d84ee384}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e 6cf-4f 4e-e for 10 der descriptions) \ (48 daf 80 b-e for 10 der descriptions) \ (48 daf 80 der d$ b800-0e69d84ee384}[stream]

Queries value:

b800-0e69d84ee384}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-e6 cf$ b800-0e69d84ee384}[attributes]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{48 daf 80 b-e6 cf-4f 4e-e6 cf-4f$ b800-0e69d84ee384}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[initfolderhandler]

Oueries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{c4aa340d-f20f-4863-f20f-4865-f20f-4$ afef-f87ef2e6ba25}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-f20f-4865-f$ afef-f87ef2e6ba25}[name]

Queries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{c4aa340d-f20f-4863-f20f-4865-f20f-4$ afef-f87ef2e6ba25}[parentfolder]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{c4aa340d-f20f-4863-f20f-4865-f20$ afef-f87ef2e6ba25}[description]

Queries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{c4aa340d-f20f-4863-f20f-4865-f20f-4$ afef-f87ef2e6ba25}[relativepath]

Oueries value:

afef-f87ef2e6ba25}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863afef-f87ef2e6ba25}[infotip]

Oueries value:

 $HKLM \setminus software \setminus irrestant (a. 2.1) + the first of the$ afef-f87ef2e6ba25}[localizedname]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} White \label{lkklm} HKLM \label{lkklm} White \label{lkkl$ afef-f87ef2e6ba25}[icon]

Oueries value:

 $HKLM \setminus software \setminus irrestant (a. 2.1) + the first of the$ afef-f87ef2e6ba25}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863afef-f87ef2e6ba25}[streamresource]

 $HKLM \ software \ `microsoft \ 'windows \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \ [stream resource type]$

Oueries value:

Queries value:

Queries value:

Ougrication

Oueries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[foldertypeid]

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \c$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \generated \generated$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colore$

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \$

Queries value:

 $\label{localized matching of the description} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \genera$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox{local-49df-acb8-4330f5687855}} \ensuremath{\mbox{[icon]}} \ensuremath{\mbox{local-49df-acb8-4330f5687855}} \ensuremath{\mbox{local-49df-acb8-4330f568785}} \ensuremath{\mbox{lo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\}[stream resource type]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}\ \cite{10calredirectonly}\ \cite{10calred$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lklm} \label{lkl$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{$^{9e52ab10-f80d-49df-acb8-4330f5687855}[publish expanded path]}} \ensuremath{\mbox{$^{9e52ab10-f80d-49df-acb8-4330f5687855}[publish expanded path]} \ensuremath{\mbox{$^{9e52ab10-f80d-49df-acb8-4330f568785}[publish expanded path]} \ensuremath{\mbo$

Queries value:

 $HKLM \software \mbox{$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[initfolderhandler]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [category]$

Queries value:

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\colongregged. We also a substitution of the condition of the condition$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[relative$ path]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [parsing name]$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{N}} eccent. \\ 4644-66979315a281\ensuremath{\mbox{P}} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamma$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{$18-2098-4d44-8644-66979315a281}[icon]} \\$

Oueries value:

 $\label{thm:local-condition} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox{local}\mbox{ver}} \ensuremath{\mbox{ver}} \ensurem$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{$18-2098-4d44-8644-66979315a281}[stream]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish expanded path]$

Queries value:

 $\label{thm:local-bound} HKLM \software \wire soft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{thm:hkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[name]}$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [infotip]$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]$

Oueries value:

 $HKLM \label{lem:hklm} Which is the lattice of the$

aa7c-e74b8be3b067}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [precreate]$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \addition{4a} 4115719-d62e-491d-aa7c-e74b8be3b067 \publishex panded path]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \addler 2491d-aa7c-e74b8be3b067 \[initfolder \handler]$

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6ed$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]} \\$

Queries value:

Queries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\mbox{\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$}\mbox{$\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$\mbox{$}\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6b2e8ac1944 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b2e8ac194 \cac52c1a-b53d-6b$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6edc-9$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'carcsion' explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[stream resource]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[roamable]} \\$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[stream]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\mbox{}}} (cac52c1a-b53d-4edc-92d7-6b2e8ac19434)[publishex panded path]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434} [foldertypeid]$

92d7-6b2e8ac19434}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[category]

841c-ab7c74e4ddfc}[name]

Oueries value:

841c-ab7c74e4ddfc}[parentfolder]

841c-ab7c74e4ddfc}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[relativepath]

841c-ab7c74e4ddfc}[parsingname]

Oueries value:

841c-ab7c74e4ddfc}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[localizedname]

Oueries value:

841c-ab7c74e4ddfc}[icon]

Queries value:

841c-ab7c74e4ddfc}[security]

Oueries value:

841c-ab7c74e4ddfc}[streamresource]

Queries value:

841c-ab7c74e4ddfc}[streamresourcetype]

Oueries value:

841c-ab7c74e4ddfc}[localredirectonly]

Queries value:

841c-ab7c74e4ddfc}[roamable]

Queries value:

841c-ab7c74e4ddfc}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[stream]

Queries value:

841c-ab7c74e4ddfc}[publishexpandedpath]

Oueries value:

841c-ab7c74e4ddfc}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Oueries value:

841c-ab7c74e4ddfc}[initfolderhandler]

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$

folders[my video]

Queries value:

9f6b-4b87a210bc8f}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[name]

Queries value:

9f6b-4b87a210bc8f}[parentfolder]

Oueries value:

9f6b-4b87a210bc8f}[description]

 $HKLM \ software \ microsoft \ windows \ current version \ (52a4f021-7b75-48a9-1946) \ defined a software \ microsoft \ windows \ defined \ microsoft \ defined \ microsoft \ windows \ defined \ microsoft \ microsoft \ defined \ microsoft \ defined \ microsoft \ microsoft \ defined \ microsoft \$ 9f6b-4b87a210bc8f}[relativepath]

Oueries value:

9f6b-4b87a210bc8f}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (52a4f021-7b75-48a9-1946) \ defined a software \ microsoft \ windows \ defined \ microsoft \ defined \ microsoft \ windows \ defined \ microsoft \ microsoft \ defined \ microsoft \ defined \ microsoft \ microsoft \ defined \ microsoft \$ 9f6b-4b87a210bc8f}[infotip]

Oueries value:

9f6b-4b87a210bc8f}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.52a4f021-7b75-48a9-9f6b-4b87a210bc8f} [stream resource type]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.52a4f021-7b75-48a9-9f6b-4b87a210bc8f} \cite{1.52a4f021-7b75-48a9-9f6b-4b87a210bc8f} \cite{1.52a4f021-7b75-4b87a210bc8f} \cie{1.52a4f021-7b75-4b87a210bc8f} \cite{1.52a4f021-7b75-4b87a210bc8$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[stream]$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$

Oueries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[category]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \end{align*} HkLM \software \end{align*} In the label{lem:hklmsoftware} HkLM \software \end{align*} In the label{lem:hkklmsoftware} HkLM \software \end{align*} HkLM \software \end{align*} In the label{lkklmsoftware} HkLM \software \end{align*} In the label{lkklmsoftware} HkLM \software \end{align*} In the label{lkklmsoftware} HkLM \software \end{align*} HkLM \software \end{align*} HkLM \software \end{align*} HkLM \software \end{align*} In the label{lkklmsoftware} HkLM \software \end{align*} HkLM \software \software \end{align*} HkLM \software \end{align*} HkLM \software \s$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef degreed degree folderdescriptions and the second degree folderdescriptions are second degree folderdescriptions and the second degree folderdescriptions are secon$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 4455120 b 917 \eqref folder de 974 d 24 - d 9 c 6 - 4 d 9$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref de 974 d 24-d 9 c 6-4 d 3 e-bf 91-f 445 512 0 b 917 \eqref publish expanded path]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} HklM \soft$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [initfolder handler]$

Queries value:

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ `name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} effocd 92b-2e97-45d1-88ff-b0d186b8 \ensuremath{\mbox{\sim}} else \ensuremath{\mbox{\sim}} e$

Queries value:

Oueries value:

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]$

Queries value:

 $\label{thm:local-bound} HKLM \software \windows \current version \explorer \folder descriptions \eqref{local-descriptions} \footnote{1.00} \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[category]

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \labe$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\wicrosoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}\[icon]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [security]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[streamresourcetype]

Queries value:

 $\label{local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde3-37bd56068185\[roamable \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Oueries value

 $\label{thm:hkm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(76fc4e2d-d6ad-4519-a663-37bd56068185)\cite{tabular} [publishexpandedpath] \end{tabular}$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} explorer \label{lem:hklm} for explorer \label{lem:hklm} HKLM \label{lem:hklm} software \label{lem:hklm} with lem:hklm \label{lem:hklm} explorer \label{lem:hklm} for explorer \label{lem:hklm} explorer \label{lem:hklm} hkllm \label{lem:hklm} explorer \label{lem:hklm} explorer \label{lem:hklm} hkllm \label{lem:hklm} explorer \label{lem:hklm} hkllm \label{lem:hklm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:hkllm} hkllm \label{lem:hkllm} explorer \label{lem:$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde2d-d6ad-4519-a663-37bd56068185\[initfolderhandler]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} a75d362e-50fc-4fb7-ac2c-a8beaa314493} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

RKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7ac2c-a8beaa314493\frelativepath1

Oueries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[infotip]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[localizedname]}$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[icon]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} a75d362e-50fc-4fb7-ac2c-a8beaa314493} [streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \label{lem:hklm} In the latest and the lates$

ac2c-a8beaa314493}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[publishexpandedpath]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[category]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fill \fill$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localized name]}$

Queries value:

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[streamresource]

Queries value:

 $\label{thm:hklm} \begin{tabular}{ll} HKLM\software\mbox{\currentversion} \explorer\box{\currentversion} \explorer\box{\cur$

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}} [local redirectorly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[roamable]$

Queries value:

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[attributes]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\mbox{\scale+microsoft\windows\currentversion} explorer\folderdescriptions\gamma{491e922f-5643-4af4-a7eb-4e7a138d8174}\[foldertypeid]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[category\]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \footnote{1} \footnote{2} \footnote$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{$130-4e1e-4676-835a-98395c3bc3bb}[parentfolder]} \\$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[description]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{33e28130-4e1e-4676-835a-98395c3bc3bb}\[relative path]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-4676-46144, 1997444, 199744, 199744, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 19974$ 835a-98395c3bc3bb}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[icon]

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 835a-98395c3bc3bb}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresource]

 $HKLM \ software \ microsoft \ windows \ current version \ (*33e28130-4e1e-4676-4e1e-$ 835a-98395c3bc3bb}[streamresourcetype]

Oueries value:

835a-98395c3bc3bb}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[roamable]

Oueries value:

835a-98395c3bc3bb}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-4$ 835a-98395c3bc3bb}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-4$ 835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-4676-46144, 1997444, 199744, 199744, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 19974$ 835a-98395c3bc3bb}[attributes1

Oueries value:

835a-98395c3bc3bb}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-4676-46144, 1997444, 199744, 199744, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 1997444, 19974$ 835a-98395c3bc3bb}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures] Queries value:

a8f7-e4701232c972}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[parentfolder]

Oueries value:

a8f7-e4701232c972}[description]

Queries value:

a8f7-e4701232c972}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[parsingname]

a8f7-e4701232c972}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[localizedname]

a8f7-e4701232c972}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[security]

Queries value:

a8f7-e4701232c972}[streamresource]

Oueries value:

a8f7-e4701232c972}[streamresourcetype]

Queries value:

a8f7-e4701232c972}[localredirectonly]

Oueries value:

a8f7-e4701232c972}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} \ [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[stream]

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\ [publishexpandedpath]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} \ [folder type id]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$

Queries value:

 $\label{thm:local-equation} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder description \folder \folder$

Oueries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[infotip]

Queries value:

 $\label{thm:localized} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{$482a5ea35-d9cd-47c5-9629-e15d2f714e6e}_{[localized name]}} \ensuremath{\mbox{$482a5ea35-d9cd-47c5-9629-e15d2f714e6e}_{[localized name]} \ensuremath{\mbox{$482a5ea35-d$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[security]}$

Queries value:

 $\label{thm:hklm} HKL^{M} software \end{array} in \end{array} explorer \end{array} folder descriptions \end{array} \end{array} \end{array} explorer \end{ar$

Queries value:

Queries value: KLM\software

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fill \fill$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{debf2536-e1a8-4c59-b6a2-414586476aea}[category]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[name]}$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $\label{thm:hkm} HKLM \software \ensuremath{\mbox{\mbox{M}}} In the label{thm:hkm} which is a few plorer \ensuremath{\mbox{M}} find the label{thm:hkm} and the label{thm:hkm} has a few plorer \ensuremath{\mbox{M}} find the label{thm:hkm} and the label{thm:hkm} has a few plorer \ensuremath{\mbox{M}} find the label{thm:hkm} and the label{thm:hkm} has a few plorer \ensuremath{\mbox{M}} find the label{thm:hkm} h$

Queries value:

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Oueries value.

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\debf2536-e1a8-4c59-b6a2-414586476aea\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[security]$

Queries value:

 $HKLM \software \mbox{$\mbox{debf2536-e1a8-4c59-b6a2-414586476aea}[stream resource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource type]$

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [stream]$

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$

Queries value:

Queries value:

 $\label{thm:microsoftwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \color$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{14138-b1d3-4a90-bba9-27cbc0c5389a}[localized name]} \\$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{N}} \ensuremath{\mbox{N}} \ensurem$

Queries value:

 $\label{thm:local-prop} HKLM \software \wirros of the current version \explorer \folder descriptions \gamma \folds \folds \gamma \folds \gamma \gamm$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [stream resource type]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \en$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Oueries value

 $\label{thm:hkm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \cite{Absolute of the lemma of$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} $$ 4400183a-6185-49fb-a2d8-4a392a602ba3 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$ 1600183a-6185-49fb-a2d8-4a392a602ba3 \cal{lem:hklmsoftware} $$ 1600184a-6185-400184a602ba3 \cal{lem:hklmsoftware} $$ 1600184a602ba3 \cal{lem:hklmsoftware} $$ 1600184a602ba$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-continuous} HKLM \software \ensuremath{\text{\folderdescriptions}} \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$

Queries value:

 $\label{thm:hkm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\e$

Oueries value:

 $\label{thm:hklm:software} HKLM\software \end{align* in the large of the large of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[localredirectonly]

Queries value:

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish expanded path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [folder type id]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

a781-5a1130a75963}[name]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ parent folder \ 1$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \wire sion \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [initfolder handler]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} icrosoft \label{lem:hklm} Windows \label{lem:hklm} Category \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Mindows \label{lem:hklm} Category \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Night \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Software \label{lem:hklm} Night \label{lem:hklm} Software \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Night \label{lem:hklm} Software \label{lem:hklm} Night \label{lklm} Night \label{lklm} Night \label{lklm} Night \label{lklm} Night \label{lklm} Night \label$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\cwrentversion}} $$ \ensuremath{\mbox{\cwrentversion}} \ensuremath{\mbox{\cwrentversion}} $$ \ensuremath{\mbox{\cwrentversion}} \en$

Queries value:

 $\label{thm:condition} HKLM \software \mbox{$microsoft\windows\currentversion} \end{cases} $$4b-64e6faf8716b \[parentfolder]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\cwrentversion}} $$ \ensuremath{\mbox{\cwrentversion}} $$$ \ensuremath{\mbox{\cwrentversion}} $$$ \ensuremath{\mbox{\cwrentversion}} $$$ \ensuremath{\mbox{\cwrentversion}} $$$ \ensuremath{\mbox{\cwrentversion}} $$$ \ensuremath{\mbox{\cwre$

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\text{\software}} $$ \en$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\}[stream resource]$

Oueries value:

 $\label{thm:hkm} HKLM \software \ensuremath{\text{line}} $$HKLM \software \ensuremath{\text{microsoft}} \ensuremath{\text{windows}} \case{2379-4c75-844b-64e6faf8716b} $$[local redirectonly]$$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6faf8716b \center{folder} \center{fo$

Oueries value

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\exp$

Queries value:

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[initfolderhandler]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$

Oueries value:

Queries value:

Oueries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} \end{substitute} 189a9a43-be44-4057-a41b-587a76d \cal{lem:hkklmsoftware} \end{substitute} \end{substitute} 190a4-be44-4057-a41b-587a76d \cal{lem:hkklmsoftware} \end{substitute} \end{substitute}$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \windows \current version} \ensuremath{\sc Nicrosoft \current \current$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [security]$

Queries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} \end{substitute} 189a9a43-be44-4057-a41b-587a76d7e7f9 \[stream resource type \]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\expl$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} \end{substitute} 189a9a43-be44-4057-a41b-587a76d \cal{lem:hkklmsoftware} \end{substitute} 187a76d \cal{lem:hkklmsoftware} \end{substitute} \end{substitute} \end{substitute} \end{substitute} \end{s$

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [initfolder \ handler]$

a5be-ac0cb0567192}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[name]

Queries value:

a5be-ac0cb0567192}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[description]

Queries value:

a5be-ac0cb0567192}[relativepath]

Queries value:

a5be-ac0cb0567192}[parsingname]

Oueries value:

a5be-ac0cb0567192}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[streamresource]

Oueries value:

a5be-ac0cb0567192}[streamresourcetype]

Queries value:

a5be-ac0cb0567192}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[roamable]

Queries value:

a5be-ac0cb0567192}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[stream]

Queries value:

a5be-ac0cb0567192}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[foldertypeid]

Oueries value:

a5be-ac0cb0567192}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[category]

Oueries value:

be4e-64cd4cb7d6ac}[name]

be4e-64cd4cb7d6ac}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[description]

be4e-64cd4cb7d6ac}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[infotip]

Oueries value:

be4e-64cd4cb7d6ac}[localizedname]

Queries value:

be4e-64cd4cb7d6ac}[icon]

Oueries value:

be4e-64cd4cb7d6ac}[security]

Queries value:

be4e-64cd4cb7d6ac}[streamresource]

Oueries value:

be4e-64cd4cb7d6ac}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[localredirectonly]

Oueries value:

be4e-64cd4cb7d6ac}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[precreate]

Oueries value:

be4e-64cd4cb7d6ac}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[publishexpandedpath]

Queries value:

be4e-64cd4cb7d6ac}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[category]

Queries value:

814f-a5ebd2fd6d5e}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[parentfolder]

Queries value:

814f-a5ebd2fd6d5e}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[relativepath]

Oueries value:

814f-a5ebd2fd6d5e}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[infotip]

Queries value:

814f-a5ebd2fd6d5e}[localizedname] Oueries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{ee 32e 446 - 31ca - 4aba - 4a$ 814f-a5ebd2fd6d5e}[icon]

Queries value:

814f-a5ebd2fd6d5e}[security]

Queries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{ee 32e 446 - 31ca - 4aba - 4a$ 814f-a5ebd2fd6d5e}[streamresource]

Queries value:

814f-a5ebd2fd6d5e}[streamresourcetype]

Queries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{ee 32e 446 - 31ca - 4aba - 4a$ 814f-a5ebd2fd6d5e}[localredirectonly]

Oueries value:

814f-a5ebd2fd6d5e}[roamable]

Queries value:

 $HKLM \setminus software \setminus irrestant + with the software \setminus irrestant$ 814f-a5ebd2fd6d5e}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[stream]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the highest constant an$ 814f-a5ebd2fd6d5e}[publishexpandedpath]

Oueries value:

 $HKLM \setminus software \setminus irrestance x on the first of the firs$ 814f-a5ebd2fd6d5e}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

 $\label{thm:hkm} HKLM \software \end{tabular} Whindows \current version \explorer \folder descriptions \end{tabular} \end{tabular} $$14f-a5ebd2fd6d5e \[initfolder \folder \f$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called \called$

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center \center$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\[relative\path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'cs70044b-f49e-4126-a9c3-b52a1ff411e8\} \ [localized name]$

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource]$

Queries value:

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$ -4126-a9c3-b52a1ff411e8 \substitute{lem:hklmsoftware} \substitu$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `cs70044b-f49e-4126-a9c3-b52a1ff411e8\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 9c3-b52a1ff411e8 \[attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [initfolder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8}[category]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \co$

Oueries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{local-condition} \footnote{MKLM} \software \microsoft \windows \cite{local-condition} \footnote{MKLM} \software \microsoft \microsoft$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8}[icon]} \\$

Queries value:

 $\label{thm:local-condition} HKLM \software \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [stream resource type]$

Queries value:

 $\label{thm:local_transform} HKLM \software \end{tabular} White \subseteq \end{tabular} HKLM \software \end{tabular} White \subseteq \subseteq \end{tabular} White \subseteq \subseteq \subseteq \subseteq \subseteq \end{tabular} White \subseteq \s$

Queries value:

Oueries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colore$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{baseline} \$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \color= 49f2-8690-3 \mbox{\currentversion} \explorer \folder descriptions \color= 49f2-8690-3 \mbox{\currentversion} \explorer \color= 49f2-8690-3 \mb$

Oueries value:

 $\label{thm:hkm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gath{\setminus} \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[foldertypeid] \end{tabular}$

Oueries value:

 $\label{thm:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\gamma\folderdescriptions\gamma\gam$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[category]

Oueries value:

 $\label{thm:local-bound} HKLM \software \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626fc2c973 \c9abel{thm:local-bound} \end{picture} \ [name]$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$c5abbf53-e17f-4121-8900-86626fc2c973} \calebox{$[description]$} \calebox{$[de$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \crientversion \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \cfative path]$

Queries value:

 $\label{thm:local-bound} HKLM \software \wire soft \windows \conversion \explorer \folder descriptions \colored \colore$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[infotip]

Oueries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\text{\cosh}} (c5 abbf53 - e17f - 4121 - 8900 - 86626fc2c973) [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[icon]

Oueries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[streamresource]

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \c5abbf53-e17f-4121-8900-86626 \c5a$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\correntversion}\explorer \folder descriptions \colored \col$

Queries value:

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{thm:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\colongregations \colongregations \colongregati$

Oueries value:

8900-86626fc2c973}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid]

Oueries value:

 $\label{linear_hamiltonian} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\colongreggth{\colongregg$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ `lambda \ 'lambda \ 'explorer' \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ `lambda \ 'explorer' \ folder \ 'explorer'' \ folder \ 'explorer' \ folder \ 'explorer' \ folder \ 'explorer'' \ folder \ folder \ 'explorer'' \ folder \ 'expl$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [description]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [parsing name]$

Queries value:

Queries value:

 $\label{thm:localized} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{$169-88e350acb882}[localized name]}} \ensuremath{\mbox{$169-88e350acb882}[localized name]} \ensuremath$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} [icon]$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{\mbox{$16784854-c6cb-462b-8169-88e350acb882}[local redirectonly]} \\$

Queries value:

 $\label{thm:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.56784854-c6cb-462b-8169-88e350acb882}\ [roamable] \end{tabular}$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalised \footnote{1.56784854-c6cb-462b-8169-88e350acb882} \[stream \]$

Queries value:

Queries value:

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \forested \folder \folder$

Queries value:

HKLMMsoftware\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

e0a-2482ebae Queries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [parsing name]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Oueries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1000} \footnote{1000} \cite{1000} \footnote{1000} \cite{1000} \cite{10000} \cite{1000} \cite{1000} \cite{10000} \cite{10000} \ci$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1000} \footnote{10000} \footnote{10000} \footnote{1000$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Oueries value:

Queries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516\footnote{16} \category\footnote{1}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca5c-4622-b42d-bc56db0ae 516\} \ [name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\mbox{\mbox{M}}} {bdd3057-ca5c-4622-b42d-bc56db0ae516} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [localized name]$

Oueries value

 $HKLM\software\mbox{$\mbox{microsoft\windows\currentversion}\explorer\folderdescriptions} \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}\[icon]\]$

Queries value:

 $HKLM \label{localization} HKLM \label{localization} HKLM \label{localization} HKLM \label{localization} Software \label{localization} \label{localization} HKLM \label{localization} Software \label{localization} \label{localization} HKLM \label{localization} Software \label{localization} Software \label{localization} \label{localization} HKLM \label{localization} Software \label{localization} \label{localization} HKLM \label{localization} Software \label{localization} Software \label{localization} Software \label{localization} \label{localization} Software \label{local$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae 516\} \ [local redirectonly]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folds\$

Queries value:

 $HKLM \label{lem:hklm} \\ HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the lem \label{lem:hklm} \\ HKLM \label{lem:hklm} In the lem \label{lem:hkklm} \\ HKLM \label{lem:hkklm} In the lem \label{lem:hkklm} \\ HKLM \label{lem:h$

b42d-bc56db0ae516}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[init folder handler]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}[description]$

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}[infotip]

Queries value:

 $\label{localized matter} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ ficon \ label{eq:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[security]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \end{a} 1302545 d-deff-464 b-abe8-61c8648d939b \solid \solid$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$microsoft\windows\currentversion} \end{supplies} $$ 4302545d-deff-464b-abe8-61c8648d939b [local redirectorly] $$$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

Queries value:

 $\label{thm:hkm} \begin{tabular}{l} HKLM \label{thm:hkm} Which is the constraint of the constraint of$

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hkkm} absolute \cite{lem:hkkm} abs$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hkklmsoftware} \end{substitute} 108e-08a611b84ff6 \cite{lem:hkklmsoftware} \cite{lem:hkklmsoftware}$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hkkm} 2b0f765d-c0e9-4171-908e-08a611b84ff6 \cite{lem:hkkm} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \sc Nicrosoft \sc Nicrosoft \ensuremath{\sc Nicrosoft \sc Ni$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ 'flocalized name' \ |$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} enversion \ensuremath{\mbox{2}} b0f765d-c0e9-4171-908e-08a611b84ff6} [icon]$

Oueries value

Oueries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2b0f765d-c0e9-4171-908e-08a611b84ff6} \cite{2b0f765d-c0e9-608e-08a611b84ff6} \cite{2b0f765d-c0e9-608e-08a611b84ff6} \cite{2b0f765d-c0e9-608e-08a611b84ff6} \cite{2b0f765d-$

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [publish expanded path]$

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[foldertypeid]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hkkm} 2b0f765d-c0e9-4171-908e-08a611b84ff6 \cite{lem:hkkm} [initfolder \cite{lem:hkkm} and \cite{lem:hkkm} error \cite{lem:hkkm} e$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2a00375e-224c-49de-b8d1-440df7ef3ddc} \category\cite{Monthsoftware} \cite{Monthsoftware} \cite{Month$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$HkLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$HkLM \software \microsoft \windows \cal{lem:hklmsoftware} $$HkLM \software \microsoft \windows \microsoft \microsoft \windows \microsoft \windows \microsoft \windows \microsoft \windows \microsoft \microsoft \windows \microsoft \microsoft$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} Which \software \end{align* in the label} Whic$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[infotip]

Queries value:

 $\label{localized halo} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explo$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \ensur$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$HkLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$HkLM \software \microsoft \windows \cal{lem:hklmsoftware} $$HkLM \software \microsoft \windows \microsoft \microsoft \windows \microsoft \microsoft \windows \microsoft \microoth \microsoft \microsoft \microsoft \microsoft \microsoft \micro$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \ensur$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$400375e-224c-49de-b8d1-440df7ef3ddc \end{substitute} $$[attributes]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[foldertypeid]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49deb8d1-440df7ef3ddc}[initfolderhandler]

Queries value:

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[parent folder]$

Oueries value:

 $\label{thm:local-ham} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{ep104-a5fe99fc15ec}[description]} $$$

Oueries value

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \equiv \folder \folder \equiv \$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (e555ab60-153b-4d17-9f04-a5fe99fc15ec) \cite{lem:hkklmsoftware} \cite{lem:hkkl$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \equiv \folder \folder \equiv \$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ef{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{eplorer\folderdescriptions}} \ensuremath{\mbox{eps-4d17-9f04-a5fe99fc15ec}} \ensuremath{\mbox{[icon]}} \ensuremath{\mbox{eplorer\folderdescriptions}} \ensure$

Queries value:

 $\label{thm:local-ham} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{htm}} = \ensuremath{\mbox{htm}} $$ \ensuremath{\mbox{htm}} = \ensuremath{\mbox{htm}} $$ \ensuremath{\mbox{htm}} = \ensurema$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream resource]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \equiv \folder \folder \equiv \$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [publishexpandedpath]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ef{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ef{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[initfolder \ handler]$

Queries value:

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gath{\setminus} \{054fae61-4dd8-4787-80b6-090220c4b700\}\cite{1.00cm}\gath{\downarrow} [parentfolder]$

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Which is the lem of the latest and the lemma substitution of the latest and th$

80b6-090220c4b700}[description]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ relative path 1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [parsing name]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} \ 'flocalized name \ 'line \ 'flocalized name \ 'floc$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{win$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[streamresourcetype]

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \windows \current version} \ensuremath{\sc Nicrosoft \current \current$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \windows\current} \ensuremath{\sc Nicrosoft \windows\windows\current} \ensuremath{\sc Nicrosoft \windows\current} \ensuremath{\sc Nicrosoft \windows\current} \ensuremath{\sc Nicrosoft \windows\windows\current} \ensuremath{\sc Nicrosoft \windows\windows\windows\windows\current} \ensuremath{\sc Nicrosoft \windows\w$

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{054fae61-4dd8-4787-80$b6-090220$c4b700}[foldertypeid]} \\$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\ga$

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd}[category]} \\$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fill \folder \fill \folder \f$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}[description]} \\$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ \ `urrent version \ \ verplorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \ensuremath{\mbox{\mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd}[localized name]} \\$

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}[security]} \\$

Queries value:

Queries value:

 $\label{thm:local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[streamresourcetype]$

Queries value:

 $\label{local-edge-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1777} \footnote{168} ad-4d8a-87bd-30b759 \footnote{168} \footn$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Oueries value:

Queries value:

Oueries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1777} \footnote{168} \footnote{16$

Oueries value

Oueries value:

 $\label{thm:local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[foldertypeid]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{$^{57d-4ee1-a63c-290ee7d1aa1f}[category]}} \\$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[description]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{$^{57d-4ee1-a63c-290ee7d1aa1f}[security]}} \\$

Queries value:

 $\label{thm:hklm:software} HKLM \software \end{a} in the label{thklk} Which \software \end{a} in the label{thklkk} Which \software \end{a} in the label{whick} Which \software \end{a} in the label{thklkk} Whic$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} If the action \label{lem:$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[roamable]}$

Queries value

 $HKLM \software \mbox{$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \gamma \gamma$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [folder type id]$

Queries value:

Queries value:

 $\label{thm:local-substitution} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folds\$

Oueries value:

 $HKLM \label{lem:hklm} Software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| (52528a6b-b9e3-4add-beautiful folderdescriptions) (52528a6b-beautiful folderdesc$

b60d-588c2dba842d}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ parent folder \ 1$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folds\fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [infotip]$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \wirdows \current version \explorer \folder descriptions \folds \fo$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[localredirectonly]

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{52528a6b-b9e3-4add-b60d-588c2dba842d}\ [roamable]$

Queries value:

Queries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\text{\currentversion}} explorer \$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{$00d-588c2dba842d}[publish expanded path]}} \ensuremath{\mbox{$00d-588c2dba842d}[publish expanded path]} \ensuremath{\mbox{$0d-588c2dba842d}[publish expanded path]} \ensuremath{\m$

Queries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\text{\sc turrentversion}} explorer \ensuremath{\text{\sc turrentversion}} \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [attributes]$

Queries value:

 $\label{thm:hklm:software} HKLM \software \mbox{$1.52528a6b-b9e3-4add-b60d-588c2dba842d} [foldertypeid]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows`currentversion`explorer`folder descriptions`{8983036c-27c0-404b-8f08-102d10dcfd74\}[name]} \\$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Queries value

 $\label{thm:local-bound} HKLM \software \wire soft \windows \current version \explorer \folder descriptions \explorer \folder description \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [relative path]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[infotip]

Queries value:

 $\label{thm:hklm} \begin{tabular}{ll} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74} [icon]$

Queries value:

 $\label{thm:microsoftwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresource]}$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Oueries value

Oueries value:

 $HKLM \software \mbox{$M$ irrosoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ [folder type id]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{tensor} \ a the local descriptions \end{$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[name]$

Queries value:

 $\label{thm:hkm} HKLM \software \ensuremath{\mbox{\mbox{h}}} \ensuremath{\mbox{h}} \ensuremath{\m$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \footnote{1.000} \footnote{1.0000} \footnote{1.0000} \footnote{1.0000} \foot$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[infotip]}$

Queries value:

 $\label{localized_hammon_hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4ce-b725-dc34e402fd46\}[stream resource type]$

Queries value:

 $\label{thm:hkm} HKLM \software \ensuremath{\mbox{\mbox{h}} \ensuremath{\mbox{h}} \ensuremath{\mb$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream]$

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Windows \label{lem:hklm} Like \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} White \l$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [initfolder \ handler]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{$1724ef170-a42d-4fef-9f26-b60e846fba4f}[parentfolder]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}[description]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \end{thm} icrosoft \windows \current version \explorer \folder descriptions \end{thm:local-conditions} \end{thm$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[parsing name]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{$1724ef170-a42d-4fef-9f26-b60e846fba4f}[icon]} \\$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{tikzpicture} $$ HKLM \software \mbox{$microsoft\windows\currentwersion} \software \mbox{$microsoft\windows\currentwersion} \software \su$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In constant \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lklm} S$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{$1724ef170-a42d-4fef-9f26-b60e846fba4f}[stream]} \\$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Oueries value:

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fill \folds \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} -422220080e43 \ensuremath{\mbox{lame}} \ensuremath{\mbox{lame}} \ensuremath{\mbox{ver}} -422220080e43 \ensuremath{\mbox{lame}} \ensuremath{\mbox{lame}} \ensuremath{\mbox{ver}} \ensurema$

Queries value

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\ [parentfolder]$

Queries value:

 $HKLM\software\mbox{\cosoft}\windows\currentversion\explorer\folderdescriptions\fi4bd8d571-6d19-48d3-be97-422220080e43\fidescription\]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \mbox{\scalized name} and \mbox{\scalized name} and \mbox{\scalized name} are the substitution \scalized name of the substitution \scalized name of the substitution \scalized name of the substitution \mbox{\scalized name}. The substitution \mbox{\scalized name} are the substitution \mbox{\scalized name} and \mbox{\scalized name}. The substitution \mbox{\scalized name} are the substitution \mbox{\scalized name} ar$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[icon]$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

be97-422220080e43}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirectorly]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [attributes]$

Queries value:

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Category} \end{substitute}$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Absolute to the control of the$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{lem:hkkm} \cite{lem:h$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Absolute to the property of t$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{tensor} $$ 4e61d971-5ebc-4f02-a3a9-6c82895e5c04 [streamresource] $$$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresourcetype]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{de}61d971-5ebc-4f02-a3a9-6c82895e5c04}[roamable]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{lem:hkkm} \cite{lem:h$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \[init folder \handler]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{`windows\currentversion'}} \{0762d272-c50a-4bb0-a382-697dcd729b80\} \cite{Mklmsoftware} \ensuremath{\mbox{\sim}} \{0762d272-c50a-4bb0-a382-697dcd729b80\} \cite{Mklmsoftware} \cite{Mklmsoftware} \ensuremath{\mbox{\sim}} \{0762d272-c50a-4bb0-a382-697dcd729b80\} \cite{Mklmsoftware} \c$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} \ [0.762d272-c50a-4bb0-a382-697dcd729b80] \cal{lem:hklmsoftware} \ [parent folder] \cal{lem:hklmsoftware} \ \mbox{\colored by the lem:hklmsoftware} \ \mbox{\colored by hklmsoftware} \ \mbox{\colored by the lem:hklmsoftware} \ \mbox{\colored by the lem:hklmsof$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[description]

Oueries value:

 $\label{thm:microsoftwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{1}} \ensuremath{\mbox{2}} \ensur$

Oueries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Oueries value

 $\label{thm:hkm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gray.pdf} \{0762d272-c50a-4bb0-a382-697dcd729b80\}\cite{1.000}\c$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Oueries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma$

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{1}} \ensuremath{\mbox{2}} \ensuremath{\mbox{2}} \ensuremath{\mbox{4}} \ensuremath{\mbox{2}} \ens$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[publishexpandedpath]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[foldertypeid]

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[name]}$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} exclusive \space{200}} HKLM \software \ensuremath{\mbox{1}} exclusive \space{200} exclusive \space{200$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [relative path]$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{1}} and \ensuremath{\mbox{2}} and \ensuremath{\mbox{4}} and \ensurema$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]}$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

967b-40b0d20c3e4b}[localizedname]

Queries value:

967b-40b0d20c3e4b}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[security]

Queries value:

967b-40b0d20c3e4b}[streamresource]

Oueries value:

967b-40b0d20c3e4b}[streamresourcetype]

Queries value:

967b-40b0d20c3e4b}[localredirectonly]

Oueries value:

967b-40b0d20c3e4b}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[precreate]

Oueries value:

967b-40b0d20c3e4b}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[foldertypeid]

Queries value:

967b-40b0d20c3e4b}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[category]

Queries value:

b744-2eb1ae5198b7}[name]

Queries value:

b744-2eb1ae5198b7}[parentfolder]

Oueries value:

b744-2eb1ae5198b7}[description]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{1ac14e77-02e7-4e5d-14e74-1$ b744-2eb1ae5198b7}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[parsingname] Oueries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{1ac14e77-02e7-4e5d-14e74$ b744-2eb1ae5198b7}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[localizedname]

Queries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{1ac14e77-02e7-4e5d-14e74$ b744-2eb1ae5198b7}[icon]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant \label{lem:hklm} HKLM \label{lklkm} With the highest constant \label{lklkm} HKLM \label{lklkm} With the highest \label{lklkm} With the highest \label{lkkkm} With the highest \$ b744-2eb1ae5198b7}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[streamresource]

Oueries value:

b744-2eb1ae5198b7}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[roamable]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant and the hard-section \label{lem:hklm} HKLM \label{lem:hklm} With the highest constant \label{lem:hklm} HKLM \label{lklkm} With the highest constant \label{lklkm} HKLM \label{lklkm} With the highest \label{lklkm} With the highest \label{lkkkm} With the highest \$ b744-2eb1ae5198b7}[precreate]

Oueries value:

b744-2eb1ae5198b7}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5db744-2eb1ae5198b7}[publishexpandedpath]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \final \current version \explorer \folder \current \curr$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [init folder handler]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ a6a2-aba601054a51 \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [description]$

Queries value:

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ 'flocalized name' \ |$

Oueries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Oueries value:

Queries value:

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\foldertypeid\}$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \gamma \footnote{100} \footnote{100} \end{tikzpicture} A \footnote{100} \footnote{100}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\mbox{0}}} (0ac 0837c-bbf8-452a-850d-79d 08e 667ca7) \ensuremath{\mbox{0}} (name) \en$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \capac$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\mbox{}}} (0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7)[icon] }$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \gamma(0ac 0837c-bbf8-452a-850d-79d 08e 667ca7) \square \gamma(security) \footnote{\colored}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \col$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{\mbox{0}}} (0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7) [stream] }$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [publish expanded path]$

Queries value:

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colongraph$

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{14-cba229b392b5}[category]}} In the local content of the local co$

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{d0384e7d-bac3-4797-8f14-cba229b392b5}[name]} \\$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\mbox{\cmrentversion}\explorer\folder descriptions} \ensuremath{\mbox{\cmrentversion}\explorer\folder descriptions} \ensuremath{\mbox{\cmrentversion}\explorer\folder descriptions} \ensuremath{\mbox{\cmrentversion}\explorer\explore$

Queries value:

 $\label{thm:hkm} $$HK_M \sim ftware increased in the constant of the constant of$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]$

Queries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \footnote{1.00} \footnote$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \footnote{1.00} \footnote$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream resource]$

Queries value:

 $\label{thm:local-equation} HKLM \software \windows \current version \explorer \folder descriptions \does 4797-8f14-cba229b392b5 \footnote{\current} [stream resource type]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0384e7d-bac3-4797-8f14-cba229b392b5}[roamable]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[precreate]$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

8f14-cba229b392b5}[stream]

Queries value:

Oueries value:

Queries value:

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \dos 4797-8f14-cba 229b 392b \finit folder handler]$

Queries value:

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [description]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [relative path]$

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{\mbox{1}} \ensuremath{\mbox{4}} \ensurema$

Oueries value:

 $\label{thm:microsoftwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[icon]

Queries value:

 $\label{thm:local_ham} $$HKLM\software\wirension\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[security]$$

Queries value:

 $\label{thm:local_ham} HKLM \software \end{tabular} HKLM \software \end{tabular} in \end{tabular} About 17d-9cd2-4a93-9733-46cc89022e7c \solid \soli$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[streamresourcetype]\]$

Queries value:

 $\label{thm:locality} HKLM \software \ensuremath{\mbox{\mbox{1}} \ensuremath{\mbox{\mbox{4}} \ensuremath{\mbox{4}} \ens$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescripti$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{$1760db17d-9cd2-4a93-9733-46cc89022e7c}[stream]} \\$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[attributes]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{1}} \ensuremath{\mbox{4}} \ensurem$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}\[category\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} ae 50c 081-ebd 2-438a-8655-8a092e 34987a} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{thm:local-bound} HKLM \software \mbox{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{\currentversion} \end{\currentv$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\}[parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} ae 50c 081-ebd 2-438a-8655-8a092e 34987a} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} ae 50c 081-ebd 2-438a-8655-8a 092e 34987a} [icon]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[security]

Oueries value:

 $\label{local-ebd2-438a-8655-8a092e34987a} Is treatment on the context of the co$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e 34987a \ [local redirectorly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a \ [stream]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e34987a \ fattributes \ label{eq:hklm}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[foldertypeid]

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[name]}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\color=1.4dc3-a9dd-0.70d1d495d97} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folds 2-fdc1-4dc3-a9dd-070d1d495d97\\ [infotip]$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\[localized\ name]$

Oueries value:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\mbox{\currentversion}\explorer} \figure{1.4dc3-a9dd-070d1d495d97} [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\mbox{\currentversion}\explorer\folder descriptions} \ensuremath{\mbox{\currentversion}\explorer\folder descriptions} \ensuremath{\mbox{\currentversion}\explorer\folder descriptions} \ensuremath{\mbox{\currentversion}\explorer\exp$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolder handler]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute} [category]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final \final$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \final factors \folder \fo$

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute} [description]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final factors \cite{thm:hklm} folder \cite{thm:hklm} fold$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[infotip]$

Oueries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 2785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:localized name} \end{subarray} \ [localized name]$

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-continuous} \cite{thm:local-continuous} \end{substitute}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final factors \final folder \final folder \final factors \final folder \final folder \final factors \fina$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [precreate]$

Queries value:

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[publishexpandedpath]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute} [attributes]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[foldertypeid]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hkklm} HKLM \label{lem:hk$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $HKLM \label{lem:hklm} Which is a constant with the sum of the su$

9af7-4fc2abf07cc5}[description]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parsing name]$

Queries value:

Oueries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}} I icon \ensuremath{\mbox{lcon}} I icon \ensuremath{\mbox{lcon$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [local redirectionly]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{windows\currentversion}} $$ 413c-9af7-4fc2abf07cc5 [roamable] $$$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{thm:hkm} HKLM \software \ensuremath{\text{hkm}} software \ensuremath{$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} a folder descriptions \graph{\currentversion\curre$

Queries value:

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explo$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parsing name]$

Queries value:

Queries value:

 $\label{localized matching of the bound of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\[icon]

Queries value:

Queries value:

 $HKLM \software \mbox{$

Oueries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gray \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}\[streamresourcetype]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamma$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish expanded path]$

Ouerieevelue

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [folder type id]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[category]

Queries value

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\sc Nicrosoft \windows \current \version} \ensuremath{\sc Nicrosoft \current \version \ensuremath{\sc Nicrosoft \current \current \current \version \ensuremath{\sc Nicrosoft \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} ebb0f0fcb43c} \ensuremath{\mbox{\sim}} ebb0f0fcb43c} \ensuremath{\mbox{\sim}} \ensuremath{\mbox{\sim}} ebb0f0fcb43c} \ensuremath{\mbox{\sim}} \ensuremath{\mbox{\sim}} ebb0f0fcb43c} \ensuremath{\mbox{\sim}} \ensuremath{\mbox{\sim}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [description]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \end{time} HKLM \software \end{time} in \end{time} in \end{time} HKLM \software \end{time} in \end{time} HKLM \software \end{time} in \end{time} in \end{time} HKLM \software \end{time} in \end{time} HKLM \software \end{time} in \end{time} in \end{time} in \end{time} in \end{time} in \end{time} HKLM \software \end{time} in \end{$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Oueries value:

Queries value:

 $\label{thm:localized} HKLM \software \ensuremath{\mbox{\mbox{\mbox{1}}} enversion \ensuremath{\mbox{1}} enversion \ensuremath{\mbox{1}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[icon]}$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \en$

Queries value:

 $\label{thm:local-condition} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresourcetype]

Queries value:

 $\label{thm:local-equation} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \ens$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ for \ software \ microsoft \ windows \ current \ version \ explorer \ folder \ descriptions \ for \ software \ microsoft \ windows \ for \ software \ microsoft \ windows \ for \ software \ microsoft \ for \ software \ microsoft \ windows \ for \ software \ microsoft \ windows \ for \ software \ microsoft \ microoft \ microsoft \ microsoft \ microsoft \ microsoft \ microsoft \$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[publishexpandedpath]}$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{\sim}} \ensuremath{\mbox{\sim}} \en$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[initfolder \ handler]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} \ [description]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[parsingname]

Queries value:

 $\label{thm:local-prop} HKLM \software \windows \current version \explorer \folder descriptions \footing 1374 de 290-123f-4565-9164-39c4925e 467b \footing 14565-$

Queries value:

 $\label{linear_hamiltonian} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e467b\} [icon]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.374} de 290-123f-4565-9164-39c4925e467b \cite{2.374} [security]$

Queries value:

Oueries value:

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} \footnote{1.23f-4565-9164-39c4925e467b} \cite{1.23f-4565-9164-39c4925e467b} \cite{1.23f-4565-$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{374de290-123f-4565-9164-39c4925e467b}[stream]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} \ [folder type id]$

Queries value:

 $\label{thm:local-prop} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}[parentfolder]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[security]\]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} If the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} If the label{lem:hklm} If the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lklm} HKLM \label{lklm} If the label{lklm} HKLM \label{lklm} HKLM \label{lklm} HKLM \label{lklm} If the label{lklm} HKLM \label{lklm} HKLM \label{lklm} If the label{lklm} HKLM \label{lklm} If the lklm \label{lklm} HKLM \label{lklm} HKLM \label{lklm} HKLM \label{lklm} HKLM \label{lklm} If the lklm \label{lk$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[streamresourcetype]

Oueries value:

 $\label{thm:hkm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\grays\gr$

Oueries value

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{100} \end{40} a \cite{100} \footnote{100} \footnote{100} \end{40} e \cite{100} \footnote{100} \$

Ouerieevelue

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead 94-2e85-48ad-a71a-0969cb 56a6cd \} \ [stream]$

Oueries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [publishexpandedpath]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [folder type id]$

Queries value

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fold$

Queries value:

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{$1527-492b-8b1a-7e76fa98d6e4}[icon]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [stream resource]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\localredirectonly\label{lem:hklm} \end{substitute}$

Queries value:

 $\label{thm:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\ \cite{hklm}$$ roamable 1$$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{tikzpicture} $$ 8b1a-7e76fa98d6e4 [attributes] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolderhandler]$

Queries value:

Queries value:

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folds\f$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[relative$ path]

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\sc Number \sc Number \$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Oueries value:

 $\label{thm:local-poly-state} HKLM \software \ensuremath{\mbox{\mbox{$1644c9b-1fb8-4f30-9b45-f670235f79c0}[security]} \\$

Oueries value

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2d644c9b-1fb8-4f30-9b45-f670235f79c0} \cite{2d644c9b-1fb8-4f30-9b45-f670235f79c0}$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ 'folder \ 'type \ id'$

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [parent folder]$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\arrows\arrows\folderdescriptions\arrows$

Queries value

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{\sim}} 13990 a e 9f-a 0 3b-4e 80-94bc-9912d 7504104} \[parsing name]$

Queries value:

Queries value:

 $\label{thm:localized} HKLM \software \mbox{$microsoft\windows\currentversion} explorer \folder descriptions \align{center} 4990ae9f-a03b-4e80-9912d7504104 \cupred{center} [localized name]$

Queries value:

 $\label{linear_ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[icon]}$

Oueries value:

 $HKLM \label{lem:hklm} In the latest and the lates$

94bc-9912d7504104}[security]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990 a e 9f-a 0 3b-4e 80-94 b c-9912 d 750 4 10 4 \} \ [local redirector \]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ a990 a e9f-a03b-4e80-94bc-9912d7504104 \ [precreate]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} a990 ae 9f-a 0 3b-4e 80-94bc-9912d 7504 104} [initfolder \ensuremath{\mbox{1}} a990 ae 9f-a 0 3b-4e 80-94bc-9912d 7504 104] [initfolder \ensuremath{\mbox{1}} and \ensuremath{\mbox{1}} and \ensuremath{\mbox{2}} and \ensuremath{\mbo$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{dfdf76a2-c82a-4d63-906a-5644ac457385}[name]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \wire sion \explorer \folder descriptions \folder descriptions \folder description \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[relative path]$

Queries value:

 $\label{thm:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$

Queries value:

 $\label{thm:local-policy} HKLM \software \mbox{$microsoft\windows\currentversion} explorer \folder descriptions \folder 3.35 \end{4.5} $06a-5644ac457385 \folder 3.55 \mbox{$microsoft\windows\currentversion} explorer \f$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[localizedname]}$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[local redirector \]$

Queries value:

 $\label{thm:local-prop} HKLM \software \wire sion \explorer \folder descriptions \folder 3.5 \end{4.5} $06a-5644ac457385 \folder 3.5 \end{4.5} $06a-5644ac457385 \folder 3.5 \end{4.5} $18a-5644ac457385 \folder 3.5 \end{4.5} $18a-5644ac457385 \folder 3.5 \end{4.5} $18a-5644ac457385 \folder 3.5 \folder 3.5$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[precreate]$

Oueries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[foldertypeid]

 $\label{thm:hkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{1a6fdba2-f42d-4358-a798-b74d745926c5}[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [name]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parentfolder]$

Ouerieevalue

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[security]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[streamresourcetype]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [roamable]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{thm:hkm} HKL^{M} software \ensuremath{\text{microsoft}} windows \ensuremath{\text{current}} version \ensuremath{\text{explorer}} folder descriptions \ensuremath{\text{gas20a1a4-1780-4ff6-bd18-167343c5af16}} [category]$

Queries value:

 $\label{thm:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\ \Gammaname1$$

Queries value:

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [localized name]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{\sim}} 1780-4ff6-bd18-167343c5af16} [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[stream resource type]$

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{\mbox{18-}167343c5af16}} I \solve{\mbox{18-}167343c5af16} [local redirectionly]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} a520a1a4-1780-4ff6-bd18-167343c5af16} [attributes]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[foldertypeid]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[category]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[name]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} exclusive \ensuremath{\mbox{2}} exclusive \ensuremath{\mbox{4}} ex$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} htms. \label{lem:hklmsoftware} htms. \ensuremath{\mbox{2}} htms. \label{lem:hklmsoftware} htms. \label{lem:hklms$

Queries value:

Oueries value:

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[icon]}$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[security]}$

Oueries value

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[streamresourcetype]

Queries value

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{1}} ensuremath{\mbox{2}} ensuremath{\mbox{4}} ensuremath{\mbox{4

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[publishexpandedpath]}$

Oueries value:

 $HKLM \label{lem:hklm} In the latest and the lates$

b74d-02885a5dc765}[attributes]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [initfolder \ handler]$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{substant} $$12-4b87-bfd0-4cd0dfb19b39 \cal{lem:hklm} \cal{lem:hklm} $$[description]$$$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{$12-4b87-bfd0-4cd0dfb19b39}[localized name]}} I \solve{\mbox{$12-4b87-bfd0-4cd0dfb19b39}[localized name]} \ensuremath{\mbox{$12-4b87-bfd0-4cd0dfb19b39}[localized name]} \ensuremath{\mbox{$12-4b87-bfd0-4cd0dfb19b39}[l$

Oueries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[streamresource]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \windows\current version} \ensuremath{\sc Nicrosoft \windows\current \sc Nicrosoft \ensuremath{\sc Nicrosoft \windows\current \sc Nicrosoft \sc Nicrosoft \ensuremath{\sc Nicrosoft \sc Ni$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Number \sc Number \$

Queries value:

 $\label{thm:hkm} $$HK_M \sim \text{thm} \end{tikzpicture} $$HK_M \sim \text{thm} \end{t$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[stream]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \windows \current version} \ensuremath{\sc Nicrosoft \current \current$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} \[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolder handler]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \genera$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ 49e3995ab-1f9c-4f13-b827-48b24b6c7174 \ensuremath{\mbox{local-prop}} $$ [name] $$$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \current \general \general$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \current \general \general$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ 'icon' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'expl$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [security]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \general$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresourcetype]

Oueries value:

 $\label{localized-explorer} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \general$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13b827-48b24b6c7174}[roamable]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{tikzpicture} $$ HKLM \software \mbox{$microsoft\windows\currentwersion} \software \sof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [attributes]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{\sim}} 1f9c-4f13-b827-48b24b6c7174} \[foldertypeid]$

Queries value:

Oueries value:

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{\mbox{\mbox{1}}} \ensuremath{\mbox{4}} \$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{df7266ac-9274-4867-8d55-3bd661de872d}[relative path]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [localized name]$

Queries value:

 $\label{thm:hkm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\ [icon] $$$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\mbox{1}}} \ensuremath{\mbox{4}} \ensuremath{\mbox{4}}$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\mbox{1}}} eds -9274-4867-8d55-3bd661 \ensuremath{\mbox{4}} else \ensuremath{\mbox{4}} el$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [initfolder handler]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{descriptions} \end{descriptions} \label{lem:hkklmsoftware} \mbox{\current version} \end{descriptions} \mbox{\current version} \mbox{\cu$

Queries value:

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{descriptions} $$1e2-fc7965083634 \[parent folder] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{description} $$162-fc7965083634 \[description] $$162-fc7965083634 \] $$162-fc796083634 \] $$1$

Queries value:

Oueries value:

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} HKLM \software \software \end{align* in the label} HKLM \software \soft$

Queries value:

 $\label{localized matching of the microsoft windows current version \explorer folder descriptions \end{descriptions} $$ 81e2-fc7965083634 [localized name] $$ 10calized name] $$ 10calized name $$ 10calized name$

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{descriptions} \label{lem:hkkm} $$162-fc7965083634 \security \]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \wirdows \current version \explorer \folder descriptions \end{4.824} af-dce 4-45a 8-81e2-fc 79650 83634 \footnote{1.83} \footnote{1.83$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 7965 083 634\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{descriptions} $$1e2-fc7965083634 \comable \colorer{lem:hklmsoftware} $$1e2-fc7965083634 \colorer{lem:hklmsoftware} $$1e3-fc7965083634 \colorer{lem:hklmsoftware} $$1$

Queries value:

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{0 ed4824 af-dce4-45 a8-81 e2-fc7965083634} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [publish expanded path]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}[attributes]$

Queries value

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \end{descriptions} \label{lem:hkkm} $$162-fc7965083634 \[initfolder \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

a4ce-a8e7c6ea7d27}[parsingname]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]}$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27 \footnote{The continuous co$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[streamresourcetype]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[stream]} \\$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[publishexpandedpath]

Queries value:

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{thm:hklm} HKL^{M} software \ensuremath{\mbox{\mbox{15} ca69b3-30ee-49c1-ace1-6b5ec372afb5}[name]} \\$

Queries value:

Queries value:

Queries value: KLM\software

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[security]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{15} \cite{$

Queries value:

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{thm:local-bound} $$15ca69b3-30ee-49c1-ace1-6b5ec372afb5\[roamable]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} In the label{lem:hklm} HKLM \label{lem:hklm} In the label{lem:hklm} In$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[publish expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{15} \cite{$

Oueries value

Oueries value:

 $\label{thm:local-substance} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{3214fab5-9757-4298-bb61-92a9deaa44ff}\[category\]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{3214fab5-9757-4298-bb61-92a9 \ deaa \ 44ff \ [parent folder]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} \end{substitute} $$ \bb{1-92a9deaa44ff} \[description \] $$$

Queries value:

Queries value:

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} 14 fab 5-9757-4298-bb 61-92a9 \cdot dead \cdot de$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff\} [security]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hkklm} HKLM \label{l$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff\}[roamable]$

Queries value:

Queries value:

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{3214fab5-9757-4298-bb61-92a9deaa44ff}\ [publishexpandedpath]$

Queries value:

 $\label{thm:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\color{3214fab5-9757-4298-bb61-92a9deaa44ff}\footnote{248} \end{tabular}$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{23214} fab5-9757-4298-bb61-92a9 \cite{23214} dead \cite{24214} finit \folder \cite{24214} finit \cite{24214} fab5-9757-4298-bb61-92a9 \cite{24214} dead \cite{24214} finit \cite{24214} fab5-9757-4298-bb61-92a9 \cite{24214} dead \cite{24214} d$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamma$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [description]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[relative path]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \gamma \gamma$

Queries value:

Queries value:

 $\label{localized matching of the bound of$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamma$

Oueries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{\mbox{1}} index \ensuremath{\mbox{4}} ensuremath{\mbox{4}} ensuremath{\mbo$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{picture} $$ \end{picture} $$ 1494e-b29c-65b732d3d21a \gradule \gradule$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamm$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{v}} \ensuremath{\mbox{v}} \ensuremath$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{v}} \ensuremath{\mbox{v}} \ensuremath$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[category]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \current version \explorer \folder \current version \explorer \current \cur$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228cb7-ae11-4ae3-864c-16f3910ab8fe \cite{linear_hamiltong} \cite{li$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[relative path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228cb7-ae 11-4ae 3-864c-16f 3910ab 8fe \} [infotip]$

Queries value:

 $\label{localized matching of the microsoft windows current version \explorer folder descriptions \fd 228 cb7-ae11-4ae3-864c-16f3910ab8fe \[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\[localredirectonly\]$

Queries value:

 $HKLM \label{lem:hklm} Which is the latest and the$

864c-16f3910ab8fe}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[folder type id]$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{$\mbox{}\mbox{$\mbox$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{$^{697d20bb-f46a-4c97-ba10-5e3608430854}[localized name]}} \\$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{b97d20bb-f46a-4c97-ba10-5e3608430854}} [icon]$

Queries value:

 $\label{thm:hkm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.000} fd20bb-f46a-4c97-ba10-5e3608430854\}[security] \end{tabular}$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[streamresource]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\mathbb{Q} bard 20bb-f46a-4c97-ba10-5e3608430854} [stream resource type]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \begin{tabular}{l} b97d20bb-f46a-4c97-ba10-5e3608430854 \end{tabular} \label{local-equation} \end{tabular}$

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{N}}} In oamable] $$HKLM \software \ensuremath{\mbox{N}} in oamable \ensuremath{\mbox{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{100} \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{b97d20bb-f46a-4c97-ba10-5e3608430854} \ [publish expanded path]$

Queries value

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \footnote{1}{b97d20bb-f46a-4c97-ba10-5e3608430854} [attributes]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{$microsoft\windows\currentversion} \end{\subseteq} \end{\subsete} \begin{subsetem} \begin$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\earself{lem:hklmsoftware} \end{subarray} $$ 1625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\[infotip] $$$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$

Oueries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource]$

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Oueries value:

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{M}\mbox{M}\mbox{$Currentversion}$} \ensuremath{\mbox{V}\mbox{W}\mbox{M}\mbox{$M$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \cite{MKLM} \end{substitute} \noindent \noindent$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \ensuremath{\mbox{\mbox{M}\mbox{$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\dd20beec4-5ca8-4905-ae3b-bf251ea09b53\grelativepath\dd1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{M}\mbox{$

Queries value:

 $\label{localized matter} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \flocalized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{M}\mbox{$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} [stream resource type]$

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirectonly]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-490 5-ae 3b-bf 251 ea 09 b 53\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \footnote{1}{stream} \footnote{1}{stream$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \[publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \footnote{ae3b-bf251ea09b53} \footnote{ae3$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \[initfolder \handler]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef de92c1c7-837f-4f69-a3bb-86e631204a23\end{2} [parentfolder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef deg2c1c7-837f-4f69-a3bb-86e631204a23\end{2} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Ad3} \cite{Ad3}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \eqref{de$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [roamable]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} [initfolder handler]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \label{local-soft-windows} Local Lo$

b850-448b77cb37f9}[name]

Queries value:

 $HKLM \ software \ `microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[description]

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [infotip]$

Oueries value:

Queries value:

 $\label{local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[security]$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[local redirectonly]$

Queries value:

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot ef 91-4567-b850-448b77cb37f9 \cdot for a condition \cdot for$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{10c07$cd0-ef91-4567-b850-448b77$cb37f9}[stream]} \\$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{10c07$cd0-ef91-4567-b850-448b77$cb37f9}[attributes]} \\$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{10c07$cd0-ef91-4567-b850-448b77$cb37f9}[foldertypeid]} \\$

Queries value:

 $\label{thm:local-condition} HKLM \software \ensuremath{\mbox{\mbox{10c07$cd0-ef91-4567-b850-448b77$cb37f9}[initfolderhandler]} \\$

Queries value: KLM\software

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fidd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{MKLM} \cite{MKLM} \cite{MKLM} \end{tikzpicture} Add \cite{MKLM} \cite{MKLM}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relative path]$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[icon]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[streamresource]$

adb4-6c85480369c7}[streamresourcetype]

Oueries value:

adb4-6c85480369c7}[localredirectonly]

adb4-6c85480369c7}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[precreate]

adb4-6c85480369c7}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[publishexpandedpath]

 $HKLM \ software \ microsoft \ windows \ current version \ (fdd 39 ad 0-238 f-46 af-46 af$ adb4-6c85480369c7}[attributes]

Oueries value:

adb4-6c85480369c7}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (fdd 39 ad 0-238 f-46 af-46 af$ adb4-6c85480369c7}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell

Oueries value: folders[personal]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[category]

Oueries value:

bedd-7aa20b227a9d}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c1bae2d0-10df-4334-10df-4$ bedd-7aa20b227a9d}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-43344-10df-4334-10df-4334-10df-43344-10df-4334-10df-4334-10df-4344-10df-4344-10df-4344-10df-4344$ bedd-7aa20b227a9d}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[icon1

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c1bae2d0-10df-4334-10df-4$ bedd-7aa20b227a9d}[security]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[streamresource]

Oueries value:

 $HKLM \setminus software \setminus irrest version \setminus explorer \setminus folder descriptions \setminus \{c1bae2d0-10df-4334-10df-4344-10df-4$ bedd-7aa20b227a9d}[streamresourcetype]

bedd-7aa20b227a9d}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[roamable]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334 $bedd-7aa20b227a9d\} [publish expanded path]\\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-43344-10df-4334-10df-4334-10df-43344-10df-4334-10df-4334-10df-4344-10df-4344-10df-4344-10df-4344$ bedd-7aa20b227a9d}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c1bae2d0-10df-4334-10df-4$ bedd-7aa20b227a9d}[foldertypeid]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-43344-10df-4334-10df-4334-10df-43344-10df-4334-10df-4334-10df-4344-10df-4344-10df-4344-10df-4344$

bedd-7aa20b227a9d}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{190337d1-b8ca-4121-a639-6d472d16972a} \cite{190337d1-b8ca-4121-a639-6d472d16972a} \cite{190337d1-b8ca-6d472d16972a} \cite{190337d1-b8ca-6d472d16972a} \cite{190337d1-b8ca-6d472d16972a} \cite{190337d1-b8ca-6d472d16972a} \cite$

Oueries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\mbox{\mbox{$190337d1-b8ca-4121-a639-6d472d16972a}[security]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource type]$

Queries value:

Queries value:

 $\label{thm:local-decomposition} HKLM \software \ensuremath{\mbox{\mbox{$190337d1-b8ca-4121-a639-6d472d16972a}[roamable]} \\$

Queries value:

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[stream]}$

Queries value:

Queries value:

 $HKLM software \mbox{$$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [init folder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{$148-0f4247291cfa}_{category]}} \ensuremath{\mbox{$148-0f4247291cfa}_{category]} \ensuremath{\mbox{$148-0f4247291cfa}_{categ$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[parent folder]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[relativepath]}$

Oueries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footing 148-0f4247291cfa \footing$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[localizedname]$

Queries value:

 $HKLM is of twe remirros of twindows \current version \explorer folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [icon]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{$148-0f4247291cfa}_{[streamresource]}} \ensuremath{\mbox{$454eed2e0-e7ca-4fdb-9148-0f4247291cfa}_{[streamresource]} \ensuremath{\mbox{$454eed2e0-e7ca-4fdb-9148-0f4247$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource type]$

Oueries value:

Ouesiee value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [category]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [description]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{windows\currentversion}} $$$ \ensuremath{\mbox{win$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [icon]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [security]$

Queries value:

 $\label{thm:local-prop} HKL^M\software\wiresoft\windows\currentversion\explorer\folderdescriptions\foldedgriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescr$

Queries value:

 $\label{thm:hklm} HKL^{M} software \mbox{$\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{windows\currentversion}} \ensuremath{\mbox{ver}} \ensuremath{\mbox$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[attributes]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[folder typeid]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd7} a ee 2-2219-4a67-b85d-6c9ce15660cb \colored{cetegory} \]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'folder \ 'explorer' \ 'folder \ 'fold$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[description]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\$ [infotip]

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.5cd7} aee2-2219-4a67-b85d-6c9ce15660cb\footnote{1.5cd7} [localized name]$

Oueries value:

 $HKLM \label{linear_higher_higher_higher_higher} HKLM \label{linear_higher_higher_higher} HKLM \label{linear_higher_high$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd7} a ee 2-2219-4a67-b85d-6c9ce15660cb \[security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresource]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd} \footnote{1.5cd}$

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{\mbox{1.5 cd7aee2-2219-4a67-b85d-6c9ce15660cb}} [local redirectonly]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd7} a ee 2-2219-4a67-b85d-6c9ce15660cb \footnote{1.5cd7} [stream]$

Queries value:

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \lab$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder handler]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\currentversion}\explorer \folder descriptions \folder \fo$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{thm:local-bound} HKLM \software \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gam$

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \fill \fill \folder \gamma \fill \fill \gamma \$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localized name]$

Oueries value:

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[security]

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource type]$

Oueries value:

 $\label{thm:localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{thm:local-bound} HKLM \software \ensuremath{\mbox{\mbox{1}} 151-b08c6c32d1f7} [foldertypeid]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[category]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}\[icon]$$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{\sim}} a63293e8-664e-48db-a079-df759e0509f7} [streamresourcetype]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a63293e8-664e-48db-a079-df759e0509f7 \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}[initfolder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5ce4a5e9-e4eb-479d-b89f-130c02886155} \cite{1}{category} \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c02886155\} \ [parent folder]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1} \footnote{$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\}[relative path]$

Oueries value:

Oueries value

 $\label{thm:hkm} \begin{tabular}{l} HK\dot{M} software \end{tabular} in the constraint of the constraint$

Queries value:

 $\label{localized-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5} \end{4} 569-e4eb-479d-b89f-130c02886155 \cite{1}{5} \cite{1}{5$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e 9-e 4eb-479d-b 89 f-130 co 28 86 155\} [icon]$

Oueries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5ce4a5e9-e4eb-479d-b89f-130c02886155} [security]$

Queries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} If the label{lem:hklm} If the label{lem:hklm} HKLM \label{lem:hklm} So the label{lem:hklm} HKLM \label{lem:hkklm} So the label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} So the label{lem:hkklm} HKLM \label{lkklm} So the label{lkklm} HKLM \label{lkklm} So the label{lkklm} So the label{lkklm} HKLM \label{lkklm} So the label{lkklm} HKLM \label{lkklm} So the label{lkklm} So the label{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5ce4a5e9-e4eb-479d-b89f-130c02886155} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'foce 4a 5e 9-e 4e b-479 d-b 89 f-130 c 028 86 155 \ 'forecreate' \ label{fig:basic_forecreate}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{5}ce4a5e9-e4eb-479d-b89f-130c02886155\footnote{1}{5}[stream]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5} \end{2} e4eb-479d-b89f-130c02886155 \cite{1}{5} \cite{1}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5} \end{4} 59-e4eb-479d-b89f-130c02886155 \end{4} [attributes]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [folder type id]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{5} \end{4} \\ b89f-130c02886155 \cite{1}{5} \mbox{[initfolder handler]}$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \end{thm:local-conditions} \en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \label{lem:hklm} Which is a full minimum of the microsoft windows \verb|\currentversion| explorer \folder descriptions \footnote{the microsoft windows \currentversion|} and the microsoft \footnote{the microsoft \currentversion|} and the microsoft \currentversion| explorer \footnote{the microsoft \currentversion|} and the microsoft \currentversion| explorer \currentversion| exp$

a014-d097ee346d63}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gray \end{4.5c-a014-d097ee346d63} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1.00} \cite{1.00} \cite$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{100} \explorer \folder \footnote{100} \footnote{100} \explorer \footnote{100} \f$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \end{thm:local-conditions} \en$

Oueries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{thm:local-condition} HKLM \software \end{tabular} in on \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} in one \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} in one \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} \end{tabular} \begin{tabular}{l} HKLM \software \end{tabular} \begin{tabular}{l} HKLM \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[foldertypeid]

Queries value:

Queries value:

 $\label{thm:local-bound} HKLM \software \windows \current version \explorer \folder descriptions \footnote{10} \f$

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} Significant \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{lem:hkklm} HKLM \label{lem:hkklm} Significant \label{l$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$75a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[relativepath]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footing and \current version \explorer \folder descriptions \footing \fo$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[icon]$

Queries value:

 $\label{thm:local-prop} HKLM \software \wire on \explorer \folder descriptions \gray \folder descriptions \gray \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource type]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{10} \end{4} a - coff 2e0b9 fa8e \cite{10} \cite{$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{10} \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[stream]

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \footnote{10} and \current \end{10} and \current \footnote{10} and \current \footno$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[category]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$143668bf8-c14e-49b2-97c9-747784d784b7} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \end{align* in the label} Hklm \soft$

Queries value:

 $\label{thm:hkm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}\ localized name\ label{thm:hkm}$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \wirdows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{thm:local_ham} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ 43668bf8-c14e-49b2-97c9-747784d784b7 \ensuremath{\mbox{local_redirectonly}} $$$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [precreate]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$143668bf8-c14e-49b2-97c9-747784d784b7} [publish expanded path]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 43668bf8-c14e-49b2-97c9-747784d784b7\end{figure} folderdescriptions \equiv folderdescriptions \eq$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[foldertypeid]

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{windows\currentversion}} $$ 43668bf8-c14e-49b2-97c9-747784d784b7\[initfolderhandler] $$$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\gam$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[description]

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \gamma \footnote{100} \end{40} $$ 15221fb-9efe-4bda-8fd7-f78dca774f87 \gamma \gamma$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [localized name]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\gam$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[security]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \g$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\g$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [local redirection \]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Oueries value

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\g$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

Oueries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[attributes]}$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parent folder 1]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \footnote{\colored-43b0-b5b4-2d72e54eaaa4} \cal{lem:hklmsoftware} \cal{le$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{hkkkm} \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [relative path]$

Queries value: KLM\software

Queries value

 $HKLM\software\mbox{\tt hkLM}\software\mbox{\tt hkLM}\software\mbox{\tt$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [icon]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [stream resource]$

Queries value:

Queries value:

 $\label{localized-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} \cline{2.000} \cline{2.0000} \cline{2.0000} \cline{2.0000} \cline{2.0000} \cline{2.0000} \cline{2.0000} \cline{2.$

Queries value:

 $HKLM \label{lem:hklm} Which is the label of the label o$

```
b5b4-2d72e54eaaa4}[roamable]
      Queries value:
b5b4-2d72e54eaaa4}[precreate]
      Oueries value:
 b5b4-2d72e54eaaa4}[stream]
      Queries value:
b5b4-2d72e54eaaa4}[publishexpandedpath]
      Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd
b5b4-2d72e54eaaa4}[attributes]
      Queries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{4c5c32ff-bb9d-43b0-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{4c5c32ff-bb9d-43b0-microsoft \setminus microsoft \setminus micr
b5b4-2d72e54eaaa4}[foldertypeid]
      Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd-d14bd
b5b4-2d72e54eaaa4}[initfolderhandler]
                                                                              HKCU\software\microsoft\windows\currentversion\explorer\user shell
      Queries value:
 folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
      Oueries value:
11e3-b3bc-806e6f6e6963}[data]
 HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints 2 \setminus cpc \setminus volume \setminus \{69d250e4-6c18-explorer\}
 11e3-b3bc-806e6f6e6963}[generation]
                                                                              HKLM\system\currentcontrolset\control\cmf\config[system]
      Oueries value:
      Queries value:
                                                                              HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
      Queries value:
                                                                              HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
      Queries value:
                                                                              HKLM\software\microsoft\windows\currentversion[devicepath]
      Queries value:
                                                                              HKLM\software\microsoft\rpc[maxrpcsize]
      Oueries value:
HKLM \verb|\system| current control \verb|\computername| active computername| [computername]|
      Queries value:
                                                                              HKLM\system\setup[oobeinprogress]
      Queries value:
                                                                              HKLM\system\setup[systemsetupinprogress]
      Queries value:
                                                                              HKLM\software\microsoft\sqmclient\windows[ceipenable]
      Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-
 11e3-b3bc-806e6f6e6963}[data]
      Queries value:
11e3-b3bc-806e6f6e6963}[generation]
     Queries value:
 HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
      Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ []
      Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ (dffacdc5-microsoft) \ delegate folders
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
      Queries value:
 c5c76bc0b67f}\shellfolder[attributes]
      Queries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[callforattributes]
      Oueries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[restrictedattributes]
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
      Oueries value:
 c5c76bc0b67f}\shellfolder[wantsfordisplay]
      Queries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[hidefolderverbs]
      Oueries value:
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[usedrophandler]
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
      Oueries value:
 c5c76bc0b67f}\shellfolder[wantsforparsing]
      Queries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
      Queries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[queryforoverlay]
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
     Oueries value:
 c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
      Queries value:
 c5c76bc0b67f}\shellfolder[queryforinfotip]
      Queries value:
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
      Oueries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[hideondesktopperuser]
      Queries value:
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                                                                             HKCR\clsid\{dffacdc5-679f-4156-8947-
      Queries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
      Oueries value:
 c5c76bc0b67f}\shellfolder[nofilefolderjunction]
      Oueries value:
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
 c5c76bc0b67f}\shellfolder[pintonamespacetree]
      Queries value:
                                                                              HKCR\clsid\{dffacdc5-679f-4156-8947-
\verb|c5c76bc0b67f| \verb|\shellfolder[hasnavigationenum]| \\
```

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-

```
c5c76bc0b67f}]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
  Queries value:
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
  Queries value:
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[threadingmodel]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
  Oueries value:
  Queries value:
                                     \label{lem:hkcrclsid} $$ HKCR\clsid_{0e5aae11-a475-4c5b-ab00-c66de400274e} \in \clsid_{0e5aae11-a475-4c5b-ab00-c66de400274e} $$ inprocessor of the context o
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
  Oueries value:
  Oueries value:
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[threadingmodel]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]
  Oueries value:
                                     HKCR\exefile[nostaticdefaultverb]
  Queries value:
                                     HKCR\exefile\shell[1
  Queries value:
                                     HKCR\exefile\shell\open[neverdefault]
  Queries value:
                                     HKCR\exefile\shell\open\command[delegateexecute]
  Queries value:
                                     HKCR\.asp[]
  Queries value:
                                     HKCR\.bas[]
                                     HKCR\.bat[]
  Oueries value:
                                     HKCR\.cer[]
  Oueries value:
  Queries value:
                                     HKCR\.chm[]
  Queries value:
                                     HKCR\.cmd[]
  Queries value:
                                     HKCR\.com[]
                                     HKCR\.cpl[]
  Queries value:
  Oueries value:
                                     HKCR\.crt[]
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
  Queries value:
  Oueries value:
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[inprocserver32]
  Oueries value:
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32[]
                                     HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
  Queries value:
00c04fb6bfc4}\inprocserver32[threadingmodel]
  Queries value:
                                    HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
  Oueries value:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security hklm only]
                                    HKLM\software\microsoft\internet
  Oueries value:
\verb|explorer| main\featurecontrol\feature_unc_savedfilecheck[0fe92a59448dcd7b0d7f239c237a351e.exe]|
  Queries value:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
  Oueries value:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[createuricachesize]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                     Oueries value:
settings[enablepunycode]
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[enablepunycode]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                     HKLM\software\microsoft\internet
  Queries value:
explorer \verb|\main| featurecontrol| feature_http_username_password_disable[0fe92a59448dcd7b0d7f239c237a351e.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                                     HKLM\software\policies\microsoft\internet
  Queries value:
explorer\security[disablesecuritysettingscheck]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\1[flags]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
```

```
Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
                          HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[0fe92a59448dcd7b0d7f239c237a351e.exe]
 Oueries value:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                          HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[0fe92a59448dcd7b0d7f239c237a351e.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Oueries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[specialfolderscachesize]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[cookies]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_protocol_lockdown[0fe92a59448dcd7b0d7f239c237a351e.exe]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[*]
  Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
 Queries value:
                          HKCR\exefile\shell\open\command[command]
  Queries value:
                          HKCR\exefile\shell\open\command[]
                          HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
  Queries value:
  Oueries value:
                          HKCR\exefile\shell\open[noworkingdirectory]
 Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]
  Queries value:
                          HKLM\software\microsoft\windows
nt\current version\app compatflags\layers[c:\users\admin\app data\local\temp\trojan.exe]
                          HKLM\software\microsoft\windows nt\currentversion\image file execution
 Oueries value:
options[disablelocaloverride]
  Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\compatibility32[trojan]
                          HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]
  Queries value:
                          HKLM\software\microsoft\ole[defaultaccesspermission]
  Queries value:
                          {\tt HKLM \ } system \verb|\ current control \ \\ lsa[every one includes an ony mous]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[type]
  Queries value:
                          HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[image path]
                          HKLM\system\currentcontrolset\control\session
 Queries value:
manager[safeprocesssearchmode]
  Queries value:
                          Queries value:
                          HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
  Queries value:
                          HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
  Oueries value:
HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
                          HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
  Oueries value:
                          {\tt HKLM \backslash software \backslash microsoft \backslash cryptography [machineguid]}
 Queries value:
 Queries value:
                          HKLM\software\microsoft\rpc\extensions[ndroleextdll]
  Queries value:
                          {\tt HKLM \setminus software \setminus \dot{m} crosoft \setminus \dot{r} pc \setminus extensions [remoterpcdll]}
  Oueries value:
                          HKLM\software\microsoft\sqmclient\windows\disabledprocesses[73c9b0b4]
 Queries value:
 Oueries value:
HKLM \setminus software \setminus microsoft \setminus sqmclient \setminus windows \setminus disableds essions [machine throttling]
  Queries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
 Queries value:
HKCU\software\microsoft\windows\currentversion\run[5cd8f17f4086744065eb0992a09e05a2]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\run[5cd8f17f4086744065eb0992a09e05a2]
  Oueries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[startup]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\compatibility32[netsh]
 Queries value:
                          HKLM\system\currentcontrolset\control\wmi\security[5a24fcdb-1cf3-477b-
b422-ef4909d512231
  Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion[currentbuildnumber]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip6 \setminus parameters [disabled components]
                          HKLM\system\currentcontrolset\control\wmi\security[5855625e-4bd7-4b85-
 Queries value:
b3a7-9307bab0b8131
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Oueries value:
\label{lem:hklm} \begin{tabular}{ll} HKLM \end{tabular} winsock 2 \end{tabular} a meters [namespace\_callout] \end{tabular}
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
```

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
- Queries value:
- Oueries value:
- Queries value:
- Queries value:
- Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000006 \ [packed catalog item]$ Queries value:
- Oueries value:
- Queries value:
- Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000012 \ [packed catalog item]$ Oueries value:
- Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000014 \ [packed catalog item]$ Queries value:
- Oueries value:
- Queries value:
- Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\000000000018[packedcatalogitem] Oueries value:
- Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
- Oueries value:
- $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 000000000001 \ [displaystring]$ Queries value:
- Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[addressfamily] Queries value:
- Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled] Oueries value:
- Oueries value:
- $HKLM \ system \ \ current control set \ services \ \ winsock 2 \ parameters \ \ namespace_catalog5 \ \ catalog_entries \ \ \ 000000000001[storesserviceclassinfo]$ Queries value:
- $HKLM \ system \ \ current control set \ services \ \ winsock 2 \ parameters \ \ \ catalog \ \ catalog \ \ entries \ \ \ 000000000001 \ [providerinfo]$ Oueries value:
- Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 0000000000002 \ [displaystring]$ Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog5 \ catalog_entries \ 0000000000002 \ [providerid]$ Queries value:
- $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 0000000000002 \ [address family]$ Oueries value:
- Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\000000000002[enabled] Queries value:
- Oueries value:
- Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 00000000000002 \ [providerinfo]$ Queries value:
- Oueries value:
- Oueries value:
- Queries value:
- Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled] Queries value:

Oueries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 1000000000003 \ [storesserviceclassinfo]$ Queries value:

Queries value:

Oueries value:

 $HKLM \ system \ current control set \ services \ win sock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 00000000000004 \ [providerid]$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily] Oueries value:

Queries value:

 $HKLM \ system \ current controls et \ services \ \ winsock 2 \ parameters \ \ namespace_catalog 5 \ \ catalog_entries \ \ \ \ 00000000000004 \ [enabled]$ Queries value:

Oueries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 0000000000004 \ [providerinfo]$ Oueries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring] Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_entries\000000000005[addressfamily] Queries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_entries\000000000005[enabled] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[version] Queries value:

Oueries value:

Queries value:

 $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 000000000006 \ [displaystring]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerid] Queries value:

 $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog \ entries \ 0000000000006 \ [address family]$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[supportednamespace] Oueries value:

Oueries value:

Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32spincount]

Queries value: HKLM\system\currentcontrolset\control\wmi\security[28c9f48f-d244-45a8-

842f-dc9fbc9b6e941

Oueries value: HKLM\system\currentcontrolset\control\wmi\security[94335eb3-79ea-44d5-

8ea9-306f49b3a0411

Oueries value: HKLM\system\currentcontrolset\control\wmi\security[935f4ae6-845d-41c6-

97fa-380dad429b72] Queries value:

HKLM\system\setup[upgrade] Queries value: HKLM\system\currentcontrolset\control\wmi\security[5f31090b-d990-4e91-

b16d-46121d0255aa] Oueries value:

HKLM\system\currentcontrolset\control\wmi\security[5b23f342-8421-42ef-

87eb-3b686f5a1b2a1

HKLM\system\currentcontrolset\control\wmi\security[253f4cd1-9475-4642-Queries value:

88e0-6790d7a86cde] Queries value:

HKLM\system\currentcontrolset\control\wmi\security[7076bf7a-db99-4a63-

8afe-0bb2ab92997a1

Oueries value: HKLM\system\currentcontrolset\control\wmi\security[ab0d8ef9-866d-4d39-

b83f-453f3b8f63251

Queries value:

Oueries value: HKLM\svstem\currentcontrolset\control\wmi\securitv[7288c9f8-d63c-4932a345-89d6b060174d1

Queries value: HKLM\system\currentcontrolset\control\wmi\security[94335eb3-79ea-44d5-

```
8ea9-306f49b3a070]
 Queries value:
                          HKLM\system\currentcontrolset\control\wmi\security[e4ff10d8-8a88-4fc6-
82c8-8c23e9462fe5]
                          HKLM\svstem\currentcontrolset\control\samservicelist[samservicelist]
 Oueries value:
 Oueries value:
                          95bc-354477c97a6f1
  Queries value:
                          HKLM\system\currentcontrolset\control\wmi\security[2e16b12a-b093-468a-
86fa-f002e013b6a6]
 Queries value:
HKLM\system\currentcontrolset\services\iphlpsyc\config[connectivity platform enabled]
 Oueries value:
                          HKLM\system\currentcontrolset\control\wmi\security[710adbf0-ce88-40b4-
a50d-231ada6593f0]
                          \label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} icrosoft \begin{tabular}{ll} cryptography \end{tabular} defaults \end{tabular} icrosoft \begin{tabular}{ll} base \end{tabular}
 Oueries value:
cryptographic provider v1.0[type]
 Queries value:
                          HKLM \verb|\software\microsoft\cryptography\defaults\provider\microsoft\ base
dss and diffie-hellman cryptographic provider[type]
                          {\tt HKLM \ } software \verb|\ microsoft \ base \\
 Oueries value:
dss cryptographic provider[type]
                          HKLM\software\microsoft\cryptography\defaults\provider\microsoft base
 Queries value:
smart card crypto provider[type]
                         HKLM\software\microsoft\cryptography\defaults\provider\microsoft dh
 Queries value:
schannel cryptographic provider[type]
 Queries value:
                          HKLM\software\microsoft\cryptography\defaults\provider\microsoft
enhanced cryptographic provider v1.0[type]
 Queries value:
                          enhanced dss and diffie-hellman cryptographic provider[type]
                          \label{thm:local_hammon_hammon} HKLM \software \microsoft \cryptography \defaults \provider \microsoft
 Oueries value:
enhanced rsa and aes cryptographic provider[type]
 Oueries value:
                          HKLM\software\microsoft\cryptography\defaults\provider\microsoft rsa
schannel cryptographic provider[type]
 Queries value:
                          HKLM\software\microsoft\cryptography\oid\encodingtype
0\cryptdllfindoidinfo\1.3.6.1.4.1.311.44.3.4!7[name]
 Oueries value:
HKLM\system\currentcontrolset\control\mui\stringcachesettings[stringcachegeneration]
 Queries value:
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\p2pcollab.dll,-8042]
 Queries value:
                          HKLM\software\microsoft\cryptography\oid\encodingtype
0\cryptdllfindoidinfo\1.3.6.1.4.1.311.47.1.1!7[name]
                          HKCU\software\classes\local
 Oueries value:
settings\muicache\27\52c64b7e[@%systemroot%\system32\qagentrt.dll,-10]
 Queries value:
                          {\tt HKLM \setminus software \setminus microsoft \setminus cryptography \setminus oid \setminus encoding type}
O\cryptdllfindoidinfo\1.3.6.1.4.1.311.64.1.1!7[name]
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\dnsapi.dll,-103]
                          HKLM\software\microsoft\cryptography\oid\encodingtype
 Oueries value:
0\cryptdllfindoidinfo\1.3.6.1.4.1.311.67.1.1!7[name]
 Queries value:
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\fveui.dll,-843]
 Oueries value:
                          HKLM\software\microsoft\cryptography\oid\encodingtype
0\cryptdllfindoidinfo\1.3.6.1.4.1.311.67.1.2!7[name]
                          HKCU\software\classes\local
 Queries value:
settings \verb|\muicache| 27\52c64b7e [@%systemroot%\system32\fveui.dll,-844]|
  Queries value:
                          HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}[]
  Queries value:
                          HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-
28ecbd96ba8c}\inprocserver32[inprocserver32]
                          HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-28ecbd96ba8c}\inprocserver32[]
  Oueries value:
 Oueries value:
                          HKCR\clsid\{ea4a0a43-1c8f-4c7b-a4b1-
28ecbd96ba8c}\inprocserver32[threadingmodel]
 Queries value:
                          HKLM\system\currentcontrolset\services\napagent\localconfig[enable
tracing]
 Oueries value:
                          HKLM\system\currentcontrolset\services\napagent\localconfig[tracing
level]
                          HKCR\clsid\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}[]
  Oueries value:
 Oueries value:
                          HKCR\clsid\{eb082ba1-df8a-46be-82f3-
35bf9e9be52f}\inprocserver32[inprocserver32]
                          HKCR\clsid\{eb082ba1-df8a-46be-82f3-35bf9e9be52f}\inprocserver32[]
  Queries value:
 Queries value:
                          HKCR\clsid\{eb082ba1-df8a-46be-82f3-
35bf9e9be52f}\inprocserver32[threadingmodel]
 Oueries value:
                          HKLM\system\currentcontrolset\services\napagent\qecs\79617[friendly
name1
 Queries value:
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-100]
 Queries value:
                          HKLM\system\currentcontrolset\services\napagent\qecs\79617[description]
 Queries value:
                          HKCU\software\classes\local
settings \verb|\muicache| 27\\ 52c64b7e [@%systemroot%\\ system32\\ dhcpqec.dll, -101]
                          HKLM \verb|\system| current controlset \verb|\services| napagent \verb|\qecs|| 79617 [version] \\
  Oueries value:
  Oueries value:
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-103]
 Queries value:
                          HKLM\system\currentcontrolset\services\napagent\qecs\79617[enabled]
                          HKLM\system\currentcontrolset\services\napagent\qecs\79617[vendor name]
  Queries value:
 Oueries value:
                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-102]
 Oueries value:
```

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79617[info clsid]
Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79617[config clsid]
Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79617[validator
clsid]
Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79617[registration
date]

type]

Oueries value:

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[friendly

name1

settings\muicache\27\52c64b7e[@%systemroot%\system32\napipsec.dll,-1]

HKCU\software\classes\local

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[description]

Queries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\napipsec.dll,-2]

Oueries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[version]

Oueries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\napipsec.dll,-4]

HKLM\system\currentcontrolset\services\napagent\qecs\79619[enabled] Oueries value: Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[vendor name]

Queries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\napipsec.dll,-3]

HKLM\system\currentcontrolset\services\napagent\qecs\79619[info clsid] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[config clsid] Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[validator

clsid]

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79619[registration

date1

Queries value:

type]

Queries value:

name]

Oueries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-100]

Oueries value: HKLM\system\currentcontrolset\services\napagent\qecs\79621[description]

Queries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-101]

HKLM\system\currentcontrolset\services\napagent\qecs\79621[version] Oueries value:

Oueries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-102]

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79621[enabled] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus napagent \setminus qecs \setminus 79621 [vendor name]$

Queries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-103]

HKLM\system\currentcontrolset\services\napagent\qecs\79621[info clsid] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\napagent\qecs\79621[config clsid] Queries value: $HKLM \ system \ current controls et \ services \ napagent \ qecs \ 79621 \ [validator of the control of the c$ clsid]

Queries value: date]

Oueries value:

HKLM\system\currentcontrolset\services\napagent\qecs\79621[component type]

Queries value:

 $HKLM \ system \ current control set \ services \ napagent \ qecs \ 79623 [friendly] \ and \ system \$ name]

Oueries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-100]

HKLM\system\currentcontrolset\services\napagent\qecs\79623[description] Queries value:

Oueries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-101]

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79623[version]

HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\eapgec.dll,-102]

Oueries value: HKLM\system\currentcontrolset\services\napagent\qecs\79623[enabled] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus napagent \setminus qecs \setminus 79623 [vendor name]$

Queries value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-103]

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79623[config clsid] Oueries value: clsid1

Queries value:

date]

Queries value: HKLM\system\currentcontrolset\services\napagent\qecs\79623[component

type] Oueries value:

 ${\tt HKLM} \verb|\system| current controlset| services \verb|\napagent| local config[plumbipsec policy]|$

Oueries value: HKLM\software\microsoft\sqmclient\windows\disabledprocesses[f6c4ec9a]

HKLM\system\currentcontrolset\control\nettrace[debugflags] Queries value:

Queries value: HKLM\software\microsoft\windows

nt\currentversion\winlogon[userenvdebuglevel]

HKLM\software\policies\microsoft\windows\system[gpsvcdebuglevel] Oueries value:

 ${\tt HKLM \backslash software \backslash microsoft \backslash windows}$ Oueries value:

nt\currentversion\peerdist\service[enable]

HKLM\software\microsoft\windows Queries value:

nt\currentversion\peerdist\service[policyrefreshinprogress] Queries value: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager[transportdllpath]

Oueries value: HKLM\software\microsoft\windows nt\currentversion\peerdist\downloadmanager[cryptoalgo] HKLM\software\microsoft\windows

nt\currentversion\peerdist\securitymanager[blocksize]

Oueries value: HKLM\software\microsoft\windows

nt\currentversion\peerdist\securitymanager[numblockspersegment]

Oueries value: HKLM\software\microsoft\windows

```
Oueries value:
                                                  HKLM\software\microsoft\windows
nt\currentversion\peerdist\hostedcache[serverrole]
   Oueries value:
                                                  HKLM\software\microsoft\windows
nt\currentversion\peerdist\hostedcache[clientauth]
                                                  HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\peerdist\hostedcache[transportdllpath]
                                                  HKLM\software\microsoft\windows
   Queries value:
\verb|nt\currentversion\peerdist\hosted cache[maxsimultaneous downloads]|\\
                                                  HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\peerdist\hostedcache[maxsimultaneousuploads]
                                                  HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\peerdist\hostedcache[maxpendingoffers]
   Queries value:
                                                  HKLM\software\microsoft\windows
nt\currentversion\peerdist\hostedcache[maxpendingdownloads]
   Oueries value:
                                                  HKLM\software\microsoft\windows
nt\currentversion\peerdist\hostedcache[donotusessl]
                                                  HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\peerdist\discoverymanager[repubquorumsize]
                                                  HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\peerdist\discoverymanager[minbackoffwindow]
   Oueries value:
                                                  HKLM\software\microsoft\windows
nt\currentversion\peerdist\discoverymanager[discoveryproviderdllpath]
                                                  HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\peerdist\roaming[forceroamingdetect]
                                                 HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\peerdist\roaming[refreshdllname]
                                                  HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\peerdist\roaming[refreshprocname]
   Queries value:
                                                  HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\progid[]
                                                  HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}[]
   Queries value:
   Oueries value:
                                                  HKCR\clsid\{304ce942-6e39-40d8-943a-
b913c40c9cd4}\inprocserver32[inprocserver32]
                                                  HKCR\clsid\{304ce942-6e39-40d8-943a-b913c40c9cd4}\inprocserver32[]
   Oueries value:
   Queries value:
                                                  HKCR\clsid\{304ce942-6e39-40d8-943a-
b913c40c9cd4}\inprocserver32[threadingmodel]
   Queries value:
                                                  HKLM\software\microsoft\rpc\securityservice[defaultauthlevel]
   Queries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 159a66b8 \ 424bd4d8 \ 8e[displayname]
   Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 159a66b8 \ 424bd4d8 \ 8e[configmask]
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\159a66b8\424bd4d8\8e[configstring]
   Queries value:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\159a66b8\424bd4d8\8e[mvid]
   Queries value:
HKLM \label{lem:hklm} Software \\ \mbox{microsoft} \\ \mbox{fusion} \\ \mbox{native} \\ \mbox{magesindex} \\ \mbox{v2.0.50727\_32} \\ \mbox{ni} \\ \mbox{159a66b8} \\ \mbox{424bd4d8} \\ \mbox{8e[evalationdata]} \\ \mbox{microsoft} \\
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\159a66b8\424bd4d8\8e[status]
   Queries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 159a66b8 \ 424bd4d8 \ 8e[ildependencies]
   Queries value:
HKLM \label{lem:hklm} Software \mbox{\sc hierarchicles} 1.50727\_32 \mbox{\sc hierarchicles} 1.50727\_
HKLM \setminus software \setminus microsoft \setminus fusion \setminus mative images index \setminus v2.0.50727\_32 \setminus i159a66b8 \setminus 424bd4d8 \setminus 8e[missing dependencies]
   Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 6faf58 \ 19ab8d57 \ 8d[displayname]
   Queries value:
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\6faf58\19ab8d57\8d[configmask]
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 6faf58 \ 19ab8d57 \ 8d[configstring]
   Queries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 6faf58 \ 19ab8d57 \ 8d[mvid]
   Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 6faf58 \ 19ab8d57 \ 8d[evalation data]
HKLM\software\microsoft\fusion\nativeimagesindex\v2.0.50727_32\ni\6faf58\19ab8d57\8d[status]
   Queries value:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus 2.0.50727\_32 \setminus 1 \setminus 6 faf58 \setminus 19 ab8d57 \setminus 8d[ildependencies]
   Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ ni \ 6faf58 \ 19ab8d57 \ 8d[nidependencies]
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus ni \setminus 6faf58 \setminus 19ab8d57 \setminus 8d[missing dependencies]
   Queries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ il\ 75638 fee\ 7566 cac\ 8b[displayname]
   Oueries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ il\ 75638 fee \ 7566 cac\ 8b[status]
   Queries value:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus native images index \setminus v2.0.50727\_32 \setminus i1 \setminus 75638 fee \setminus 7566 cac \setminus 8b [modules]
   Queries value:
HKLM \ software \ microsoft \ fusion \ native images index \ v2.0.50727\_32 \ il\ 75638 fee\ 7566 cac\ 8b[sig]
   Oueries value:
Queries value:
HKLM \setminus software \setminus microsoft \setminus fusion \setminus gacchange notification \setminus default[system.data.sqlxml, 2.0.0.0, , b77a5c561934e089, msil]
   Oueries value:
                                                  HKLM\software\microsoft\windows nt\currentversion[installationtvpe]
   Oueries value:
                                                  HKLM\system\currentcontrolset\services\winsock\parameters[transports]
```

nt\currentversion\peerdist\securitymanager\restricted[seed]

```
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                         HKLM\svstem\currentcontrolset\services\winsock\setup
 Oueries value:
migration\providers\psched[winsock 2.0 provider id]
 Queries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
                         HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\tcpip[winsock 2.0 provider id]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
 Oueries value:
                         HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6[winsock 2.0 provider id]
Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname]
 Oueries value:
                         HKLM\system\currentcontrolset\services\.net clr
networking\performance[library]
 Queries value:
                         HKLM\system\currentcontrolset\services\.net clr
networking\performance[ismultiinstance]
 Queries value:
                         HKLM\system\currentcontrolset\services\.net clr
networking\performance[first counter]
                         HKLM\svstem\currentcontrolset\services\.net clr
 Oueries value:
networking\performance[categoryoptions]
 Queries value:
                         HKLM\system\currentcontrolset\services\.net clr
networking\performance[filemappingsize]
 Queries value:
                         HKLM\system\currentcontrolset\services\.net clr
networking\performance[counter names]
                         HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
 Oueries value:
 Oueries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Oueries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Oueries value:
HKLM\svstem\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [allow unqualified query]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
 Oueries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [direct access query order]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Queries value:
HKLM \verb|\system| current controlset \verb|\services| dns cache \verb|\parameters[addrconfigcontrol]|
 Oueries value:
```

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Oueries value: Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Oueries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[maxcachettl] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Queries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[searchlist] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enabledhcp] Oueries value:

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[registeradaptername] Queries value:

c19ce8a73253}[registrationenabled]

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

```
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[domain]
Queries value:
```

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip6 \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [dhcpv6domain]$

Queries value:

Oueries value:

Queries value:

 $\label{lem:hkkm} HKLM \system \current controls et \services \tcpip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpnames erver]$

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \tcpip \parameters \time faces \equiv 2-7037-11 de-816d-806e6f6e6963 \cite{lem:hklmsystem} \equiv 2-816d-806e6f6e6963 \cite{lem:hklmsystem} \equiv 2-816d-806e6f6e69$

Queries value:

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \tcpip \parameters \time faces \e29 ac 6 c 2 - 7037 - 11 de - 816 d-806 e6 f6 e6 963 \end{area} [register adapter name]$

Oueries value:

 $\label{lem:hklm} HKLM \system \current controls et \services \tcpip \parameters \time faces \equiv 29 ac 6 c 2-7037-11 de-816 d-806 e6 f6 e6 963 \equiv 3 f6 domain \equiv 3 f6 domain$

Queries value:

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \time faces \e29 ac 6c 2-7037-11 de-816 d-806 e6f 6e 6963 \[names erver]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} [dhcpnameserver]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [query adapter name]$

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \tcpip \parameters \time faces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [disable adapter domain name]$

Queries value: KLM\system\c

 $\label{lem:hkkm} HKLM \system \current controls et \services \tcpip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [registration maxaddress count]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value:

 $\label{lem:hkkm} HKLM \system \current controls et \services \tcpip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [enable multicast]$

Queries value:

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \tcpip \parameters \time faces \e29 ac 6 c 2-7037-11 de-816 d-806 e6 f6 e6 963 \end{align*} [disable adapter domain name]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\}[disable dynamic update]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ `current control set `services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} [registration maxaddress count]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [max number of addresses to register]$

Queries value:

 $HKLM \ system \ current controls et \ services \ type parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} [enable multicast]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodiald1]
Sets/Creates value: HKCU\software\5cd8f17f4086744065eb0992a09e05a2[us]

Sets/Creates value: HKCU\environment[see_mask_nozonechecks]

Sets/Creates value:

 $\label{thm:local-condition} HKCU \software \mbox{\mincosoft\windows\currentversion\run[5cd8f17f4086744065eb0992a09e05a2]} \\$

Sets/Creates value:

Sets/Creates value: HKCU\software\classes\local

settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-100]

Sets/Creates value: HKCU\software\classes\local settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-101]

Sets/Creates value: HKCU\software\classes\local

```
settings \verb|\muicache| 27\\ 52c64b7e [@%systemroot%\\ system32\\ dhcpqec.dll, -103]
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\dhcpqec.dll,-102]
                                                          HKCU\software\classes\local
   Sets/Creates value:
settings \verb|\muicache|| 27\52c64b7e [@%systemroot%\system32\napipsec.dll,-1]|
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings \verb|\muicache| 27\52c64b7e [@%systemroot%\system32\napipsec.dll,-2]|
   Sets/Creates value:
                                                           HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\napipsec.dll,-4]
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings \verb|\muicache|| 27\52c64b7e [@%systemroot%\system32\napipsec.dll,-3]|
   Sets/Creates value:
                                                           HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-100]
   Sets/Creates value:
                                                           HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-101]
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings \verb|\muicache| 27\\52c64b7e[@%systemroot%\\system32\\tsgqec.dll, -102]
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\tsgqec.dll,-103]
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-100]
                                                           HKCU\software\classes\local
   Sets/Creates value:
settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-101]
   Sets/Creates value:
                                                           HKCU\software\classes\local
settings \verb|\muicache|| 27 \verb|\space|| 27 \verb|
   Sets/Creates value:
                                                          HKCU\software\classes\local
settings\muicache\27\52c64b7e[@%systemroot%\system32\eapqec.dll,-103]
   Value changes:
                                                          HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[uncasintranet]
   Value changes:
                                                          HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[autodetect]
    Value changes:
                                                           HKCU\software\classes\local settings\muicache\27\52c64b7e[languagelist]
   Value changes:
HKCU\software\microsoft\windows\currentversion\run[5cd8f17f4086744065eb0992a09e05a2]
   Value changes:
```

HKLM\software\microsoft\windows\currentversion\run[5cd8f17f4086744065eb0992a09e05a2]