# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 620, Task ID: 2427

Task ID: 2427 Risk Level: 10

Date Processed: 2016-02-22 05:28:56 (UTC)

Processing Time: 61.27 seconds
Virtual Environment: IntelliVM

**Execution Arguments:** 

"c:\windows\temp\188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5.exe"

Sample ID: 620 Type: basic Owner: admin

Label: 188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5

Date Added: 2016-02-22 05:26:49 (UTC)

File Type: PE32:win32:gui File Size: 838656 bytes

MD5: 0feaaa4adc31728e54b006ab9a7e6afa

SHA256: 188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5

Description: None

# Pattern Matching Results

3 Connects to local host

6 Modifies registry autorun entries

5 Adds autostart object

5 PE: Contains compressed section

10 Creates malicious events: Kelihos trojan 2 [Spam]

#### Process/Thread Events

Creates process:

C:\windows\temp\188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5.exe
["C:\windows\temp\188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5.exe" ]

# Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates event: \Security\LSA\_AUTHENTICATION\_INITIALIZED

# File System Events

Creates: C:\Windows\Temp\tmp.exe

Opens: C:\Windows\Prefetch\188AB310143D0C0C9673D957FCFE7-4BAD8990.pf

Opens: C:\Windows\System32
Opens: C:\windows\temp\CLUSAPI.dll

Opens: C:\Windows\System32\clusapi.dll Opens: C:\Windows\System32\sechost.dll Opens: C:\windows\temp\cryptdll.dll C:\Windows\System32\cryptdll.dll Opens: Opens: C:\Windows\System32\imm32.dll Opens: C:\windows\temp\CMUTIL.DLL C:\Windows\System32\cmutil.dll Opens: Opens: C:\windows\temp\VERSION.dll Opens: C:\Windows\System32\version.dll Opens: C:\windows\temp\DNSAPI.dll Opens: C:\Windows\System32\dnsapi.dll Opens: C:\windows\temp\IPHLPAPI.DLL Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: C:\windows\temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll Opens: C:\windows\temp\MSWSOCK.dll C:\Windows\System32\mswsock.dll Opens:

 $Opens: \\ C: \windows \Globalization \Sorting \SortDefault.nls$ 

Opens: C:\Windows\System32\WSHTCPIP.DLL

Opens:

C:\Windows\Temp\188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5.exe

Opens: C:\Windows\Temp

Opens: C:\Windows\Temp\tmp.exe

Opens: C:\Windows\System32\en-US\KernelBase.dll.mui

Opens: C:\Windows\System32\C\_1256.NLS C:\Windows\System32\C\_1251.NLS Opens: Opens: C:\Windows\System32\C\_950.NLS Opens: C:\Windows\System32\C\_1250.NLS Opens: C:\Windows\System32\C\_1253.NLS  $C: \verb|\windows\System32\C_1255.NLS| \\$ Opens: Opens: C:\Windows\System32\C\_932.NLS C:\Windows\System32\C\_949.NLS Opens:

Opens: C:\dev\urandom

Opens: C:\windows\temp\dhcpcsvc.DLL
Opens: C:\Windows\System32\dhcpcsvc.dll

```
C:\windows\temp\wpcap.dll
 Opens:
                         C:\Windows\system32\wpcap.dll
 Opens:
 Opens:
                         C:\Windows\system\wpcap.dll
                         C:\Windows\wpcap.dll
 Opens:
 Opens:
                         C:\Windows\System32\Wbem\wpcap.dll
 Opens:
                         C:\Windows\System32\WindowsPowerShell\v1.0\wpcap.dll
                         C:\Windows\wcx_ftp.ini
 Opens:
 Opens:
                         C:\
 Opens:
                         C:\windows\temp\profapi.dll
                         C:\Windows\System32\profapi.dll
 Opens:
 Opens:
                         C:\Users\Admin
 Opens:
                         C:\Users\Admin\wcx_ftp.ini
 Opens:
                         C:\Users\Admin\AppData\Roaming
                         C:\Users\Admin\AppData\Roaming\FlashFXP\3\Sites.dat
 Opens:
                         C: \verb|\USers\Admin\AppData\Roaming\FlashFXP\3\Quick.dat|
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\3\History.dat
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\Sites.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\Quick.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\History.dat
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP Client
2009\sites\Bookmarks\
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client 2009\sites\Bookmarks\
 Opens:
                         C:\ProgramData
 Opens:
                         C:\ProgramData\BulletProof Software\BulletProof FTP Client
2009\sites\Bookmarks\
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\sites\Bookmarks\
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\sites\Bookmarks\
                         C:\ProgramData\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\sites\Bookmarks\
 Opens:
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP Client
2009\Default.bps
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client 2009\Default.bps
                         C:\ProgramData\BulletProof Software\BulletProof FTP Client
 Opens:
2009\Default.bps
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\Default.bps
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\Default.bps
                         C:\ProgramData\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\Default.bps
                         C:\Users\Admin\AppData\Roaming\TurboFTP\addrbk.dat
 Opens:
 Opens:
                         C:\windows\temp\SspiCli.dll
 Opens:
                         C:\Windows\System32\sspicli.dll
                         C:\Users\Admin\AppData\Roaming\GPSoftware\Directory
 Opens:
Opus\ConfigFiles\ftp.oxc
                         C:\Users\Admin\AppData\Roaming\GPSoftware\Directory
 Opens:
Opus\Layouts\System\default.oll
 Opens:
                          C:\Users\Admin\AppData\Local\GPSoftware\Directory
Opus\ConfigFiles\ftp.oxc
 Opens:
                         C:\Users\Admin\AppData\Local\GPSoftware\Directory
Opus\Layouts\System\default.oll
                         C:\ProgramData\GPSoftware\Directory Opus\ConfigFiles\ftp.oxc
 Opens:
                         C:\ProgramData\GPSoftware\Directory Opus\Layouts\System\default.oll
 Opens:
 Opens:
                         C:\Windows\32BitFtp.ini
 Opens:
                         C:\Users\Admin\AppData\Roaming\VanDyke\Config\Sessions
 Opens:
                         C:\Users\Admin\AppData\Roaming\BitKinex\bitkinex.ds
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP}
 Opens:
                         C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP Pro
 Opens:
                         C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP Lite
                         C:\ProgramData\GlobalSCAPE\CuteFTP
 Opens:
 Opens:
                         C:\ProgramData\GlobalSCAPE\CuteFTP Pro
 Opens:
                         C:\ProgramData\GlobalSCAPE\CuteFTP Lite
 Opens:
                         C:\Program Files
 Opens:
                         C:\Program Files\CuteFTP
 Opens:
                         C:\Windows\win.ini
                         C:\Program Files\Common Files
 Opens:
 Opens:
                         C:\Program Files\Common Files\Ipswitch\WS_FTP
 Opens:
                         C:\Users\Admin\AppData\Roaming\Ipswitch\WS_FTP\Sites
                         C: \verb|\USers\Admin\AppData\Roaming\Ipswitch\WS\_FTP\ Home\Sites
 Opens:
 Opens:
                         C:\ProgramData\Ipswitch\WS_FTP\Sites
                         C:\ProgramData\Ipswitch\WS_FTP Home\Sites
 Opens:
                         {\tt C:\Users\Admin\AppData\Local\Ipswitch\WS\_FTP\Sites}
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Ipswitch\WS_FTP Home\Sites
 Opens:
                         C:\Users\Admin\AppData\Roaming\NetDrive\NDSites.ini
 Opens:
                         C:\ProgramData\NetDrive\NDSites.ini
 Opens:
                         C:\Users\Admin\AppData\Local\NetDrive\NDSites.ini
 Opens:
                         C:\Users\Admin\AppData\Roaming\FileZilla\sitemanager.xml
 Opens:
                         C:\Users\Admin\AppData\Roaming\FileZilla\recentservers.xml
```

Opens: C:\Users\Admin\AppData\Roaming\FTP Explorer\profiles.xml

Opens: C:\ProgramData\FTP Explorer\profiles.xml

2.0\Favorites\Favorites.dat

Opens: C:\Users\Admin\AppData\Roaming\SmartFTP\History.dat

Opens: C:\Users\Admin\AppData\Roaming\SmartFTP\Client 2.0\Favorites\

Opens: C:\ProgramData\SmartFTP\Favorites.dat

Opens: C:\ProgramData\SmartFTP\Client 2.0\Favorites\Favorites.dat

Opens: C:\ProgramData\SmartFTP\History.dat

 Opens:
 C:\ProgramData\SmartFTP\Client 2.0\Favorites\

 Opens:
 C:\Users\Admin\AppData\Roaming\FTPRush\RushSite.xml

 Opens:
 C:\Users\Admin\AppData\Roaming\Frigate3\FtpSite.XML

Opens: C:\Documents and Settings\

Opens: C:\Users

Opens: C:\Users\All Users
Opens: C:\Users\Default User
Opens: C:\Users\Default

 Opens:
 C:\Users\Admin\AppData\Roaming\Bitcoin\wallet.dat

 Opens:
 C:\ProgramData\APPDATA\ROAMING\BITCOIN\WALLET.DAT

 Opens:
 C:\Users\Default\AppData\Roaming\Bitcoin\wallet.dat

 Opens:
 C:\Users\Public\AppData\Roaming\Bitcoin\wallet.dat

Opens: C:\Windows\System32\tzres.dll

Opens: C:\Windows\System32\en-US\tzres.dll.mui

Opens: C:\Windows\System32\wship6.dll

Reads from: C:\Windows\win.ini
Deletes: C:\Windows\Temp\tmp.exe

#### **Network Events**

Connects to:	127.0.0.1:49160
Connects to:	95.168.246.166:80
Connects to:	127.0.0.1:49164
Connects to:	109.251.126.26:80
Connects to:	127.0.0.1:49167
Connects to:	71.80.0.33:80
Connects to:	127.0.0.1:49170
Connects to:	77.81.166.52:80
Connects to:	127.0.0.1:49173
Connects to:	109.229.173.74:80
Connects to:	127.0.0.1:49176
Connects to:	89.28.29.4:80
Sends data to:	127.0.0.1:49160
Sends data to:	127.0.0.1:49164
Sends data to:	127.0.0.1:49167
Sends data to:	127.0.0.1:49170
Sends data to:	127.0.0.1:49173
Sends data to:	127.0.0.1:49176
Receives data from:	127.0.0.1:49161
Receives data from:	127.0.0.1:49165
Receives data from:	127.0.0.1:49168
Receives data from:	127.0.0.1:49171
Receives data from:	127.0.0.1:49174
Receives data from:	127.0.0.1:49177

# Windows Registry Events

Creates key:	<pre>HKCU\software\microsoft\windows\currentversion\ime\imtc70</pre>
Creates key:	<pre>HKLM\software\microsoft\windows\currentversion\run</pre>
Opens key:	HKLM\system\currentcontrolset\control\session manager
Opens key:	<pre>HKLM\system\currentcontrolset\control\terminal server</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\safeboot\option</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\srp\gp\dll</pre>
Opens key:	<pre>HKLM\software\policies\microsoft\windows\safer\codeidentifiers</pre>
Opens key:	<pre>HKCU\software\policies\microsoft\windows\safer\codeidentifiers</pre>
Opens key:	HKCU\
Opens key:	<pre>HKCU\control panel\desktop\muicached\machinelanguageconfiguration</pre>
Opens key:	<pre>HKLM\software\policies\microsoft\mui\settings</pre>
Opens key:	<pre>HKCU\software\policies\microsoft\control panel\desktop</pre>
Opens key:	<pre>HKCU\control panel\desktop\languageconfiguration</pre>
Opens key:	HKCU\control panel\desktop
Opens key:	<pre>HKCU\control panel\desktop\muicached</pre>
Opens key:	<pre>HKLM\software\microsoft\windows\currentversion\sidebyside</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\nls\sorting\versions</pre>
Opens key:	HKLM\
Opens key:	<pre>HKLM\software\microsoft\windows nt\currentversion\diagnostics</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\error message instrument\</pre>
Opens key:	HKLM\system\currentcontrolset\control\error message instrument
Opens key:	<pre>HKLM\software\microsoft\windows nt\currentversion\gre_initialize</pre>
Opens key:	<pre>HKLM\software\microsoft\windows nt\currentversion\compatibility32</pre>
Opens key:	<pre>HKLM\software\microsoft\windows nt\currentversion\ime compatibility</pre>
Opens key:	<pre>HKLM\software\microsoft\windows nt\currentversion\windows</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\nls\customlocale</pre>

```
Opens key:
                   HKLM\system\currentcontrolset\control\nls\extendedlocale
 Opens key:
                   HKLM\software\microsoft\ole
 Opens kev:
                   HKLM\software\microsoft\ole\tracing
 Opens key:
                   HKLM\software\microsoft\oleaut
 Opens key:
                   HKLM\svstem\currentcontrolset\services\crvpt32
 Opens key:
                   HKLM\software\microsoft\windows\currentversion\internet settings
 Opens key:
                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings
 Opens key:
                   HKLM\software\policies\microsoft\sqmclient\windows
 Opens key:
                   HKLM\software\microsoft\sqmclient\windows
                   HKLM\system\currentcontrolset\services\winsock2\parameters
 Opens key:
 Opens key:
                   HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\2fd5577c
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007
 Opens kev:
Opens kev:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000010
 Opens kev:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
 Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000015
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016
 Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018
 Opens kev:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog 5
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000003
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\000000000004
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006
 Opens key:
                   Opens kev:
                   HKLM\svstem\currentcontrolset\services\tcpip6\parameters\winsock
```

HKLM\system\currentcontrolset\services\winsock\setup migration\providers Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers\psched

Opens key:

Opens kev:

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

HKLM\system\currentcontrolset\services\psched\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

```
Opens key:
                                     HKLM\system\currentcontrolset\control\cmf\config
  Opens key:
                                     HKLM\software\microsoft\windows\windows error reporting\wmr
  Opens key:
                                     HKLM\system\currentcontrolset\control\nls\locale
  Opens key:
                                     HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
  Opens kev:
                                     HKLM\system\currentcontrolset\control\nls\language groups
  Opens key:
                                     HKCU\software
  Opens key:
                                     HKCU\software\adobe
  Opens key:
                                     HKCU\software\adobe\acrobat reader
                                     HKCU\software\adobe\acrobat reader\9.0
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\adobeviewer
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\annots
  Opens key:
                                     HKCU \setminus software \setminus adobe \setminus acrobat \ reader \setminus 9.0 \setminus annots \setminus cannots
  Opens key:
                                     HKCU \setminus software \setminus adobe \setminus acrobat \ reader \setminus 9.0 \setminus annots \setminus cannot \\
                                     HKCU\software\adobe\acrobat reader\9.0\avconversionfrompdf
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \adobe \acrobat reader \end{tabular} 0.0 \avconversion from pdf \csettings \end{tabular}
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avconversiontopdf
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avconversiontopdf\csettings
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avdisplay
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avgeneral
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avgeneral\cdockables
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avgeneral\ctoolbars
                                     HKCU\software\adobe\acrobat
  Opens key:
reader\9.0\avgeneral\ctoolbars\cadvcommenting
  Opens key:
                                     HKCU\software\adobe\acrobat
reader\9.0\avgeneral\ctoolbars\cbasiccommenting
                                     HKCU\software\adobe\acrobat reader\9.0\avgeneral\ctoolbars\ccommenting
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\avtracker
                                     HKCU\software\adobe\acrobat reader\9.0\collab
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\collab\cdocumentcenter
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\collab\cdocumentcenter\csettings
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\collab\cemaildistribution
                                     HKCU\software\adobe\acrobat
  Opens key:
reader\9.0\collab\cemaildistribution\csettings
  Opens key:
                                     HKCU\software\adobe\acrobat
reader\9.0\collab\cinitiationwizardfirstlaunch
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\collab\cserversettings
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\installer
                                     HKCU\software\adobe\acrobat reader\9.0\installer\migrated
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\installpath
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\language
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\language\current
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\language\next
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\multimedia
                                     HKCU\software\adobe\acrobat reader\9.0\multimedia\ccolorandborder
  Opens key:
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\originals
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\prefsdialog
                                     HKCU\software\adobe\acrobat reader\9.0\sdi
  Opens key:
  Opens key:
                                     HKCU \ software \ adobe\ acrobat\ reader \ \ 9.0 \ selection
  Opens key:
                                     HKCU\software\adobe\acrobat reader\9.0\usagemeasurement
                                     HKCU\software\adobe\adobe acrobat
  Opens key:
  Opens key:
                                     HKCU\software\adobe\adobe acrobat\9.0
  Opens key:
                                     HKCU\software\adobe\adobe acrobat\9.0\diskcabs
                                     HKCU\software\adobe\adobe arm
  Opens key:
  Opens key:
                                     HKCU\software\adobe\adobe arm\1.0
  Opens kev:
                                     HKCU\software\adobe\adobe arm\1.0\arm
                                     HKCU\software\adobe\adobe synchronizer
  Opens key:
  Opens key:
                                     HKCU\software\adobe\adobe synchronizer\9.0
  Opens key:
                                     HKCU\software\adobe\adobe synchronizer\9.0\acrobat.com
  Opens key:
                                     HKCU\software\adobe\commonfiles
  Opens key:
                                     HKCU\software\adobe\commonfiles\usage
                                     HKCU\software\adobe\commonfiles\usage\demographic
  Opens key:
                                     HKCU\software\adobe\commonfiles\usage\reader 9
  Opens key:
  Opens key:
                                     HKCU\software\appdatalow
                                     HKCU\software\appdatalow\software
  Opens key:
  Opens key:
                                     HKCU\software\appdatalow\software\microsoft
  Opens key:
                                     HKCU\software\appdatalow\software\microsoft\internet explorer
  Opens key:
                                     HKCU\software\appdatalow\software\microsoft\internet explorer\security
                                     HKCU\software\appdatalow\software\microsoft\internet
  Opens kev:
explorer\security\antiphishing
  Opens key:
                                     HKCU\software\javasoft
                                     HKCU\software\javasoft\java update
  Opens key:
  Opens key:
                                     HKCU\software\javasoft\java update\policy
  Opens key:
                                     HKCU\software\javasoft\prefs
                                     HKCU\software\macromedia
  Opens key:
  Opens key:
                                     HKCU\software\macromedia\flashplayer
  Opens key:
                                     HKCU\software\microsoft
                                     HKCU\software\microsoft\active setup
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\active setup\installed components
  Opens key:
                                     HKCU\software\microsoft\active setup\installed components\>{26923b43-
4d38-484f-9b9e-de460746276c}
  Opens key:
                                     HKCU\software\microsoft\active setup\installed components\>{60b49e34-
c7cc-11d0-8953-00a0c90347ff}
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \active setup \slightly installed components \cite{Components} \cite{Comp
```

```
2b09-4501-b3f3-f3508c9228ed}
```

Opens key: HKCU\software\microsoft\active setup\installed components\{44bba840-

cc51-11cf-aafa-00aa00b6015c}

Opens key: HKCU\software\microsoft\active setup\installed components\{6bf52a52-

394a-11d3-b153-00c04f79faa6}

Opens key: HKCU\software\microsoft\active setup\installed components\{89820200-

ecbd-11cf-8b85-00aa005b4340}

Opens key: HKCU\software\microsoft\active setup\installed components\{89820200-

ecbd-11cf-8b85-00aa005b4383}

Opens key: HKCU\software\microsoft\active setup\installed components\{89b4c1cd-

b018-4511-b0a1-5476dbf70820}

Opens key: HKCU\software\microsoft\assistance
Opens key: HKCU\software\microsoft\assistance\client
Opens key: HKCU\software\microsoft\assistance\client\1.0

Opens key: HKCU\software\microsoft\assistance\client\1.0\settings

Opens key: HKCU\software\microsoft\command processor

Opens key: HKCU\software\microsoft\ctf

Opens key: HKCU\software\microsoft\ctf\assemblies

Opens key: HKCU\software\microsoft\ctf\assemblies\0x00000409

Opens key: HKCU\software\microsoft\ctf\assemblies\0x00000409\{34745c63-b2f0-4784-

8b67-5e12c8701a31}

Opens key: HKCU\software\microsoft\ctf\directswitchhotkeys Opens key: HKCU\software\microsoft\ctf\hiddendummylayouts

Opens key: HKCU\software\microsoft\ctf\msutb
Opens key: HKCU\software\microsoft\ctf\sortorder

Opens key: HKCU\software\microsoft\ctf\sortorder\language

Opens key: HKCU\software\microsoft\ctf\tip
Opens key: HKCU\software\microsoft\direct3d

Opens key: HKCU\software\microsoft\direct3d\mostrecentapplication

Opens key: HKCU\software\microsoft\eventsystem

Opens key: HKCU\software\microsoft\eventsystem\{26c409cc-ae86-11d1-b616-

00805fc79216}

Opens key: HKCU\software\microsoft\fax

Opens key: HKCU\software\microsoft\fax\faxoptions
Opens key: HKCU\software\microsoft\fax\fxsclnt

Opens key: HKCU\software\microsoft\fax\fxsclnt\archive
Opens key: HKCU\software\microsoft\fax\fxsclnt\confirm
Opens key: HKCU\software\microsoft\fax\setup

Opens key: HKCU\software\microsoft\fax\userinfo
Opens key: HKCU\software\microsoft\feeds
Opens key: HKCU\software\microsoft\ftp
Opens key: HKCU\software\microsoft\gdiplus
Opens key: HKCU\software\microsoft\identifty

Opens key: HKCU\software\microsoft\iam\accounts

Opens key: HKCU\software\microsoft\iam\accounts\active directory gc

Opens key: HKCU\software\microsoft\iam\accounts\active directory gc\windows mail

account id

Opens key: HKCU\software\microsoft\iam\accounts\verisign

Opens key: HKCU\software\microsoft\iam\accounts\verisign\windows mail account id

Opens key: HKCU\software\microsoft\ime
Opens key: HKCU\software\microsoft\ime\imesc
Opens key: HKCU\software\microsoft\ime\imesc\5.0
Opens key: HKCU\software\microsoft\imejp
Opens key: HKCU\software\microsoft\imejp\10.0

Opens key: HKCU\software\microsoft\imejp\10.0\dictionaries
Opens key: HKCU\software\microsoft\imejp\10.0\manage
Opens key: HKCU\software\microsoft\imejp\10.0\msime

Opens key: HKCU\software\microsoft\imejp\10.0\msime\autocharwidth

Opens key: HKCU\software\microsoft\imejp\10.0\romadef

Opens key: HKCU\software\microsoft\imejp\10.0\romadef\ms-ime
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\atok
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\atok\color
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\ms-ime2000
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\ms-ime2000\color

Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\natural Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\natural\color

Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\vje
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\vje\color
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\wx
Opens key: HKCU\software\microsoft\imejp\10.0\stylelist\wx\color
Opens key: HKCU\software\microsoft\imejp\10.0\window

 $\label{lem:condition} Opens~key: $$ HKCU\software\microsoft\imejp\10.0\window\plttiny$$ HKCU\software\microsoft\imejp\10.0\window\plttiny$$$ 

Opens key: HKCU\software\microsoft\imejp\colors
Opens key: HKCU\software\microsoft\internet connection wizard

Opens key: HKCU\software\microsoft\internet connection

HKCU\software\microsoft\internet explorer

Opens key: HKCU\software\microsoft\internet explorer\browseremulation
Opens key: HKCU\software\microsoft\internet explorer\browseremulation\lowmic

Opens key: HKCU\software\microsoft\internet explorer\caretbrowsing
Opens key: HKCU\software\microsoft\internet explorer\desktop

Opens key: HKCU\software\microsoft\internet explorer\desktop\general Opens key: HKCU\software\microsoft\internet explorer\document windows

```
HKCU\software\microsoft\internet explorer\domstorage
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\domstorage\total
                                                                                        HKCU\software\microsoft\internet explorer\download
     Opens kev:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\help_menu_urls
     Opens kev:
                                                                                        HKCU\software\microsoft\internet explorer\ietld
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\ietld\lowmic
                                                                                        HKCU\software\microsoft\internet explorer\intelliforms
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\10
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\11
     Opens key:
                                                                                        HKCU \setminus software \setminus microsoft \setminus internet \ explorer \setminus international \setminus scripts \setminus 12
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\13
     Opens key:
                                                                                        HKCU \ software \ microsoft \ internet\ explorer \ international \ scripts \ 14
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\15
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\16
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\17
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\18
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\19
     Opens key:
                                                                                        \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| internet explorer expl
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\21
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\22
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\23
     Opens kev:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\24
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\25
                                                                                        \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc internet explorer\international\sc ripts\26}} \\
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\27
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\28
                                                                                        Opens kev:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\3
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\30
                                                                                        \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{$^{\pm}$ internet explorer \shown} \end{tabular} $$ 134 $$ \end{tabular} $$$ 134 $$
     Opens key:
     Opens key:
                                                                                        Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\37
                                                                                        \label{thm:hkcu} \mbox{HKCU\software\mbox{\sc internet explorer\international\sc ipts\sc 38}} \\
     Opens key:
     Opens key:
                                                                                        \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| internet explorer expl
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\4
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\5
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\6
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\7
                                                                                        \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\internet explorer\international\sc ripts\sc with a construction of the construction of t
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\international\scripts\9
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\internetregistry
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\linksbar
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\linksbar\itemcache
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\linksbar\itemcache\0
                                                                                        \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\internet explorer\linksbar\itemcache\label{lem:hkcu} 1} \mbox{\sc microsoft\sc explorer\linksbar\sc explorer\linksbar\s
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry\domstorage
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry\domstorage\total
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet
explorer\lowregistry\dontshowmethisdialogagain
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry\errorreporting
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry\shell extensions
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\lowregistry\shell
extensions\cached
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\main
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\main\default feeds
                                                                                        HKCU\software\microsoft\internet explorer\main\default feeds\{63711043-
     Opens key:
1e15-4eee-9c89-d029e7a92f34}
     Opens key:
                                                                                        \label{lem:hkcu} \mbox{\sc hkcu} software \mbox{\sc microsoft} internet explorer \mbox{\sc main} \mbox{\sc default feeds} \mbox{\sc feed some lemma} \mbox{\sc default feed some lemma} \mbox
f2f8-4103-9c1f-a4de6b351877}
     Opens key:
                                                                                        \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \internet explorer \main \default feeds \end{tabular} $$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a889-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4320a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$4420a88-$$442008-$$442008-$$442008-$$442008-$$442008-$$442008-$$442008-$$442008-$$442008-$$442008-$$
8e25-4619-830c-9ebebeb4339d}
     Opens key:
                                                                                        \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ internet explorer \verb+ main \verb+ feature control+ \\
     Opens key:
                                                                                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                                                                       HKCU\software\microsoft\internet
     Opens key:
explorer\main\featurecontrol\feature_localmachine_lockdown\settings
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\main\windowssearch
                                                                                        HKCU\software\microsoft\internet explorer\new windows
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\new windows\allow
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\pagesetup
                                                                                        HKCU\software\microsoft\internet explorer\phishingfilter
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\privacy
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\recovery
                                                                                        HKCU\software\microsoft\internet explorer\recovery\active
     Opens key:
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\recovery\adminactive
                                                                                        HKCU\software\microsoft\internet explorer\searchscopes
     Opens key:
                                                                                        Opens key:
472f-a0ff-e1416b8b2e3a}
     Opens key:
                                                                                        HKCU\software\microsoft\internet explorer\searchurl
```

HKCU\software\microsoft\internet explorer\security

Opens key:

```
Opens key: HKCU\software\microsoft\internet explorer\security\antiphishing
```

Opens key: HKCU\software\microsoft\internet

explorer\security\antiphishing\2cedbfbc-dba8-43aa-b1fd-cc8e6316e3e2

Opens key: HKCU\software\microsoft\internet explorer\services
Opens key: HKCU\software\microsoft\internet explorer\settings
Opens key: HKCU\software\microsoft\internet explorer\setup
Opens key: HKCU\software\microsoft\internet explorer\setup

Opens key: HKCU\software\microsoft\internet explorer\suggested sites
Opens key: HKCU\software\microsoft\internet explorer\tabbedbrowsing
Opens key: HKCU\software\microsoft\internet explorer\toolbar

Opens key: HKCU\software\microsoft\internet explorer\toolbar\shellbrowser
Opens key: HKCU\software\microsoft\internet explorer\toolbar\webbrowser
Opens key: HKCU\software\microsoft\internet explorer\urlsearchhooks
Opens key: HKCU\software\microsoft\internet explorer\user preferences

Opens key: HKCU\software\microsoft\internet explorer\zoom

Opens key: HKCU\software\microsoft\java vm
Opens key: HKCU\software\microsoft\keyboard

Opens key: HKCU\software\microsoft\keyboard\native media players
Opens key: HKCU\software\microsoft\keyboard\native media players\wmp

Opens key: HKCU\software\microsoft\mediaplayer
Opens key: HKCU\software\microsoft\mediaplayer\health
Opens key: HKCU\software\microsoft\mediaplayer\player

Opens key: HKCU\software\microsoft\mediaplayer\player\settings
Opens key: HKCU\software\microsoft\mediaplayer\player\tasks

Opens key: HKCU\software\microsoft\mediaplayer\player\tasks\nowplaying
Opens key: HKCU\software\microsoft\mediaplayer\preferences

Opens key: HKCU\software\microsoft\mediaplayer\preferences
Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme

Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme\errorfolders
Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme\lastsharedfolders
Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme\sharefolders
Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme\unsharefolders
Opens key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings
Opens key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\http
Opens key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp

Opens key: HKCU\software\microsoft\mediaplayer\setup

Opens key: HKCU\software\microsoft\mediaplayer\setup\createdlinks
Opens key: HKCU\software\microsoft\microsoft management console

Opens key: HKCU\software\microsoft\microsoft management console\recent file list

Opens key: HKCU\software\microsoft\microsoft management console\settings

Opens key: HKCU\software\microsoft\ms design tools
Opens key: HKCU\software\microsoft\ms design tools\mdtdbd

Opens key: HKCU\software\microsoft\msdaipp

Opens key: HKCU\software\microsoft\msdaipp\providers

Opens key: HKCU\software\microsoft\msdaipp\providers\{9fecd570-b9d4-11d1-9c78-

0000f875ac61}

Opens key: HKCU\software\microsoft\msdaipp\providers\{9fecd571-b9d4-11d1-9c78-

0000f875ac61}

Opens key: HKCU\software\microsoft\msf

 $\label{lem:continuous} Opens~key: $$ HKCU\software\microsoft\msf\registration $$ Opens~key: $$ HKCU\software\microsoft\msf\registration\listen $$ $$ Opens~key: $$ HKCU\software\microsoft\msf\registration\listen $$ Opens~key: $$ Opens~key:$ 

Opens key: HKCU\software\microsoft\notepad
Opens key: HKCU\software\microsoft\office
Opens key: HKCU\software\microsoft\office\11.0
Opens key: HKCU\software\microsoft\office\11.0\common

Opens key: HKCU\software\microsoft\office\11.0\common\drawalerts

Opens key: HKCU\software\microsoft\office\11.0\common\drawalerts\ftp sites
Opens key: HKCU\software\microsoft\office\11.0\common\dspadaptermru
Opens key: HKCU\software\microsoft\office\11.0\common\general

Opens key: HKCU\software\microsoft\office\11.0\common\languageresources
Opens key: HKCU\software\microsoft\office\11.0\common\migration
Opens key: HKCU\software\microsoft\office\11.0\common\migration\office
Opens key: HKCU\software\microsoft\office\11.0\common\migration\word
Opens key: HKCU\software\microsoft\office\11.0\common\pingration\word
Opens key: HKCU\software\microsoft\office\11.0\common\open find

Opens key: HKCU\software\microsoft\office\11.0\common\open find\microsoft office

word

Opens key: HKCU\software\microsoft\office\11.0\common\open find\places
Opens key: HKCU\software\microsoft\office\11.0\common\research

Opens key: HKCU\software\microsoft\office\11.0\common\research\translation

Opens key: HKCU\software\microsoft\office\11.0\common\toolbars

Opens key: HKCU\software\microsoft\office\11.0\common\toolbars\settings

Opens key:  $\label{local-opens} \begin{tabular}{ll} HKCU\software\microsoft\office\11.0\common\userinfo \end{tabular}$ 

Opens key: HKCU\software\microsoft\office\11.0\word

Opens key: HKCU\software\microsoft\office\11.0\word\options
Opens key: HKCU\software\microsoft\office\11.0\word\userinfo
Opens key: HKCU\software\microsoft\office\11.0\word\wizards
Opens key: HKCU\software\microsoft\office\11.0\wordview
Opens key: HKCU\software\microsoft\office\11.0\wordview\data

Opens key: HKCU\software\microsoft\office\12.0
Opens key: HKCU\software\microsoft\office\12.0\common

Opens key: HKCU\software\microsoft\office\12.0\common\drawalerts

Opens key: HKCU\software\microsoft\office\12.0\common\drawalerts\ftp sites

Opens key: HKCU\software\microsoft\office\12.0\common\general

Opens key: HKCU\software\microsoft\office\12.0\common\languageresources

Opens key: HKCU\software\microsoft\office\12.0\common\languageresources\enabledlanguages HKCU\software\microsoft\office\12.0\common\migration Opens key: Opens key: HKCU\software\microsoft\office\12.0\common\migration\excel Opens key: HKCU\software\microsoft\office\12.0\common\migration\office Opens key:  $HKCU\software\microsoft\office\12.0\common\open$  find Opens key: HKCU\software\microsoft\office\12.0\common\open find\microsoft office excel viewer  $HKCU \ software \ `microsoft \ office \ '12.0 \ common \ 'research$ Opens key: Opens key: HKCU\software\microsoft\office\12.0\common\research\translation Opens key: HKCU\software\microsoft\office\12.0\excel Opens key:  $HKCU \ software \ `microsoft \ office \ '12.0 \ excel \ 'options' \\$ Opens key: HKCU\software\microsoft\office\12.0\excel viewer HKCU\software\microsoft\office\12.0\excel viewer\viewer options Opens key: Opens key:  $HKCU \setminus software \setminus microsoft \setminus office \setminus 12.0 \setminus user \ settings$ HKCU\software\microsoft\office\12.0\user settings\excel\_intl Opens key: Opens key: HKCU\software\microsoft\office\12.0\user settings\mso\_intl Opens key: HKCU\software\microsoft\office\12.0\user settings\powerpoint\_intl Opens key: HKCU\software\microsoft\office\14.0 HKCU\software\microsoft\office\14.0\common Opens key: Opens key: HKCU\software\microsoft\office\14.0\common\drawalerts HKCU\software\microsoft\office\14.0\common\drawalerts\ftp sites Opens key: HKCU\software\microsoft\office\14.0\common\general Opens kev: Opens key: HKCU\software\microsoft\office\14.0\common\languageresources Opens key: HKCU\software\microsoft\office\14.0\common\languageresources\enabledlanguages Opens key: HKCU\software\microsoft\office\14.0\common\open find HKCU\software\microsoft\office\14.0\common\open find\microsoft Opens key: powerpoint viewer Opens key: HKCU\software\microsoft\office\14.0\common\research Opens key: HKCU\software\microsoft\office\14.0\common\research\translation HKCU\software\microsoft\office\14.0\powerpoint Opens key: Opens key: HKCU\software\microsoft\office\14.0\powerpoint viewer Opens key: HKCU\software\microsoft\office\14.0\powerpoint viewer\options HKCU\software\microsoft\office\common Opens key: Opens key: HKCU\software\microsoft\office\common\offdiag Opens key: HKCU\software\microsoft\office\common\smart tag HKCU\software\microsoft\office\common\smart tag\actions Opens key: Opens key: HKCU\software\microsoft\office\common\smart tag\actions\{339361cd-6723-455d-a40b-c95f1f91ff8a} Opens key: 4b0c-b7bf-fec0f9401edd} Opens key: HKCU\software\microsoft\office\common\smart tag\actions\{64ab6c69-b40e-40af-9b7f-f5687b48e2b6} Opens key: 4085-8cfb-97705b57a98f}  $HKCU \setminus software \setminus microsoft \setminus office \setminus common \setminus smart \ tag \setminus actions \setminus \{f114ae61-1331-14ae61-1341-14ae61-1341-14ae61-1341-14ae61-1341-14ae61-1341-14ae61-$ Opens key: 4238-92c9-bbe330af25fd} HKCU\software\microsoft\office\common\smart tag\recognizers Opens kev: Opens key: b40e-40af-9b7f-f5687b48e2b6} Opens key: HKCU\software\microsoft\office\common\smart tag\recognizers\{87ef1cfe-51ca-4e6b-8c76-e576aa926888} Opens key: HKCU\software\microsoft\office\common\userinfo Opens key: HKCU\software\microsoft\peernet HKCU\software\microsoft\peernet\event\_config Opens key: Opens key: HKCU\software\microsoft\protected storage system provider Opens key: HKCU\software\microsoft\protected storage system provider\s-1-5-21-2160590473-689474908-1361669368-1002 Opens key: HKCU\software\microsoft\ras autodial Opens key: HKCU\software\microsoft\ras autodial\default HKCU\software\microsoft\remote assistance Opens key: Opens key: HKCU\software\microsoft\shared Opens key: HKCU\software\microsoft\shared tools HKCU\software\microsoft\shared tools\font mapping Opens key: Opens key: HKCU\software\microsoft\shared tools\proofing tools Opens key: HKCU\software\microsoft\shared tools\proofing tools\custom dictionaries HKCU\software\microsoft\sideshow Opens key: Opens key: HKCU\software\microsoft\sideshow\gadgets Opens key: HKCU\software\microsoft\speech HKCU\software\microsoft\speech\preferences Opens key: Opens key:  $\label{lem:hkcu} \verb+KCU\software\microsoft\speech\preferences\appcompatdisable dictation$ Opens key: HKCU\software\microsoft\speech\preferences\appcompatdisablemsaa Opens key: HKCU\software\microsoft\sqmclient Opens key: HKCU\software\microsoft\systemcertificates Opens key: HKCU\software\microsoft\systemcertificates\ca Opens key: Opens key: HKCU\software\microsoft\systemcertificates\ca\crls Opens key: HKCU\software\microsoft\systemcertificates\ca\ctls  $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates\+ disallowed$ Opens key:

 $\label{thm:local-condition} HKCU \software \mbox{\sc microsoft} system certificates \sc disallowed \criticates \\ HKCU \software \mbox{\sc microsoft} system certificates \sc disallowed \criticates \criticates \sc disallowed \criticates \criticat$ 

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates\+ disallowed\+ ctls$ 

Opens key:

Opens key: Opens key:

```
HKCU\software\microsoft\systemcertificates\my
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\root
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates + root\+ certificates
  Opens kev:
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\root\crls
  Opens kev:
                                     HKCU\software\microsoft\systemcertificates\root\ctls
  Opens key:
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates\+ root\+ protected roots
                                     HKCU\software\microsoft\systemcertificates\smartcardroot
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\smartcardroot\certificates
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\smartcardroot\crls
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\smartcardroot\ctls
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trust
  Opens key:
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates\+ trust\+ certificates
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trust\crls
                                     HKCU\software\microsoft\systemcertificates\trust\ctls
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpeople
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpeople\certificates
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpeople\crls
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpeople\ctls
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpublisher
                                     \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+ systemcertificates \verb+ trusted publisher \verb+ certificates \verb+ of the system ce
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpublisher\crls
  Opens key:
                                     HKCU\software\microsoft\systemcertificates\trustedpublisher\ctls
                                     HKCU\software\microsoft\wab
  Opens kev:
  Opens key:
                                     HKCU\software\microsoft\wab\me
  Opens key:
                                     HKCU\software\microsoft\wab\wab4
                                     HKCU\software\microsoft\wab\wab4\wab file name
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\wfs
  Opens key:
                                     HKCU\software\microsoft\wfs\draftsview
  Opens kev:
                                     HKCU\software\microsoft\wfs\inboxview
  Opens key:
                                     HKCU\software\microsoft\wfs\incomingview
  Opens key:
                                     HKCU\software\microsoft\wfs\outboxview
  Opens key:
                                     HKCU\software\microsoft\wfs\sentitemsview
  Opens key:
                                     HKCU\software\microsoft\windows
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action center
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action center\checks
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{01979c6a-42fa-414c-b8aa-eee2c8202018}.check.100
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{01979c6a-42fa-414c-b8aa-eee2c8202018}.check.101
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{11cd958a-c507-4ef3-b3f2-5fd9dfbd2c78}.check.101
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{852fb1f8-5cc6-4567-9c0e-7c330f8807c2\.check.100
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{852fb1f8-5cc6-4567-9c0e-7c330f8807c2\}.check.101
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{945a8954-c147-4acd-923f-40c45405a658}.check.42
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{a5268b8e-7db5-465b-bab7-bdcda39a394a\}.check.100
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{c8e6f269-b90a-4053-a3be-499afcec98c4}.check.0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{dab69a6a-4d2a-4d44-94bf-e0091898c881}.check.100
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.100
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.101
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.102
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.103
                                     HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.104
                                     \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \action
  Opens key:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.106
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\action center\providers
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ action
  Opens key:
center\providers\eventlog
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\app paths
                                     HKCU\software\microsoft\windows\currentversion\app paths\pythonwin.exe
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\applets
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\applets\regedit
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\applets\systray
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\controls folder
  Opens kev:
                                     HKCU\software\microsoft\windows\currentversion\explorer
  Opens key:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced}} \\
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete
  Opens key:
  Opens key:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\autoplay} handlers
  Opens key:
```

```
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\autoplayhandlers\userchosenexecutehandlers
                                                       Opens kev:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\bitbucket\volume
    Opens key:
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cabinetstate
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cd burning
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cd
burning\drives
                                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+\cd+ \\
    Opens key:
burning\staginginfo
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cidopen
    Opens key:
                                                       HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus cidopen \setminus modules
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cidsave
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\cidsave\modules
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid
                                                       HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta \} + \{20d04f
    Opens key:
3aea-1069-a2d8-08002b30309d}
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-
3f72-44a7-89c5-5595fe6b30ee}
                                                       Opens key:
5081-101b-9f08-00aa002f954e}
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
42a0-1069-a2ea-08002b30309d}
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid\{f02c1a0d-
be21-4350-88b0-7367fc96ef3c}
                                                       HKCU \ software \ microsoft \ windows \ current version \ explorer \ comdlg 32
    Opens key:
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\firstfolder
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmru
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\opensavepidlmru
                                                       HKCU\software\microsoft\windows\currentversion\explorer\controlpanel
    Opens key:
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\discardable
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\discardable\postsetup
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.152_archive
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3g2
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gp
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gp2
    Opens key:
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gpp
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.aac
                                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.adt}
    Opens key:
    Opens key:
                                                       \label{lem:hkcu} \verb+KKCU\software\microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}. adts
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.aif
    Opens key:
                                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{lem:hkcu}. aif considering the leminor of the leminor \cite{lem:hkcu} aif considering \cite{lem:hkcu}. Also considering \cite{lem:hkcu} aif \cite{lem:hkcu}. Also considering \cite{lem:hkcu
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.aiff
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.asf
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.asx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.au
    Opens kev:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.avi
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.bmp
    Opens key:
                                                       HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .cab
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.contact
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.css
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dib
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll
    Opens key:
                                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+\fileexts \verb+\.. doc
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.docm
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.docx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dot
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dvr
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dvr-ms
    Opens key:
                                                       \label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+fileexts\+.dwfx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.easmx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.edrwx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.emf
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.eprtx
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe
    Opens key:
                                                       \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\.} fon
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.gif
                                                       \label{thm:local_ham} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \file exts \htm} \end{tabular}
    Opens key:
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico
    Opens key:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ini
    Opens key:
                                                       \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+ file exts \verb+.jfif+ if the large of the large 
    Opens kev:
                                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpe
```

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpeg

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpg Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.itx Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m1v Opens key: Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m2t Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .m2ts$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m2v Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m3u Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m4a Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m4v Opens kev:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .mht$ Opens key:  $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+ file exts \verb+..mhtml+ \\$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mid HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.midi Opens key: Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .mod$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mov HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp2 Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp2v Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp3 Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp4 Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .mp4v$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpa HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpe Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpeg Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpg Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpv2 Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msi Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mts Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.odt Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.otf Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.png Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pot HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.potm Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.potx Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppsm HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppsx Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppt Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pptm HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pptx Opens key: Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .ps1xml$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rle HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rmi Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.scf Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.search-ms HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.snd Opens kev:  $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \windows \verb+current version \verb+explorer \verb+ file exts \verb+ . sys+ \\$ Opens key:

Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .tif$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tiff Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ts Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.ttc} \\$ Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ttf Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tts Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\.txt}$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wav HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wax Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wdp Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wm  $\label{lem:hkcu} \mbox{HKCU\software\mbox{$\mbox{microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.wma} \mbox{}$ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmf Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmv HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmx Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wpl Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wtv Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wvx Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdots. \end{tabular} \label{lem:hkcu}$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xls Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\.xlsb}}$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlsm Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlsx Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlt Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.xltm} \\ \mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.xltm} \\ \mbox{\tt microsoft\windows\currentversion\explorer$ HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xltx Opens kev:  $\label{lem:hkcu} \mbox{HKCU\software\mbox{\sc urrentversion\explorer\fileexts\sc .xml} \\$ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xps Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.zip Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\directory

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\lowregistry Opens key: HKCU\software\microsoft\windows\currentversion\explorer\menuorder

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\menuorder\favorites

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\modules

Opens kev:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \modules \common places \end{tabular}$ 

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\modules\globalsettings

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\modules\navpane Opens key: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2 Opens key: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc

Opens key:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints 2 \setminus \{69d250e4-6c18-11e3-b3bc-11e3$ 806e6f6e6963}

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{69d250e7-6c18-11e3-b3bc-

806e6f6e6963}

Opens key:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints \\ 2 \setminus \{89745146 - 9299 - 11e3 - ba80 -$ 806e6f6e6963}

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\newshortcuthandlers

HKCU\software\microsoft\windows\currentversion\explorer\recentdocs Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\recentdocs\.zip

Opens key:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \recent docs \folder \end{tabular}$ 

HKCU\software\microsoft\windows\currentversion\explorer\runmru Opens key:

Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\search platform} \\$ 

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders Opens key: HKCU\software\microsoft\windows\currentversion\explorer\startpage

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\startpage\newshortcuts

HKCU\software\microsoft\windows\currentversion\explorer\startpage2 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\streams

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\streams\desktop Opens key: HKCU\software\microsoft\windows\currentversion\explorer\stuckrects2 Opens key:  $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\taskband}} \\$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\typedpaths Opens key:  $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$ 

folders

Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\userassist

Opens key:

9926f41749ea} Opens key:

 $HKCU \setminus software \setminus icrosoft \setminus indows \setminus current version \setminus explorer \setminus sist \setminus \{f4e57c4b-2036-45f0-a9ab-f1explorer\} \setminus f4e57c4b-2036-45f0-a9ab-f1explorer \setminus f4e57c4b-2056-45f0-a9ab-f1explorer \setminus f4e57c4$ 443bcfe33d9f}

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\animateminmax

Opens key:

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\controlanimations Opens key:

 $HKCU \ software \ \verb|microsoft| windows \ \verb|currentversion| explorer \ \verb|visualeffects| cursors hadow \ and \ \verb|microsoft| windows \ \verb|currentversion| explorer \ \verb|visualeffects| cursors hadow \ and \ \verb|microsoft| windows \ \verb|currentversion| explorer \ \verb|visualeffects| cursors hadow \ and \ an analysis \ a$ 

Opens key: 

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\dwmaeropeekenabled

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\dwmenabled

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\fontsmoothing Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\listboxsmoothscrolling Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\listviewalphaselect Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\menuanimation Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ visual effects \ \ selection fade$ Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ visual effects \ task baranimations$ Opens key:

```
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\themes
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\thumbnailsoricon
     Opens key:
HKCU \ software \ microsoft \ windows \ current version \ leave for revisual effects \ tool tip an imation
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\transparentglass
                                                                      HKCU\software\microsoft\windows\currentversion\explorer\wallpapers
     Opens key:
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\wallpapers\images
     Opens kev:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \session in follows \current version \explorer \explore
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1
     Opens key:
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\ext
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\ext\settings
                                                                      HKCU\software\microsoft\windows\currentversion\ext\settings\{18df081c-
     Opens kev:
 e8ad-4283-a596-fa578c2ebdc3}
    Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{761497bb-microsoft \setminus ext \setminus
 d6f0-462c-b6eb-d4daf1d92d43}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\settings\{d27cdb6e-
     Opens key:
ae6d-11cf-96b8-444553540000}
                                                                      HKCU\software\microsoft\windows\currentversion\ext\settings\{dbc80044-
    Opens kev:
 a445-435b-bc74-9c25c1c588a9}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats
     Opens key:
                                                                       Opens key:
 11cf-aaa5-00401c608501}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats\{18df081c-e8ad-
     Opens key:
4283-a596-fa578c2ebdc3}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats\{761497bb-d6f0-
     Opens key:
462c-b6eb-d4daf1d92d43}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats\{8856f961-340a-
    Opens key:
 11d0-a96b-00c04fd705a2}
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats\{cfbfae00-17a6-
 11d0-99cb-00c04fd64497}
                                                                       Opens key:
 11cf-96b8-444553540000}
                                                                       HKCU\software\microsoft\windows\currentversion\ext\stats\{dbc80044-a445-
     Opens key:
435b-bc74-9c25c1c588a9}
                                                                       HKCU\software\microsoft\windows\currentversion\group policy
     Opens key:
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\group
policy\groupmembership
     Opens kev:
                                                                       HKCU\software\microsoft\windows\currentversion\group policy\history
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\group
policy\policyapplicationstate
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\group policy editor
     Opens key:
                                                                       \label{lem:hkcu} \mbox{\currentversion\group policy editor\admx} \mbox{\currentversion\group editor\admx} \mbox{\currentversion\group editor\admx} \mbox{\currentversion\group editor\admx} \mbox{\currentversion\group editor\admx} \mbox{\currentversion\group editor\group editor\group editor\group editor\group editor\
 filter
                                                                       HKCU\software\microsoft\windows\currentversion\group policy editor\admx
    Opens kev:
 filter.cache
                                                                       \label{lem:hccu} \verb+KCU\+software\+microsoft\+windows\+currentversion\+homegroup
     Opens kev:
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\homegroup\printers
     Opens key:
                                                                       \label{lem:hccu} \mbox{\currentversion\homegroup\uistatus} cache
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\ime
                                                                       HKCU\software\microsoft\windows\currentversion\ime\imtc70
     Opens kev:
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\ime\imtc70\fuzzyscheme
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet settings
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet settings\5.0
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache
    Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\lowcache
                                                                       HKCU\software\microsoft\windows\currentversion\internet
     Opens key:
settings\5.0\user agent
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\activities
                                                                       HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
 settings\activities\blog
    Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
settings\activities\email
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\activities\map
                                                                       HKCU\software\microsoft\windows\currentversion\internet
    Opens kev:
 settings\activities\translate
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet settings\cache
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet
 settings\connections
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet settings\http
 filters
     Opens key:
                                                                       HKCU\software\microsoft\windows\currentversion\internet settings\http
 filters\rpa
                                                                       HKCU\software\microsoft\windows\currentversion\internet
     Opens key:
```

settings\lockdown\_zones

```
Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\2
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
                                     HKCU\software\microsoft\windows\currentversion\internet settings\p3p
  Opens kev:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\p3p\history
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\passport
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\passport\lowdamap
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\protocols
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\protocols\mailto
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\wpad
  Opens kev:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\5e-19-d5-f1-94-00
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\ce-24-88-5f-90-5e
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\wpad\fe-54-5a-c1-01-d0
                                     \label{thm:linear} \mbox{HKCU\software\mbox{\sc urrentversion\internet}} \\
  Opens kev:
settings\wpad\{1701d862-74bd-40ea-8107-be3313fdd529}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{8dfa6cf1-5379-431e-aa1b-11fda2af808d}
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{eb978a0c-1694-44cd-91c4-0d1bb526b865}
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zonemap
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\domains
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\escdomains
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\protocoldefaults
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\ranges
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
  Opens key:
  Opens key:
                                     \label{local-observation} \mbox{HKCU\software\mbox{\sc windows\currentversion\internet settings\sc windows\currentversion\sc windows\sc windo
  Opens kev:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\mct
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\mct\us
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\mct\us\link
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\mct\us\rssfeed
                                     HKCU\software\microsoft\windows\currentversion\mct\us\theme
  Opens key:
  Opens kev:
                                     HKCU\software\microsoft\windows\currentversion\mct\us\wallpaper
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\netcache
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\policies
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\radar
                                     HKCU\software\microsoft\windows\currentversion\run
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\runonce
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\screensavers
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\screensavers\bubbles
  Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\bubbles\screen 1
  Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\bubbles\screen 2
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\screensavers\mystify
  Opens key:
\label{thm:local_harmonic} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \screen savers \mbox{\sc mystify} \screen 1 \end{tabular}
  Opens kev:
HKCU\software\microsoft\windows\currentversion\screensavers\mystify\screen 2
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\screensavers\ribbons
  Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\ribbons\screen 1
  Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\ribbons\screen 2
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\screensavers\sstext3d
  Opens kev:
HKCU\software\microsoft\windows\currentversion\screensavers\sstext3d\screen 1
  Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\sstext3d\screen 2
                                     HKCU\software\microsoft\windows\currentversion\shell extensions
  Opens kev:
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \shell extensions \cached \end{tabular}
```

```
HKCU\software\microsoft\windows\currentversion\sidebar
 Opens key:
 Opens key:
                            HKCU\software\microsoft\windows\currentversion\sidebar\settings
                            \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ telephony
 Opens kev:
 Opens key:
HKCU\software\microsoft\windows\currentversion\telephony\handoffpriorities
 Opens key:
```

HKCU\software\microsoft\windows\currentversion\telephony\handoffpriorities\mediamodes HKCU\software\microsoft\windows\currentversion\thememanager Opens key: HKCU\software\microsoft\windows\currentversion\themes Opens kev:

Opens key:

HKCU\software\microsoft\windows\currentversion\themes\defaultvisualstyleoff

Opens key:

 $\label{thm:cursoft} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \themes \default visual style on \end{tabular}$ 

Opens key: HKCU\software\microsoft\windows\currentversion\themes\installedthemes

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\themes\installedthemes\mct

Opens key: HKCU\software\microsoft\windows\currentversion\wintrust

Opens key: HKCU\software\microsoft\windows\currentversion\wintrust\trust providers

Opens key: HKCU\software\microsoft\windows\currentversion\wintrust\trust

providers\software publishing

HKCU\software\microsoft\windows\dwm Opens key: HKCU\software\microsoft\windows\shell Opens key: Opens key: HKCU\software\microsoft\windows\shell\bagmru Opens key: HKCU\software\microsoft\windows\shell\bags Opens key: HKCU\software\microsoft\windows\shell\bags\1

HKCU\software\microsoft\windows\shell\bags\1\desktop Opens key:

Opens key: HKCU\software\microsoft\windows\tabletpc

Opens key: HKCU\software\microsoft\windows\tabletpc\tabsetup HKCU\software\microsoft\windows\windows error reporting Opens kev:

Opens key: HKCU\software\microsoft\windows\windows error reporting\consent Opens key: HKCU\software\microsoft\windows\windows error reporting\hangs HKCU\software\microsoft\windows mail

Opens key: HKCU\software\microsoft\windows mail\mail Opens key: HKCU\software\microsoft\windows mail\news HKCU\software\microsoft\windows mail\trident Opens key: Opens key: HKCU\software\microsoft\windows mail\trident\main Opens key: HKCU\software\microsoft\windows mail\trident\settings

HKCU\software\microsoft\windows media Opens key: Opens key: HKCU\software\microsoft\windows media\wmsdk Opens key: HKCU\software\microsoft\windows media\wmsdk\general HKCU\software\microsoft\windows media\wmsdk\namespace Opens key:

Opens key: HKCU\software\microsoft\windows nt

Opens key: HKCU\software\microsoft\windows nt\currentversion

HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens key:

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\compatibility assistant HKCU\software\microsoft\windows Opens key:

nt\currentversion\appcompatflags\compatibility assistant\persisted

HKCU\software\microsoft\windows nt\currentversion\devices Opens kev: HKCU\software\microsoft\windows nt\currentversion\efs Opens key:

Opens key: HKCU\software\microsoft\windows nt\currentversion\msicorruptedfilerecovery

HKCU\software\microsoft\windows nt\currentversion\msicorruptedfilerecovery\repairedproducts

Opens kev: HKCU\software\microsoft\windows nt\currentversion\network

 $\label{thm:location} \mbox{HKCU\software\mbox{$\mbox{$m$icrosoft\windows}$} nt\current\version\network\location} \\$ Opens key:

awareness

Opens key: HKCU\software\microsoft\windows nt\currentversion\peernet

 $\label{lem:hkcu} \mbox{HKCU\software\mbox{$^{$}$ microsoft\windows nt\currentversion\peernet\collabhost}} \\$ Opens key: Opens key: HKCU\software\microsoft\windows nt\currentversion\printerports Opens key: HKCU\software\microsoft\windows nt\currentversion\taskmanager Opens key: HKCU\software\microsoft\windows nt\currentversion\windows Opens key: HKCU\software\microsoft\windows nt\currentversion\winlogon

Opens key: HKCU\software\microsoft\windows script

HKCU\software\microsoft\windows script\settings Opens key:

Opens key: HKCU\software\microsoft\windows search

Opens key: HKCU\software\microsoft\windows search\processedsearchroots HKCU\software\microsoft\windows search\processedsearchroots\0000 Opens key: Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \ search \setminus processed search roots \setminus 0001$ Opens key: HKCU\software\microsoft\windows search\processedsearchroots\0002 HKCU\software\microsoft\windows search\processedsearchroots\0003 Opens key:

Opens key: HKCU\software\microsoft\windows sidebar

Opens key: HKCU\software\microsoft\windows sidebar\ieoverride HKCU\software\microsoft\windows sidebar\ieoverride\main Opens key: Opens key: HKCU\software\microsoft\windows sidebar\ieoverride\settings Opens key: HKCU\software\microsoft\windows sidebar\ieoverride\styles

HKCU\software\microsoft\wisp Opens key:

Opens key: HKCU\software\microsoft\wisp\multitouch Opens key: HKCU\software\microsoft\wisp\pen

HKCU\software\microsoft\wisp\pen\syseventparameters Opens key:

Opens key: HKCU\software\microsoft\wisp\pen\syseventparameters\flickcommands Opens kev:

Opens key: HKCU\software\microsoft\wisp\touch

```
HKCU\software\netscape
  Opens key:
  Opens key:
                                     HKCU\software\netscape\netscape navigator
  Opens key:
                                     HKCU\software\netscape\netscape navigator\suffixes
  Opens key:
                                     HKCU\software\netscape\netscape navigator\user trusted external
applications
  Opens key:
                                     HKCU\software\netscape\netscape navigator\viewers
                                     HKCU\software\policies
  Opens key:
                                     HKCU\software\policies\microsoft
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\ca
  Opens key:
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\ca\certificates
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\ca\crls
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\ca\ctls
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ system certificates\+ disallowed
  Opens key:
  Opens key:
HKCU\software\policies\microsoft\systemcertificates\disallowed\certificates
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\disallowed\crls
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\disallowed\ctls
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\trust
  Opens key:
                                     HKCU \setminus software \setminus policies \setminus microsoft \setminus system certificates \setminus trust \setminus certificates
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\trust\crls
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\trust\ctls
                                     HKCU\software\policies\microsoft\systemcertificates\trustedpeople
  Opens kev:
  Opens key:
HKCU\software\policies\microsoft\systemcertificates\trustedpeople\certificates
                                     \label{lem:hkcu} \verb+KKCU\software\policies\microsoft\systemcertificates\trusted people\crls
  Opens key:
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\trustedpeople\ctls
  Opens key:
                                     HKCU\software\policies\microsoft\systemcertificates\trustedpublisher
  Opens kev:
HKCU \setminus software \setminus policies \setminus microsoft \setminus system certificates \setminus trusted publisher \setminus certificates
  Opens key:
HKCU\software\policies\microsoft\systemcertificates\trustedpublisher\crls
  Opens key:
HKCU\software\policies\microsoft\systemcertificates\trustedpublisher\ctls
                                     HKCU\software\policies\microsoft\windows
  Opens key:
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0
                                     \label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \normalisatio
  Opens key:
settings\cache
  Opens key:
                                     HKCU\software\policies\power
                                     HKCU\software\policies\power\powersettings
  Opens key:
  Opens key:
                                     HKCU\software\python
  Opens key:
                                     HKCU\software\python\pythoncore
                                     HKCU\software\python\pythoncore\2.7
  Opens key:
  Opens key:
                                     HKCU\software\python\pythoncore\2.7\help
                                     HKCU\software\python\pythoncore\2.7\help\pythonwin reference
  Opens kev:
                                     HKCU\software\classes
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid
  Opens key:
                                     HKCU\software\classes\clsid\{8ad9c840-044e-11d1-b3e9-00805f499d93}
                                     HKCU\software\classes\clsid\{8ad9c840-044e-11d1-b3e9-
  Opens key:
00805f499d93}\inprocserver32
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0003-abcdeffedcba}
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0003-
  Opens key:
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0004-abcdeffedcba}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0004-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0005-abcdeffedcba}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0000-0005-
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0000-abcdeffedcba}
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0000-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-abcdeffedcba}
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-
  Opens key:
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-abcdeffedcbb}
  Opens kev:
                                     Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-abcdeffedcba}
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-
  Opens key:
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-abcdeffedcbb}
  Opens kev:
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-abcdeffedcba}
```

Opens key: HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-abcdeffedcbb} Opens key: HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-

HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-

Opens key:

abcdeffedcba}\inprocserver32

```
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-
abcdeffedcba}\inprocserver32
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-
 Opens kev:
abcdeffedcba}\inprocserver32
                         Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-
abcdeffedcbb}\inprocserver32
 Opens key:
                         \label{localization} \begin{tabular}{ll} HKCU \software \classes \clsid \cafeefac-0013-0001-0014-abcdeffedcba \end{tabular}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \clsid \cafeefac-0013-0001-0015-abcdeffedcba \end{tabular}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-
 Opens kev:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-abcdeffedcbb}
```

```
Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-abcdeffedcba}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-abcdeffedcba}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-
 Opens key
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-abcdeffedcbb}
                         Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-
 Opens key
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-
 Opens kev
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-
 Opens kev
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-
 Opens key:
```

abcdeffedcba}\inprocserver32

```
Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    \label{local-continuity} HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0001-0005-abcdeffedcba\}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-
  Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-abcdeffedcbb}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-abcdeffedcba}
                                    Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-abcdeffedcba}
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0002-0006-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-0002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-0006-00014-00002-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-00004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-
```

```
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-
abcdeffedcbb}\inprocserver32
 Opens kev:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-abcdeffedcba}
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-abcdeffedcba}
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-
 Opens key:
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-
 Opens kev:
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-
 Opens kev:
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-
 Opens key:
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-
 Opens key:
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-
 Opens kev:
abcdeffedcba}\inprocserver32
                         \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \clsid \cafeefac-0014-0002-0021-abcdeffedcbb \end{tabular}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-abcdeffedcba}
```

```
Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-abcdeffedcbb}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-abcdeffedcbb}
                                    Opens key
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-abcdeffedcba}
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0033-0004-0002-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-0002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0003-0004-00002-0004-00002-0004-00002-0004-0004-00002-0004-0004-0004-0004-00002-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004-0004
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-
  Opens key
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-
  Opens kev
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-ffff-abcdeffedcba}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-ffff-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
  Opens kev
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcbb}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcbc}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
  Opens key:
abcdeffedcbc}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcbb}
                                    Opens key:
```

abcdeffedcbb}\inprocserver32

```
Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
 Opens kev:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcba}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcba}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
```

```
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
 Opens kev:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
 Opens kev:
abcdeffedcba}\inprocserver32
                         \label{local-condition} \begin{tabular}{l} HKCU \software \classes \clsid \cafeefac-0015-0000-0018-abcdeffedcbb \end{tabular}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
 Opens kev:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcba}
```

```
Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcbc}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
 Opens kev:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-abcdeffedcba}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-abcdeffedcba}
                         Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0027-
 Opens kev
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-abcdeffedcba}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0028-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0029-abcdeffedcba}
                         Opens key:
```

abcdeffedcba}\inprocserver32

```
Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0029-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0029-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0029-abcdeffedcbc}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0029-
  Opens kev:
abcdeffedcbc}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-abcdeffedcbc}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0030-
abcdeffedcbc}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-abcdeffedcbc}
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0031-
  Opens key:
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-
  Opens key:
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-abcdeffedcbc}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-0032-
  Opens key:
abcdeffedcbc}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0015-0000-ffff-abcdeffedcba}
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0015-0000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-ffff-10000-fff-10000-fff-10000-fff-10000-fff-10000-fff-10000-fff-10000-fff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-10000-ff-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-abcdeffedcbc}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0000-
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-abcdeffedcbc}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0001-
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-abcdeffedcbc}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0002-
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-abcdeffedcbc}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0003-
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-abcdeffedcbc}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0004-
abcdeffedcbc}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-
```

```
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-
abcdeffedcbb}\inprocserver32
 Opens kev:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-abcdeffedcbc}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0005-
abcdeffedcbc}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-abcdeffedcbc}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0006-
abcdeffedcbc}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-abcdeffedcba}
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-abcdeffedcbc}
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0007-
abcdeffedcbc}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-abcdeffedcbc}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0008-
abcdeffedcbc}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-abcdeffedcba}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-abcdeffedcbc}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0009-
 Opens key:
abcdeffedcbc}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-
 Opens kev:
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-abcdeffedcbc}
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0010-
 Opens kev:
abcdeffedcbc}\inprocserver32
                          \label{local-equation} HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafeefac-0016-0000-0011-abcdeffedcba\}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0011-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0011-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0011-
 Opens key:
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0011-abcdeffedcbc}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0011-
abcdeffedcbc}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0012-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0012-
 Opens key:
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0012-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0012-
 Opens kev:
abcdeffedcbb}\inprocserver32
                          \label{local-condition} \begin{tabular}{l} HKCU \software \classes \clsid \cafeefac-0016-0000-0012-abcdeffedcbc} \end{tabular}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0012-
abcdeffedcbc}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-abcdeffedcbb}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-abcdeffedcbc}
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0013-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-abcdeffedcbb}
```

```
Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0014-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0015-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0016-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0017-
 Opens kev:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-abcdeffedcba}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0018-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0019-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0020-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0020-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0020-abcdeffedcbb}
                         Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0020-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0020-
 Opens key
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-
 Opens kev
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-abcdeffedcbc}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0021-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-
 Opens kev
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0022-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0023-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0023-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0023-abcdeffedcbb}
                         Opens key:
```

abcdeffedcbb}\inprocserver32

```
Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0023-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0023-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-
 Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0024-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-
 Opens kev:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0025-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0026-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0027-abcdeffedcba}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0027-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0027-abcdeffedcbb}
                         Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0027-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0027-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0028-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-abcdeffedcba}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-0029-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-ffff-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0016-0000-ffff-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0000-abcdeffedcba}
 Opens key:
                         Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0000-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0000-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0000-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0000-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0001-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-
abcdeffedcba}\inprocserver32
                        HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-
```

```
abcdeffedcbb}\inprocserver32
                                                                HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-abcdeffedcbc}
    Opens key:
                                                                HKCU\software\classes\clsid\{cafeefac-0017-0000-0002-
    Opens key:
abcdeffedcbc}\inprocserver32
    Opens key:
                                                                HKCU\software\classes\clsid\{cafeefac-0017-0000-ffff-abcdeffedcba}
    Opens key:
                                                                HKCU\software\classes\clsid\{cafeefac-0017-0000-ffff-
abcdeffedcba}\inprocserver32
                                                               HKCU\software\classes\clsid\{e19f9331-3110-11d4-991c-005004d3b3db}
    Opens key:
                                                                HKCU\software\classes\clsid\{e19f9331-3110-11d4-991c-
    Opens key:
005004d3b3db}\inprocserver32
                                                                HKCU\software\classes\javaplugin.1020
    Opens kev:
    Opens key:
                                                                HKCU\software\classes\javaplugin.1020\clsid
    Opens key:
                                                                HKCU\software\classes\local settings
                                                                HKCU\software\classes\local settings\muicache
    Opens key:
    Opens key:
                                                                HKCU\software\classes\local settings\muicache\27
                                                                HKCU\software\classes\local settings\muicache\27\52c64b7e
    Opens key:
    Opens key:
                                                                HKCU\software\classes\local settings\software
    Opens key:
                                                                HKCU\software\classes\local settings\software\microsoft
    Opens key:
                                                                HKCU\software\classes\local settings\software\microsoft\windows
                                                                HKCU\software\classes\local
    Opens key:
settings\software\microsoft\windows\currentversion
                                                                HKCU\software\classes\local settings\software\microsoft\windows\shell
    Opens key:
    Opens key:
                                                                HKCU\software\classes\python.file
    Opens key:
                                                                HKCU\software\classes\python.file\shell
    Opens key:
                                                                HKCU\software\classes\python.file\shell\edit with pythonwin
                                                                HKCU\software\classes\python.file\shell\edit with pythonwin\command
    Opens key:
    Opens key:
                                                                HKCU\software\classes\python.noconfile
    Opens key:
                                                                HKCU\software\classes\python.noconfile\shell
    Opens key:
                                                                HKCU\software\classes\python.noconfile\shell\edit with pythonwin
    Opens key:
                                                                HKCU\software\classes\python.noconfile\shell\edit with pythonwin\command
    Opens key:
                                                                HKCU\software\classes\virtualstore
    Opens key:
                                                                HKCU\software\classes\virtualstore\machine
    Opens key:
                                                                HKCU\software\classes\virtualstore\machine\software
    Opens key:
                                                                HKCU\software\classes\virtualstore\machine\software\microsoft
                                                                \label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \classes \virtual store \mbox{$\mbox{machine}$ software \mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mb
    Opens kev:
    Opens key:
HKCU\software\classes\virtualstore\machine\software\microsoft\downloadmanager
                                                                HKLM\software\microsoft\windows\currentversion\run
    Opens key:
    Opens key:
                                                                HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
    Opens key:
c19ce8a73253}
    Opens key:
                                                                HKLM\software\microsoft\rpc
    Opens key:
                                                                {\tt HKLM \ } system \verb|\ current control \ \\ computer name \verb|\ active computer name \ \\ 
    Opens key:
                                                                HKLM\system\setup
    Opens key:
                                                                HKLM\software\policies\microsoft\windows nt\rpc
                                                                HKLM\system\currentcontrolset\services\tcpip\linkage
    Opens key:
    Opens key:
                                                                HKCU\software\far\plugins\ftp\hosts
    Opens key:
                                                                HKCU\software\far2\plugins\ftp\hosts
                                                                HKCU\software\far\saveddialoghistory\ftphost
    Opens key:
    Opens key:
                                                                HKCU\software\far2\saveddialoghistory\ftphost
    Opens key:
{\tt HKLM \coftware \cosoft \windows \current \version \explorer \folder descriptions}
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de
9afe-ea3317b67173}
    Opens kev:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'folder descriptions' \ 'fol
9afe-ea3317b67173}\propertybag
    Opens key:
                                                                HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-
2160590473-689474908-1361669368-1002
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
    Opens key:
                                                                HKCU\software\ghisler\windows commander
                                                                HKCU\software\ghisler\total commander
    Opens key:
    Opens key:
                                                                HKLM\software\ghisler\windows commander
    Opens key:
                                                                HKLM\software\ghisler\total commander
                                                                HKCU\software\flashfxp
    Opens key:
    Opens key:
                                                                HKCU\software\flashfxp\3
    Opens key:
                                                                HKCU\software\flashfxp\4
                                                               HKLM\software\flashfxp
    Opens key:
    Opens key:
                                                                HKLM\software\flashfxp\3
    Opens key:
                                                                HKLM\software\flashfxp\4
    Opens key:
```

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} a03a-e3ef65729f3d \property bag$ 

Opens key:

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\addressbook

```
Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\adobe flash
player activex
     Opens key:
                                                                               HKI M\software\microsoft\windows\currentversion\uninstall\connection
manager
     Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\directdrawex
     Opens key:
                                                                               \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows\+ current version\+ uninstall\+ dxm\_runtime
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\fontcore
     Opens key:
     Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\ie40
     Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\ie4data
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\ie5bakex
     Opens key:
                                                                              HKLM\software\microsoft\windows\currentversion\uninstall\iedata
     Opens key:
     Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus uninstall \setminus mobile option pack
                                                                              HKLM\software\microsoft\windows\currentversion\uninstall\mplayer2
     Opens key:
     Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\schedulingagent
     Opens key:
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\wic
                                                                               HKI M\software\microsoft\windows\currentversion\uninstall\{196bb40d-1578-
     Opens kev:
3d01-b289-befc77a11a1e}
     Opens key:
                                                                               HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus uninstall \setminus \{26a24ae4-039d-14ae4-039d-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae4-14ae
4ca4-87b4-2f83217002ff}
     Opens key:
                                                                               4037-7777-5f2748764d10}
                                                                               HKLM\software\microsoft\windows\currentversion\uninstall\{90120000-0020-
     Opens kev:
0409-0000-0000000ff1ce}
     Opens key:
                                                                               11d3-8cfe-0150048383c9}
                                                                               Opens key:
0409-0000-0000000ff1ce}
                                                                               Opens key:
 0409-0000-0000000ff1ce}
     Opens key:
                                                                               HKLM \ software \ microsoft \ windows \ current version \ uninstall \ \{ac76ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14ba86-7ad7-14b
 1033-7b44-a9300000001}
     Opens key:
                                                                               HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus uninstall \setminus \{c3cc4df5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-39a5-44f5-36a5-44f5-36a5-46f5-36a5-46f5-366-46f5-366-46f5-366-46f5-366-46f5-366-466-466-4666-466-466-466-466-466-4
4027-b136-2b3e1f5ab6e2}
                                                                               HKCU\software\bpftp\bullet proof ftp\main
     Opens key:
     Opens key:
                                                                               HKCU\software\bulletproof software\bulletproof ftp client\main
     Opens key:
                                                                               HKCU\software\bpftp\bullet proof ftp\options
                                                                               HKCU\software\bulletproof software\bulletproof ftp client\options
     Opens key:
     Opens key:
                                                                               HKCU\software\bulletproof software\bulletproof ftp client 2010\options
     Opens key:
                                                                              HKCU\software\bpftp
     Opens kev:
9d55-7b8e7f157091}
     Opens key:
9d55-7b8e7f157091}\propertybag
     Opens key:
a9dd-070d1d495d97}
     Opens key:
a9dd-070d1d495d97}\propertybag
     Opens key:
                                                                              HKLM\software\microsoft\windows nt\currentversion\profilelist
                                                                               HKCU\software\turboftp
     Opens key:
     Opens key:
                                                                              HKCU\software\cryer\websitepublisher
     Opens key:
                                                                              HKU\
     Opens key:
                                                                              HKCU\software\ftpclient\sites
     Opens key:
                                                                              HKCU\software\softx.org\ftpclient\sites
                                                                              HKCU\software\martin prikryl\winscp 2\sessions
     Opens key:
     Opens key:
                                                                              HKCU\software\vandyke\securefx
     Opens key:
b29c-65b732d3d21a}
     Opens kev:
b29c-65b732d3d21a}\propertybag
     Opens key:
                                                                              HKLM\software\microsoft\windows\currentversion
                                                                              HKCU\software\globalscape\cuteftp 6 home\qctoolbar
     Opens key:
     Opens key:
                                                                               HKCU\software\globalscape\cuteftp 6 professional\qctoolbar
                                                                               HKCU\software\globalscape\cuteftp 7 home\qctoolbar
     Opens kev:
     Opens key:
                                                                              HKCU\software\globalscape\cuteftp 7 professional\qctoolbar
     Opens key:
                                                                               HKCU\software\globalscape\cuteftp 8 home\qctoolbar
     Opens key:
                                                                              HKCU\software\globalscape\cuteftp 8 professional\qctoolbar
     Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47a2-47eq16d-47eq16d-47a2-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq16d-47eq
aaae-29d317c6f066}
     Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-1944, frame \ 'frame' \ 'fr
aaae-29d317c6f066}\propertybag
     Opens key:
                                                                             HKCU\software\sota\ffftp\options
     Opens key:
                                                                               HKCU\software\ftpware\coreftp\sites
     Opens key:
                                                                              HKCU\software\south river technologies\webdrive\connections
```

HKCU\software\nch software\classicftp\ftpaccounts

Opens key:

```
Opens key:
                       HKLM\software\nch software\fling\accounts
 Opens key:
                       HKCU\software\filezilla
 Opens key:
                       HKCU\software\filezilla\recent servers
                       HKCU\software\filezilla\site manager
 Opens key:
 Opens key:
                       HKCU\software\ftp explorer\profiles
 Opens key:
                       \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows\+ current version\+ uninstall\+ ultrafxp
 Opens key:
 Opens key:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
 Queries value:
                       HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
 Queries value:
                       HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
 Queries value:
                       HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
 Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
 Queries value:
                       HKCU\control panel\desktop[preferreduilanguages]
 Oueries value:
                       HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
 Queries value:
HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
                       HKLM\system\currentcontrolset\control\nls\sorting\versions[]
 Queries value:
                       HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
 Queries value:
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\compatibility32[188ab310143d0c0c9673d957fcfe757877037611aa31c9d11179890201e276c5]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\windows[loadappinit_dlls]
                       HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Queries value:
                       HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Oueries value:
 Queries value:
                       HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Queries value:
                       HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
                       HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Queries value:
                       HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disableimprovedzonecheck]
                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Oueries value:
settings[security_hklm_only]
                       HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Oueries value:
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters [namespace\_callout]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000003[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem]
 Oueries value:
```

Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace\_catalog 5 [serial\_access\_num]$ 

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[num\_catalog\_entries]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[librarypath]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[addressfamily]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[supportednamespace]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[enabled]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[version]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[storesserviceclassinfo]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[providerinfo]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[displaystring]
  Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog \ solves \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[addressfamily]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[supportednamespace]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[version]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[storesserviceclassinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[displaystring]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[addressfamily]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[supportednamespace]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[enabled]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[version]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000004[providerid]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000004[supportednamespace]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[enabled]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[version] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ 0000000000004 [storesservice class info] \\ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[displaystring] Oueries value:
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace\_catalog \catalog\_entries \namespace\_catalog \catalog\_entries \catalog \catalog\_entries \catalog \catalog\_entries \catalog \cat$

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005[supportednamespace]
Queries value:
```

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[enabled]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[version]
Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[storesserviceclassinfo]
Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[providerinfo]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[librarypath]
Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[displaystring]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[providerid]
Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[addressfamily]
Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[supportednamespace]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[enabled]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[version]
 Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[storesserviceclassinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2\_32numhandlebuckets]

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2\_32spincount]

Queries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]

Queries value:

 $\label{lem:hklm} HKLM \xstem \xstem$ 

migration\providers\psched[winsock 2.0 provider id]

 $\label{thm:current} Queries \ value: \\ HKLM\ system\ current control set\ services\ winsock\ setup$ 

migration\providers\tcpip[winsock 2.0 provider id]

Queries value:

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [maxsock addrlength]$ 

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [used elayed acceptance]$ 

Queries value:

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

HKLM\system\currentcontrolset\control\nls\customlocale[ar] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[arl Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ar-sa] HKLM\system\currentcontrolset\control\nls\extendedlocale[ar-sa] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[bg] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bg] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[bg-bg] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bg-bg] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ca] HKLM\system\currentcontrolset\control\nls\extendedlocale[ca] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ca-es] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ca-es] HKLM\system\currentcontrolset\control\nls\customlocale[zh-hans] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-hans] Oueries value:  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\custom| locale[zh-cn]|$ Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-cn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[cs] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cs] HKLM\system\currentcontrolset\control\nls\customlocale[cs-cz] Oueries value:

Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cs-cz] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[da] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[da] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[da-dk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[da-dk] HKLM\system\currentcontrolset\control\nls\customlocale[de] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[de] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[de-de] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[de-de] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[el]

Queries value: HKLM\system\currentcontrol\set\control\nls\extendedlocale[e1]

HKLM\system\currentcontrolset\control\nls\customlocale[el-gr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[el-gr] Oueries value:  $HKLM \verb|\system| current controlset| control \verb|\nls| custom locale[en]|$ Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[es] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[es] HKLM\system\currentcontrolset\control\nls\customlocale[es-es] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[es-es] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fi] HKLM\system\currentcontrolset\control\nls\extendedlocale[fi] Oueries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[fi-fi] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fi-fi] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fr-fr] HKLM\system\currentcontrolset\control\nls\extendedlocale[fr-fr] Oueries value: Oueries value: HKI M\system\currentcontrolset\control\nls\customlocale[hel Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[he] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[he-il] HKLM\system\currentcontrolset\control\nls\extendedlocale[he-il] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hu] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hu-hu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hu-hu] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[is] HKLM\system\currentcontrolset\control\nls\extendedlocale[is] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[is-is] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[is-is] Queries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[it] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[it] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[it-it] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[it-it] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ja] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ja] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ja-jp] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ja-jp] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ko] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ko] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ko-kr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ko-kr] HKLM\system\currentcontrolset\control\nls\customlocale[nl] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[nl-nl] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nl-nl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[no] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[no] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[nb-no] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nb-no] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pl] HKLM\system\currentcontrolset\control\nls\extendedlocale[pl] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pl-pl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pl-pl] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[pt] HKLM\system\currentcontrolset\control\nls\extendedlocale[pt] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[pt-br] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pt-br] HKLM\system\currentcontrolset\control\nls\customlocale[rm] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rm] HKLM\system\currentcontrolset\control\nls\customlocale[rm-ch] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rm-ch] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ro] HKLM\system\currentcontrolset\control\nls\extendedlocale[ro] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ro-ro] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ro-ro] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ru] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ru] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ru-ru] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ru-ru] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[hr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hr] HKLM\system\currentcontrolset\control\nls\customlocale[hr-hr] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hr-hr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sk] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sk-sk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sk-sk]  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\custom| locale[sq]|$ Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sq] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sq-all Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sq-al] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sv] HKLM\system\currentcontrolset\control\nls\extendedlocale[sv] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sv-se]

HKLM\system\currentcontrolset\control\nls\extendedlocale[sv-se] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[th] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[th] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[th-th] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[th-th] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tr] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tr-tr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tr-tr] HKLM\system\currentcontrolset\control\nls\customlocale[ur] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ur] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ur-pk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ur-pk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[id] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[id] HKLM\system\currentcontrolset\control\nls\customlocale[id-id] Oueries value: Oueries value: HKI M\system\currentcontrolset\control\nls\extendedlocale[id-id] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[uk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[uk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[uk-ua] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[uk-ua] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[be] HKLM\system\currentcontrolset\control\nls\extendedlocale[be] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[be-by] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[be-by] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sl-si] HKLM\system\currentcontrolset\control\nls\extendedlocale[sl-si] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[et] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[et] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[et-ee] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[et-ee] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lv] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lv] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lv-lv] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lv-lv] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lt] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lt] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lt-lt] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tg] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tg] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tg-cyrl-tj] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tg-cyrl-tj] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fa] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fa] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fa-ir] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fa-ir] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[vi] HKLM\system\currentcontrolset\control\nls\extendedlocale[vi] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[vi-vn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[vi-vn] HKLM\system\currentcontrolset\control\nls\customlocale[hy] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hy] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hy-am] HKLM\system\currentcontrolset\control\nls\extendedlocale[hy-am] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[az] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[az] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[az-latn-az] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[az-latn-az] HKLM\system\currentcontrolset\control\nls\customlocale[eu] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[eu] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[eu-es] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[eu-es] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[hsb] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hsb] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hsb-de] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hsb-de] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[mk] HKLM\system\currentcontrolset\control\nls\extendedlocale[mk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mk-mk] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mk-mk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tn-za]  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\extended| locale[tn-za]|$ Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[xh] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[xhl Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[xh-za] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[xh-za] HKLM\system\currentcontrolset\control\nls\customlocale[zu] Oueries value: Queries value: 

HKLM\system\currentcontrolset\control\nls\customlocale[zu-za] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zu-za] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[af] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[af] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[af-za] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[af-za] HKLM\system\currentcontrolset\control\nls\customlocale[ka] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ka] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ka-ge] HKLM\system\currentcontrolset\control\nls\extendedlocale[ka-ge] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fo] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fo] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fo-fo] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fo-fol Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hi] HKLM\system\currentcontrolset\control\nls\extendedlocale[hi] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hi-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hi-in] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mt] HKLM\system\currentcontrolset\control\nls\extendedlocale[mt] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mt-mt] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mt-mt] HKLM\system\currentcontrolset\control\nls\customlocale[se] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[se] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[se-no] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[se-no] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ga] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ga] Queries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[ga-ie] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ga-ie] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ms] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ms] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ms-my] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ms-my] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kk] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kk-kz] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kk-kz] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ky] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ky] HKLM\system\currentcontrolset\control\nls\customlocale[ky-kg] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ky-kg] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sw] HKLM\system\currentcontrolset\control\nls\extendedlocale[sw] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sw-ke] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sw-ke] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tk] HKLM\system\currentcontrolset\control\nls\customlocale[tk-tm] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tk-tm] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[uz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[uz] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[uz-latn-uz] HKLM\system\currentcontrolset\control\nls\extendedlocale[uz-latn-uz] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tt] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tt] HKLM\system\currentcontrolset\control\nls\customlocale[tt-ru] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tt-ru] HKLM\system\currentcontrolset\control\nls\customlocale[bn] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[bn-in] HKLM\system\currentcontrolset\control\nls\extendedlocale[bn-in] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pa] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pa] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[pa-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pa-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gu] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gu-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gu-in] HKLM\system\currentcontrolset\control\nls\customlocale[or] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[or] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[or-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[or-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ta] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ta]  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\custom| locale[ta-in]|$ Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ta-in] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[te] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[te] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[te-in] HKLM\system\currentcontrolset\control\nls\extendedlocale[te-in] Oueries value: Queries value: 

HKLM\system\currentcontrolset\control\nls\extendedlocale[kn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[kn-in] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kn-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ml] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ml] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ml-in] HKLM\system\currentcontrolset\control\nls\extendedlocale[ml-in] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[as] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[as] HKLM\system\currentcontrolset\control\nls\customlocale[as-in] Oueries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[as-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[mr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mr-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mr-in] HKLM\system\currentcontrolset\control\nls\customlocale[sa] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sa] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sa-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sa-in] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mn-mn] HKLM\system\currentcontrolset\control\nls\extendedlocale[mn-mn] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[bo] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bo] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[bo-cn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bo-cn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[cy] HKLM\system\currentcontrolset\control\nls\extendedlocale[cy] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[cy-gb] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cy-gb] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[km] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[km] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[km-kh] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[km-kh] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lo] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lo] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lo-la] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lo-la] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gl] HKLM\system\currentcontrolset\control\nls\extendedlocale[gl] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gl-es] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gl-es] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[kok] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kok] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kok-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kok-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[syr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[syr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[syr-sy] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[syr-sy] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[si] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[si] HKLM\system\currentcontrolset\control\nls\customlocale[si-lk] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[si-lk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[iu] HKLM\system\currentcontrolset\control\nls\extendedlocale[iu] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[iu-latn-ca] HKLM\system\currentcontrolset\control\nls\extendedlocale[iu-latn-ca] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[am] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[am] HKLM\system\currentcontrolset\control\nls\customlocale[am-et] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[am-et] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tzm] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tzm] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tzm-latn-dz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tzm-latn-dz] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ne] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ne] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ne-np] HKLM\system\currentcontrolset\control\nls\extendedlocale[ne-np] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fy] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fy] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fy-nl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fy-nl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ps]  $HKLM \verb|\system| current controlset| control \verb|\nls| extended locale[ps]|$ Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ps-af] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ps-afl] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fil] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fil] HKLM\system\currentcontrolset\control\nls\customlocale[fil-ph] Oueries value: Queries value: 

HKLM\system\currentcontrolset\control\nls\customlocale[dv] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[dv1 Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[dv-mv] HKLM\system\currentcontrolset\control\nls\extendedlocale[dv-mv] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hal Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ha] HKLM\system\currentcontrolset\control\nls\customlocale[ha-latn-ng] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ha-latn-ng] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[yo] HKLM\system\currentcontrolset\control\nls\extendedlocale[yo] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[yo-ng] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[yo-ng] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[quz] HKLM\system\currentcontrolset\control\nls\extendedlocale[guz] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[quz-bo] HKLM\system\currentcontrolset\control\nls\extendedlocale[quz-bo] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[nso] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nso] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[nso-za] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nso-za] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ba] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ba] HKLM\system\currentcontrolset\control\nls\customlocale[ba-ru] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ba-ru] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lb] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lb] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lb-lu] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lb-lu] Queries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[kl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kl-gl] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kl-gl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ig] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ig] HKLM\system\currentcontrolset\control\nls\customlocale[ig-ng] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ig-ng] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ii] HKLM\system\currentcontrolset\control\nls\extendedlocale[ii] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ii-cn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ii-cn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[arn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[arn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[arn-cl] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[arn-cl] HKLM\system\currentcontrolset\control\nls\customlocale[moh] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[moh] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[moh-ca] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[br] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[br] HKLM\system\currentcontrolset\control\nls\customlocale[br-fr] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[br-fr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ug] HKLM\system\currentcontrolset\control\nls\extendedlocale[ug] Queries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[ug-cn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ug-cn] HKLM\system\currentcontrolset\control\nls\customlocale[mi] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mi] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mi-nz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mi-nz] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[oc] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[oc] HKLM\system\currentcontrolset\control\nls\customlocale[oc-fr] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[oc-fr] HKLM\system\currentcontrolset\control\nls\customlocale[co] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[co] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[co-fr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[co-fr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gsw] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gsw] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[gsw-fr] HKLM\system\currentcontrolset\control\nls\extendedlocale[gsw-fr] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sah] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sah] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sah-ru] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sah-ru] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[qut] HKLM\system\currentcontrolset\control\nls\extendedlocale[qut] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gut-gt1] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[qut-gt] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[rw] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rw] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[rw-rw]

```
Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[wol
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[wo]
                                           HKLM\system\currentcontrolset\control\nls\customlocale[wo-sn]
   Queries value:
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[wo-sn]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[prs]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[prs]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[prs-af]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[prs-af]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[gd]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[gd]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[gd-gb]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[gd-gb]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000401]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[d]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000402]
   Oueries value:
                                           HKLM\svstem\currentcontrolset\control\nls\language groups[51]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000403]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[1]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[zh-tw]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-tw]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000404]
                                           HKLM\system\currentcontrolset\control\nls\language groups[9]
   Oueries value:
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000405]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[2]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000406]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000407]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000408]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[4]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000409]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\customlocale[es-es_tradnl]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\extendedlocale[es-es_tradnl]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[0000040a]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[0000040b]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[0000040c]
   Queries value:
                                           Queries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[c]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[0000040e]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[0000040f]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000410]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[7]
   Queries value:
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000412]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\nls\language groups[8]
                                           HKLM\system\currentcontrolset\control\nls\locale[00000413]
   Oueries value:
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000414]
   Oueries value:
                                           Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000416]
   Oueries value:
                                           HKLM\svstem\currentcontrolset\control\nls\locale[00000417]
   Queries value:
                                           HKLM\system\currentcontrolset\control\nls\locale[00000418]
                                           HKLM\system\currentcontrolset\control\nls\locale[00000419]
   Oueries value:
   Oueries value:
                                           HKCU\software\microsoft\windows\currentversion\ime\imtc70[]
   Oueries value:
\label{thm:limit} HKCU \software \mbox{\current} windows \current version \mbox{\current} imtc70 [invalid modified data]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\ime\imtc70[sizeloadedcheck]
                                           HKCU\software\microsoft\windows\currentversion\ime\imtc70[typenotifymax]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\ime\imtc70[noenabledquick]
HKCU\software\microsoft\windows\currentversion\ime\imtc70[filenotifycheck]
   Oueries value:
                                           HKLM\software\microsoft\windows\currentversion\run[sonyagent]
   Queries value:
c19ce8a73253}[enabledhcp]
                                           HKLM\software\microsoft\rpc[maxrpcsize]
   Queries value:
\label{thm:local_computername} \label{thm:local_computername} HKLM \end{constraints} \begin{center} HKLM \end{constraints} \begin{center} Active computername \end{computername} \begin{center} Active computername \end{center} \begin{center} Active computername \end{cen
   Queries value:
                                           HKLM\system\setup[oobeinprogress]
   Oueries value:
                                           HKLM\system\setup[systemsetupinprogress]
   Queries value:
                                           HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-
9afe-ea3317b67173}[category]
   Queries value:
9afe-ea3317b67173}[name]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-
9afe-ea3317b67173}[parentfolder]
   Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-1640-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-16400-164
```

HKLM\system\currentcontrolset\control\nls\extendedlocale[rw-rw]

Oueries value:

9afe-ea3317b67173}[description]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[relativepath]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]} Infotip \[ \] $$ (a) $$ (a) $$ (a) $$ (b) $$ (b) $$ (b) $$ (c) $$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localized name]}$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate]

Queries value:

 $HKLM software \mbox{$$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[attributes]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]}$ 

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]$$ 

Queries value:  $HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[category]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[name]}$ 

Oueries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} a03a-e3ef65729f3d \cal{lem:hkklmsoftware} [parent folder]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} a 03a-e3ef65729f3d \cal{lem:hkkm} icon \cal{lem:hkkm}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$ 

Oueries value:

a03a-e3ef65729f3d}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explore$ a03a-e3ef65729f3d}[localredirectonly]

Oueries value:

a03a-e3ef65729f3d}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[publishexpandedpath]

Queries value:

a03a-e3ef65729f3d}[attributes]

Queries value:

a03a-e3ef65729f3d}[foldertypeid]

Queries value:

a03a-e3ef65729f3d}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\addressbook[uninstallstring]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\adobe flash player activex[uninstallstring]

HKLM\software\microsoft\windows\currentversion\uninstall\adobe flash Queries value: player activex[displayname]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\connection manager[uninstallstring]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ uninstall \ dxm\_runtime [uninstall string]$ Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\fontcore[uninstallstring] Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\ie40[uninstallstring]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ uninstall \ ie 4 data [uninstall string]$ Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\uninstall\ie5bakex[uninstallstring] Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\iedata[uninstallstring]

Oueries value: HKLM\software\microsoft\windows\currentversion\uninstall\mobileoptionpack[uninstallstring]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\mplayer2[uninstallstring]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\schedulingagent[uninstallstring]

HKLM\software\microsoft\windows\currentversion\uninstall\wic[uninstallstring]

Queries value: 3d01-b289-befc77a11a1e}[uninstallstring]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{196bb40d-1578-3d01-b289-befc77a11a1e}[displayname]

HKLM\software\microsoft\windows\currentversion\uninstall\{26a24ae4-039d-Oueries value: 4ca4-87b4-2f83217002ff}[uninstallstring]

Oueries value: 4ca4-87b4-2f83217002ff}[displayname]

Queries value: 4037-7777-5f2748764d10}[uninstallstring]

Oueries value: HKLM\software\microsoft\windows\currentversion\uninstall\{90120000-0020-0409-0000-0000000ff1ce}[uninstallstring]

Oueries value: 0409-0000-0000000ff1ce}[displayname]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{90850409-6000-11d3-8cfe-0150048383c9}[uninstallstring]

HKLM\software\microsoft\windows\currentversion\uninstall\{90850409-6000-Oueries value: 11d3-8cfe-0150048383c9}[displayname]

Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ uninstall \ \{95120000-003f-00000\} \ description \ desc$ 0409-0000-0000000ff1ce}[uninstallstring]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{95120000-003f-0409-0000-0000000ff1ce}[displayname]

HKLM\software\microsoft\windows\currentversion\uninstall\{95140000-00af-Oueries value: 0409-0000-0000000ff1ce}[uninstallstring]

 $\label{thm:condition} Queries value: $$ HKLM\software\microsoft\windows\currentversion\uninstall\{95140000-00af-0409-0000-0000000ff1ce}$ [displayname]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{ac76ba86-7ad7-1033-7b44-a9300000001}[uninstallstring]

 $\label{thm:condition} Queries value: $$ HKLM\software\microsoft\windows\currentversion\uninstall\{ac76ba86-7ad7-1033-7b44-a9300000001}[displayname]$ 

 $\label{thm:condition} Queries value: $$ HKLM\software\microsoft\windows\currentversion\uninstall\{c3cc4df5-39a5-4027-b136-2b3e1f5ab6e2}$[uninstallstring]$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\uninstall\{c3cc4df5-39a5-4027-b136-2b3e1f5ab6e2}\{displayname}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ ficon 1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ for the surrent version \ explorer \ folder descriptions \ factor \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ folder \ for the surrent version \ explorer \ for the surrent \ for the surrent version \ explorer \ for the surrent \ for$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \cite{thm:hklmsoftware} folder descriptions \cite{thm:hklmsoftware} folder \cite{thm:hklmsoft$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{fersions \fib32785-6 fba-4 fcf-9 d55-7 b8e7 f157091} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e/f157091\fattributes\

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \folder type id \cite{type} \folder \folder$ 

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \category\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[parentfolder]}$ 

Queries value:

a9dd-070d1d495d97}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirector \ ]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ folder \ begin{picture}(200,00) \put(0,0){\line(1,0){100}} \put(0,$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish \ expanded path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder type id]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolderhandler]}$ 

Queries value: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\profile| ist[programdata]|$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\cite{Category}\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]} \\$ 

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[icon]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[security]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (software) \ folder descriptions \ (software) \ descriptions \ de$ 

b29c-65b732d3d21a}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ [attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [initfolder \ handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \[parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\\[1ex] [icon]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$ 

Queries value:

aaae-29d317c6f066}[foldertypeid]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer' folder descriptions \ `\{f7f1ed05-9f6d-47a2-164, \ and \ an$ aaae-29d317c6f066}[initfolderhandler]

HKLM\software\microsoft\windows\currentversion[commonfilesdir] Queries value:

HKLM\software[debuglogpath] Oueries value: HKLM\software[debugloglevel] Queries value: Queries value: HKLM\software[enabledebuglog]

Oueries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6[winsock 2.0 provider id]

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength] Oueries value:

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip6 \setminus parameters \setminus winsock [helperdllname]$ Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\ime\imtc70[invalidmodifieddata]

Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\ime\imtc70[sizeloadedcheck]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\ime\imtc70[typenotifymax] Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\ime\imtc70[noenabledquick]

Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\ime\imtc70[filenotifycheck]

Sets/Creates value: HKLM\software\microsoft\windows\currentversion\run[sonyagent]