Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 211, Task ID: 844

Task ID: 844 Risk Level: 5

Date Processed: 2016-04-28 13:10:25 (UTC)

Processing Time: 61.46 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1fa596ea682f3af5482282f334cd1cce.exe"

Sample ID: 211
Type: basic
Owner: admin

Label: 1fa596ea682f3af5482282f334cd1cce
Date Added: 2016-04-28 12:45:12 (UTC)

Date Added: 2016-04-28 12:45: File Type: PE32:win32:gui

File Size: PE32:Win32:gui

MD5: 1fa596ea682f3af5482282f334cd1cce

SHA256: 5ebdba5369db17aeb68e2da6ab659f01ab4d12d2c13e16a76eacf906d0a76c3b

Description: None

Pattern Matching Results

5 PE: Contains compressed section

Process/Thread Events

Creates process: C:\windows\temp\1fa596ea682f3af5482282f334cd1cce.exe

["C:\windows\temp\1fa596ea682f3af5482282f334cd1cce.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe

["C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe" -installer
"C:\windows\temp\1fa596ea682f3af5482282f334cd1cce.exe" -instdata

"C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.dat"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\Users\Admin\AppData\Local\Temp\n1s

Creates: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.cab
Creates: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe
Creates: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.cab
Creates: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.dat
Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Roaming\NCH Software
Creates: C:\Users\Admin\AppData\Roaming\NCH Software\Scribe
Creates: C:\Users\Admin\AppData\Roaming\NCH Software\Scribe\Logs
Opens: C:\Windows\Prefetch\1FA596EA682F3AF5482282F334CD1-C8AAFC28.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll
Opens: C:\Windows\System32\imm32.dll

Opens: C:\Windows\System32\en-US\setupapi.dll.mui

Opens: C:\Windows\System32\rpcss.dll
Opens: C:\windows\temp\CRYPTBASE.dll
Opens: C:\Windows\System32\cryptbase.dll
Opens: C:\Windows\System32\uxtheme.dll

Opens: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe
Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\windows\temp\DEVRTL.dll
Opens: C:\Windows\System32\devrtl.dll

Opens: C:\Windows\inf

Opens: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.dat

Opens: C:\Windows\system32\nchdata.cab

Opens: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.cab

Opens: C:\windows\temp\PROPSYS.dl1
Opens: C:\Windows\System32\propsys.dl1
Opens: C:\Windows\System32\shell32.dl1

```
C:\windows\temp\1fa596ea682f3af5482282f334cd1cce.exe.Local\
 Opens:
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                        C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                        C:\Windows\WindowsShell.Manifest
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
 Opens:
                        C:\windows\temp\ntmarta.dll
 Opens:
                        C:\Windows\System32\ntmarta.dll
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
 Opens:
4C77-AF34-C647E37CA0D9}.1.ver0x000000000000006.db
                        C:\Users\Admin\Desktop\desktop.ini
 Opens:
                        C:\windows\temp\profapi.dll
 Opens:
 Opens:
                        C:\Windows\System32\profapi.dll
 Opens:
                        C:\
 Opens:
                        C:\Users\desktop.ini
                        C:\Users
 Opens:
 Opens:
                        C:\Users\Admin
 Opens:
                        C:\Users\Admin\Searches\desktop.ini
                        C:\Users\Admin\Videos\desktop.ini
 Opens:
                        C:\Users\Admin\Pictures\desktop.ini
 Opens:
 Opens:
                        C:\Users\Admin\Contacts\desktop.ini
 Opens:
                        C:\Users\Admin\Favorites\desktop.ini
 Opens:
                        C:\Users\Admin\Music\desktop.ini
 Opens:
                        C:\Users\Admin\Downloads\desktop.ini
 Opens:
                        C:\Users\Admin\Documents\desktop.ini
 Opens:
                        C:\Users\Admin\Links\desktop.ini
 Opens:
                        C:\Users\Admin\Saved Games\desktop.ini
 Opens:
                        C:\windows\temp\apphelp.dll
 Opens:
                        C:\Windows\System32\apphelp.dll
 Opens:
                        C:\Windows\System32\shdocvw.dll
 Opens:
                        C:\Windows\System32\en-US\propsys.dll.mui
 Opens:
                        C:\Windows\System32\urlmon.dll
 Opens:
                        C:\windows\temp\SspiCli.dll
 Opens:
                        C:\Windows\System32\sspicli.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                        C:\Users\Admin\AppData
 Opens:
                        C:\Users\Admin\AppData\Local
 Opens:
                        C:\Users\Admin\AppData\Local\Temp
                        C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe:Zone.Identifier
 Opens:
 Opens:
                        C:\Windows\AppPatch\sysmain.sdb
                        C:\Users\Admin\AppData\Local\Temp\n1s\ui\SwDRM.dll
 Opens:
 Opens:
                        C:\Windows\System32\sfc.dll
                        C:\windows\temp\sfc_os.DLL
 Opens:
 Opens:
                        C:\Windows\System32\sfc_os.dll
 Opens:
C:\Windows\WinSxS\FileMaps\users_admin_appdata_local_temp_n1s_0fac9139d3695c99.cdf-ms
 Opens:
                        C:\Windows\AppPatch\pcamain.sdb
                        C:\windows\temp\MPR.dll
 Opens:
 Opens:
                        C:\Windows\System32\mpr.dll
                        C:\Windows\Prefetch\NCHSETUP.EXE-C0029E8E.pf
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe.Local\
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\MSACM32.dll
                        C:\Windows\System32\msacm32.dll
 Opens:
 Opens:
                        Opens:
                        C:\Windows\System32\winmm.dll
                        C:\Users\Admin\AppData\Local\Temp\n1s\MSIMG32.dll
 Opens:
 Opens:
                        C:\Windows\System32\msimg32.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\iphlpapi.dll
 Opens:
                        C:\Windows\System32\IPHLPAPI.DLL
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\WINNSI.DLL
 Opens:
                        C:\Windows\System32\winnsi.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\DNSAPI.dll
 Opens:
                        C:\Windows\System32\dnsapi.dll
 Opens:
C:\Windows\winsxs\x86_microsoft.windows.gdiplus_6595b64144ccf1df_1.1.7601.17514_none_72d18a4386696c80
 Opens:
Opens:
                        C:\Users\Admin\AppData\Roaming
                        C:\Users\Admin\AppData\Local\Temp\n1s\dwmapi.dll
 Opens:
 Opens:
                        C:\Windows\System32\dwmapi.dll
                        C:\Users\Admin\AppData\Local\Temp\ScribeCounts.txt
 Opens:
 Opens:
                        C:\Windows\System32\tzres.dll
 Opens:
                        C:\Windows\System32\en-US\tzres.dll.mui
                        C:\Users\Admin\AppData\Local\Temp\n1s\DUser.dll
 Opens:
 Opens:
                        C:\Windows\System32\duser.dll
 Opens:
                        C:\Windows\System32\xmllite.dll
 Opens:
                        C:\Windows\Fonts\StaticCache.dat
                        C:\Windows\System32\en-US\user32.dll.mui
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\n1s\CRYPTBASE.dll
                        C:\Windows\Fonts\tahoma.ttf
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.c..-
 Opens:
controls.resources_6595b64144ccf1df_6.0.7600.16385_en-us_581cd2bf5825dde9
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.c..-
```

controls.resources_6595b64144ccf1df_6.0.7600.16385_en-us_581cd2bf5825dde9\comctl32.dll.mui

C:\Users\Admin\AppData\Local\Temp\n1s\OLEACC.dll Opens:

Opens: C:\Windows\System32\oleacc.dll

Opens: C:\Users\Admin\AppData\Local\Temp\n1s\OLEACCRC.DLL

Opens: C:\Windows\System32\oleaccrc.dll

Opens: C:\Windows\System32\en-US\oleaccrc.dll.mui Opens: C:\Windows\system32\uxtheme.dll.Config

Writes to: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.cab Writes to: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.cab Writes to: Writes to: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.dat C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.cab Reads from: Reads from: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.cab

C:\Users\Admin\Desktop\desktop.ini Reads from:

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Searches\desktop.ini C:\Users\Admin\Videos\desktop.ini Reads from: Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini C:\Users\Admin\Favorites\desktop.ini Reads from: Reads from: C:\Users\Admin\Music\desktop.ini C:\Users\Admin\Downloads\desktop.ini Reads from: Reads from: C:\Users\Admin\Documents\desktop.ini C:\Users\Admin\Links\desktop.ini Reads from: Reads from: C:\Users\Admin\Saved Games\desktop.ini

Reads from: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.exe

Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\n1s\nchsetup.cab Deletes: C:\Users\Admin\AppData\Local\Temp\n1s\nchdata.cab

Windows Registry Events

Creates key: HKLM\software\nch software\components\googletoolbar

Creates key: HKLM\software

Creates key: HKLM\software\nch software

Creates key: HKLM\software\nch software\components

Creates key: HKCU\software\nch software\components\googletoolbar

Creates key: HKCU\software

HKCU\software\nch software Creates kev:

Creates key: HKCU\software\nch software\components

Creates key: HKLM\software\google\gcapitemp

HKLM\software\google Creates kev:

HKLM\software\nch software\components\chrome Creates key: Creates key: HKCU\software\nch software\components\chrome

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

HKCU\software\microsoft\windows\currentversion\internet Deletes value:

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\google\gcapitemp[test]

Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\terminal server Opens key: HKLM\svstem\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key:

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

HKLM\software\policies\microsoft\mui\settings Opens key:

HKCU\software\policies\microsoft\control panel\desktop Opens key: Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

 $\label{lem:hklm} \verb+Kklm\+ software\+ windows\+ current version\+ side by side$ Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\ole HKLM\software\microsoft\ole\tracing Opens key: Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows\currentversion\setup Opens key: HKLM\software\microsoft\windows\currentversion Opens kev: HKLM\svstem\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

```
Opens key: HKLM\system\setup
```

Opens key: HKCU\software\microsoft\windows\currentversion\explorer Opens key: HKLM\software\microsoft\windows\currentversion\explorer

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus shell compatibility \setminus applications \setminus 1fa596ea682f3af5482282f334cd1cce. exemple a substitution of the shell compatibility is a substitution of$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ side by side \ as sembly storage roots$

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: $\label{local-continuous} \begin{tabular}{ll} HKCU\software\mbox{\correntversion}\explorer\advanced \\ Opens key: HKCU\software\classes\.exe \\ \end{tabular}$

Opens key: HKCR\.exe

Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice

Opens key: HKCU\software\classes\exefile

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver
Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler

Opens key: HKCR\exefile\shellex\iconhandler

Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.exe\shellex\iconhandler

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus exefile \setminus docobject}$

Opens key: HKCR\exefile\docobject

Opens key: HKCU\software\classes\systemfileassociations\.exe\docobject

Opens key: HKCR\systemfileassociations\.exe\docobject Opens key: HKCU\software\classes\exefile\browseinplace

Opens key: HKCR\exefile\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.exe\browseinplace

Opens key: HKCR\systemfileassociations\.exe\browseinplace

Opens key: HKCU\software\classes\exefile\clsid

Opens key: HKCR\exefile\clsid

Opens key: ${\tt HKCU \backslash software \backslash classes \backslash system file associations \backslash .exe \backslash clsid}$

Opens key: HKCR\systemfileassociations\.exe\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
 Opens key:

Opens key:

 $HKLM \software \mbox{$h$ in cosoft \windows \current version} \end{h version \end{h of tware \mbox{h of tware \mbox{h of tware \end{h of tware \$

b029-7fe99a87c641}

Opens key:

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \session in folders \end{tabular}$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

 $\label{lem:clsid} Opens~key: $$ HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas$$ Opens~key: $$ HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-}$$

b8dc300d9f9d}\progid

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32$ Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: $\label{lem:hkcrclsid} $$ HKCR\clsid_{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} \in $$ All the content of the conten$

HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprochandler

Opens key: $HKCR \clsid \ \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\} \label{eq:hkcr} in prochandler$ Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

 $\label{thm:local_thm} \mbox{HKLM} \mbox{$\tt M$} icrosoft \mbox{$\tt w$} indows \mbox{$\tt current} version \mbox{$\tt explorer$} \mbox{$\tt k$} nown folders ettings \mbox{$\tt m$} icrosoft \mbox{$\tt w$} indows \mbox{$

Opens key:

 $HKLM \label{lem:hklm} Software \mbox{\color=lem:hklm} irrectory \mbox{\color=lem:hklm} irrectory$

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

HKCU\software\classes\directory Opens key:

HKCR\directory Opens key:

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobiect

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

HKCR\allfilesystemobjects\docobject Opens key:

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

HKCU\software\classes\allfilesystemobjects\browseinplace Opens kev:

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid Opens kev: HKCR\directorv\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \ \ 1b3ea5dc-b587-4786-b587$

b4ef-bd1dc332aeae} Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-47$ b4ef-bd1dc332aeae}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explore$ a03a-e3ef65729f3d}

Opens key:

a03a-e3ef65729f3d}\propertybag

9afe-ea3317b67173}

Opens key:

9afe-ea3317b67173}\propertybag

 $\label{thm:local_hammon_hammon} HKLM \software \mbox{\sc microsoft} \windows \ nt \current version \sc profile list \sc -1-5-21-1000 \sc profile \sc$

2160590473-689474908-1361669368-1002

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ 'f3ce0 f7c-4901-4 acc-index \ 'explorer' \ 'folder \ 'face1 \ 'face$

8648-d5d44b04ef8f} Opens kev:

8648-d5d44b04ef8f}\propertybag HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

Opens key:

5595fe6b30ee}\shellfolder HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{59031a47-microsoft\} \ description \ description$

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens kev: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a} HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-Opens key:

ea55d8994f1a}\treatas

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\treatas Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\progid

Opens key: $\label{eq:hkcnlsid} \begin{tabular}{ll} HKCR\clsid\f-6765b11-3f95-4af2-ac9d-ea55d8994f1a} \progid\\ Opens key: \\ HKCU\software\classes\clsid\f-6765b11-3f95-4af2-ac9d-\\ \end{tabular}$

ea55d8994f1a}\inprocserver32

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler32

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler32

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$

Opens key:

 $\label{thm:local-continuous} HKLM software \end{thm:local-continuous} $$HKLM software \end{thm:local-continuo$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d8 4ee 384\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '(c4aa340d-f20f-4863-afef-f87ef2e6ba25) \ 'property bag$

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} With$

Opens key:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:g8ec0e18-2098-4d44-8644-66979315a281} \property bag$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}}$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434} \\$

Opens key:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\\ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\propertybag$

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key

 $HKL\dot{M} \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\propertybag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ property bag$

Opens key:

Opens key:

 $\label{thm:local-decomposition} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\propertybag$

Opens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}$

Opens kev:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\}$

Opens key:

 $\label{thm:microsoftwindows} HKLM software \end{a} HKLM software$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\propertybag}$

Opens key:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Opens key:

Opens key:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\explorer\folderdescription\explorer\e$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ property bag$

Opens key

 $HKLM \software \mbox{$M$ irrentversion} \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{local-bound} HKLM software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \property bag$

Opens key:

Opens key:

 $HKLM software \mbox{$MLM$ software} in $$ \c4900540-2379-4c75-844b-64e6faf8716b} \property bag$

Opens key:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \folder \folder \current \current$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

Opens key:

 $\label{twist} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}}$

Opens key:

Opens key:

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4aba-814f-a 5ebd 2fd 6d 5e \property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\ex$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

Opens key:

 $\label{thm:local-substance} HKLM software \endows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \property bag$

Opens key:

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag

Opens key:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$40.440 \mbox{df7ef3ddc} \simeq \colorer \colo$

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

Opens key:

 $\label{local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}\propertybag}$

Opens key:

87bd-30b759fa33dd}

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 1777 \folder \folder \final 1777 \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$

Opens key:

 $\label{local-software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\propertybag$

Opens key:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Opens key:

 $HKLM \ software \ ion \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\}\ property bag$

Opens key:

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0762d272-c50a-4bb0-a382-697dcd729b80}.$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\microso$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Opens key

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fa77f5d77-2e2b-44c3-a6a2-aba601054a51\propertybag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\}$

Opens key:

 $\label{thm:local-bbf8-452a-850d-79d08e667ca7} Windows ``current version ``explorer `folder descriptions ``\{0ac0837c-bbf8-452a-850d-79d08e667ca7\} ``property bag$

Opens key:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $\label{thm:local-state} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag$

Onens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e34987a \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$

Opens key:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\ff1b32785-6fba-4fcf-9d55-7b8e7f157091}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key

 $\label{thm:local-state} HKLM software \ensurement version \ensurement \ensur$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\propertybag$

Opens key:

Opens key:

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Opens key:

 $\label{thm:local-equality} HKLM \software \mbox{859 ead} 4-2e85-48 ad-a71a-0969 cb56a6cd} \\$

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$

Opens key:

 $\label{thm:hklm} HkL\begin{tabular}{ll} HkL$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \folder \fol$

Opens key

 $\label{thm:microsoftwindows} HKLM software \end{a} a 990 a e 9f-a 0 3b-4e 80-94bc-9912d 7504 10 4} \property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\propertybag}$

Opens key:

 $\label{thm:local-state} HKL\dot{M} software \mbox{`a520a1a4-1780-4ff6-bd18-167343c5af16'} \\$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-1$ bd18-167343c5af16}\propertybag Opens key: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{b88f4daa-e7bd-49a9-descriptions \ 'explorer' \ based on the control of the control of$ b74d-02885a5dc765} Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-

b74d-02885a5dc765}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87bfd0-4cd0dfb19b39}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87bfd0-4cd0dfb19b39}\propertybag

b827-48b24b6c7174}

Opens key:

b827-48b24b6c7174}\propertybag

Opens key:

8d55-3bd661de872d}

Opens key:

8d55-3bd661de872d}\propertybag

Opens kev:

81e2-fc7965083634}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'ed4824 af-dce4-45 a8-dce4-45 a8-dce4-45 ag-dce4-45 ag-$ 81e2-fc7965083634}\propertybag

Opens key:

a4ce-a8e7c6ea7d27}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857a4ce-a8e7c6ea7d27}\propertybag

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1ace1-6b5ec372afb5}

Opens key:

ace1-6b5ec372afb5}\propertybag

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hklm} HKLM \label{lem:hkklm} White \label{lem:hkklm} \label{lem$ bb61-92a9deaa44ff}

Opens key

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{3214 fab 5-9757-4298-12014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42$ bb61-92a9deaa44ff}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}

Opens kev:

b29c-65b732d3d21a}\propertybag

Opens key:

864c-16f3910ab8fe}

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ fd228cb7-ae11-4ae3-de11$ 864c-16f3910ab8fe}\propertybag

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{b97d20bb-f46a-4c97-b10der descriptions \setminus \{b97d20bb-f46a-4c97-b$ ba10-5e3608430854}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ 'folder descriptions' \ 'fol$ ba10-5e3608430854}\propertybag

Opens key:

ba1f-a1ef4146fc19}

Opens kev:

ba1f-a1ef4146fc19}\propertybag

Opens key:

ae3b-bf251ea09b53}

Opens key:

ae3b-bf251ea09b53}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{de92c1c7-837f-4f69-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{de92c1c7-837f-4f69-microsoft \setminus de92c1c7-837f-4f69-microsoft \setminus$

a3bb-86e631204a23}\propertybag

Opens kev:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 10c07cd0-ef91-4567-b850-448b77cb37f9 \property bag$

Opens key

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \ property bag$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $\label{thm:local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens kev:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

Opens key:

 $\label{thm:local-condition} HKLM software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd7} a ee 2-2219-4a67-b85d-6c9ce15660cb \property bag$

Opens key:

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ 352481e8-33be-4251-ba85-6007 \ caedcf9d \ property bag$

Opens key

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{thm:local-equation} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \curre$

Opens key:

 $\label{thm:local-equation} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}$

Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ property bag$

Opens key:

Opens key:

 $HKLM software \mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} \property bag \label{eq:hklm} The software \mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} \property bag \proper$

```
Opens key:
```

 $HKL\dot{M} software \mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{}915221fb-9efe-4bda-8fd7-f78dca774f87\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \mount points 2 \cpc \volume \end{tabular}$

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-

11e3-b3bc-806e6f6e6963}\

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: Opens key:

HKLM\software\microsoft\sqmclient\windows

11e3-b3bc-806e6f6e6963}\

Opens key:

 $HKLM \verb|\software\microsoft\windows\currentversion\explorer\usersfiles \verb|\namespace|| and the property of the$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ name space \ delegate folders$

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens kev:

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders$

Opens key:

Opens key:

 $\label{local-bound} HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\l\usersfiles\namespace\delegatefolders \\ Opens\ key: HKCU\software\classes\clsid\dffacdc5-679f-4156-8947-$

c5c76bc0b67f}\shellfolder

 $Opens~key: \\ HKCR\clsid\dffacdc5-679f-4156-8947-c5c76bc0b67f\}\shellfolder$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

 $\verb|c5c76bc0b67f| \verb|\inprocserver32| \\$

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32
Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
Opens key: HKLM\system\currentcontrol\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat
Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

Opens key: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\appcompatflags\custom\shdocvw.dll|$

Opens key: $\label{lem:hccu} \begin{tabular}{ll} HKCU\software\microsoft\windows\currentversion\shell\ extensions\cached \\ Opens key: \\ HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} \\ \end{tabular}$

 Opens key:
 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

 Opens key:
 HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947

 $c5c76bc0b67f} \verb|\treatas| \\$

c5c76bc0b67f}\progid

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: $\begin{tabular}{ll} HKCR\clsid\dffacdc5-679f-4156-8947-c5c76bc0b67f\instance\\ Opens key: \\ HKCU\software\classes\clsid\declasses\-1-a475-4c5b-ab00-\\ \end{tabular}$

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

```
c66de400274e}\treatas
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\progid
 Opens key:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
 Opens key:
                          HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler32
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler
 Opens key:
                          HKCR \ clsid \ \{0e5aae11-a475-4c5b-ab00-c66de400274e\} \ in prochandler
                          HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
 Opens key:
c5c76bc0b67f}\instance\initpropertybag
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Opens key:
c5c76bc0b67f}\instance\initpropertybag
 Opens key:
8947-c5c76bc0b67f}
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap
                          HKCU\software\classes\exefile\shell
 Opens key:
                          HKCR\exefile\shell
 Opens key:
 Opens key:
                          HKCU\software\classes\exefile\shell\open
 Opens key:
                          HKCR\exefile\shell\open
                          HKCR\exefile\shell\open\
 Opens key:
 Opens key:
                          HKCU\software\classes\exefile\shell\open\command
 Opens key:
                          HKCR\exefile\shell\open\command
                          HKCU\software\classes\exefile\shell\open\droptarget
 Opens kev:
 Opens key:
                          HKCR\exefile\shell\open\droptarget
 Opens key:
 Opens key:
                          \label{thm:conversion} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \space{-0.05cm} policies \colors \end{tabular} \label{thm:conversion}
 Opens key:
                          HKCU\software\classes\.ade
 Opens key:
                          HKCR\.ade
                          HKCU\software\classes\.adp
 Opens key:
                          HKCR\.adp
 Opens key:
```

HKLM\software\microsoft\windows\currentversion\policies\associations

Opens key: HKCU\software\classes\.app

Opens key: HKCR\.app

Opens key: HKCU\software\classes\.asp

Opens key: HKCR\.asp

Opens key: HKCU\software\classes\.bas

Opens key: HKCR\.bas

HKCU\software\classes\.bat Opens kev:

Opens key: HKCR\.bat

Opens key: HKCU\software\classes\.cer Opens kev: HKCR\.cer

Opens key:

HKCU\software\classes\.chm Opens key: HKCR\.chm

Opens key:

HKCU\software\classes\.cmd

Opens key: HKCR\.cmd

Opens key: HKCU\software\classes\.com Opens key: HKCR\.com

Opens key: HKCU\software\classes\.cpl

Opens key: HKCR\.cpl

Opens key: HKCU\software\classes\.crt Opens key: HKCR\.crt Opens key: HKCU\software\classes\.csh

Opens key: HKCR\.csh

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4} Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\treatas

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\progid

Opens key: HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-Opens key:

00c04fb6bfc4}\inprocserver32

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32 Opens kev:

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprochandler32

Opens key: $HKCR \clsid \footnote{Tb8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \clsid \footnote{Tb8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \clsid \footnote{Tb8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \clsid \footnote{Tb8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \clid{Tb8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \clid{Tb8a2d94-$

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprochandler

 $HKCR \verb|\clsid|{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4} \verb|\inprochandler| | The second of the second$ Opens key:

HKLM\system\currentcontrolset\services\crypt32 Opens key:

HKLM\software\microsoft\windows\currentversion\internet settings Opens key: Opens key: $\label{lem:hklm} \verb+Kklm/software\policies/microsoft/windows\currentversion/internet \\$

settings

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\

Opens key: HKLM\software\policies\microsoft\internet explorer\main\featurecontrol Opens key: HKCU\software\policies\microsoft\internet explorer\main\featurecontrol

Opens kev: HKLM\software\microsoft\internet explorer\main\featurecontrol $\label{lem:hkcu} \verb+KKCU\software\microsoft\ internet\ explorer\main\ feature control$ Opens key:

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915

```
Opens key:
                                                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
   Opens key:
                                                 \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \begin{tabular}{ll} software \begin{tabular}{ll} policies \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} current \begin{tabular}{ll} version \begin{tabular}{ll} current \begin{tabular}{ll} version \begin{tabular}{ll} current \begin{tabular}{ll} current \begin{tabular}{ll} version \begin{tabular}{ll} current \begin{tabular}{ll} cur
settings\zonemap\domains\
   Opens key:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
   Opens key:
                                                  \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zonemap\ranges\
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\zonemap\ranges\
                                                 HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                                 HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\zonemap\
                                                 HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
   Opens key:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
   Opens key:
                                                 HKLM\software\policies
                                                  HKCU\software\policies
   Opens key:
                                                  HKCU\software
   Opens key:
                                                 HKI M\software
   Opens key:
   Opens key:
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
                                                 \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
   Opens key:
settings
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
  Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\protocoldefaults\
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
                                                 HKLM\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\domains\
                                                 HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
                                                 HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet settings
   Opens kev:
                                                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
   Opens key:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
   Opens key:
                                                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
   Opens key:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
   Opens key:
                                                 HKLM\software\policies\microsoft\internet explorer
   Opens key:
                                                  HKLM\software\policies\microsoft\internet explorer\security
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet settings\zones\
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
   Opens key:
                                                 HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
   Opens key:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
                                                  \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt hkcu} \mbox{\tt hicrosoft\windows\currentversion\linearing}} \mbox{\tt hkcu} \mbox{\tt hkcu} \mbox{\tt hicrosoft\windows\currentversion\linearing}} \mbox{\tt hkcu} \mbo
   Opens key:
settings\zones\
   Opens key:
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
  Opens key:
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
   Opens key:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
                                                  HKLM\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\
   Opens key:
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
   Opens key:
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
  Opens key:
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
```

```
HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_localmachine_lockdown
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
  Opens key:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\0
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown zones\0
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
  Opens key:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\2
  Opens key:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                      \label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \policies \microsoft \windows \current version \end{tabular} internet \end{tabular}
  Opens kev:
settings\lockdown_zones\2
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
  Opens key:
                                      \label{lem:hklm} \verb+Kklm\+ software \verb+\policies+microsoft+ windows+ current version+ internet \\
settings\lockdown_zones\3
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\4
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
                                      HKCU\software\microsoft\internet
  Opens kev:
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature zones default drive intranet kb941000
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
  Opens key:
                                      HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus internet settings \setminus zones \setminus 0
  Opens key:
                                      HKCU\software\classes\exefile\progid
  Opens key:
                                      HKCR\exefile\progid
  Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\progids\exefile
  Opens key:
                                      HKCU\software\classes\exefile\shell\open\ddeexec
  Opens key:
                                      HKCR\exefile\shell\open\ddeexec
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\app paths\nchsetup.exe
  Opens key:
                                      HKLM\software\microsoft\windows\currentversion\app paths\nchsetup.exe
                                      HKLM\software\microsoft\windows nt\currentversion\image file execution
  Opens key:
options\nchsetup.exe
  Opens key:
                                      HKLM\system\currentcontrolset\control\session manager\appcertdlls
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\explorer\shell folders
  Opens key:
                                      HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
  Opens key:
                                      HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\nchsetup.exe
                                      HKCU\software\microsoft\windows nt\currentversion\appcompatflags
  Opens key:
  Opens key:
                                      HKLM\software\microsoft\windows nt\currentversion\image file execution
options
  Opens key:
                                      HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
                                      HKLM\software\microsoft\sqmclient\windows\disabledsessions\
  Opens key:
  Opens key:
                                      HKCU\software\policies\microsoft\windows\appcompat
  Opens key:
                                      HKLM\software\microsoft\windows\currentversion\setup\pnplockdownfiles
  Opens key:
                                      HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\compatibility assistant
                                      HKLM\system\currentcontrolset\control\networkprovider\hworder
  Opens key:
  Opens key:
                                      HKLM\hardware\devicemap\video
  Opens key:
                                      HKLM \ system \ current control \ video \ \{c54b6caf-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab56-be91-4a10-ab
fd27e3774e32}\0000
  Opens key:
HKLM\system\currentcontrolset\enum\pci\ven_80ee&dev_beef&subsys_00000000&rev_00\3&267a616a&0&10
  Opens key:
                                      HKCU\software\nch software\scribe\settings
  Opens key:
                                      HKCU\software\nch software\scribe\software
  Opens kev:
                                      HKCU\software\nch software\scribe\registration
  Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .html \setminus userchoice
  Opens key:
                                      HKCU\software\classes\http\shell\open\command
```

```
HKCR\http\shell\open\command
 Opens key:
 Opens key:
                          HKLM\software\microsoft\internet explorer
 Opens key:
                          HKLM\software\microsoft\internet explorer\toolbar
 Opens key:
                         HKLM\software\nch software\components\googletoolbar
 Opens key:
                          HKCU\software\nch software\components\googletoolbar
 Opens key:
                          a69d9e530f96}
 Opens key:
                          HKCU\software\google\update\clients\{8a69d345-d564-463c-aff1-
a69d9e530f96}
 Opens key:
                          HKLM\software\nch software\components\chrome
 Opens key:
                          HKCU\software\nch software\components\chrome
 Opens key:
                          HKLM\software\google\gcapitemp
 Opens key:
                         HKLM\software\nch software\express\settings
                          HKCU\software\nch software\express\settings
 Opens key:
 Opens key:
                         HKLM\software\nch swift sound\express\settings
 Opens key:
                          HKCU\software\nch swift sound\express\settings
 Opens key:
                          HKLM\software\nch software\fastfox\settings
 Opens key:
                         HKCU\software\nch software\fastfox\settings
 Opens key:
                          HKLM\software\nch swift sound\fastfox\settings
 Opens key:
                          HKCU\software\nch swift sound\fastfox\settings
 Opens key:
                         HKLM\software\nch software\filefort\settings
                          HKCU\software\nch software\filefort\settings
 Opens key:
 Opens key:
                          HKLM\software\nch software\expressinvoice\settings
                         HKCU\software\nch software\expressinvoice\settings
 Opens key:
 Opens key:
                          HKLM\software\microsoft\directui
 Opens key:
                          HKLM\system\currentcontrolset\control\nls\locale
                         HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
 Opens kev:
 Opens key:
                          HKLM\system\currentcontrolset\control\nls\language groups
 Opens key:
                          HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
                          HKLM\software\microsoft\windows
 Opens key:
nt\currentversion\languagepack\datastore_v1.0
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback
                         HKLM\software\microsoft\windows
 Opens kev:
nt\currentversion\languagepack\surrogatefallback\segoe ui
                         HKCU\software\classes\interface\{618736e0-3c3d-11cf-810c-
 Opens key:
00aa00389b71}\proxystubclsid32
 Opens key:
                         HKCR\interface\{618736e0-3c3d-11cf-810c-00aa00389b71}\proxystubclsid32
 Opens key:
                         HKLM\software\microsoft\ctf\compatibility\nchsetup.exe
 Opens key:
                         HKLM\software\microsoft\windows
\verb| nt\currentversion \ | \ anguage pack \ | \ shell \ dlg \ 2
                         HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
 Opens kev:
                         HKLM\software\microsoft\ctf\
 Opens key:
                         HKLM\software\microsoft\ctf\knownclasses
 Queries value:
                         HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
 Queries value:
                         HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
 Queries value:
                         HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
 Oueries value:
HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]
                         HKCU\control panel\desktop[preferreduilanguages]
 Queries value:
                         HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
 Oueries value:
 Queries value:
HKLM \verb|\software\microsoft\windows \verb|\currentversion\side| preferexternal manifest| \\
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\sorting\versions[]
 Oueries value:
                         HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\gre_initialize[disablemetafiles]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\compatibility32[1fa596ea682f3af5482282f334cd1cce]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
 Queries value:
                         HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Oueries value:
                          HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
 Oueries value:
                         HKLM\system\currentcontrolset\control\cmf\config[system]
 Queries value:
                          HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
                         HKLM\software\microsoft\windows\currentversion[devicepath]
 Oueries value:
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Oueries value:
                          HKLM\system\setup[systemsetupinprogress]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\setup[loglevel]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\setup[logmask]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\setup[logmaxfilesize]
                          HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps]
 Oueries value:
                         HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]
 Queries value:
 Queries value:
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[attributes]
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[callforattributes]
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
```

```
HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
  Oueries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
  Queries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
  Queries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
  Oueries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
  Oueries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
  Queries value:
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideondesktopperuser]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8
08002b30309d}]
  Queries value:
                                      HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
  Queries value:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \advanced [showcompcolor] \end{tabular}
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
  Queries value:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [showinfotip]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
  Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[webview]| \\ \end{tabular}
                                      HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
  Oueries value:
  Oueries value:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [show superhidden]
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
  Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \advanced [nonetcrawling] \end{tabular} \label{lem:hkcu}
  Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
  Queries value:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [showtypeoverlay] \\ \end{tabular}
                                      HKCR\.exe[]
  Queries value:
                                      HKCR\exefile[docobject]
  Queries value:
                                      HKCR\systemfileassociations\.exe[docobject]
  Oueries value:
  Oueries value:
                                      HKCR\exefile[browseinplace]
  Oueries value:
                                      HKCR\systemfileassociations\.exe[browseinplace]
                                      HKCR\.exe[content type]
  Queries value:
  Queries value:
                                      HKCR\exefile[isshortcut]
  Queries value:
                                      HKCR\systemfileassociations\.exe[isshortcut]
  Queries value:
                                      HKCR\exefile[alwaysshowext]
  Oueries value:
                                      HKCR\systemfileassociations\.exe[alwaysshowext]
  Queries value:
                                      HKCR\exefile[nevershowext]
  Queries value:
                                      HKCR\systemfileassociations\.exe[nevershowext]
  Queries value:
b029-7fe99a87c641}[category]
  Queries value:
b029-7fe99a87c641}[name]
  Queries value:
b029-7fe99a87c641}[parentfolder]
```

Oueries value:

b029-7fe99a87c641}[description]

Oueries value:

b029-7fe99a87c641}[relativepath]

Oueries value:

b029-7fe99a87c641}[parsingname]

Oueries value:

b029-7fe99a87c641}[infotip]

b029-7fe99a87c641}[localizedname]

Queries value:

b029-7fe99a87c641}[icon]

Queries value:

b029-7fe99a87c641}[security]

Oueries value:

b029-7fe99a87c641}[streamresource]

Queries value:

b029-7fe99a87c641}[streamresourcetype]

Oueries value:

b029-7fe99a87c641}[localredirectonly]

Queries value:

b029-7fe99a87c641}[roamable]

b029-7fe99a87c641}[precreate]

Queries value:

b029-7fe99a87c641}[stream]

Oueries value:

b029-7fe99a87c641}[publishexpandedpath1

Oueries value:

b029-7fe99a87c641}[attributes]

Oueries value:

b029-7fe99a87c641}[foldertypeid]

Oueries value:

b029-7fe99a87c641}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

 $HKCR \ clsid \ \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\}[]$ Oueries value:

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-Oueries value:

b8dc300d9f9d}\inprocserver32[inprocserver32]

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]$ Queries value:

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

 $HKLM \verb|\system| current control \verb|\sa| access providers [marta extension]|$

HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity] Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder] Queries value:

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Oueries value: HKCR\directory[docobject] Oueries value: HKCR\folder[docobject]

Oueries value: HKCR\allfilesystemobjects[docobject] Queries value: HKCR\directory[browseinplace] Oueries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

HKCR\directory[isshortcut] Queries value: Oueries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut] Queries value: HKCR\directory[alwaysshowext] HKCR\directory[nevershowext] Queries value: Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b587-4786-b587-47$ b4ef-bd1dc332aeae}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[name]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b$

b4ef-bd1dc332aeae}[parentfolder]

Oueries value:

Oueries value:

 $HKLM software \mbox{$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [relative path] \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$1b$3ea5dc-b587-4786-b4ef-bd1dc332aeae} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[localizedname]

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \fill 1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \fill [icon] \label{fill}$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ '1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [stream resource type]$

Queries value:

 $\label{localized-holder} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[localredirectonly]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \ '[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[attributes]

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[foldertypeid]$

Oueries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]}$

Queries value: $HKCU \setminus software \in \windows \setminus \windows$

Queries value:

 $\label{lem:hklmsoftware} Hklm\soft\ware\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \cite{1.00} \cite$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[streamresource]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [stream resource type]$

Oueries value:

 $\label{localization} HKLM software \microsoft \windows \current version \explorer \folder descriptions \called \current \curren$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{array} In the label{lem:hklmsoftware} Th$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{array} Initfolder \end{array} are $$ HKLM software \end{array} in the label{lem:hklmsoftware} $$ HKLM software \end{array} in the label{lem:hklmsoftware} $$ HKLM software \end{array} in the label{lem:hklmsoftware} $$ HKLM software \end{array} $$ HKLM software$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '5e6c858f-0e22-4760-9afe-ea3317b67173 \ '[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parentfolder]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\correntversion}\explorer folder descriptions} \ensuremath{\mbox{\correntversion}\explorer folder descriptions} \ensuremath{\correntversion}\explorer \ensuremath{\mbox{\correntversion}\explorer \ensuremath{\mbox{\correntversion}\explorer} \ensuremath{\mbox{\correntversion}\ex$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 's e6c858f-0e22-4760-9 afe-ea3317b67173 \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [local redirectionly]$

Queries value:

 $\label{thm:local-part} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'encountersion' explorer \ 'folder descriptions \ 'folder descriptions' (5e6c858f-0e22-4760-9afe-ea3317b67173) \ [attributes]$

Oueries value:

9afe-ea3317b67173}[foldertypeid]

Queries value:

9afe-ea3317b67173}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[name]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[parentfolder]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[relativepath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[security]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresource]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ 'f3ce0 f7c-4901-4 acc-index \ 'explorer' \ 'folder \ 'face1 \ 'face$ 8648-d5d44b04ef8f}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[localredirectonlv]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[stream]

Oueries value:

8648-d5d44b04ef8f}[publishexpandedpath]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[attributes]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-$ 8648-d5d44b04ef8f}[foldertypeid]

Oueries value: $HKLM \setminus software \setminus irrosoft \setminus ir$

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

8648-d5d44b04ef8f}[initfolderhandler] 5595fe6b30ee}\shellfolder[attributes]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[restrictedattributes]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[wantsfordisplay]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[hidefolderverbs]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

5595fe6b30ee}\shellfolder[usedrophandler]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value:

5595fe6b30ee}\shellfolder[wantsforparsing]

 ${\tt HKCR\clsid\{59031a47-3f72-44a7-89c5-}}$ Queries value:

5595fe6b30ee}\shellfolder[wantsparsedisplayname]

HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value:

```
5595fe6b30ee}\shellfolder[queryforoverlay]
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
         Oueries value:
 5595fe6b30ee}\shellfolder[mapnetdriveverbs]
          Queries value:
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[queryforinfotip]
         Oueries value:
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[hideinwebview]
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
          Oueries value:
 5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
          Queries value:
 5595fe6b30ee}\shellfolder[wantsaliasednotifications]
         Queries value:
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
          Queries value:
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[nofilefolderjunction]
                                                                                                                                              HKCR\clsid\{59031a47-3f72-44a7-89c5-
          Queries value:
 5595fe6b30ee}\shellfolder[pintonamespacetree]
                                                                                                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[hasnavigationenum]
          Oueries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus monenum [\{59031a47-3f72-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-44a7-89c5-4
 5595fe6b30ee}]
                                                                                                                                               HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]
          Queries value:
          Queries value:
                                                                                                                                               HKCR\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}\inprocserver32[inprocserver32]
                                                                                                                                               HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]
          Queries value:
                                                                                                                                               HKCR\clsid\{76765b11-3f95-4af2-ac9d-
         Oueries value:
 ea55d8994f1a}\inprocserver32[threadingmodel]
         Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-d
95cf-2f29da2920da}[category]
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-debase \ for the content of the content o
 95cf-2f29da2920da}[name]
          Queries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parentfolder]
          Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-d
 95cf-2f29da2920da}[description]
         Oueries value:
95cf-2f29da2920da}[relativepath]
         Oueries value:
95cf-2f29da2920da}[parsingname]
         Oueries value:
95cf-2f29da2920da}[infotip]
          Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[localizedname]
          Oueries value:
HKLM \setminus software \setminus irrosoft \setminus ir
95cf-2f29da2920da}[icon]
95cf-2f29da2920da}[security]
          Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[streamresource]
          Queries value:
 HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7} d1 d3 a0 4- debb-4115-debay \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \
 95cf-2f29da2920da}[streamresourcetype]
          Oueries value:
95cf-2f29da2920da}[localredirectonly]
         Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-deb-4115-d
95cf-2f29da2920da}[roamable]
          Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
 95cf-2f29da2920da}[precreate]
         Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[stream]
95cf-2f29da2920da}[publishexpandedpath]
          Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-debase \ and 
95cf-2f29da2920da}[attributes]
          Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-debase \ and 
95cf-2f29da2920da}[foldertypeid]
```

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-debased \ folder \ folder$

95cf-2f29da2920da}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-

9305-67de0b28fc23}[category]

Oueries value:

9305-67de0b28fc23}[name]

Oueries value:

9305-67de0b28fc23}[parentfolder]

9305-67de0b28fc23}[description]

Queries value:

9305-67de0b28fc23}[relativepath]

Oueries value:

9305-67de0b28fc23}[parsingname]

Queries value:

9305-67de0b28fc23}[infotip]

Oueries value:

9305-67de0b28fc23}[localizedname]

Queries value:

9305-67de0b28fc23}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[security]

Queries value:

9305-67de0b28fc23}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresourcetype]

Queries value:

9305-67de0b28fc23}[localredirectonly]

Queries value:

9305-67de0b28fc23}[roamable]

Queries value:

9305-67de0b28fc23}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[stream] Oueries value:

9305-67de0b28fc23}[publishexpandedpath]

Oueries value:

9305-67de0b28fc23}[attributes]

9305-67de0b28fc23}[foldertypeid]

9305-67de0b28fc23}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ 'f7f1ed05-9f6d-47a2-1000 \ 'f7f$ aaae-29d317c6f066}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-19f1ed05-9f6d-47a000-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d-47a0-9f6d-47a0-9f6$ aaae-29d317c6f066}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-19f1ed05-9f6d-47a005-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d$ aaae-29d317c6f066}[parentfolder]

Queries value:

aaae-29d317c6f066}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-19f1ed05-9f6d-47a000-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d-47a0-9f6d-47a0-9f6$ aaae-29d317c6f066}[relativepath]

Queries value:

 $HKLM \setminus software \setminus irrestant in the software in the softw$ aaae-29d317c6f066}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-19f1ed05-9f6d-47a000-9f6d-47a0-19f1ed05-9f6d-47a0-19f1ed05-9f6d-47a0-9f6d-47a0-9f6$

aaae-29d317c6f066}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource type]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff foldough \ff foldoug$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{ f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [stream]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [folder typeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\category\cite{Action}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{2112ab0a-c86a-4ffe-a368-0de96e47012e} [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 368-0 de 96e 47012e \cal{lem:hklmsoftware} \cal{$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 368-0 de 96e 47012e \cal{lem:hklmsoftware} \cal{$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{48daf80b-e6cf-4f4e-b800-0e69d84ee384} \category\cite{Absolute of the control of th$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \curre$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[description]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 69 d 84 e e 384\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} 48 \daf 80 \begin{center} 800-0e69 \daf 84 \end{center} else \color=1.00 \label{lem:hklmsoftware} 1800-0e69 \daf 84 \end{center} else \color=1.00 \daf 800-0e69 \daf 84 \daf 84$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 69 d 84 e e 384\} \ [localized name]$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\streamresource\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresourcetype]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[local redirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 69 d 84 e 284\} \ [precreate]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[publishexpandedpath]}$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 800-0 e 69 d 8 4 e 28 4 \} \\ \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}{category}

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25 \ [name]$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa340d-f20f-4863-afef-f87ef2e6ba25 \c1parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [description]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ 'explorer' folder descriptions \ 'c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \ [parsing name]$

Queries value:

Queries value:

Oueries value

Queries value:

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[streamresourcetype]

Oueries value:

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} $$ HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \c4aa340d-f20f-4863-afef-f87ef2e6ba25\[roamable \] $$$

Queries value:

 $HKLM software \mbox{$c4aa340d-f20f-4863-afef-f87ef2e6ba25} [precreate] \\$

Queries value:

Oueries value:

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \labe$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855} [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855} \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} \cite{1.0cm} \cite{1.0$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\general $$4965-4330f5687855\general $$687855\general $$68785\general $$68785\ge$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Oueries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855}[icon]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\general-f80d-49df-acb8-4330f5687855\[security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ `\{9e52ab10-f80d-49df$

acb8-4330f5687855}[streamresourcetype]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\software \software \softwar$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\general \general \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49dfacb8-4330f5687855}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\}[folder typeid]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ windows \current version \explorer folder descriptions \explorer \explorer \end{4.5} $$ 444-66979315a281 \current \explorer \end{4.5} $$ 10calized \name \name \end{4.5} $$ 10calized \name \name$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[local\cutred]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [precreate]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} In the constant of the constant of$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[foldertypeid\]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder description \folder description \folder \folder description \folder \fold$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a4115719-d62e-491d-aa7c-e74b8be3b067 \ [security]$

Oueries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [local redirectionly]$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ a4115719-d62e-491d-aa7c-e74b8be3b067} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [init folder handler]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parentfolder]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\cac52c1a-b53d-4edc-92d7-6b2e8ac19434\[relative\path]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\[localizedname]\]} In the property of the$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$cac52c1a-b53d-4edc-92d7-6b2e8ac19434} [icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac1944 \ca$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac 52 c 1a - b 53 d - 4 e d c - 92 d 7 - 6 b 2 e 8 a c 19434\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[streamresourcetype]

Oueries value:

 $\label{localized-HKLM} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[localredirectonly]$$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [roamable]$

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac1944 \cac$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[foldertypeid]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\category\]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[parentfolder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\{description1}

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 18989b1d-99b5-455b-841c-ab7c74e4ddfc \cite{Abc2} \c$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parsing name]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-99b5-455b-841c-ab7c74e4ddfc} [infotip] \\$

Queries value:

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[streamresourcetype]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ 418989b1d-99b5-455b-841c-ab7c74e4ddfc\cite{Commonwealth}\ci$

Queries value:

 $HKLM\ software \ microsoft\ windows \ current version\ explorer\ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\ [precreate]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[stream]$

Queries value:

841c-ab7c74e4ddfc}[publishexpandedpath]

Oueries value:

841c-ab7c74e4ddfc}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Oueries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ 841c-ab7c74e4ddfc}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Oueries value:

9f6b-4b87a210bc8f}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{52a4f021-7b75-48a9-1946, 1$ 9f6b-4b87a210bc8f}[name]

Queries value:

9f6b-4b87a210bc8f}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[description]

Queries value:

9f6b-4b87a210bc8f}[relativepath]

Oueries value:

9f6b-4b87a210bc8f}[parsingname]

Queries value:

9f6b-4b87a210bc8f}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[localizedname]

Oueries value:

9f6b-4b87a210bc8f}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-19464, 194644, 19464, 19464, 19464, 19464, 19464, 19464, 19464, 19464, 19464$ 9f6b-4b87a210bc8f}[streamresource]

Queries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ 9f6b-4b87a210bc8f}[streamresourcetype]

Queries value:

9f6b-4b87a210bc8f}[localredirectonlv]

Queries value:

9f6b-4b87a210bc8f}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ `\{52a4f021-7b75-48a9-1946, 1$ 9f6b-4b87a210bc8f}[precreate]

Oueries value:

9f6b-4b87a210bc8f}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{52a4f021-7b75-48a9-1946, 1$ 9f6b-4b87a210bc8f}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[attributes]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[foldertypeid]

9f6b-4b87a210bc8f}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[category]

Queries value:

bf91-f4455120b917}[name]

Oueries value:

bf91-f4455120b917}[parentfolder]

Oueries value:

bf91-f4455120b917}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[relativepath]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{array} In forcing $$ HKLM software \end{array} in software \end{array} In forcing $$ f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d24-d9c6-4d3e-bf91-f4455120b917\} \ [localized name]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'de974d24-d9c6-4d3e-bf91-f4455120b917 \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'de974d24-d9c6-4d3e-bf91-f4455120b917 \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'de974d24-d9c6-4d3e-bf91-f4455120b917 \ [stream resource type]$

Queries value:

 $HKLM software \mbox{$de974d24-d9c6-4d3e-bf91-f4455120b917} [local redirectonly] \\$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'de974d24-d9c6-4d3e-bf91-f4455120b917 \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \ \ de 974d24-d9c6-4d3e-bf91-f4455120b917 \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[publishexpandedpath]

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [attributes]$

Queries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[name]
Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[parsing name]$

Oueries value

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}' [localized name]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[icon]} $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$

Queries value:

88ff-b0d186b8dedd}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [publish expanded path]$

Queries value:

 $HKLM software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \mbox{$attributes} \\$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \folder type id \eqref{folder}$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '76fc4e2d-d6ad-4519-a663-37bd56068185 \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '76fc4e2d-d6ad-4519-a663-37bd56068185 \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$76fc4e2d-d6ad-4519-a663-37bd56068185}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '76fc4e2d-d6ad-4519-a663-37bd56068185 \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185}[stream resource type]$

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[local redirectonly]$$

Queries value:

 $HKLM software \mbox{$microsoft\windows\currentversion\explorer\folder descriptions\folder 4519-a663-37bd56068185\comparison\explorer\folder 4519-a663-37bd56068185\comparison\explorer\explore$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '76fc4e2d-d6ad-4519-a663-37bd56068185 \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With \label{lklm} With \labe$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde3-d6ad-4519-a663-37bd56068185\foldertypeid\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [description]$

Queries value:

 $\label{lem:hkkm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Oueries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parsingname]} $$$

Queries value:

 $\label{lem:hkklmsoftware} HKLM software \end{a} To 362e-50fc-4fb7-ac2c-a8bea a 314493 [infotip]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7ac2c-a8beaa314493}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fa75d362e-50fc-4fb7-ac2c-a8beaa314493\flocalredirectonly\floaterdirectonly\float$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \far 25d362e-50fc-4fb7-ac2c-a8beaa \footnote{11493} \cite{11493} \cite{11493}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}\{publishexpandedpath\}}$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$a75d362e-50fc-4fb7-ac2c-a8beaa314493} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{a75d362e-50fc-4fb7-ac2c-a8beaa314493} [foldertypeid]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '491e922f-5643-4af4-a7eb-4e7a138d8174 \ [parent folder]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '491e922f-5643-4af4-a7eb-4e7a138d8174 \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '491e922f-5643-4af4-a7eb-4e7a138d8174 \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \scalebox{\scurrent} 491e922f-5643-4af4-a7eb-4e7a138d8174 \cite{1.00} [infotip]$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localized name]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[icon]$

Queries value:

a7eb-4e7a138d8174}[security]

Oueries value:

a7eb-4e7a138d8174}[streamresource]

Oueries value:

a7eb-4e7a138d8174}[streamresourcetype]

Oueries value:

a7eb-4e7a138d8174}[localredirectonly]

Oueries value:

a7eb-4e7a138d8174}[roamable]

a7eb-4e7a138d8174}[precreate]

Queries value:

a7eb-4e7a138d8174}[stream]

Queries value:

a7eb-4e7a138d8174}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}[foldertypeid]

Queries value:

a7eb-4e7a138d8174}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parentfolder]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-4e1e-46$ 835a-98395c3bc3bb}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[relativepath]

Queries value:

835a-98395c3bc3bb}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip] Oueries value:

835a-98395c3bc3bb}[localizedname]

Oueries value:

835a-98395c3bc3bb}[icon]

835a-98395c3bc3bb}[security]

835a-98395c3bc3bb}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-4e1e-46$ 835a-98395c3bc3bb}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[roamable]

Queries value:

835a-98395c3bc3bb}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-

835a-98395c3bc3bb}[attributes]

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\scale=4676-835a-98395c3bc3bb} [folder typeid]$

Oueries value:

 $\label{thm:local-continuous} HKLM software \end{array} In the local limit of the local$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[parentfolder]

Queries value:

 $\label{thm:local-explorer} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[description]$

Queries value:

 $\label{thm:local-explorer} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} a 8 f7-e4701232 c972 \cal{lem:hklmsoftware} \cal{lem:hkl$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[localredirectonly]$$

Queries value:

 $\label{thm:local-explorer} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \explorer \folder descriptions \explorer \explorer \folder descriptions \explorer \ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [precreate]$

Queries value:

 $\label{thm:local-explorer} HKLM software \end{align* windows \current version \explorer folder descriptions \end{align* descriptions \end{align* descriptions} \end{align* explorer \end{align* descriptions} \end{align* descriptions} \end{align* explorer \end{align* explorer} \end{align* explorer \end{align* explorer} \end{align* explorer} \end{align* explorer \end{align* explorer} \end{align* explorer \end{align* explorer} \end{align* explorer \end{align* explorer} \end{align* explorer} \end{align* explorer} \end{align* explorer} \end{align* explorer} \end{align* explorer \end{align* explorer} \en$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}\ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$47.5-9629-e15d2f714e6e \cal{lem:hklmsoftware} $$[description]$$

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{8235-d9cd-$47c5-9629-e15d2f714e6e} [infotip]$

Oueries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[security]$

Oueries value

 $HKLM software \mbox{$82a5ea35-d9cd-47c5-9629-e15d2} folder descriptions \mbox{$82a5ea35-d9cd-47c5-9629-e15d2} folder \mbox{$82a5ea35-d9cd-47c5-96$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [folder typeid]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parent folder]$

Queries value: |KLM\software

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[relative path]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[icon]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[security]$$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ 'debf2536-e1a8-4c59-b6a2-414586476aea \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ debf 2536-e1a8-4c59-b6a2-414586476aea \ [stream resource type]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ debf 2536-e1a8-4c59-e1$

b6a2-414586476aea}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [precreate]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream]}$

Oueries value:

 $HKLM software \mbox{$debf2536-e1a8-4c59-b6a2-414586476aea} [publish expanded path] \\$

Oueries value:

 $HKLM\ software \ icrosoft\ windows \ current version\ explorer\ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}\ fattributes\ \}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'debf2536-e1a8-4c59-b6a2-414586476aea \ [init folder handler]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{array} In the label{lem:hklmsoftware} Th$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '(0f214138-b1d3-4a90-bba9-27cbc0c5389a) \ [parsing name]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM software \end{array} I construction \explorer \end{array} folder descriptions \end{array} of \end{array} I construction \end{array} of \en$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folds -4a90-bba9-27cbc0c5389a] [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish \ expanded path]$

Queries value:

 $HKLM\software\mbox{$\mathbb{N}$ irrentversion} explorer\folder descriptions \goal{\mathbb{Q} folds a proper \mathbb{Q} folder descriptions. } \label{fig:help} HKLM\software\mbox{\mathbb{Q} irrentversion} explorer\folder descriptions \goal{\mathbb{Q} folds a proper grade of the proper g$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [folder typeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\g(0f214138-b1d3-4a90-bba9-27cbc0c5389a)\[initfolderhandler]$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 2400183a - 6185 - 49fb-a2d8 - 4a392a602ba3 \cal{lem:hklmsoftware} [parsing name]$

Oueries value:

 $HKLM\$ software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]

Queries value:

Queries value:

 $\label{local-equation} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \current \$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[security]}$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource type]$

Queries value:

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localredirectonly]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder \folder \folder \currentversion \explorer \folder \folder \folder \folder \currentversion \explorer \folder \f$

Oueries value:

 $\label{local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{area} If older descriptions \end{area} a -6185-49fb-a2d8-4a392a602ba3 \end{area} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ finit folder \ handler \ label{eq:helmonormal}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \cite{A32e-a781-5a1130a75963} \cite{A32e-a781-$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-bound} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[security]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$

Oueries value

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d9dc8a3b-b784-432e-a781-5a1130a75963\publishexpandedpath]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'd9dc8a3b-b784-432e-a781-5a1130a75963 \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [init folder handler]$

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

Queries value:

Oueries value

Queries value:

 $\label{lem:hkkm} HKLM software \endows \current version \explorer folder descriptions \c4900540-2379-4c75-844b-64e6 \endows \charge \endows \charge \charge$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6faf8716b \cdap{figures:parsing name} \end{substitute}$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \cfu affabre \cfu aff$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c4e900540-2379-4c75-844b-64e6faf8716b\center{localized} [localized name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6faf8716b \cdots \$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\c4e900540-2379-4c75-844b-64e6faf8716b}\[streamresource]\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [local redirectionly]$

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6faf8716b \scalebox{\colore$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c4900540-2379-4c75-844b-64e6faf8716b\] [publishexpandedpath]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\ [attributes]$

Queries value:

844b-64e6faf8716b}[foldertypeid]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6faf8716b \cite{linitfolder} in the label \cite{linitfolder} and \cite{linitfolder} in the label \cite{linitfolder} and \cite{linitfolder$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[category]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ (289a9a43-be44-4057-a41b-587a76d7e7f9) \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '289a9a43-be44-4057-a41b-587a76d7e7f9 \ [parent folder]$

Queries value:

Queries value:

 $HKLM software \mbox{$1.89a9a43-be44-4057-a41b-587a76d7e7f9} [relative path] \\$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [icon]$

Oueries value

Queries value:

 $HKLM \software \mbox{$289a9a43-be44-4057-a41b-587a76d7e7f9} [stream resource] \\$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[streamresourcetype]

Oueries value:

 $\label{lem:hammon} HKLM software \endows \current version \explorer \folder descriptions \endows \current version \explorer \folder descriptions \endows \en$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[precreate]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder \folder \current \c$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[foldertypeid]}$

Queries value:

 $HKLM software \mbox{$289a9a43-be44-4057-a41b-587a76d7e7f9} [initfolder handler] \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\category\cite{Abfefb45-347d-4006-a5be-ac0cb0567192}\cite$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Queries value:

 $HKLM\software\mbox{\sc windows\current} version\explorer\folder descriptions\folder\folder\descriptions\folder\folder\descriptions\folder\fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \folder descriptions \cal{lem:hklmsoftware} \folder descriptions \cal{lem:hklmsoftware} \folder descriptions \cal{lem:hklmsoftware} \folder \cal{l$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$

Queries value:

 $HKLM software \mbox{$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '4bfefb45-347d-4006-a5be-ac0cb0567192 \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ [publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'b7534046-3ecb-4c18-be4e-64cd4cb7d6ac' [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \c$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[infotip]$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fonts\f$

Queries value:

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\makes\forware\microsoft\makes\forware\microsoft\makes\forware\makes\forware\microsoft\m$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'b7534046-3ecb-4c18-be4e-64cd4cb7d6ac' [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [local redirectionly]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formall between the property of the p$

Queries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptions\forware\makebox{\currentversion\explorer\folderdescriptio$

be4e-64cd4cb7d6ac}[stream]

Oueries value:

be4e-64cd4cb7d6ac}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[attributes]

Oueries value:

be4e-64cd4cb7d6ac}[foldertypeid]

Oueries value:

be4e-64cd4cb7d6ac}[initfolderhandler]

814f-a5ebd2fd6d5e}[category]

814f-a5ebd2fd6d5e}[name]

Oueries value:

814f-a5ebd2fd6d5e}[parentfolder]

Queries value:

814f-a5ebd2fd6d5e}[description]

Oueries value:

814f-a5ebd2fd6d5e}[relativepath]

Queries value:

814f-a5ebd2fd6d5e}[parsingname]

Queries value:

814f-a5ebd2fd6d5e}[infotip]

Queries value:

 $HKLM \setminus software \setminus irrestant (windows) (wind$ 814f-a5ebd2fd6d5e}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[icon]

Queries value:

814f-a5ebd2fd6d5e}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[streamresource]

Queries value:

814f-a5ebd2fd6d5e}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[localredirectonly] Oueries value:

814f-a5ebd2fd6d5e}[roamable]

Oueries value:

814f-a5ebd2fd6d5e}[precreate]

814f-a5ebd2fd6d5e}[stream]

814f-a5ebd2fd6d5e}[publishexpandedpath]

814f-a5ebd2fd6d5e}[attributes]

Oueries value:

814f-a5ebd2fd6d5e}[foldertypeid]

Oueries value:

814f-a5ebd2fd6d5e}[initfolderhandler]

Queries value:

a9c3-b52a1ff411e8}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126a9c3-b52a1ff411e8}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126a9c3-b52a1ff411e8}[parentfolder]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-

a9c3-b52a1ff411e8}[description]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} folder \cal{lem:$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[security]$

Oueries value:

Queries value:

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream]$

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\capable (c870044b-f49e-4126-a9c3-b52a1ff411e8)\cite{Alicenter} and the second control of the sec$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\capable (c870044b-f49e-4126-a9c3-b52a1ff411e8)\cite{foldertypeid}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\cs.} in the limit of the limit of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \category\cite{Control of the control of the$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{baseline} \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '(0139d44e-6afe-49f2-8690-3dafcae6ffb8) \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [infotip]$

Queries value:

 $HKLM\software\mbox{$\$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software \endows \current version \explorer \folder descriptions \current \endows \current \endows \endows \current \endows \current \endows \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} $$ 139d44e-6afe-49f2-8690-3dafcae \folder \folder \mbox{lem:hklmsoftware} \mbox{lem:hklmsoftware}$

Queries value:

Queries value:

 $HKLM\ software \ microsoft\ windows \ current version \ explorer\ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [folder typeid]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c5abbf53-e17f-4121-8900-86626fc2c973\category\cite{Align: hkllmsoftware}\category\cite{Align: hkllmsoftware}\cite{Align: hkllmsoftware}$

Oueries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} 17f-4121-8900-86626 \cal{lem:hklmsoftware} \cal{lem:hklm$

Oueries value:

 $HKLM software \mbox{$c5abbf53-e17f-4121-8900-86626fc2c973} \label{lem:hklm} In the lattice of the lattice of$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626fc2c973 \cgray \cgra$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c5abbf53-e17f-4121-8900-86626fc2c973\c][infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \fc 2c973 \c localized \c management \c before \c befo$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973\c] icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$c5$ abbf53-e17f-4121-8900-86626fc2c973} [security]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \c5abbf53-e17f-4121-8900-86626 \c5ab$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \c5abbf53-e17f-4121-8900-86626 \c5ab$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentfolderdescr$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \c7abbf53-e17f-4121-8900-86626 \c7abbf53-e17$

Queries value:

 $\label{thm:local-software} HKLM software \ensurements ion \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626fc2c973 \cf{precreate} \end{picture}$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \cfty \cfty$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \c9ablishex \c9abbf53-e17f-4121-8900-86626 \c7abbf53-e17f-4121-8900-86626 \c7abbf53-e17f-4121-8900$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c5abbf53-e17f-4121-8900-86626 \fc2c973 \end{substitute} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c5abbf53-e17f-4121-8900-86626fc2c973\foldertypeid\]$

Queries value:

 $\label{thm:local-software-microsoft-windows} Label{thm:local-windows} In the local label{thm:local-windows} Label{thm:l$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '56784854-c6cb-462b-8169-88e350 \ acb882 \ [name]$

Oueries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{56784854-c6cb-462b-8169-88e350acb882}\ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [description]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$156784854-c6cb-462b-8169-88e350acb882} [infotip]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '56784854-c6cb-462b-8169-88e350 \ acb882 \ [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [local redirectionly]$

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$156784854-c6cb-462b-8169-88e350acb882} [precreate]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [folder type id]$

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parent folder]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectionly]$

Queries value:

Queries value:

 $\label{thm:microsoft} HKLM software \end{area} Tb396e54-9ec5-4300-be0a-2482ebae1a26} [precreate]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [folder typeid]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516} [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$bcbd3057$-$ca5c-4622-$b42d-$bc56db0ae516} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [localized name]$

Queries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[precreate]$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fo$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[folder typeid]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[category]}$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ (a302545d-deff-464b-abe8-61c8648d939b) \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parentfolder]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$

Queries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With \label{lem:hklm} With \label{lem:hklm} HKLM \label{lem:hklm} With \label{lem:hklm$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 302545d-deff-464b-abe8-61c8648d939b \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 302545d-deff-464b-abe8-61c8648d939b \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fa302545d-deff-464b-abe8-61c8648d939b\folderdescriptions\folder$

Oueries value:

 $HKLM\software\ microsoft\ windows\ current version\ explorer\ folder descriptions\ \{a302545d-deff-464b-abe8-61c8648d939b\}\ [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}[attributes]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fa302545d-deff-464b-abe8-61c8648d939b\] [foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ 2b0f765d-c0e9-4171-908e-08a611b84ff6} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[parent folder]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[description]} $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-d0e9-41$

908e-08a611b84ff6}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[parsing name]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[infotip]} \\$

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\scurrent} version \explorer \folder descriptions \current \folder descriptions \current \folder \folder \current \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \current \cur$

Queries value:

 $HKLM software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [publish expanded path] \\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} $$4171-908e-08a611b84ff6 \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \end{subarray} $$4171-908e-08a611b84ff6 \cite{lem:hklmsoftware} \cite{lem$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folder \currentversion \end{\current} $$41-440df \currentversion \end{\currentversion} $$440df \currentversion \end{\currentversion} $$440df \currentversion \currentv$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [localized name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\[icon]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[streamresource]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [local redirectionly]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{area} This is a substitution of the subs$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[folder typeid]$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolderhandler]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[category]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'explorer' folder f$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} HKLM \software \end{array} HKLM \software \end{array} HKLM \software \end{array} HKLM \software \software \end{array} HKLM \software \softwa$

Oueries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [parsingname] $$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'esplorer' folder descriptions \ 'esplorer' folder folder \ 'esplorer' folder folder \ 'esplorer' folder \ 'es$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{2.000} \end{2.000} \end{2.000} The localized the localized that the localized the localized that the$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \fill \equiv \equiv \fill \equiv \equiv$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [stream resource]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{2.000} \end{2.000} folderdescriptions\eqned{2.000} \end{2.000} \end{2.000} The label{lem:hammon} The label{lem:hammon} HKLM\software\microsoft\mathbolderdescriptions\eqned{2.000} \end{2.000} The label{lem:hammon} The label{lem:hammon} HKLM\software\microsoft\mathbolderdescriptions\eqned{2.000} The label{lem:hammon} The label{lem:hammon} HKLM\soft\mathbolderdes\eqned{2.000} The label{lem:hammon} The la$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [roamable]$

Queries value:

 $HKLM\software\)microsoft\) windows \current version\) explorer\ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}\[precreate]$

Queries value

 $\label{lem:hkkm} HKLM software \ensuremath{\mbox{\mbox{$HKLM$} software \ensuremath{\mbox{W} into $$} (e555ab60-153b-4d17-9f04-a5fe99fc15ec) [stream]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [attributes]$

Queries value:

 $HKLM software \mbox{$\mbox{windows \circ \mbox{windows o} \mbox{windows \circ \mbox{windows \circ \mbox{windows \circ \mbox{windows o} \mbox{windows o}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[initfolderhandler]$

Queries value:

 $\label{linear_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} 1.054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \cal{lem:hklmsoftware} \cal{lem:hk$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\explorer\folderdescription\explorer\explore$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\ga$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gammabel{lem:hammon} \end{constraints} \end{constraints} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gammabel{lem:hammon} \gammabel{lem:hammon} \gammabel{lem:hammon} \gammabel{lem:hammon} \gammabel{lem:hammon} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gammabel{lem:hammon} \gammabel{lem:hammon} \ga$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Queries value:

 $\label{local-equation} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Queries value:

 $HKLM software \mbox{$054$ fae 61-4dd8-4787-80b6-090220c4b700} [security] \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\}[stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\ga$

Queries value:

 $\label{thm:microsoftwindows} Loss of the constraint of the const$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [stream]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\e$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[parent folder]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \folder \current \current \folder \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'arrange folder descriptions' \ 'arrange folder descriptions'$

Queries value:

 $\label{local-equation} $H\dot{L}M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\grave\gra$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[icon]$

Queries value:

87bd-30b759fa33dd}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [local redirectonly]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[precreate]

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[folder typeid]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'b250c668-f57d-4ee1-a63c-290ee7d1aa1f \ [parent folder]$

Queries value:

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hkklm} With the$

Queries value:

 $HKLM \software \mbox{$h$icrosoft\windows\currentversion} \explorer \folder descriptions \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \explorer \currentversion \explorer \explorer$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'b250c668-f57d-4ee1-a63c-290ee7d1aa1f \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [icon]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream resource]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} With the label{lem:hk$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b250c668-f57d-4ee1-a63c-290ee7d1aa1f} [stream]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[publishexpandedpath]}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ fattributes \ 1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[folder typeid]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolderhandler]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$

Oueries value:

 $\label{local-bound} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folds \fo$

Oueries value

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[stream resource]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[streamresourcetype]}$

Queries value:

 $HKLM \label{local-continuous} HKLM \label{local-continuous} In the local deviation \label{local-continuous} HKLM \label{local-continuous} Section \label{local-continuous} Section$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$152528a6b-b9e3-4add-b60d-588c2dba842d} [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{52528a6b-b9e3-4add-b60d-588c2dba842d} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream]$

Queries value:

 $\label{thm:local-bound} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folds \current \curr$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [folder typeid]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{8983036c-27c0-404b-40cd, \ and \$

8f08-102d10dcfd74}[parsingname]

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localized name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcb5256f-79f6-4ce-b725-dc34e402fd46} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcb5256f-79f6-4ce-b725-dc34e402fd46} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Queries value:

 $HKLM software \mbox{$hcb5256f-79f6-4cee-b725-dc34e402fd46} [infotip] \\$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}{localizednamel

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [icon]$

Queries value:

 $HKLM\software\mbox{\sc windows\currentversion\explorer\folderdescriptions\fbcb5256f-79f6-4cee-b725-dc34e402fd46}\ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcb5256f-79f6-4cee-b725-dc34e402fd46} [streamresource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder typeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{array} In the label{lem:hklmsoftware} Th$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba4f \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \folde$

Oueries value:

 $\label{thm:local-continuous} HKLM software \end{array} In folder descriptions \end{array} \end{array} In fotip \end{array} and \end{array} In fotip \end{array} The descriptions \end{array} \end{array} The descriptions \end{array} The descriptions$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4f ef-9f 26-b 60e 846f ba 4f\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\soft\ware\mbox{1724ef170-a42d-4fef-9f26-b60e846fba4f}[icon]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f \ 'fream resource type leads to be a few formula of the property of the property$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $\label{thm:local-continuous} HKLM software \end{thm:local-continuous} $$HKLM software \end{thm:local-continuous} $$1724ef170-a42d-4fef-9f26-b60e846fba4f [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}[init folder handler]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM software \end{array} I category \end{array} Table 22220080e43 \end{array} I category \end{array} Table 22220080e43 \end{arr$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[name]$$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [relative path]$

Oueries value:

 $\label{lem:hklm} $HKLM \cap \exp\{-42220080e43\} [parsing name] $$$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [stream resource type]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\[localredirectonly]\]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [precreate]$

Oueries value

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '4bd8d571-6d19-48d3-be97-422220080e43 \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder typeid]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \user shell \end{tabular}$

folders[my music]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder description \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4 f 02 - a 3a 9 - 6c 82 89 5 e 5 c 04\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Ade61d971-5ebc-4f02-a3a9-6c82895e5c04} \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ 'de 61 d 971-5 ebc-4f02-a3a9-6c82895e5c04 \} [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d971 - 5 ebc - 4f02 - a3a9 - 6c82895 e 5c04\} \ [security]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4 f 02 - a 3a 9 - 6c 82 89 5 e 5 c 04\} \ [stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fo$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d971-5 ebc-4f02-a3a9-6c82895e5c04\} \ [precreate]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4 f 02 - a 3a 9 - 6c 82 89 5 e 5 c 04\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 61 d 971 - 5 ebc - 4 f 02 - a 3a 9 - 6c 82 89 5 e 5c 04\} [init folder handler]$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\current\explorer\folderdescription\e$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\windows\currentversion\explorer\folderdescriptions\forware\microsoft\microso$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80\[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} $$40762d272-c50a-4bb0-a382-697dcd729b80 \cal{lem:hklmsoftware}$$[relative path]$$

Queries value:

 $\label{thm:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}\ [parsingname] $$$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$0762d272-c50a-4bb0-a382-697dcd729b80} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ folder \ descriptions \ folder \ descriptions \ desc$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [security]$

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\forware\folderdescriptions\forware\f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[stream resource type]$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}\[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} a 382-697 \cdr29b80 \cdr29b$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$

Queries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[publishexpandedpath]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} $$40762d272-c50a-4bb0-a382-697dcd729b80 \[init folder \chandler]$

Oueries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[category]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '4d9f7874-4e0c-4904-967b-40b0d20c3e4b \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [relative path]$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \align{transformation} 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \cite{thm:software} \end{transformation} are likely li$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [localized name]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]}$

Oueries value

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ 1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\fill\\ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parent folder]$

Queries value:

 $HKLM\software\mbox{\scriptions} \label{lem:hklm} HKLM\software\mbox{\scriptions} \label{lem:hklm} \label{lklm} HKLM\software\mbox{\scriptions} \label{lklm} HKLM\software\mbox{\scriptions} \label{lklm} HKLM\software\mbox{\scriptions} \label{lklm} HKLM\software\mbox{\scriptions} \label{lklm} \label{lklklm} \label{lklm} \label{lklm} \label{lklm} \l$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[relativepath]}$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1ac14e77-02e7-4e5d-14e74-1$

b744-2eb1ae5198b7}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$

Oueries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [security]$

Oueries value:

 $HKLM software \mbox{\current version} explorer \mbox{\current version} \mbox$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream]$

Queries value:

 $\label{thm:local-continuous} HKLM software \end{thm:local-continuous} $$HKLM \sim \frac{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[publishexpandedpath] $$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ fattributes \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[folder typeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [name]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a7775d77-2e2b-44c3-a6a2-aba601054a51\}\[parentfolder]\]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa77f5d77-2e2b-44c3-a6a2-aba601054a51 \cite{lem:hklmsoftware} \$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\[localizedname]$$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\ficon1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource type]$

Queries value:

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fa77f5d77-2e2b-44c3-a6a2-aba601054a51\}\[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder typeid]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [init folder handler]$

Queries value:

 $\label{local-bbf8-452a-850d-79d08e667ca7} In the continuous cont$

Queries value:

 $HKLM \software \mbox{$0$ac0837c-bbf8-452a-850d-79d08e667ca7} [name] \\$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} With the label{lem:hkklm} With the label{lem:hkk$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '(0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7) \ [relative path]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capable (0ac 0837c-bbf8-452a-850d-79d 08e 667ca7) \cite{thm:hklmsoftware} \cite{thm:hkl$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [localized name]$

Queries value:

 $\label{local-software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capable 63 ca7 \capable 667 ca7$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d 08e 667 ca7\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [init folder \ handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$d0384e7d-bac3-4797-8f14-cba229b392b5} \ [name]$

Queries value:

 $\label{thm:local-decomposition} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \dos 4797-8f14-cba 229b 392b \graph{229b}{parentfolder}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \current \folder descriptions \does \folder \folder \does \current \folder \folder$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM software \end{array} HKLM software \end{array} in \end{array} HKLM software \end{array} in \end{array} HKLM software \end{array} in \end{array} in \end{array} HKLM software \end{array} in \end{array$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$d0384e7d-bac3-4797-8f14-cba229b392b5}[infotip]$

Oueries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localizedname]}$

Oueries value

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'd0384e7d-bac3-4797-8f14-cba229b392b5 \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [stream resource type]$

Oueries value:

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fid=60384e7d-bac3-4797-8f14-cba229b392b5\[roamable]$

Queries value:

 $HKLM software \mbox{$M$ icrosoft windows \current version \explorer folder descriptions \dos 40384e7d-bac3-4797-8f14-cba229b392b5} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \ [folder typeid]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fideshape and the constraints of the constraints o$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [relative path]$

Oueries value:

 $\label{local-equation} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\ [parsingname] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[icon]$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 17b0db 17d-9cd 2-4a 93-9733-46cc 89022e 7c \folder 17b0db 17d-9cd 2-4a 93-9734-8cc 89022e 7c \folder 17b0db 17d-9cd 2-4a 93-9744-8cc 89022e 7c \folder 17b0db 17b0db 17d-9cd 2-4a 93-9744-8cc 89022e 7c \folder 17b0db 17d0db 17d0db$

Queries value:

9733-46cc89022e7c}[streamresourcetype]

Oueries value:

 $\label{localization} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder 17b0db 17d-9cd 2-4a93-9733-46cc 89022e7c \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[publishexpandedpath]

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder 17b0db 17d-9cd 2-4a9 3-9733-46cc 89022e7c \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '7b0db 17d-9cd2-4a93-9733-46cc89022e7c \ [folder type id]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ae 50c 081-ebd2-438a-8655-8a092e 34987a \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ae 50c 081-ebd 2-438a-8655-8a092e 34987a \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[infotip]}$

Queries value:

 $\label{localized halos} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[localized name]$$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ae 50c 081-ebd2-438a-8655-8a092e 34987a \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [local redirect only]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$

Queries value:

 $HKLM\software\mbox{\sc windows\current} version\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[publishexpandedpath]}$

Queries value:

 $\label{local-ebd2-438a-8655-8a092e34987a} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}\[attributes\]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [init folder handler]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$

Queries value:

 $\label{thm:local-decomposition} HKLM software \ensuremath{\mbox{\mbox{$462ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[parentfolder]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substrate} 1-4dc3-a9dd-070d1d495d97 \folder \cal{lem:hklmsoftware} \folder \cal{lem:hklmsoftware} \end{substrate} 1-4dc3-a9dd-070d1d495d97 \folder \cal{lem:hklmsoftware} \cal{lem:hklm$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM software \end{array} In the label{lem:hkkm} is software \end{array} The label{lem:hkkm} and all of the label{lem:hkkm} of the label{lem:hkkm} and all of the label{lem:hkkm} and all of the label{lem:hkkm} are label{lem:$

Queries value:

 $\label{thm:local-decomposition} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref de 2ab5d82-fdc1-4dc3-a9dd-070d1d495d97 \cite{linfotip}$

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [init folder handler]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\category\] $$[Category]$$ (all properties of the pro$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091\ [parent folder]$

Oueries value:

 $HKLM) software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {f1b32785-6fba-4fcf-9d55-7b8e7f157091} [description]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi1b32785-6fba-4fcf-9d55-7b8e7f157091\finfotip\]$

Queries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[localizedname]}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [security]$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fixtgrammes ource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource type]$

Oueries value:

 $\label{thm:local_to_the_high_software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill 157091 \fi$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi1b32785-6fba-4fcf-9d55-7b8e7f157091\foldertypeid\]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parent folder]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-descriptions-folder-descriptions-folder-description-folder-descrip$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [localized name]$

Oueries value:

 $\label{thm:lm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$

Oueries value:

 $\label{limits} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[streamresource]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]$

Queries value:

9af7-4fc2abf07cc5}[publishexpandedpath]

Oueries value:

9af7-4fc2abf07cc5}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Oueries value:

9af7-4fc2abf07cc5}[initfolderhandler]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{9274bd8d-cfd1-41c3-dg1d-21c4d$ b35e-b13f55a758f4}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{9274bd8d-cfd1-41c3-dg1d-21c4d$ b35e-b13f55a758f4}[name]

Queries value:

b35e-b13f55a758f4}[parentfolder]

Oueries value:

b35e-b13f55a758f4}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{9274bd8d-cfd1-41c3-descriptions'\} \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'expl$ b35e-b13f55a758f4}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-dg1derdescription\} \ folder \ fold$ b35e-b13f55a758f4}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[infotip]

b35e-b13f55a758f4}[localizedname]

b35e-b13f55a758f4}[icon]

Oueries value:

b35e-b13f55a758f4}[security]

Oueries value:

b35e-b13f55a758f4}[streamresource]

Oueries value:

b35e-b13f55a758f4}[streamresourcetype]

Oueries value:

b35e-b13f55a758f4}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[roamable]

Oueries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ b35e-b13f55a758f4}[precreate]

b35e-b13f55a758f4}[stream]

Queries value:

b35e-b13f55a758f4}[publishexpandedpath]

Queries value:

b35e-b13f55a758f4}[attributes]

Oueries value:

b35e-b13f55a758f4}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{9274bd8d-cfd1-41c3-descriptions'\} \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'expl$ b35e-b13f55a758f4}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[category]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{69d2cf90-fc33-4fb7-fc34-fb7-fb7-fc34-fb7-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7-fc34-fb7$ 9a0c-ebb0f0fcb43c}[name]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{69d2cf90-fc33-4fb7-fc34-fb7-fb7-fc34-fb7-fc3$ 9a0c-ebb0f0fcb43c}[parentfolder]

Oueries value:

9a0c-ebb0f0fcb43c}[description]

Oueries value:

9a0c-ebb0f0fcb43c}[relativepath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localized name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\figure{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HkLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localredirectonly]}$

Queries value

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]}$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \[folder type id] \]$

Oueries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fielder folder fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{374 de 290-123f-4565-9164-39c4925e 467b} [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{374 de 290-123f-4565-9164-39c4925e 467b} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}\ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '(374 de 290-123 f-4565-9164-39c4925e 467b) \ [infotip]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[localizedname]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '374 de 290-123 f-4565-9164-39c4925e 467b \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [security]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a74 de 290-123 f-4565-9164-39c4925e 467b \ [stream resource type]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[localredirectonly]$

9164-39c4925e467b}[roamable]

Oueries value:

9164-39c4925e467b}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[stream]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-123 f$ 9164-39c4925e467b}[publishexpandedpath]

Oueries value:

9164-39c4925e467b}[attributes]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-123 f$ 9164-39c4925e467b}[foldertypeid]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-123 f$ 9164-39c4925e467b}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell Queries value:

folders[{374de290-123f-4565-9164-39c4925e467b}]

Queries value:

a71a-0969cb56a6cd}[category]

Queries value:

a71a-0969cb56a6cd}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[parentfolder]

a71a-0969cb56a6cd}[description]

Queries value:

a71a-0969cb56a6cd}[relativepath]

Oueries value:

a71a-0969cb56a6cd}[parsingname]

Oueries value:

a71a-0969cb56a6cd}[infotip]

Oueries value:

a71a-0969cb56a6cd}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[security]

Oueries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ a71a-0969cb56a6cd}[streamresource]

a71a-0969cb56a6cd}[streamresourcetype]

Queries value:

a71a-0969cb56a6cd}[localredirectonly]

Queries value:

a71a-0969cb56a6cd}[roamable]

Oueries value:

a71a-0969cb56a6cd}[precreate]

Queries value:

a71a-0969cb56a6cd}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[publishexpandedpath]

Queries value:

a71a-0969cb56a6cd}[attributes]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{859ead94-2e85-48ad-42e85-4$ a71a-0969cb56a6cd}[foldertypeid]

Oueries value:

a71a-0969cb56a6cd}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{a305ce99-f527-492b-f527-49$ 8b1a-7e76fa98d6e4}[category]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[parsing name]$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \a 305ce99-f527-492b-8b1a-7e76fa98d6e4 \[infotip]$

Queries value:

 $HKLM\ software \ microsoft\ windows \ current version\ explorer\ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\ [localized name]$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 305ce99-f527-492b-8b1a-7e76fa98d6e4 \ [stream resource type]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fared \far$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explores \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]}$

Queries value:

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parentfolder]

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ad644c9b-1fb8-4f30-9b45-f670235f79c0 \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [icon]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM software \mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [publish expanded path] \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ad644c9b-1fb8-4f30-9b45-f670235f79c0 \ [folder typeid]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{a} 1048-4e80-94bc-9912d7504104 \end{a} [description]$

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explores \folder descriptions \explores \folder descriptions \explores \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream resource]$

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [local redirectionly]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[roamable]}$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [stream]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 990 a e 9f-a 03b-4e 80-a e 9f-a 03b-4e 80-a e 9f-a 03b-4e 80-a e 9f-a 03b-4e 80-a e 9f-a e 9$

94bc-9912d7504104}[attributes]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explores \folder \folde$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{a} 1000 explorer \end{a} 10000 explore$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\category\]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[name \] \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\[description]

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [localized name]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{dfdf76a2-c82a-4d63-906a-5644ac457385} \ [stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$dfdf76a2-c82a-4d63-906a-5644ac457385} [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'dfdf76a2-c82a-4d63-906a-5644ac457385 \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[category]$

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} current version \explorer folder descriptions \explorer $$ 1a6fdba2-f42d-4358-a798-b74d745926c5 [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[description]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parsing name]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[local redirect only]$

Queries value:

 $\label{local-soft-windows} La6fdba2-f42d-4358-a798-b74d745926c5\\ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder typeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[name]\]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ folder \ fo$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[relativepath]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[localizedname]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a520a1a4-1780-4ff6-bd18-167343c5af16 \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[streamresourcetype]

Queries value:

Queries value:

 $\label{thm:local-solution} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \fast 20a1a4-1780-4ff6-bd18-167343c5af16 \fast 25af16 \fast 25a$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{a} 1780-4ff6-dot{18-167343c5af16} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[foldertypeid]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a520a1a4-1780-4ff6-bd18-167343c5af16 \ [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1886 \fill 49a9-b74d-02885 \fill 56c765\fill 1866 \fill 1866$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \klobe{lem:hklmsoftware} \end{substitute} has a likely labeled as a likely l$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [stream resource type]$

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[localredirectonly]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[publishexpandedpath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder typeid]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[initfolderhandler]

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[category]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\\folderdescriptions\\\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[name]$

Queries value:

bfd0-4cd0dfb19b39}[parentfolder]

Oueries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} \calebox{description}$

Oueries value:

 $\label{lem:hamilton} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \explorer \folder \f$

Oueries value:

Oueries value:

 $\label{lem:hamilton} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current \folder \cdot \folds \folds \folds \cdot \folds \folds \cdot \folds \folds \folds \cdot \folds \cdo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [icon]$

Queries value:

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} 13.2 \cal{lem:hklmsoftware} \label{lem:hklmsoftware} \mbox{lem:hklmsoftware \mb$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescr$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder \folde$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}\[stream]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\ex$

Oueries value:

Queries value:

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hamman} $\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolder \chandler] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ge3995 ab-1f9c-4f13-b827-48b24b6c7174 \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}\[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13b827-48b24b6c7174}[security]

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM software \end{array} The construction $$ HKLM software \end{array} $$ 4627-48b24b6c7174 [publish expanded path] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder typeid]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder handler]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\category\]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[name]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [relative path]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fides \cite{thm:hammon} 467266ac-9274-4867-8d55-3bd661de872d\cite{thm:hammon} [parsing name]$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\finfotip\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescripti$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'df7266 ac-9274-4867-8d55-3bd661 de 872d \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [localredirectonly]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'df7266 ac-9274-4867-8d55-3bd661 de 872d \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[attributes]$

Queries value:

 $\label{linear_ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[foldertypeid]}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [initfolder handler]$

Oueries value:

Oueries value:

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'ed4824 af-dce4-45a8-81e2-fc7965083634 \ [relative path]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ed4824af-dce4-45a8-81e2-fc7965083634\[parsingname]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a 8-81e2-fc 79650 83634\} \ [localized name]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ed 4824 af-dce 4-45 a 8-81 e2-fc 7965083634\ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [stream resource]$

Queries value:

Queries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ed 4824 af-dce 4-45 a 8-81 e2-fc 7965083634\ [publish expanded path]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.00} descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ed4824af-dce4-45a8-81e2-fc7965083634\\[initfolderhandler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[category]

Oueries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[name]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$

Queries value:

Queries value:

 $\label{thm:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\[relative\path]$

Queries value:

 $HKLM software \mbox{$d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \ [parsing name] \label{eq:hklm}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[infotip]$

Queries value:

a4ce-a8e7c6ea7d27}[localizedname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]$

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[security]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'd65231b0-b2f1-4857-a4ce-a8e7c6ea7d27 \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'd65231b0-b2f1-4857-a4ce-a8e7c6ea7d27 \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\figurespandedpath\figur$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [attributes]$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[foldertypeid]}$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '(15ca69b3-30ee-49c1-ace1-6b5ec372afb5)' [category]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{15 ca 69 b3-30 ee-49 c1-ace1-6b5 ec 372 af b5} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372 afb5\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - ace 1 - 6b 5 ec 372 af b 5\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1ace1-6b5ec372afb5}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[publishexpandedpath]

Queries value

 $HKLM \ software \ `microsoft \ 'uindows \ 'current version' \ explorer \ 'folder descriptions' \ '15 ca 69 b 3 - 30 e e - 49 c 1 - ac e 1 - 6b 5 e c 372 a f b 5 \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[init folder handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff\} [parent folder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[description]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \ \ \ \ \ bb61-92a9 deaa 44ff \ [icon]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a214 fab5-9757-4298-bb61-92a9 deaa 44 ff \ [stream resource type]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 2214 fab 5-9757-4298-bb 61-92a9 deaa 44ff \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff \} \ [stream]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa 44ff}[attributes]$

Queries value:

 $\label{thm:local-parameters} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}[foldertypeid]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[name]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\gamma$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\folderdescription\}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectionly]$

Oueries value:

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[precreate]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{area} in \end{area} The label{lem:hklmsoftware} with the label{lem:hklmsoftware} with the label{lem:hklmsoftware} The label{lem:hklmsoftware} The label{lem:hklmsoftware} Hklm \end{area} The label{lem:hklmsoftware} The label{lem:hklmsoft$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{subarray} $$ 16.563 \mbox{b6} - 10.563 \mbox{b6} - 10.563 \mbox{b6} - 10.563 \mbox{b7} - 10.563 \mbox{b$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ '[category]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \current \current$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\folder\fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8 fe \floor{lem:hklmsoftware \microsoft \$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[[relative path] \]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'fd 228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [parsing name]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$

Queries value:

 $HKLM\ software \ icrosoft\ windows \ current version \ explorer\ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream resource]$

Queries value:

 $\label{thm:local-software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[[streamresourcetype] \]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-ae11-4ae11$

864c-16f3910ab8fe}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \cite{lem:hklmsoftware} \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe \} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[initfolder handler]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[name]}$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fib97d20bb-f46a-4c97-ba10-5e3608430854\[parentfolder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\[parsingname]

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fib97d20bb-f46a-4c97-ba10-5e3608430854\fiinfotip\fill\\ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: KLM\software

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'f 46a-4c97-ba10-5e3608430854 \ [stream resource]$

Queries value:

 $\label{lem:hammer} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fib97d20bb-f46a-4c97-ba10-5e3608430854\fistreamresourcetype\fill\\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [stream]$

Queries value:

 $HKLM\software\mbox{\sc windows} \current version\explorer\folder descriptions\folder descriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [attributes]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[category]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \fol$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [stream]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[publishexpandedpath]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\currentversion} \explorer \folder descriptions \folder had 4-4ec1-ba1f-a1ef4146fc19} \[\inf[folder handler]] \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d20beec4-5ca8-4905-ae3b-bf251ea09b53\grame\grame\grame\gramg$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[description]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \cur$

Queries value:

 $\label{thm:local-prop} HKLM\software\mbox{microsoft}\windows\currentversion\explorer\folderdescriptions\d20beec4-5ca8-4905-ae3b-bf251ea09b53}\[infotip]$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d20beec4-5ca8-4905-ae3b-bf251ea09b53\footnote{10calizedname} \end{subarray}.$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\d20beec4-5ca8-4905-ae3b-bf251ea09b53\ficon\end{2}$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cd20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \cd{5} \sc{5} \sc{5} \sc{5} \sc{6} \sc{$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [local redirectionly]$

Oueries value:

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf 251 ea 09 b 53\} \ [precreate]$

Queries value

 $\label{local-bound} HKLM software \microsoft \windows \current version \explorer \folder descriptions \d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \footnote{100} [stream]$

Oueries value:

 $HKLM software \mbox{$d20$ beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09b 53} [publish expanded path] \\$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} \ [folder typeid]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc4-5ca8-4905-ae3b-bf251ea09b53\finitfolderhandler\fill$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'de 92c1c7-837f-4f69-a3bb-86e631204a23 \ [description]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\deepled a 37f-4f69-a 3bb-86e631204a 23\finfotip]$

Queries value: KLM\software

 $\label{lem:hklmsoftware} HKLM \software \mbox{$de92c1c7-837f-4f69-a3bb-86e631204a23} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \eqref{licon}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'de92c1c7-837f-4f69-a3bb-86e631204a23 \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [local redirectonly]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'de92c1c7-837f-4f69-a3bb-86e631204a23 \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[publishexpandedpath]$

Queries value:

a3bb-86e631204a23}[attributes]

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[initfolderhandler]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [relative path]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}\ [parsing name] $$$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[streamresource]

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream]$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [folder type id]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\finitfolderhandlerl

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\fdescription\]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relativepath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Oueries value:

 $\label{thm:microsoft} HKLM software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \folder type id \]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[initfolder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $\label{lem:hklmsoftware} HkLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c1bae2d0-10df-4334-bedd-7aa20b227a9d\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-4334-bedd-7aa20b227a9$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-4334-bedd-7aa20b227a9$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [parsing name]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[infotip]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c10df-4334-bedd-7aa20b227a9d\flocalizedname\]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \scriptions \scrip \scriptions \scriptions \scriptions \scriptions \scriptions \sc$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream resource type]$

Queries value:

Queries value:

bedd-7aa20b227a9d}[roamable]

Oueries value:

Oueries value:

 $\label{lem:hkkmlsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\c10df-4334-bedd-7aa20b227a9d\folderdescriptions\c10df-4334-bedd-7aa20b2$

Oueries value:

 $HKLM software \mbox{$c1$bae2d0-10df-4334-bedd-7aa20b227a9d} [publish expanded path] \\$

Oueries value:

Queries value:

Queries value:

 $HKLM software \mbox{$c1$bae2d0-10df-4334-bedd-7aa20b227a9d} [initfolder \mbox{$d1$bedd-7aa20b227a9d}] initfolder \mbox{$d1$bedd-7aa20b227a9d} [initfolder \mbox{$d2$bedd-7aa20b227a9d}] [initfolder$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[description]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\cite{parsingname}\cite{parsingnam$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{190337d1-b8ca-4121-a639-6d472d16972a} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [publish expanded path]$

Queries value:

 $HKLM\software\mbox{\sc finite of the constraint} HKLM\software\mbox{\sc finite of th$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder typeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-post} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [description]$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[localized name]$

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource type]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[localredirectonly]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{1 ed2e0-e7ca-4fdb-9148-0f4247291cfa} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescripti$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [icon]$

Queries value:

 $\label{linear_hamiltonian} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[security]}$

b2b2-ae6db6af4968}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{bfb9d5e0-c6a9-404c-descriptions \ `folder descriptions \ `fo$ b2b2-ae6db6af4968}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[localredirectonly]

Oueries value:

b2b2-ae6db6af4968}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[publishexpandedpath]

Oueries value:

b2b2-ae6db6af4968}[attributes]

Oueries value:

b2b2-ae6db6af4968}[foldertypeid]

Oueries value:

b2b2-ae6db6af4968}[initfolderhandler]

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$ Oueries value: folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

b85d-6c9ce15660cb}[category]

Queries value:

b85d-6c9ce15660cb}[name]

Oueries value:

b85d-6c9ce15660cb}[parentfolder]

Oueries value:

b85d-6c9ce15660cb}[description]

Oueries value:

b85d-6c9ce15660cb}[relativepath]

Oueries value:

b85d-6c9ce15660cb}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[infotip]

Oueries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ b85d-6c9ce15660cb}[localizedname]

b85d-6c9ce15660cb}[icon]

Queries value:

b85d-6c9ce15660cb}[security]

Queries value:

b85d-6c9ce15660cb}[streamresource]

Oueries value:

b85d-6c9ce15660cb}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '5cd7 a ee 2-2219-4a67-12000 \ 'explorer' \ 'folder \ 'fo$ b85d-6c9ce15660cb}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[precreate]

b85d-6c9ce15660cb}[stream]

Oueries value:

b85d-6c9ce15660cb}[publishexpandedpath]

Oueries value:

b85d-6c9ce15660cb}[attributes]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [initfolder \ handler]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} $HKLM \cap \ensuremath{\correct} $HKLM \cap \ensurema$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hkkm} HKLM software \endows \current version \explorer \folder descriptions \endows \current version \explorer \folder descriptions \endows \current version \explorer \folder descriptions \endows \endo$

Queries value:

 $\label{thm:loss} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]$$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder typeid]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[initfolderhandler]

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \{352481e8-33be-4251-ba85-6007caedcf9d\}[category]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 \ caedcf9d \ '[relative path]$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{352481e8-33be-4251-ba85-6007caedcf9d}\ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 \ caedcf9d \ [localized name]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 caedcf9d \ [security]$

Oueries value:

Oueries value

 $HKLM \software \mbox{$352481e8-33be-4251-ba85-6007} [stream resource type] \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \scale= 33be-4251-ba85-6007 \categoright \footnote{1}{calredirectonly} \]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ for each \ fo$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 caed \ 'colored \ 'gramma' folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 \ caed \ 'colored \ 'gramma' folder \ '$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \folder \fol$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[attributes\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[initfolderhandler]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{a63293e8-664e-48db-a079-df759e0509f7} [category]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$a63293e8-664e-48db-a079-df759e0509f7} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$a63293e8-664e-48db-a079-df759e0509f7} [description]$

Queries value: KLM\software

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\gatebox{$a63293e8-664e-48db-a079-df759e0509f7}\[parsingname]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \end{a} 183293e8-664e-48db-a079-df759e0509f7} [infotip]$

Queries value:

HKLMNsoftware\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[localizedname]

Oueries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scalebox{a63293e8-664e-48db-a079-df759e0509f7}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft\ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [local redirect only]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{a} 63293e8-664e-48db-a079-df759e0509f7 \cite{Monthson-1} \cite{Montson-1} \cite{Monthson-1} \cite{Mon$

Queries value:

a079-df759e0509f7}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[foldertypeid]$

Queries value:

 $\label{limit} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}\[initfolderhandler\]$

Queries value:

 $\label{thm:local-equation} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'foce 4a 5e9-e4eb-479d-b89f-130c02886155 \ [description]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} Wi$

Queries value

 $\label{thm:local-problem} HKLM software \end{thm:local-problem} HKLM software \end{thm:local-problem} HKLM software \end{thm:local-problem} Sce4a 5e9-e4eb-479d-b89f-130c02886155 \end{thm:local-problem} [parsing name]$

Queries value:

 $\label{thm:local-equation} HKLM software \ensurements ion \ensurements folder descriptions \ensur$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[localizedname]

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'foce 4a 5e9-e4eb-479d-b89f-130c02886155 \ [security]$

Queries value:

 $\label{thm:hklm} HKLM \noindent \n$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\}[stream resource type]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} Software \label{lem:hklm} With the label{lem:hklm} With the label{lem:hklm} Software \label{lem:hklm} With the label{lem:hkklm} With the lab$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \scalebrace \mbox{\scurrent} each \scalebrace \mbox{\scurrent} each \scalebrace \mbox{\scurrent} each \scalebrace \mbox{\scurrent} each \mbox{\$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With the label{lem:hklm} Wi$

Queries value:

 $\label{thm:local-equation} HKLM software \ensurements ion \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM s of tware \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [attributes]$

Queries value:

 $HKLM\software\mbox{\sc windows} \current version\explorer\folder descriptions\sc 5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\sc [folder type id]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[initfolderhandler]}$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\[category\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [icon]$

Queries value:

 $HKLM\ software \ `microsoft\ `windows\ `current version\ `explorer\ folder descriptions\ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\ [security]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [local redirectionly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[roamable]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} A2a74aeb-aeb4-465c-a014-d097ee346d63 \cal{lem:hklmsoftware} \end{substitute} \parbox{0.15\lineskip} \p$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [attributes]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substitute} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} $$46463 \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \cal{lem:hklmsoftware} \cal{lem:hklmsoftware$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{100} \end{40}. Tc5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \[[description] \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e \ '[relative path]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local-condition} HKLM software \end{tabular} In the condition \end{tabular} Tc5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e \end{tabular} [security]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fol$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]

Oueries value:

 $\label{localized-hklm} HkLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e \ [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[init folder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [category]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '43668bf8-c14e-49b2-97c9-747784d784b7 \ [parent folder]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{\currentversion} \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '43668 bf8-c14e-49b2-97c9-747784 d784b7 \ [local redirectionly]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '43668bf8-c14e-49b2-97c9-747784d784b7 \ [precreate]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[stream]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[publishexpandedpath]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[attributes]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-e14e$

97c9-747784d784b7}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [parent folder]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \mbox{$015221fb-9efe-4bda-8fd7-f78dca774f87} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream resource type]$

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[precreate]$

Queries value:

 $\label{local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} [stream]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[folder typeid]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parent folder]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\[parsingname]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ flocalized name \ label{eq:heave}$

Oueries value: b5b4-2d72e54eaaa4}[icon] Queries value: b5b4-2d72e54eaaa4}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[streamresource] Queries value: b5b4-2d72e54eaaa4}[streamresourcetype] Oueries value: b5b4-2d72e54eaaa4}[localredirectonly] Queries value: b5b4-2d72e54eaaa4}[roamable] Queries value: b5b4-2d72e54eaaa4}[precreate] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[stream] Queries value: b5b4-2d72e54eaaa4}[publishexpandedpath] Oueries value: b5b4-2d72e54eaaa4}[attributes] Queries value: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-d14b0-d14bd$ b5b4-2d72e54eaaa4}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[initfolderhandler] $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$ Oueries value: folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}] 11e3-b3bc-806e6f6e6963}[data] Queries value: 11e3-b3bc-806e6f6e6963}[generation] HKLM\software\microsoft\rpc[maxrpcsize] Queries value: HKLM\svstem\currentcontrolset\computername\activecomputername\computername\computername Queries value: HKLM\system\setup[oobeinprogress] Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-11e3-b3bc-806e6f6e6963}[data] Oueries value: $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints 2 \setminus cpc \setminus volume \setminus \{69d250e3 - 6c18 -$ 11e3-b3bc-806e6f6e6963}[generation] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy] Oueries value: $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ []$ $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ (dff acd c5-part \ delegate folders). \ delegate \ folders \ (dff acd c5-part \ delegate \ d$ 679f-4156-8947-c5c76bc0b67f}[suppressionpolicy] HKCR\clsid\{dffacdc5-679f-4156-8947-Queries value: c5c76bc0b67f}\shellfolder[attributes] HKCR\clsid\{dffacdc5-679f-4156-8947-Oueries value: c5c76bc0b67f}\shellfolder[callforattributes] HKCR\clsid\{dffacdc5-679f-4156-8947-Oueries value: c5c76bc0b67f}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947c5c76bc0b67f}\shellfolder[wantsfordisplay] HKCR\clsid\{dffacdc5-679f-4156-8947-Queries value: c5c76bc0b67f}\shellfolder[hidefolderverbs] Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947c5c76bc0b67f}\shellfolder[usedrophandler] HKCR\clsid\{dffacdc5-679f-4156-8947-Queries value: $\verb|c5c76bc0b67f| \verb|\shellfolder[wantsforparsing]| \\$ Queries value:

c5c76bc0b67f}\shellfolder[wantsforparsing]
Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder[queryforoverlay]
Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder[queryforinfotip]
Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-d156-8947

```
c5c76bc0b67f}\shellfolder[hideinwebview]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
   Oueries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hasnavigationenum]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{dffacdc5-679f-4156-8947-1991, nonenum \}] \ defined by the software \ nonenum \ policies \ none
c5c76bc0b67f}1
                                                  HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nprocserver32[]
   Queries value:
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                                                 HKCU\software\microsoft\windows\currentversion\shell
   Oueries value:
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
   Queries value:
   Oueries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
   Queries value:
                                                  HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
   Queries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
   Queries value:
   Queries value:
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
   Queries value:
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[threadingmodel]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
                                                 HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]
   Oueries value:
   Queries value:
                                                 HKCR\exefile[nostaticdefaultverb]
   Queries value:
                                                 HKCR\exefile\shell[]
   Queries value:
                                                  HKCR\exefile\shell\open[neverdefault]
   Oueries value:
                                                  HKCR\exefile\shell\open\command[delegateexecute]
   Queries value:
                                                 HKCR\.asp[]
                                                  HKCR\.bas[]
   Oueries value:
                                                 HKCR\.bat[]
   Oueries value:
                                                 HKCR\.cer[]
   Queries value:
                                                  HKCR\.chm[]
   Queries value:
   Queries value:
                                                  HKCR\.cmd[]
                                                 HKCR\.com[]
   Oueries value:
   Queries value:
                                                  HKCR\.cpl[]
   Oueries value:
                                                 HKCR\.crt[]
                                                 HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
   Queries value:
                                                 HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
   Queries value:
00c04fb6bfc4}\inprocserver32[inprocserver32]
                                                 HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32[]
   Queries value:
   Oueries value:
                                                 HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[threadingmodel]
   Oueries value:
                                                  HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
                                                 HKLM\software\microsoft\windows\currentversion\internet
   Queries value:
settings[disableimprovedzonecheck]
   Queries value:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security hklm only]
                                                 HKLM\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[1fa596ea682f3af5482282f334cd1cce.exe]
   Queries value:
                                                 HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature unc savedfilecheck[*]
   Queries value:
                                                 \label{lem:hklm} \verb+Kklm/software\policies/microsoft/windows\currentversion/internet and the lemma of the le
settings[createuricachesize]
                                                 HKCU\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[createuricachesize]
   Oueries value:
                                                 HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                                 HKLM\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[createuricachesize]
   Queries value:
                                                 HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunvcode]
```

```
Oueries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[enablepunycode]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer \verb|\main| featurecontrol| feature_http_username_password_disable[1fa596ea682f3af5482282f334cd1cce.exe]| featurecontrol| featurecontr
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                                     HKLM\software\policies\microsoft\internet
  Oueries value:
explorer\security[disablesecuritysettingscheck]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zones\1[flags]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zones\3[flags]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zones\4[flags]
  Queries value:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[1fa596ea682f3af5482282f334cd1cce.exe]
                                     HKCU\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[1fa596ea682f3af5482282f334cd1cce.exe]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
  Queries value:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
  Queries value:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[cache]
                                     HKCU\software\microsoft\windows\currentversion\explorer\user shell
  Queries value:
folders[cookies]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_protocol_lockdown[1fa596ea682f3af5482282f334cd1cce.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[*]
  Queries value:
                                     \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\zones\0[1806]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\0[1806]
  Queries value:
                                      HKCR\exefile\shell\open\command[command]
  Queries value:
                                     HKCR\exefile\shell\open\command[]
                                     HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
  Oueries value:
  Queries value:
                                     HKCR\exefile\shell\open[noworkingdirectory]
  Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]
  Queries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\n1s\nchsetup.exe]
  Queries value:
                                     HKLM\software\microsoft\windows
nt\current version\app compatflags \hbox{$[307a29ff-ad8d-4ecc-8869-11273cdbf47d]]}
  Queries value:
                                     HKCU\software\microsoft\windows
nt\current version\app compatflags [\{307a29ff-ad8d-4ecc-8869-11273cdbf47d\}]
                                     HKLM\software\microsoft\windows nt\currentversion\image file execution
  Queries value:
options[disablelocaloverride]
                                     HKLM\software\microsoft\sqmclient\windows\disabledprocesses[ef9711fc]
  Queries value:
  Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
  Queries value:
HKLM \setminus software \setminus microsoft \setminus sqmclient \setminus windows \setminus disabled sessions [global session]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ setup \ pnplock down files \ [\%system drive\% \ users \ admin\ app data \ local \ temp \ nch setup. exe]
                                     HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\appcompatflags\compatibility assistant[allownetworkpath]
  Queries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\compatibility32[nchsetup]
  Queries value:
                                     HKLM\hardware\devicemap\video[maxobjectnumber]
  Queries value:
                                     HKLM\hardware\devicemap\video[\device\video3]
                                     HKLM\system\currentcontrolset\control\video\{c54b6caf-be91-4a10-ab56-
  Queries value:
fd27e3774e32}\0000[pruningmode]
  Oueries value:
                                     HKCR\http\shell\open\command[]
  Queries value:
                                      HKLM\software\microsoft\internet explorer[version]
                                     HKLM\software\nch software\components\chrome[lastoffered]
  Oueries value:
  Queries value:
                                     HKLM\system\currentcontrolset\control\nls\locale[00000409]
  Queries value:
                                      HKLM\system\currentcontrolset\control\nls\language groups[1]
```

HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\datastore_v1.0[disable]
                            HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
  Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
 Oueries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
                            HKLM\software\microsoft\windows
  Oueries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane3]|
 Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
  Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
 Queries value:
                            HKLM\software\microsoft\windows
\verb|nt\current| version \verb|\language| pack \verb|\surrogatefallback[plane7]|
  Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
  Oueries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
 Queries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                            HKLM\software\microsoft\windows
\verb|nt\currentversion\languagepack\surrogatefallback[plane11]|
                            HKLM\software\microsoft\windows
  Queries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane12]|
  Oueries value:
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                            HKLM\software\microsoft\windows
 Queries value:
nt\current version \verb|\languagepack\surrogatefallback[plane14]|
                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                            HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                            HKCR\interface\{618736e0-3c3d-11cf-810c-00aa00389b71}\proxystubclsid32[]
  Queries value:
                            HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
  Oueries value:
0 fb 58b 01c 4a 4 \} \\ language profile \\ (0 x 000 000 000) \\ \{0 001 be a 3 - ed 56 - 483 d - a 2e 2 - a ea e 25577436\} [enable]
  Queries value:
                            HKLM\software\microsoft\ctf[enableanchorcontext]
                            HKLM\software\nch software\components\googletoolbar[lastoffered]
  Sets/Creates value:
 Sets/Creates value:
                            HKCU\software\nch software\components\googletoolbar[lastoffered]
  Sets/Creates value:
                            HKLM\software\google\gcapitemp[test]
                            HKLM\software\nch software\components\chrome[lastoffered]
  Sets/Creates value:
 Sets/Creates value:
                            HKCU\software\nch software\components\chrome[lastoffered]
 Value changes:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\zonemap[uncasintranet]
                            HKCU\software\microsoft\windows\currentversion\internet
 Value changes:
```

settings\zonemap[autodetect]