## Malware Analysis Appliance by Blue Coat Systems, Inc.

Host: mag2, Sample ID: 3333, Task ID: 841

Task Details

Task ID: 841 Risk Level: 10

Date Processed: 2016-05-18 10:45:07 (UTC)

Processing Time: 62.33 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\752d6fe81122349daf998a56f48e0b38.exe"

Sample ID: 3333 Type: basic Owner: admin

Label: 752d6fe81122349daf998a56f48e0b38

Date Added: 2016-05-18 10:30:52 (UTC)

File Type: PE32:win32:gui File Size: 827904 bytes

MD5: 752d6fe81122349daf998a56f48e0b38

SHA256: e36aa66b3e7928b47f8c4beb0ab46a2e886f9f87ca6de7cf7fd05d8f5457b020

Description: None

## Pattern Matching Results

6 Modifies registry autorun entries

6 Dumps and runs batch script

10 Creates malicious events: Kelihos trojan 2 [Spam]

4 Opens a perl script

3 Connects to local host

5 PE: Contains compressed section

5 Adds autostart object

## Static Events

Anomaly: PE: No DOS stub

## Process/Thread Events

Creates process: C:\windows\temp\752d6fe81122349daf998a56f48e0b38.exe

["C:\windows\temp\752d6fe81122349daf998a56f48e0b38.exe" ]

Loads service: ProtectedStorage [C:\Windows\system32\lsass.exe]

## Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates event: \Security\LSA\_AUTHENTICATION\_INITIALIZED
Creates event: \BaseNamedObjects\SvcctrlStartEvent\_A3752DX
Creates event: \BaseNamedObjects\PS\_SERVICE\_STARTED

## File System Events

Creates: C:\Windows\Temp\tmp.exe

Opens: C:\Windows\Prefetch\752D6FE81122349DAF998A56F48E0-CFEA67D2.pf

Opens: C:\Windows\System32

Opens: C:\windows\temp\COMCAT.dll
Opens: C:\windows\System32\comcat.dll
Opens: C:\windows\temp\WMDMPS.dll
Opens: C:\windows\System32\wmdmps.dll
Opens: C:\windows\System32\sechost.dll
Opens: C:\windows\System32\sechost.dll
Opens: C:\windows\System32\simm32.dll

Opens: C:\Windows\Temp\752d6fe81122349daf998a56f48e0b38.exe

Opens: C:\windows\temp\DNSAPI.dll Opens: C:\Windows\System32\dnsapi.dll C:\windows\temp\IPHLPAPI.DLL Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: Opens: C:\windows\temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll C:\windows\temp\MSWSOCK.dll Opens: Opens: C:\Windows\System32\mswsock.dll

Opens: C:\Windows\Globalization\SortIng\SortDefault.nls

Opens: C:\Windows\System32\WSHTCPIP.DLL

Opens: C:\Windows\Temp

Opens: C:\Windows\Temp\tmp.exe

Opens: C:\Windows\System32\en-US\KernelBase.dll.mui

C:\Windows\System32\C\_1256.NLS Opens: Opens: C:\Windows\System32\C\_1251.NLS Opens: C:\Windows\System32\C\_950.NLS Opens: C:\Windows\System32\C\_1250.NLS Opens: C:\Windows\System32\C\_1253.NLS C:\Windows\System32\C\_1255.NLS Opens: C:\Windows\System32\C\_932.NLS Opens: Opens: C:\Windows\System32\C\_949.NLS Opens: C:\dev\urandom

Opens: C:\windows\temp\dhcpcsvc.DLL
Opens: C:\Windows\System32\dhcpcsvc.dl1
Opens: C:\windows\temp\wpcap.dl1
Opens: C:\Windows\system32\wpcap.dl1
Opens: C:\Windows\system\wpcap.dl1

```
C:\Windows\wpcap.dll
  Opens:
                         C:\Windows\System32\Wbem\wpcap.dll
  Opens:
 Opens:
                         C:\Windows\System32\WindowsPowerShell\v1.0\wpcap.dll
 Opens:
                         C:\
 Opens:
                         C:\$Recvcle.Bin
                         C:\$Recycle.Bin\S-1-5-21-2160590473-689474908-1361669368-1002
 Opens:
 Opens:
                         C:\$Recycle.Bin\S-1-5-21-2160590473-689474908-1361669368-
1002\desktop.ini
 Opens:
                         C:\autoexec.bat
 Opens:
                         C:\config.sys
                         C:\Documents and Settings\
 Opens:
 Opens:
                         C:\dump.pcap
 Opens:
                         C:\exception.log
 Opens:
                         C:\pagefile.sys
 Opens:
                         C:\PerfLogs
                         C:\PerfLogs\Admin
 Opens:
 Opens:
                         C:\Program Files
                         C:\Program Files\Adobe
 Opens:
                         C:\Program Files\Adobe\Reader 9.0
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Esl
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming
                         C:\Users\Admin\AppData\Roaming\FlashFXP\3\Sites.dat
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\3\Quick.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\3\History.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\Sites.dat
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\Quick.dat
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\FlashFXP\4\History.dat
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Reader
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Reader\AGMGPUOptIn.ini
                         C:\Program Files\Adobe\Reader 9.0\Reader\AIR
 Opens:
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Reader\AMT
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Reader\AMT\AUMProduct.aup
 Opens:
                         C:\Users\Admin\AppData\Local
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP Client
 Opens:
2009\sites\Bookmarks\
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
  Opens:
Client 2009\sites\Bookmarks\
 Opens:
                         C:\windows\temp\profapi.dll
 Opens:
                         C:\Windows\System32\profapi.dll
 Opens:
                         C:\ProgramData
 Opens:
                         C:\ProgramData\BulletProof Software\BulletProof FTP Client
2009\sites\Bookmarks\
 Opens:
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP
Client\2010\sites\Bookmarks\
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\sites\Bookmarks\
                         C:\ProgramData\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\sites\Bookmarks\
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP Client
  Opens:
2009\Default.bps
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
 Opens:
Client 2009\Default.bps
                         C:\ProgramData\BulletProof Software\BulletProof FTP Client
 Opens:
2009\Default.bps
                         C:\Users\Admin\AppData\Local\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\Default.bps
 Opens:
                         C:\Users\Admin\AppData\Roaming\BulletProof Software\BulletProof FTP
Client\2010\Default.bps
                         C:\ProgramData\BulletProof Software\BulletProof FTP
 Opens:
Client\2010\Default.bps
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\TurboFTP\addrbk.dat}\\
 Opens:
                         C:\windows\temp\SspiCli.dll
                         C:\Windows\System32\sspicli.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\GPSoftware\Directory
Opus\ConfigFiles\ftp.oxc
                         C:\Users\Admin\AppData\Roaming\GPSoftware\Directory
 Opens:
Opus\Layouts\System\default.oll
 Opens:
                         C:\Users\Admin\AppData\Local\GPSoftware\Directory
Opus\ConfigFiles\ftp.oxc
                         C:\Users\Admin\AppData\Local\GPSoftware\Directory
Opus\Layouts\System\default.oll
                         C:\ProgramData\GPSoftware\Directory Opus\ConfigFiles\ftp.oxc
 Opens:
                         {\tt C:\ProgramData\GPSoftware\Directory\ Opus\Layouts\System\default.oll}
 Opens:
 Opens:
                         C:\Windows\32BitFtp.ini
 Opens:
                         C:\Users\Admin\AppData\Roaming\VanDyke\Config\Sessions
 Opens:
                         C:\Users\Admin\AppData\Roaming\BitKinex\bitkinex.ds
 Opens:
                         C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP
 Opens:
                         C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP Pro
 Opens:
                         C:\Users\Admin\AppData\Roaming\GlobalSCAPE\CuteFTP Lite
 Opens:
                         C:\ProgramData\GlobalSCAPE\CuteFTP
                         C:\ProgramData\GlobalSCAPE\CuteFTP Pro
 Opens:
 Opens:
                         C:\ProgramData\GlobalSCAPE\CuteFTP Lite
 Opens:
                         C:\Program Files\CuteFTP
  Opens:
                         C:\Windows\win.ini
 Opens:
                         C:\Program Files\Common Files
                         C:\Program Files\Common Files\Ipswitch\WS FTP
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\Ipswitch\WS\_FTP\Sites}
 Opens:
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\Ipswitch\WS\_FTP\ Home\Sites}
```

```
C:\ProgramData\Ipswitch\WS_FTP\Sites
 Opens:
 Opens:
                          C:\ProgramData\Ipswitch\WS_FTP Home\Sites
 Opens:
                          C:\Users\Admin\AppData\Local\Ipswitch\WS_FTP\Sites
 Opens:
                          C:\Users\Admin\AppData\Local\Ipswitch\WS_FTP Home\Sites
                          C:\Users\Admin\AppData\Roaming\NetDrive\NDSites.ini
 Opens:
 Opens:
                          C:\ProgramData\NetDrive\NDSites.ini
 Opens:
                          C:\Users\Admin\AppData\Local\NetDrive\NDSites.ini
 Opens:
                          C:\Users\Admin\AppData\Roaming\FileZilla\sitemanager.xml
                          C:\Users\Admin\AppData\Roaming\FileZilla\recentservers.xml
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Roaming\FTP Explorer\profiles.xml
 Opens:
                          C:\ProgramData\FTP Explorer\profiles.xml
 Opens:
                          C:\Users\Admin\AppData\Local\FTP Explorer\profiles.xml
                          {\tt C:\Users\Admin\AppData\Roaming\SmartFTP\Favorites.dat}
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Roaming\SmartFTP\Client
2.0\Favorites\Favorites.dat
                         C:\Users\Admin\AppData\Roaming\SmartFTP\History.dat
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Roaming\SmartFTP\Client 2.0\Favorites\
 Opens:
                         C:\ProgramData\SmartFTP\Favorites.dat
 Opens:
                          C:\ProgramData\SmartFTP\Client 2.0\Favorites\Favorites.dat
                          C:\ProgramData\SmartFTP\History.dat
 Opens:
 Opens:
                          C:\ProgramData\SmartFTP\Client 2.0\Favorites\
 Opens:
                          C:\Users\Admin\AppData\Roaming\FTPRush\RushSite.xml
                          C:\Users\Admin\AppData\Roaming\Frigate3\FtpSite.XML
 Opens:
 Opens:
                          C:\Users
 Opens:
                          C:\Users\All Users
 Opens:
                          C:\Users\Default User
 Opens:
                          C:\Users\Default
 Opens:
                          C:\Users\Admin\AppData\Roaming\Bitcoin\wallet.dat
 Opens:
                          C:\ProgramData\APPDATA\ROAMING\BITCOIN\WALLET.DAT
 Opens:
                          C:\Users\Default\AppData\Roaming\Bitcoin\wallet.dat
 Opens:
                          C:\Windows\wcx_ftp.ini
                          C:\Windows\Windows Commander\wcx_ftp.ini
 Opens:
                          C:\Windows\Total Commander\wcx_ftp.ini
 Opens:
 Opens:
                          C:\Users\Admin
 Opens:
                          C:\Users\Admin\wcx_ftp.ini
                          C:\Users\Admin\Windows Commander\wcx_ftp.ini
 Opens:
 Opens:
                          C:\Users\Admin\Total Commander\wcx_ftp.ini
 Opens:
                          C:\Program Files\wcx_ftp.ini
 Opens:
                          C:\Program Files\Windows Commander\wcx_ftp.ini
 Opens:
                          C:\Program Files\Total Commander\wcx_ftp.ini
 Opens:
                          C:\Users\Admin\AppData\Roaming\GHISLER\wcx_ftp.ini
 Opens:
                          C:\Users\Admin\AppData\Roaming\Windows Commander\GHISLER\wcx_ftp.ini
 Opens:
                          C:\Users\Admin\AppData\Roaming\Total Commander\GHISLER\wcx_ftp.ini
 Opens:
                          C:\ProgramData\GHISLER\wcx_ftp.ini
 Opens:
                          C:\ProgramData\Windows Commander\GHISLER\wcx_ftp.ini
 Opens:
                          C:\ProgramData\Total Commander\GHISLER\wcx_ftp.ini
 Opens:
                          C:\Users\Admin\AppData\Local\GHISLER\wcx_ftp.ini
                          {\tt C:\Users\Admin\AppData\Local\Windows\ Commander\GHISLER\wcx\_ftp.ini}
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Local\Total Commander\GHISLER\wcx_ftp.ini
 Opens:
                          C:\Users\Admin\AppData\Roaming\AceBIT\
 Opens:
                          C:\ProgramData\AceBIT\
 Opens:
                          C:\Users\Admin\AppData\Local\AceBIT\
 Opens:
                          C:\windows\temp\pstorec.dll
 Opens:
                          C:\Windows\System32\pstorec.dll
 Opens:
                          C:\Users\Public\AppData\Roaming\Bitcoin\wallet.dat
 Opens:
                          C:\Windows\System32\tzres.dll
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\AMT\AUMProduct.cer
                          C:\Program Files\Adobe\Reader 9.0\Reader\Browser
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\cryptocme2.sig
                          C:\Program Files\Adobe\Reader 9.0\Reader\IDTemplates
 Opens:
 Opens:
                          {\tt C:\Program\ Files\Adobe\Reader\ 9.0\Reader\IDTemplates\ENU}
 Opens:
                          C:\windows\temp\ATL.DLL
 Opens:
                          C:\Windows\System32\atl.dll
                          C:\Program Files\Adobe\Reader 9.0\Reader\Javascripts
 Opens:
 Opens:
                          C:\Windows\System32\en-US\tzres.dll.mui
 Opens:
                          C:\Windows\System32\wship6.dll
                          C:\Program Files\Adobe\Reader 9.0\Reader\Javascripts\JSByteCodeWin.bin
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal\ENU
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal\ENU\eula.ini
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal\ENU\license.html
                          C:\Program Files\Adobe\Reader 9.0\Reader\Optional
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Reader\Optional\README.TXT
C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins
 Opens:
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Accessibility.api
 Opens:
                          C:\Users\Admin\AppData\Roaming\Google\Chrome\
 Opens:
                          C:\Users\Admin\AppData\Local\Google\Chrome\
 Opens:
                          C:\ProgramData\Google\Chrome\
 Opens:
                          C:\Users\Admin\AppData\Roaming\Chromium\
 Opens:
                          C:\Users\Admin\AppData\Local\Chromium\
                          C:\ProgramData\Chromium\
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Roaming\ChromePlus\
 Opens:
                          C:\Users\Admin\AppData\Local\ChromePlus\
                          C:\ProgramData\ChromePlus\
 Opens:
 Opens:
                          C:\Users\Admin\AppData\Roaming\Bromium\
                          C:\Users\Admin\AppData\Local\Bromium\
 Opens:
```

Opens: C:\ProgramData\Bromium\
Opens: C:\Users\Admin\AppData\Roaming\Nichrome\

```
C:\Users\Admin\AppData\Local\Nichrome\
 Opens:
 Opens:
                         C:\ProgramData\Nichrome\
 Opens:
                         C:\Users\Admin\AppData\Roaming\Comodo\
 Opens:
                         C:\Users\Admin\AppData\Local\Comodo\
                         C:\ProgramData\Comodo\
 Opens:
                         C:\Users\Admin\AppData\Roaming\RockMelt\
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\RockMelt\
 Opens:
                         C:\ProgramData\RockMelt\
                         C:\Users\Admin\AppData\Roaming\MapleStudio\ChromePlus\
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\MapleStudio\ChromePlus\
 Opens:
                         C:\ProgramData\MapleStudio\ChromePlus\
 Opens:
                         C:\Users\Admin\AppData\Roaming\browser.yandex\
                         C:\Users\Admin\AppData\Local\browser.yandex\
 Opens:
 Opens:
                         C:\ProgramData\browser.yandex\
 Opens:
                         C:\Users\Admin\Desktop
                         C:\Users\Admin\AppData\Roaming\Adobe
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\Acrobat
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\Acrobat\9.0
                         \hbox{\tt C:\Users\Admin\AppData\Roaming\Adobe\Acrobat\9.0\Forms}\\
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\Adobe\Acrobat\9.0\JavaScripts}
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\Flash Player
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\Flash Player\AssetCache
                         C:\Users\Admin\AppData\Roaming\Adobe\Flash Player\AssetCache\W2ZEZQ4F
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\LogTransport2
 Opens:
                         C:\Users\Admin\AppData\Roaming\Adobe\LogTransport2\Logs
 Opens:
                         C:\Users\Admin\AppData\Roaming\Identities
                         C:\Users\Admin\AppData\Roaming\Identities\{650FF836-E559-4513-B16C-
 Opens:
773B85717A56}
 Opens:
                         C:\Users\Admin\AppData\Roaming\Macromedia
                         C:\Users\Admin\AppData\Roaming\Macromedia\Flash Player
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Macromedia\Flash Player\#SharedObjects
                         {\tt C:\Users\Admin\AppData\Roaming\Macromedia\Flash}
 Opens:
Player\#SharedObjects\HA2GV3VL
                         \verb|C:\USers\Admin\AppData\Roaming\Macromedia\Flash\ Player\macromedia.com|\\
 Opens:
                         C:\Users\Admin\AppData\Roaming\Macromedia\Flash
 Opens:
Player\macromedia.com\support
 Opens:
                         C:\Users\Admin\AppData\Roaming\Macromedia\Flash
Player\macromedia.com\support\flashplayer
 Opens:
                         C:\Users\Admin\AppData\Roaming\Macromedia\Flash
\verb|Player\macromed| ia.com\support\flashplayer\sys|
 Opens:
                         C:\Users\Admin\AppData\Roaming\Media Center Programs
                         C:\Users\Admin\AppData\Roaming\Microsoft
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\AddIns
                         C:\Users\Admin\AppData\Roaming\Microsoft\Credentials
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Crypto
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Crypto\RSA
                         Opens:
689474908-1361669368-1002
                         C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm
                         C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm\adobepdf.xdc
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer
                         C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick Launch
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick
Launch\User Pinned
                         C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick
 Opens:
Launch\User Pinned\ImplicitAppShortcuts
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick
Launch\User Pinned\TaskBar
                         C:\Users\Admin\AppData\Roaming\Microsoft\MMC
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Network
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections}
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk\_hiddenPbk
                         C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm\PMP
 Opens:
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Reader\plug_ins\AcroForm\PMP\AdobePDF417.pmp
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Office
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Office\Recent
                         C:\Users\Admin\AppData\Roaming\Microsoft\Protect
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Protect\S-1-5-21-2160590473-
689474908-1361669368-1002
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\SystemCertificates
                         C:\Users\Admin\AppData\Roaming\Microsoft\SystemCertificates\My
 Opens:
 Opens:
C:\Users\Admin\AppData\Roaming\Microsoft\SystemCertificates\My\Certificates
 Opens:
                         C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\AcroForm\PMP\DataMatrix.pmp
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\SystemCertificates\My\CRLs
                         C:\Users\Admin\AppData\Roaming\Microsoft\SystemCertificates\My\CTLs
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Templates
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows
 Opens:
 Opens:
                         {\tt C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies}
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\Low
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\IECompatCache
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\IECompatCache\Low
 Opens:
                         Opens:
```

 ${\tt C:\Users\Admin\AppData\Roaming\Microsoft\Windows\IETldCache\LowAppData\Roaming\Microsoft\Windows\IETldCache\LowAppData\Roaming\Microsoft\Windows\NietldCache\LowAppData\Roaming\Microsoft\Windows\NietldCache\LowAppData\Roaming\Microsoft\Windows\Nietld$ 

Opens:

```
C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Libraries
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Network Shortcuts
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Printer Shortcuts
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\PrivacIE
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\PrivacIE\Low
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Recent
 Opens:
C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Recent\AutomaticDestinations
C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\SendTo
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start Menu
                        {\tt C:\Windows\Start\ Menu\Programs}\\
 Opens:
 Opens:
                        {\tt C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start}
Menu\Programs\Accessories
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Accessories\Accessibility
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
 Opens:
Menu\Programs\Accessories\System Tools
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Administrative Tools
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Maintenance
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start
 Opens:
Menu\Programs\Startup
                        {\tt C:\Wers\Admin\AppData\Roaming\Microsoft\Windows\Templates}
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Themes
                        C:\Users\Admin\AppData\Roaming\Oracle
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Roaming\Oracle\Java
 Opens:
                        C:\Users\Admin\AppData\Roaming\Oracle\Java\Uninstall
 Opens:
                        C:\Users\Admin\AppData\Local\Adobe
                        {\tt C:\Users\Admin\AppData\Local\Adobe\Acrobat}
 Opens:
                        C:\Users\Admin\AppData\Local\Adobe\Acrobat\9.0
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Adobe\Acrobat\9.0\Cache
 Opens:
                        C:\Users\Admin\AppData\Local\Adobe\Acrobat\9.0\Updater
                        C:\Users\Admin\AppData\Local\Adobe\Color
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Adobe\Color\Profiles
                        C:\Users\Admin\AppData\Local\Adobe\Updater6
 Opens:
                        C:\Program Files\Adobe\Reader
 Opens:
C:\Users\Admin\AppData\Local\Adobe\Updater6\Install
 Opens:
                        C:\Users\Admin\AppData\Local\Application Data\
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\History\
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft
                        C:\Users\Admin\AppData\Local\Microsoft\Assistance
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Assistance\Client
                        C:\Users\Admin\AppData\Local\Microsoft\Assistance\Client\1.0
 Opens:
 Opens:
                        Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Credentials
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds\Feeds for United States~
 Opens:
 Opens:
                        C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm.api
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds\Microsoft Feeds~
 Opens:
                        666AE6A92D3D}~
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds\{5588ACFD-6436-411B-A5CE-
 Opens:
666AE6A92D3D}~\WebSlices~
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds Cache
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds Cache\ONF1MEKI
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds Cache\2DVOKGFL
 Opens:
 Opens:
                        {\tt C:\Users\Admin\AppData\Local\Microsoft\Feeds\ Cache\ORS0272L}
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Feeds Cache\ROSSAOAW
                        C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\DOMStore
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
Explorer\DOMStore\6K541L89
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
 Opens:
Explorer\DOMStore\B8BB25DS
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
Explorer\DOMStore\OW1EI4MR
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
Explorer\DOMStore\ZLFTNK31
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\Recovery
                        {\tt C:\Users\Admin\AppData\Local\Microsoft\Internet\ Explorer\Recovery\Active}
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\Recovery\High
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
 Opens:
Explorer\Recovery\High\Active
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Internet
Explorer\Recovery\High\Last Active
                        C:\Users\Admin\AppData\Local\Microsoft\Internet Explorer\Recovery\Last
 Opens:
Active
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Media Player
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Media Player\Sync Playlists
                        C:\Users\Admin\AppData\Local\Microsoft\Media Player\Sync Playlists\en-US
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Media Player\Sync Playlists\en-
US\000406C7
                        C:\Users\Admin\AppData\Local\Microsoft\Office
 Opens:
```

Opens:

```
C:\Users\Admin\AppData\Local\Microsoft\Office\14.0
  Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows
  Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\1033
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Burn
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Burn\Burn
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\GameExplorer
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\Low
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\Low\History.IE5
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Ringtones
 Opens:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\AntiPhishing
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\X3IPB3Z1
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.MSO
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Low
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Low\AntiPhishing
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Low\Content.IE5
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Low\Content.IE5\88TQ006I
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Low\Content.IE5\GF9I3E2E
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Low\Content.IE5\HYV2LADF
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Low\Content.IE5\RZMBG76R
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Virtualized
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\WER
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\WER\ERC
 Opens:
 Opens:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\WER\ReportArchive}
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\WER\ReportArchive\NonCritical_iexplore.exe_12df8271b62395a348f102b12959f9768e2baf9_0f3ba33b
  Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Mail
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Mail\Backup
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Mail\Backup\new
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Mail\Stationery
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Media
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Media\12.0
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Sidebar
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows Sidebar\Gadgets
                         C:\Users\Admin\AppData\Local\Programs
 Opens:
                         C:\Users\Admin\AppData\Local\Programs\Common
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\gen_py
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\gen_py\2.7
                         C:\Users\Admin\AppData\Local\Temp\hsperfdata_Admin
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\Low
                         C:\Users\Admin\AppData\Local\Temp\Microsoft Visual C++ 2010 x86
 Opens:
Redistributable Setup_10.0.30319
                         C:\Users\Admin\AppData\Local\Temp\WPDNSE
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temporary Internet Files\
 Opens:
                         C:\Users\Admin\AppData\Local\VirtualStore
                         C:\ProgramData\Adobe
 Opens:
 Opens:
                         C:\ProgramData\Adobe\Acrobat
 Opens:
                         C:\ProgramData\Adobe\Acrobat\9.0
 Opens:
                         C:\ProgramData\Adobe\Acrobat\9.0\Replicate
 Opens:
                         C:\ProgramData\Adobe\Acrobat\9.0\Replicate\Security
 Opens:
                         C:\ProgramData\Adobe\Reader
 Opens:
                         C:\ProgramData\Adobe\Reader\9.4
 Opens:
                         C:\ProgramData\Adobe\Reader\9.4\ARM
 Opens:
                         C:\ProgramData\Adobe\Reader\9.4\ARM\10945
                         C:\ProgramData\Adobe\Updater6
 Opens:
 Opens:
                         C:\ProgramData\Application Data\
 Opens:
                         C:\ProgramData\Desktop\
 Opens:
                         C:\ProgramData\Documents\
 Opens:
                         C:\ProgramData\Favorites\
  Opens:
                         C:\ProgramData\Microsoft
 Opens:
                         C:\ProgramData\Microsoft\Assistance
                         C:\ProgramData\Microsoft\Assistance\Client
 Opens:
                         C:\ProgramData\Microsoft\Assistance\Client\1.0
  Opens:
 Opens:
                         C:\ProgramData\Microsoft\Assistance\Client\1.0\en-US
```

```
C:\ProgramData\Microsoft\Crypto
  Opens:
  Opens:
                        C:\ProgramData\Microsoft\Crypto\DSS
 Opens:
                        C:\ProgramData\Microsoft\Crypto\DSS\MachineKeys
                        C:\ProgramData\Microsoft\Crypto\Keys
 Opens:
                        C:\ProgramData\Microsoft\Crypto\RSA
 Opens:
                        C:\ProgramData\Microsoft\Crypto\RSA\MachineKeys
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Crypto\RSA\S-1-5-18
 Opens:
                        C:\ProgramData\Microsoft\Device Stage
 Opens:
                        C:\ProgramData\Microsoft\Device Stage\Device
 Opens:
                        97838f1b04b0}
                        C:\ProgramData\Microsoft\Device Stage\Device\{8702d817-5aad-4674-9ef3-
 Opens:
4d3decd87120}
 Opens:
                        C:\ProgramData\Microsoft\Device Stage\Task
 Opens:
                        d8f2cf8722c9}
 Opens:
                        C:\ProgramData\Microsoft\Device Stage\Task\{07deb856-fc6e-4fb9-8add-
d8f2cf8722c9}\en-US
                        Opens:
1775fb1a7a42}
 Opens:
                        C:\ProgramData\Microsoft\Device Stage\Task\{e35be42d-f742-4d96-a50a-
1775fb1a7a42}\en-US
 Opens:
                        C:\ProgramData\Microsoft\DeviceSync
 Opens:
                        C:\ProgramData\Microsoft\DRM
 Opens:
                        C:\ProgramData\Microsoft\DRM\Server
 Opens:
                        C:\ProgramData\Microsoft\eHome
 Opens:
                        C:\ProgramData\Microsoft\eHome\logs
 Opens:
                        C:\ProgramData\Microsoft\IdentityCRL
 Opens:
                        C:\ProgramData\Microsoft\IlsCache
 Opens:
                        C:\ProgramData\Microsoft\Media Player
 Opens:
                        C:\ProgramData\Microsoft\MF
 Opens:
                        C:\ProgramData\Microsoft\Network
                        {\tt C:\ProgramData\Microsoft\Network\Connections}
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Network\Downloader
 Opens:
                        C:\ProgramData\Microsoft\PlayReady
                        C:\ProgramData\Microsoft\RAC
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\RAC\Outbound
 Opens:
                        C:\ProgramData\Microsoft\RAC\PublishedData
 Opens:
                        C:\ProgramData\Microsoft\RAC\StateData
 Opens:
                        C:\ProgramData\Microsoft\RAC\Temp
 Opens:
                        C:\ProgramData\Microsoft\Search
                        C:\ProgramData\Microsoft\Search\Data
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Search\Data\Applications
 Opens:
                        C:\ProgramData\Microsoft\Search\Data\Applications\Windows
                        C:\ProgramData\Microsoft\Search\Data\Applications\Windows\Config
 Opens:
 Opens:
                        {\tt C:\ProgramData\Microsoft\Search\Data\Applications\Windows\GatherLogs}
 Opens:
C:\ProgramData\Microsoft\Search\Data\Applications\Windows\GatherLogs\SystemIndex
                        C:\ProgramData\Microsoft\Search\Data\Applications\Windows\Projects
  Opens
{\tt C: \ ProgramData\ Microsoft\ Search\ Data\ Applications\ Windows\ Projects\ SystemIndex}
 Opens:
C:\ProgramData\Microsoft\Search\Data\Applications\Windows\Projects\SystemIndex\Indexer
  Opens:
C: \PogramData\Microsoft\Search\Data\Applications\Windows\Projects\SystemIndex\Indexer\CiFiles
C: \ProgramData\Microsoft\Search\Data\Applications\Windows\Projects\SystemIndex\PropMap
 Opens:
C: \PogramData\Microsoft\Search\Data\Applications\Windows\Projects\SystemIndex\SecStore
 Opens:
                        C:\ProgramData\Microsoft\Search\Data\Temp
 Opens:
                        C:\ProgramData\Microsoft\User Account Pictures
 Opens:
                        C:\ProgramData\Microsoft\User Account Pictures\Default Pictures
                        C:\ProgramData\Microsoft\Vault
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Windows
 Opens:
                        C:\ProgramData\Microsoft\Windows\AIT
 Opens:
                        C:\ProgramData\Microsoft\Windows\Caches
 Opens:
                        C:\ProgramData\Microsoft\Windows\DeviceMetadataStore
 Opens:
                        C:\ProgramData\Microsoft\Windows\DeviceMetadataStore\en-US
 Opens:
                        C:\ProgramData\Microsoft\Windows\DRM
                        C:\ProgramData\Microsoft\Windows\DRM\Cache
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Windows\GameExplorer
                        C:\ProgramData\Microsoft\Windows\Power Efficiency Diagnostics
 Opens:
                        C:\ProgramData\Microsoft\Windows\Ringtones
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Windows\Sqm
 Opens:
                        C:\ProgramData\Microsoft\Windows\Sqm\Manifest
 Opens:
                        C:\ProgramData\Microsoft\Windows\Sqm\Sessions
 Opens:
                        C:\ProgramData\Microsoft\Windows\Sqm\Upload
 Opens:
                        C:\ProgramData\Microsoft\Windows\Start Menu
 Opens:
                        C:\ProgramData\Microsoft\Windows\Start Menu\Programs
                        {\tt C:\ProgramData\Microsoft\Windows\Start\ Menu\Programs\Accessories}
 Opens:
 Opens:
                        C:\ProgramData\Microsoft\Windows\Start
Menu\Programs\Accessories\Accessibility
                        C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\System
 Opens:
Tools
 Opens:
                        C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\Tablet
PC
 Opens:
                        C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\Windows
PowerShell
```

```
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Administrative
  Opens:
Tools
  Opens:
                                    C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Games
  Opens:
                                    C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Maintenance
                                    C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Python 2.7
  Opens:
  Opens:
                                    C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup
  Opens:
                                    C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Tablet PC
  Opens:
                                    C:\ProgramData\Microsoft\Windows\Templates
                                    C:\ProgramData\Microsoft\Windows\WER
  Opens:
  Opens:
                                    C:\ProgramData\Microsoft\Windows\WER\ReportArchive
  Opens:
                                    C:\ProgramData\Microsoft\Windows\WER\ReportOueue
  Opens:
C:\ProgramData\Microsoft\Windows\WER\ReportQueue\NonCritical_dotnetfx35.exe_4af62dd14482b563a2d87ebe1030d740a61f54f_cab_05f5d2ff
C:\ProgramData\Microsoft\Windows\WER\ReportQueue\NonCritical_x86_13a36dc09bf9d624d4142a4f93262c1868c9d758_cab_00e49320
  Opens:
C:\ProgramData\Microsoft\Windows\WER\ReportQueue\NonCritical_x86_cad546c1c8ffa475ec9e7e4acfb151a5fc72ca4e_cab_07a8922f
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender
                                    C:\ProgramData\Microsoft\Windows Defender\Definition Updates
  Opens:
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Definition Updates\Backup
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Definition Updates\Updates
                                    Opens:
1A53-49C9-9847-FE4C4078D288}
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\LocalCopy
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Ouarantine
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans
  Opens:
                                    {\tt C:\ProgramData\Microsoft\Windows\ Defender\Scans\CleanStore}
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\CleanStore\Entries
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\CleanStore\ResourceData
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\CleanStore\Resources
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\History
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\History\CacheManager
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\History\Results
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\History\Service
  Opens:
                                    C:\ProgramData\Microsoft\Windows Defender\Scans\History\Store
                                    C:\ProgramData\Microsoft\Windows Defender\Support
  Opens:
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\ActivityLog
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\Common Coverpages
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\Common Coverpages\en-US
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\Inbox
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\Queue
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\SentItems
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\VirtualInbox
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSFax\VirtualInbox\en-US
  Opens:
                                    C:\ProgramData\Microsoft\Windows NT\MSScan
  Opens:
                                    C:\ProgramData\Microsoft\WwanSvc
  Opens:
                                    C:\ProgramData\Microsoft\WwanSvc\Profiles
  Opens:
                                    C:\ProgramData\Start Menu\
  Opens:
                                    C:\ProgramData\Sun
  Opens:
                                    C:\ProgramData\Sun\Java
  Opens:
                                    C:\ProgramData\Sun\Java\Java Update
  Opens:
                                    C:\ProgramData\Templates\
  Opens:
                                    C:\Program Files\Whisper Technology\FTP Surfer\
  Opens:
                                    C:\Users\Admin\AppData\Roaming\FTPGetter\
  Opens:
                                    C:\ProgramData\FTPGetter\
  Opens:
                                    C:\Users\Admin\AppData\Local\FTPGetter\
  Opens:
                                    C:\Users\Admin\AppData\Roaming\Estsoft\ALFTP\
  Opens:
                                    C:\ProgramData\Estsoft\ALFTP\
  Opens:
                                    {\tt C:\Users\Admin\AppData\Local\Estsoft\ALFTP\Alfine}\\
  Opens:
                                    C:\Users\Admin\AppData\Roaming\BlazeFtp\
                                    C:\ProgramData\BlazeFtp\
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\BlazeFtp\
  Opens:
                                    C:\Users\Admin\AppData\Roaming\3D-FTP\
  Opens:
                                    C:\ProgramData\3D-FTP\
  Opens:
                                    C:\Users\Admin\AppData\Local\3D-FTP\
  Opens:
                                    C:\Users\Admin\AppData\Roaming\SiteDesigner\
  Opens:
                                    C:\ProgramData\SiteDesigner\
  Opens:
                                    C:\Users\Admin\AppData\Local\SiteDesigner\
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroSign.prc
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Annotations
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Annotations\Stamps
C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Annotations\Stamps\ENU
  Opens:
  Opens:
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Annots.api
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Checkers.api
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\DigSig.api
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\DVA.api
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\eBook.api
  Opens:
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\EScript.api
C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\HLS.api
  Opens:
  Opens:
                                     C: \label{lem:condition} C: \label{lem:condition} C: \label{lem:condition} Program Files \label{lem:condition} Files \label{lem:condition} Adobe \label{lem:condition} Reader \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condition} Program Files \label{lem:condition} Adobe \label{lem:condition} Program Files \label{lem:condit
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\MakeAccessible.api
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Multimedia
  Opens:
  Opens:
                                    C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Multimedia\MPP
                                    C:\Program Files\Adobe\Reader
  Opens:
{\tt 9.0 \backslash Reader \backslash plug\_ins \backslash Multimedia \backslash MPP \backslash Flash.mpp}
```

Opens:

C:\Program Files\Adobe\Reader

```
C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\Multimedia\MPP\QuickTime.mpp
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\Multimedia\MPP\Real.mpp
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Reader\plug_ins\Multimedia\MPP\WindowsMedia.mpp
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Multimedia.api
  Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\PDDom.api
  Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\PPKLite.api
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\ReadOutLoud.api
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\reflow.api
C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\SaveAsRTF.api
 Opens:
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Search.api
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Search5.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\SendMail.api
  Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Spelling.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Updater.api
 Opens:
 Opens:
                          {\tt C:\Program\ Files\Adobe\Reader\ 9.0\Reader\plug\_ins\VDKHome}
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU
 Opens:
 Opens:
                          \label{lem:c:program} $$C:\Pr{program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\acro20.lng}$
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\Vdk10.lng
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.RSD
  Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\Vdk10.rst
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.STC
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.STP
 Opens:
                          \label{lem:c:program} \begin{tabular}{ll} C:\Program Files\Adobe\Reader 9.0\Reader\plug\_ins\VDKHome\ENU\VDK10.SYD \\ \end{tabular}
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.CMP
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.LIC
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.STD
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.SYX
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.THD
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\weblink.api
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\2d.x3d
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\3difr.x3d
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvDX8.x3d
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvDX9.x3d
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvSOFT.x3d
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\prc
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\prc\MyriadCAD.otf
  Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\prcr.x3d
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\tesselate.x3d
                          C:\Program Files\Adobe\Reader 9.0\Reader\pmd.cer
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\RTC.der
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\SPPlugins
                          C:\Program Files\Adobe\Reader 9.0\Reader\SPPlugins\ADMPlugin.apl
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Tracker
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Tracker\main.css
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\ReadMe.htm
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\CMap
                          C:\Program Files\Adobe\Reader 9.0\Resource\CMap\Identity-H
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\CMap\Identity-V
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\AdobePiStd.otf
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-Bold.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-
 Opens:
BoldOblique.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-Oblique.otf
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd.otf
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-Bold.otf
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-BoldIt.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-It.otf
  Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-Regular.otf
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-Bold.otf
C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-BoldIt.otf
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-It.otf
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-Regular.otf
  Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\SY_
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\zx__
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\zy_
C:\Program Files\Adobe\Reader 9.0\Resource\Font\SY___
 Opens:
                                                                                           _.pfm
 Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\ZX
                                                                                       . PFB
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\ZY_
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Linguistics
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Linguistics\LanguageNames2
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_CA.txt
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_GB.txt
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_GB_EURO.txt
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_US.txt
                          C:\Program Files\Adobe\Reader
  Opens:
{\tt 9.0 \ Resource \ Linguistics \ Language Names 2 \ Display Language Names .en\_US\_POSIX.txt}
```

9.0\Reader\plug\_ins\Multimedia\MPP\MCIMPP.mpp

```
C:\Program Files\Adobe\Reader 9.0\Resource\Linguistics\Providers
  Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt.fca
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt.hyp
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt04.hsp
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt32.clx
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt55.ths
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\can.fca
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\can.hyp
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\can03.ths
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\can129.hsp
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\can32.clx
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\eng.hyp
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\eng32.clx
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\engphon.env
                         C:\Program Files\Adobe\Reader
 Opens:
9.0 \verb|Resource\Linguistics\Providers\Proximity\11.00 \verb|usa.fca||
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa03.hsp
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa03.ths
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa37.hyp
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\SaslPrep
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\SaslPrep\SaslPrepProfile_norm_bidi.spp
                         C:\Program Files\Adobe\Reader 9.0\Resource\TypeSupport
  Opens:
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\TypeSupport\Unicode
                          C:\Program Files\Adobe\Reader 9.0\Resource\TypeSupport\Unicode\ICU
 Opens:
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\ICU\icudt261.dat
 Opens:
                          C:\Program Files\Adobe\Reader 9.0\Resource\TypeSupport\Unicode\Mappings
                          C:\Program Files\Adobe\Reader
  Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Adobe
                         C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Adobe\symbol.txt
                          C:\Program Files\Adobe\Reader
 Opens:
{\tt 9.0 \ Resource \ Type Support \ Unicode \ Mappings \ Adobe \ zding bat.txt}
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CENTEURO.TXT
                          C:\Program Files\Adobe\Reader
 Opens:
{\tt 9.0 \ Nesource \ Type Support \ Unicode \ Mappings \ Mac \ CORPCHAR.TXT}
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CROATIAN.TXT
                          C:\Program Files\Adobe\Reader
  Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CYRILLIC.TXT
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\GREEK.TXT
                          C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ICELAND.TXT
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ROMAN.TXT
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ROMANIAN.TXT
                          C:\Program Files\Adobe\Reader
 Opens:
{\tt 9.0 \ Resource \ Type Support \ Unicode \ Mappings \ Mac \ SYMBOL.TXT}
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\TURKISH.TXT
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\UKRAINE.TXT
 Opens:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1250.TXT
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1251.TXT
 Opens:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1252.TXT
                          C:\Program Files\Adobe\Reader
  Opens:
```

 ${\tt 9.0 \ Resource \ Type Support \ Unicode \ Mappings \ win \ CP1253.TXT}$ 

Opens:

```
C:\Program Files\Adobe\Reader
 Opens:
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1254.TXT
 Opens:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1257.TXT
                         C:\Program Files\Adobe\Reader
 Opens:
{\tt 9.0 \ Nesource \ Type Support \ Unicode \ Mappings \ win \ CP1258.TXT}
                         C:\Program Files\Adobe\Reader 9.0\Setup Files
 Opens:
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Setup Files\{AC76BA86-7AD7-1033-7B44-
A9300000001}
 Opens:
                         C:\Program Files\Adobe\Reader 9.0\Setup Files\{AC76BA86-7AD7-1033-7B44-
A9300000001}\abcpy.ini
                          C:\Program Files\Adobe\Reader 9.0\Setup Files\{AC76BA86-7AD7-1033-7B44-
 Opens:
A93000000001}\setup.ini
 Opens:
                         C:\Program Files\Common Files\Adobe
 Opens:
                         C:\Program Files\Common Files\Adobe\Acrobat
                         C:\Program Files\Common Files\Adobe\Acrobat\ActiveX
 Opens:
 Opens:
                         C:\Program Files\Common Files\Adobe\ARM
 Opens:
                         C:\Program Files\Common Files\Adobe\ARM\1.0
 Opens:
                         C:\Program Files\Common Files\Adobe\Help
                         C:\Program Files\Common Files\Adobe\Help\en_US
 Opens:
 Opens:
                         C:\Program Files\Common Files\Adobe\Help\en_US\Adobe Reader
 Opens:
                         C:\Program Files\Common Files\Adobe\Help\en_US\Adobe Reader\9.0
                         C:\Program Files\Common Files\Adobe\Help\en_US\Adobe
 Opens:
Reader\9.0\helpmap.txt
                         C:\Program Files\Common Files\Adobe\Updater6
 Opens:
 Opens:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeAUM_rootCert.cer
 Opens:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeUpdate.cer
 Opens:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeUpdater.cer
 Opens:
                         C:\Program Files\Common Files\Java
 Opens:
                         C:\Program Files\Common Files\Java\Java Update
 Opens:
                         C:\Program Files\Common Files\Java\Java Update\task.xml
 Opens:
                         C:\Program Files\Common Files\Java\Java Update\task64.xml
 Opens:
                         C:\Program Files\Common Files\microsoft shared
 Opens:
                         C:\Program Files\Common Files\microsoft shared\DAO
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink
                         C:\Program Files\Common Files\microsoft shared\ink\1.0
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\1.7
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\Alphabet.xml
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\ar-SA
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\ar-SA\tipresx.dll.mui}
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\bg-BG
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\bg-BG\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\Content.xml
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\cs-CZ
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\cs-CZ\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\da-DK
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\da-DK\tipresx.dll.mui}
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\de-DE
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\de-DE\tipresx.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\el-GR
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\el-GR\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Opens:
US\FlickLearningWizard.exe.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\InkObj.dll.mui
  Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Opens:
US\InkWatson.exe.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Opens:
US\InputPersonalization.exe.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Opens:
US\IPSEventLogMsg.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\IpsMigrationPlugin.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\micaut.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\mip.exe.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\mshwLatin.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\rtscom.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\ShapeCollector.exe.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\tabskb.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\TipBand.dll.mui
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\en-US\TipRes.dll.mui}
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\tipresx.dll.mui
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\en-US\TipTsf.dll.mui}
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\es-ES
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\es-ES\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\et-EE
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\et-EE\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\fi-FI
                         C:\Program Files\Common Files\microsoft shared\ink\fi-FI\tipresx.dll.mui
 Opens:
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\fr-FR}
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\fr-FR\tipresx.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions
  Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\auxpad
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\auxpad\auxbase.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
```

```
shared\ink\fsdefinitions\auxpad.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\keypad
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\keypad\ea.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\keypad\keypadbase.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\keypad\kor-kor.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\keypad.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\main
 Opens:
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\base.xml
                         C:\Program Files\Common Files\microsoft
shared \verb|\ink\fsdefinitions\main\baseAltGr\_rtl.xml|
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\base_altgr.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\base_ca.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\base_heb.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\base_jpn.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\base_kor.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\base_rtl.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\ja-jp.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\ko-kr.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main\zh-changjei.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\zh-dayi.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\zh-phonetic.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\main.xml
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\fsdefinitions\numbers}
                         C:\Program Files\Common Files\microsoft
 Opens
shared \verb|\ink\fsdefinitions\numbers\numbase.xml|
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\numbers.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\oskmenu
 Opens:
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\oskmenu\oskmenubase.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\oskmenu.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\osknumpad
                         C:\Program Files\Common Files\microsoft
 Opens:
shared \verb|\ink\fsdefinitions\osknumpad\osknumpadbase.xml|
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\osknumpad.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\oskpred
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\oskpred\oskpredbase.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\oskpred.xml
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\fsdefinitions\symbols}
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols\ea-sym.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols\ja-jp-sym.xml
                         C:\Program Files\Common Files\microsoft
 Opens:
shared\ink\fsdefinitions\symbols\symbase.xml
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\web
 Opens:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\web\webbase.xml
                         C:\Program Files\Common Files\microsoft shared\ink\fsdefinitions\web.xml
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\he-IL
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\he-IL\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hr-HR
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hr-HR\tipresx.dll.mui
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hu-HU
                         C:\Program Files\Common Files\microsoft shared\ink\hu-HU\tipresx.dll.mui
 Opens:
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrcommonlm.dat
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\HWRCustomization
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\hwrenalm.dat}
                         C:\Program Files\Common Files\microsoft shared\ink\hwrenclm.dat
 Opens:
  Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrlatinlm.dat
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\hwruklm.dat
                         C:\Program Files\Common Files\microsoft shared\ink\hwruksh.dat
 Opens:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\hwrusalm.dat}
 Opens:
```

C:\Program Files\Common Files\microsoft shared\ink\hwrusash.dat

Opens:

```
Reads from:
                           C:\Windows\Temp\752d6fe81122349daf998a56f48e0b38.exe
                           C:\$Recycle.Bin\S-1-5-21-2160590473-689474908-1361669368-
  Reads from:
1002\desktop.ini
 Reads from:
                          C:\autoexec.bat
 Reads from:
                          C:\config.sys
 Reads from:
                          C:\exception.log
                          C:\Program Files\Adobe\Reader 9.0\Reader\AGMGPUOptIn.ini
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\AMT\AUMProduct.aup
  Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\AMT\AUMProduct.cer
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\cryptocme2.sig
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Javascripts\JSByteCodeWin.bin
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal\ENU\eula.ini
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Legal\ENU\license.html
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\Optional\README.TXT
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Accessibility.api
  Reads from:
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm\adobepdf.xdc
 Reads from:
                          C:\Program Files\Adobe\Reader
{\tt 9.0\Reader\plug\_ins\AcroForm\PMP\AdobePDF417.pmp}
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\AcroForm\PMP\DataMatrix.pmp
                          C:\Program Files\Adobe\Reader
  Reads from:
9.0\Reader\plug_ins\AcroForm\PMP\QRCode.pmp
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroForm.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\AcroSign.prc
 Reads from:
 Reads from:
                          \label{lem:c:program} \begin{cal}{ll} C:\Program Files\Adobe\Reader 9.0\Reader\plug\_ins\Annots.api \\ \end{cal}
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Checkers.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\DigSig.api
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\DVA.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\eBook.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\EScript.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\HLS.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\IA32.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\MakeAccessible.api
 Reads from:
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Reader\plug_ins\Multimedia\MPP\Flash.mpp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\Multimedia\MPP\MCIMPP.mpp
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Reader\plug_ins\Multimedia\MPP\QuickTime.mpp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\Multimedia\MPP\Real.mpp
                          C:\Program Files\Adobe\Reader
9.0\Reader\plug_ins\Multimedia\MPP\WindowsMedia.mpp
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Multimedia.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\PDDom.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\PPKLite.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\ReadOutLoud.api
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\reflow.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\SaveAsRTF.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Search.api
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Search5.api
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\SendMail.api
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Spelling.api
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\Updater.api
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\acro20.lng
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\Vdk10.lng
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.RSD
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\Vdk10.rst
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.STC
 Reads from:
 Reads from:
                          \label{lem:c:program} $$ C:\Pr{program Files}Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.STP $$ $$
 Reads from:
                          \label{lem:c:program} $$C:\Pr{program Files}Adobe\Reader 9.0\Reader\plug_ins\VDKHome\ENU\VDK10.SYD $$
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.CMP
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.LIC
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.STD
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.SYX C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\VDKHome\VDK10.THD
 Reads from:
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins\weblink.api
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\2d.x3d
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\3difr.x3d
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvDX8.x3d
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvDX9.x3d
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\drvSOFT.x3d
C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\prc\MyriadCAD.otf
 Reads from:
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\prcr.x3d
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\plug_ins3d\tesselate.x3d
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\pmd.cer
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Reader\RTC.der
                          C:\Program Files\Adobe\Reader 9.0\Reader\SPPlugins\ADMPlugin.apl
 Reads from:
 Reads from:
                          \label{lem:condition} C:\Program Files\Adobe\Reader 9.0\Reader\Tracker\main.css
                          C:\Program Files\Adobe\Reader 9.0\ReadMe.htm
 Reads from:
 Reads from:
                          Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\CMap\Identity-V
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\AdobePiStd.otf
  Reads from:
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-Bold.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-
 Reads from:
BoldOblique.otf
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd-Oblique.otf
```

```
Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\CourierStd.otf
  Reads from:
                           C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-Bold.otf
  Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-BoldIt.otf
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-It.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MinionPro-Regular.otf
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-Bold.otf
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-BoldIt.otf
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-It.otf
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\MyriadPro-Regular.otf
  Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\SY_
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\zx
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\PFM\zy
                                                                                           _.pfm
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\SY
 Reads from:
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\ZX
                                                                                       . PFB
 Reads from:
                          C:\Program Files\Adobe\Reader 9.0\Resource\Font\ZY_
                                                                                       .PFB
  Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_CA.txt
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_GB.txt
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_GB_EURO.txt
                          C:\Program Files\Adobe\Reader
  Reads from:
9.0\Resource\Linguistics\LanguageNames2\DisplayLanguageNames.en_US.txt
                          C:\Program Files\Adobe\Reader
 Reads from:
{\tt 9.0 \ Resource \ Linguistics \ Language Names 2 \ Display Language Names.en\_US\_POSIX.txt}
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt.fca
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt.hyp
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt04.hsp
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0 \ Resource \ Linguistics \ Providers \ Proximity \ 11.00 \ brt 32.clx
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\brt55.ths
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\can.fca
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximitv\11.00\can.hvp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0 \verb|Resource| Linguistics| Providers| Proximity \verb|\| 11.00 \verb|\| can 03. ths
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\can129.hsp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\can32.clx
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\eng.hyp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\eng32.clx
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\engphon.env
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa.fca
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa03.hsp
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa03.ths
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\Linguistics\Providers\Proximity\11.00\usa37.hyp
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\SaslPrep\SaslPrepProfile_norm_bidi.spp
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\ICU\icudt261.dat
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Adobe\symbol.txt
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Adobe\zdingbat.txt
 Reads from:
                          C:\Program Files\Adobe\Reader
{\tt 9.0 \backslash Resource \backslash Type Support \backslash Unicode \backslash Mappings \backslash Mac \backslash CENTEURO.TXT}
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CORPCHAR.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CROATIAN.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\CYRILLIC.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\GREEK.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ICELAND.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ROMAN.TXT
  Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\ROMANIAN.TXT
 Reads from:
                          C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\SYMBOL.TXT
                          C:\Program Files\Adobe\Reader
 Reads from:
{\tt 9.0 \backslash Resource \backslash Type Support \backslash Unicode \backslash Mappings \backslash Mac \backslash TURKISH.TXT}
```

C:\Program Files\Adobe\Reader

Reads from:

```
9.0\Resource\TypeSupport\Unicode\Mappings\Mac\UKRAINE.TXT
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1250.TXT
 Reads from:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1251.TXT
 Reads from:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1252.TXT
                         C:\Program Files\Adobe\Reader
 Reads from:
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1253.TXT
 Reads from:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1254.TXT
 Reads from:
                         C:\Program Files\Adobe\Reader
{\tt 9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1257.TXT}
 Reads from:
                         C:\Program Files\Adobe\Reader
9.0\Resource\TypeSupport\Unicode\Mappings\win\CP1258.TXT
                         C:\Program Files\Adobe\Reader 9.0\Setup Files\{AC76BA86-7AD7-1033-7B44-
 Reads from:
A9300000001}\abcpy.ini
 Reads from:
                         C:\Program Files\Adobe\Reader 9.0\Setup Files\{AC76BA86-7AD7-1033-7B44-
A9300000001}\setup.ini
                         C:\Program Files\Common Files\Adobe\Help\en_US\Adobe
 Reads from:
Reader\9.0\helpmap.txt
  Reads from:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeAUM_rootCert.cer
  Reads from:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeUpdate.cer
  Reads from:
                         C:\Program Files\Common Files\Adobe\Updater6\AdobeUpdater.cer
 Reads from:
                         C:\Program Files\Common Files\Java\Java Update\task.xml
 Reads from:
                         C:\Program Files\Common Files\Java\Java Update\task64.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\Alphabet.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\ar-SA\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\bg-BG\tipresx.dll.mui
  Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\Content.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\cs-CZ\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\da-DK\tipresx.dll.mui
 Reads from:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\de-DE\tipresx.dll.mui}
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\el-GR\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\FlickLearningWizard.exe.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\InkObj.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\InkWatson.exe.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\InputPersonalization.exe.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Reads from:
US\IPSEventLogMsg.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Reads from:
US\IpsMigrationPlugin.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\micaut.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\mip.exe.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-
US\mshwLatin.dll.mui
  Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\rtscom.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\en-
 Reads from:
US\ShapeCollector.exe.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\tabskb.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\TipBand.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\TipRes.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\en-US\TipTsf.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\es-ES\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\et-EE\tipresx.dll.mui
                         C:\Program Files\Common Files\microsoft shared\ink\fi-FI\tipresx.dll.mui
 Reads from:
 Reads from:
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\fr-FR\tipresx.dll.mui}
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\auxpad\auxbase.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\auxpad.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\keypad\ea.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\keypad\keypadbase.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\keypad\kor-kor.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\keypad.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\base.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\baseAltGr_rtl.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\base_altgr.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\base_ca.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\base_heb.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\base_jpn.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\base_kor.xml
```

C:\Program Files\Common Files\microsoft

Reads from:

```
shared\ink\fsdefinitions\main\base_rtl.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\ja-jp.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\ko-kr.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\zh-changjei.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main\zh-dayi.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\main\zh-phonetic.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\main.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\numbers\numbase.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\numbers.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\oskmenu\oskmenubase.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\oskmenu.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\osknumpad\osknumpadbase.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\osknumpad.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\oskpred\oskpredbase.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\oskpred.xml
 Reads from:
                        C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols\ea-sym.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\symbols\ja-jp-sym.xml
 Reads from:
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols\symbase.xml
                         C:\Program Files\Common Files\microsoft
shared\ink\fsdefinitions\symbols.xml
                         C:\Program Files\Common Files\microsoft
 Reads from:
shared\ink\fsdefinitions\web\webbase.xml
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\fsdefinitions\web.xml}
 Reads from:
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\he-IL\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hr-HR\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hu-HU\tipresx.dll.mui
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrcommonlm.dat
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrenalm.dat
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrenclm.dat
                         {\tt C:\Program\ Files\Common\ Files\microsoft\ shared\ink\hwrlatinlm.dat}
 Reads from:
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwruklm.dat
  Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwruksh.dat
                         C:\Program Files\Common Files\microsoft shared\ink\hwrusalm.dat
 Reads from:
 Reads from:
                         C:\Program Files\Common Files\microsoft shared\ink\hwrusash.dat
 Deletes:
                         C:\Windows\Temp\tmp.exe
```

## **Network Events**

| Connects to: | 127.0.0.1:49161   |
|--------------|-------------------|
| Connects to: | 77.122.47.77:80   |
| Connects to: | 127.0.0.1:49164   |
| Connects to: | 81.163.156.22:80  |
| Connects to: | 127.0.0.1:49167   |
| Connects to: | 111.250.210.22:80 |
| Connects to: | 127.0.0.1:49170   |
| Connects to: | 114.38.242.22:80  |
| Connects to: | 127.0.0.1:49173   |
| Connects to: | 109.229.168.23:80 |
| Connects to: | 127.0.0.1:49176   |
| Connects to: | 151.252.206.23:80 |
| Connects to: | 127.0.0.1:49179   |
| Connects to: | 62.84.252.23:80   |
| Connects to: | 127.0.0.1:49182   |
| Connects to: | 2.135.63.24:80    |
| Connects to: | 127.0.0.1:49185   |
| Connects to: | 114.24.138.24:80  |
| Connects to: | 127.0.0.1:49188   |
| Connects to: | 37.19.78.18:80    |
| Connects to: | 127.0.0.1:49191   |
| Connects to: | 212.8.43.26:80    |
| Connects to: | 127.0.0.1:49194   |
| Connects to: | 91.219.62.29:80   |
| Connects to: | 127.0.0.1:49197   |
| Connects to: | 106.1.108.61:80   |
| Connects to: | 127.0.0.1:49200   |
| Connects to: | 78.137.44.65:80   |
| Connects to: | 127.0.0.1:49203   |
| Connects to: | 77.52.128.66:80   |
| Connects to: | 127.0.0.1:49206   |
| Connects to: | 67.172.191.60:80  |
| Connects to: | 127.0.0.1:49209   |
| Connects to: | 111.249.244.66:80 |
|              |                   |

| -  |                                      |
|--|--------------------------------------|
| Connects to:                               | 127.0.0.1:49212                      |
| Connects to:                               | 176.8.212.67:80                      |
| Connects to:                               | 127.0.0.1:49215<br>180.70.225.67:80  |
| Connects to:                               | 127.0.0.1:49218                      |
| Connects to:                               | 77.122.81.136:80                     |
| Connects to:                               | 46.250.2.3:80                        |
| Sends data to:                             | 127.0.0.1:49161                      |
| Sends data to:                             | 77.122.47.77:80                      |
| Sends data to:                             | 127.0.0.1:49164                      |
| Sends data to:                             | 81.163.156.22:80                     |
| Sends data to:<br>Sends data to:           | 127.0.0.1:49167<br>111.250.210.22:80 |
| Sends data to:                             | 127.0.0.1:49170                      |
| Sends data to:                             | 114.38.242.22:80                     |
| Sends data to:                             | 127.0.0.1:49173                      |
| Sends data to:                             | 109.229.168.23:80                    |
| Sends data to:                             | 127.0.0.1:49176                      |
| Sends data to:                             | 151.252.206.23:80                    |
| Sends data to:                             | 127.0.0.1:49179                      |
| Sends data to:<br>Sends data to:           | 62.84.252.23:80<br>127.0.0.1:49182   |
| Sends data to:                             | 2.135.63.24:80                       |
| Sends data to:                             | 127.0.0.1:49185                      |
| Sends data to:                             | 114.24.138.24:80                     |
| Sends data to:                             | 127.0.0.1:49188                      |
| Sends data to:                             | 37.19.78.18:80                       |
| Sends data to:                             | 127.0.0.1:49191                      |
| Sends data to:                             | 212.8.43.26:80                       |
| Sends data to:                             | 127.0.0.1:49194                      |
| Sends data to:<br>Sends data to:           | 91.219.62.29:80<br>127.0.0.1:49197   |
| Sends data to:                             | 106.1.108.61:80                      |
| Sends data to:                             | 127.0.0.1:49200                      |
| Sends data to:                             | 78.137.44.65:80                      |
| Sends data to:                             | 127.0.0.1:49203                      |
| Sends data to:                             | 77.52.128.66:80                      |
| Sends data to:                             | 127.0.0.1:49206                      |
| Sends data to:                             | 67.172.191.60:80                     |
| Sends data to:<br>Sends data to:           | 127.0.0.1:49209<br>111.249.244.66:80 |
| Sends data to:                             | 127.0.0.1:49212                      |
| Sends data to:                             | 176.8.212.67:80                      |
| Sends data to:                             | 127.0.0.1:49215                      |
| Sends data to:                             | 127.0.0.1:49218                      |
| Sends data to:                             | 77.122.81.136:80                     |
| Sends data to:                             | 46.250.2.3:80                        |
| Receives data from:                        | 127.0.0.1:49162                      |
| Receives data from:<br>Receives data from: | 77.122.47.77:80<br>127.0.0.1:49165   |
| Receives data from:                        | 81.163.156.22:80                     |
| Receives data from:                        | 127.0.0.1:49168                      |
| Receives data from:                        | 111.250.210.22:80                    |
| Receives data from:                        | 127.0.0.1:49171                      |
| Receives data from:                        | 114.38.242.22:80                     |
| Receives data from:                        | 127.0.0.1:49174                      |
| Receives data from:<br>Receives data from: | 109.229.168.23:80<br>127.0.0.1:49177 |
| Receives data from:                        | 151.252.206.23:80                    |
| Receives data from:                        | 127.0.0.1:49180                      |
| Receives data from:                        | 62.84.252.23:80                      |
| Receives data from:                        | 127.0.0.1:49183                      |
| Receives data from:                        | 2.135.63.24:80                       |
| Receives data from:                        | 127.0.0.1:49186                      |
| Receives data from:<br>Receives data from: | 114.24.138.24:80<br>127.0.0.1.40180  |
| Receives data from:<br>Receives data from: | 127.0.0.1:49189<br>37.19.78.18:80    |
| Receives data from:                        | 127.0.0.1:49192                      |
| Receives data from:                        | 212.8.43.26:80                       |
| Receives data from:                        | 127.0.0.1:49195                      |
| Receives data from:                        | 91.219.62.29:80                      |
| Receives data from:                        | 127.0.0.1:49198                      |
| Receives data from:                        | 106.1.108.61:80                      |
| Receives data from:<br>Receives data from: | 127.0.0.1:49201<br>78.137.44.65:80   |
| Receives data from:<br>Receives data from: | 78.137.44.65:80<br>127.0.0.1:49204   |
| Receives data from:                        | 77.52.128.66:80                      |
| Receives data from:                        | 127.0.0.1:49207                      |
| Receives data from:                        | 67.172.191.60:80                     |
| Receives data from:                        | 127.0.0.1:49210                      |
| Receives data from:                        | 111.249.244.66:80                    |
| Receives data from:                        | 127.0.0.1:49213                      |
| Receives data from:<br>Receives data from: | 176.8.212.67:80<br>127.0.0.1:49219   |
| Receives data from:                        | 77.122.81.136:80                     |
|  |                                      |

# $\frac{\text{Windows Registry Events}}{\text{Creates key:}} \\ \text{HKCU\software\microsoft\windows\currentversion\sime\imtc70}}$

```
Creates key:
                    HKLM\software\microsoft\windows\currentversion\run
                    HKLM\system\currentcontrolset\control\session manager
 Opens key:
 Opens key:
                    HKLM\system\currentcontrolset\control\terminal server
 Opens key:
                    HKLM\system\currentcontrolset\control\safeboot\option
 Opens key:
                    HKLM\system\currentcontrolset\control\srp\gp\dll
 Opens key:
                    HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers
 Opens key:
                    HKCU\software\policies\microsoft\windows\safer\codeidentifiers
 Opens key:
                    HKCU\
 Opens key:
                    {\tt HKCU \backslash control\ panel \backslash desktop \backslash muicached \backslash machine language configuration}
 Opens key:
                    HKLM\software\policies\microsoft\mui\settings
 Opens key:
                    HKCU\software\policies\microsoft\control panel\desktop
 Opens key:
                    HKCU\control panel\desktop\languageconfiguration
 Opens key:
                    HKCU\control panel\desktop
 Opens key:
                    HKCU\control panel\desktop\muicached
 Opens key:
                    HKLM\software\microsoft\windows\currentversion\sidebyside
 Opens key:
                    HKLM\system\currentcontrolset\control\nls\sorting\versions
 Opens key:
                    HKLM\system\currentcontrolset\control\error message instrument\
 Opens key:
                    HKLM\system\currentcontrolset\control\error message instrument
 Opens key:
                    \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ gre\_initialize
 Opens key:
                    HKLM\software\microsoft\windows nt\currentversion\compatibility32
 Opens key:
                    HKLM\software\microsoft\windows nt\currentversion\ime compatibility
 Opens key:
                    HKLM\
 Opens key:
                    HKLM\software\microsoft\windows nt\currentversion\windows
 Opens key:
                    HKLM\software\microsoft\ole
 Opens kev:
                    HKLM\software\microsoft\ole\tracing
 Opens key:
                    HKLM\software\microsoft\oleaut
 Opens key:
                    HKLM\software\microsoft\windows nt\currentversion\diagnostics
 Opens key:
                    HKLM\system\currentcontrolset\services\crypt32
 Opens key:
                    HKLM\software\microsoft\windows\currentversion\internet settings
 Opens key:
                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings
 Opens key:
                    HKLM\software\policies\microsoft\sqmclient\windows
 Opens key:
                    HKLM\software\microsoft\sqmclient\windows
 Opens key:
                    HKLM\system\currentcontrolset\services\winsock2\parameters
 Opens key:
                    HKLM\system\currentcontrolset\control\nls\customlocale
 Opens key:
                    {\tt HKLM \ } system \verb|\ current control \ | \ lextended locale
 Opens key:
                    HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens kev:
Opens key:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000001
 Opens key:
Opens key:
Opens kev:
Opens key:
Opens key:
Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
Opens key:
Opens key:
```

Opens kev:

Opens key:

 $HKLM \ system \ current control set \ services \ \ winsock 2 \ parameters \ protocol\_catalog \ \ catalog\_entries \ \ \ 000000000014$ Opens kev:

 $HKLM \ system \ current control set \ services \ \ winsock 2 \ parameters \ protocol\_catalog \ \ catalog\_entries \ \ \ 000000000015$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000016 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog\_entries\00000000017 Opens key:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog\_entries \ 000000000018$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\0000000c Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries Opens key:

```
Opens key:
Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000006
  Opens kev:
                                 HKLM\svstem\currentcontrolset\services\winsock\parameters
                                 HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
  Opens key:
  Opens key:
                                 \label{lem:hklm} \verb+Kklm \system \current control set \services \space{2mm} parameters \space{2mm} winsock
  Opens key:
                                 HKLM\system\currentcontrolset\services\winsock\setup migration\providers
  Opens key:
                                 HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
  Opens key:
                                 HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
  Opens key:
                                 HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
  Opens key:
                                 HKLM\system\currentcontrolset\control\cmf\config
  Opens key:
                                 HKLM\software\microsoft\windows\windows error reporting\wmr
  Opens key:
                                 HKLM\system\currentcontrolset\control\nls\locale
  Opens key:
                                 HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
  Opens kev:
                                 HKLM\system\currentcontrolset\control\nls\language groups
  Opens kev:
                                 HKCU\software
                                 HKCU\software\adobe
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\adobeviewer
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\annots
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\annots\cannots
                                 \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \adobe \acrobat reader \end{tabular} $$ annots \cannot \end{tabular} $$ is a simple constant of the lambda should be a simple constant of the la
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avconversionfrompdf
  Opens key:
                                 \label{lem:hkcu} \mbox{HKCU\software\adobe\acrobat reader\9.0\avconversion from pdf\csettings}
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avconversiontopdf
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avconversiontopdf\csettings
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avdisplay
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avgeneral
                                 HKCU\software\adobe\acrobat reader\9.0\avgeneral\cdockables
  Opens key:
  Opens key:
                                 HKCU \ software \ adobe\ acrobat\ reader \ 9.0 \ avgeneral \ ctool bars
  Opens key:
                                 HKCU\software\adobe\acrobat
reader\9.0\avgeneral\ctoolbars\cadvcommenting
  Opens key:
                                 HKCU\software\adobe\acrobat
reader\9.0\avgeneral\ctoolbars\cbasiccommenting
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\avgeneral\ctoolbars\ccommenting
                                 HKCU\software\adobe\acrobat reader\9.0\avtracker
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\collab
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\collab\cdocumentcenter
                                 HKCU\software\adobe\acrobat reader\9.0\collab\cdocumentcenter\csettings
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\collab\cemaildistribution
  Opens key:
                                 HKCU\software\adobe\acrobat
reader\9.0\collab\cemaildistribution\csettings
  Opens key:
                                 HKCU\software\adobe\acrobat
reader\9.0\collab\cinitiationwizardfirstlaunch
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\collab\cserversettings
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\installer
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\installer\migrated
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\installpath
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\language
                                 HKCU\software\adobe\acrobat reader\9.0\language\current
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\language\next
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\multimedia
                                 HKCU\software\adobe\acrobat reader\9.0\multimedia\ccolorandborder
  Opens key:
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\originals
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\prefsdialog
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\sdi
  Opens key:
                                 HKCU\software\adobe\acrobat reader\9.0\selection
                                 HKCU\software\adobe\acrobat reader\9.0\usagemeasurement
  Opens key:
  Opens key:
                                 HKCU\software\adobe\adobe acrobat
  Opens key:
                                 HKCU\software\adobe\adobe acrobat\9.0
  Opens key:
                                 HKCU\software\adobe\adobe acrobat\9.0\diskcabs
  Opens key:
                                 HKCU\software\adobe\adobe arm
  Opens kev:
                                 HKCU\software\adobe\adobe arm\1.0
  Opens key:
                                 HKCU\software\adobe\adobe arm\1.0\arm
  Opens key:
                                 HKCU\software\adobe\adobe synchronizer
  Opens key:
                                 HKCU\software\adobe\adobe synchronizer\9.0
  Opens key:
                                 HKCU\software\adobe\adobe synchronizer\9.0\acrobat.com
  Opens key:
                                 HKCU\software\adobe\commonfiles
  Opens key:
                                 HKCU\software\adobe\commonfiles\usage
                                 HKCU\software\adobe\commonfiles\usage\demographic
  Opens key:
  Opens key:
                                 HKCU\software\adobe\commonfiles\usage\reader 9
  Opens key:
                                 HKCU\software\appdatalow
  Opens key:
                                 HKCU\software\appdatalow\software
  Opens key:
                                 HKCU\software\appdatalow\software\microsoft
  Opens key:
                                 HKCU\software\appdatalow\software\microsoft\internet explorer
                                 HKCU\software\appdatalow\software\microsoft\internet explorer\security
  Opens key:
```

HKCU\software\appdatalow\software\microsoft\internet

Opens key:

```
explorer\security\antiphishing
                                                                       HKCU\software\javasoft
     Opens kev:
     Opens key:
                                                                       HKCU\software\javasoft\java update
    Opens key:
                                                                       HKCU\software\javasoft\java update\policy
    Opens key:
                                                                       HKCU\software\javasoft\prefs
    Opens key:
                                                                       HKCU\software\macromedia
                                                                       HKCU\software\macromedia\flashplayer
    Opens key:
    Opens key:
                                                                       HKCU\software\microsoft
    Opens key:
                                                                       HKCU\software\microsoft\active setup
    Opens key:
                                                                       HKCU\software\microsoft\active setup\installed components
    Opens key:
                                                                      HKCU\software\microsoft\active setup\installed components\>{26923b43-
4d38-484f-9b9e-de460746276c3
                                                                      \label{lem:hkcu} \begin{tabular}{l} HKCU \software \microsoft \active setup \slightly installed components \active setup \end{tabular} $$ (60b49e34-b) $$ (6
    Opens key:
c7cc-11d0-8953-00a0c90347ff}
    Opens key:
                                                                      HKCU\software\microsoft\active setup\installed components\{2c7339cf-
2b09-4501-b3f3-f3508c9228ed}
    Opens key:
                                                                      HKCU\software\microsoft\active setup\installed components\{44bba840-
cc51-11cf-aafa-00aa00b6015c}
                                                                      Opens key:
394a-11d3-b153-00c04f79faa6}
     Opens key:
                                                                      HKCU\software\microsoft\active setup\installed components\{89820200-
ecbd-11cf-8b85-00aa005b4340}
    Opens key:
                                                                      HKCU\software\microsoft\active setup\installed components\{89820200-
ecbd-11cf-8b85-00aa005b4383}
                                                                     HKCU\software\microsoft\active setup\installed components\{89b4c1cd-
    Opens kev:
b018-4511-b0a1-5476dbf70820}
                                                                      {\tt HKCU \backslash software \backslash microsoft \backslash assistance}
    Opens key:
    Opens key:
                                                                       HKCU\software\microsoft\assistance\client
    Opens key:
                                                                       HKCU\software\microsoft\assistance\client\1.0
    Opens key:
                                                                       HKCU\software\microsoft\assistance\client\1.0\settings
    Opens key:
                                                                       HKCU\software\microsoft\command processor
    Opens key:
                                                                       HKCU\software\microsoft\ctf
                                                                       HKCU\software\microsoft\ctf\assemblies
    Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus ctf \setminus assemblies \setminus 0x00000409
    Opens key:
     Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus ctf \setminus assemblies \setminus 0 \times 00000409 \setminus \{34745c63-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-b2f0-4784-
8b67-5e12c8701a31}
    Opens key:
                                                                       HKCU\software\microsoft\ctf\directswitchhotkeys
    Opens key:
                                                                       HKCU\software\microsoft\ctf\hiddendummylayouts
    Opens key:
                                                                       HKCU\software\microsoft\ctf\msutb
    Opens key:
                                                                       HKCU\software\microsoft\ctf\sortorder
    Opens key:
                                                                       HKCU\software\microsoft\ctf\sortorder\language
     Opens key:
                                                                       HKCU\software\microsoft\ctf\tip
    Opens key:
                                                                       HKCU\software\microsoft\direct3d
    Opens key:
                                                                       HKCU\software\microsoft\direct3d\mostrecentapplication
    Opens key:
                                                                       HKCU\software\microsoft\eventsystem
    Opens key:
                                                                       HKCU\software\microsoft\eventsystem\{26c409cc-ae86-11d1-b616-
00805fc79216}
     Opens key:
                                                                       HKCU\software\microsoft\fax
     Opens key:
                                                                       HKCU\software\microsoft\fax\faxoptions
     Opens key:
                                                                       HKCU\software\microsoft\fax\fxsclnt
    Opens key:
                                                                       HKCU\software\microsoft\fax\fxsclnt\archive
    Opens key:
                                                                       HKCU\software\microsoft\fax\fxsclnt\confirm
                                                                       HKCU\software\microsoft\fax\setup
    Opens kev:
    Opens key:
                                                                       HKCU\software\microsoft\fax\userinfo
    Opens key:
                                                                       HKCU\software\microsoft\feeds
     Opens key:
                                                                       HKCU\software\microsoft\ftp
     Opens key:
                                                                       HKCU\software\microsoft\gdiplus
    Opens key:
                                                                       HKCU\software\microsoft\iam
    Opens key:
                                                                       HKCU\software\microsoft\iam\accounts
                                                                       HKCU\software\microsoft\iam\accounts\active directory gc
    Opens key:
    Opens key:
                                                                       HKCU\software\microsoft\iam\accounts\active directory gc\windows mail
 account id
     Opens key:
                                                                       \label{local-objective} \mbox{HKCU\software\mbox{\sc microsoft\iam\accounts\verisign}} \label{local-objective}
     Opens key:
                                                                       HKCU\software\microsoft\iam\accounts\verisign\windows mail account id
    Opens key:
                                                                       HKCU\software\microsoft\ime
    Opens kev:
                                                                       HKCU\software\microsoft\ime\imesc
    Opens key:
                                                                       HKCU\software\microsoft\ime\imesc\5.0
                                                                       HKCU\software\microsoft\imejp
    Opens key:
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0
     Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\dictionaries
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\manage
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\msime
    Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus imejp \setminus 10.0 \setminus msime \setminus autocharwidth
    Opens kev:
                                                                       HKCU \ software \ microsoft \ imejp \ 10.0 \ romadef
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\romadef\ms-ime
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist
     Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\atok
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\atok\color
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\ms-ime2000
    Opens key:
                                                                       Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\natural
     Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus 10.0 \setminus stylelist \setminus natural \setminus color \in microsoft \setminus imejp \setminus
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\vje
     Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\vje\color
     Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\wx
    Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\stylelist\wx\color
     Opens key:
                                                                       HKCU\software\microsoft\imejp\10.0\window
    Opens key:
                                                                       HKCU \setminus software \setminus microsoft \setminus imejp \setminus 10.0 \setminus window \setminus pltsmall
```

```
Opens key:
                                 HKCU\software\microsoft\imejp\10.0\window\plttiny
  Opens key:
                                 HKCU\software\microsoft\imejp\colors
  Opens key:
                                 HKCU\software\microsoft\internet connection wizard
  Opens key:
                                 HKCU\software\microsoft\internet explorer
  Opens key:
                                 HKCU\software\microsoft\internet explorer\browseremulation
  Opens key:
                                 HKCU\software\microsoft\internet explorer\browseremulation\lowmic
  Opens key:
                                 HKCU\software\microsoft\internet explorer\caretbrowsing
  Opens key:
                                 HKCU\software\microsoft\internet explorer\desktop
  Opens key:
                                 HKCU\software\microsoft\internet explorer\desktop\general
  Opens key:
                                 HKCU\software\microsoft\internet explorer\document windows
  Opens key:
                                 HKCU\software\microsoft\internet explorer\domstorage
  Opens key:
                                 HKCU\software\microsoft\internet explorer\domstorage\total
                                 HKCU\software\microsoft\internet explorer\download
  Opens key:
  Opens key:
                                 HKCU\software\microsoft\internet explorer\help_menu_urls
  Opens key:
                                 HKCU\software\microsoft\internet explorer\ietld
                                 Opens key:
  Opens key:
                                 HKCU\software\microsoft\internet explorer\intelliforms
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts
                                 \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc internet explorer\international\sc ipts\label{lem:hkcu} 10} \mbox{\sc internet explorer\sc international\sc ipts\label{lem:hkcu} 10} \mbox{\sc internet explorer\sc international\sc ipts\label{lem:hkcu} 10} \mbox{\sc internet explorer\sc international\sc internatio
  Opens key:
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\11
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\12
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\13
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\14
  Opens kev:
                                 HKCU\software\microsoft\internet explorer\international\scripts\15
  Opens kev:
                                 HKCU\software\microsoft\internet explorer\international\scripts\16
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\17
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\18
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\19
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\20
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\21
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\22
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\23
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\24
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\25
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\26
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\27
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\28
  Opens kev:
                                 HKCU\software\microsoft\internet explorer\international\scripts\29
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\3
  Opens key:
                                 Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\34
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\35
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\37
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\38
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\39
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\4
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\5
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\6
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\7
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\8
  Opens key:
                                 HKCU\software\microsoft\internet explorer\international\scripts\9
  Opens kev:
                                 HKCU\software\microsoft\internet explorer\internetregistry
  Opens key:
                                 HKCU\software\microsoft\internet explorer\linksbar
  Opens key:
                                 HKCU\software\microsoft\internet explorer\linksbar\itemcache
  Opens key:
                                 HKCU\software\microsoft\internet explorer\linksbar\itemcache\0
  Opens key:
                                 HKCU\software\microsoft\internet explorer\linksbar\itemcache\1
  Opens key:
                                 HKCU\software\microsoft\internet explorer\lowregistry
  Opens key:
                                 HKCU\software\microsoft\internet explorer\lowregistry\domstorage
                                 HKCU\software\microsoft\internet explorer\lowregistry\domstorage\total
  Opens key:
  Opens key:
                                 HKCU\software\microsoft\internet
explorer\lowregistry\dontshowmethisdialogagain
  Opens key:
                                 HKCU\software\microsoft\internet explorer\lowregistry\errorreporting
                                 HKCU\software\microsoft\internet explorer\lowregistry\shell extensions
  Opens key:
                                 HKCU\software\microsoft\internet explorer\lowregistry\shell
  Opens key:
extensions\cached
  Opens key:
                                 HKCU\software\microsoft\internet explorer\main
  Opens key:
                                 HKCU\software\microsoft\internet explorer\main\default feeds
  Opens key:
                                 HKCU\software\microsoft\internet explorer\main\default feeds\{63711043-
1e15-4eee-9c89-d029e7a92f34}
 Opens key:
                                 f2f8-4103-9c1f-a4de6b351877}
  Opens key:
                                 HKCU\software\microsoft\internet explorer\main\default feeds\{a320a889-
8e25-4619-830c-9ebebeb4339d}
  Opens kev:
                                 HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
  Opens key:
                                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown\settings
  Opens key:
                                 HKCU\software\microsoft\internet explorer\main\windowssearch
                                 HKCU\software\microsoft\internet explorer\new windows
  Opens key:
  Opens key:
                                 HKCU\software\microsoft\internet explorer\new windows\allow
  Opens key:
                                 HKCU\software\microsoft\internet explorer\pagesetup
  Opens key:
                                 HKCU\software\microsoft\internet explorer\phishingfilter
  Opens key:
                                 HKCU\software\microsoft\internet explorer\privacy
  Opens key:
                                 HKCU\software\microsoft\internet explorer\recovery
  Opens key:
                                 HKCU\software\microsoft\internet explorer\recovery\active
  Opens key:
                                 \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\internet explorer\recovery\adminactive}} \\
```

Opens key: HKCU\software\microsoft\internet explorer\searchscopes

Opens key: HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-

472f-a0ff-e1416b8b2e3a}

Opens key: HKCU\software\microsoft\internet explorer\searchurl HKCU\software\microsoft\internet explorer\security Opens key:

Opens key: HKCU\software\microsoft\internet explorer\security\antiphishing

Opens key: HKCU\software\microsoft\internet

explorer\security\antiphishing\2cedbfbc-dba8-43aa-b1fd-cc8e6316e3e2

Opens key: HKCU\software\microsoft\internet explorer\services Opens key: HKCU\software\microsoft\internet explorer\settings HKCU\software\microsoft\internet explorer\setup Opens key: Opens key: HKCU\software\microsoft\internet explorer\sqm Opens key:

HKCU\software\microsoft\internet explorer\suggested sites Opens key:  $\label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\internet explorer\tabbedbrowsing}}$ Opens key: HKCU\software\microsoft\internet explorer\toolbar

Opens key: HKCU\software\microsoft\internet explorer\toolbar\shellbrowser HKCU\software\microsoft\internet explorer\toolbar\webbrowser Opens key: Opens key: HKCU\software\microsoft\internet explorer\urlsearchhooks Opens key: HKCU\software\microsoft\internet explorer\user preferences

HKCU\software\microsoft\internet explorer\zoom Opens key:

Opens key: HKCU\software\microsoft\java vm Opens key: HKCU\software\microsoft\keyboard

Opens key: HKCU\software\microsoft\keyboard\native media players Opens key: HKCU\software\microsoft\keyboard\native media players\wmp

Opens key: HKCU\software\microsoft\mediaplayer HKCU\software\microsoft\mediaplayer\health Opens key: HKCU\software\microsoft\mediaplayer\player Opens key:

Opens key: HKCU\software\microsoft\mediaplayer\player\settings Opens key: HKCU\software\microsoft\mediaplayer\player\tasks

Opens key: HKCU\software\microsoft\mediaplayer\player\tasks\nowplaying Opens key: HKCU\software\microsoft\mediaplayer\preferences Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme

Opens key: HKCU\software\microsoft\mediaplayer\preferences\hme\errorfolders  $\label{local-operator} HKCU \ software \ \ icrosoft \ \ \ mediaplayer \ \ preferences \ \ \ hme \ \ last shared folders$ Opens key: Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \mediaplayer \preferences \mbox{$hme$ \sharefolders} \end{tabular}$ Opens key:  $HKCU \ software \ \verb|microsoft| mediaplayer \ \verb|preferences| hme \ \verb|unsharefolders| \\$ HKCU\software\microsoft\mediaplayer\preferences\proxysettings Opens key: Opens key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\http Opens kev: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp

HKCU\software\microsoft\mediaplayer\setup Opens key:

Opens key:  $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ mediaplayer\+ setup\+ created links$ Opens key: HKCU\software\microsoft\microsoft management console

Opens key: HKCU\software\microsoft\microsoft management console\recent file list

Opens key: HKCU\software\microsoft\microsoft management console\settings

Opens key: HKCU\software\microsoft\ms design tools

HKCU\software\microsoft\ms design tools\mdtdbd Opens key:

Opens key: HKCU\software\microsoft\msdaipp

HKCU\software\microsoft\msdaipp\providers Opens key:

Opens key: HKCU\software\microsoft\msdaipp\providers\{9fecd570-b9d4-11d1-9c78-

0000f875ac61}

Opens key: HKCU\software\microsoft\msdaipp\providers\{9fecd571-b9d4-11d1-9c78-

0000f875ac61}

Opens key: HKCU\software\microsoft\msf

HKCU\software\microsoft\msf\registration Opens key: Opens key: HKCU\software\microsoft\msf\registration\listen

Opens key: HKCU\software\microsoft\notepad Opens key: HKCU\software\microsoft\office Opens key: HKCU\software\microsoft\office\11.0 Opens key: HKCU\software\microsoft\office\11.0\common

Opens key: HKCU\software\microsoft\office\11.0\common\drawalerts HKCU\software\microsoft\office\11.0\common\drawalerts\ftp sites Opens key: Opens key: HKCU\software\microsoft\office\11.0\common\dspadaptermru Opens key: HKCU\software\microsoft\office\11.0\common\general

Opens key: HKCU\software\microsoft\office\11.0\common\languageresources HKCU\software\microsoft\office\11.0\common\migration Opens key: Opens key: HKCU\software\microsoft\office\11.0\common\migration\office Opens key: HKCU\software\microsoft\office\11.0\common\migration\word  $HKCU\software\microsoft\office\11.0\common\open$  find Opens key:

Opens key: HKCU\software\microsoft\office\11.0\common\open find\microsoft office

word

Opens key: HKCU\software\microsoft\office\11.0\common\open find\places

HKCU\software\microsoft\office\11.0\common\research Opens key:

Opens key: HKCU\software\microsoft\office\11.0\common\research\translation Opens key: HKCU\software\microsoft\office\11.0\common\toolbars HKCU\software\microsoft\office\11.0\common\toolbars\settings Opens key:

Opens key: 

Opens key: HKCU\software\microsoft\office\11.0\word HKCU\software\microsoft\office\11.0\word\options Opens key: Opens key: HKCU\software\microsoft\office\11.0\word\userinfo

Opens key: HKCU\software\microsoft\office\11.0\word\wizards Opens key: HKCU\software\microsoft\office\11.0\wordview HKCU\software\microsoft\office\11.0\wordview\data Opens key: Opens key: HKCU\software\microsoft\office\12.0

Opens key: HKCU\software\microsoft\office\12.0\common

HKCU\software\microsoft\office\12.0\common\drawalerts Opens key: Opens key: HKCU\software\microsoft\office\12.0\common\drawalerts\ftp sites

HKCU\software\microsoft\office\12.0\common\general Opens key:

Opens key: HKCU\software\microsoft\office\12.0\common\languageresources

```
Opens key:
HKCU\software\microsoft\office\12.0\common\languageresources\enabledlanguages
                                                HKCU\software\microsoft\office\12.0\common\migration
   Opens key:
                                                HKCU\software\microsoft\office\12.0\common\migration\excel
   Opens key:
                                                HKCU\software\microsoft\office\12.0\common\migration\office
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\12.0\common\open find
                                                HKCU\software\microsoft\office\12.0\common\open find\microsoft office
   Opens key:
excel viewer
   Opens key:
                                                HKCU \setminus software \setminus microsoft \setminus office \setminus 12.0 \setminus common \setminus research
                                                HKCU\software\microsoft\office\12.0\common\research\translation
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\12.0\excel
                                                HKCU\software\microsoft\office\12.0\excel\options
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\12.0\excel viewer
   Opens key:
                                                HKCU\software\microsoft\office\12.0\excel viewer\viewer options
   Opens key:
                                                HKCU\software\microsoft\office\12.0\user settings
   Opens key:
                                                HKCU\software\microsoft\office\12.0\user settings\excel_intl
   Opens key:
                                                HKCU\software\microsoft\office\12.0\user settings\mso_intl
   Opens key:
                                                HKCU\software\microsoft\office\12.0\user settings\powerpoint_intl
   Opens key:
                                                HKCU\software\microsoft\office\14.0
                                                HKCU\software\microsoft\office\14.0\common
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\drawalerts
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\drawalerts\ftp sites
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\general
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\languageresources
   Opens kev:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \office \verb|\14.0| common \language resources \end{tabular} enabled languages \end{tabular}
                                                HKCU\software\microsoft\office\14.0\common\open find
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\open find\microsoft
powerpoint viewer
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\research
   Opens key:
                                                HKCU\software\microsoft\office\14.0\common\research\translation
   Opens key:
                                                HKCU\software\microsoft\office\14.0\powerpoint
                                                HKCU\software\microsoft\office\14.0\powerpoint viewer
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\14.0\powerpoint viewer\options
   Opens key:
                                                HKCU\software\microsoft\office\common
   Opens key:
                                                HKCU\software\microsoft\office\common\offdiag
                                                HKCU\software\microsoft\office\common\smart tag
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\office\common\smart tag\actions
   Opens key:
                                                HKCU\software\microsoft\office\common\smart tag\actions\{339361cd-6723-
455d-a40b-c95f1f91ff8a}
   Opens key:
                                                4b0c-b7bf-fec0f9401edd}
   Opens key:
                                                HKCU\software\microsoft\office\common\smart tag\actions\{64ab6c69-b40e-
40af-9b7f-f5687b48e2b6}
   Opens key:
                                                HKCU\software\microsoft\office\common\smart tag\actions\{c3754d1a-04d3-
4085-8cfb-97705b57a98f}
                                                HKCU \setminus software \setminus microsoft \setminus office \setminus common \setminus smart \ tag \setminus actions \setminus \{f114ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1331-14ae61-1341-14ae61-1341-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14ae61-14a
  Opens key:
4238-92c9-bbe330af25fd}
   Opens key:
                                                HKCU\software\microsoft\office\common\smart tag\recognizers
   Opens key:
                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \office \common \small tag \recognizers \end{tabular} \label{lem:hkcu} \end{tabular} $$ \common \small tag \recognizers \common \small tag \recognizers \end{tabular} $$ \common \small tag \small tag \recognizers \common \small tag \sma
b40e-40af-9b7f-f5687b48e2b6}
  Opens key:
                                               HKCU\software\microsoft\office\common\smart tag\recognizers\{87ef1cfe-
51ca-4e6b-8c76-e576aa926888}
                                               \label{thm:culsoftware} \begin{tabular}{ll} HKCU \software \microsoft \softice \common \userinfo \end{tabular}
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\peernet
   Opens key:
                                                HKCU\software\microsoft\peernet\event_config
   Opens key:
                                                HKCU\software\microsoft\protected storage system provider
                                                HKCU\software\microsoft\protected storage system provider\s-1-5-21-
   Opens key:
2160590473-689474908-1361669368-1002
   Opens key:
                                                HKCU\software\microsoft\ras autodial
                                                HKCU\software\microsoft\ras autodial\default
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\remote assistance
   Opens key:
                                                HKCU\software\microsoft\shared
   Opens key:
                                                HKCU\software\microsoft\shared tools
                                                HKCU\software\microsoft\shared tools\font mapping
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\shared tools\proofing tools
   Opens key:
                                                HKCU\software\microsoft\shared tools\proofing tools\custom dictionaries
                                                HKCU\software\microsoft\sideshow
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\sideshow\gadgets
   Opens key:
                                                HKCU\software\microsoft\speech
   Opens key:
                                                HKCU\software\microsoft\speech\preferences
   Opens key:
                                                HKCU\software\microsoft\speech\preferences\appcompatdisabledictation
   Opens key:
                                                {\tt HKCU \setminus software \setminus icrosoft \setminus speech \setminus preferences \setminus approximate disablems a a}
                                                HKCU\software\microsoft\sqmclient
   Opens key:
                                                HKCU\software\microsoft\systemcertificates
   Opens key:
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\ca
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\ca\certificates
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\ca\crls
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\ca\ctls
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\disallowed
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\disallowed\certificates
   Opens key:
                                                \label{lem:hkcu} \verb+KKCU\+software\+microsoft\+systemcertificates\+disallowed\+crls
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\disallowed\ctls
   Opens key:
                                                HKCU\software\microsoft\systemcertificates\my
```

HKCU\software\microsoft\systemcertificates\root

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ system certificates\+ root\+ ctls$ 

 $\label{thm:local-condition} HKCU \ software \ `microsoft \ 'system certificates \ `hKCU \ software \ `microsoft \ 'system certificates \ `root \ 'crls' \ 'crls'' \ 'crls' \ 'crls' \ 'crls' \ 'crls' \ 'crls' \ 'crls' \ 'crls'' \ 'crls' \ 'crls' \ 'crls' \ 'crls' \ 'crls' \ 'crls'' \ 'crls'' \ 'crls' \ 'crls'' \$ 

Opens key:

Opens key:

Opens key: Opens key:

```
Opens key:
                                   HKCU\software\microsoft\systemcertificates\root\protectedroots
   Opens key:
                                   HKCU\software\microsoft\systemcertificates\smartcardroot
   Opens key:
                                   HKCU\software\microsoft\systemcertificates\smartcardroot\certificates
   Opens key:
                                   HKCU\software\microsoft\systemcertificates\smartcardroot\crls
  Opens key:
                                   \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \system certificates \smartcardroot \ctls \end{tabular}
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trust
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trust\certificates
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trust\crls
   Opens key:
                                   HKCU\software\microsoft\systemcertificates\trust\ctls
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpeople
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpeople\certificates
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpeople\crls
                                   \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \system certificates \trusted people \ctls \end{tabular}
  Opens key:
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpublisher
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpublisher\certificates
   Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpublisher\crls
  Opens key:
                                   HKCU\software\microsoft\systemcertificates\trustedpublisher\ctls
  Opens key:
                                   HKCU\software\microsoft\wab
  Opens key:
                                   HKCU\software\microsoft\wab\me
                                   HKCU\software\microsoft\wab\wab4
  Opens key:
                                   HKCU\software\microsoft\wab\wab4\wab file name
   Opens key:
  Opens key:
                                   HKCU\software\microsoft\wfs
  Opens key:
                                   HKCU\software\microsoft\wfs\draftsview
  Opens key:
                                   HKCU\software\microsoft\wfs\inboxview
  Opens kev:
                                   HKCU\software\microsoft\wfs\incomingview
  Opens kev:
                                   HKCU\software\microsoft\wfs\outboxview
  Opens key:
                                   HKCU\software\microsoft\wfs\sentitemsview
   Opens key:
                                   HKCU\software\microsoft\windows
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action center
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action center\checks
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\checks\{01979c6a-42fa-414c-b8aa-eee2c8202018}.check.100
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\checks\{01979c6a-42fa-414c-b8aa-eee2c8202018}.check.101
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{11cd958a-c507-4ef3-b3f2-5fd9dfbd2c78}.check.101
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{852fb1f8-5cc6-4567-9c0e-7c330f8807c2\}.check.100
  Opens key:
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ action
center\checks\{852fb1f8-5cc6-4567-9c0e-7c330f8807c2}.check.101
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{945a8954-c147-4acd-923f-40c45405a658}.check.42
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{a5268b8e-7db5-465b-bab7-bdcda39a394a}.check.100
  Opens key:
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ action
center\checks\{c8e6f269-b90a-4053-a3be-499afcec98c4}.check.0
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\checks\{dab69a6a-4d2a-4d44-94bf-e0091898c881}.check.100
  Opens key:
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.100
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens kev:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.101
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.102
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.103
                                   HKCU\software\microsoft\windows\currentversion\action
  Opens key:
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.104
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\checks\{e8433b72-5842-4d43-8645-bc2c35960837}.check.106
   Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action center\providers
   Opens key:
                                   HKCU\software\microsoft\windows\currentversion\action
center\providers\eventlog
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\app paths
  Opens kev:
                                   HKCU\software\microsoft\windows\currentversion\app paths\pythonwin.exe
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\applets
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\applets\regedit
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\applets\systray
   Opens key:
                                   HKCU\software\microsoft\windows\currentversion\controls folder
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced
  Opens key:
\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ autocomplete
   Opens key:
  Opens key:
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ autoplay handlers
   Opens key:
HKCU \ software \ microsoft \ windows \ current version \ level or relative software \ microsoft \ windows \ current version \ level or \ microsoft \ windows \ level \ lev
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\bitbucket
  Opens key:
  Opens key:
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ bitbucket\+ volume
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\cabinetstate
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\cd burning
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\cd
burning\drives
                                   \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ cd
  Opens key:
burning\staginginfo
```

```
Opens key:
                                                                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \cidopen \end{tabular}
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\cidopen\modules
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\cidsave
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\cidsave\modules
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\clsid
      Opens key:
                                                                                               HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}
                                                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (59031a47-b1) = (59031a47-b1) + (59031a47-b1) = (59031a47-b1) + (59031a47-b1) = (59031a47-b1) + (59031a47-b1) = (59031a
       Opens key:
3f72-44a7-89c5-5595fe6b30ee}
     Opens key:
                                                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{645ff040-microsoft \setminus windows \setminus current version \setminus clsid \setminus explorer \setminus clsid 
5081-101b-9f08-00aa002f954e}
                                                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus \{871c5380 - current version \setminus explorer \setminus explore
      Opens kev:
42a0-1069-a2ea-08002b30309d}
      Opens key:
                                                                                               HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c1a0d-f02c
be21-4350-88b0-7367fc96ef3c}
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\comdlg32
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru
     Opens key:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \comdlg 32 \first folder \end{tabular}
       Opens key:
\label{thm:local_hamma} \begin{tabular}{ll} HKCU \software \verb|microsoft| windows \current version \explorer \comdlg 32 \last visited pidlmru \end{tabular}
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\opensavepidlmru
                                                                                               HKCU\software\microsoft\windows\currentversion\explorer\controlpanel
      Opens key:
      Opens kev:
                                                                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \discardable \end{tabular}
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\discardable\postsetup
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts
       Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.152_archive
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3g2
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gp
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gp2
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.3gpp
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.aac
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.adt
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.adts
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.aif
      Opens key:
                                                                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{lem:hkcu}. aif considering the leminor of the leminor \cite{lem:hkcu} aif considering \cite{lem:hkcu}. Although \cite{lem:hkcu} aif considering \cite{lem:hkcu}. Although \cite{lem:hkcu} aif considering \cite{lem:hkcu} aif \cite{lem:hkcu}. Although \cite{lem:hkcu} aif \cite{lem:hkcu} aif \cite{lem:hkcu} aif \cite{lem:hkcu} aif \cite{lem:hkcu}. Although \cite{lem:hkcu} aif \cite{lem:hkcu
      Opens key:
                                                                                                Opens key:
                                                                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.asf}
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.asx
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.au
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.avi
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.bmp
      Opens kev:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cab
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.contact
                                                                                                \label{thm:cosoftware} \begin{tabular}{ll} HKCU \software \mbox{$\stackrel{\cdot}{\rm microsoft}$} \end{tabular} . css \\
       Opens key:
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dib
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.doc
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.docm
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.docx
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dot
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dvr
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dvr-ms
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dwfx
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.easmx
      Opens key:
                                                                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.edrwx}
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.emf
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.eprtx
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.fon
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.gif
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm
      Opens key:
                                                                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.html}
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ini
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jfif
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpe
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpeg
      Opens kev:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpg
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jtx
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m1v
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m2t
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m2ts
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m2v
      Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m3u
       Opens key:
                                                                                                HKCU \ software \ microsoft \ windows \ current version \ explorer \ file exts \ . \ m4a \ exts \ description \ explorer \ file exts \ description \ explorer \ exp
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.m4v
       Opens key:
                                                                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\fileexts|. mht \\ \end{tabular}
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mhtml
       Opens key:
                                                                                                HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mid
       Opens key:
                                                                                                HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus file exts \setminus .midi
      Opens key:
                                                                                                \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \fileexts \verb|\microsoft| model of the context of the c
```

```
Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp2
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp2v
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp3
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp4
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mp4v
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpa
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpe
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpeg
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpg
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mpv2
  Opens key:
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msi
  Opens key:
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.mts} \\
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx
  Opens key:
                                    \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\fileexts|.odt| \\ \end{tabular}
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.otf
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.png
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.pot}
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.potm
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.potx
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppsm
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppsx
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ppt
  Opens kev:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pptm
  Opens kev:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pptx
                                    Opens key:
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rle
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rmi
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.scf
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.search-ms
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.snd
  Opens key:
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sys
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tif
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tiff
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ts
  Opens kev:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ttc
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.ttf}
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.tts}
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.txt}
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wav
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wax
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wdp
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wm
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wma
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmf
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmv
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wmx
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wpl
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wtv
  Opens kev:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wvx
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlam
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xls
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlsb
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlsm
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlsx
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xlt
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xltm
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.xltx} \\
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml
  Opens key:
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\fileexts\label{lem:hkcu}.xps}
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.zip
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\directory
                                    \label{thm:local_explorer} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \label{thm:local_explorer} \end{tabular}
  Opens key:
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\menuorder
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\menuorder\favorites
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\explorer\modules
  Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus modules \setminus common places
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\modules\globalsettings
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\modules\navpane
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc
  Opens key:
HKCU \ software \ microsoft \ windows \ current version \ verplorer \ mountpoints 2 \ \{69d250e4-6c18-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e3-b3bc-11e
806e6f6e6963}
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{69d250e7-6c18-11e3-b3bc-
```

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mov

Opens key:

Opens key:

```
Opens key:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \newshort cuthandlers \end{tabular}
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\recentdocs
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\recentdocs\.zip
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\recentdocs\folder
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\runmru
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\searchplatform
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\searchplatform\preferences
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\shell folders
      Opens kev:
      Opens kev:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\startpage
      Opens key:
\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \start page \microsoft \windows \current \current
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\startpage2
      Opens kev:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\streams
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\streams\desktop
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\stuckrects2
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\taskband
      Opens key:
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\typedpaths
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\user shell
 folders
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\userassist
      Opens key:
HKCU \ software \ `microsoft \ `windows \ `current version \ `explorer \ `user assist \ `\{cebff5cd-ace2-4f4f-9178-microsoft, \ `explorer' \ `user assist \ `user assist \ `explorer' \ `explorer' \ `user assist \ `explorer' \ `user assist \ `explorer' \ `explorer' \ `user assist \ `explorer' \ `explorer'' 
9926f41749ea}
      Opens key:
443bcfe33d9f}
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\visualeffects
      Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \soline{\current} visual effects \animate minmax \end{tabular}
      Opens key:
Opens key:
Opens key:
Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\dragfullwindows
      Opens key:
HKCU \ software \ microsoft \ windows \ current version \ lex plorer \ visual effects \ drops hadow \ drops \ drops \ hadow \ drops 
      Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\dwmaeropeekenabled
      Opens key:
\label{thm:linear} \mbox{HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\visualeffects\dwmenabled} \mbox{\tt dwmenabled} \mbox{\tt microsoft\windows\currentversion\explorer\wisualeffects\dwmenabled} \mbox{\tt microsoft\windows\currentversion\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\explorer\ex
     Opens key:
Opens key:
\label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current version \explorer \soling} \end{tabular} \begin{tabular}{ll} HKCU \software \mbox{$\mathbb{N}$ indows \current \curr
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\listboxsmoothscrolling
     Opens key:
HKCU \ software \ microsoft \ windows \ current version \ lex plorer \ visual effects \ list viewal phase lect \ list \ viewal phase \ list \ viewal phase \ list \ viewal phase \ list \ viewal \ viewal phase \ list \ viewal phase \ list \ viewal \ list \ vie
      Opens key:
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\menuanimation
      Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ visual effects \ selection fade
      Opens key:
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\themes
     Opens key:
Opens key:
Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\visualeffects\transparentglass
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\explorer\wallpapers
      Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\wallpapers\images
      Opens kev:
Opens key:
                                                                                        \label{lem:hkcu} \verb+KCU\+software\+microsoft\+windows\+currentversion\+explorer\+sessioninfo
      Opens key:
                                                                                        Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\ext
      Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\ext\settings
     Opens key:
                                                                                        HKCU\software\microsoft\windows\currentversion\ext\settings\{18df081c-
e8ad-4283-a596-fa578c2ebdc3}
      Opens key:
```

Opens key: HKCU\software\microsoft\windows\currentversion\ext\stats

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus ext \setminus settings \setminus \{dbc80044-dbc800404-dbc8004-dbc8004-dbc8004004-dbc8004004-dbc8004-dbc8004004-dbc8004-dbc8004-dbc8004-dbc8004-dbc8004-dbc8004-dbc8004-dbc8004-d$ 

d6f0-462c-b6eb-d4daf1d92d43}

ae6d-11cf-96b8-444553540000}

a445-435b-bc74-9c25c1c588a9}

Opens key:

Opens key:

```
Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ext\stats\{08b0e5c0-4fcb-
11cf-aaa5-00401c608501}
                                     HKCU\software\microsoft\windows\currentversion\ext\stats\{18df081c-e8ad-
  Opens key:
4283-a596-fa578c2ebdc3}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ext\stats\{761497bb-d6f0-
462c-b6eb-d4daf1d92d43}
  Opens key:
                                     11d0-a96b-00c04fd705a2}
  Opens key:
                                     11d0-99cb-00c04fd64497}
                                     HKCU\software\microsoft\windows\currentversion\ext\stats\{d27cdb6e-ae6d-
  Opens kev:
11cf-96b8-444553540000}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ext\stats\{dbc80044-a445-
435b-bc74-9c25c1c588a9}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\group policy
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\group
policv\groupmembership
                                     HKCU\software\microsoft\windows\currentversion\group policy\history
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\group
policy\policyapplicationstate
                                     HKCU\software\microsoft\windows\currentversion\group policy editor
  Opens key:
                                     \label{lem:hkcu} \mbox{\currentversion\group policy editor\admx} \mbox{\curr
  Opens key:
filter
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\group policy editor\admx
filter.cache
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\homegroup
  Opens key:
                                     \label{lem:hccu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \homegroup \printers \end{tabular}
                                     \label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \homegroup \uistatus cache \end{tabular} \label{thm:linear}
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ime
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ime\imtc70
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\ime\imtc70\fuzzyscheme
                                     HKCU\software\microsoft\windows\currentversion\internet settings
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\5.0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\lowcache
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\5.0\user agent
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\activities
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\activities\blog
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\activities\email
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\activities\map
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\activities\translate
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \mbox{$m$icrosoft \windows \current version \internet settings \cache} \end{tabular}
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\connections
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\http
filters
                                     HKCU\software\microsoft\windows\currentversion\internet settings\http
  Opens key:
filters\rpa
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\p3p
  Opens kev:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\p3p\history
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\passport
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Opens key:
settings\passport\lowdamap
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\protocols
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\protocols\mailto
                                     HKCU\software\microsoft\windows\currentversion\internet settings\wpad
  Opens kev:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\5e-19-d5-f1-94-00
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\wpad\ce-24-88-5f-90-5e
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\fe-54-5a-c1-01-d0
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings \verb|\wpad|{1701d862-74bd-40ea-8107-be3313fdd529}|
```

```
Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{8dfa6cf1-5379-431e-aa1b-11fda2af808d}
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{eb978a0c-1694-44cd-91c4-0d1bb526b865}
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zonemap
   Opens kev:
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\domains
                                                    HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\escdomains
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\protocoldefaults
                                                    HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\zonemap\ranges
   Opens key:
                                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet\ settings\sl}} zones
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
                                                    HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\mct
   Opens key:
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\mct\us
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\mct\us\link
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\mct\us\rssfeed
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\mct\us\theme
   Opens kev:
                                                    HKCU\software\microsoft\windows\currentversion\mct\us\wallpaper
   Opens kev:
                                                    HKCU\software\microsoft\windows\currentversion\netcache
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\policies
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\radar
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\run
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\runonce
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\screensavers
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\screensavers\bubbles
   Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\bubbles\screen 1
    Opens key:
\label{thm:local_hammon_hammon} HKCU \software \mbox{\screensavers} \bubbles \screen 2
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\screensavers\mystify
   Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\mystify\screen 1
   Opens key:
HKCU \ software \ microsoft \ windows \ current version \ screens avers \ mystify \ screen \ 2
                                                    HKCU\software\microsoft\windows\currentversion\screensavers\ribbons
   Opens kev:
HKCU\software\microsoft\windows\currentversion\screensavers\ribbons\screen 1
   Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\ribbons\screen 2
                                                    \label{local-continuous} HKCU \ software \ \ indows \ \ current version \ \ screens a vers \ \ sstext \ \ 3d
   Opens kev:
   Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\sstext3d\screen 1
    Opens key:
HKCU\software\microsoft\windows\currentversion\screensavers\sstext3d\screen 2
                                                    HKCU\software\microsoft\windows\currentversion\shell extensions
   Opens kev:
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\shell extensions\cached
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\sidebar
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\sidebar\settings
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\telephony
   Opens key:
HKCU\software\microsoft\windows\currentversion\telephony\handoffpriorities
   Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus telephony \setminus hand of fpriorities \setminus mediamodes
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\thememanager
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\themes
    Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus default visual style of fulfill the software \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus microsoft \setminus windows \setminus current version \setminus themes \setminus microsoft \setminus windows \setminus current version \setminus microsoft \setminus windows \setminus current version \setminus microsoft \setminus microsoft \setminus windows \setminus microsoft \setminus mi
   Opens key:
HKCU\software\microsoft\windows\currentversion\themes\defaultvisualstvleon
   Opens key:
                                                    \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ themes + installed themes 
   Opens key:
HKCU\software\microsoft\windows\currentversion\themes\installedthemes\mct
    Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\wintrust
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\wintrust\trust providers
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\wintrust\trust
providers\software publishing
   Opens kev:
                                                    HKCU\software\microsoft\windows\dwm
                                                    HKCU\software\microsoft\windows\shell
   Opens key:
   Opens key:
                                                    HKCU\software\microsoft\windows\shell\bagmru
   Opens key:
                                                    HKCU\software\microsoft\windows\shell\bags
   Opens key:
                                                    HKCU\software\microsoft\windows\shell\bags\1
   Opens key:
                                                    HKCU\software\microsoft\windows\shell\bags\1\desktop
   Opens key:
                                                    HKCU\software\microsoft\windows\tabletpc
   Opens key:
                                                    HKCU\software\microsoft\windows\tabletpc\tabsetup
   Opens key:
                                                    HKCU\software\microsoft\windows\windows error reporting
   Opens key:
                                                    HKCU\software\microsoft\windows\windows error reporting\consent
    Opens key:
                                                    HKCU\software\microsoft\windows\windows error reporting\hangs
    Opens key:
                                                    HKCU\software\microsoft\windows mail
   Opens key:
                                                    HKCU\software\microsoft\windows mail\mail
                                                    HKCU\software\microsoft\windows mail\news
    Opens key:
```

HKCU\software\microsoft\windows mail\trident

Opens key:

```
Opens key:
                                                        HKCU\software\microsoft\windows mail\trident\main
    Opens key:
                                                        HKCU\software\microsoft\windows mail\trident\settings
    Opens key:
                                                        HKCU\software\microsoft\windows media
   Opens key:
                                                        HKCU\software\microsoft\windows media\wmsdk
                                                        HKCU\software\microsoft\windows media\wmsdk\general
   Opens key:
                                                        HKCU\software\microsoft\windows media\wmsdk\namespace
   Opens kev:
   Opens key:
                                                        HKCU\software\microsoft\windows nt
   Opens key:
                                                        HKCU\software\microsoft\windows nt\currentversion
   Opens key:
                                                        HKCU\software\microsoft\windows nt\currentversion\appcompatflags
   Opens key:
                                                        HKCU\software\microsoft\windows
nt\currentversion\appcompatflags\compatibility assistant
   Opens kev:
                                                       HKCU\software\microsoft\windows
nt\currentversion\appcompatflags\compatibility assistant\persisted
   Opens key:
                                                       \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\windows} nt\current\version\devices}
   Opens key:
                                                       HKCU\software\microsoft\windows nt\currentversion\efs
   Opens key:
                                                       HKCU\software\microsoft\windows
nt\currentversion\msicorruptedfilerecovery
                                                       HKCU\software\microsoft\windows
   Opens key:
\verb|nt\currentversion\msicorruptedfilerecovery\msicorrupted|
                                                       HKCU\software\microsoft\windows nt\currentversion\network
   Opens key:
   Opens key:
                                                       \label{lem:hkcu} \mbox{HKCU\software\mbox{$m$icrosoft\windows nt\currentversion\network\location}} \\
awareness
    Opens key:
                                                        HKCU\software\microsoft\windows nt\currentversion\peernet
   Opens key:
                                                        HKCU\software\microsoft\windows nt\currentversion\peernet\collabhost
                                                        HKCU\software\microsoft\windows nt\currentversion\printerports
   Opens kev:
   Opens kev:
                                                        HKCU\software\microsoft\windows nt\currentversion\taskmanager
                                                        HKCU\software\microsoft\windows nt\currentversion\windows
   Opens key:
   Opens key:
                                                        HKCU\software\microsoft\windows nt\currentversion\winlogon
   Opens key:
                                                        HKCU\software\microsoft\windows script
   Opens key:
                                                        HKCU\software\microsoft\windows script\settings
   Opens key:
                                                        HKCU\software\microsoft\windows search
                                                        HKCU\software\microsoft\windows search\processedsearchroots
   Opens key:
   Opens key:
                                                        \label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\windows} search\processedsearch\sc voous} \\ \mbox{\sc microsoft\windows} \\ \mbox{\sc microsoft\wi
   Opens key:
                                                        HKCU\software\microsoft\windows search\processedsearchroots\0001
   Opens key:
                                                        Opens key:
                                                        HKCU\software\microsoft\windows search\processedsearchroots\0003
   Opens key:
                                                        HKCU\software\microsoft\windows sidebar
   Opens key:
                                                        HKCU\software\microsoft\windows sidebar\ieoverride
                                                        HKCU\software\microsoft\windows sidebar\ieoverride\main
   Opens kev:
                                                        HKCU\software\microsoft\windows sidebar\ieoverride\settings
   Opens key:
   Opens key:
                                                        HKCU\software\microsoft\windows sidebar\ieoverride\styles
   Opens key:
                                                        HKCU\software\microsoft\wisp
   Opens key:
                                                        HKCU\software\microsoft\wisp\multitouch
   Opens key:
                                                        HKCU\software\microsoft\wisp\pen
   Opens key:
                                                        HKCU\software\microsoft\wisp\pen\syseventparameters
   Opens key:
                                                        HKCU\software\microsoft\wisp\pen\syseventparameters\customflickcommands
   Opens key:
                                                        HKCU\software\microsoft\wisp\pen\syseventparameters\flickcommands
   Opens key:
                                                        HKCU\software\microsoft\wisp\touch
    Opens key:
                                                        HKCU\software\netscape
   Opens key:
                                                        HKCU\software\netscape\netscape navigator
   Opens key:
                                                        HKCU\software\netscape\netscape navigator\suffixes
   Opens key:
                                                        HKCU\software\netscape\netscape navigator\user trusted external
applications
   Opens key:
                                                        HKCU\software\netscape\netscape navigator\viewers
   Opens key:
                                                        HKCU\software\policies
   Opens key:
                                                        HKCU\software\policies\microsoft
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\ca
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\ca\certificates
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\ca\crls
                                                        HKCU\software\policies\microsoft\systemcertificates\ca\ctls
   Opens key:
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\disallowed
    Opens key:
HKCU\software\policies\microsoft\systemcertificates\disallowed\certificates
    Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\disallowed\crls
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\disallowed\ctls
   Opens key:
                                                       HKCU\software\policies\microsoft\systemcertificates\trust
   Opens key:
                                                        HKCU \setminus software \setminus policies \setminus microsoft \setminus system certificates \setminus trust \setminus certificates
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\trust\crls
    Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\trust\ctls
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\trustedpeople
   Opens key:
\label{thm:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \end{tabular} \\ \begin{tabular}{ll} HKCU \software \policies \po
   Opens key:
                                                       HKCU\software\policies\microsoft\systemcertificates\trustedpeople\crls
   Opens key:
                                                        HKCU\software\policies\microsoft\systemcertificates\trustedpeople\ctls
   Opens key:
                                                        HKCU \setminus software \setminus policies \setminus microsoft \setminus system certificates \setminus trusted publisher
    Opens key:
HKCU\software\policies\microsoft\systemcertificates\trustedpublisher\certificates
   Opens key:
HKCU\software\policies\microsoft\systemcertificates\trustedpublisher\crls
   Opens key:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \system certificates \trusted publisher \ctls \end{tabular}
    Opens key:
                                                       HKCU\software\policies\microsoft\windows
    Opens key:
                                                        HKCU\software\policies\microsoft\windows\currentversion
   Opens key:
                                                        HKCU\software\policies\microsoft\windows\currentversion\internet
settings
   Opens key:
                                                        \label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \normalisatio
settings\5.0
```

```
Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\cache
  Opens key:
                         HKCU\software\policies\power
 Opens key:
                         HKCU\software\policies\power\powersettings
 Opens key:
                         HKCU\software\python
 Opens key:
                         HKCU\software\python\pythoncore
 Opens key:
                         HKCU\software\python\pythoncore\2.7
  Opens key:
                         HKCU\software\python\pythoncore\2.7\help
 Opens key:
                         HKCU\software\python\pythoncore\2.7\help\pythonwin reference
 Opens key:
                         HKCU\software\classes
 Opens kev:
                         HKCU\software\classes\clsid
                         HKCU\software\classes\clsid\{8ad9c840-044e-11d1-b3e9-00805f499d93}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{8ad9c840-044e-11d1-b3e9-
00805f499d93}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0003-abcdeffedcba}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0003-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0004-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0004-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0005-abcdeffedcba}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0000-0005-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0000-abcdeffedcba}
 Opens key:
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0000-
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-
 Opens key
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-abcdeffedcbb}
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0001-
abcdeffedcbb \\ \verb|\inprocserver32|
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0002-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-abcdeffedcba}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-abcdeffedcbb}
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0003-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-abcdeffedcba}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0004-
  Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-
 Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0005-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0006-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-abcdeffedcba}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-abcdeffedcbb}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0007-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-abcdeffedcba}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-
  Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-abcdeffedcbb}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0008-
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-
 Opens key
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-abcdeffedcbb}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0009-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-abcdeffedcba}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0013-0001-0010-
abcdeffedcbb}\inprocserver32
```

HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-abcdeffedcba}

HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-

Opens key: Opens key:

```
abcdeffedcba}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-abcdeffedcbb}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0011-
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-abcdeffedcba}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-abcdeffedcbb}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0012-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-abcdeffedcba}
  Opens kev:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-
  Opens kev:
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-abcdeffedcbb}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0013-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-abcdeffedcba}
  Opens kev:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-
  Opens key
abcdeffedcba}\inprocserver32
  Opens key:
                                   \label{local-condition} \begin{tabular}{l} HKCU \cap Continuous (Continuous Continuous Co
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0014-
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-abcdeffedcba}
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-abcdeffedcbb}
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0015-
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-abcdeffedcba}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-abcdeffedcbb}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0016-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-abcdeffedcba}
  Opens key:
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-abcdeffedcbb}
  Opens kev:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0017-
  Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-abcdeffedcba}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0018-abcdeffedcbb}
  Opens kev:
                                   Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-abcdeffedcba}
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-abcdeffedcbb}
  Opens key:
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0019-
abcdeffedcbb\\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-abcdeffedcba}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-abcdeffedcbb}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0020-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-abcdeffedcba}
  Opens key:
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-
abcdeffedcba}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-abcdeffedcbb}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0013-0001-0021-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-abcdeffedcba}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-
  Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-abcdeffedcbb}
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0000-
  Opens key
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-abcdeffedcba}
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-
  Opens key:
abcdeffedcba}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-abcdeffedcbb}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0001-
abcdeffedcbb}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-abcdeffedcba}
  Opens key
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-
abcdeffedcba}\inprocserver32
  Opens kev:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-abcdeffedcbb}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0002-
abcdeffedcbb}\inprocserver32
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-abcdeffedcba}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-
abcdeffedcba}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-abcdeffedcbb}
  Opens key:
                                   HKCU\software\classes\clsid\{cafeefac-0014-0000-0003-
abcdeffedcbb}\inprocserver32
```

```
HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-abcdeffedcba}
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-
  Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0000-0004-
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-abcdeffedcba}
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-
 Opens key
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0000-
 Opens kev:
abcdeffedcbb}\inprocserver32
                          HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0001-0001-abcdeffedcba\}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0001-
 Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-abcdeffedcbb}
  Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0002-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-abcdeffedcba}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-
abcdeffedcba}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-abcdeffedcbb}
  Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0003-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0004-
  Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-
 Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0005-
 Opens key
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-abcdeffedcbb}
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0006-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-abcdeffedcba}
  Opens key:
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-abcdeffedcbb}
 Opens kev:
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0014-0001-0007-
abcdeffedcbb}\inprocserver32
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-abcdeffedcba}
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-
 Opens key:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0000-
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-abcdeffedcba}
 Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0001-
 Opens key:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-abcdeffedcba}
 Opens key:
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-
abcdeffedcba}\inprocserver32
  Opens kev:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0002-
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-abcdeffedcba}
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-abcdeffedcbb}
  Opens key:
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0003-
abcdeffedcbb}\inprocserver32
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-
 Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-abcdeffedcbb}
                          HKCU\software\classes\clsid\{cafeefac-0014-0002-0004-
  Opens key
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-0005-abcdeffedcbb}
```

```
\label{localization} \begin{tabular}{ll} HKCU \software \classes \clsid \cafeefac-0014-0002-0005-0005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-00005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005-0005
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0006-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0002-0007-abcdeffedcba\}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-abcdeffedcbb}
  Opens kev:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0007-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0008-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-
  Opens key
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0009-
  Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-
  Opens key
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0010-
abcdeffedcbb \\ \verb|\inprocserver32|
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0011-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-abcdeffedcba}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0012-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-abcdeffedcba}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0013-
  Opens key:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-
  Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-abcdeffedcbb}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0014-
  Opens key
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0015-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-
  Opens key
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0016-
abcdeffedcbb}\inprocserver32
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafee fac-0014-0002-0017-abcdeffedcba\}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0017-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-
  Opens key
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0018-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0019-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-abcdeffedcba}
  Opens key:
```

HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-

Opens key:

```
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0020-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0021-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-abcdeffedcba}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-
  Opens kev:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0022-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-abcdeffedcba}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-
  Opens key
abcdeffedcba}\inprocserver32
  Opens key:
                                    \label{local-condition} \begin{tabular}{l} HKCU \cap Continuous (Continuous Continuous Co
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0023-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-abcdeffedcbb}
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0024-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-abcdeffedcbb}
  Opens key:
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0025-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-abcdeffedcba}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-abcdeffedcbb}
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0026-
  Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                                    \label{local_equation} \begin{tabular}{ll} HKCU software \classes \clsid \cafeefac-0014-0002-0027-abcdeffedcba} \end{tabular}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-abcdeffedcbb}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0027-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-abcdeffedcba}
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-abcdeffedcbb}
  Opens key:
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0028-
abcdeffedcbb\\inprocserver32
                                    \label{local-equation} HKCU \setminus software \setminus classes \setminus clsid \setminus \{cafeefac-0014-0002-0029-abcdeffedcba\}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0029-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-abcdeffedcba}
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0030-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-abcdeffedcba}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-
  Opens kev:
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-abcdeffedcbb}
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0031-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-abcdeffedcba}
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-
  Opens key:
abcdeffedcba}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-abcdeffedcbb}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0032-
abcdeffedcbb}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-abcdeffedcba}
  Opens key
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-
abcdeffedcba}\inprocserver32
  Opens kev:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0033-
abcdeffedcbb}\inprocserver32
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-abcdeffedcba}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-
abcdeffedcba}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-abcdeffedcbb}
  Opens key:
                                    HKCU\software\classes\clsid\{cafeefac-0014-0002-0034-
abcdeffedcbb}\inprocserver32
```

```
HKCU\software\classes\clsid\{cafeefac-0014-0002-ffff-abcdeffedcba}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0014-0002-ffff-
  Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0000-
 Opens kev:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcba}
  Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-
 Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0001-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcba}
  Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-abcdeffedcbc}
  Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0002-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
 Opens key:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
  Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0003-
 Opens kev:
abcdeffedcbc}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
 Opens key
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
 Opens kev:
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0004-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcba}
  Opens key:
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcbb}
 Opens kev:
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-abcdeffedcbc}
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0005-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
 Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0006-
 Opens key:
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcba}
 Opens key:
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcba}\inprocserver32
  Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-abcdeffedcbc}
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0007-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcba}
  Opens key:
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcbb}
 Opens kev:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
 Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0008-
  Opens key
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcbb}
```

```
Opens key:
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0009-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-abcdeffedcbc}
 Opens kev:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0010-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcbb}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0011-
 Opens key
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-abcdeffedcbc}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0012-
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-abcdeffedcbc}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0013-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcbb}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0014-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcba}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
 Opens kev:
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0015-
 Opens key:
abcdeffedcbc}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcbb}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
 Opens key
abcdeffedcbb}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-abcdeffedcbc}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0016-
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcba}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
 Opens kev:
abcdeffedcba}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcbb}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-abcdeffedcbc}
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0017-
 Opens key
abcdeffedcbc}\inprocserver32
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-abcdeffedcba}
 Opens key:
 Opens key
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
abcdeffedcba}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-abcdeffedcbb}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
abcdeffedcbb}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-abcdeffedcbc}
 Opens key:
                         HKCU\software\classes\clsid\{cafeefac-0015-0000-0018-
abcdeffedcbc}\inprocserver32
```

HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcba}

HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-

Opens key: Opens key:

```
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcbb}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-abcdeffedcbc}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0019-
abcdeffedcbc}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcba}
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcbb}
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
  Opens kev:
abcdeffedcbb}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-abcdeffedcbc}
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0020-
abcdeffedcbc}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcba}
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcbb}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-abcdeffedcbc}
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0021-
  Opens key:
abcdeffedcbc}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcba}
  Opens key
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcbb}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-abcdeffedcbc}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0022-
abcdeffedcbc}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcba}
  Opens key:
  Opens key
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcbb}
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
  Opens kev:
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-abcdeffedcbc}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0023-
abcdeffedcbc}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcba}
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcbb}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-abcdeffedcbc}
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0024-
  Opens key:
abcdeffedcbc}\inprocserver32
                                    \label{local_equation} \begin{tabular}{ll} HKCU \software \classes \clsid \cafeefac-0015-0000-0025-abcdeffedcba \end{tabular}
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
abcdeffedcba}\inprocserver32
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-abcdeffedcbb}
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-abcdeffedcbc}
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0025-
abcdeffedcbc}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-abcdeffedcba}
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-
  Opens key:
abcdeffedcba}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-abcdeffedcbb}
  Opens kev:
                                     HKCU\software\classes\clsid\{cafeefac-0015-0000-0026-
abcdeffedcbb}\inprocserver32
  Opens key:
                                     HKLM \verb|\software\microsoft\windows\currentversion\run
  Opens key:
                                     HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
  Opens kev:
c19ce8a73253}
  Opens key:
                                     HKLM\software\microsoft\rpc
  Opens key:
                                     {\tt HKLM \ } system \verb|\ current control \ \\ computer name \verb|\ active computer name \ \\ left | c
  Opens key:
                                     HKLM\system\setup
  Opens key:
                                     HKLM\software\policies\microsoft\windows nt\rpc
  Opens key:
                                     HKLM\system\currentcontrolset\services\tcpip\linkage
  Opens key:
                                     HKCU\software\flashfxp
                                     HKCU\software\flashfxp\3
  Opens kev:
                                     HKCU\software\flashfxp\4
  Opens key:
  Opens key:
                                     HKLM\software\flashfxp
  Opens key:
                                     HKLM\software\flashfxp\3
                                     HKLM\software\flashfxp\4
  Opens key:
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
  Opens key:
```

a03a-e3ef65729f3d}

```
Opens key:
```

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key

 $\label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \session info \label{thm:local_hammon} \end{tabular} $$ HKCU \software \microsoft| windows \currentversion| explorer \session info \label{thm:local_hammon} \end{tabular} $$ HKCU \software \microsoft| \end{tabular} $$ \currentversion| \end{tabular} $$ \currentversion| \currentversion|$ 

Opens key:

 $\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} is on \end{tabular} in \end{tabular} is on \end{tabular} in \en$ 

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\addressbook Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\addbe flash

player activex

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\connection

manager

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\directdrawex
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\dxm\_runtime
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\fontcore
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\ie40
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\ie4data
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\ie5bakex
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\iedata

Opens key:

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\mplayer2

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\schedulingagent
Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\wic

Opens key: 3d01-b289-befc77a11a1e}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{26a24ae4-039d-

4ca4-87b4-2f83217002ff}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{4a03706f-666a-

4037-7777-5f2748764d10}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{90120000-0020-

0409-0000-0000000ff1ce}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{90850409-6000-

Opens key: 11d3-8cfe-0150048383c9}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{95120000-003f-

0409-0000-0000000ff1ce}

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{95140000-00af-

0409-0000-0000000ff1ce}

key: HKLM\software\microsoft\windows\currentversion\uninstall\{ac76ba86-7ad7-

Opens key: 1033-7b44-a93000000001}

 $Opens~key: \\ HKLM\software\microsoft\windows\currentversion\uninstall\{c3cc4df5-39a5-4} \\ Face the constant of the constant$ 

4027-b136-2b3e1f5ab6e2}

Opens key: HKCU\software\bpftp\bullet proof ftp\main

Opens key: HKCU\software\bulletproof software\bulletproof ftp client\main

Opens key: HKCU\software\bpftp\bullet proof ftp\options

Opens key: HKCU\software\bulletproof software\bulletproof ftp client\options
Opens key: HKCU\software\bulletproof software\bulletproof ftp client 2010\options

Opens key: HKCU\software\bpftp

Opens key:

 $\label{thm:hklm} HKLM \label{thm:hklm} HKLM \label{thm:hklm} HKLM \label{thm:hklm} White \label{thm:hklm} HKLM \label{thm:hklm} White \label{thm:hklm} HKLM \label{thm:hklm} White \label{thm:hklm} HKLM \label{thm:hklm}$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \property bag$ 

Opens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens key:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 62 ab 5d 82-fd c 1-4d c 3-a9d d-070 d 1d 495 d 97 \property bag$ 

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key: HKCU\software\turboftp

Opens key: HKCU\software\cryer\websitepublisher

Opens key: HKU\

Opens key: HKCU\software\ftpclient\sites

Opens key: HKCU\software\softx.org\ftpclient\sites

Opens key: HKCU\software\vandyke\securefx

Opens key:

 $\label{thm:local-prop} HKL\bullet MKL\bullet MKL\bull$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ property bag$ 

Opens key: HKLM\software\microsoft\windows\currentversion
Opens key: HKCU\software\globalscape\cuteftp 6 home\qctoolbar

Opens key: HKCU\software\globalscape\cuteftp 6 nome\qctoolbar

Opens key: HKCU\software\globalscape\cuteftp 6 professional\qctoolbar

Opens key: HKCU\software\globalscape\cuteftp 7 home\qctoolbar

Opens key: HKCU\software\globalscape\cuteftp 7 professional\qctoolbar
Opens key: HKCU\software\globalscape\cuteftp 8 home\qctoolbar

Opens key: HKCU\software\globalscape\cuteftp 8 professional\qctoolbar

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \folder$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1000} \footnote{1000} \end{tikzpicture} aaae-29d317c6f066 \property bag$ 

Opens key: HKCU\software\sota\ffftp\options

```
Opens key:
                                               HKCU\software\south river technologies\webdrive\connections
                                               HKCU\software\nch software\classicftp\ftpaccounts
   Opens key:
   Opens key:
                                               HKLM\software\nch software\fling\accounts
   Opens key:
                                               HKCU\software\filezilla
   Opens key:
                                               HKCU\software\filezilla\recent servers
   Opens key:
                                               HKCU\software\filezilla\site manager
   Opens key:
                                               HKCU\software\ftp explorer\profiles
   Opens key:
                                               HKLM\software\microsoft\windows\currentversion\uninstall\ultrafxp
   Opens key:
                                               HKCU\software\martin prikryl
   Opens key:
                                               HKLM\software\martin prikryl
                                               HKCU\software\ftpware\coreftp\sites
   Opens kev:
   Opens kev:
                                               HKCU\software\far\plugins\ftp\hosts
   Opens key:
                                               HKCU\software\far2\plugins\ftp\hosts
   Opens key:
                                               {\tt HKCU \ } software \ \\ far \ \\ saved dialoghistory \ \\ ftphost
   Opens key:
                                               HKCU\software\far2\saveddialoghistory\ftphost
   Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e4661-16e4e461-16e4e461-16e4e461-16e4e461-16e4e4661-16e4e461-16e4
9afe-ea3317b67173}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-
9afe-ea3317b67173}\propertybag
                                               HKLM \ software \ microsoft \ windows \ nt \ current version \ profile list \ s-1-5-21-1000 \ model 
   Opens key:
2160590473-689474908-1361669368-1002
   Opens key:
                                              HKCU\software\ghisler\windows commander
   Opens key:
                                              HKCU\software\ghisler\total commander
   Opens key:
                                               HKLM\software\ghisler\windows commander
   Opens key:
                                              HKLM\software\ghisler\total commander
   Opens key:
                                               HKCU\software\acebit
   Opens key:
                                               HKLM\software\acebit
   Opens key:
                                               HKCR\typelib\{cb1f2c0f-8094-4aac-bcf5-41a64e27f777}
   Opens key:
                                               HKCR\typelib\{9ea55529-e122-4757-bc79-e4825f80732c}
   Opens key:
                                              HKLM\software
                                              HKLM\system\currentcontrolset\control\samservicelist
   Opens kev:
   Opens key:
                                              HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
                                              HKCU\software\mozilla
   Opens key:
   Opens key:
                                              HKLM\software\mozilla
                                              HKCU\software\chromeplus
   Opens kev:
   Opens key:
                                              HKCU\software\leechftp
   Opens key:
b029-7fe99a87c641}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}\propertybag
   Opens key:
                                              HKCU\software\classes\
   Opens key:
                                              HKLM\software\classes
   Opens key:
                                              HKCU\software\flashpeak\blazeftp\settings
   Opens key:
                                               HKCR\typelib\{f9043c88-f6f2-101a-a3c9-08002b2f49fb}\1.2\0\win32
   Queries value:
                                               HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
                                              HKLM\system\currentcontrolset\control\terminal server[tsappcompat1]
   Oueries value:
   Oueries value:
                                              HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
   Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
                                              HKCU\control panel\desktop[preferreduilanguages]
   Queries value:
   Oueries value:
                                               HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
   Queries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus side by side [prefer external manifest]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\sorting\versions[]
   Queries value:
                                              {\tt HKLM \ } system \verb| current control \verb| session manager[safedll sear chmode] \\
   Queries value:
                                              HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
                                              HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\compatibility32[752d6fe81122349daf998a56f48e0b38]
                                              HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\windows[loadappinit_dlls]
   Queries value:
                                              HKLM\software\microsoft\ole[pageallocatorusesystemheap]
   Queries value:
                                              HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
   Oueries value:
                                              HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
   Queries value:
                                              HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
   Oueries value:
                                              HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security_hklm_only]
   Oueries value:
                                              HKLM\software\microsoft\sqmclient\windows[ceipenable]
   Queries value:
HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
   Queries value:
   Oueries value:
                                              HKLM\svstem\currentcontrolset\control\nls\extendedlocale[en-us]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
   Queries value:
Oueries value:
```

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000001[packedcatalogitem]
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 0000000000002 \ [packed catalog item] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000003[packedcatalogitem]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000005[packedcatalogitem]
   Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000006[packedcatalogitem]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000007[packedcatalogitem]
   Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000008[packedcatalogitem]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000009[packedcatalogitem]
  Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ catalog\_entries \ 000000000010 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 000000000011 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 000000000012 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 000000000013 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ catalog\_entries \ 000000000014 \ [packed catalog item] \ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 000000000015 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000016[packedcatalogitem] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 000000000017 \ [packed catalog item] \\ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000018[packedcatalogitem]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[serial\_access\_num]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[num\_catalog\_entries]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[providerid] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[addressfamily] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[supportednamespace] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[version]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[storesserviceclassinfo]
  Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ 000000000001 \ [providerinfo] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[librarypath]
  Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space\_catalog5 \ catalog\_entries \ 00000000000002 \ [displaystring] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerid]
   Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[supportednamespace] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[enabled]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[storesserviceclassinfo]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerinfo]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[displaystring]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[providerid]
  Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog5 \ catalog\_entries \ 000000000003 \ [address family] \ Queries \ value:$
- $\label{lem:hklmsystem} HKLM \system \current control set \services \winsock 2 \parameters \names pace\_catalog 5 \catalog\_entries \names \names pace\_catalog 5 \catalog\_entries \names \names$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[enabled]
  Queries value:

```
Queries value:
Oueries value:
HKLM \ system \ current control set \ services \ win sock 2 \ parameters \ names pace\_catalog5 \ catalog\_entries \ 0000000000004 \ [displaystring]
 Queries value:
HKLM\svstem\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000004[providerid]
 Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog5 \ catalog\_entries \ 000000000004 \ [address family]
 Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ 00000000000004 [supported namespace]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\000000000004[enabled]
 Oueries value:
Oueries value:
HKLM \ system \ \ current control set \ services \ \ winsock 2 \ parameters \ \ namespace\_catalog 5 \ \ catalog\_entries \ \ \ 0000000000004 \ [storesserviceclassinfo]
 Queries value:
Queries value:
HKLM \ system \ \ current control set \ services \ \ winsock 2 \ parameters \ \ namespace\_catalog\_entries \ \ \ 0000000000005[library path]
 Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 parameters \ names pace\_catalog\_catalog\_entries \ 000000000005 [displaystring]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000005[addressfamily]
 Oueries value:
Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_entries\000000000005[version]
 Oueries value:
HKLM \ system \ \ current controls et \ services \ \ winsock 2 \ parameters \ \ namespace\_catalog5 \ \ catalog\_entries \ \ \ 0000000000005 \ \ \ serviceclass \ info]
 Queries value:
HKLM \ system \ current controls et \ services \ \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ \ 000000000005 \ [providerinfo]
Oueries value:
HKLM \ system \ current controls et \ services \ win sock 2 \ parameters \ names pace\_catalog5 \ catalog\_entries \ 000000000006 \ [displaystring]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Queries value:
Oueries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_entries\000000000006[version]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\000000000006[providerinfo]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32spincount]
                  HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Queries value:
 Queries value:
HKLM\svstem\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                  HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\psched[winsock 2.0 provider id]
 Queries value:
                  HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
                  HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\tcpip[winsock 2.0 provider id]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Queries value:
HKLM\svstem\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
```

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname] Queries value: HKLM\system\currentcontrolset\control\cmf\config[system] HKLM\software\microsoft\windows\windows error reporting\wmr[disable] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ar] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ar] HKLM\system\currentcontrolset\control\nls\customlocale[ar-sa] Queries value:  $\label{locale} \verb|HKLM\system\currentcontrolset\control\nls\extended\locale[ar-sa]| \\$ Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[bg]

HKLM\system\currentcontrolset\control\nls\extendedlocale[bg] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[bg-bg] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bg-bg] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ca] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cal Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ca-es] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ca-es] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[zh-hans] HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-hans] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[zh-cn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-cn] Oueries value: HKI M\system\currentcontrolset\control\nls\customlocale[cs] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cs] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[cs-cz] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cs-cz] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[da] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[da] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[da-dk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[da-dk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[de] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[de] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[de-de] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[de-de] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[el] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[el] HKLM\system\currentcontrolset\control\nls\customlocale[el-gr] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[el-gr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[es] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[es] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[es-es] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[es-es] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fi] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fi] HKLM\system\currentcontrolset\control\nls\customlocale[fi-fi] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fi-fi] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fr] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[fr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fr-fr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[he] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[he] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[he-il] HKLM\system\currentcontrolset\control\nls\extendedlocale[he-il] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hu] HKLM\system\currentcontrolset\control\nls\extendedlocale[hu] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hu-hu] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hu-hu] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[is] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[is] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[is-is] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[is-is] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[it] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[it] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[it-it] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[it-it] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ja] HKLM\system\currentcontrolset\control\nls\extendedlocale[ja] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ja-jp] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ja-jp] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ko] HKLM\system\currentcontrolset\control\nls\extendedlocale[ko] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ko-kr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ko-kr] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[nl] HKLM\system\currentcontrolset\control\nls\extendedlocale[nl1 Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[nl-nl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nl-nl] HKLM\system\currentcontrolset\control\nls\customlocale[no] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[no] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[nb-no] HKLM\system\currentcontrolset\control\nls\extendedlocale[nb-nol Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[pl] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pl-pl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pl-pl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pt] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[pt] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[pt-br] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pt-br] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[rm] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rm] HKLM\system\currentcontrolset\control\nls\customlocale[rm-ch] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rm-ch] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ro] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ro] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ro-ro]

HKLM\system\currentcontrolset\control\nls\extendedlocale[ro-ro] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ru] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ru] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ru-ru] HKLM\system\currentcontrolset\control\nls\extendedlocale[ru-ru] Oueries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[hr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[hr-hr] HKLM\system\currentcontrolset\control\nls\extendedlocale[hr-hr] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sk] Oueries value: HKI M\system\currentcontrolset\control\nls\customlocale[sk-sk] HKLM\system\currentcontrolset\control\nls\extendedlocale[sk-sk] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sq] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sq] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sq-al] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sq-al] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[syl Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sv] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sv-se] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sv-se] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[th] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[th] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[th-th] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[th-th] HKLM\svstem\currentcontrolset\control\nls\customlocale[tr] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tr-tr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tr-tr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ur] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ur] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ur-pk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ur-pk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[id] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[id] HKLM\system\currentcontrolset\control\nls\customlocale[id-id] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[id-id] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[uk] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[uk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[uk-ua] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[be] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[be] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[be-by] HKLM\system\currentcontrolset\control\nls\extendedlocale[be-by] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sl] HKLM\system\currentcontrolset\control\nls\extendedlocale[sl] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sl-si] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sl-si] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[et] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[et] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[et-ee] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[et-ee] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lv] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lv] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lv-lv] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lv-lv] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[lt] HKLM\system\currentcontrolset\control\nls\extendedlocale[]t1 Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lt-lt] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lt-lt] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tg] HKLM\system\currentcontrolset\control\nls\extendedlocale[tg] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tg-cyrl-tj] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tg-cyrl-tj] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[fa] HKLM\system\currentcontrolset\control\nls\extendedlocale[fa] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[fa-ir] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fa-ir] HKLM\system\currentcontrolset\control\nls\customlocale[vi] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[vi] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[vi-vn] HKLM\system\currentcontrolset\control\nls\extendedlocale[vi-vnl Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[hv] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hy] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[hy-am] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hy-am] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[az] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[az] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[az-latn-az] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[az-latn-az] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[eu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[eu] HKLM\system\currentcontrolset\control\nls\customlocale[eu-es] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[eu-es] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[hsb] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hsb] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hsb-de]

HKLM\system\currentcontrolset\control\nls\extendedlocale[hsb-de] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[mk] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mk] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[mk-mk] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mk-mk] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[tn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tn-za] HKLM\system\currentcontrolset\control\nls\extendedlocale[tn-za] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[xh] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[xh] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[xh-za] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[xh-za] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[zu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zu] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[zu-za] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[zu-za] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[afl Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[af] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[af-za] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[af-za] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ka] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ka] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ka-ge] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[ka-ge] HKLM\svstem\currentcontrolset\control\nls\customlocale[fo] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fo] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fo-fo] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fo-fo] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hi] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hi] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[hi-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[hi-in] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mt] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mt] HKLM\system\currentcontrolset\control\nls\customlocale[mt-mt] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mt-mt] Queries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[se] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[se] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[se-no] Queries value:  $HKLM \verb|\system| current controlset \verb|\control| nls \verb|\extended| locale [se-no]|$ HKLM\system\currentcontrolset\control\nls\customlocale[ga] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ga] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ga-ie] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ga-ie] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ms] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[ms] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ms-my] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ms-my] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kk] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[kk-kz] HKLM\system\currentcontrolset\control\nls\extendedlocale[kk-kz] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ky] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ky] HKLM\system\currentcontrolset\control\nls\customlocale[ky-kg] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ky-kg] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sw] HKLM\system\currentcontrolset\control\nls\extendedlocale[sw] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sw-ke] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sw-ke] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tk] HKLM\system\currentcontrolset\control\nls\extendedlocale[tk] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tk-tm] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tk-tm] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[uz] HKLM\system\currentcontrolset\control\nls\extendedlocale[uz] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[uz-latn-uz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[uz-latn-uz] HKLM\system\currentcontrolset\control\nls\customlocale[tt] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tt] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tt-ru] HKLM\system\currentcontrolset\control\nls\extendedlocale[tt-rul Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[bn] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[bn-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bn-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[pa] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[pa] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[pa-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[pa-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gu] HKLM\system\currentcontrolset\control\nls\customlocale[gu-in] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gu-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[or]  $HKLM \verb|\system| current controls et \verb|\control| nls \verb|\extended| locale[or]|$ Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[or-in]

HKLM\system\currentcontrolset\control\nls\extendedlocale[or-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ta] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ta] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ta-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ta-in] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[te] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[te] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[te-in] HKLM\system\currentcontrolset\control\nls\extendedlocale[te-in] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kn] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[kn] Oueries value: HKIM\system\currentcontrolset\control\nls\customlocale[kn-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kn-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ml] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ml] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ml-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ml-in] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[as] HKLM\svstem\currentcontrolset\control\nls\extendedlocale[as] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[as-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[as-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[mr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mr-in] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[mr-in] HKLM\svstem\currentcontrolset\control\nls\customlocale[sa] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sa] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sa-in] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sa-in] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mn] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mn-mn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mn-mn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[bo] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bo] HKLM\system\currentcontrolset\control\nls\customlocale[bo-cn] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[bo-cn] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[cy] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[cv] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[cy-gb] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[cy-gb] HKLM\system\currentcontrolset\control\nls\customlocale[km] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[km] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[km-kh] HKLM\system\currentcontrolset\control\nls\extendedlocale[km-kh] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lo] HKLM\system\currentcontrolset\control\nls\extendedlocale[lo] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lo-la] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lo-la] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gl] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[gl-es] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gl-es] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[kok] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kok] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[kok-in] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kok-in] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[syr] HKLM\system\currentcontrolset\control\nls\extendedlocale[syr] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[syr-sy] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[syr-sy] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[si] HKLM\system\currentcontrolset\control\nls\extendedlocale[si] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[si-lk] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[si-lk] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[iu] HKLM\system\currentcontrolset\control\nls\extendedlocale[iu] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[iu-latn-ca] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[iu-latn-ca] HKLM\system\currentcontrolset\control\nls\customlocale[am] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[am] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[am-et] HKLM\system\currentcontrolset\control\nls\extendedlocale[am-et] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[tzm] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tzm] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[tzm-latn-dz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[tzm-latn-dz] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ne] Queries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[ne] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ne-np] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ne-np] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fy] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fy] HKLM\system\currentcontrolset\control\nls\customlocale[fy-nl] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fy-nl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ps] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ps] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ps-af]

HKLM\system\currentcontrolset\control\nls\extendedlocale[ps-af] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fil] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[fil] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[fil-ph] HKLM\system\currentcontrolset\control\nls\extendedlocale[fil-ph] Oueries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[dv] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[dv] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[dv-mv] HKLM\system\currentcontrolset\control\nls\extendedlocale[dv-mv] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ha] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ha] HKLM\svstem\currentcontrolset\control\nls\customlocale[ha-latn-ng] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ha-latn-ng] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[yo] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[yo] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[yo-ng] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[yo-ng] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[quz] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[guz] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[quz-bo] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[quz-bo] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[nso] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[nso] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[nso-za] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[nso-za] HKLM\svstem\currentcontrolset\control\nls\customlocale[ba] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ba] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ba-ru] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ba-ru] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lb] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lb] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[lb-lu] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[lb-lu] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[kl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kl] HKLM\system\currentcontrolset\control\nls\customlocale[kl-gl] Queries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[kl-gl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ig] Oueries value: HKLM\svstem\currentcontrolset\control\nls\extendedlocale[ig] HKLM\system\currentcontrolset\control\nls\customlocale[ig-ng] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ig-ng] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ii] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ii] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ii-cn] HKLM\system\currentcontrolset\control\nls\extendedlocale[ii-cn] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[arn] HKLM\system\currentcontrolset\control\nls\extendedlocale[arn] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[arn-cl] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[arn-cl] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[moh] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[moh] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[moh-ca] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[moh-ca] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[br] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[br] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[br-fr] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[br-fr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[ug] HKLM\system\currentcontrolset\control\nls\extendedlocale[ug] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[ug-cn] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[ug-cn] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mi] HKLM\system\currentcontrolset\control\nls\extendedlocale[mi] Queries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[mi-nz] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[mi-nz] Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[oc] HKLM\system\currentcontrolset\control\nls\extendedlocale[oc] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[oc-fr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[oc-fr] HKLM\system\currentcontrolset\control\nls\customlocale[co] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[co] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[co-fr] HKLM\system\currentcontrolset\control\nls\extendedlocale[co-frl Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[gsw] Oueries value: Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gsw] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[gsw-fr] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[gsw-fr] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[sah] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sah] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[sah-ru] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[sah-ru] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[qut] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[qut] HKLM\system\currentcontrolset\control\nls\customlocale[qut-gt] Oueries value: Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[qut-gt] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[rw] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[rw] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[rw-rw]

```
HKLM\system\currentcontrolset\control\nls\customlocale[wo]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[wo]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[wo-sn]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[wo-sn]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[prs]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[prs]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[prs-af]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[prs-af]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[gd]
 Oueries value:
                         HKLM\svstem\currentcontrolset\control\nls\extendedlocale[gd]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[gd-gb]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[gd-gb]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000401]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[d]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000402]
                         HKLM\system\currentcontrolset\control\nls\language groups[5]
 Oueries value:
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000403]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[zh-tw]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[zh-tw]
                         HKLM\system\currentcontrolset\control\nls\locale[00000404]
 Queries value:
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[9]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000405]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[2]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000406]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000407]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000408]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[4]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\customlocale[es-es tradnl]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale[es-es tradnl]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[0000040a]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[0000040b]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[0000040c]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[0000040d]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[c]
                         HKLM\system\currentcontrolset\control\nls\locale[0000040e]
 Oueries value:
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[0000040f]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000410]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000411]
                         HKLM\system\currentcontrolset\control\nls\language groups[7]
 Queries value:
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000412]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[8]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000413]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000414]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000415]
 Oueries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000416]
                         HKLM\system\currentcontrolset\control\nls\locale[00000417]
 Queries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000418]
                         HKLM\system\currentcontrolset\control\nls\locale[00000419]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\ime\imtc70[]
 Oueries value:
 Oueries value:
HKCU \ software \ \verb|microsoft| windows \ \verb|currentversion| ime \ \verb|imtc70[quickcompressedurl]| \\
 Queries value:
HKCU\software\microsoft\windows\currentversion\ime\imtc70[flagsnotifyvalid]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\ime\imtc70[recordchangedshow]
 Oueries value:
HKCU \ software \ microsoft \ windows \ current version \ ime \ imtc70 [stylecompressed persistent]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\ime\imtc70[heightnotifycurrent]
 Queries value:
                        HKLM\software\microsoft\windows\currentversion\run[sonyagent]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[enabledhcp]
                        .
HKLM\software\microsoft\rpc[maxrpcsize]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
                         HKLM\system\setup[oobeinprogress]
 Oueries value:
 Queries value:
                         HKLM\system\setup[systemsetupinprogress]
 Queries value:
                        HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
 Oueries value:
a03a-e3ef65729f3d}[category]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[name]
 Oueries value:
a03a-e3ef65729f3d}[parentfolder]
 Queries value:
a03a-e3ef65729f3d}[description]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[relativepath]
```

HKLM\system\currentcontrolset\control\nls\extendedlocale[rw-rw]

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [icon]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \footnote{Action} \cal{lem:hklmsoftware} \cal{lem:$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\sc Nicrosoft \sc Nicrosoft \sc Nicrosoft \ensuremath{\sc Nicrosoft \sc Ni$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \cite{10calredirectonly} \cite{10calredirectonly}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \ensuremath{\mbox{\mbox{$1$}} ab685 db-65f9-4cf6-a03a-e3ef65729f3d} \ensuremath{\mbox{$1$}} \ensuremath{\mbox{$1$}} ab1e]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \footnote{Action} \ a03a-e3ef65729f3d \cal{lem:hklmsoftware} \[ \mbox{lem:hklmsoftware \mbox{lem$ 

Queries value:

 $\label{thm:local-prop} HKL^M\software\wirrosoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\ [publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [attributes]$ 

Oueries value:

 $\label{limits} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]$ 

Queries value:

 $\label{limit} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\color{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[initfolderhandler] \end{tabular}$ 

Queries value: folders[appdata] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Tolders[appdata]

Queries value:

 $HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} windows \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} \label{lem:hklm} With \label{lem:hklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} With \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} With \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{lem:hkklm} \label{lem:hkklm} With \label{$ 

 $\label{thm:linear} Queries \ value: \\ HKLM\ software \ microsoft\ windows\ current version\ uninstall\ connection \\ manager [uninstall string]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\directdrawex[uninstallstring]
 Oueries value:

HKLM\software\microsoft\windows\currentversion\uninstall\dxm\_runtime[uninstallstring]
Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$\mathbb{N}$ indows \current version \uninstall font core [uninstall string] } Queries value:$ 

HKLM\software\microsoft\windows\currentversion\uninstall\ie40[uninstallstring]
 Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \windows \current version \uninstall \ie 4 data [uninstall string] \\ Queries value:$ 

 $\label{lem:hklmsoftware} HKLM \software \mbox{$\mathbb{N}$ indows \current version \uninstall ie 5 bakex [uninstall string] } Queries value:$ 

HKLM\software\microsoft\windows\currentversion\uninstall\iedata[uninstallstring]
Oueries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\mbox{$\mathbb{N}$ indows\currentversion\uninstall\mbox{$\mathbb{N}$ indows\currentversion\current\cur$ 

HKLM\software\microsoft\windows\currentversion\uninstall\mplayer2[uninstallstring]
Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\schedulingagent[uninstallstring]
Oueries value:

 $\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} $$ HKLM \end{tabular} $$ in the constant $$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\uninstall\{196bb40d-1578-3d01-b289-befc77a11a1e}\{\uninstallstring}$ 

 $\label{lem:lem:queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{196bb40d-1578-3d01-b289-befc77a11a1e}[displayname]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{26a24ae4-039d-4ca4-87b4-2f83217002ff}[uninstallstring]
Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{26a24ae4-039d-4ca4-039d-4

4ca4-87b4-2f83217002ff}[displayname]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{4a03706f-666a-

4037-7777-5f2748764d10}[uninstallstring]

 $\label{thm:linear} Queries \ value: \ HKLM\ software \ icrosoft\ windows\ current version\ uninstall \ \{90120000-0020-0409-0000-0000000ff1ce\} \ [uninstallstring]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{90120000-0020-0409-0000-000000ff1ce}[displayname]
Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{90850409-6000-11d3-8cfe-0150048383c9}[uninstallstring]
Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{90850409-6000-11d3-8cfe-0150048383c9}[displayname]
Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{95120000-003f-0409-0000-0000000ff1ce}[uninstallstring]
Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{95120000-003f-0409-0000-0000000ff1ce}[HKLM\software\microsoft\windows\currentversion\uninstall\{95120000-003f-0409-0000-00000000ff1ce}]

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\{95140000-00af-0409-0000-0000000ff1ce}[uninstallstring]

Queries value:  $HKLM\software\microsoft\windows\currentversion\uninstall\{ac76ba86-7ad7-1033-7b44-a9300000001}[uninstallstring]$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\uninstall\{ac76ba86-7ad7-1033-7b44-a9300000001}[displayname]$  Queries value:  $HKLM\software\microsoft\windows\currentversion\uninstall\{c3cc4df5-39a5-1}$ 

4027-b136-2b3e1f5ab6e2}[uninstallstring]

 $\label{lem:prop:prop:cond} Queries \ value: $$HKLM\software\microsoft\windows\currentversion\uninstall\{c3cc4df5-39a5-4027-b136-2b3e1f5ab6e2}[displayname]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-condition} \cite{thm:local-conditi$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[name]} \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'f1b32785-6fba-4fcf-9d55-7b8e7f157091 \ 'parent folder' \ 'p$ 

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} With a restriction \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} with a restriction \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With a restriction \label{lem:hklm} With a restriction \label{lem:hklm} With a restriction \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With a restriction \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With a restriction \label{lklm} With a restric$ 

Oueries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \fill{$microsoft\windows\currentversion} \footnote{\currentversion\currentversion} \footnote{\currentversion\cur$ 

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{localized} [localized name]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-condition} \cite{thm:local-condition} \end{tikzpicture}$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute} [security]$ 

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \final $f1b32785-6fba-4fcf-9d55-7b8e7f157091\] \[ stream resource type \]$ 

Queries value:

 $\label{thm:hklm:software} HKLM \software \ensuremath{\mbox{\mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[local redirectonly]} \\$ 

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \[ precreate \] \]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream]$ 

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{tibutes} \label{thm:local-condition}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ folder descriptions \ 'f1b32785-6fba-4fcf-9d55-7b8e7f157091 \ [folder type id]$ 

Oueries value:

 $HKLM\software\mbox{\cosoft\windows\currentversion\explorer\folderdescriptions\ff1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolderhandler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[local appdata]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ formula \ for$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-decomposition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gath{$\setminus$} \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 62ab5d82-fdc1-4dc3-a9dd-070d1d495d97 \footnote{the control of the con$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[roamable]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scalebases} windows \current version \explorer \folder descriptions \scalebases \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[programdata]

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$ 

Oueries value

 $\label{thm:local-prop} HKLM \software \mbox{$microsoft\windows\currentversion} \end{$explorer folder descriptions \solutions \solu$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localized name]$ 

Queries value

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gamma$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[stream resource type]$ 

Oueries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localredirectonly]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[stream]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \folder \gamma \gamma$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \gam$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \ensuremath{\mbox{`windows\currentversion'}} \ensuremath{\mbox{\mbox{$v$}} \ensuremath{\mbox{$v$}} \ensuremath$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion[programfilesdir]

Queries value:

 $\label{thm:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\floategory\fill\\ [category]$ 

Queries value

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \cite{lem:hkkm} \cite{lem:hkkm} \footnote{lem:hkkm} \cite{lem:hkkm} \footnote{lem:hkkm} \cite{lem:hkkm} \ci$ 

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\[relativepath]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[parsingname]

Queries value:

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{$\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[icon]$}$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{$\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[security]$}$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\flocalredirectonly1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[stream]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{1.000} \footnote{1.0000} \footnote{1.0000} \footnote{1.0000} \$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [folder typeid]$ 

Queries value:

Queries value: HKLM\software\microsoft\windows\currentversion[commonfilesdir]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5} \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2-4760-9360-9317b67173} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [infotip]$ 

Oueries value:

 $\label{thm:localized} HKLM \software \mbox{$1566c858f-0e22-4760-9afe-ea3317b67173} [localized name]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value:

 $\label{thm:local-problem} HKLM \software \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream resource]$ 

Oueries value:

Queries value:

Queries value:

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$1566c858f-0e22-4760-9afe-ea3317b67173} [precreate]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \ensuremath{\mbox{\mbox{$1566c858f-0e22-4760-9afe-ea3317b67173}[publish expanded path]} \ensuremath{\mbox{$1566c858f-0e22-4760-9afe-ea3317b67173}[publish expanded path]} \ensuremath{\mbox{$1566c858f-$ 

Queries value:

Queries value:

Queries value:

2160590473-689474908-1361669368-1002[profileimagepath]
Queries value: HKLM\software[debuglogpath]
Queries value: HKLM\software[debugloglevel]
Queries value: HKLM\software[enabledebuglog]

Queries value: HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]

Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6[winsock 2.0 provider id]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]

Queries value:

 $\label{lem:hklmsystem} \verb|HKLM| system| current control set | services | tcpip6| parameters | winsock[maxsock addrlength]| | topical services | tcpip6| |$ 

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]
Oueries value:

(LM) system) c

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname]

Queries value:

 $\label{thm:local_hammon} \begin{tabular}{l} HKLM \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$ in \end{tabular$ 

Queries value: HKLM\software\microsoft\windows\currentversion\uninstall\connection

manager[connection manager]

Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\directdrawex[directdrawex]

Queries value:

 $HKLM \label{lem:harmonic} HKLM \label{lem:hklm} IKLM \label{lem:hklm} HKLM \label{lem:hklm} IKLM \label{lem:hklm} IKLM \label{lem:hklm} IKLM \label{lem:hkklm} IKLM \label{lem:hkklm}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\fontcore[fontcore]

HKLM\software\microsoft\windows\currentversion\uninstall\ie40[ie40] Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\uninstall\ie4data[ie4data]

Oueries value:

HKLM\software\microsoft\windows\currentversion\uninstall\ie5bakex[ie5bakex]

HKLM\software\microsoft\windows\currentversion\uninstall\iedata[iedata]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\uninstall\mplayer2\mplayer2\lambda

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ uninstall \ scheduling agent [scheduling agent]$ HKLM\software\microsoft\windows\currentversion\uninstall\wic[wic]

Oueries value:

4037-7777-5f2748764d10}[{4a03706f-666a-4037-7777-5f2748764d10}]

Oueries value:

b029-7fe99a87c641}[category]

b029-7fe99a87c641}[name]

Queries value:

b029-7fe99a87c641}[parentfolder]

Queries value:

b029-7fe99a87c641}[description]

Queries value:

b029-7fe99a87c641}[relativepath]

Oueries value:

b029-7fe99a87c641}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[infotip1

Oueries value:

b029-7fe99a87c641}[localizedname]

b029-7fe99a87c641}[icon]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} with the highest lemma \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma \label{lem:hkklm} With the highest lemma \label{lem:hkklm} With the hkkklm \label{lem:hkklm} Software \label{lem:hkklm} With the hkkklm \label{lem:hkklm} With the hkkklm \label{lem:hkklm} Software \label{lem:hkklm} With the hkkklm \label{lem:hkklm} With the hkkkl$ b029-7fe99a87c641}[security]

b029-7fe99a87c641}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[streamresourcetype]

Queries value:

b029-7fe99a87c641}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[roamable]

Queries value:

b029-7fe99a87c641}[precreate]

Queries value:

b029-7fe99a87c641}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[publishexpandedpath]

b029-7fe99a87c641}[attributes]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} with the highest lemma \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} With the highest lemma \label{lem:hklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma \label{lem:hkklm} With the highest lemma \label{lem:hkklm} With the hkkklm \label{lem:hkklm} Software \label{lem:hkklm} With the hkkklm \label{lem:hkklm} With the hkkklm \label{lem:hkklm} Software \label{lem:hkklm} With the hkkklm \label{lem:hkklm} With the hkkkl$ b029-7fe99a87c641}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

 $HKCU \setminus software \setminus classes \setminus [clsid \setminus \{11c1d741-a95b-11d2-8a80-11$ Oueries value:

0080adb32ff4}\inprocserver32]

Queries value:  $HKLM \setminus software \setminus classes \\ [clsid \setminus \{11c1d741-a95b-11d2-8a80-a95b-11d2-8a00-a95b-11d2-8a00-a95b-11d2-8a00-a9$ 

0080adb32ff4}\inprocserver32]

Queries value: HKCU\software\classes\[ftp++.link\shell\open\command] Queries value: HKLM\software\classes[ftp++.link\shell\open\command]

Sets/Creates value:

Sets/Creates value:

 $\label{local-hammon} HKCU \software \mbox{$\operatorname{$\operatorname{MKCU}}$ imtc70[flags notify valid] Sets/Creates value:} \\$ 

 $\label{lem:hkcu} HKCU \software \microsoft \windows \current version \label{lem:hkcu} imtc \cite{thm:hkcu} [record changed show] Sets/Creates value:$ 

 $\label{lem:hkcu} HKCU \software \microsoft \windows \current version \mbox{\current} setyle compressed persistent] Sets/Creates value:$ 

 $\label{local-observation} HKCU \software \mbox{\sc current version \lime \sc current} = \mbox{\sc current \sc current} = \mbox{\sc curre$ 

Sets/Creates value: HKLM\software\microsoft\windows\currentversion\run[sonyagent]

Value changes:

HKCU\software\microsoft\windows\currentversion\ime\imtc70[heightnotifycurrent]