Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 3330, Task ID: 827

Task ID: 827 Risk Level: 10

Date Processed: 2016-05-18 10:42:37 (UTC)

Processing Time: 61.36 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1b213953a4baf79fadfe9968cf3a1446.exe"

Sample ID: 3330 Type: basic Owner: admin

Label: 1b213953a4baf79fadfe9968cf3a1446

Date Added: 2016-05-18 10:30:51 (UTC)

File Type: PE32:win32:gui File Size: PE32:win32:gui

MD5: 1b213953a4baf79fadfe9968cf3a1446

SHA256: 3de393336565e1e6d500ce152e99281a2e3d785c3c41dc1a2f0c7b242c134e57

Description: None

Pattern Matching Results

10 Resolves malicious domain: Fosniw trojan

HTTP connection - response code 404 (file not found)

4 Checks whether debugger is present

Process/Thread Events

Creates process: C:\windows\temp\1b213953a4baf79fadfe9968cf3a1446.exe

["C:\windows\temp\1b213953a4baf79fadfe9968cf3a1446.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

File System Events

Opens: C:\Windows\Prefetch\1B213953A4BAF79FADFE9968CF3A1-C996567E.pf

Opens: C:\Windows

Opens: C:\Windows\System32\wow64.dll

Opens: C:\Windows\SysWOW64

Opens: C:\Windows\SysWOW64\apphelp.dll

Opens: C:\Windows\Temp\lb213953a4baf79fadfe9968cf3a1446.exe
Opens: C:\Windows\SysWOW64\ntdll.dll

Opens: C:\Windows\SysWOW64\kernel32.dll Opens: C:\Windows\SysWOW64\KernelBase.dll Opens: C:\Windows\apppatch\sysmain.sdb Opens: C:\Windows\SysWOW64\netapi32.dll Opens: C:\Windows\SysWOW64\sechost.dll C:\Windows\SysWOW64\combase.dll Opens: Opens: C:\Windows\SysWOW64\netutils.dll Opens: C:\Windows\SysWOW64\srvcli.dll Opens: C:\Windows\SysWOW64\wkscli.dll Opens: C:\Windows\SysWOW64\gdi32.dll Opens: C:\Windows\SysWOW64\user32.dll C:\Windows\SysWOW64\msvcrt.dll Opens:

Opens: C:\Windows\SysWOW64\bcryptprimitives.dll Opens: C:\Windows\SysWOW64\cryptbase.dll C:\Windows\SysWOW64\sspicli.dll Opens: Opens: C:\Windows\SysWOW64\rpcrt4.dll Opens: C:\Windows\SysWOW64\advapi32.dll C:\Windows\SysWOW64\ole32.dll Opens: Opens: C:\Windows\SysWOW64\shlwapi.dll Opens: C:\Windows\SysWOW64\shell32.dll C:\Windows\SysWOW64\nsi.dll Opens:

 Opens:
 C:\Windows\SysWOW64\ws2_32.dl1

 Opens:
 C:\Windows\SysWOW64\imm32.dl1

 Opens:
 C:\Windows\SysWOW64\imm32.dl1

 Opens:
 C:\Windows\SysWOW64\oleaut32.dl1

 Opens:
 C:\Windows\SysWOW64\oleaut32.dl1

 Opens:
 C:\Windows\SysWOW64\oleaut32.dl1

 ${\tt Opens:} \hspace{1.5cm} {\tt C:\Windows\Globalization\Sorting\SortDefault.nls}$

Opens: C:\Windows\SysWOW64\netbios.dll Opens: C:\Windows\SysWOW64\mswsock.dll Opens: C:\Windows\SysWOW64\NapiNSP.dll Opens: C:\Windows\SysWOW64\pnrpnsp.dll Opens: C:\Windows\SysWOW64\nlaapi.dll C:\Windows\SysWOW64\dnsapi.dll Opens: C:\Windows\SysWOW64\winrnr.dll Opens: C:\Windows\SysWOW64\IPHLPAPI.DLL Opens: Opens: C:\Windows\SysWOW64\winnsi.dll Opens: C:\Windows\SysWOW64\dhcpcsvc6.dll

C:\Windows\SysWOW64\dhcpcsvc.dll Opens: C:\Windows\System32\Drivers\etc\hosts Opens: Opens: C:\Windows\SysWOW64\FWPUCLNT.DLL C:\Windows\SysWOW64\rasadhlp.dll Opens: Reads from: C:\Windows\System32\Drivers\etc\hosts

Network Events

DNS query: appx.koreasys1.com DNS query: appx.koreasys2.com DNS query: appx.koreasys3.com DNS query: appx.koreasys4.com DNS guery: appx.koreasys5.com DNS query: appx.koreasys6.com DNS query: appx.koreasys7.com appx.koreasys8.com DNS query: DNS query: appx.koreasys9.com DNS query: appx.koreasys10.com DNS query: appx.koreasys11.com DNS query: appx.koreasys12.com DNS query: appx.koreasys13.com DNS query: appx.koreasys14.com DNS query: appx.koreasys15.com DNS query: appx.koreasys16.com DNS query: appx.koreasys17.com DNS query: appx.koreasys18.com DNS query: appx.koreasys19.com DNS response: appx.koreasys1.com \Rightarrow 208.100.26.234 appx.koreasys3.com ⇒ 109.74.196.143 DNS response: appx.koreasys4.com ⇒ 192.155.89.148 DNS response: Connects to: 208.100.26.234:80 Connects to: 0.0.0.0:80 109.74.196.143:80 Connects to: Connects to: 192.155.89.148:80 Sends data to: 0.0.0.0:53 0.0.0.0:0 Sends data to: Sends data to: appx.koreasys3.com:80 (109.74.196.143) Sends data to: appx.koreasys4.com:80 (192.155.89.148) Receives data from: 0.0.0.0:53 Receives data from: appx.koreasys1.com:80 (208.100.26.234)

Windows Registry Events Creates key: Opens key: HKLM\software\microsoft\wow64 HKLM\system\currentcontrolset\control\safeboot\option Opens kev: Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll Opens key: HKLM\software\wow6432node\policies\microsoft\windows\safer\codeidentifiers Opens key: $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ safer\+ code identifiers$ HKCU\software\policies\microsoft\windows\safer\codeidentifiers Opens key: Opens kev: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\language Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages HKLM\system\currentcontrolset\control\mui\uilanguages\en-us Opens key: Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages\pendingdelete Opens key: HKLM\software\wow6432node\policies\microsoft\mui\settings Opens key: HKLM\software\policies\microsoft\mui\settings Opens key: HKCU\ HKCU\control panel\desktop\muicached\machinelanguageconfiguration Opens key: HKLM\system\currentcontrolset\control\mui\settings\languageconfiguration Opens key: Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration Opens kev: HKCU\control panel\desktop Opens key: HKCU\control panel\desktop\muicached HKLM\software\wow6432node\microsoft\windows\currentversion\sidebyside Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\dbglog Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens kev: HKI M\software\microsoft\windows nt\currentversion\appcompatflags\disable8and16bitmitigation Opens key: HKLM\system\currentcontrolset\control\session manager

 $HKLM \ software \ wow 6432 node \ microsoft \ windows \ nt \ current version \ limits ge \ file$ Opens key:

execution options

HKLM\software\microsoft\windows nt\currentversion\image file execution Opens key:

options\dllnxoptions

HKLM\software\wow6432node\microsoft\windows Opens key:

nt\currentversion\gre_initialize

HKLM\software\wow6432node\microsoft\windows Opens key:

nt\currentversion\compatibility32

HKLM\software\wow6432node\microsoft\windows nt\currentversion\ime Opens key:

compatibility

Opens key:

Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\windows

```
Opens key:
                     HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy
 Opens key:
                     HKLM\system\currentcontrolset\control\lsa
 Opens key:
HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
 Opens kev:
                     HKLM\software\wow6432node\microsoft\ole
 Opens key:
                     HKLM\software\wow6432node\microsoft\ole\tracing
 Opens key:
                     HKLM\software\microsoft\ole\tracing
                     HKLM\system\currentcontrolset\services\lanmanworkstation\parameters
 Opens key:
 Opens key:
                     HKLM\software\policies\microsoft\sqmclient\windows
 Opens key:
                     HKLM\software\microsoft\sqmclient\windows
                     HKCU\software\microsoft\windows\currentversion\directmanipulation
 Opens key:
 Opens key:
                     HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters
 Opens key:
                     Opens key:
                     HKLM\system\currentcontrolset\control\nls\sorting\ids
 Opens key:
                     HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
 Opens key:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus appid\_catalog \setminus 0.43 dd 2.11
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000005
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\0000000000008
 Opens key:
Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000003
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004
 Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000006
 Opens key:
                     HKCU\software\aaa2855861cf
 Opens key:
                     HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                     HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
                     HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                     HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
                     HKLM\software\wow6432node\microsoft\rpc
 Opens key:
 Opens key:
                     Opens key:
                     HKLM\svstem\setup
                     \label{lem:hklm} \mbox{ HKLM\software\wow6432} node\policies\mbox{\swindows nt\rpc}
 Opens key:
 Opens key:
                     HKLM\software\policies\microsoft\windows nt\rpc
 Opens key:
                     HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                     HKLM\software\wow6432node\policies\microsoft\windows nt\dnsclient
```

Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient

Opens kev: HKLM\software\wow6432node\policies\microsoft\system\dnsclient Opens key: HKLM\software\policies\microsoft\system\dnsclient

Opens key: HKLM\system\currentcontrolset\services\dns

Opens key: HKLM\system\currentcontrolset\control\sgmservicelist Opens key: HKLM\software\wow6432node\policies\microsoft\windows

nt\dnsclient\dnspolicyconfig

HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens key:

Opens key:

```
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
  Opens key:
HKLM \ system \ current control set \ services \ tcpip \ harameters \ interfaces \ \{b5105d63-74c6-4dc1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-87b7-40c1-8
55779daa70e9}
  Opens kev:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{97e1de57-d6fa-11e1-be62-
806e6f6e6963}
                                   Opens key:
  Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-
806e6f6e6963}
  Opens key:
25b8d56dd1d8}
  Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{4defd920-8095-41dc-aef5-
8a6dc56e0da9}
  Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{b5105d63-74c6-4dc1-87b7-
55779daa70e9}
  Opens key:
                                   HKLM\system\currentcontrolset\services\tcpip\linkage
  Opens key:
                                   HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
                                   HKLM\system\currentcontrolset\services\winsock\setup
  Opens kev:
migration\providers\tcpip6
  Queries value:
HKLM \ "software \ "policies \ "microsoft \ "windows \ "safer \ "code identifiers \ [transparente nabled]
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\customlocale[empty]
  Queries value:
HKLM\system\currentcontrolset\control\nls\language[installlanguagefallback]
                                   HKLM\system\currentcontrolset\control\mui\uilanguages\en-us[type]
  Queries value:
  Queries value:
                                   HKLM\system\currentcontrolset\control\mui\uilanguages\en-
us[alternatecodepage]
                                   HKCU\control panel\desktop[preferreduilanguages]
  Queries value:
  Queries value:
                                   HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
  Oueries value:
HKLM \ software \ wow 6432 node \ microsoft \ windows \ current version \ side by side \ [prefer external manifest]
                                   HKLM\system\currentcontrolset\control\nls\sorting\versions[]
  Oueries value:
                                   HKCU\software\microsoft\windows
  Oueries value:
nt\currentversion\appcompatflags[showdebuginfo]
                                   HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
  Queries value:
  Oueries value:
                                   HKLM\software\microsoft\windows nt\currentversion\image file execution
options\dllnxoptions[usefilter]
                                   HKLM\software\microsoft\windows nt\currentversion\image file execution
  Oueries value:
options\dllnxoptions[1b213953a4baf79fadfe9968cf3a1446.exe]
                                   HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\gre_initialize[disablemetafiles]
  Queries value:
                                   HKLM\software\wow6432node\microsoft\windows
nt\currentversion\compatibility32[1b213953a4baf79fadfe9968cf3a1446]
  Oueries value:
                                  HKLM\software\wow6432node\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
                                  HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
  Oueries value:
                                   HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
  Oueries value:
  Queries value:
                                   HKLM\software\microsoft\ole[pageallocatorusesystemheap]
                                   HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
  Queries value:
  Oueries value:
                                   HKLM\software\microsoft\ole[aggressivemtatesting]
  Queries value:
HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]
  Oueries value:
                                   HKLM\software\microsoft\sqmclient\windows[ceipenable]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
  Oueries value:
                                   HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
                                   HKLM \setminus system \setminus current control \setminus nls \setminus sorting \setminus ersions [000602xx]
  Queries value:
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\sorting\ids[en-us]
  Queries value:
                                   HKLM\system\currentcontrolset\control\nls\sorting\ids[en]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
  Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000003[packedcatalogitem]
  Oueries value:
```

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]

Oueries value:

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[addressfamily]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[addressfamily] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 000000000003 \ [storesserviceclassinfo] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath] Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \names pace_catalog 5 \catalog_entries \names \names$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[enabled]
 Queries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \names pace_catalog 5 \catalog_entries \names \names \pace_catalog 5 \catalog_entries \names \names \pace_catalog 5 \catalog_entries \names \$

```
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog\_entries \ (00000000004[storesserviceclass info]) \ (catalog\_entries) \ 
       Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000004 [provider info]
       Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[librarypath]
       Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
       Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog S \setminus catalog\_entries \setminus 0000000000005[providerid]
       Oueries value:
```

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000005 \ [address family]$

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[version] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring] Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog S \setminus catalog_entries \setminus 0000000000006[providerid]$ Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000006 \ [address family]$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace] Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog \ set alog_entries \ (00000000000006 \ [enabled]) \ (enabled)$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo] Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog \\ \setminus catalog_entries \setminus 0000000000006[provider info]$ Queries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ [ws2_32numhandle buckets]$

Queries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping] Oueries value:

Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip[winsock 2.0 provider id]

Queries value:

Oueries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]

HKLM\software\microsoft\rpc[maxrpcsize] Oueries value:

Queries value:

HKLM\svstem\setup[oobeinprogress] Oueries value: Queries value: HKLM\system\setup[systemsetupinprogress] Queries value: HKLM\software\microsoft\rpc[idletimerwindow]

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain]

 $HKLM \verb|\system| current controlset \verb|\services| dnscache \verb|\parameters[queryadaptername]|$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]

Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]

HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution] Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]

HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata] Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]

Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]

Oueries value:

Oueries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[screendefaultservers] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder] Oueries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[guervipmatching] HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[disablesmartnameresolution] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[preferlocaloverlowerbindingdns] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [query net bt fqdn]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[disablesmartprotocolreordering] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[udprecvbuffersize] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Queries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Oueries value: Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [updates ecurity level]$ Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [update to plevel domain zones]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [multicasts endermax time out]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[newdhcpsrvregistration] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[disableidnencoding] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enableidnmapping] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts] $HKLM \setminus system \setminus current control \setminus sqmservice list[sqmservice list]$ Queries value: Queries value: $HKLM \ system \ current controls et \ services \ tcpip \ (parameters \ interfaces \ \{b5105d63-74c6-4dc1-87b7-4054401-87b7-4054001-87b7-405401-87b7-405401-87b7-405401-87b7-405401-87b7-405401-87b7-405401-87b7-405401-87b7-8$ 55779daa70e9}[searchlist] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[enabledhcp] Queries value: 55779daa70e9}[registrationenabled] Oueries value: 55779daa70e9}[registeradaptername] Queries value: 55779daa70e9}[domain] Oueries value: 55779daa70e9}[dhcpdomain] Oueries value: $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{b5105d63-74c6-4dc1-87b7-40544401-87b7-40544401-87b7-40544401-87b7-405401-87b7-405401-875$ 55779daa70e9}[dhcpv6domain] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{b5105d63-74c6-4dc1-87b7-55779daa70e9}[nameserver] Oueries value: 55779daa70e9}[nameserver] Queries value: 55779daa70e9}[dhcpnameserver] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[registrationenabled] Queries value: 806e6f6e6963}[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[domain] Oueries value: 806e6f6e6963}[dhcpdomain] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[nameserver] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[dhcpnameserver] Oueries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind] Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{b5105d63-74c6-4dc1-87b7-55779daa70e9\} \ [queryadaptername]$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{b5105d63-74c6-4dc1-87b7-55779daa70e9}[disableadapterdomainname]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{b5105d63-74c6-4dc1-87b7-55779daa70e9\} \ [registration maxaddress count]$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{b5105d63-74c6-4dc1-87b7-55779daa70e9}[maxnumberofaddressestoregister]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{b5105d63-74c6-4dc1-87b7-55779daa70e9\} \ [enablemulticast]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[queryadaptername]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{97e1de57-d6fa-11e1-be62-806e6f6e6963\} \ [disable adapter domain name]$

Oueries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{97e1de57-d6fa-11e1-be62-806e6f6e6963\} \ [disable dynamic update]$

Queries value:

 $\label{thm:local-be} HKLM \system \current controls et \services \tcpip \parameters \ interfaces \ \{97e1de57-d6fa-11e1-be62-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{97e1de57-d6fa-11e1-be62-806e6f6e6963\} \ [registration max address count]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{97e1de57-d6fa-11e1-be62-806e6f6e6963}[maxnumberofaddressestoregister]

Queries value:

 $\label{thm:local-be} HKLM \system \current control set \services \true \parameters \nterfaces \end{497} \ [enable multicast]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]

HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6[winsock 2.0 provider id]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]

Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]