Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 71, Task ID: 284

Task ID: 284 Risk Level: 4

Date Processed: 2016-04-28 12:55:07 (UTC)

Processing Time: 62.76 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe"

Sample ID: 71
Type: basic
Owner: admin

Label: 1ecdbdc36d61f183e01cbab2fdedbf7c

Date Added: 2016-04-28 12:44:57 (UTC)

File Type: PE32:win32:gui File Size: 779576 bytes

MD5: 1ecdbdc36d61f183e01cbab2fdedbf7c

SHA256: def705b44be6093185dab301ae5f11eff75e6e077eef0a6b02cefde1c18b807f

Description: None

Pattern Matching Results

4 Checks whether debugger is present

Process/Thread Events

Creates process: C:\windows\temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe

["C:\windows\temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \KernelObjects\MaximumCommitCondition

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Opens:

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Opens: C:\Windows\Prefetch\1ECDBDC36D61F183E01CBAB2FDEDB-34D3B4E9.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls 6595b64144ccf1df 6.0.7601.17514 none 41e6975e2bd6f2b2\comctl32.dll

C:\Windows\System32\imm32.dll

Opens: C:\Windows\WindowsShell.Manifest Opens: C:\Windows\System32\rpcss.dll Opens: C:\windows\temp\CRYPTBASE.dll Opens: C:\Windows\System32\cryptbase.dll Opens: C:\Windows\System32\uxtheme.dll C:\Windows\Fonts\sserife.fon Opens: C:\windows\temp\dwmapi.dll Opens: C:\Windows\System32\dwmapi.dll Opens:

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\Fonts\StaticCache.dat

Opens: C:\Windows\Temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe

Opens: C:\Program Files\EF Talk Scriber\EFTS.LIC

Opens: C:\windows\temp\EFTS.LIC
Opens: C:\Users\Admin\AppData\Roaming
Opens: C:\Windows\System32\shell32.dl1

Opens: C:\

Opens: C:\Windows\System32\propsys.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db

Opens: C:\windows\temp\ntmarta.dll
Opens: C:\Windows\System32\ntmarta.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-

4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db

Opens: C:\Users\desktop.ini

Opens: C:\Users
Opens: C:\Users\Admin

Opens: C:\Users\Admin\AppData

Opens: C:\Windows\System32\en-US\setupapi.dll.mui

Opens: C:\Users\Admin\Desktop\desktop.ini

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick

Launch\User Pinned\TaskBar

Opens: C:\Program Files\EF Talk Scriber
Reads from: C:\Windows\Fonts\StaticCache.dat

Reads from: C:\Windows\Temp\1ecdbdc36d61f183e01cbab2fdedbf7c.exe

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Desktop\desktop.ini

Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings
Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ side by side \ assembly storage roots$

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: ${\tt HKLM \ } {\tt System \ } {\tt current control \ } {\tt locale}$

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced
Opens key: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes
Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\segoe ui
Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms sans serif

Opens key: HKCU\software\efsoftware

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ 1ecdbdc 36d61f183e01cbab2fdedbf7c.exe$

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key:

HKLM\software\microsoft\windows\shell\registeredapplications\urlassociations\directory\openwithprogids

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ property bag$

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key:

 $\label{twindows} HKCU software \end{area} HKCU software \end{area} HKCU software \end{area} (69d250e3-6c18-11e3-b3bc-806e6f6e6963) \\$

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[1ecdbdc36d61f183e01cbab2fdedbf7c]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]
Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKCU\control panel\desktop[smoothscroll]

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ advanced \ [enable balloon tips]$

Queries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow]

Queries value:

```
HKCU\software\microsoft\windows\currentversion\explorer\advanced[acclistviewv6]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]
   Queries value:
                                           HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe
ui1
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
   Oueries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
                                            HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane4]
                                            HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
                                           HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
   Oueries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
   Oueries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                                            HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
   Queries value:
                                            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                                           HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                                            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
   Oueries value:
sans serifl
                                            HKLM\software\microsoft\windows\currentversion[programfilesdir]
   Oueries value:
   Queries value:
a03a-e3ef65729f3d}[category]
   Oueries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-explorer\} \setminus \{3eb685db-65f6-explorer\} \setminus \{3eb685db-65f6-explorer\} \setminus \{3eb685db-6
a03a-e3ef65729f3d}[name]
   Queries value:
-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6
a03a-e3ef65729f3d}[parentfolder]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[description]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[relativepath]
   Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[parsingname]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[infotip]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}[localizedname]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
```

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[security]

a03a-e3ef65729f3d}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[streamresourcetype]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \slights \slight \sligh$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[foldertypeid]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cite{lem:hklm} [initfolder \chandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

 $08002b30309d \} \verb|\shellfolder[hidefolderverbs]|$

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsaliasednotifications]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hasnavigationenum]

Queries value:

 $HKLM \software \mbox{$\mathbb{C}$ in Nonenum [\{20d04fe0-3aea-1069-a2d8-08002b30309d\}]} \\$

Queries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e4-6c18-11e3-b3bc-806e6f6e6963\} [data]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-

11e3-b3bc-806e6f6e6963}[generation]

Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Oueries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[] Queries value:

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Oueries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity] Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder] Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias] Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling] Oueries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [autocheck select]$ Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Oueries value: HKCR\directory[docobject] Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace] Queries value: HKCR\folder[browseinplace]

Oueries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut] Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Oueries value: HKCR\directory[alwaysshowext] Queries value: HKCR\directory[nevershowext] Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Oueries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \cite{Abbert of the continuous of the continuou$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{bull-thm:local-prop} with the constant of the co$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} \cite{Category} \]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parentfolder]

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{$1b3$ea5dc-$b587-4786-$b4ef-$bd1dc332aeae} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[icon]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Queries value:

 $HKLM \ software \ incressft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-

 $0 fb 58b 01c 4a 4 \} \\ language profile \\ 0 x 0 0 0 0 0 0 0 0 \\ 0 0 0 1 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 1 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 1 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 1 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 2 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 3 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 3 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 4 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 4 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 3-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-a ea e 25577436 \} [enable] \\ 0 5 be a 5-ed 56-48 3d-a 2e 2-$

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \climate{Microsoft \charges} \end{subarray} \label{lem:hkcu}$

Queries value:

 $\label{thm:local-condition} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\}[generation]$