Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 114, Task ID: 456

Task ID: 456 Risk Level: 7

Date Processed: 2016-04-28 12:59:27 (UTC)

Processing Time: 61.23 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\71985e8a4de40ddc1151fafb929b5614.exe"

Sample ID: 114
Type: basic
Owner: admin

Label: 71985e8a4de40ddc1151fafb929b5614

Date Added: 2016-04-28 12:45:01 (UTC)
File Type: PE32:win32:gui

File Type: PE32:win32:gui File Size: 994608 bytes

MD5: 71985e8a4de40ddc1151fafb929b5614

SHA256: ad48111f30408fba6fe47b84d149e73078a391b9be4c27b334212071dcb6c88b

Description: None

Pattern Matching Results

3 Long sleep detected

- 6 Renames file on boot
- 2 PE: Nonstandard section
- 3 HTTP connection response code 200 (success) [HTTP, POST, GET, web, network, response code]
- 1 YARA score 1
- Signed by adware producer [Adware, PUA]
- 3 Connects to local host
- 4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

YARA rule hit:	OLE2
YARA rule hit:	Nonexecutable
Anomaly:	PE: Contains a virtual section
Anomaly:	PF: Contains one or more non-standard sections

Process/Thread Events

```
C:\windows\temp\71985e8a4de40ddc1151fafb929b5614.exe
 ["C:\windows\temp\71985e8a4de40ddc1151fafb929b5614.exe" ]
                                                                                     C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe
      Creates process:
 [C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe { "json_send_time" : "28/4/2016
14:59:53:407" , "product_id_version" : "" , "product_type" : "" , "product_id" : "" , "offer_id" : "85063" , "user_type" : "NULL" , "result" : "Success" , "user_operating_system_bits" : "" , "current_default_search" : "" , "current_homepage" : "" , "current_toolbars" : "" ,
"attempt_number": "1", "is_silent": "", "user_ms_dotnet_framework_ver": "",
"user_acount_type": "", "user_ie_version": "", "user_default_browser_version": "",
"user_default_browser": "", "user_service_pack": "", "user_operating_system": "",
"revision_number": "0", "build_id": "000000000", "dm_version": "1.3.7.9_NoStatic.130521.01",
 "bundle_id" : "8dea43ae-643c-435c-8c80-371666b121ed" , "machine_user_id" : "{AA376B8B-C156-48C9-
A692-903B12BD640E}" , "send_attempt" : "0" , "channel_id" : "" , "installation_session_id" : "8F5146AB-2EA1-413A-A786-25AOCC5088E4" , "publisher_internal_id" : "1" , "publisher_id" : "Brothersoft" , "publisher_account_id" : "Brothersoft" , "order" : "1.0" , "phase" : "Init" ,
 "Is_Test" : "0" }]
                                                                                     C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe
     Creates process:
  [C:\Users\land Admin\land ppData\land Local\land Temp\land sc58C2.tmp\land BI.exe { "user\_ie\_security\_level" : "Unknown-0" , leave the context of t
  json_send_time" : "28/4/2016 15:7:3:501" , "internal_error_description" : "HttpPost to CMS"
 result- try3: Error navigating (in GetNavigateError error code is -2146697211) to url:
http://cms.distributionengine.conduit-services.com//MainOffer/85004/?CurrentStep=1"
"internal_error_number": "3", "is_parallel": "0", "mrs_id": "-1", "vector_id": "581222", "rule_id": "580630", "product_id_version": "", "product_type": "", "product_id": "", "offer_id": "85063", "general_status_code": "6", "duration_details": "InitPluginsDir:0
 initializeParams:371 load_BITool:180 send_BI_Init:20 load_DownloadACC:120 retrieveUISource:10
unpack webappfolder: 0 unpack icon: 10 RetrieveMainOfferKey: 0 unpack OpenCandyDll: 291
load\_webapphost: 0 \ unpack\_ProxyInstaller: 30 \ navigate\_loading UI: 711 \ navigateAsync\_constMainOffer: 0 \ navigate\_loading UI: 711 \ navigate\_loa
 BuildUserProfile:10 retrieve cid:0 callService1:425529 parse_ResponseXml:1332
init_external_offer:0 DiscoverUserAgent:291 " , "phase_duration" : "" , "error_details" : "55
Failed to communicate with CMS for main offer" , "result" : "Error" ,
 "user_operating_system_bits" : "32" , "current_default_search" : "http://www.bing.com/search?
q={searchTerms}&src=IE-SearchBox&FORM=IE8SRC" , "current_homepage" : "about:blank" ,
"current_toolbars" : "" , "attempt_number" : "1" , "is_silent" : "0" ,
 "user_ms_dotnet_framework_ver" : "3.5" , "user_acount_type" : "" , "user_ie_version"
"8.0.7601.17514" , "user_default_browser_version" : "8.0.7601.17514" , "user_default_browser" : "IEXPLORE.EXE" , "user_service_pack" : "1.0" , "user_operating_system" : "Windows 7 Professional"
     "revision_number" : "0" , "build_id" : "000000000" , "dm_version" : "1.3.7.9_NoStatic.130521.01" "bundle_id" : "8dea43ae-643c-435c-8c80-371666b121ed" , "machine_user_id" : "{AA376B8B-C156-
48C9-A692-903B12BD640E}" , "send_attempt" : "0" , "channel_id" : "" , "installation_session_id" : "8F5146AB-2EA1-413A-A786-25A0CC5088E4" , "publisher_internal_id" : "1" , "publisher_id" : "Brothersoft" , "publisher_account_id" : "Brothersoft" , "order" : "2.0" , "phase" :
```

"InitComplete" , "Is_Test" : "0" }]

C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe Terminates process:

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex Creates mutex: \Sessions\1\BaseNamedObjects\ActiveSetupMutexId \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_ Creates mutex:

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet

files!content.ie5! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex \Sessions\1\BaseNamedObjects\WininetConnectionMutex Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex Creates mutex: Creates mutex: $\verb|\Sessions|1\BaseNamedObjects| CicLoadWinStaWinStaO|$

\Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 Creates mutex:

\Sessions\1\BaseNamedObjects\RasPbFile Creates mutex:

Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

\Sessions\1\BaseNamedObjects\ZonesCounterMutex Creates mutex:

 $\verb|\Sessions|| 1 \\| BaseNamedObjects\\| ZoneAttributeCacheCounterMutex|| \\$ Creates mutex: Creates mutex: $\verb|\Sessions|1| BaseNamedObjects| ZonesCacheCounterMutex|$

Creates mutex: $\verb|\Sessions|1\BaseNamedObjects|\ZonesLockedCacheCounterMutex|$

\Sessions\1\BaseNamedObjects\!IETld!Mutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX_0_208 Creates mutex: \Sessions\1\BaseNamedObjects_!SHMSFTHISTORY!_

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!mshist012016042820160429!

\KernelObjects\MaximumCommitCondition Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED Creates event:

\Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1 Creates event: Creates event: \Sessions\1\BaseNamedObjects\0leDfRootBBCEB880594EC127

\BaseNamedObjects\SvcctrlStartEvent_A3752DX Creates event:

Creates event: \BaseNamedObjects\BFE_Notify_Event_{6e6c1f22-567b-496e-8795-3344e000c04c} \BaseNamedObjects\BFE_Notify_Event_{248ea1d6-49b0-411f-9b72-Creates event:

2879736270ba}

\Sessions\1\BaseNamedObjects\DINPUTWINMM Creates event:

\BaseNamedObjects\BFE_Notify_Event_{c423fbd6-59ba-46dc-8edc-Creates event:

9c3bfe710ce6}

File System Events

The System Lv	erits
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nss583E.tmp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsi58AD.tmp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp</pre>
Creates:	C:\Users
Creates:	C:\Users\Admin
Creates:	C:\Users\Admin\AppData
Creates:	C:\Users\Admin\AppData\Local
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\System.dll</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\webapphost.dll</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\DM_loader.gif</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\DownloadACC.exe</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\Failed.htm</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\icon.png</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\OCSetupHlp.dll</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\ProxyInstaller.exe</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files</pre>
Creates:	<pre>C:\Users\Admin\AppData\Roaming</pre>
Creates:	<pre>C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\History</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\~DF40C2BCA10CB4A107.TMP</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\inetc.dll</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\offer.xml</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsv5F53.tmp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsz5FF4.tmp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\inetc.dll</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\a.txt</pre>
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet</pre>
Files\Content.IE5\BX3U	L1GO\navcancl[1]
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet</pre>

Files\Content.IE5\KQ5TVCON\navcancl[1]

 ${\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}$

Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet

```
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Creates
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info 48[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
 Creates
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\bullet[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\info_48[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\down[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\xml.dll
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
 Creates
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\down[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\nsArray.dll
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
 Creates:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\WG2VLW5Y\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\bullet[1]
                         C:\Users\Admin\AppData\Local\Temp\nsh8C77.tmp
 Creates:
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsr8C82.tmp
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\inetc.dll
                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\a.txt
 Creates:
 Creates:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
 Creates:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\index.dat
 Creates:
                         C:\Users\Admin\Favorites
```

```
C:\Windows\Prefetch\71985E8A4DE40DDC1151FAFB929B5-AA99FAD5.pf
  Opens:
  Opens:
                                    C:\Windows\Svstem32
  Opens:
                                    C:\Windows\System32\sechost.dll
                                    C:\windows\temp\71985e8a4de40ddc1151fafb929b5614.exe.Local\
  Opens:
  Opens:
                                    C:\Windows\winsxs\x86 microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
  Opens:
                                    C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
  Opens:
                                    C:\windows\temp\VERSION.dll
  Opens:
                                    C:\Windows\System32\version.dll
  Opens:
                                    C:\Windows\System32\imm32.dll
  Opens:
                                    C:\Windows\System32\rpcss.dll
  Opens:
                                    C:\windows\temp\CRYPTBASE.dll
                                    C:\Windows\System32\cryptbase.dll
  Opens:
  Opens:
                                    C:\Windows\System32\uxtheme.dll
  Opens:
                                    C:\windows\temp\SHFOLDER.DLL
  Opens:
                                    C:\Windows\System32\shfolder.dll
  Opens:
                                    C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                    C:\Windows\System32\shell32.dll
  Opens:
                                    C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                                    C:\Windows\winsxs\x86_microsoft.windows.common-
  Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
  Opens:
                                    C:\Windows\WindowsShell.Manifest
  Opens:
                                    C:\
  Opens:
                                    C:\Windows
  Opens:
                                    C:\Windows\System32\propsys.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
  Opens:
                                    C:\windows\temp\ntmarta.dll
  Opens:
                                    C:\Windows\System32\ntmarta.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
  Opens:
                                    C:\Windows\System32\en-US\setupapi.dll.mui
  Opens:
                                    C:\Users\Admin\Desktop\desktop.ini
  Opens:
                                    C:\windows\temp\profapi.dll
  Opens:
                                    C:\Windows\System32\profapi.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp
                                    C: \verb|\Users| Admin\\| AppData\\| Local\\| Temp\\| nss583E.tmp
  Opens:
  Opens:
                                    C:\Windows\Temp\71985e8a4de40ddc1151fafb929b5614.exe
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp
                                    C:\Users
  Opens:
  Opens:
                                    C:\Users\Admin
  Opens:
                                    C:\Users\Admin\AppData
                                    C:\Users\Admin\AppData\Local
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\System.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\webapphost.dll
  Opens:
                                    C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\WINSPOOL.DRV| \\
  Opens:
                                    C:\Windows\System32\winspool.drv
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\oledlg.dll
  Opens:
  Opens:
                                    C:\Windows\System32\oledlg.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\OLEACC.dll
  Opens:
                                    C:\Windows\Svstem32\oleacc.dll
  Opens:
                                    C:\windows\temp\OLEACCRC.DLL
  Opens:
                                    C:\Windows\System32\oleaccrc.dll
  Opens:
Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\webapphostLOC.dll
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe
  Opens:
  Opens:
                                    C:\Windows\System32\apphelp.dll
  Opens:
                                    C:\Windows\AppPatch\sysmain.sdb
  Opens:
                                    C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\ui\SwDRM.dll|
  Opens:
                                    C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\DM\_loader.gif|
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\DownloadACC.exe
                                    C:\Windows\Prefetch\BI.EXE-76F7CC82.pf
  Opens:
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe.Local\
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\VERSION.dll
  Opens:
                                    C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\CRYPTBASE.dll|
  Opens:
                                    Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\ntmarta.dll
  Opens:
                                    C:\Users\desktop.ini
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\profapi.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\Failed.htm
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\icon.png
  Opens:
                                    C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\OCSetupHlp.dll
                                    \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
  Opens:
  Opens:
                                    C:\Windows\System32\wininet.dll
  Opens:
                                    C:\windows\temp\SspiCli.dll
  Opens:
                                    C:\Windows\System32\sspicli.dll
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
  Opens:
                                    C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

```
Files\Content.IE5
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\desktop.ini
                         C:\Users\Admin\AppData\Roaming
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\index.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\index.dat
 Opens:
                         C:\windows\temp\dnsapi.DLL
 Opens:
                         C:\Windows\System32\dnsapi.dll
 Opens:
                         C:\windows\temp\iphlpapi.DLL
 Opens:
                         C:\Windows\System32\IPHLPAPI.DLL
 Opens:
                         C:\windows\temp\WINNSI.DLL
 Opens:
                         C:\Windows\System32\winnsi.dll
 Opens:
                         C:\Windows\Fonts\sserife.fon
 Opens:
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
 Opens:
                         C:\windows\temp\CRYPTSP.dll
                         C:\Windows\System32\cryptsp.dll
 Opens:
 Opens:
                         C:\Windows\System32\rsaenh.dll
 Opens:
                         C:\Windows\System32\asycfilt.dll
 Opens:
                         C:\Users\Admin\Searches\desktop.ini
 Opens:
                         C:\Users\Admin\Videos\desktop.ini
 Opens:
                         C:\Users\Admin\Pictures\desktop.ini
 Opens:
                         C:\Users\Admin\Contacts\desktop.ini
 Opens:
                         C:\Users\Admin\Favorites\desktop.ini
 Opens:
                         C:\Users\Admin\Music\desktop.ini
 Opens:
                         C:\Windows\System32\ieframe.dll
 Opens:
                         C:\Users\Admin\Downloads\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\inetc.dll
 Opens:
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
                         C:\Users\Admin\Links\desktop.ini
 Opens:
                         C:\Users\Admin\Saved Games\desktop.ini
 Opens:
                         C:\windows\temp\icon.png
 Opens:
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\apphelp.dll
                         C:\Windows\System32\shdocvw.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsv5F53.tmp
                         C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp
 Opens:
 Opens:
                         C:\windows\temp\RASAPI32.dll
 Opens:
                         C:\Windows\System32\rasapi32.dll
 Opens:
                         C:\windows\temp\rasman.dll
 Opens:
                         C:\Windows\System32\rasman.dll
 Opens:
                         C:\windows\temp\rtutils.dll
 Opens:
                         C:\Windows\Svstem32\rtutils.dll
```

Opens: C:\ProgramData\Microsoft\Network\Connections\Pbk\

Opens: C:\Windows\System32\ras

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk

Opens: C:\windows\temp\sensapi.dll Opens: C:\Windows\System32\SensApi.dll

Opens: C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\inetc.dll C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\dwmapi.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\SspiCli.dll Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\dnsapi.DLL Opens: $C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\iphlpapi.DLL|$ Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\WINNSI.DLL

Opens: C:\Windows\System32\en-US\ieframe.dll.mui

Opens: C:\Windows\System32\nlaapi.dll

Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\RASAPI32.dll Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\rasman.dll $C: \verb|\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\rtutils.dll|$ Opens:

Opens: C:\Windows\System32\mshtml.dll

C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\sensapi.dll Opens:

Opens: C:\Windows\System32\msls31.dll

Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\rasadhlp.dll

Opens: C:\Windows\System32\rasadhlp.dll Opens: C:\windows\temp\rasadhlp.dll

Opens: C:\Windows\System32\NapiNSP.dll C:\Windows\System32\pnrpnsp.dll Opens: Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\winrnr.dll Opens: C:\Windows\System32\WSHTCPIP.DLL Opens: C:\Windows\System32\wship6.dll

Opens:

C:\Windows\System32\dhcpcsvc6.dll Opens:

Opens: C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\dhcpcsvc.DLL

```
C:\Windows\System32\dhcpcsvc.dll
 Opens:
                         C:\windows\temp\ieframe.dll
 Opens:
 Opens:
                         C:ieframe.dll
                         C:\windows\temp\dhcpcsvc6.DLL
 Opens:
 Opens:
                         C:\windows\temp\dhcpcsvc.DLL
 Opens:
                         C:\Windows\system32\ieframe.dll:Zone.Identifier
 Opens:
                         C:\Windows\System32\drivers\etc\hosts
                         C:\Windows\System32\FWPUCLNT.DLL
 Opens:
 Opens:
                         C:\Windows\System32\netprofm.dll
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\CRYPTSP.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\RpcRtRemote.dll
 Opens:
 Opens:
                         C:\Windows\System32\RpcRtRemote.dll
 Opens:
                         C:\windows\temp\RpcRtRemote.dll
 Opens:
                         C:\Windows\System32\npmproxy.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[1]
 Opens:
                         C:\Windows\System32\en-US\urlmon.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\navcancl[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
 Opens:
                         C:\Windows\System32\msimtf.dll
 Opens:
                         C:\windows\temp\MLANG.dll
 Opens:
                         C:\Windows\System32\mlang.dll
 Opens:
                         C:\Windows\System32\jscript.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info_48[1]
 Opens:
                         C:\windows\temp\ImgUtil.dll
 Opens:
                         C:\Windows\System32\imgutil.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         C:\Windows\System32\pngfilt.dll
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\a.txt
 Opens:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                         Opens:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\down[1]
 Opens:
                         C:\Windows\Fonts\wingding.ttf
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\xml.dll
 Opens:
                         C:\Windows\System32\en-US\mshtml.dll.mui
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\offer.xml
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

```
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\bullet[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\nsArray.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\info_48[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\down[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\WG2VLW5Y\bullet[1]
 Opens:
                         C:
 Opens:
                         C:\Program Files
 Opens:
                         C:\Program Files\Common Files
 Opens:
                         C:\Program Files\Common Files\microsoft shared
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink
 Opens:
                         C:\windows\temp\WINMM.dll
 Opens:
                         C:\Windows\System32\winmm.dll
                         C:\Windows\System32\en-US\winmm.dll.mui
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
 Opens:
                         C:\Windows\Media\Windows Navigation Start.wav
 Opens:
                         C:\windows\temp\MMDevAPI.DLL
 Opens:
                         C:\Windows\System32\MMDevAPI.dll
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows
 Opens:
                         C:\Users\Admin\Desktop
 Opens:
                         C:\Users\Admin\Documents
 Opens:
                         C:\Users\Admin\Music
                         C:\Users\Admin\Pictures
 Opens:
 Opens:
                         C:\Users\Admin\Searches
 Opens:
                         C:\Users\Admin\Videos
                         C:\Windows\Fonts
 Opens:
 Opens:
                         C:\Windows\Globalization
 Opens:
                         C:\Windows\Globalization\Sorting
 Opens:
                         C:\Windows\System32\drivers
 Opens:
                         C:\Windows\System32\drivers\etc
 Opens:
                         C:\Windows\System32\en-US
 Opens:
                         C:\Windows\System32\ntdll.dll
 Opens:
                         C:\Windows\System32\kernel32.dll
 Opens:
                         C:\Windows\System32\apisetschema.dll
 Opens:
                         C:\Windows\System32\KernelBase.dll
 Opens:
                         C:\Windows\System32\locale.nls
 Opens:
                         C:\Windows\System32\user32.dll
 Opens:
                         C:\Windows\System32\gdi32.dll
 Opens:
                         C:\Windows\System32\lpk.dll
 Opens:
                         C:\Windows\System32\usp10.dll
 Opens:
                         C:\Windows\System32\msvcrt.dll
 Opens:
                         C:\Windows\System32\shlwapi.dll
 Opens:
                         C:\Windows\System32\advapi32.dll
 Opens:
                         C:\Windows\System32\rpcrt4.dll
 Opens:
                         C:\Windows\System32\ole32.dll
 Opens:
                         C:\Windows\System32\msctf.dll
 Opens:
                         C:\Windows\System32\oleaut32.dll
 Opens:
                         C:\Windows\System32\clbcatq.dll
 Opens:
                         C:\Windows\System32\setupapi.dll
                         C:\Windows\System32\cfgmgr32.dll
 Opens:
 Opens:
                         C:\Windows\System32\devobj.dll
 Opens:
                         C:\Windows\System32\Wldap32.dll
                         C:\Windows\System32\en-US\NetProjW.dll.mui
 Opens:
 Opens:
                         C:\Windows\System32\NetProjW.dll
 Opens:
                         C:\Program Files\Common Files\microsoft shared\ink\mip.exe
 Opens:
                         C:\Windows\System32\en-US\DisplaySwitch.exe.mui
 Opens:
                         C:\Windows\System32\en-US\unregmp2.exe.mui
 Opens:
                         C:\Windows\System32\WindowsAnytimeUpgradeui.exe
 Opens:
                         C:\Windows\System32\en-US\sud.dll.mui
 Opens:
                         C:\USERS\ADMIN\APPDATA\LOCAL\TEMP\NSJ6081.TMP\INETC.DLL
 Opens:
                         C:\Windows\Svstem32\urlmon.dll
 Opens:
                         C:\Windows\System32\crypt32.dll
```

```
C:\Windows\System32\msasn1.dll
   Opens:
                                         C:\Windows\Svstem32\iertutil.dll
   Opens:
                                         C:\Windows\System32\ws2_32.dll
   Opens:
                                         C:\Windows\System32\nsi.dll
   Opens:
                                         C:\Windows\System32\normaliz.dll
   Opens:
                                         \label{lem:condition} C: \Users \land Admin \land App Data \land Local \land Temp \land SC2.tmp \land Failed.htm: Zone. Identifier \land Local \land Temp \land SC2.tmp \land 
   Opens:
                                         C:\Windows\Fonts\arial.ttf
                                         C:\Users\Admin\AppData\Local\Temp\nsh8C77.tmp
   Opens:
   Opens:
                                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp
   Opens:
                                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\inetc.dll
   Opens:
                                         C:\Windows\Fonts\arialbd.ttf
   Opens:
                                         C:\Windows\System32\en-US\mlang.dll.mui
   Opens:
                                         C:\Windows\System32\C_1250.NLS
                                         C:\Windows\System32\C_1251.NLS
   Opens:
   Opens:
                                         C:\Windows\System32\C_1253.NLS
   Opens:
                                         C:\Windows\System32\C_1254.NLS
                                         C:\Windows\System32\C_1255.NLS
   Opens:
   Opens:
                                         C:\Windows\System32\C_1256.NLS
   Opens:
                                         C:\Windows\System32\C_1257.NLS
                                         C:\Windows\System32\C_1258.NLS
   Opens:
   Opens:
                                         C:\Windows\System32\C_874.NLS
   Opens:
                                         C:\Windows\System32\C_932.NLS
                                         C:\Windows\System32\C_936.NLS
   Opens:
   Opens:
                                         C:\Windows\System32\C_949.NLS
   Opens:
                                         C:\Windows\System32\C_950.NLS
   Opens:
                                         C:\Windows\System32\C_1361.NLS
   Opens:
                                         C:\Windows\Fonts\verdana.ttf
   Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\
   Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
   Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\index.dat
   Opens:
                                         C:\Windows\System32\en-US\shell32.dll.mui
   Opens:
                                         C:\Users\Admin\Favorites
                                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\a.txt
   Opens:
   Opens:
                                         C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsi58AD.tmp
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\System.dll
   Writes to:
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\webapphost.dll
   Writes to:
                                         C: \label{local-Temp} $$C: \SC2.tmp\BI.exe $$
                                         C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\DM\_loader.gif|
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\DownloadACC.exe
   Writes to:
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\Failed.htm
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\icon.png
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\OCSetupHlp.dll
   Writes to:
   Writes to:
                                         Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\inetc.dll
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsz5FF4.tmp
   Writes to:
                                         C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\inetc.dll
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
   Writes to:
Files\Content.IE5\BX3UL1G0\navcancl[11
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\navcancl[1]
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Writes to:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
                                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
   Writes to:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
   Writes to:
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[2]
  Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
   Writes to:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Writes to:
Files\Content.IE5\X3IPB3Z1\info_48[1]
   Writes to:
                                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
Files\Content.IE5\BX3UL1G0\bullet[1]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
  Writes to:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
                                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
  Writes to:
Files\Content.IE5\KQ5TVCON\info_48[1]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\bullet[1]
   Writes to:
                                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

Opens:

```
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1GO\httpErrorPagesScripts[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\bullet[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\down[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\offer.xml
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\xml.dll
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\bullet[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\down[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\down[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\nsArray.dll
 Writes to:
                          {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Writes to:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\info_48[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\down[1]
 Writes to:
                          {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\WG2VLW5Y\bullet[1]
                          C:\Users\Admin\AppData\Local\Temp\nsr8C82.tmp
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\inetc.dll
 Writes to:
 Writes to:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History.IE5\MSHist012016042820160429\index.dat
 Reads from:
                          C:\Users\Admin\Desktop\desktop.ini
                          C:\Windows\Temp\71985e8a4de40ddc1151fafb929b5614.exe
 Reads from:
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsi58AD.tmp
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\BI.exe
 Reads from:
                          C:\Users\desktop.ini
 Reads from:
                          C:\Users\Admin\Searches\desktop.ini
 Reads from:
                          C:\Users\Admin\Videos\desktop.ini
 Reads from:
                          C:\Users\Admin\Pictures\desktop.ini
 Reads from:
                          C:\Users\Admin\Contacts\desktop.ini
 Reads from:
                          C:\Users\Admin\Favorites\desktop.ini
                          C:\Users\Admin\Music\desktop.ini
 Reads from:
 Reads from:
                          C:\Users\Admin\Downloads\desktop.ini
 Reads from:
                          C:\Users\Admin\Documents\desktop.ini
 Reads from:
                          C:\Users\Admin\Links\desktop.ini
 Reads from:
                          C:\Windows\Fonts\StaticCache.dat
 Reads from:
                          C:\Users\Admin\Saved Games\desktop.ini
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsz5FF4.tmp
 Reads from:
                          C:\Windows\System32\drivers\etc\hosts
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp\offer.xml
                          C:\Windows\Prefetch\BI.EXE-76F7CC82.pf
 Reads from:
 Reads from:
                          C:\Windows\Media\Windows Navigation Start.way
                          C: \verb|\USers\Admin\AppData\Local\Temp\nsc58C2.tmp\Failed.htm| \\
 Reads from:
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsr8C82.tmp
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Reads from:
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nss583E.tmp
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nsc58C2.tmp
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nsv5F53.tmp
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[1]
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

Files\Content.IE5\KQ5TVC		
Deletes: Files\Content.IE5\BX3UL1	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary GO\ErrorPageTemplate[1]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3 Deletes:	<pre>Z1\errorPageStrings[1] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\BX3UL1	11	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\BX3UL1 Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3	Z1\httpErrorPagesScripts[1]	
Deletes: Files\Content.IE5\K05TVC	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary ON\background_gradient[1]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3 Deletes:	<pre>Z1\info_48[1] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\BX3UL1		Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\KQ5TVC Deletes:	.ON\ErrorPageTemp1ate[1] 	Internet
Files\Content.IE5\BX3UL1	GO\errorPageStrings[2]	
Deletes: Files\Content IF5\RX3III 1	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary GO\httpErrorPagesScripts[1]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
	Z1\background_gradient[1]	Tntownot
Deletes: Files\Content.IE5\KQ5TVC	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary ON\info_48[1]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3 Deletes:	<pre>\Z1\bullet[1] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
	GO\httpErrorPagesScripts[2]	
Deletes:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary GO\background_gradient[1]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\KQ5TVC		
Deletes: Deletes:	<pre>C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\a.txt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\KQ5TVC	ON\errorPageStrings[1]	
Deletes:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary G0\background_gradient[2]</pre>	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\BX3UL1 Deletes:		
Deletes:	<pre>C:\Users\Admin\AppData\Local\Temp\nsj6081.tmp\inetc.dll C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
· ·	ON\dnserrordiagoff_webOC[1]	
Deletes: Files\Content IF5\X3IPB3	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Z1\dnserrordiagoff_webOC[1]</pre>	Internet
	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\WG2VLW Deletes:	<pre>/5Y\ErrorPageTemplate[1] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
	ON\httpErrorPagesScripts[1]	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\BX3UL1 Deletes:	GU\lnTo_48[2] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3	Z1\down[1]	
Deletes: Files\Content.IE5\WG2VLW	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary ISY\errorPageStrings[1]</pre>	Internet
Deletes:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\BX3UL1 Deletes:	<pre>GO\bullet[2] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\BX3UL1	• • • • • • • • • • • • • • • • • • • •	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\X3IPB3 Deletes:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\WG2VLW	/5Y\httpErrorPagesScripts[1]	
Deletes: Files\Content.IE5\BX3UL1	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Deletes:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
	/5Y\background_gradient[1]	Tatamat
Deletes: Files\Content.IE5\BX3UL1	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary GO\dnserrordiagoff_webOC[1]</pre>	internet
Deletes:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary</pre>	Internet
Files\Content.IE5\WG2VLW Deletes:	/5Y\info_48[1] C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary	Internet
Files\Content.IE5\KQ5TVC	ON\down[1]	THECHICL
Deletes:	C:\Users\Admin\AppData\Local\Temp\nsh8C77.tmp	
Deletes: Deletes:	<pre>C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\a.txt</pre>	
Deletes:	C:\Users\Admin\AppData\Local\Temp\nsb8C8D.tmp\inetc.dll	

Network Events

DNS query: ude.conduit-data.com

DNS query: offering.service.distributionengine.conduit-services.com

DNS query: cms.distributionengine.conduit-services.com

DNS response: offering.service.distributionengine.ams.conduit-services.com ⇒

195.78.120.173

 Connects to:
 127.0.0.1:50669

 Connects to:
 195.78.120.173:80

 Sends data to:
 0.0.0.0:5355

 Sends data to:
 224.0.0.252:5355

 Sends data to:
 8.8.8.8:53

Sends data to: offering.service.distributionengine.ams.conduit-services.com:80

(195.78.120.173)

Receives data from: 8.8.8.8:53

Receives data from: offering.service.distributionengine.ams.conduit-services.com:80

(195.78.120.173)

Windows Registry Events

Creates key: HKCU\software\appdatalow\software\smartbar

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates key:

HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32

Creates kev:

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 71985e8a4de40ddc1151fafb929b5614_rasmancs$

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\connections

Creates key: HKLM\software\microsoft\tracing\bi_rasapi32
Creates key: HKLM\software\microsoft\tracing\bi_rasmancs

Creates key: HKCU\software\microsoft\windows nt\currentversion\network\location

awareness

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}\de-13-1b-76-c1-cc

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\de-13-1b-76-c1-cc

Creates key: HKLM\system\currentcontrolset\control\session manager

Creates key: HKCU\software\conduit\distributionengine\1\offerhistory\755131

Creates key: HKCU\software

Creates key: HKCU\software\conduit

Creates key: HKCU\software\conduit\distributionengine
Creates key: HKCU\software\conduit\distributionengine\1

Creates key: HKCU\software\conduit\distributionengine\1\offerhistory
Creates key: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\5.0| cache \verb|\extensible| cache \verb|\mshist012016042820160429|$

Creates key: HKCU\software\microsoft\internet explorer\main\windowssearch Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]
Deletes value:

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[autoconfigurl]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

 $\label{thm:local_problem} \begin{tabular}{ll} Deletes value: & HKLM\software\microsoft\windows\currentversion\internet & HKLM\software\microsoft\windows\currentversion\columnwidth) & HKLM\software\microsoft\windows\currentversion\columnwidth) & HKLM\software\microsoft\columnwidth) & HKLM\soft\columnwidth) & HKLM\soft\columnwidth)$

settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

 $Opens\ key: \\ HKCU \verb|\control| panel \verb|\desktop| muicached| machinelanguage configuration$

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

 $Opens\;key: \\ \qquad \qquad \mathsf{HKLM} \backslash \mathsf{software} \backslash \mathsf{windows} \backslash \mathsf{current} \\ \mathsf{version} \backslash \mathsf{sidebyside}$

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

 $Opens~key: \\ HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

 $\label{lem:continuous} Opens key: $$ HKCU\software\microsoft\windows\currentversion\policies\nonenum $$ Opens key: $$ HKLM\software\microsoft\windows\currentversion\policies\nonenum $$ Opens key: $$ Opens key: $$ HKLM\software\microsoft\windows\currentversion\policies\nonenum $$ Opens key: $$ Opens key$

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

 $Opens\ key: \\ HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced$

Opens key:

 $HKLM \label{lem:hklm} In the latest and the latest applications \label{lklm} which is a sociation solution of the latest application of the latest$

Opens key:

 $\label{thm:local_hammon} \begin{tabular}{l} HKCU \software \verb|microsoft| windows \shell \associations \urlassociations \associations \associa$

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

b029-7fe99a87c641}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b030_7fs00s07s6441\}rransvtyles

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $\label{thm:local_hammon_hammon} HKCU \software \microsoft \windows \current version \explorer \session in folders$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

b8dc300d9f9d}\progid

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrol\sta\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap
Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeddescriptions} \ abbeddescriptions \end{abbeddescriptions} \ abbddescriptions \end{abbeddescriptions} \ abbddescriptions \end{abbddescriptions} \ abbddescriptions \end{abbd$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens kev:

 $\label{thm:local-basis} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \column{tabular}{l}$

Opens key: HKCU\software\appdatalow\software\smartbar
Opens key: HKCU\software\clients\startmenuinternet
Opens key: HKLM\software\clients\startmenuinternet

Opens key: HKCU\software\classes\clsid

Opens key: HKCR\clsid

Opens key: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\bi.exe

Opens key: HKLM\system\currentcontrol\session manager\appcertdlls
Opens key: HKLM\system\currentcontrol\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKCU\software\microsoft\windows
Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\bi.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options
Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ bi. exemple \ descriptions \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$

Opens key:

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$

Opens key:

 $\label{thm:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}\ property bag$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\property\bag\end{figure}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $\label{thm:hklm} HkLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\}\ property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}

Opens key:

 $\label{thm:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ property bag$

Opens key:

Opens key:

 $\label{local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}

Opens key:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ 'property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\property\bag}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens key

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\propertybag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}$

Opens key

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\property\bag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}$

Opens key

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\property\bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $\label{thm:local-substance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Opens key:

Opens key:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}$

Opens key:

 $\label{thm:hklm} HkL\begin{tabular}{ll} HkL$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \def{descriptions} \def{d$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b\}$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}\ 'property bag$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}$

Opens kev:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \fc2c973 \c below \c 5abbf53-e17f-4121-8900-86626 \c 5abbf53-e17f-4121-8900-86626$

Opens kev:

 $\label{thm:local-substance} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}\property\bag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\property\bag\end{figure}$

Opens key:

 $HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} With the highest lemma \label{lem:hkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM \label{lk$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}}$

Opens key:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}\propertybag$

Opens kev:

 $HKLM \label{lem:hkklm} HKLM \label{lem:hkkl$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}\property\bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\property\bag\end{microsoft}$

Opens key:

 $HKLM \\ software \\ microsoft \\ windows \\ current version \\ explorer \\ folder descriptions \\ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\propertybag

Opens key:

80b6-090220c4b700}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\}\ property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}'$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\}$

Opens key:

 $\label{thm:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \defided a 3a9-6c82895e5c04 \property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwa$

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\propertybag

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}}$

Opens key:

 $\label{thm:local-soft-wave-local-windows} HKLM \end{array} which is a simple of the software in the software$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}\propertybag

Opens kev

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$

Opens key:

Onens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}$

Opens kev:

 $\label{thm:hklm} HKLM \ software \ ion \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e467b\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\property\bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\}$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\property\bag\end{microsoft}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftware$

Opens key:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\property\bag}$

Opens key

 $HKLM \software \mbox{$MLM$} is of tware \mbox{$microsoft$} windows \current version \explorer \folder descriptions \explorer \folder \fo$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 's plorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ 'property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\property\bag}$

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ b88f4daa-e7bd-49a9-b74d-02885a5dc765 \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\propertybag$

Opens key:

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hkklm} HKLM \label{lkklm} HKLM \label{lkklm} HKLM$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

 $Opens\ key: \\ \hspace*{0.5cm} \mathsf{HKCU} \\ software \\ \mathsf{policies} \\ \mathsf{microsoft} \\ \mathsf{windows} \\ \mathsf{current} \\ \mathsf{version} \\ \mathsf{internet} \\ \mathsf{version} \\ \mathsf{vers$

Settings Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings

Opens key: HKLM\software\policies
Opens key: HKCU\software\policies

Opens key: HKCU\software
Opens key: HKLM\software

Opens key: HKLM\software\policies\microsoft\internet explorer
Opens key: HKLM\software\policies\microsoft\internet explorer\main

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\}$

Opens key: HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
Opens key: HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content

 $Opens\ key: \\ \hspace{1.5cm} \text{HKLM} software \verb|\microsoft| windows \verb|\currentversion| internet| \\$

settings\5.0\cache\content Opens kev: ba85-6007caedcf9d} Opens kev: ba85-6007caedcf9d}\propertybag Opens key: b29c-65b732d3d21a}\propertybag Opens kev: 864c-16f3910ab8fe} Opens key: 864c-16f3910ab8fe}\propertybag Opens key: ba10-5e3608430854} HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\cookies HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\cookies Opens key: ba10-5e3608430854}\propertybag HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\history HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\history Opens kev: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{625b53c3-ab48-4ec1-ab48$ ba1f-a1ef4146fc19} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}\propertybag Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53} HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\domstore Opens key: ae3b-bf251ea09b53}\propertybag Opens key: a3bb-86e631204a23} Opens key: $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt internet}$ settings\5.0\cache\extensible cache\feedplat HKCU\software\microsoft\windows\currentversion\internet Opens kev: settings\5.0\cache\extensible cache\iecompat Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\ietld Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\privacie: Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}\propertybag Opens key: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-ef91$ b850-448b77cb37f9} Opens kev: HKCU\software\microsoft\internet explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\retry headeronlypost onconnectionreset Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_bufferbreaking_818408 Opens kev: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-ef91-45$ b850-448b77cb37f9}\propertybag Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7} Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_bufferbreaking_818408

explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954 Opens kev:

HKCU\software\microsoft\internet explorer\main\featurecontrol\feature skip post retry on internetwritefile kb895954

HKLM\software\microsoft\internet

Opens kev:

Opens key:

```
adb4-6c85480369c7}\propertybag
   Opens kev:
bedd-7aa20b227a9d}
                                                          HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\5.0\cache
   Opens key:
                                                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-
bedd-7aa20b227a9d}\propertybag
    Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca
a639-6d472d16972a}
    Opens key:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                                                         HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
    Opens key:
                                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                                                         HKCU\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
   Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
                                                          HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
                                                         HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
                                                         HKCU\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_allow_long_international_filenames
                                                          HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_allow_long_international_filenames
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
   Opens kev:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
    Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8c
a639-6d472d16972a}\propertybag
9148-0f4247291cfa}
                                                          HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
    Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                                                         HKCU\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                                                         HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature disallow null in response headers
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
   Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
    Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
   Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
                                                         HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature use utf8 for basic auth kb967545
    Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
    Opens key:
HKLM \label{lem:hklm} Software \mbox{$\pi$ irrentversion} \explorer \mbox{$\theta$ irrentversion} \explorer \mbox{$\theta$ irrentversion}.
9148-0f4247291cfa}\propertybag
    Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-
b2b2-ae6db6af4968}
   Opens kev:
HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-decent) \ decent \ dec
b2b2-ae6db6af4968}\propertybag
    Opens kev:
                                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
                                                         HKLM\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
    Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
```

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-

b85d-6c9ce15660cb}

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-

b85d-6c9ce15660cb}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-

9151-b08c6c32d1f7}

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\05d25ab1

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9

Opens key:

HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9\00000019

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\0000000000003 Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006 Opens key:

Opens key:

9151-b08c6c32d1f7}\propertybag

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\0000000000000 Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\000000000012 Opens key:

a079-df759e0509f7}

Opens key:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ (catalog_entries \ 0000000000013) \ (catalog_entries \ (catalog \ (catalog_entries \ (catalog \ (cata$ Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014 Opens key:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ (catalog_entries \ 0000000000015) \ (catalog_entries \ (catalog \ (catalog_entries \ (catalog \ (cata$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000018 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c

Opens kev:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001 Opens kev:

a079-df759e0509f7}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-

b89f-130c02886155}

Opens kev:

Opens kev:

b89f-130c02886155}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-aeb4-46$

a014-d097ee346d63}

Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace_catalog 5 \setminus catalog_entries \setminus 00000000000003$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-

a014-d097ee346d63}\propertybag

Opens key:

 $HKLM \software \mbox{$m$icrosoft\windows\currentversion} \end{$explorer$} \label{lem:hklm} Abstraction \software \mbox{microsoft\windows\currentversion} \end{$explorer$} \label{lem:hklm} Abstraction \software \mbox{microsoft\windows\currentversion} \end{$explorer$} \label{lem:hklm}$

874a-c0f2e0b9fa8e}

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0f$

874a-c0f2e0b9fa8e}\propertybag

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{43668 bf8-c14e-49b2-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c14e-49b0-c1$

97c9-747784d784b7}

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-e$

97c9-747784d784b7}\propertybag

Opens kev:

8fd7-f78dca774f87}

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\wpad

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615

Opens key:

8fd7-f78dca774f87}\propertybag

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key:

HKLM\software\microsoft\ctf\compatibility\71985e8a4de40ddc1151fafb929b5614.exe

Opens key: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}

Opens key:

b5b4-2d72e54eaaa4}

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key: HKLM\system\currentcontrol\lsa

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration

Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography\offload

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

b5b4-2d72e54eaaa4}\propertybag

 $Opens~key: \\ HKCU \setminus software \\ \\ classes \setminus clsid \\ \\ \{8856f961-340a-11d0-a96b-00c04fd705a2\} \\$

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\treatas

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treatas Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

 $00c04fd705a2\} \backslash progid$

00c04fd705a2}\inprocserver32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprochandler32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprochandler

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler

Opens key: HKCU\software\microsoft\internet explorer\main
Opens key: HKCU\software\microsoft\internet explorer\searchscopes

Opens key: HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-

472f-a0ff-e1416b8b2e3a}

Opens key: HKLM\system\currentcontrol\session manager\environment

Opens key: HKLM\software\microsoft\internet explorer\toolbar
Opens key: HKLM\software\microsoft\net framework setup\ndp

Opens key: $\mbox{HKLM} \mbox{software} \mbox{microsoft} \mbox{net framework setup} \mbox{ndp} \mbox{v2.0.50727}$

Opens key: HKLM\software\microsoft\net framework setup\ndp\v3.0 HKLM\software\microsoft\net framework setup\ndp\v3.5 Opens key: Opens kev: HKLM\software\microsoft\windows nt\currentversion HKCU\software\conduit\distributionengine\1\offerhistory Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

HKLM\software\microsoft\windows Opens kev:

nt\currentversion\languagepack\surrogatefallback

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus users files \setminus names pace$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders$

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'users files \ 'name space \ 'delegate folders \ '{dffacdc5-delegate folders}' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ '$ 679f-4156-8947-c5c76bc0b67f}

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace

Opens kev:

 $HKCU \ software \ icrosoft \ windows \ current version \ explorer \ session in fo \ 1 \ users files \ name space \ delegate folders$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder

Opens key: $HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ shell folder$

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_http_username_password_disable

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_http_username_password_disable

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ '{dffacdc5-d$ Opens key:

679f-4156-8947-c5c76bc0b67f}\shellfolder

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\inprocserver32

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32 Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked

HKCU\software\microsoft\windows nt\currentversion Opens kev:

HKLM\software\microsoft\windows nt\currentversion\appcompatflags Opens key:

HKLM\software\microsoft\windows Opens kev: nt\currentversion\appcompatflags\custom\shdocvw.dll

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} Opens kev: Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens kev: Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\inprochandler

Opens key: $HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ \ in prochandler$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens kev: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32 Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e} Opens kev: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\treatas

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid Opens kev: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32 Opens kev:

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: $HKCR \ clsid \ \{0e5aae11-a475-4c5b-ab00-c66de400274e\} \ line \ chandler$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

```
HKCR\clsid\{dffacdc5-679f-4156-8947-
 Opens key:
c5c76bc0b67f}\instance\initpropertybag
 Opens key:
8947-c5c76bc0b67f}
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_include_port_in_spn_kb908209
                        HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_include_port_in_spn_kb908209
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature mime handling
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling
 Opens key:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32
 Opens key:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\profilelist
 Opens key:
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
 Opens key:
                         HKLM\software\microsoft\sqmclient\windows\disabledsessions\
 Opens key:
                         HKLM\system\currentcontrolset\control\sqmservicelist
 Opens key:
                         HKU\
                         HKLM\software\microsoft\ctf\compatibility\bi.exe
 Opens kev:
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\350a0cc8-266b6a5b
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\350a0cc8
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
                        HKLM\software\microsoft\internet explorer\main
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\main
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder
 Opens key:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
42a0-1069-a2ea-08002b30309d}\shellfolder
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
 Opens key:
08002b30309d}\inprocserver32
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\tinprocserver 32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
 Opens key:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\treatas
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\treatas
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\progid
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler32
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler
 Opens kev:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler
 Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{871c5380-42a0-1069-
a2ea-08002b30309d}
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_iedde_register_protocol
                         HKCU\software\classes\autoproxytypes
 Opens key:
 Opens key:
                         HKCR\autoproxytypes
 Opens key:
                         HKCU\software\classes\autoproxytypes\application/x-internet-signup
 Opens key:
                         HKCR\autoproxytypes\application/x-internet-signup
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
 Opens key:
                         HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig
                         \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ internet\ explorer\+ browsere mulation
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\browseremulation
 Opens key:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig
 Opens key:
                         HKLM\software\microsoft\tracing\bi_rasapi32
 Opens key:
                         HKCU\software\classes\protocols\name-space handler\
 Opens key:
                         HKCR\protocols\name-space handler
 Opens key:
                         HKCU\software\classes\protocols\name-space handler\res\
 Opens key:
                         HKCR\protocols\name-space handler\res
```

HKCU\software\classes\protocols\name-space handler*\

HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}

HKCR\protocols\name-space handler*

HKCR\protocols\handler\res

HKCU\software\classes\protocols\handler\res

Opens key: HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}
Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\treatas

Opens kev:

Opens key:

Opens key:

Opens key:

Opens key:

HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\treatas Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-Opens key: 00aa00bdce0b}\progid HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\progid Opens key: Opens kev: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32 HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32 Opens key: Opens key: HKLM\software\microsoft\tracing\bi rasmancs $HKCU \setminus software \setminus classes \setminus clsid \setminus \{3050f3bc-98b5-11cf-bb82-11c$ Opens key: 00aa00bdce0b}\inprochandler32 Opens kev: HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32 Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler Opens key: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131 Opens kev: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_aria_support Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_aria_support HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_legacy_dispparams HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_legacy_dispparams Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_private_font_setting HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_private_font_setting HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_css_show_hide_events Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_css_show_hide_events HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_display_node_advise_kb833311 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_display_node_advise_kb833311 HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_allow_expanduri_bypass

HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_allow_expanduri_bypass Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245

HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature databinding support Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_databinding_support Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_enforce_bstr

HKLM\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature enforce bstr

Opens kev: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_enable_dynamic_object_caching

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_enable_dynamic_object_caching

HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_object_caching Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_object_caching Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_legacy_tostring_in_compatview

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_legacy_tostring_in_compatview

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454

Opens key: HKCU\software\microsoft\windows nt\currentversion\windows

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_cleanup_at_fls

HKLM\system\currentcontrolset\services\dnscache\parameters Opens kev: Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient

Opens key: HKLM\system\currentcontrolset\services\dns

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_cleanup_at_fls

HKLM\software\microsoft\windows\currentversion\app paths\outlook.exe Opens key: HKLM\software\microsoft\internet explorer\application compatibility Opens kev: Opens key: HKLM\software\policies\microsoft\internet explorer\domstorage HKCU\software\policies\microsoft\internet explorer\domstorage Opens key:

HKCU\software\microsoft\internet explorer\domstorage Opens key: Opens key: HKLM\software\microsoft\internet explorer\domstorage

HKLM\software\policies\microsoft\internet explorer\safety\privacie Opens key: HKCU\software\policies\microsoft\internet explorer\safety\privacie Opens key:

Opens key: HKCU\software\microsoft\internet explorer\safety\privacie Opens key: HKLM\software\microsoft\internet explorer\safety\privacie

 $\label{thm:locality} \mbox{HKLM\software\policies\mbox{$\mbox{microsoft\windows}$ nt\dnsclient\dnspolicyconfig} \\$ Opens key:

Opens key:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig Opens kev: HKLM\software\microsoft\internet explorer\mediatypeclass Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\accepted documents

Opens key: HKLM\software\microsoft\windows\currentversion\policies\ratings

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615 Opens key: HKLM\software\policies\microsoft\system\dnsclient

HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\domains\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\domains\

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\ranges\

HKCU\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\ranges\

HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_unc_savedfilecheck Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_unc_savedfilecheck

HKCU\software\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap Opens key:

HKCU\software\policies\microsoft\windows\currentversion\internet settings\zonemap

HKCU\software\microsoft\windows\currentversion\internet

Opens key:

settings\zonemap\ranges\

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap\protocoldefaults\

Opens key: HKLM\system\currentcontrolset\services\winsock\parameters Opens key: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\domains\

Opens key:

HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap\domains\

HKLM\software\policies\microsoft\internet explorer\security Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1 Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens key: HKLM\svstem\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\2 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\4

Opens kev: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zones\

HKCU\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zones\

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev:

settings\zones\0

```
Opens key:
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
   Opens key:
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\zones\1
   Opens key:
                                                   HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\
   Opens key:
                                                   HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
                                                   HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
   Opens key:
   Opens key:
                                                   \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zones\2
   Opens key:
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
   Opens key:
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
   Opens key:
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
   Opens key:
                                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                                   HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_localmachine_lockdown
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\
   Opens key:
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\
   Opens key:
                                                   HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\0
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\0
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\1
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\1
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\2
                                                   \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} explicitly independent of the local property of the local 
   Opens key:
settings\lockdown_zones\2
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\3
   Opens key:
                                                   \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\3
   Opens key:
                                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                                                  HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\4
                                                   HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\lockdown_zones\4
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
   Opens kev:
HKLM \ system \ current control set \ services \ tcpip 6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-41d1-ac17-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-428919e8-8a5e-4289196-8a5e-4289196-8a5e-4289196-869196-869196-869196-869196-869196-869196-869196-869196-869196
c19ce8a73253}
   Opens key:
                                                   HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
   Opens key:
c19ce8a73253}
   Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
   Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
   Opens key:
                                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
   Opens key:
                                                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
   Opens key:
                                                   HKCU\software\microsoft\internet explorer
   Opens key:
                                                   HKLM\software\microsoft\internet explorer
   Opens key:
```

```
1709a0196aed}
   Opens kev:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-
a68f334c8d34}
   Opens key:
                                                HKLM\system\currentcontrolset\services\tcpip\linkage
                                                HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_restrict_res_to_lmz
   Opens key:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_res_to_lmz
   Opens kev:
                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_load_shdoclc_resources
   Opens key:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_load_shdoclc_resources
   Opens key:
                                                HKCU\software\classes\.htm
   Opens key:
                                                HKCR\.htm
   Opens key:
                                                HKCU\software\classes\protocols\filter\text/html
   Opens key:
                                                HKCR\protocols\filter\text/html
   Opens key:
                                                \label{localization} \begin{tabular}{ll} HKCU \software \classes \clsid \dcb00c01-570f-4a9b-8d69-199fdba5723b} \end{tabular}
   Opens key:
                                                HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
   Opens key:
                                                HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\treatas
                                                HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
   Opens kev:
   Opens key:
                                                HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\progid
   Opens key:
                                                HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
   Opens key:
                                                HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32
                                                HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32
   Opens kev:
   Opens key:
                                                HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler32
                                                HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\\\\inprochandler32
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler
   Opens key:
                                                HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler
   Opens key:
                                                HKLM\software\microsoft\rpc\extensions
   Opens key:
                                                HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
                                                HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\treatas
   Opens key:
                                                HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas
   Opens key:
                                                HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\progid
                                                HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprocserver32
                                                HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32
   Opens key:
   Opens key:
                                                HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2 - c419 - 11d9 - a5b4 - c419 - c
001185ad2b89}\inprochandler32
                                                HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprochandler
                                                HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\} \ \ in prochandler
   Opens key:
   Opens key:
                                                HKCU\software\classes\appid\bi.exe
   Opens kev:
                                                HKCR\appid\bi.exe
                                                HKLM\software\microsoft\ole\appcompat
   Opens key:
   Opens key:
                                                HKCU\software\classes\appid\71985e8a4de40ddc1151fafb929b5614.exe
   Opens key:
                                                HKCR\appid\71985e8a4de40ddc1151fafb929b5614.exe
                                                \label{local-cond} \mbox{HKCU\software\classes\interface} \mbox{\{00000134-0000-0000-c000-000000000046\}} \mbox{\columnwidth} 
   Opens key:
   Opens key:
                                                HKCR\interface\{00000134-0000-0000-c000-00000000046}
   Opens key:
                                                HKCU\software\classes\interface\{00000134-0000-0000-c000-
000000000046}\proxystubclsid32
   Opens key:
                                                HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32
   Opens key:
                                                HKLM\system\currentcontrolset\services\bfe
                                                HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
   Opens key:
   Opens key:
                                                HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
   Opens key:
                                                HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-
199fdba5723b}\proxystubclsid32
   Opens key:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
   Opens kev:
                                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\treatas
                                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\}\treatas
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\progid
                                                HKCR \ clsid \ \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\} \ \ progid
   Opens key:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
   Opens key:
2299f0398e27}\inprocserver32
                                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
```

2299f0398e27}\inprochandler32
Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32

```
HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Opens key:
2299f0398e27}\inprochandler
                                    HKCR \ clsid \ \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\} \ \ in prochandler
  Opens kev:
                                    HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
  Opens key:
  Opens kev:
                                    HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
                                    HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-
  Opens key:
4f0ef901a406}\proxystubclsid32
                                   HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32
  Opens key:
  Opens key:
                                    HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
                                    HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
  Opens key:
  Opens kev:
                                    HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
6d613e2ceaec}\proxystubclsid32
  Opens key:
                                    HKCR \ line face \ \{8a40a45d-055c-4b62-abd7-6d613e2ceaec\} \ proxystubclsid 32d \ abd7-6d613e2ceaec\} \ line face 
                                    HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
  Opens key:
  Opens key:
                                    HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
  Opens key:
                                    HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-
00aa004bb851}\proxystubclsid32
                                    HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\treatas
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\progid
  Opens key:
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler32
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\ inprochandler
  Opens key:
  Opens key:
                                    HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
  Opens key:
                                    HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
                                    HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-
  Opens key:
4a74e101f8c1}\proxystubclsid32
  Opens key:
                                    HKCR\ interface \\ \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \\ \ proxystubclsid32
                                    HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
  Opens key:
  Opens key:
                                    HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
  Opens key:
                                    HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-
63278fcb8037}\proxystubclsid32
  Opens key:
                                    HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
                                   HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature safe bindtoobject
                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{25336920-03f9-11cf-8fd0-00aa00686f13\}
  Opens key:
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
  Opens key:
                                    HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
  Opens key:
00aa00686f13}\treatas
  Opens key:
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas
  Opens key:
                                    HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\progid
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32
  Opens key:
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler32
  Opens key:
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler32
                                    HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
  Opens kev:
00aa00686f13}\inprochandler
                                    HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler
  Opens kev:
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
  Opens key:
                                    HKLM\software\microsoft\internet explorer\security\floppy access
  Opens key:
                                    HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
```

detection

HKLM\software\microsoft\internet explorer\security\adv addrbar spoof Opens key: detection Opens kev: HKCU\software\classes\protocols\name-space handler\about\ HKCR\protocols\name-space handler\about Opens key: Opens kev: HKCU\software\classes\protocols\handler\about Opens key: HKCR\protocols\handler\about HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b} Opens key: Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b} HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-Opens key: 00aa00bdce0b}\treatas Opens kev: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\treatas Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid Opens key: Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32 Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32 Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32 Opens key: HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32 Opens key: HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler $HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\ \ in prochandler$ Opens kev: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_document_compatible_mode HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_document_compatible_mode Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_protocol_lockdown HKLM\software\policies\microsoft\internet explorer\zoom Opens key: Opens key: HKCU\software\policies\microsoft\internet explorer\zoom Opens key: HKCU\software\microsoft\internet explorer\zoom Opens key: HKLM\software\microsoft\internet explorer\zoom Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_weboc_document_zoom HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_weboc_document_zoom Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425 $\label{lem:hkcu} \verb+KKCU \software \policies \microsoft \normalism explorer$ Opens key: Opens key: HKCU\software\microsoft\internet explorer\international Opens key: HKLM\software\policies\microsoft\internet explorer\international\scripts $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \ internet explorer \ international \scripts \ \end{tabular}$ Opens key: Opens key: HKLM\software\microsoft\internet explorer\international\scripts

HKLM\software\policies\microsoft\internet explorer\settings Opens kev:

Opens key: HKCU\software\microsoft\internet explorer\settings Opens key: HKLM\software\microsoft\internet explorer\settings Opens key: HKCU\software\microsoft\internet explorer\styles

 $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+policies \verb+\active desktop+ active active desktop+ active active desktop+ active acti$ Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\policies Opens kev: HKCU\software\microsoft\internet explorer\pagesetup Opens key: HKCU\software\microsoft\internet explorer\menuext Opens key: HKCU\software\microsoft\internet explorer\menuext\%s Opens key: HKLM\system\currentcontrolset\control\nls\codepage

HKCU\software\microsoft\internet explorer\international\scripts\3 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\travellog Opens key: HKLM\software\microsoft\windows\currentversion\explorer\travellog

HKLM\software\microsoft\internet explorer\version vector Opens key:

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_zone_elevation HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_zone_elevation Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_sslux

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_sslux

HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_browser_emulation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation

Opens key: $\label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \begin{tabular}{ll} software \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} current version \begin{tabular}{ll} internet & settings \begin{tabular}{ll} software \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} current version \begin{tabular}{ll} microsoft \begin{tabular}{ll} microsof$

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination

Opens key: HKLM\software\microsoft\internet

```
Opens key:
                                                              HKLM\svstem\currentcontrolset\services\netbt\linkage
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature mshtml autoload ieframe
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
                                                              HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_enable_compat_logging
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_compat_logging
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_shim_mshelp_combine
                                                             HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_shim_mshelp_combine
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_subdownload_lockdown
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_subdownload_lockdown
                                                              HKCU\software\classes\.css
    Opens key:
    Opens key:
                                                              HKCR\.css
    Opens key:
                                                               HKCU\software\classes\protocols\filter\text/css
                                                              HKCR\protocols\filter\text/css
    Opens kev:
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation
                                                              \label{lem:hklm} \mbox{\tt HKLM\software\policies\mbox{\tt microsoft\internet\ explorer\dxtrans}}
    Opens key:
    Opens key:
                                                              HKCU\software\microsoft\internet explorer\dxtrans
    Opens key:
                                                               HKLM\software\microsoft\internet explorer\dxtrans
    Opens key:
                                                              HKCU\software\classes\.js
    Opens key:
                                                               HKCR\.js
    Opens key:
                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_feeds
                                                              HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_feeds
                                                              HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_block_lmz_script
    Opens key:
                                                              HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_script
    Opens key:
                                                              HKCU\software\policies\microsoft\windows\currentversion\internet
settings\
                                                               HKCU\software\microsoft\windows\currentversion\internet settings\
    Opens key:
    Opens key:
                                                               \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zonemap\
                                                               \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\internet}}
    Opens key:
settings\zonemap\
                                                               HKLM\software\policies\microsoft\internet explorer\restrictions
    Opens key:
                                                               HKCU\software\policies\microsoft\internet explorer\restrictions
    Opens key:
    Opens key:
                                                               HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
    Opens kev:
                                                               HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
    Opens key:
                                                               HKCU \setminus software \setminus classes \setminus clsid \setminus \{50d5107a - d278 - 4871 - 8989 - d278 - d
f4ceaaf59cfc}\treatas
                                                               HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treatas
    Opens key:
                                                               HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
    Opens key:
f4ceaaf59cfc}\progid
    Opens key:
                                                               HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\progid
    Opens key:
                                                              HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\inprocserver32
    Opens key:
                                                              HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32
                                                               HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
    Opens key:
f4ceaaf59cfc}\inprochandler32
    Opens key:
                                                              HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler32
                                                              HKCU \setminus software \setminus classes \setminus clsid \setminus \{50d5107a - d278 - 4871 - 8989 - d278 - d
    Opens key:
f4ceaaf59cfc}\inprochandler
    Opens key:
                                                               HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler
                                                               HKCU\software\policies\microsoft\internet explorer\control panel
    Opens key:
    Opens key:
                                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings\url history
    Opens key:
                                                               HKCU\software\policies\microsoft\windows\currentversion\internet
settings\url history
    Opens key:
                                                               HKCU\software\microsoft\windows\currentversion\internet settings\url
history
                                                               \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} soft \end{tabular} windows \current version \current settings \current version \current vers
    Opens key:
history
    Opens key:
                                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_urlecho
                                                              HKLM\software\microsoft\internet
    Opens key:
```

explorer\main\featurecontrol\feature_iedde_register_urlecho

explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination

Opens key:

HKCU\software\microsoft\internet explorer\ietld

```
HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
 Opens key:
 Opens key:
                          HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
                          HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
 Opens key:
00aa00bbbb58}\treatas
 Opens key:
                          HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\treatas
 Opens key:
                          HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\progid
                          HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\progid
 Opens key:
                          HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
 Opens key:
00aa00bbbb58}\inprocserver32
 Opens kev:
                          HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\inprocserver32
 Opens key:
                          HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\inprochandler32
                         HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbbb58\\\inprochandler32
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\inprochandler
                         HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprochandler
 Opens kev:
 Opens key:
                          HKLM\software\microsoft\windows script\features
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
 Opens key:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
                          HKLM\software\microsoft\internet explorer\activex compatibility
 Opens kev:
 Opens key:
                          HKLM\software\microsoft\internet explorer\activex
compatibility\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_scripturl_mitigation
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_scripturl_mitigation
 Opens key:
                          HKCU\software\classes\.jpg
 Opens key:
                          HKCR\.jpg
 Opens key:
                          HKCU\software\classes\protocols\filter\image/jpeg
 Opens key:
                          HKCR\protocols\filter\image/jpeg
 Opens key:
                          HKCU\software\classes\.png
                         HKCR\.png
 Opens key:
 Opens key:
                          HKCU\software\classes\protocols\filter\image/png
 Opens key:
                          HKCR\protocols\filter\image/png
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_block_lmz_img
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img
 Opens key:
                          HKCU \setminus software \setminus classes \setminus clsid \setminus \{30c3b080-30fb-11d0-b724-00aa006c1a01\}
                          HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}
 Opens kev:
                          HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
 Opens key:
00aa006c1a01}\treatas
                          HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\treatas
 Opens key:
                          HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
 Opens key:
00aa006c1a01}\progid
                          HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid
 Opens kev:
 Opens key:
                          HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprocserver32
                         HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32
 Opens key:
 Opens key:
                          HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
```

00aa006c1a01}\inprochandler32

Opens key: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprochandler32

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprochandler

 Opens key:
 HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprochandler

 Opens key:
 HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\

 Opens key:
 HKCR\clsid\\6a01fda0-30df-11d0-b724-00aa006c1a01\}

 Opens key:
 HKCU\software\classes\clsid\\6a01fda0-30df-11d0-b724

00aa006c1a01}\treatas

Opens key: HKCR\clsid\\6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas
Opens key: HKCU\software\classes\clsid\\6a01fda0-30df-11d0-b724-

00aa006c1a01}\progid

00aa006c1a01}\inprocserver32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32

00aa006c1a01}\inprochandler32

 $Opens\;key: \\ \qquad \qquad \mathsf{HKCR} \\ \mathsf{Clsid} \\ \\ \mathsf{6a01fda0-30df-11d0-b724-00aa006c1a01} \\ \\ \mathsf{inprochandler32}$

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler

Opens key: HKCU\software\classes\mime\database\content type

Opens key: HKCR\mime\database\content type

 $Opens\ key: \\ HKCU\software\classes\mbox{\mbox{\mbox{mime}\database$\content type}$ image/bmp\bits}$

Opens key: HKCR\mime\database\content type\image/bmp\bits

Opens key: HKCU\software\classes\mime\database\content type\image/gif\bits

Opens key: HKCR\mime\database\content type\image/gif\bits

Opens key: HKCU\software\classes\mime\database\content type\image/jpeg\bits

Opens key: HKCR\mime\database\content type\image/jpeg\bits

```
Opens key:
                          HKCU\software\classes\mime\database\content type\image/pjpeg\bits
 Opens key:
                          HKCR\mime\database\content type\image/pjpeg\bits
 Opens kev:
                          HKCU\software\classes\mime\database\content type\image/png\bits
                          HKCR\mime\database\content type\image/png\bits
 Opens key:
 Opens key:
                          HKCU\software\classes\mime\database\content type\image/tiff\bits
 Opens key:
                          HKCR\mime\database\content type\image/tiff\bits
 Opens key:
                          HKCU\software\classes\mime\database\content type\image/x-icon\bits
 Opens key:
                          HKCR\mime\database\content type\image/x-icon\bits
 Opens key:
                          HKCU\software\classes\mime\database\content type\image/x-jg\bits
 Opens key:
                          HKCR\mime\database\content type\image/x-jg\bits
                          HKCU\software\classes\mime\database\content type\image/x-png\bits
 Opens key:
 Opens key:
                          \label{lem:hkcr} \mbox{\tt HKCR} $$ \mbox{\tt HKCR} \mbox{\tt mime} \mbox{\tt database} \mbox{\tt content type} \mbox{\tt image/x-png} $$ \mbox{\tt bits} $$
 Opens key:
                          HKCU\software\classes\mime\database\content type\image/x-wmf\bits
 Opens key:
                          HKCR\mime\database\content type\image/x-wmf\bits
 Opens key:
                          HKCU\software\classes\mime\database\content type\image/x-png
 Opens key:
                          HKCR\mime\database\content type\image/x-png
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
 Opens kev:
 Opens key:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
 Opens key:
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\treatas
 Opens key:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\ \ treat as
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
 Opens key:
00a0c913f750}\progid
 Opens key:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid
 Opens key:
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprocserver32
 Opens key:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\
 Opens key:
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprochandler32
 Opens key:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\
 Opens key:
                          HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprochandler
 Opens key:
                          HKCR \verb|\clsid|{a3ccedf7-2de2-11d0-86f4-00a0c913f750} \verb|\inprochandler| \\
 Opens key:
                          HKLM\software\policies\microsoft\internet explorer\recovery
                          HKCU\software\microsoft\internet explorer\recovery
 Opens key:
 Opens key:
                          HKCU\software\microsoft\ftp
 Opens key:
                          HKLM\software\policies\microsoft\internet explorer\services
                          HKCU\software\microsoft\internet explorer\services
 Opens key:
 Opens key:
                          HKLM\software\policies\microsoft\internet explorer\activities
 Opens key:
                          HKCU\software\microsoft\internet explorer\activities
 Opens key:
                          HKLM\software\microsoft\internet explorer\activities
 Opens key:
                          HKLM\software\policies\microsoft\internet
explorer\infodelivery\restrictions
 Opens key:
                          HKCU\software\policies\microsoft\internet
explorer\infodelivery\restrictions
                          HKLM\software\policies\microsoft\internet explorer\suggested sites
 Opens key:
 Opens key:
                          HKCU\software\microsoft\internet explorer\suggested sites
 Opens key:
                          HKCU\software\microsoft\internet explorer\feed discovery
                          {\tt HKLM \backslash software \backslash microsoft \backslash internet\ explorer \backslash feed\ discovery}
 Opens kev:
                          HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_isolate_named_windows
 Opens key:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_isolate_named_windows
 Opens key:
                          HKCU\software\classes\protocols\name-space handler\http\
 Opens key:
                          HKCR\protocols\name-space handler\http
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet settings\user
agent
                          HKLM\software\microsoft\windows\currentversion\internet settings\user
 Opens key:
agent
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\user agent
 Opens kev:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\user agent
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\user agent
 Opens key:
                          \label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} windows \end{tabular} user \end{tabular}
agent\ua tokens
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet settings\user
agent\pre platform
                          HKLM\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\user agent\pre platform
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent\pre platform
 Opens key:
                          HKLM\software\microsoft\windows\currentversion\internet settings\user
agent\post platform
                          \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
 Opens key:
settings\5.0\user agent\post platform
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent\post platform
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver
```

```
HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_maxconnectionsperserver
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsper1_0server
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsper1_0server
                         HKCU\software\microsoft\windows\currentversion\urlmon settings
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_disable_legacy_compression
```

explorer\main\featurecontrol\feature_disable_legacy_compression

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{e569bde7 - a8dc - 47f3 - 893f - fd2b31b3eefd\}$ Opens key:

Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd} Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\treatas

 $HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\treatas$ Opens key: Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\progid

Opens key: $HKCR\clsid\e569bde7-a8dc-47f3-893f-fd2b31b3eefd\progid$ Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\inprocserver32

 $HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\ \ in procserver 32$ Opens key:

Opens kev: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\inprochandler32

Opens key: $HKCR\clsid\ensuremath{\clsid}\$

HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-Opens key:

fd2b31b3eefd}\inprochandler

HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprochandler Opens key:

HKCU\software\classes\protocols\name-space handler Opens kev:

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup

Opens key: HKCU\software\microsoft\internet explorer\searchproviders\

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature_binary_caller_service_provider

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_binary_caller_service_provider

HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_disable_navigation_sounds HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_disable_navigation_sounds

HKCU\appevents\schemes\apps\explorer\activatingdocument\.current Opens kev:

HKLM\system\currentcontrolset\control\windows Opens key:

Opens key: HKCU\appevents\schemes\apps\explorer\navigating\.current

Opens key: HKCU\appevents\schemes\

HKCU\appevents\schemes\apps\explorer\navigating\.current\active Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\drivers32

Opens kev: HKCU\software\classes\.htm\openwithprogids

Opens key: HKCR\.htm\openwithprogids

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\openwithprogids HKCU\software\microsoft\windows\currentversion\explorer\fileexts Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\userchoice

Opens key: HKCU\software\classes\htmlfile

Opens key: HKCR\htmlfile

Opens key: HKCU\software\classes\htmlfile\curver

Opens key: HKCR\htmlfile\curver HKCR\htmlfile\ Opens key:

Opens key:

HKCU\system\currentcontrolset\control\mediaproperties\privateproperties\joystick\winmm

HKCU\software\classes\htmlfile\shellex\iconhandler Opens key:

Opens key: HKCR\htmlfile\shellex\iconhandler

Opens key: HKCU\software\classes\htmlfile\docobject

HKCR\htmlfile\docobject Opens key:

Opens key: HKCU\software\classes\systemfileassociations\.htm

Opens key: HKCR\systemfileassociations\.htm

HKCU\software\microsoft\windows\currentversion\multimedia\midimap Opens key: Opens key: HKCU\software\classes\systemfileassociations\.htm\docobject

Opens key: HKCR\systemfileassociations\.htm\docobject

Opens key: HKCU\software\classes\systemfileassociations\document

Opens key: HKCR\systemfileassociations\document

HKCU\software\classes\htmlfile\browseinplace Opens kev:

Opens key: HKCR\htmlfile\browseinplace

```
HKCU\software\classes\systemfileassociations\.htm\browseinplace
 Opens key:
 Opens key:
                         HKCR\systemfileassociations\.htm\browseinplace
 Opens key:
                         HKCU\software\classes\htmlfile\clsid
                         HKCR\htmlfile\clsid
 Opens key:
 Opens kev:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\implemented categories\{00021490-0000-0000-c000-000000000046}
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\ implemented
 Opens key:
categories\{00021490-0000-0000-c000-00000000046}
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
 Opens key:
00aa004ae837}\inprocserver32
 Opens kev:
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\shellfolder
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\shellfolder
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
 Opens key:
 Opens kev:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\treatas
 Opens key:
                         HKCR\clsid\ere4bc40-e76a-11ce-a9bb-00aa004ae837\treatas
 Opens key:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\progid
 Opens key:
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\progid
 Opens kev:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler32
 Opens key:
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\\\\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler
 Opens key:
                         HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler
 Opens kev:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{e7e4bc40-e76a-11ce-
a9bb-00aa004ae837}
                         HKCU\software\classes\protocols\name-space handler\file\
 Opens key:
 Opens key:
                         HKCR\protocols\name-space handler\file
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_crossdomain_fix_kb867801
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_crossdomain_fix_kb867801
                         HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
 Opens key:
                         HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\treatas
                         HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\treatas
 Opens key:
```

Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{275c23e2-3747-11d0-9fea-1864\} + (275c23e2-3747-11d0-9fea-1864) + (275c23e2-3746) + (275c23e2-376) + (275c23e2-376) + (275c23e2-366) + (275c25e2-366) + (275c25e2-366) + (275c25e2-366) + (275c25e2-366) + (275c25e2-366) + (275c25e2-366)$

00aa003f8646}\progid

HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\progid Opens kev: Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprocserver32

HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler32

Opens kev: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler32

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler

HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\350a0cc8-34022ee2 Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-444553540000}

HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000} Opens key: Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\inprocserver32

 $\label{local-eq:hkcr} $$ HKCR\clsid{ff393560-c2a7-11cf-bff4-444553540000}\nprocserver 32 $$ $$$ Opens key:

HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-Opens kev:

444553540000}\shellfolder

 $HKCR \ clsid \ \{ff 393560-c2a 7-11c f-b ff 4-444553540000\} \ shell folder$ Opens key:

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\treatas

 $HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\$ Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-Opens kev: 444553540000}\progid

Opens key:

 $\label{local-condition} $$ HKCR\clsid{ff393560-c2a7-11cf-bff4-444553540000} \rightarrow \cline{HKCR} $$ (a) $$ (b) $$ (b) $$ (b) $$ (c) $$ (c)$ Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{ff393560 - c2a7 - 11cf - bff4 - c2a7 - c$

444553540000}\inprochandler32

 $HKCR\clsid\ff393560-c2a7-11cf-bff4-444553540000\clsid\ff393560-c2a7-11cf-bff4-444553540000\clsid\cls$ Opens key:

HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-Opens key:

444553540000}\inprochandler

HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ lobjects \ \{ff 393560-c2a7-11cf-market \ microsoft \ mic$ bff4-444553540000}

```
Opens key:
                                                              HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429
    Opens key:
                                                              HKCU\software\microsoft\windows\currentversion\app
paths\71985e8a4de40ddc1151fafb929b5614.exe
                                                             HKLM\software\microsoft\windows\currentversion\app
    Opens kev:
paths\71985e8a4de40ddc1151fafb929b5614.exe
    Opens key:
                                                             HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04feo-down \ clsid \ and \ and \ clsid \ and 
3aea-1069-a2d8-08002b30309d}
    Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus session \inf o 1 \setminus desktop \setminus names pace \setminus name customizations
    Opens key:
                                                              HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
    Opens key:
                                                              HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
    Opens key:
                                                              HKCU\software\microsoft\internet explorer\main\windowssearch
                                                              HKLM\software\policies\microsoft\internet explorer\feeds
    Opens key:
    Opens key:
                                                              HKCU\software\microsoft\internet explorer\feeds
    Opens key:
                                                              HKLM\software\microsoft\internet explorer\feeds
                                                              HKLM\software\microsoft\windows search
    Opens kev:
    Queries value:
                                                             HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
    Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
    Queries value:
                                                              HKCU\control panel\desktop[preferreduilanguages]
                                                             \label{lem:hkcu} \verb+ KKCU \control panel \ desktop \ muicached [machine preferred uilanguages]
    Queries value:
    Queries value:
HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
                                                             HKLM\system\currentcontrolset\control\nls\sorting\versions[]
    Queries value:
    Queries value:
                                                             HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
    Queries value:
                                                             HKLM\software\microsoft\windows
\verb|nt\currentversion\gre_initialize[disablemetafiles]|\\
                                                             HKLM\software\microsoft\windows
    Queries value:
nt\currentversion\compatibility32[71985e8a4de40ddc1151fafb929b5614]
                                                             HKLM\software\microsoft\windows
    Queries value:
nt\currentversion\windows[loadappinit_dlls]
    Queries value:
                                                             HKLM\software\microsoft\ole[pageallocatorusesystemheap]
                                                             HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
    Oueries value:
    Queries value:
                                                              HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
    Queries value:
                                                             HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[attributes]
    Queries value:
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d \} \verb|\shellfolder[callforattributes]|
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[restrictedattributes]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[wantsfordisplay]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[hidefolderverbs]
    Queries value:
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[queryforoverlay]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
    Queries value:
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Queries value:
08002b30309d}\shellfolder[hideinwebview]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
    Queries value:
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
    Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                             HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8
08002b30309d}1
    Queries value:
11e3-b3bc-806e6f6e6963}[data]
    Oueries value:
HKCU \setminus software \\ microsoft \\ windows \\ current \\ version \\ (explorer \\ mountpoints \\ 2 \\ (cpc \\ volume \\ (69d250e4-6c18-equal bounds \\ (explorer \\ mountpoints \\ (explorer 
11e3-b3bc-806e6f6e6963}[generation]
```

HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

 $HKCU \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'advanced[showcompcolor]$

Queries value:

 $\label{lem:hkcusoftware} HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced[hidefileext]$

Oueries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced \ [dont pretty path]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Queries value:

 $\label{thm:local_hide} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| fide icons| \\ \end{tabular}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [show superhidden]$

Queries value:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{\mathbb{N} indows \current version \explorer \advanced [separate process]} \end{tabular}$

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ \ \ dvanced \ [nonetcrawling]$

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced \ [autocheck select]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Oueries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[name]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parsingname]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [local redirectorly]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ folder type id \ left \ folder \ fold$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Oueries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[category]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[name]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[relativepath]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} The label \software \end{align* in the label}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM\software\mbox{$hkLM$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-

b4ef-bd1dc332aeae}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [initfolder \ handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ '[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4 cf6-a03a-e3ef65729 f3d \ [description]$

Oueries value:

 $\label{lem:hkkkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\sincerrentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[security]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[roamable]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\streaml

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Queries value:

a03a-e3ef65729f3d}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[name]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parentfolder]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [infotip]$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localizedname]}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [security]$

Queries value:

 $HKLM software \mbox{$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{are} Windows \current version \explorer \folder descriptions \end{are} $$ 4760-9afe-ea3317b67173 \end{are} $$ [roamable] $$ 4760-9afe-ea3317b67173 \end{are} $$ 476$

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{are} Windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolderhandler]}$

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value:

 $\label{thm:local-basis} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \eqref 69d 250e 3-6c 18-11e 3-b 3bc-806e 6f 6e 696 3 \eqref \e$

Queries value:

 $\label{thm:cosoft} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\}[generation]$

Queries value: HKLM\software\clients\startmenuinternet[]

Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck]

 $\label{thm:local_queries} Queries value: $$ HKLM\software\policies\microsoft\windows\currentversion\internet settings[security_hklm_only]$

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

 $nt \verb|\currentversion| app compatflags \verb|\layers[c:\users| admin| app data \verb|\local| temp| nsc58c2.tmp| bi.exe]|$

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[bi] Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [name]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{thm:local-bound} \cite{thm:l$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [relative path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[icon]$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [stream resource]$

Oueries value

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(f3ce0f7c-4901-4acc-864$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[attributes]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [initfolder \ handler]$

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[attributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforoverlay]

```
Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
    Oueries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[hideinwebview]
    Queries value:
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                                            HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[nofilefolderjunction]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[pintonamespacetree]
                                                             HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[hasnavigationenum]
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
    Queries value:
95cf-2f29da2920da}[category]
    Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[name]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-deb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-4115-debb-41
95cf-2f29da2920da}[parentfolder]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[description]
    Queries value:
95cf-2f29da2920da}[relativepath]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parsingname]
    Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{7} d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - d1 d3 a 0 4
95cf-2f29da2920da}[infotip]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[localizedname]
    Queries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{7} d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - debb - 4115 - d1 d3 a 0 4 - d1 d3 a 0 4
95cf-2f29da2920da}[icon]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[security]
    Oueries value:
95cf-2f29da2920da}[streamresource]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[streamresourcetype]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[localredirectonly]
    Queries value:
95cf-2f29da2920da}[roamable]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[precreate]
    Queries value:
95cf-2f29da2920da}[stream]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[publishexpandedpath]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[attributes]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[foldertypeid]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[initfolderhandler]
                                                             \label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ windows \verb+\currentversion\+ explorer \verb+\user+ shell+ \\
    Oueries value:
```

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{43-42f2-9305-67de0b28fc23}\category\cite{1}{243-42f2-9305-67de0b28fc23}\category\cite{1}{243-42f2-9305-67de0b28fc23}\cite{1}{243-42f2-9$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} With the label{$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(538bf404-1d43-42f2-9305-67de0b28fc23)\[\] stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the s$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b28 fc 23 \finit \folder \handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [name1]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fff1ed05-9f6d-47a2-aaae-29d317c6f066 \free \f$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fff1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{thm:local-problem} \cite{thm:local-proble$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fff1ed05-9f6d-47a2-aaae-29d317c6f066\\ [infotip]$

Queries value:

aaae-29d317c6f066}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\finitfolderhandlerl

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} In the constant of th$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[stream]}$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}\[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [relative path]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [info tip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[localized name]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[security]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresource]}$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[roamable]} \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [precreate]$

Queries value

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[foldertypeid]}$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\minc4aa340d-f20f-4863-afef-f87ef2e6ba25} \ [foldertypeid]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ frame 1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\exp$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{9e52ab10-f80d-49df-acb8-4330f5687855}\cite{1.00cm} [parsing name]$

Queries value:

 $HKLM \coftware \mbox{$\mid$ infotip} \\ HKLM \coftware \mbox{\mid inf$

Queries value:

 $\label{thm:local-prop} $HKLM \circ two constants on explorer folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [localized name] $$ \ two constants of the property of$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [security]$

Queries value:

 $\label{thm:local_thm:loc$

acb8-4330f5687855}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (98ec0e18-2098-4d44-8644-66979315a281) \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsing name]\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\finfotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} In calized name \end{align*} Measure \end{align*} HklLM \software \end{align*} In calized name \end{align*}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} [security]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[\] streamresource\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[localredirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [publish \ explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [publish \ explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [publish \ explorer \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[name]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-microsoft \ 'windows \ 'current version' \ 'explorer' \ 'folder descriptions \ 'a4115719-d62e-491d-microsoft \ 'windows \ 'current version' \ 'explorer' \ 'folder descriptions \ 'a4115719-d62e-491d-microsoft \ 'windows \ 'current version' \ 'explorer' \ 'folder descriptions \ 'a4115719-d62e-491d-microsoft \ 'windows \ 'current version' \ 'explorer' \ 'folder descriptions \ 'a4115719-d62e-491d-microsoft \ 'windows \ 'current version' \ 'explorer' \ 'folder descriptions \ 'a4115719-d62e-491d-microsoft \ 'windows \ 'current \ 'explorer' \ 'explor$ aa7c-e74b8be3b067}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[description]

Queries value:

aa7c-e74b8be3b067}[relativepath]

aa7c-e74b8be3b067}[parsingname]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[infotip]

Queries value:

aa7c-e74b8be3b067}[localizedname]

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{a4115719 - d62e - 491d - d62e - 491d - d62e - 491d - d62e - d6$ aa7c-e74b8be3b067}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[security]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[localredirectonly]

Oueries value:

aa7c-e74b8be3b067}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[precreate] Oueries value:

aa7c-e74b8be3b067}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[publishexpandedpath]

Oueries value:

aa7c-e74b8be3b067}[attributes]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491daa7c-e74b8be3b067}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-d62e-49$ aa7c-e74b8be3b067}[initfolderhandler]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (cac 52c 1a-b 53d-4ed c-b 53d-$ 92d7-6b2e8ac19434}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} \ [local redirector ly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [security]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[streamresource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[streamresourcetype]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [local redirectonly]$

Queries value:

841c-ab7c74e4ddfc}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [initfolder \mbox{limitfolder landler}]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [parentfolder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{2.5} Hklm \end{2.5$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{thm:software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresource]}$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresourcetype]$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\precreate1

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{52a4f021-7b75-48a9-9f6b-4b87a210bc8f} [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[foldertypeid]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-d9c6-4d3e-d9c6-d9c4d24$

bf91-f4455120b917}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{figure to the property of the$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [description]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[relativepath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455 120b 917\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455 120b 917\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 445 5 120 b 917\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[foldertypeid]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [init folder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [category]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\rame1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parentfolder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows \ 'endows' \ folder descriptions \ 'endows \ 'endows' \ endows \ 'endows' \ endows' \ endows'' \ en$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}Ficon1

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ fstream \ label{eq:hklm}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish \ expanded \ path]$

Oueries value:

 $HKLM \setminus software \setminus increased in the content of the$

Ougries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$

Ougries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [initfolder \ handler]$

Oueries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{19-a663-37bd56068185}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '{76fc4e2d-d6ad-4519-a663-37bd56068185} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$

Queries value

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [initfolder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [precreate]$

Oueries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{`a75d362e-50fc-4fb7-ac2c-a8beaa314493} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 491e922f-5643-4af4-a7eb-4e7a138d8174\category\cite{Additional contents}.$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[parentfolder]$

Queries value:

a7eb-4e7a138d8174}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ fattributes \ label{eq:helmonormal}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[foldertypeid]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [category]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 4676-835a-98395c3bc3bb \[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[parsingname]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} \cite{10calized name} \eqref{10calized name} \eqref{10calized name}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [initfolder \ handler]$

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+user\ shell$

folders[my pictures]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \explorer\folderdescriptions \explorer\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}\fstreamresourcetypel

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[localredirectonly]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [publish \ explorer\ \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [attributes]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [relative path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [localized name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[roamable]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ 15d2f714e6e [publish expanded path] $$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder \ handler]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ebf2536-e1a8-4c59-b6a2-414586476aea) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} as $-27cbc0c5389a \category \]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} \eqref{lem:$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [description]$

Queries value:

 $\label{local-ham} HKLM \ software \ ion \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} ago - 27cbc0c5389a \cite{lem:hklmsoftware} info tip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'of 214138-b1d3-4a90-bba9-27cbc0c5389a \ [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource type]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localredirectonly]}$

Queries value:

 $\label{thm:local_thm:loc$

bba9-27cbc0c5389a}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ parsing \ name \ like \ for the sum of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [infotip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}{localizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\}\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[localredirectonly]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}\$ [roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[precreate]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}\$ [stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish \ expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [folder type id]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \category]$

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ \Gamma name \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Ougries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{a} explorer $$ a781-5a1130a75963 [local redirectorly] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[stream]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ folder descriptions $$ a781-5a1130a75963$ [initfolder handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[category]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\exp$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \folder \fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\c$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [stream resource]$

Queries value:

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [attributes]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6 \ faf8716b \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{289a9a43-be44-4057-a41b-587a76d7e7f9} \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [description]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[relative\path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [localized name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[security]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[streamresource \]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [precreate]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[stream]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

a41b-587a76d7e7f9}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [initfolder \ 'handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[localredirectonly\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}fattributes1

Queries value:

 $HKLM\software\mbox{\mbox{$MKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions}} \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bridge} windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [security]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [stream resource]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[roamable]$

Oueries value

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \cu$

Oueries value

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[publish expanded path]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula for the decay of the conditions \current version \explorer \folder \formula for the conditions \current version \explorer \folder \formula for the conditions \current version \explorer \current version \explorer \current version \explorer \current \curren$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\eq [category]$

Queries value:

 $HKLM\software\mbox{windows\currentversion\explorer\folderdescriptions\eqae446-31ca-4aba-814f-a5ebd2fd6d5e} [name] \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$14f-a5ebd2fd6d5e} [parent folder] $$14f-a5ebd2fd6d6d5e} [parent folder] $$14f-a5ebd2fd6d6d6e} [parent folder] $$14f-a5ebd2fd6d6d6$

Oueries value:

Queries value

 $\label{thm:main} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[relative\path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{local-prop} $$HK_M\software\min\soft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ er \ folder descriptions \ \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[stream resource type]$

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[stream]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [folder type id]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [localized name]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\expl$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$

Queries value:

 $\label{localized-hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localredirectonly]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

a9c3-b52a1ff411e8}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [relative path]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fold$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ for \ explorer \ folder \ descriptions \ for \ descriptions \ fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[roamable] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ 139d44e-6afe-49f2-8690-3dafcae6ffb8 [attributes] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [folder type id]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[initfolderhandler]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[name]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parentfolder]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{Comparison} \end{constraints} $$ 17f-4121-8900-86626fc2c973 \cite{Comparison} \end{constraints} $$ 17f-4121-8900-86626fc2c973 \cite{Comparison} \end{constraints} $$ 17f-4121-8900-86626fc2c973 \cite{Comparison} \end{constraints} $$ 17f-4121-8900-86626fc2c973 \cite{Comparison} \cite{Comparison}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [infotip]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[category]$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder\f$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [relative path]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [infotip]$

Queries value

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[localizedname]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} [icon]$

Queries value:

 $\label{local-prop} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[localredirectonly]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [precreate]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [publish \ explorer \ 'folder descriptions \ 'folder descriptions' \ 'folder descrip$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [attributes]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [init folder \ handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ formula \ fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \folder 1.000\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder 1.000\label{lem:hklmsoftware} Hklm\soft\microsoft\mi$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ folder descriptions \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource type]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae 516\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[security]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[folder type id]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$microsoft\windows\currentversion} explorer \folder descriptions \fareful abe8-61c8648d939b] [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]}$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \far 302545 d-deff-464 b-deff-464 b-def$

abe8-61c8648d939b}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [local redirectorly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[category]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parentfolder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ folder \ fold$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicro$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} HKLM \software \end{arrange} Ne-08e-08a611b84ff6 \end{arrange} icon \end{arrange} Licon \end{arrange} HKLM \software \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Licon \end{arrange} Ne-08a611b84ff6 \end{arrange} Licon \en$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[security]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [local redirect only]$

Queries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [relative path]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[parsingname]}$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} folder descriptions \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} folder \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} folder \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} folder \cal{lem:hklmsoftware} and \cal{lem:hklmsoftware} folder \cal{lem:hklmsoftware$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$Hklm\software\microsoft\windows\current version\end{allower} $$1-440df7ef3ddc} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[roamable]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]} \\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[foldertypeid]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolderhandler]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parentfolder]

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}\[relative\path]\]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eqnumber \eqnumber \e$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ esplorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ esplorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[publishexpandedpath]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [initfolder handler]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\g(054fae61-4dd8-4787-80b6-090220c4b700)\category\g]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} \formalfa \current \curr$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [description]$

Oueries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \explore$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[parsingname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ finfotip \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} [localized name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresource]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$

Queries value:

80b6-090220c4b700}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \eqref{0.54} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[infotip]} \\$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\ [localized\name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{1777f761-68ad-4d8a-87bd-30b759fa33dd}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa33 dd \eqref{1777} \foregame{1777} \foregame{1777}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[streamresource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ folder \ based on the sum of th$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}\[initfolderhandler]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [parent folder]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}\[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [infotip]$

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\ [publishexpanded path]$

Ougries value

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [attributes]$

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [initfolder \ handler]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \cite{Monthson-102d10dcfd74} \cite{Months$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [infotip]$

Queries value:

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8608-102d10dcfd74\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish \ explorer\]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[foldertypeid]}$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

9f26-b60e846fba4f}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-9f26-b60e846fba4f} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{1724ef170-a42d-4fef-9f26-b60e846fba4f} [local redirectorly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ \ precreate1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| version \verb| explorer \verb| folder descriptions \verb| {724ef170-a42d-4fef-9f26-b60e846fba4f} [publish expanded path] \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM\software\mbox{$724ef170-a42d-4fef-9f26-b60e846fba4f} [foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{algorithm} \begin{tabular}{lem:hklmsoftwaremicrosoftwindows} (4bd8d571-6d19-48d3-beg7-422220080e43) (category) ($

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$$ \ho = 19-48d3-697-422220080e43} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} [icon]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[security]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ for \ explorer \ folder \ for \ explorer \ folder \ for \ folder \ for \ folder \ for \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [initfolder \ handler]$

Queries value.

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ \Gamma name \ 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklmsoftware} a 3a 9-6c 8289 5e 5c 04 \cite{lem:hklmsoftware} [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[relative path]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$

Queries value:

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Months} \cite{M$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream resource]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\[streamresourcetype]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [publish expanded path]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}\category\cite{Control of the control of the$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [relative path]$

Oueries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \$

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \ \{0.762d272-c50a-4bb0-a382-697dcd729b80\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[localized name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[streamresourcetype]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant the sum of the sum of$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\gamma$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish \ expanded path]$

Queries value

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[category]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parentfolder]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[description]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [local redirectonly]$

Queries value:

 $HKLM\software\mbox{$\$

Queries value:

 $HKLM software \mbox{$MLM$ software in crosoft windows \current version \explorer folder descriptions \explorer $$ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \colorer{folder descriptions} $$ 12.5 \colorer{folder descriptions} $$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[publishexpandedpath]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\[name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parentfolder]}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parsingname]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]}$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-fac-14e-77-02e-7-4e-5d-5744-2e-51985-7-1985$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[streamresourcetype]}$

Queries value:

 $\label{thm:local_thm:loc$

b744-2eb1ae5198b7}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [initfolder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a77f5d77-2e2b-44c3-a6a2-aba601054a51) \ Four \ folder \ left \ folder \ folder \ left \ folder \ fo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parsing name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}{infotipl

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ ficon \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [roamable]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[publishexpandedpath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [initfolder \ handler]$

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 08 37 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d 08e 667 ca7\} \ [par sing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08e 667 ca7\} [infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08e 667 ca7\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} folder descriptions \end{area} \folder descriptions \end{area} area \folder descriptions \end{area} folder descriptions \end{area} area \folder \folder \end{area} area \folder \folder \folder \end{area} area \folder \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{category} \end{substitute}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[parsingname]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[initfolder handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folder]} \label{eq:hklm} In the constant of the constant of$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[relativepath]}$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[parsingname]}$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 17d-9cd2-4a93-9733-46cc89022e7c \folds \folds 17d-9cd2-4a93-9733-46cc89022e7c \folds \folds \folds 17d-9cd2-4a93-9733-46cc89022e7c \folds \folds \folds 17d-9cd2-4a93-9733-46cc89022e7c \folds \$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db 17d - 9cd2 - 4a93 - 9733 - 46cc89022e7c\} [icon]$

Oueries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Oueries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[local\redirectonly]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

9733-46cc89022e7c}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [folder type id]$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[initfolderhandler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [category]$

Queries value:

 $\label{local-ebd2-438a-48655-8a092e34987a} In a median distribution of the properties of the propert$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows \ 'endows' \ folder descriptions \ 'ae 50 co 81-ebd 2-438 a-8655-8a092 e 34987 a \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ flocalized name \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ explorer \ 'folder descriptions \ 'ae 50c 081-ebd2-438a-8655-8a092e 34987a \ [local redirector \]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [folder type id]$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [publish expanded path]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}(category)$

Queries value:

Oueries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \find 2785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:condition} \cite{thm:condition} \end{tikzpicture}$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[description]

Queries value:

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \find 32785-6 fba-4fcf-9d55-7b8e7f157091 \find \current \c$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}ecurity\cite{1}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream resource type]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}roamable\cite{1}{2}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[category]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relativepath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[parsingname]

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{thm:lem:hklk} windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[icon]} \\$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[local redirect only]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[roamable]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]}$

Queries value:

9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ flocal redirect only \ label{eq:helmonth}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [attributes]$

Queries value:

Queries value:

HKLMMsoftware\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}\initfolderhandlerl

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[category]$$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{100} \cite{100}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the properties of th$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{100} \$

9a0c-ebb0f0fcb43c}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[icon]

Oueries value:

9a0c-ebb0f0fcb43c}[security]

Queries value:

9a0c-ebb0f0fcb43c}[streamresource]

Queries value:

9a0c-ebb0f0fcb43c}[streamresourcetype]

9a0c-ebb0f0fcb43c}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[roamable]

9a0c-ebb0f0fcb43c}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[stream]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[attributes]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[foldertypeid]

Queries value:

9a0c-ebb0f0fcb43c}[initfolderhandler]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[category]

Oueries value:

9164-39c4925e467b}[name]

Queries value:

9164-39c4925e467b}[parentfolder] Oueries value:

9164-39c4925e467b}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{374 de 290-123 f-4565-123 f-4565$ 9164-39c4925e467b}[relativepath]

Oueries value:

 $HKLM \setminus software \setminus irrosoft \setminus ir$ 9164-39c4925e467b}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[icon]

Queries value:

9164-39c4925e467b}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[roamable]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [initfolder \ 'handler]$

Queries value: $HKCU \setminus software \in shell folders[{374de290-123f-4565-9164-39c4925e467b}]$

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}\category\cite{Control of the control of the$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (859 ead 94 - 2e85 - 48 ad a71a - 0969 cb56a6cd) \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[streamresource]\]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}[streamresourcetype]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [local redirect only]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[stream]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\cutegory\cite{A305ce99-f527-492b-8b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f5$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 305ce 99-f 527-492b-8b1a-7e 76f a 98d 6e 4 \ [par sing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [security]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows}. When the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows}. When the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicro$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolder \ handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[category]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parentfolder]

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[description]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:local-bound} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]} \\$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localized name]}$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{100} \parbox{$4644c9b-1fb8-4f30-1fb8-4f$

9b45-f670235f79c0}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [initfolder \ handler]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[category]$}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\finfotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a 990 a e 9 f - a 0 3 b - 4 e 8 0 - 9 4 b c - 9 9 1 2 d 7 5 0 4 1 0 4 \} [stream resource type]$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref-a03b-4e80-94bc-9912d7504104 \footnote{a} \cupred \cupred \current \current \cupred \c$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[roamable]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[precreate]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\[stream]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [description]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[relativepath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[local\cutrectonly]\]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[precreate]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$

Queries value:

 $\label{lem:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[publishexpandedpath]}$

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[foldertypeid]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [description]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parent folder]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a520a1a4-1780-4ff6-bd18-167343c5af16) \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource]$

Queries value:

 $\label{thm:local_thm:loc$

bd18-167343c5af16}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b88f4daa-e7bd-49a9-b74d-02885a5dc765) \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[parentfolder]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ parsing \ name \ label{eq:hklm}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[infotip]} Infotip \cite{Continuous of the continuous of the continuo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ flocalized name \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectorly]$

Queries value:

 $\label{local-prop} HKLM software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[foldertypeid]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39) \ like \ like \ part \ like \ part \ like \ part \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \end{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} [infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[localizedname]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[icon]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[attributes]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[folder typeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{9e3995ab-1f9c-4f13-b827-48b24b6c7174} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If $$\mathbb{E}_{\theta}^{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[relative path]$$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[name]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[relative\path]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [streamresource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [roamable]$

Queries value:

8d55-3bd661de872d}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [parsing name]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a8-81e2-fc 7965083634\} \ \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a8-81e2-fc 7965083634\} \ for earnesource \ folder \ descriptions \ for earnesource \ folder \ descriptions \ for earnesource \ for$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eq ed 4824 af-dce 4-45a8-81e2-fc 7965083634 \cupredirector \cupredirect$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 79650 83634\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef ed4824af-dce4-45a8-81e2-fc7965083634\[publishexpandedpath\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[attributes]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[name]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27) \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27) \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource]$

Oueries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[foldertypeid]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explorer\folderdescriptions \currentversion\explorer$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[relativepath]}$

Queries value:

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5 \equiv 16 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 1 - a c e 1 - 6 b 5 e c 1 - a c e 1$

Queries value: HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-a3fe-553973d0b7231

Queries value: HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-b924-d51178a59ce4]

Queries value:

 $HKLM\software\mbox{$15$ca69b3-30ee-49c1-ace1-6b5ec372afb5} [localized name] \\$

Queries value:

```
ace1-6b5ec372afb5}[icon]
   Oueries value:
ace1-6b5ec372afb5}[security]
   Oueries value:
ace1-6b5ec372afb5}[streamresource]
   Oueries value:
ace1-6b5ec372afb5}[streamresourcetype]
                                              HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[fromcachetimeout]
                                               HKLM\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[secureprotocols]
                                              \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
   Queries value:
settings[secureprotocols]
                                              HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[secureprotocols]
   Queries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - 49 
ace1-6b5ec372afb5}[localredirectonly]
   Queries value:
ace1-6b5ec372afb5}[roamable]
   Queries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - 49 
ace1-6b5ec372afb5}[precreate]
   Queries value:
ace1-6b5ec372afb5}[stream]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-
ace1-6b5ec372afb5}[publishexpandedpath]
   Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-
ace1-6b5ec372afb5}[attributes]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-
ace1-6b5ec372afb5}[foldertypeid]
   Queries value:
ace1-6b5ec372afb5}[initfolderhandler]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-
bb61-92a9deaa44ff}[category]
   Queries value:
bb61-92a9deaa44ff}[name]
   Oueries value:
bb61-92a9deaa44ff}[parentfolder]
                                              HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[certificaterevocation]
   Queries value:
                                              \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[disablekeepalive]
   Queries value:
                                              HKCU\software\microsoft\windows\currentversion\internet
settings[disablepassport]
                                              HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[idnenabled]
                                               HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings[cachemode]
   Queries value:
                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                                               HKCU\software\policies\microsoft\windows\currentversion\internet
   Oueries value:
settings[enablehttp1_1]
   Oueries value:
                                               HKCU\software\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
   Queries value:
                                               HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-
bb61-92a9deaa44ff}[description]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-
bb61-92a9deaa44ff}[relativepath]
   Oueries value:
bb61-92a9deaa44ff}[parsingname]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-
bb61-92a9deaa44ff}[infotip]
   Oueries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-

bb61-92a9deaa44ff}[localizedname] Oueries value: bb61-92a9deaa44ff}[icon] Oueries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{3214 fab 5-9757-4298-12014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42$ bb61-92a9deaa44ff}[security] Oueries value: bb61-92a9deaa44ff}[streamresource] Oueries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{3214 fab 5-9757-4298-12014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42014 fab 5-9757-42$ bb61-92a9deaa44ff}[streamresourcetype] Oueries value: bb61-92a9deaa44ff}[localredirectonly] HKCU\software\policies\microsoft\windows\currentversion\internet Oueries value: settings[proxyhttp1.1] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[proxyhttp1.1] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[enablenegotiate] $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ Oueries value: settings[disablebasicoverclearchannel] HKCU\software\microsoft\internet Queries value: explorer\main\featurecontrol[feature_clientauthcertfilter] HKLM\software\microsoft\internet explorer\main\featurecontrol[feature_clientauthcertfilter] Oueries value: bb61-92a9deaa44ff}[roamable] Queries value: bb61-92a9deaa44ff}[precreate] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298bb61-92a9deaa44ff}[stream] Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and the sum of the s$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicro$

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[syncmode5]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache[sessionstarttimedefaultdeltasecs]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[signature]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\category\cite{Control of the control of the c$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [name]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\cite{parentfolder}\cite{parentfo$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[relative\path]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwar$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (software) \ folder descriptions \ (software) \ descriptions \ de$

b29c-65b732d3d21a}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [parent folder]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Oueries value

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localredirectonly]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed cf9d\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'as 2481e8-33be-4251-ba85-6007 caed cf9d \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ \ \ \ \} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ folder \ descriptions \ `explorer \ folder \ folder \ folder \ folder \ descriptions \ `explorer \ folder \ fold$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ff9d\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ffolder \ 'grade \ '$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'handler'\}$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} \ [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\[parsingname]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\[[infotip] \]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\}[localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\folderdescriptions\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe\}[local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} $64c-16f3910ab8fe \gradee \grade$

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \footnote{thm:conditions} \footnote{thm:conditions}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[publishexpanded path \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe\}[attributes]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ Ficon 1$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [local redirect only]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b97d20bb-f46a-4c97-ba10-5e3608430854) \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ Hklm\software\microsoft\windows\current version\end{allower} $$ ab48-4ec1-ba1f-a1ef4146fc19\[category\] $$$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [parent folder]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]} Infotip \[\] \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{constraint} \baselines $$ 4625b53c3-ab48-4ec1-ba1f-a1ef4146fc19 [publishexpanded path] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[attributes]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\history[cacheprefix]

 $\label{thm:cosoftware} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$

settings\5.0\cache\history[cachelimit]

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}\parentfolderl

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fol$

Queries value:

 $HKLM \verb| software | microsoft | windows | current version | explorer | folder descriptions | \{d20 beec 4-5 ca 8-490 5-ae 3b-bf 251 ea 0 9 b 53\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[parsingname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [localized name]$

Queries value:

ae3b-bf251ea09b53}[icon]

Oueries value:

ae3b-bf251ea09b53}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d20 beec 4-5 ca 8-490 5-49$ ae3b-bf251ea09b53}[streamresource]

Oueries value:

ae3b-bf251ea09b53}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d20 beec 4-5 ca 8-490 5-49$ ae3b-bf251ea09b53}[localredirectonly]

Oueries value:

ae3b-bf251ea09b53}[roamable]

Oueries value:

ae3b-bf251ea09b53}[precreate]

Queries value:

ae3b-bf251ea09b53}[stream]

Oueries value:

ae3b-bf251ea09b53}[publishexpandedpath]

Queries value:

ae3b-bf251ea09b53}[attributes]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\extensible cache\domstore[cacherepair]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\extensible cache\domstore[cachepath]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache\extensible cache\domstore[cacheprefix]

Oueries value:

ae3b-bf251ea09b53}[foldertypeid]

Queries value:

ae3b-bf251ea09b53}[initfolderhandler]

Oueries value:

a3bb-86e631204a23}[category]

Queries value:

a3bb-86e631204a23}[name]

Queries value:

a3bb-86e631204a23}[parentfolder]

Queries value:

a3bb-86e631204a23}[description]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\domstore[cachelimit]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\extensible cache\domstore[cacheoptions]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cacherepair]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\feedplat[cachepath]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache\extensible cache\feedplat[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cachelimit]

Queries value:

a3bb-86e631204a23}[relativepath]

Queries value:

a3bb-86e631204a23}[parsingname]

Queries value:

a3bb-86e631204a23}[infotip]

Queries value:

a3bb-86e631204a23}[localizedname]

Queries value:

a3bb-86e631204a23}[icon]

Oueries value:

a3bb-86e631204a23}[security]

a3bb-86e631204a23}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[streamresourcetype] Queries value: a3bb-86e631204a23}[localredirectonly] Oueries value: a3bb-86e631204a23}[roamable] $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ Queries value: settings\5.0\cache\extensible cache\feedplat[cacheoptions] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\iecompat[cacherepair] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cachepath] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cacheprefix] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacherepair] $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\internet}} \\$ Queries value: settings\5.0\cache\extensible cache\ietld[cachepath] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacheprefix] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\privacie:[cacherepair] HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\privacie:[cachepath] Queries value: a3bb-86e631204a23}[precreate] Oueries value: a3bb-86e631204a23}[stream] Queries value: a3bb-86e631204a23}[publishexpandedpath] Oueries value:

a3bb-86e631204a23}[attributes]

Queries value:

a3bb-86e631204a23}[foldertypeid]

Oueries value:

a3bb-86e631204a23}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\privacie:[cacheprefix]

 $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ Oueries value:

settings\5.0\cache\extensible cache\privacie:[cachelimit]

b850-448b77cb37f9}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[name]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-ef91-45$ b850-448b77cb37f9}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{10c07cd0-ef91-4567-ef91$ b850-448b77cb37f9}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-ef91-45$ b850-448b77cb37f9}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[infotip]

Queries value: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

settings\5.0\cache\extensible cache\privacie:[cacheoptions]

Queries value: $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}$ settings[enableautoproxyresultcache]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[displayscriptdownloadfailureui]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[mbcsservername]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[mbcsapiforcrack]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[icon]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publishex panded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [attributes]$

Queries value:

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[initfolderhandler]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abdress} In the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware} which is a constant of the label{lem:hklmsoftware}. The label{lem:hklmsoftware} which is a constant of the label{l$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(description)$

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[utf8servernameres]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[disableworkerthreadhibernation]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableworkerthreadhibernation]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[relative\path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\\[2pt] [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\}[icon]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \[security]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ fdd 39 ad 0-238 f-46 af-46 af$ adb4-6c85480369c7}[streamresource] Oueries value: adb4-6c85480369c7}[streamresourcetype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[localredirectonly] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings[disablereadrange] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[socketsendbufferlength] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[socketreceivebufferlength] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[keepalivetimeout] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[maxhttpredirects] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[maxconnectionsperserver] HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[maxconnectionsperserver] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[maxconnectionsper1_0server] Queries value: adb4-6c85480369c7}[roamable] Queries value: adb4-6c85480369c7}[precreate] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[stream] Queries value: adb4-6c85480369c7}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[attributes] Queries value: adb4-6c85480369c7}[foldertypeid] Oueries value: adb4-6c85480369c7}[initfolderhandler] HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[maxconnectionsper1_0server] $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{$microsoft$} \windows \current version \end{tabular} internet \\ \end{tabular}$ Queries value: settings[maxconnectionsperproxy] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[serverinfotimeout] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[connecttimeout] Queries value: HKLM\software\microsoft\windows\currentversion\internet settings[connecttimeout] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[connectretries] HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings[connectretries] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[sendtimeout] Queries value: $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ folders[personal] Oueries value: bedd-7aa20b227a9d}[category] Queries value: bedd-7aa20b227a9d}[name] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parentfolder] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[description] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[relativepath] HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings[sendtimeout] Queries value: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

 $\label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet$

settings[receivetimeout]

settings[receivetimeout]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[disablentlmpreauth]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[scavengecachelowerbound]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[certcachenovalidate]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[scavengecachefilelifetime]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}\[parsingname]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[security]$

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [local redirectonly]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\5.0\cache[scavengecachefilelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[scavengecachefilelimit]

 $\label{thm:constraint} Queries \ value: \\ HKLM\software\microsoft\windows\currentversion\internet$

settings\5.0\cache[scavengecachefilelimit]

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \[stream]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [folder typeid]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-ham} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[category]$$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ formel$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \end{190337d1-b8ca-4121-a639-6d472d16972a} [infotip]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 190337d1-b8ca-4121-b8ca-41$

```
a639-6d472d16972a}[localizedname]
            Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-41
 a639-6d472d16972a}[icon]
            Oueries value:
a639-6d472d16972a}[security]
            Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8
 a639-6d472d16972a}[streamresource]
            Oueries value:
a639-6d472d16972a}[streamresourcetype]
           Oueries value:
                                                                                                                                                                           HKCU\software\microsoft\windows\currentversion\internet
  settings[httpdefaultexpirytimesecs]
            Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8
  a639-6d472d16972a}[localredirectonly]
            Queries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8c
 a639-6d472d16972a}[roamable]
            Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8
 a639-6d472d16972a}[precreate]
           Queries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8ca-412-b8c
 a639-6d472d16972a}[stream]
                                                                                                                                                                             HKCU\software\microsoft\windows\currentversion\internet
            Queries value:
  settings[ftpdefaultexpirytimesecs]
            Queries value:
HKLM \setminus software \setminus irrosoft \setminus ir
 a639-6d472d16972a}[publishexpandedpath]
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-41
 a639-6d472d16972a}[attributes]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-
 a639-6d472d16972a}[foldertypeid]
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-4121-b8ca-41
 a639-6d472d16972a}[initfolderhandler]
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[category]
            Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[name]
            Queries value:
                                                                                                                                                                           HKLM\software\microsoft\internet
 Queries value:
                                                                                                                                                                           HKLM\software\microsoft\internet
  explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[parentfolder]
           Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[description]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[relativepath]
           Queries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e
 9148-0f4247291cfa}[parsingname]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[infotip]
           Queries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e7ca-4fdb-e
 9148-0f4247291cfa}[localizedname]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
  9148-0f4247291cfa}[icon]
           Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[security]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[streamresource]
           Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-
 9148-0f4247291cfa}[streamresourcetype]
            Oueries value:
```

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-e7ca-4fd$

9148-0f4247291cfa}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[parentfolder]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[disablecachingofsslpages]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[perusercookies]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[leashlegacycookies]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[icon]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[streamresourcetype]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[dialupuselansettings]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[dialupuselansettings]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[sendextracrlf]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[wpadsearchalldomains]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[bypasshttpnocachecheck]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

 ${\tt settings[bypasshttpnocachecheck]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-
b2b2-ae6db6af4968}[precreate]
 Oueries value:
                     HKCU\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
                     \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
 Oueries value:
settings[bypasssslnocachecheck]
                    HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablehttptrace]
                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[nocheckautodialoverride]
 Oueries value:
b2b2-ae6db6af4968}[stream]
 Oueries value:
b2b2-ae6db6af4968}[publishexpandedpath]
 Oueries value:
b2b2-ae6db6af4968}[attributes]
 Queries value:
b2b2-ae6db6af4968}[foldertypeid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-
b2b2-ae6db6af4968}[initfolderhandler]
 Queries value:
                    HKLM\software\microsoft\windows\currentversion\internet
settings[nocheckautodialoverride]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
                    HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[dontusednsloadbalancing]
 Queries value:
                    HKLM\software\microsoft\windows\currentversion\internet
settings[sharecredswithwinhttp]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[mimeexclusionlistforcache]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[headerexclusionlistforcache]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]
 Queries value:
b85d-6c9ce15660cb}[category]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-
b85d-6c9ce15660cb}[name]
 Queries value:
b85d-6c9ce15660cb}[parentfolder]
                    HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dnscacheenabled]
                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[dnscacheentries]
 Queries value:
                     HKCU\software\microsoft\windows\currentversion\internet
settings[dnscachetimeout]
                    HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[warnonpost]
 Queries value:
                     HKCU\software\microsoft\windows\currentversion\internet
settings[warnalwaysonpost]
 Oueries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[warnonzonecrossing]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[warnonbadcertrecving]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpostredirect]
 Queries value:
                    HKCU\software\microsoft\windows\currentversion\internet
settings[alwaysdrainonredirect]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[warnonhttpstohttpredirect]
 Queries value:
b85d-6c9ce15660cb}[description]
b85d-6c9ce15660cb}[relativepath]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-
b85d-6c9ce15660cb}[parsingname]
 Oueries value:
b85d-6c9ce15660cb}[infotip]
 Queries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-

b85d-6c9ce15660cb}[localizedname]

Oueries value: b85d-6c9ce15660cb}[icon] Queries value: b85d-6c9ce15660cb}[security] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[streamresourcetype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[localredirectonly] HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[tcpautotuning] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[roamable] Oueries value: b85d-6c9ce15660cb}[precreate] Queries value: b85d-6c9ce15660cb}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder \ handler]$

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
Queries value:

WKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
Oueries value:

Oueries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [description]$

Queries value:

 $\label{thm:local-bound} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[relativepath]}$

Oueries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{b94237e7-57ac-4347-9151-b08c6c32d1f7} \end{substitute} icon \eqref{lem:hklmsoftware}$

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[security]}$

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000003[packedcatalogitem] Oueries value: 9151-b08c6c32d1f7}[streamresource] Oueries value: 9151-b08c6c32d1f7}[streamresourcetype] Oueries value: 9151-b08c6c32d1f7}[localredirectonly] Oueries value: 9151-b08c6c32d1f7}[roamable] Oueries value: 9151-b08c6c32d1f7}[precreate] Oueries value: 9151-b08c6c32d1f7}[stream] Queries value: 9151-b08c6c32d1f7}[publishexpandedpath] Oueries value: 9151-b08c6c32d1f7}[attributes] Queries value: 9151-b08c6c32d1f7}[foldertypeid] Oueries value: 9151-b08c6c32d1f7}[initfolderhandler] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000006[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[category] Oueries value: a079-df759e0509f7}[name] Queries value: a079-df759e0509f7}[parentfolder] Queries value: a079-df759e0509f7}[description] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[relativepath] Queries value: a079-df759e0509f7}[parsingname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[infotip] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[localizedname] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[icon]

```
a079-df759e0509f7}[security]
      Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
      Oueries value:
Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ catalog\_entries \ 0000000000018 \ [packed catalog item]
      Queries value:
a079-df759e0509f7}[streamresource]
      Queries value:
a079-df759e0509f7}[streamresourcetype]
      Queries value:
a079-df759e0509f7}[localredirectonly]
      Queries value:
a079-df759e0509f7}[roamable]
      Queries value:
a079-df759e0509f7}[precreate]
a079-df759e0509f7}[stream]
      Queries value:
a079-df759e0509f7}[publishexpandedpath]
HKLM \setminus software \setminus irrosoft \setminus ir
a079-df759e0509f7}[attributes]
a079-df759e0509f7}[foldertypeid]
HKLM \setminus software \setminus irrosoft \setminus ir
a079-df759e0509f7}[initfolderhandler]
      Queries value:
HKLM \ system \ current controls et \ services \ winsock 2 parameters \ names pace\_catalog 5 [serial\_access\_num]
      Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
      Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace \_catalog5 \ catalog\_entries \ 00000000001 [library path]
      Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring]
      Queries value:
b89f-130c02886155}[category]
      Queries value:
b89f-130c02886155}[name]
      Queries value:
b89f-130c02886155}[parentfolder]
      Oueries value:
b89f-130c02886155}[description]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e9-e 4eb-479d-each \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an analysis \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an an
b89f-130c02886155}[relativepath]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce4a5e9-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-47
b89f-130c02886155}[parsingname]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e9-e 4eb-479d-each \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an analysis \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an an
b89f-130c02886155}[infotip]
      Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
      Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[supportednamespace]
      Queries value:
Oueries value:
Oueries value:
```

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e 9-e 4e b-479d-e 4e b-479d-e$

Queries value:

b89f-130c02886155}[localizedname] Oueries value: b89f-130c02886155}[icon] Oueries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e 9-e 4e b-479d-e 4e b-479d-e$ b89f-130c02886155}[security] Oueries value: b89f-130c02886155}[streamresource] Oueries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e 9-e 4e b-479d-e 4e b-479d-e$ b89f-130c02886155}[streamresourcetype] Oueries value: b89f-130c02886155}[localredirectonly] Oueries value: b89f-130c02886155}[roamable] Queries value: b89f-130c02886155}[precreate] Oueries value: b89f-130c02886155}[stream] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{5ce 4a 5e9-e 4eb-479d-each \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an analysis \ and \ an analysis \ and \ an analysis \ and \ an analysis \ an an$ b89f-130c02886155}[publishexpandedpath] Oueries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace _catalog5 \ catalog_entries \ 000000000002 [library path]$ Oueries value: Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[attributes] Queries value: b89f-130c02886155}[foldertypeid] Oueries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-explorer \ 'folder descriptions' \ 'folder descripti$ b89f-130c02886155}[initfolderhandler] Queries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-aeb4-46$ a014-d097ee346d63}[category] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[name] Oueries value: a014-d097ee346d63}[parentfolder] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[description] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[supportednamespace] Queries value: Queries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Queries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace _ catalog 5 \ catalog _ entries \ 000000000003 [library path]$ Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] a014-d097ee346d63}[relativepath] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[parsingname] Oueries value: a014-d097ee346d63}[infotip]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-

Queries value:

a014-d097ee346d63}[localizedname]

Oueries value: a014-d097ee346d63}[icon] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-aeb4-4$ a014-d097ee346d63}[security] Oueries value: a014-d097ee346d63}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[streamresourcetype] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[localredirectonly] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[roamable] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily] Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000003 [supported name space]]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000003[version] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[precreate] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[stream] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[publishexpandedpath] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[attributes] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[initfolderhandler] Oueries value: 874a-c0f2e0b9fa8e}[category] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid] HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[name1 Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4b$ 874a-c0f2e0b9fa8e}[parentfolder] Queries value: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-a0$ 874a-c0f2e0b9fa8e}[description] Queries value:

874a-c0f2e0b9fa8e}[relativepath]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-a0$ 874a-c0f2e0b9fa8e}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[infotip]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb$ 874a-c0f2e0b9fa8e}[localizedname]

```
874a-c0f2e0b9fa8e}[icon]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
874a-c0f2e0b9fa8e}[security]
          Queries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
 874a-c0f2e0b9fa8e}[streamresource]
          Oueries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[supportednamespace]
          Oueries value:
 Oueries value:
 Queries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[storesserviceclassinfo]
          Oueries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerinfo]
         Queries value:
 HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace \_catalog5 \ catalog\_entries \ 00000000005 [library path]
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
          Oueries value:
874a-c0f2e0b9fa8e}[streamresourcetype]
          Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4b
 874a-c0f2e0b9fa8e}[localredirectonly]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
 874a-c0f2e0b9fa8e}[roamable]
          Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4b
 874a-c0f2e0b9fa8e}[precreate]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
 874a-c0f2e0b9fa8e}[stream]
          Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4b
 874a-c0f2e0b9fa8e}[publishexpandedpath]
          Oueries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb
 874a-c0f2e0b9fa8e}[attributes]
          Queries value:
HKLM \setminus software \setminus irrosoft \setminus ir
 874a-c0f2e0b9fa8e}[foldertypeid]
          Oueries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb
 874a-c0f2e0b9fa8e}[initfolderhandler]
          Queries value:
 Oueries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
          Queries value:
 Queries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
          Oueries value:
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
 HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo]
          Queries value:
 Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-
 97c9-747784d784b7}[category]
         Queries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e-49b2-e14e
 97c9-747784d784b7}[name]
          Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-
  97c9-747784d784b7}[parentfolder]
         Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-
 97c9-747784d784b7}[description]
         Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-49b2-f14e-
 97c9-747784d784b7}[relativepath]
         Oueries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{43668bf8-c14e-49b2-descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explore$

97c9-747784d784b7}[parsingname]

97c9-747784d784b7}[infotip] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog 5 \setminus catalog_entries \setminus 0000000000006[displaystring]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily] Oueries value: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-$ 97c9-747784d784b7}[localizedname] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-$ 97c9-747784d784b7}[icon] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[security] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{43668bf8-c14e-49b2-descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explore$ 97c9-747784d784b7}[streamresource] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-$ 97c9-747784d784b7}[streamresourcetype] Queries value: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{43668bf8-c14e-49b2-descriptions \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explore$ 97c9-747784d784b7}[localredirectonly] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[publishexpandedpath] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[enabled] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[attributes] Oueries value: $HKLM \ software \ microsoft \ windows \ current version \ (43668bf8-c14e-49b2-d14e-4$ 97c9-747784d784b7}[foldertypeid] Queries value: 97c9-747784d784b7}[initfolderhandler] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[category] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[name] Queries value: $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[parentfolder] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[description]

Queries value:

HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadoverride]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[enableautodial]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[nonetautodial]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[globaluseroffline]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[badproxyexpirestime]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disablebranchcache]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [stream]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value: $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[category] }$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\[description]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ '4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4 \ [infotip]$

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong cryptographic provider[image path]

Queries value:

b5b4-2d72e54eaaa4}[localizedname] HKLM\system\currentcontrolset\control\session Oueries value: manager[safeprocesssearchmode] Queries value: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled] HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy] Oueries value: Queries value: b5b4-2d72e54eaaa4}[icon] Oueries value: b5b4-2d72e54eaaa4}[security] Queries value: b5b4-2d72e54eaaa4}[streamresource] Oueries value: b5b4-2d72e54eaaa4}[streamresourcetype] b5b4-2d72e54eaaa4}[localredirectonly] b5b4-2d72e54eaaa4}[roamable] b5b4-2d72e54eaaa4}[precreate] b5b4-2d72e54eaaa4}[stream] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[publishexpandedpath] b5b4-2d72e54eaaa4}[attributes] HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems] Oueries value: HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds] HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds] HKLM\software\microsoft\cryptography[machineguid] Queries value: Oueries value: b5b4-2d72e54eaaa4}[foldertypeid] Queries value: b5b4-2d72e54eaaa4}[initfolderhandler] Oueries value: $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}] HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid[] Oueries value: Queries value: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[] HKCR\clsid\{8856f961-340a-11d0-a96b-Oueries value: 00c04fd705a2}\inprocserver32[inprocserver32] HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[] Queries value: HKCR\clsid\{8856f961-340a-11d0-a96b-Queries value: 00c04fd705a2}\inprocserver32[threadingmodel] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell folders[local appdata] HKCU\software\microsoft\internet explorer\main[start page] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\searchscopes[defaultscope] HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-Queries value: 472f-a0ff-e1416b8b2e3a}[url] Oueries value: HKLM\system\currentcontrolset\control\session manager\environment[processor_architecture] Oueries value: HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[install] Queries value: HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[sp] HKLM\software\microsoft\net framework setup\ndp\v3.0[install] Oueries value: Queries value: HKLM\software\microsoft\net framework setup\ndp\v3.0[sp] Oueries value: HKLM\software\microsoft\net framework setup\ndp\v3.5[install] Queries value: HKLM\software\microsoft\net framework setup\ndp\v3.5[sp] Oueries value: HKLM\software\microsoft\windows\currentversion[currentversion] Queries value: HKLM\software\microsoft\windows nt\currentversion[currentversion] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\datastore_v1.0[disable] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[datafilepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[] Oueries value: $HKLM \label{lem:hklm} Which is a fixed by the sum of the sum of$

679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]

Queries value: HKLM\software\microsoft\windows

```
Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[attributes]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[callforattributes]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane131
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
 Oueries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[quervforoverlav]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nprocserver32[]
 Oueries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
```

nt\currentversion\languagepack\surrogatefallback[plane1]

```
HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nstance[clsid]
 Oueries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
 Queries value:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[loadwithoutcom]
 Oueries value:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
 Oueries value:
                        HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[threadingmodel]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
                        HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_mime_handling[71985e8a4de40ddc1151fafb929b5614.exe]
                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[*]
 Queries value:
                        HKLM\software\microsoft\tracing[enableconsoletracing]
 Queries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[enablefiletracing]
 Oueries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[filetracingmask]
 Queries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[consoletracingmask]
 Oueries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[maxfilesize]
 Oueries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[filedirectory]
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[enablefiletracing]
 Oueries value:
Oueries value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus 71985e8a4de40ddc1151fafb929b5614\_rasmancs [enable consolet racing]
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[consoletracingmask]
 Queries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[maxfilesize]
 Oueries value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[filedirectory]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\profilelist[programdata]
 Queries value:
                        HKLM\software\microsoft\sqmclient\windows\disabledprocesses[366d3ed3]
 Queries value:
HKLM\software\microsoft\samclient\windows\disabledsessions[machinethrottling]
 Queries value:
                        HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
 Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
 Oueries value:
                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[bi.exe]
                        HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                        HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                        HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
 Queries value:
                        HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
 Queries value:
                        HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                        HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablepunycode]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[navigationdelay]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[frametabwindow]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[frametabwindow]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[framemerging]
 Oueries value:
                         HKLM\software\microsoft\internet explorer\main[framemerging]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[sessionmerging]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[sessionmerging]
```

HKCU\software\microsoft\internet explorer\main[admintabprocs]

HKLM\software\microsoft\internet explorer\main[admintabprocs]

Queries value: Queries value:

```
Oueries value:
                                       HKCU\software\microsoft\internet explorer\main[tabprocgrowth]
  Oueries value:
                                       HKLM\software\microsoft\internet explorer\main[tabprocgrowth]
  Oueries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[attributes]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[callforattributes]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
  Oueries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsfordisplay]
                                      HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[hidefolderverbs]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[usedrophandler]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforoverlay]
  Queries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[bi.exe]
                                      HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforinfotip]
                                       HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_mime_handling[bi.exe]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[hideinwebview]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hideondesktopperuser]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[nofilefolderjunction]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
  Oueries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hasnavigationenum]
                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
  Oueries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies \setminus nonenum [\{871c5380-42a0-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1
08002b30309d}]
  Queries value:
                                       \label{local-equation} HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\tinprocserver32[]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\inprocserver32[loadwithoutcom]
                                       HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}}
0xffff]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
  Queries value:
  Oueries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[inprocserver32]
  Oueries value:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxysettingsperuser]
  Oueries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[migrateproxy]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyenable]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyserver]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\inprocserver32[threadingmodel]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyoverride]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[autoconfigurl]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\connections[savedlegacysettings]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\connections[defaultconnectionsettings]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[autoconfigcustomua]
                                       HKCR\autoproxytypes\application/x-internet-signup[dllfile]
  Queries value:
  Oueries value:
                                       HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
  Oueries value:
                                       HKCR\autoproxytypes\application/x-internet-signup[default]
  Oueries value:
                                       HKCR\autoproxytypes\application/x-internet-signup[flags]
  Queries value:
                                       HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
```

HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]

HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]

Oueries value:

```
Oueries value:
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[flags]
 Oueries value:
                         HKLM\software\microsoft\tracing\bi_rasapi32[enablefiletracing]
 Oueries value:
                         HKLM\software\microsoft\tracing\bi_rasapi32[filetracingmask]
                         HKLM\software\microsoft\tracing\bi_rasapi32[enableconsoletracing]
 Queries value:
                         HKLM\software\microsoft\tracing\bi_rasapi32[consoletracingmask]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\tracing\bi_rasapi32[maxfilesize]
 Oueries value:
                         HKLM\software\microsoft\tracing\bi_rasapi32[filedirectory]
 Oueries value:
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses[959385cd]
 Oueries value:
                         HKCR\protocols\handler\res[clsid]
 Oueries value:
                         HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}[]
                        HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[inprocserver32]
 Oueries value:
                        HKCR \c1sid \c3050f3bc-98b5-11cf-bb82-00aa00bdce0b \line procserver32[]
                        HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[threadingmodel]
 Queries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[enablefiletracing]
 Oueries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[filetracingmask]
 Queries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[enableconsoletracing]
 Queries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[consoletracingmask]
 Oueries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[maxfilesize]
 Queries value:
                        HKLM\software\microsoft\tracing\bi_rasmancs[filedirectory]
 Queries value:
                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams[71985e8a4de40ddc1151fafb929b5614.exe]
                        HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_legacy_dispparams[*]
 Queries value:
                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching[71985e8a4de40ddc1151fafb929b5614.exe]
                        HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_object_caching[*]
                        HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
 Queries value:
                        HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
 Oueries value:
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
Queries value:
                         HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-
91a2-7b624e0e7244]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [prioritize record data]
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [screen badtlds]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Queries value:
                        HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Oueries value:
```

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Oueries value: HKLM\software\microsoft\internet explorer\application compatibility[71985e8a4de40ddc1151fafb929b5614.exe] Queries value: HKCU\software\microsoft\internet explorer\domstorage[totallimit] HKCU\software\microsoft\internet explorer\domstorage[domainlimit] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Oueries value: Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl] Queries value: Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [use compartments]$ HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]

HKLM\svstem\currentcontrolset\services\dnscache\parameters[dnsquickquervtimeouts]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]

Oueries value: HKLM\software\microsoft\windows\currentversion\policies\ratings[kev] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[urlencoding]

HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Oueries value:

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_unc_savedfilecheck[71985e8a4de40ddc1151fafb929b5614.exe]

Queries value: HKLM\software\microsoft\internet

```
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
                    HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Oueries value:
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
                     HKLM\software\policies\microsoft\internet
 Oueries value:
explorer\security[disablesecuritysettingscheck]
 Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
 Oueries value:
                     HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched[winsock 2.0 provider id]
                     HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
 Oueries value:
 Queries value:
                     HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip[winsock 2.0 provider id]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
                     \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
 Queries value:
settings\zones\0[flags]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
 Queries value:
                     HKCU\software\microsoft\windows\currentversion\internet
settings\zones\1[flags]
                    HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\tcpip6[winsock 2.0 provider id]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
 Queries value:
Queries value:
HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\2[flags]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]
                    HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\3[flags]
                    \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings\zones\4[flags]
                    HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[71985e8a4de40ddc1151fafb929b5614.exe]
                    HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[searchlist]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[enabledhcp]
 Oueries value:
c19ce8a73253}[registrationenabled]
 Queries value:
c19ce8a73253}[registeradaptername]
 Oueries value:
c19ce8a73253}[domain]
 Queries value:
c19ce8a73253}[dhcpdomain]
 Oueries value:
c19ce8a73253}[dhcpv6domain]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[nameserver]
 Oueries value:
c19ce8a73253}[nameserver]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[dhcpnameserver]
 Oueries value:
```

```
806e6f6e6963}[enabledhcp]
 Oueries value:
806e6f6e6963}[registrationenabled]
 Oueries value:
806e6f6e6963}[registeradaptername]
 Oueries value:
806e6f6e6963}[domain]
 Oueries value:
806e6f6e6963}[dhcpdomain]
                 HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
 Queries value:
                 HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
 Queries value:
                 HKCU\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                 HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[specialfolderscachesize]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[nameserver]
 Queries value:
806e6f6e6963}[dhcpnameserver]
 Queries value:
                  HKCU\software\microsoft\internet explorer[no3dborder]
 Queries value:
                  HKLM\software\microsoft\internet explorer[no3dborder]
 Queries value:
                  HKLM\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
                 HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[urlencoding]
 Queries value:
                 HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
 Oueries value:
c19ce8a73253}[queryadaptername]
 Oueries value:
c19ce8a73253}[disableadapterdomainname]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[registrationmaxaddresscount]
```

Queries value:

c19ce8a73253}[maxnumberofaddressestoregister]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enablemulticast]

Queries value:

806e6f6e6963}[queryadaptername]

HKLM\software\microsoft\ole[maximumallowedallocationsize] Queries value:

HKLM\software\microsoft\internet Queries value:

 $explorer \verb|\main| featurecontrol \verb|\feature_restrict_res_to_lmz| [71985e8a4de40ddc1151fafb929b5614.exe]|$

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_restrict_res_to_lmz[*]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[disableadapterdomainname]

Queries value:

806e6f6e6963}[disabledynamicupdate]

Oueries value:

806e6f6e6963}[enableadapterdomainnameregistration]

Queries value:

806e6f6e6963}[registrationmaxaddresscount]

Oueries value:

806e6f6e6963}[maxnumberofaddressestoregister]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enablemulticast]

HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist] Oueries value:

Queries value: HKCR\.htm[content type]

HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[] Oueries value:

Oueries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[inprocserver32]

Queries value: $HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\nprocserver32[]$

HKCR\clsid\{dcb00c01-570f-4a9b-8d69-Oueries value:

199fdba5723b}\inprocserver32[threadingmodel]

```
Oueries value:
                         HKLM\software\microsoft\rpc\extensions[ndroleextdll]
                         HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]
 Oueries value:
                         \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ ole\+ app compat[raise default authnlevel]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\ole[defaultaccesspermission]
 Oueries value:
                         \label{local_ham} \verb+HKLM\system\currentcontrolset\control\lsa[everyoneincludes an onymous]
 Queries value:
                         Oueries value:
                         HKLM\software\microsoft\rpc\extensions[remoterpcdll]
                         HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32[]
 Oueries value:
 Oueries value:
                         HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
 Oueries value:
                         HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\tinprocserver32[]
 Queries value:
                         HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32[threadingmodel]
 Queries value:
                         HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
 Queries value:
                         HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32[]
                         HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
 Queries value:
                         HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[inprocserver32]
                         HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
 Queries value:
 Queries value:
                         HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[threadingmodel]
 Queries value:
                         HKCR \inf \{ bcd1de7e-2db1-418b-b047-4a74e101f8c1 \} \
 Queries value:
                         HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
                         \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
 Queries value:
settings\wpad[wpadlastnetwork]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[autoproxydetecttype]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_mime_sniffing[71985e8a4de40ddc1151fafb929b5614.exe]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_mime_sniffing[*]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[istextplainhonored]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_safe_bindtoobject[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[*]
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[]
 Queries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[]
 Oueries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-
 Queries value:
00aa00686f13}\inprocserver32[inprocserver32]
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[]
 Queries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-
 Oueries value:
00aa00686f13}\inprocserver32[threadingmodel]
 Queries value:
                         HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollinset]
                         HKCU\software\microsoft\windows
 Oueries value:
nt\currentversion\windows[dragscrolldelay]
 Oueries value:
                         HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollintervall
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[71985e8a4de40ddc1151fafb929b5614.exe]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_restrict_filedownload[*]
                         HKCR\protocols\handler\about[clsid]
 Queries value:
 Queries value:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}[]
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]
 Oueries value:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[threadingmodel]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_protocol_lockdown[71985e8a4de40ddc1151fafb929b5614.exe]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_protocol_lockdown[*]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[2106]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\zoom[zoomdisabled]
 Queries value:
                         HKLM\software\policies\microsoft\internet explorer[smartdithering]
                         HKCU\software\microsoft\internet explorer[smartdithering]
 Oueries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer[rtfconverterflags]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[usecleartype]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[page_transitions]
                         HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[anchor underline]
                         HKCU\software\microsoft\internet explorer\main[css_compat]
 Oueries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[expand alt text]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[display inline images]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[display inline videos]
                         HKLM\software\microsoft\internet explorer\main[display inline videos]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[play_background_sounds]
```

```
HKCU\software\microsoft\internet explorer\main[play_animations]
 Oueries value:
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[print_background]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[use stylesheets]
                          HKCU\software\microsoft\internet explorer\main[smoothscroll]
 Queries value:
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[xmlhttp]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[show image placeholders]
                          HKCU\software\microsoft\internet explorer\main[disable script debugger]
 Oueries value:
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[move system caret]
                          HKCU\software\microsoft\internet explorer\main[force offscreen
 Queries value:
composition1
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[enable autoimageresize]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[usethemes]
                          HKCU\software\microsoft\internet explorer\main[usehr]
 Oueries value:
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[q300829]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[cleanup htcs]
                          HKCU\software\microsoft\internet explorer\main[xdomainrequest]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[xdomainrequest]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[domstorage]
 Oueries value:
                          HKCU\software\microsoft\internet
explorer\international[default_codepage]
 Queries value:
                          HKCU\software\microsoft\internet explorer\international[autodetect]
 Oueries value:
                          HKCU\software\microsoft\internet
explorer\international\scripts[default_iefontsizeprivate]
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[anchor color]
 Oueries value:
                          \label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ internet explorer \verb+\settings[anchor color visited]+ \\
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[anchor color hover]
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[always use my colors]
                          \label{lem:hkcu} \mbox{HKCU\software\mbox{$\mbox{$m$icrosoft\internet explorer\settings[always use my font]}} \label{lem:hkcu}
 Oueries value:
size]
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[always use my font
face1
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[disable visited
hyperlinks]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\settings[use anchor hover
color]
 Queries value:
                          HKCU\software\microsoft\internet explorer\settings[miscflags]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\policies[allow
programmatic cut_copy_paste]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[disablecachingofsslpages]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[disablecachingofsslpages]
 Queries value:
                         HKCU\software\microsoft\internet explorer\pagesetup[print_background]
                          HKLM\system\currentcontrolset\control\nls\codepage[950]
 Oueries value:
 Queries value:
                          HKCU\software\microsoft\internet
explorer\international\scripts\3[iefontsize]
                         HKCU\software\microsoft\internet
explorer\international\scripts\3\iefontsizeprivatel
 Queries value:
                         HKCU\software\microsoft\internet
explorer\international\scripts\3[iepropfontname]
                         HKCU\software\microsoft\internet
 Oueries value:
explorer\international\scripts\3[iefixedfontname]
                          HKCU\software\microsoft\internet explorer\international[acceptlanguage]
 Queries value:
 Oueries value:
                          HKLM\software\microsoft\internet explorer\version vector[ie]
 Oueries value:
                          HKLM\software\microsoft\internet explorer\version vector[vml]
                          HKLM\software\microsoft\internet explorer\version vector[windowsedition]
 Oueries value:
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_zone_elevation[71985e8a4de40ddc1151fafb929b5614.exe]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_zone_elevation[*]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux[71985e8a4de40ddc1151fafb929b5614.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux[*]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_browser_emulation[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation[*]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[2700]
                          HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\0[2700]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter[71985e8a4de40ddc1151fafb929b5614.exe]
 Oueries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter[*]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones[securitysafe]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner]
 Queries value:
                          HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh]
 Queries value:
                          HKCU\software\microsoft\internet explorer\ietld[ietldversionlow]
```

HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\netbt\linkage[export]

Oueries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[71985e8a4de40ddc1151fafb929b5614.exe]

Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

HKLM\software\policies\microsoft\windows\currentversion\internet Oueries value:

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings[cointernetcombineiuricachesize]

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature_shim_mshelp_combine[71985e8a4de40ddc1151fafb929b5614.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_shim_mshelp_combine[*] Oueries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_subdownload_lockdown[71985e8a4de40ddc1151fafb929b5614.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_subdownload_lockdown[*]

Queries value: HKCR\.css[content type]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1400]

Queries value: HKCR\.js[content type]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_feeds[71985e8a4de40ddc1151fafb929b5614.exe]

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature_feeds[*]

HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature_block_lmz_script[71985e8a4de40ddc1151fafb929b5614.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_block_lmz_script[*]

HKLM\software\policies\microsoft\windows\currentversion\internet Queries value:

HKCU\software\microsoft\windows\currentversion\internet

settings[warnonintranet]

 $\label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu} \mbox{\tt hkcu\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\color=lem:hkcu$ Oueries value:

settings[warnonintranet] Oueries value:

settings[warnonintranet]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\zonemap[autodetect]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[] Queries value:

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[inprocserver32]

 $HKCR\clsid \ \{50d5107a-d278-4871-8989-f4ceaaf59cfc\} \ \ inprocserver 32[]$ Queries value:

HKCR\clsid\{50d5107a-d278-4871-8989-Oueries value:

f4ceaaf59cfc}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\windows\currentversion\internet settings\url

history[daystokeep]

Oueries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\progid[] HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[] Oueries value:

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-Oueries value:

00aa00bbbb58}\inprocserver32[inprocserver32]

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\inprocserver32[] Oueries value:

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-Queries value:

00aa00bbbb58}\inprocserver32[threadingmodel]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1201]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[1201]

Oueries value: HKCR\.jpg[content type] Queries value: HKCR\.png[content type]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_block_lmz_img[71985e8a4de40ddc1151fafb929b5614.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_block_lmz_img[*]

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid[] Oueries value: Oueries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}[]

HKCR\clsid\{30c3b080-30fb-11d0-b724-Oueries value:

00aa006c1a01}\inprocserver32[inprocserver32]

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[] Oueries value:

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32[threadingmodel]

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[] Oueries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[] Oueries value:

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

Queries value: $\label{local-basid} $$HKCR\clsid_{6a01fda0-30df-11d0-b724-00aa006c1a01}\times []$$

```
HKCR\clsid\{6a01fda0-30df-11d0-b724-
 Oueries value:
00aa006c1a01}\inprocserver32[threadingmodel]
 Oueries value:
                          HKCR\mime\database\content type\image/bmp\bits[0]
 Queries value:
                          HKCR\mime\database\content type\image/gif\bits[0]
                          HKCR\mime\database\content type\image/jpeg\bits[0]
 Oueries value:
 Queries value:
                          HKCR\mime\database\content type\image/pjpeg\bits[0]
 Oueries value:
                          HKCR\mime\database\content type\image/png\bits[0]
                          HKCR\mime\database\content type\image/x-png\bits[0]
 Oueries value:
 Oueries value:
                          HKCR\mime\database\content type\image/x-wmf\bits[0]
                          HKCR\mime\database\content type\image/x-png[image filter clsid]
 Oueries value:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[]
 Queries value:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
00a0c913f750}\inprocserver32[threadingmodel]
                          HKCU\software\microsoft\internet explorer\recovery[autorecover]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\0[2000]
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\0[2000]
                          HKCU\software\microsoft\ftp[use web based ftp]
 Oueries value:
                          HKCU\software\microsoft\internet
 Queries value:
explorer\services[selectionactivitybuttondisable]
                          HKCU\software\microsoft\internet explorer\suggested sites[enabled]
 Queries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\feed discovery[sound]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[2700]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[]
                          \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
 Queries value:
settings\5.0\user agent[]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[compatible]
                          \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
 Queries value:
settings\5.0\user agent[compatible]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[version]
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\user agent[version]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet settings[user
agent]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[platform]
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\user agent[platform]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver[*]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_maxconnectionsper1_0server[71985e8a4de40ddc1151fafb929b5614.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsper1_0server[*]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enableutf8]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_disable_legacy_compression[71985e8a4de40ddc1151fafb929b5614.exe]
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_legacy_compression[*]
 Queries value:
                          HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}[]
                          HKCR\clsid\{e569bde7-a8dc-47f3-893f-
 Queries value:
fd2b31b3eefd}\inprocserver32[inprocserver32]
                          HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprocserver32[threadingmodel]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecision]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisiontime]
                          \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Oueries value:
settings\wpad[wpadexpirationdays]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisionreason]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\3[1a10]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[autosearch]
                          HKCU\software\microsoft\internet explorer\main[friendly http errors]
 Oueries value:
 Oueries value:
                          HKLM\system\currentcontrolset\control\session
manager[pendingfilerenameoperations2]
                          HKLM\system\currentcontrolset\control\session
 Oueries value:
```

manager[pendingfilerenameoperations]

```
Oueries value:
                          HKCU\appevents\schemes\apps\explorer\activatingdocument\.current[]
                          HKLM\software\microsoft\internet explorer[version]
 Oueries value:
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion[productname]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion[productname]
                          HKLM\svstem\currentcontrolset\control\windows[csdversion]
 Oueries value:
 Queries value:
                          \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
settings\zones\3[currentlevel]
                          \label{lem:hkcu} $\tt HKCU\appevents\schemes\apps\explorer\navigating\.current[]
 Oueries value:
 Oueries value:
                          HKCU\appevents\schemes[]
 Oueries value:
                          HKCU\appevents\schemes\apps\explorer\navigating\.current[default flags]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave1]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave2]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave3]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave4]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave5]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave6]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave7]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave8]
 Oueries value:
                          HKCR\.htm[]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[wave9]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midill
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi2]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi3]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi4]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi5]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi6]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi7]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi8]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\drivers32[midi9]
 Queries value:
HKCU \setminus system \setminus current control \\ set \setminus control \\ \\ media properties \setminus private properties \setminus joystick \setminus winmm[wheel]
 Queries value:
                          HKCR\htmlfile\shellex\iconhandler[]
                          HKCR\htmlfile[docobject]
 Oueries value:
 Queries value:
                          HKCR\systemfileassociations\.htm[docobject]
 Queries value:
                          HKCR\htmlfile[browseinplace]
                          HKCR\systemfileassociations\.htm[browseinplace]
 Oueries value:
                          HKCR\htmlfile\clsid[]
 Queries value:
 Queries value:
                          HKCR\htmlfile[isshortcut]
                          HKCR\systemfileassociations\.htm[isshortcut]
 Oueries value:
 Queries value:
                          HKCR\htmlfile[alwaysshowext]
 Oueries value:
                          HKCR\svstemfileassociations\.htm[alwavsshowext]
 Oueries value:
                          HKCR\htmlfile[nevershowext]
                          HKCR\systemfileassociations\.htm[nevershowext]
 Oueries value:
                          HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprocserver32[]
 Queries value:
 Oueries value:
                          HKCR\clsid\ere4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[loadwithoutcom]
                          HKCU\software\microsoft\windows\currentversion\shell
 Oueries value:
extensions\cached[{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} {000214e6-0000-0000-c000-000000000046}
0xffff1
                          HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[inprocserver32]
                          HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
 Oueries value:
00aa004ae837}\inprocserver32[threadingmodel]
                          HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}[]
 Queries value:
                          HKCR\clsid\{275c23e2-3747-11d0-9fea-
 Oueries value:
00aa003f8646}\inprocserver32[inprocserver32]
                          HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32[]
 Queries value:
 Queries value:
                          HKCR\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\inprocserver32[threadingmodel]
                          HKLM\system\currentcontrolset\control\nls\codepage[1250]
 Queries value:
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[1251]
 Oueries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[1253]
                          HKLM\system\currentcontrolset\control\nls\codepage[1254]
 Oueries value:
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[1255]
 Oueries value:
                          Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[1257]
 Oueries value:
                          HKLM\svstem\currentcontrolset\control\nls\codepage[1258]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[874]
 Oueries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[932]
 Oueries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[936]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[949]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\codepage[1361]
 Oueries value:
                          HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32[]
 Queries value:
                          HKCR\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprocserver32[loadwithoutcom]
                          HKCU\software\microsoft\windows\currentversion\shell
 Oueries value:
extensions\cached[{ff393560-c2a7-11cf-bff4-444553540000} {000214e6-0000-0000-c000-000000000046}
0xffff1
                          HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{ff393560-c2a7-11cf-bff4-
```

```
444553540000}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-
  Oueries value:
444553540000}\inprocserver32[threadingmodel]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
                                     \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
                                    Oueries value:
3aea-1069-a2d8-08002b30309d}[]
  Queries value:
                                     HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[localizedstring]
                                    HKCU\software\microsoft\internet
  Oueries value:
explorer\main\windowssearch[enabledscopes]
  Queries value:
                                    HKLM\software\microsoft\windows search[currentversion]
                                     HKLM\software\microsoft\internet explorer\main[maxrenderline]
  Oueries value:
  Sets/Creates value:
                                     HKCU\software\appdatalow\software\smartbar[globaluserid]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[enablefiletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[enableconsoletracing]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ \ 71985e8a4de40ddc1151fafb929b5614\_rasapi32[file tracing mask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[consoletracingmask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[maxfilesize]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasapi32[filedirectory]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ \ 71985e8a4de40ddc1151fafb929b5614\_rasmancs \ [enable file tracing]
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[enableconsoletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[filetracingmask]
  Sets/Creates value:
HKLM \backslash software \backslash microsoft \backslash tracing \backslash 71985e8a4de40ddc1151fafb929b5614\_rasmancs [consoletracing mask] / (a) and (b) and (c) and (c
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[maxfilesize]
  Sets/Creates value:
HKLM\software\microsoft\tracing\71985e8a4de40ddc1151fafb929b5614_rasmancs[filedirectory]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[enablefiletracing]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[enableconsoletracing]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[filetracingmask]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[consoletracingmask]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[maxfilesize]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasapi32[filedirectory]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[enablefiletracing]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[enableconsoletracing]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[filetracingmask]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[consoletracingmask]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[maxfilesize]
  Sets/Creates value:
                                     HKLM\software\microsoft\tracing\bi_rasmancs[filedirectory]
  Sets/Creates value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisionreason]
  Sets/Creates value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisiontime]
  Sets/Creates value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecision]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpadnetworkname]
  Sets/Creates value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\de-13-1b-76-c1-cc[wpaddecisionreason]
  Sets/Creates value:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings\wpad\de-13-1b-76-c1-cc[wpaddecisiontime]
  Sets/Creates value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\de-13-1b-76-c1-cc[wpaddecision]
                                     HKLM\system\currentcontrolset\control\session
  Sets/Creates value:
manager[pendingfilerenameoperations]
  Sets/Creates value:
                                     HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerid]
  Sets/Creates value:
                                     HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131[offerurl]
  Sets/Creates value:
                                     HKCU\software\conduit\distributionengine\1\offerhistory\755131[homapage]
  Sets/Creates value:
HKCU\software\conduit\distributionengine\1\offerhistory\755131[defaultsearch]
  Sets/Creates value:
HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerdescription]
  Sets/Creates value:
                                     HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131[ruleid]
  Sets/Creates value:
HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131 [root offerid]
```

HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value: settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath] Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix] Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value: settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions] Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair] HKCU\software\microsoft\windows\currentversion\internet Value changes: settings[proxyenable] Value changes: $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ settings\connections[savedlegacysettings] Value changes: $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+$ settings\zonemap[uncasintranet] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap[autodetect] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\connections[defaultconnectionsettings] Value changes: $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+$ settings\wpad[wpadlastnetwork] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisionreason] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecisiontime] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpaddecision] HKCU\software\microsoft\windows\currentversion\internet Value changes: settings\wpad\{dce200e7-f109-43f2-a2b5-ce4c53a70a99}[wpadnetworkname] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\de-13-1b-76-c1-cc[wpaddecisionreason] HKCU\software\microsoft\windows\currentversion\internet Value changes: settings\wpad\de-13-1b-76-c1-cc[wpaddecisiontime] Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\de-13-1b-76-c1-cc[wpaddecision] HKCU\software\microsoft\windows\currentversion\internet Value changes: settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]

Value changes: HKCU\software\microsoft\internet explorer\main\windowssearch[version]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]