Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 251, Task ID: 1004

Task ID: 1004 Risk Level: 4

Date Processed: 2016-04-28 13:15:07 (UTC)

Processing Time: 61.11 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\b9157cdd8f2376b26202cce9b65f1efb.exe"

Sample ID: 251
Type: basic
Owner: admin

Label: b9157cdd8f2376b26202cce9b65f1efb

Date Added: 2016-04-28 12:45:16 (UTC)

File Type: PE32:win32:gui File Size: 450907 bytes

MD5: b9157cdd8f2376b26202cce9b65f1efb

SHA256: 38a24c7531054711addae1e035f29a9c5e4772890c023481427945c19e2ef417

Description: None

Pattern Matching Results

2 PE: Nonstandard section

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\b9157cdd8f2376b26202cce9b65f1efb.exe

["C:\windows\temp\b9157cdd8f2376b26202cce9b65f1efb.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \KernelObjects\MaximumCommitCondition

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nsu3288.tmp

Opens: C:\Windows\Prefetch\B9157CDD8F2376B26202CCE9B65F1-19879722.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\b9157cdd8f2376b26202cce9b65f1efb.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll

Opens: C:\windows\temp\VERSION.dll Opens: C:\Windows\System32\version.dll C:\Windows\System32\imm32.dll Opens: Opens: C:\Windows\System32\rpcss.dll Opens: C:\windows\temp\CRYPTBASE.dll Opens: C:\Windows\System32\cryptbase.dll Opens: C:\Windows\System32\uxtheme.dll Opens: C:\windows\temp\SHFOLDER.DLL Opens: C:\Windows\System32\shfolder.dll

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\System32\shell32.dll

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

 $\label{lem:opens:common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\\comctl32.dll$

Opens: C:\Windows\WindowsShell.Manifest

Opens: C:\Windows

Opens: C:\Windows\System32\propsys.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db

Opens: C:\windows\temp\ntmarta.dll
Opens: C:\Windows\System32\ntmarta.dll

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-

4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db

Opens: C:\Users\Admin\AppData\Local\Temp\nsu3288.tmp
Opens: C:\Windows\System32\en-US\setupapi.dl1.mui

Opens: C:\Windows\Temp\b9157cdd8f2376b26202cce9b65f1efb.exe

Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\Windows\win.ini

Opens: C:\Windows\system32\uxtheme.dll.Config
Opens: C:\Windows\Fonts\StaticCache.dat
Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Windows\Temp\b9157cdd8f2376b26202cce9b65f1efb.exe

Reads from: C:\Windows\win.ini

Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\nsu3288.tmp

Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument

Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize

Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32

Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ b9157cdd8f2376b26202cce9b65f1efb. exemple \ applications \ b9157cdd8f2376b26202cce9b65f1efb. exemple \ begin{picture}(1,0) \put(0,0) \put$

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum

Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \ software \ icrosoft \ windows \ shell \ registered applications \ urlass ociations \ directory \ open with progids$

Opens key:

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

 $HKLM \verb|\software\m| icrosoft \verb|\windows\currentversion\explorer\folder descriptions| \\$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ \ property bag$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $HKCU \ software \ `microsoft\ `windows \ `current version \ `explorer \ `session in folders' \ in the constant of the consta$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: $\begin{tabular}{ll} HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treat as \\ Opens key: \\ HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc30d9f9d}\treat as \\ \begin{tabular}{ll} HKCU\software\clsid\cls$

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens kev:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\win
Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{lem:hccu} HKCU software \end{area} HKCU software \end{area} Correct \end{area} HKCU software \end{area} Correct \end{area} HKCU software \end{area} Correct \end{area} Correct \end{area} Correct \end{area} HKCU \end{area} Correct \en$

Opens key: HKLM\software\propertycube

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKCU\software\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\segoe ui
Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2
Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparent enabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest] Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[] Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] HKLM\software\microsoft\windows Queries value: nt\currentversion\gre_initialize[disablemetafiles] HKLM\software\microsoft\windows Oueries value: nt\currentversion\compatibility32[b9157cdd8f2376b26202cce9b65f1efb] Oueries value: HKLM\software\microsoft\windows nt\currentversion\windows[loadappinit_dlls] Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[attributes] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[callforattributes] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsfordisplay] $HKCR\clsid\{20d04fe0-3aea-1069-a2d8-44d6}$ Queries value: 08002b30309d}\shellfolder[hidefolderverbs] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[usedrophandler] Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsforparsing] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[wantsparsedisplayname] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[queryforoverlay] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[mapnetdriveverbs] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[queryforinfotip] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[hideinwebview] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[hideondesktopperuser] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[wantsaliasednotifications] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[wantsuniversaldelegate] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[nofilefolderjunction] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[pintonamespacetree] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value: 08002b30309d}\shellfolder[hasnavigationenum] HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-08002b30309d}] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}[data] Queries value: 11e3-b3bc-806e6f6e6963}[generation] HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-Queries value: 409d6c4515e9}[drivemask] Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath] Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Queries value:

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Oueries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [nonetcrawling]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]

Queries value: HKCR\directory[browseinplace]

Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[localredirectonly]

Oueries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ b029-7fe99a87c641 \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [category]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b4ef-bd1dc332aeae \current \current$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectorly]$

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[initfolderhandler]

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \category\cite{Control of the control of the control$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [name]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\ [parentfolder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \security \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[streamresourcetype]\]$

Oueries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \end{tabular} windows \current version \explorer \folder descriptions \end{tabular} \begin{tabular}{l} 43eb685db-65f9-4cf6-a03a-e3ef65729f3d \end{tabular} \begin{tabular}{l} 10cal redirection \end{tabular} \begin{tabular}{l} 10cal red in the constraint \end{tabular} \begin{tabular}{l} 10cal$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a03a-e3ef65729f3d \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} a 03a-e3ef65729f3d \end{general} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [init folder handler]$

Queries value: HKCU\software\mi

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}\[parentfolder\]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[description]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{thm:local-parameters} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[icon]$$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]$$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ current version \ `explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\system\currentcontrolset\confrol\cmf\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \cite{Ababa} \cite{Ababa}$

Queries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [generation]$

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]
Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]
Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]
Queries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[scrollinset]
Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragmindist]
Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[scrolldelay]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\windows[scrollinterval]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[disable] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0[datafilepath]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane1]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane2]
Oueries value: HKLM\software\microsoft\windows

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane4]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane7]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane8]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane10]

nt\currentversion\languagepack\surrogatefallback[plane10] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane11]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane12]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane13]
Queries value: HKLM\software\microsoft\windows

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane14]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane15]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane16]