

Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 55, Task ID: 220

| | |
|----------------------|--|
| Task ID: | 220 |
| Risk Level: | 3 |
| Date Processed: | 2016-04-28 12:53:12 (UTC) |
| Processing Time: | 2.58 seconds |
| Virtual Environment: | IntelliVM |
| Execution Arguments: | "c:\windows\temp\602bcc42064dbb0bcb1933b4247937fe.exe" |
| Sample ID: | 55 |
| Type: | basic |
| Owner: | admin |
| Label: | 602bcc42064dbb0bcb1933b4247937fe |
| Date Added: | 2016-04-28 12:44:55 (UTC) |
| File Type: | PE32:win32:gui |
| File Size: | 335872 bytes |
| MD5: | 602bcc42064dbb0bcb1933b4247937fe |
| SHA256: | 1cba995b5874702639b780fe754cb9d1f3f86238dbf00af062a1777221bb2a9c |
| Description: | None |

Pattern Matching Results

3 Long sleep detected

Process/Thread Events

| | |
|---|--|
| Creates process: | C:\windows\temp\602bcc42064dbb0bcb1933b4247937fe.exe |
| ["C:\windows\temp\602bcc42064dbb0bcb1933b4247937fe.exe"] | |
| Terminates process: | C:\Windows\Temp\602bcc42064dbb0bcb1933b4247937fe.exe |

Named Object Events

| | |
|--------------------|---|
| Creates mutex: | \Sessions\1\BaseNamedObjects\DBWinMutex |
| Creates event: | \KernelObjects\MaximumCommitCondition |
| Creates semaphore: | \Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP? |

602BCC42064DBB0BCB1933B4247937FE.EXE

File System Events

| | |
|--------|---|
| Opens: | C:\Windows\Prefetch\602BCC42064DBB0BCB1933B424793-FC85562C.pf |
| Opens: | C:\Windows\System32 |
| Opens: | C:\windows\temp\MSVBVM60.DLL |
| Opens: | C:\Windows\System32\msvbvm60.dll |
| Opens: | C:\Windows\System32\sechost.dll |
| Opens: | C:\Windows\System32\imm32.dll |
| Opens: | C:\Windows\Globalization\Sorting\SortDefault.nls |
| Opens: | C:\Windows\System32\rpcss.dll |
| Opens: | C:\windows\temp\CRYPTBASE.dll |
| Opens: | C:\Windows\System32\cryptbase.dll |
| Opens: | C:\Windows\System32\uxtheme.dll |
| Opens: | C:\Windows\Temp\602bcc42064dbb0bcb1933b4247937fe.exe |
| Opens: | C:\windows\temp\602bcc42064dbb0bcb1933b4247937fe.exe.cfg |
| Opens: | C:\windows\temp\SXS.DLL |
| Opens: | C:\Windows\System32\sxs.dll |
| Opens: | C:\Windows\System32\C_932.NLS |
| Opens: | C:\Windows\System32\C_949.NLS |
| Opens: | C:\Windows\System32\C_950.NLS |
| Opens: | C:\Windows\System32\C_936.NLS |
| Opens: | C:\windows\temp\CRYPTSP.dll |
| Opens: | C:\Windows\System32\cryptsp.dll |
| Opens: | C:\Windows\System32\rsaenh.dll |

| | |
|-------------|--|
| Opens: | C:\windows\temp\RpcRtRemote.dll |
| Opens: | C:\Windows\System32\RpcRtRemote.dll |
| Opens: | C:\Windows\WINHELP.INI |
| Opens: | C:\Windows\system32\HLP |
| Opens: | C:\Windows\Help\HLP |
| Reads from: | C:\Windows\Temp\602bcc42064dbb0bcb1933b4247937fe.exe |

Windows Registry Events

| | |
|----------------|---|
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9} |
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5 |
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\flags |
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0 |
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0\win32 |
| Creates key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\helpdir |
| Creates key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538} |
| Creates key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid |
| Creates key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32 |
| Creates key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754} |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\progid |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\localserver32 |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\typelib |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\version |
| Creates key: | HKCR\aloahafLOWchart64.engine64 |
| Creates key: | HKCR\aloahafLOWchart64.engine64\clsid |
| Creates key: | HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561} |
| Creates key: | HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid |
| Creates key: | HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid32 |
| Creates key: | HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\forward |
| Creates key: | HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80} |
| Creates key: | HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid |
| Creates key: | HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid32 |
| Creates key: | HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\forward |
| Creates key: | HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59} |
| Creates key: | HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid |
| Creates key: | HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid32 |
| Creates key: | HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\forward |
| Creates key: | HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e} |
| Creates key: | HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid |
| Creates key: | HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid32 |
| Creates key: | HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\forward |
| Creates key: | HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919} |
| Creates key: | HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid |
| Creates key: | HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid32 |
| Creates key: | HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\forward |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\implemented categories |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\programmable |
| Creates key: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\implemented categories\{40fc6ed5-2438-11cf-a3db-080036f12502} |
| Deletes value: | HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\localserver32[threadingmodel] |
| Opens key: | HKLM\system\currentcontrolset\control\session manager |
| Opens key: | HKLM\system\currentcontrolset\control\terminal server |
| Opens key: | HKLM\system\currentcontrolset\control\safeboot\option |
| Opens key: | HKLM\system\currentcontrolset\control\srp\gp\dll |
| Opens key: | HKLM\software\policies\microsoft\windows\safer\codeidentifiers |
| Opens key: | HKCU\software\policies\microsoft\windows\safer\codeidentifiers |
| Opens key: | HKCU\control panel\desktop\muicached\machinelanguageconfiguration |
| Opens key: | HKLM\software\policies\microsoft\mui\settings |
| Opens key: | HKCU\software\policies\microsoft\control panel\desktop |
| Opens key: | HKCU\control panel\desktop\languageconfiguration |
| Opens key: | HKCU\control panel\desktop |

| | |
|------------------------------|--|
| Opens key: | HKCU\control panel\desktop\muicached |
| Opens key: | HKLM\software\microsoft\windows\currentversion\sidebyside |
| Opens key: | HKLM\system\currentcontrolset\control\nls\sorting\versions |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\image file execution |
| options | |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\image file execution |
| options\dlloxoptions | |
| Opens key: | HKLM\system\currentcontrolset\control\error message instrument\ |
| Opens key: | HKLM\system\currentcontrolset\control\error message instrument |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\gre_initialize |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\compatibility32 |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\ime compatibility |
| Opens key: | HKLM\ |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\windows |
| Opens key: | HKLM\software\microsoft\windows nt\currentversion\diagnostics |
| Opens key: | HKLM\software\microsoft\ole |
| Opens key: | HKLM\software\microsoft\ole\tracing |
| Opens key: | HKLM\software\microsoft\oleaut |
| Opens key: | HKLM\system\currentcontrolset\control\nls\customlocale |
| Opens key: | HKLM\system\currentcontrolset\control\nls\extendedlocale |
| Opens key: | HKLM\system\currentcontrolset\control\nls\locale |
| Opens key: | HKLM\system\currentcontrolset\control\nls\locale\alternate sorts |
| Opens key: | HKLM\system\currentcontrolset\control\nls\language groups |
| Opens key: | HKLM\software\microsoft\windows\windows error reporting\wmr |
| Opens key: | HKCU\software\classes\ |
| Opens key: | HKCU\software\classes\typelib\{000204ef-0000-0000-c000- |
| 000000000046}\6.0\9 | |
| Opens key: | HKCR\typelib\{000204ef-0000-0000-c000-000000000046}\6.0\9 |
| Opens key: | HKCU\software\classes\typelib\{000204ef-0000-0000-c000- |
| 000000000046}\6.0\9\win32 | |
| Opens key: | HKCR\typelib\{000204ef-0000-0000-c000-000000000046}\6.0\9\win32 |
| Opens key: | HKCU\software\classes\typelib\{ea544a21-c82d-11d1-a3e4- |
| 00a0c90aea82}\6.0\9 | |
| Opens key: | HKCR\typelib\{ea544a21-c82d-11d1-a3e4-00a0c90aea82}\6.0\9 |
| Opens key: | HKCU\software\classes\typelib\{ea544a21-c82d-11d1-a3e4- |
| 00a0c90aea82}\6.0\9\win32 | |
| Opens key: | HKCR\typelib\{ea544a21-c82d-11d1-a3e4-00a0c90aea82}\6.0\9\win32 |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c- |
| 418274d25ba9}\1.5\0 | |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0 |
| Opens key: | HKCU\software\classes\typelib |
| Opens key: | HKCR\typelib |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c-418274d25ba9} |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9} |
| Opens key: | HKLM\software\classes |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5 |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5 |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c- |
| 418274d25ba9}\1.5\flags | |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\flags |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c- |
| 418274d25ba9}\1.5\0\win32 | |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0\win32 |
| Opens key: | HKCU\software\classes\typelib\{f1713e8f-3698-497d-873c- |
| 418274d25ba9}\1.5\helpdir | |
| Opens key: | HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\helpdir |
| Opens key: | HKCU\software\classes\interface |
| Opens key: | HKCR\interface |
| Opens key: | HKCU\software\classes\interface\{d7a6a14f-7947-4899-be20-a019be861538} |
| Opens key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538} |
| Opens key: | HKCU\software\classes\interface\{d7a6a14f-7947-4899-be20- |
| a019be861538}\proxystubclsid | |
| Opens key: | HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid |

Opens key: HKCU\software\classes\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32
 Opens key: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib
 Opens key: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\progid
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\localserver32
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\typelib
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\version
 Opens key: HKCU\software\classes\aloahafLOWchart64.engine64
 Opens key: HKCR\aloahafLOWchart64.engine64
 Opens key: HKCU\software\classes\aloahafLOWchart64.engine64\clsid
 Opens key: HKCU\software\classes\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}
 Opens key: HKCU\software\classes\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid
 Opens key: HKCU\software\classes\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\forward
 Opens key: HKCU\software\classes\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}
 Opens key: HKCU\software\classes\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid
 Opens key: HKCU\software\classes\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\forward
 Opens key: HKCU\software\classes\interface\{55af540b-13af-4de5-a975-5600b0589e59}
 Opens key: HKCU\software\classes\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid
 Opens key: HKCU\software\classes\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{55af540b-13af-4de5-a975-5600b0589e59}\forward
 Opens key: HKCU\software\classes\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}
 Opens key: HKCU\software\classes\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid
 Opens key: HKCU\software\classes\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\forward
 Opens key: HKCU\software\classes\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}
 Opens key: HKCU\software\classes\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid
 Opens key: HKCU\software\classes\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid32
 Opens key: HKCU\software\classes\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\forward
 Opens key: HKLM\software\microsoft\rpc\extensions
 Opens key: HKLM\software\microsoft\rpc
 Opens key: HKLM\system\currentcontrolset\control\computename\activecomputename
 Opens key: HKLM\system\setup
 Opens key: HKLM\software\policies\microsoft\windows nt\rpc
 Opens key: HKLM\software\policies\microsoft\sqmclient\windows
 Opens key: HKLM\software\microsoft\sqmclient\windows
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\implemented categories
 Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-

64f80a1b9754}\programmable

- Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\implemented categories\{40fc6ed5-2438-11cf-a3db-080036f12502}
- Opens key: HKLM\system\currentcontrolset\control\ntp\codepage
- Opens key: HKLM\software\microsoft\vba\monitors
- Opens key: HKLM\software\microsoft\com3
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}
- Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\treatas
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\treatas
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\progid
- Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprocserver32
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprocserver32
- Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprochandler32
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprochandler32
- Opens key: HKCU\software\classes\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprochandler
- Opens key: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\inprochandler
- Opens key: HKCU\software\classes\appid\602bcc42064dbb0bcb1933b4247937fe.exe
- Opens key: HKCR\appid\602bcc42064dbb0bcb1933b4247937fe.exe
- Opens key: HKLM\software\microsoft\ole\appcompat
- Opens key: HKLM\system\currentcontrolset\control\lsa
- Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong cryptographic provider
- Opens key: HKLM\system\currentcontrolset\control\lsa\lspalgorithmpolicy
- Opens key: HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
- Opens key: HKLM\software\policies\microsoft\cryptography
- Opens key: HKLM\software\microsoft\cryptography
- Opens key: HKLM\software\microsoft\cryptography\offload
- Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-000000000046}
- Opens key: HKCR\interface\{00000134-0000-0000-c000-000000000046}
- Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-000000000046}\proxystubclsid32
- Opens key: HKCR\interface\{00000134-0000-0000-c000-000000000046}\proxystubclsid32
- Opens key: HKLM\system\currentcontrolset\services\bfe
- Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
- Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\
- Opens key: HKLM\software\microsoft\windows
- Opens key: HKLM\software\microsoft\windows\html help
- Opens key: HKLM\software\microsoft\windows\help
- Queries value: HKLM\system\currentcontrolset\control\session manager[cwdillegalindllsearch]
- Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
- Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
- Queries value: HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenables]
- Queries value: HKCU\control panel\desktop[preferreduilanguages]
- Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
- Queries value: HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
- Queries value: HKLM\system\currentcontrolset\control\ntp\sorting\versions[]
- Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
- Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllexoptions[usefilter]
- Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllexoptions[msvbvm60.dll]
- Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
- Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[602bcc42064dbb0bcb1933b4247937fe]

Queries value: HKLM\software\microsoft\windows
 nt\currentversion\windows[loadappinit_dlls]
 Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Queries value: HKLM\software\microsoft\ole[pageallocatorssystemheapisprivate]
 Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]
 Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
 Queries value: HKCR\typelib\{000204ef-0000-0000-c000-000000000046}\6.0\9\win32[]
 Queries value: HKCR\typelib\{ea544a21-c82d-11d1-a3e4-00a0c90aea82}\6.0\9\win32[]
 Queries value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5[]
 Queries value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\flags[]
 Queries value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0\win32[]
 Queries value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\helpdir[]
 Queries value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}[]
 Queries value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid[]
 Queries value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32[]
 Queries value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib[]
 Queries value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib[version]
 Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]
 Queries value: HKLM\software\microsoft\rpc[maxrpcsize]
 Queries value:
 HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
 Queries value: HKLM\system\setup[oobeinprogress]
 Queries value: HKLM\system\setup\systemsetupinprogress]
 Queries value: HKLM\software\microsoft\sqlclient\windows[ceipenable]
 Queries value: HKLM\system\currentcontrolset\control\session
 manager[safeprocesssearchmode]
 Queries value: HKLM\system\currentcontrolset\control\nls\codepage[932]
 Queries value: HKLM\system\currentcontrolset\control\nls\codepage[949]
 Queries value: HKLM\system\currentcontrolset\control\nls\codepage[950]
 Queries value: HKLM\system\currentcontrolset\control\nls\codepage[936]
 Queries value: HKLM\software\microsoft\com3[com+enabled]
 Queries value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\progid[]
 Queries value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}[]
 Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]
 Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]
 Queries value: HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
 Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
 cryptographic provider[type]
 Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
 cryptographic provider[image path]
 Queries value: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
 Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
 Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
 Queries value:
 HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
 Queries value: HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
 Queries value: HKLM\software\microsoft\cryptography[machineguid]
 Queries value: HKCR\interface\{00000134-0000-0000-c000-000000000046}\proxystubclsid32[]
 Queries value: HKLM\software\microsoft\rpc\extensions[remoterpcdll]
 Queries value: HKLM\software\microsoft\sqlclient\windows\disabledprocesses[67e8c4d8]
 Queries value:
 HKLM\software\microsoft\sqlclient\windows\disabledsessions[machinethrottling]
 Queries value:
 HKLM\software\microsoft\sqlclient\windows\disabledsessions[globalsession]
 Queries value: HKLM\software\microsoft\ole[maxsxshashcount]
 Queries value: HKLM\software\microsoft\windows\html help[.hlp]
 Sets/Creates value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5[]
 Sets/Creates value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\flags[]
 Sets/Creates value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\0\win32[]
 Sets/Creates value: HKCR\typelib\{f1713e8f-3698-497d-873c-418274d25ba9}\1.5\helpdir[]

Sets/Creates value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}[]
Sets/Creates value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib[]
Sets/Creates value: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\typelib[version]
Sets/Creates value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}[]
Sets/Creates value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\progid[]
Sets/Creates value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\localserver32[]
Sets/Creates value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\typelib[]
Sets/Creates value: HKCR\clsid\{7a54054e-098c-460e-a45d-64f80a1b9754}\version[]
Sets/Creates value: HKCR\aloahafLOWchart64.engine64[]
Sets/Creates value: HKCR\aloahafLOWchart64.engine64\clsid[]
Sets/Creates value: HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}[]
Sets/Creates value: HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{18af9e71-cb41-42ee-8abc-9ecae5c39561}\forward[]
Sets/Creates value: HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}[]
Sets/Creates value: HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{86aaf6a6-261a-4d96-b8ac-90dad4b42a80}\forward[]
Sets/Creates value: HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}[]
Sets/Creates value: HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{55af540b-13af-4de5-a975-5600b0589e59}\forward[]
Sets/Creates value: HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}[]
Sets/Creates value: HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{e3c69a39-8de3-4f6c-b9ec-1eb1c1b2539e}\forward[]
Sets/Creates value: HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}[]
Sets/Creates value: HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid[]
Sets/Creates value: HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\proxystubclsid32[]
Sets/Creates value: HKCR\interface\{b8a7b45c-0890-4a01-b191-8e104a921919}\forward[]
Value changes: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}[]
Value changes: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid[]
Value changes: HKCR\interface\{d7a6a14f-7947-4899-be20-a019be861538}\proxystubclsid32[]