Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 207, Task ID: 828

Task ID: 828 Risk Level: 6

Date Processed: 2016-04-28 13:10:04 (UTC)

Processing Time: 61.17 seconds IntelliVM Virtual Environment:

"c:\windows\temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe" **Execution Arguments:**

207 Sample ID: basic Type: Owner: admin

7ff0657ea1ec0a26569fed2b87f83dd9 Label:

Date Added: 2016-04-28 12:45:11 (UTC)

File Type: PE32:win32:gui File Size: 713112 bytes

MD5: 7ff0657ea1ec0a26569fed2b87f83dd9

SHA256: 45d634e38c42a26976470ef77f6530c6d6e41178bbb926505dec2b6de8190a17

Description: None

Pattern Matching Results

6 Modifies registry autorun entries

Process/Thread Events

C:\windows\temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe Creates process:

["C:\windows\temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

\Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0 Creates mutex:

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

C:\Windows\Prefetch\7FF0657EA1EC0A26569FED2B87F83-10A0A105.pf Opens:

Opens: C:\Windows\System32

Opens: C:\windows\temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe.Local\

C:\Windows\winsxs\x86 microsoft.windows.common-Opens:

controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af

C:\Windows\winsxs\x86_microsoft.windows.common-Opens: controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll

C:\Windows\System32\sechost.dll Opens: Opens: C:\windows\temp\WINSPOOL.DRV Opens: C:\Windows\System32\winspool.drv Opens: C:\windows\temp\oledlg.dll C:\Windows\System32\oledlg.dll Opens: Opens: C:\windows\temp\OLEPRO32.DLL Opens: C:\Windows\System32\olepro32.dll Opens: C:\Windows\System32\imm32.dll Opens: C:\Windows\System32\uxtheme.dll

Opens: C:\Windows\Temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe

C:\windows\temp\dwmapi.dll Opens: C:\Windows\System32\dwmapi.dll Opens: Opens: C:\Windows\Fonts\StaticCache.dat

Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\Temp

Opens: C:\

Reads from: C:\Windows\Temp\7ff0657ea1ec0a26569fed2b87f83dd9.exe

Reads from: C:\Windows\Fonts\StaticCache.dat

Windows Registry Events

Creates key: HKCU\software\pdf editor

Creates key: HKCU\software\pdf editor\pdfeditor

Creates key: HKCU\software\pdf editor\pdfeditor\recent file list

Creates key: HKCU\software\pdf editor\pdfeditor\settings

Creates key: HKCR\pdfeditor.document

Creates key: HKCR\pdfeditor.document\defaulticon

Creates key: HKCR\pdfeditor.document\shell\open\ddeexec

Creates key: HKCR\pdfeditor.document\shell Creates key: HKCR\pdfeditor.document\shell\open

Creates key: HKCR\pdfeditor.document\shell\print\ddeexec

Creates key: HKCR\pdfeditor.document\shell\print

Creates key: HKCR\pdfeditor.document\shell\printto\ddeexec

Creates key: HKCR\pdfeditor.document\shell\printto
Creates key: HKCR\pdfeditor.document\shell\open\command
Creates key: HKCR\pdfeditor.document\shell\print\command
Creates key: HKCR\pdfeditor.document\shell\printto\command

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop

Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKCU\software\classes\
Opens key: HKCU\software\classes\clsid

Opens key: HKCR\clsid

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKCU\software

 $\label{lem:control} Opens~key: $$ HKLM\system\currentcontrolset\control\nls\customlocale $$ Opens~key: $$ HKLM\system\currentcontrolset\control\nls\extendedlocale $$ $$$

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKCU\software\classes\pdfeditor.document

Opens key: HKLM\software\classes

Opens key: HKCU\software\classes\pdfeditor.document\defaulticon

Opens key: HKCU\software\classes\pdfeditor.document\shell\open\ddeexec
Opens key: HKCU\software\classes\pdfeditor.document\shell\print\ddeexec
Opens key: HKCU\software\classes\pdfeditor.document\shell\printto\ddeexec
Opens key: HKCU\software\classes\pdfeditor.document\shell\open\command
Opens key: HKCU\software\classes\pdfeditor.document\shell\print\command
Opens key: HKCU\software\classes\pdfeditor.document\shell\printto\command

Opens key: HKCU\software\classes\.pdf

Opens key: HKCR\.pdf

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms shell dlg
Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback\ms sans serif

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

Queries value:

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[7ff0657ea1ec0a26569fed2b87f83dd9]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

HKLM\system\currentcontrolset\control\nls\customlocale[en-us]

HKCU\software\pdf editor\pdfeditor\recent file list[file1] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file2] Queries value: Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file3] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file4] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file5] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file6] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file7] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file8] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file9] Queries value: HKCU\software\pdf editor\pdfeditor\recent file list[file10] HKCU\software\pdf editor\pdfeditor\settings[previewpages] Queries value:

```
HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
                         HKLM\system\currentcontrolset\control\cmf\config[system]
 Queries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\session
manager[safeprocesssearchmode]
 Queries value:
                         HKCR\.pdf[]
                         Queries value:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
 Queries value:
                         HKLM\software\microsoft\ctf[enableanchorcontext]
 Sets/Creates value:
                         HKCR\pdfeditor.document[]
 Sets/Creates value:
                         HKCR\pdfeditor.document\defaulticon[]
                         HKCR\pdfeditor.document\shell\open\ddeexec[]
 Sets/Creates value:
 Sets/Creates value:
                         HKCR\pdfeditor.document\shell\print\ddeexec[]
```

HKCR\pdfeditor.document\shell\printto\ddeexec[]

HKCR\pdfeditor.document\shell\printto\command[]

HKCR\pdfeditor.document\shell\open\command[]

HKCR\pdfeditor.document\shell\print\command[]

Sets/Creates value:

Sets/Creates value:

Sets/Creates value:

Sets/Creates value: