# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 154, Task ID: 616

Task ID: 616 Risk Level: 6

Date Processed: 2016-04-28 13:03:59 (UTC)

Processing Time: 62.0 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\e8ba5491fe0eaed78c366b525066ffcd.exe"

Sample ID: 154
Type: basic
Owner: admin

Label: e8ba5491fe0eaed78c366b525066ffcd

Date Added: 2016-04-28 12:45:06 (UTC)

File Type: PE32:win32:gui File Size: 57961 bytes

MD5: e8ba5491fe0eaed78c366b525066ffcd

SHA256: 4c57fe49ae3bd0bd9829bd43e8d50a7e411a4c4b75f5c2a036d6c084b6bdb381

Description: None

### Pattern Matching Results

2 PE: Nonstandard section

6 Renames file on boot

4 Packer: NSIS [Nullsoft Scriptable Install System]

#### Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

### Process/Thread Events

Creates process: C:\windows\temp\e8ba5491fe0eaed78c366b525066ffcd.exe

["C:\windows\temp\e8ba5491fe0eaed78c366b525066ffcd.exe" ]

Creates process: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe ["C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe" \_?=C:\windows\temp\]
Terminates process: C:\Windows\Temp\e8ba5491fe0eaed78c366b525066ffcd.exe

### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

 $\label{lem:condition} {\it Creates event:} \qquad {\it KernelObjects \mbox{\it MaximumCommitCondition}}$ 

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

### File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData
Creates: C:\Users\Admin\AppData\Local
Creates: C:\Users\Admin\AppData\Local\Temp

Creates: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\UserInfo.dll
Creates: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\LangDLL.dll
Opens: C:\Windows\Prefetch\E8BA5491FE0EAED78C366B525066F-AE9E7B73.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\e8ba5491fe0eaed78c366b525066ffcd.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comct132.dll

Opens: C:\windows\temp\VERSION.dll

C:\Windows\System32\version.dll Opens: Opens: C:\Windows\System32\imm32.dll Opens: C:\Windows\WindowsShell.Manifest Opens: C:\Windows\System32\rpcss.dll Opens: C:\windows\temp\CRYPTBASE.dll Opens: C:\Windows\System32\cryptbase.dll C:\Windows\System32\uxtheme.dll Opens: Opens: C:\windows\temp\SHFOLDER.DLL Opens: C:\Windows\System32\shfolder.dll Opens: C:\Windows\Globalization\Sorting\SortDefault.nls Opens: C:\Windows\System32\shell32.dll Opens: Opens: C:\Windows C:\Windows\System32\propsys.dll Opens: Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db Opens: C:\windows\temp\ntmarta.dll Opens: C:\Windows\System32\ntmarta.dll Opens: 4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db Opens: C:\Users\Admin\Desktop\desktop.ini Opens: C:\windows\temp\profapi.dll C:\Windows\System32\profapi.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp C:\Users\Admin\AppData\Local\Temp\nsdC35B.tmp Opens: Opens: C:\Windows\System32\en-US\setupapi.dll.mui Opens: C:\Windows\Temp\e8ba5491fe0eaed78c366b525066ffcd.exe Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe Opens: C:\Windows\System32\apphelp.dll Opens: C:\Windows\AppPatch\sysmain.sdb Opens: C:\Users Opens: C:\Users\Admin Opens: C:\Users\Admin\AppData Opens: C:\Users\Admin\AppData\Local Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ui\SwDRM.dll Opens: C:\Program Files\speedfan\speedfan.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Bu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Cu\_.exe C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Du\_.exe Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Eu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Fu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Gu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Hu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Iu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ju\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ku\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Lu\_.exe Opens:  $C: \label{local} $$C: \label{l$ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Nu\_.exe Opens:  $C: \label{local} $$C: \label{l$ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Pu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Qu\_.exe Opens:  $C: \label{local-Temp-Ru} $$C: \label{local-Temp-Ru}. exe$ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Su\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Tu\_.exe Opens:  $\label{local-temp-nsu.tmp-up-local-temp-nsu.tmp-up-local} C:\label{local-temp-nsu.tmp-up-local-temp-nsu.tm$ Opens:  $C: \label{local} $$C: \label{local} Temp\$^nsu.tmp\$Vu\_.exe$$ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Wu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Xu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Yu\_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Zu\_.exe Opens: C:\Windows\Prefetch\AU\_.EXE-54EA8F2A.pf Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe.Local\ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\VERSION.dll Opens:  $\verb|C:\Users\Admin\AppData\Local\Temp\"" in su.tmp\CRYPTBASE.dll|\\$ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\SHFOLDER.DLL Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ntmarta.dll Opens: C:\Users\desktop.ini Opens:  ${\tt C:\Users\Admin\AppData\Local\Temp\nsu.tmp\profapi.dll}$ Opens: C:\Users\Admin\Searches\desktop.ini Opens: C:\Users\Admin\Videos\desktop.ini C:\Users\Admin\Pictures\desktop.ini Opens: Opens: C:\Users\Admin\Contacts\desktop.ini

C:\Users\Admin\Favorites\desktop.ini

Opens:

Opens: C:\Users\Admin\Music\desktop.ini
Opens: C:\Users\Admin\Downloads\desktop.ini
Opens: C:\Users\Admin\Documents\desktop.ini
Opens: C:\Users\Admin\Links\desktop.ini
Opens: C:\Users\Admin\Saved Games\desktop.ini

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\apphelp.dll

Opens: C:\Windows\System32\shdocvw.dll

Opens: C:\Users\Admin\AppData\Local\Temp\nsaC546.tmp
Opens: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp

Opens: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\UserInfo.dll
Opens: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\LangDLL.dll

Opens: C:\Windows\Fonts\tahoma.ttf

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\dwmapi.dll

Opens: C:\Windows\System32\dwmapi.dll

Opens: C:\Windows\system32\uxtheme.dll.Config
Opens: C:\Windows\Fonts\StaticCache.dat

Writes to: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe

Writes to: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\UserInfo.dll
Writes to: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp\LangDLL.dll

Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Windows\Temp\e8ba5491fe0eaed78c366b525066ffcd.exe
Reads from: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au\_.exe

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Searches\desktop.ini Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: Reads from: C:\Users\Admin\Saved Games\desktop.ini Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\nsdC35B.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nsaC546.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nskC551.tmp

## Windows Registry Events

Creates key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\e8ba5491fe0eaed78c366b525066ffcd.exe

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens kev:

 $\label{lem:hkcu} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e4-6c18-e49d250e4-e49d260e4-e49d60e4-e49d260e4-e49d6$ 

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \verb|\software\microsoft\windows\shell\registered applications \verb|\urlassociations\directory\open with progids and the state of the$ 

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

 $Opens~key: \\ \qquad \qquad \text{HKCU} software \verb|\classes| all filesystemobjects| shellex \verb|\iconhandler| \\$ 

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key:  ${\sf HKCU \backslash software \backslash classes \backslash allfile systemobjects \backslash clsid}$ 

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens kev:

b029-7fe99a87c641}

Opens key:

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $HKCU \ software \ `microsoft\ `windows \ `current version \ `explorer \ `session in folders' \ in the constant of the consta$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Opens key:  $\mbox{HKLM} software \mbox{microsoft} windows nt \current version \profile list \s-1-5-21-2160590473-689474908-1361669368-1002$ 

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963} \label{lem:hkcu}$ 

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\au\_.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls

Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\au\_.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\au\_.exe

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}'$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}\propertybag

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \formal-property \formula \formula$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Opens key:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-

841c-ab7c74e4ddfc}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 18989b1d-99b5-455b-841c-ab7c74e4ddfc \equiv 1978b2 \footnote{Microsoft \current version \equiv 1978b2} \equiv 1978b2 \footnote{Microsoft \current version \equiv 1978b2} \equiv 1978b2 \equiv 1$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ property bag$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917}$ 

Opens key:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$ 

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ \ property bag$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\}$ 

Onens key

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\propertybag}$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf 8716b \end{4r}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ property bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $HKL\dot{M}\$  software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{thm:local-conditions} abbe-ac0cb0567192 \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\propertybag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4 aba-814f-a5ebd2fd6d5e \eq 2e446-31 ca-4 aba-81$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300be0a-2482ebae1a26}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \mbox{a302545d-deff-464b-abe8-61c8648d939b} \property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} a e 61-4 d d 8-4787-80 b 6-090220 c 4 b 700 \eqref{0.54} \partial property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$ 

Opens key:

 $\label{thm:local-soft-windows} In the property of the proper$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \folder \gamma \gam$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Opens key:

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ property bag$ 

Opens key:

 $HKLM \setminus software \setminus irrestant + software \setminus ir$ 

a3a9-6c82895e5c04}

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}\propertybag$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \current \explorer \folder descriptions \does \current \c$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\}$ 

Opens key:

 $\label{thm:local-bound} HKLM \software \mbox{ae50c081-ebd2-438a-8655-8a092e34987a} \noindent \mbox{beta current version \explorer \folder descriptions \end{ae50c081-ebd2-438a-8655-8a092e34987a} \noindent \noindent \mbox{beta current version \explorer \folder descriptions \end{ae50c081-ebd2-438a-8655-8a092e34987a} \noindent \noindent$ 

Opens key:

 $\label{thm:local-decomposition} HKLM \software \mbox{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}$ 

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\propertybag

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $\label{thm:local-soft-windows} In the local label of the local label label of the local label label of the local label labe$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98 d6 e 4 \eqref a 305 ce 99-f527-492 b-8b1a-7$ 

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}\propertybag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\mbox{a990ae9f-a03b-4e80-94bc-9912d7504104}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16}.$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266 ac-9274-4867-8d55-3bd661 de 872d\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\} \ property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857a4ce-a8e7c6ea7d27}

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 1-92 and \cal{lem:hklm} as 1-92 and$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$ 

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}\propertybag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$ 

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\propertybag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ property bag$ 

Opens key:

adb4-6c85480369c7}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ property bag$ 

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}

Opens key:

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ cf9d\}$ 

Opens key:

 $HKL\dot{M} \sim \frac{352481e8-33be-4251-ba85-6007caedcf9d}{propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}$ 

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886155\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\propertybag$ 

Opens key:

 $HKLM \setminus software \setminus irros of t \cap irros of t \setminus irros of t \cap irros of t \setminus irros of t \cap irros of t$ 

Opens key:

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-
97c9-747784d784b7}\propertybag
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}
  Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-16464, \ normalisation \ explorer \ folder \ normalisation \ normalisation \ explorer \ folder \ normalisation \ normalisation \ explorer \ folder \ normalisation \ normalin \ normalisation \ normalisation \ normalisation \ normalisation
8fd7-f78dca774f87}\propertybag
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace\delegatefolders
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
  Opens key:
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32
  Opens key:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32
  Opens key:
                                      HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
                                      HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
  Opens key:
  Opens key:
                                      HKCU\software\microsoft\windows nt\currentversion
  Opens key:
                                      HKLM\software\microsoft\windows nt\currentversion\appcompatflags
  Opens kev:
                                      HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\shdocvw.dll
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\shell extensions\cached
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
  Opens key:
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\treatas
  Opens key:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\treatas
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\progid
                                      HKCR\clsid\\\{dffacdc5-679f-4156-8947-c5c76bc0b67f\\\}\progid
  Opens key:
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler32
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\
  Opens key:
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprochandler
  Opens key:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler
  Opens key:
                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance
  Opens key:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
  Opens key:
                                      HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32
  Opens key:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
                                      HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
  Opens key:
  Opens key:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
  Opens key:
                                      HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\treatas
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
  Opens key:
  Opens key:
                                      HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
```

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid

c66de400274e}\progid

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-

8947-c5c76bc0b67f}

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\zinsmath

Opens key: HKLM\system\currentcontrolset\control\nls\locale

 $Opens~key: \\ HKLM\system\currentcontrolset\control\nls\locale\alternate~sorts$ 

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore\_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: HKLM\software\microsoft\ctf\compatibility\au\_.exe

Opens key:  $\label{lem:hkklmsoftware\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}}$ 

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2
Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[e8ba5491fe0eaed78c366b525066ffcd]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
08002b30309d}\shellfolder[queryforinfotip]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[hideinwebview]
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
 Queries value:
                         HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[data]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[generation]
 Queries value:
                          HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
 Queries value:
                          HKCR\directory[docobject]
 Oueries value:
                          HKCR\folder[docobject]
 Queries value:
                          HKCR\allfilesystemobjects[docobject]
 Queries value:
                          HKCR\directory[browseinplace]
 Queries value:
                          HKCR\folder[browseinplace]
 Oueries value:
                          HKCR\allfilesystemobjects[browseinplace]
 Queries value:
                          HKCR\directory[isshortcut]
 Queries value:
                          HKCR\folder[isshortcut]
 Queries value:
                          HKCR\allfilesystemobjects[isshortcut]
                          HKCR\directory[alwaysshowext]
 Queries value:
                          HKCR\directory[nevershowext]
 Oueries value:
 Queries value:
                          HKCR\folder[nevershowext]
 Queries value:
                          HKCR\allfilesystemobjects[nevershowext]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-
b029-7fe99a87c641}[category]
 Oueries value:
```

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ for the source \ folder \ folde$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} HKLM\software\mbox{b4bfcc3a-db2c-424c-b029-7fe99a87c641} [publishexpandedpath]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]

Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-

b4ef-bd1dc332aeae}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[parentfolder]

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[relativepath]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 1b3ea5dc-b587-4786-b4ef-bd1dc332aeae \fill [icon] \]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ b4ef-bd1dc332aeae \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localredirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$ 

Queries value

 $\label{lem:hklm} HKLM \end{are} $$HKLM \end{are} $$HKLM \end{are} $$HKLM \end{are} $$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [foldertypeid]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \cite{2.00cm} \cite{2.0$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [parent folder]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-

a03a-e3ef65729f3d}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$ 

Oueries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklm} a03a-e3ef65729f3d \cal{lem:hkklm} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} a 03a-e3ef65729f3d \cal{general} [local redirectionly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]$$ 

Queries value:

 $\label{local-oper-lo$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[relativepath]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\mbox{5e6c858f-0e22-4760-9afe-ea3317b67173} [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-

9afe-ea3317b67173}[security]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [local redirect only]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

 $HKLM \verb| system| current control \verb| computer name| active computer name| | computer name|$ 

Queries value: HKLM\system\setup[oobeinprogress]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [data]$ 

Queries value:

 $\label{thm:local-continuous} HKCU software \end{area} In $$169d250e3-6c18-11e3-b3bc-806e6f6e6963 \end{area} [generation]$ 

Oueries value

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

Queries value: HKLM\software\policies\microsoft\windows\system[copyfilechunksize]
Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations2]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\~nsu.tmp\au\_.exe]
Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[au\_]

Queries value:

 $\label{thm:local-soft-windows} In the label of the labe$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[parsingname]

Oueries value:

Oueries value:

 $\label{localized-hard-soft-windows-current-version-explorer-folder-descriptions-face-of-7c-4901-4acc-8648-d5d44b04ef8f} [localized-name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security]

Queries value:

 $\label{thm:local-soft-windows} In the local soft of the local structure of the local stru$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \ff1 \cuprediction \ff1 \cupr$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local soft of the local state of the local state$ 

Oueries value:

Queries value:

 $\label{thm:local-continuous} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[initfolderhandler]}$ 

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[attributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsaliasednotifications]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hasnavigationenum]

Queries value:

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-

5595fe6b30ee}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[parent folder]$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [infotip]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[localizedname]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}\ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresourcetype]

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[local\redirectonly]$$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{7d1d3a04-debb-4115-95cf-2f29da2920da\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-deb$ 

95cf-2f29da2920da}[foldertypeid]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Oueries value:

 $\label{thm:local-soft-windows} In the label of the labe$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parsing name]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[infotip]$$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{localized} \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \fixed mesource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28fc23 \cite{lem:hklm} [stream \cite{lem:hklm}] \label{lem:hklm}$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[roamable]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{lem:hklm} \c$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \finit folder \handler]$ 

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} in the constraint of the constrai$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-

aaae-29d317c6f066}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[description]

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [relative path]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \cite{thm:local-prop} \cite{thm:local-prop} \figure{thm:local-prop} \cite{thm:local-prop} \cite{thm:local-pro$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{licon} \end{substitute}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \figure{100} \cite{100} \cite{100}$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}\[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [folder type id]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}\[initfolderhandler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffea368-0de96e47012e}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$ 

Queries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between the same as a second of t$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{48daf80b-e6cf-4f4e-b800-0e69d84ee384} \cite{2000} \ci$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$48$ daf80b-e6cf-4f4e-b800-0e69d84ee384} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4 f4 e-b800-0e69 d84 ee 384\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\ficon\}$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [security]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{$48$ daf80b-e6cf-4f4e-b800-0e69d84ee384} [stream resource]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \end{4.8} Although \footnote{1.0} B800-0e69d84ee384 \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [local redirector \ ]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\[roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [stream]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\[publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \category \cite{Months} \cite{Mont$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25\] \cal{lem:hklm} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{cases} \ [c4aa340d-f20f-4863-afef-f87ef2e6ba25] \cite{lem:hklm} \ [c4aa340d-f20f-4863-afef-f87ef2e6b$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \c1con]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \c5abel{lem:hklm} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25 \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ afef-f87ef2e6ba25\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-f20f-4860-f20$ 

afef-f87ef2e6ba25}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863afef-f87ef2e6ba25}[attributes]

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirectonly]$ 

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[publishexpandedpath]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} [attributes]$ 

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \end{tabel{lem:hklm}} $$4330f5687855\[initfolderhandler] $$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectionly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [precreate]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{}98ec0e18-2098-4d44-8644-66979315a281\{}[attributes]\end{tabular}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [init folder \handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 44115719-d62e-491d-aa7c-e74b8be3b067 \cite{Continuous} \cite{Continuous$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[relativepath]}$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} \cite{A4115719-d62e-491d-aa7c-e74b8be3b067} \cite{A$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource type]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 15719-d62e-491d-aa7c-e74b8be3b067 \footnote{thm:local-condition} \equal 15719-d62e-491d-aa7c-e74b8b-aa7c-e74b8b-aa7c-e74b8b-aa$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fauther \faut$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} \cite{A4115719-d62e-491d-aa7c-e74b8be3b067} \cite{A$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \category\ ]$ 

Queries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [localized name] \label{lem:hklm}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[icon]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-

92d7-6b2e8ac19434}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[stream resource type]$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[ roamable \]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \footnote{action} \footnote{action$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac19434 \cac 52c1a-b53d-6b2e8ac1944 \cac 52c1a-b53d-$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[foldertypeid]

Oueries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[description]$$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[localizedname]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[security]

Queries value:

 $HKLM\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [streamresource] \\$ 

Queries value:

 $HKLM\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [streamresourcetype] \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[localredirectonly]

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \cite{Ab87a210bc8f} \ \mbox{\cite{Ab87a210bc8f}} \ \mbox{\cite{Ab87a210bc8$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [parent folder]$ 

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [parsing name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Queries value:

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream]$ 

Queries value:

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \script{lem:hklm} \cite{lem:hklm} \cite{lem$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [description]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localized name]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \eqref{licon}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [security]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [local redirectionly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{tintfolder} \footnote{tintfolder} \footnote{t$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \category \cite{Continuous of the continuous contin$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \cite{Continuous} \cite{Con$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [infotip]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [attributes]$ 

Queries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:ham} a 88ff-b0d186b8dedd \folder type id \folder type id \folder \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Queries value:

 $\label{thm:local-objective} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{folder descriptions} \eqref{folder descriptions}$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-

a663-37bd56068185}[icon]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$76fc4e2d-d6ad-4519-a663-37bd56068185} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [init folder handler]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [relative path]$ 

Queries value

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \farsing a farsing name] \end{tabular} $$ (a75d362e-50fc-4fb7-ac2c-a8beaa314493) \current \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}\[icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft\ `windows\ `current version' explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [security]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{a75d362e-50fc-4fb7-ac2c-a8beaa314493} [stream resource]$ 

Queries value:

 $\label{thm:local-prop} HKLM\software\mbox{a75d362e-50fc-4fb7-ac2c-a8beaa314493} [streamresourcetype]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7ac2c-a8beaa314493}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [attributes]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa75d362e-50fc-4fb7-ac2c-a8beaa314493 \folder typeid \]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal (491e922f-5643-4af4-a7eb-4e7a138d8174) [security]$ 

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \end{tabular} Software \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$In $$ a7eb-4e7a138d8174 \end{tabular} $$[stream resource type] $$$ 

Oueries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[initfolderhandler\]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[category\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parentfolder]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$33e28130-4e1e-4676-835a-98395c3bc3bb}[relative path]$ 

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e3663bb} \cite{235e3663bb}$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bb} \cite{10calredirectonly} \eqref{10calredirectonly}$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \end{3.5a} -98395c3bc3bb \cite{100} \cite$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2328130-4e1e-4676-835a-98395c3bc3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4676-835a-98395c3bb} \cite{2328130-4676$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{23e28130-4e1e-4676-835a-98395c3bc3bb} [init folder \cite{23e364}] \label{lem:hklm}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [par sing name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$ 

Queries value:

 $\label{thm:local-explorer} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[security]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[streamresource]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a8f7-e4701232c972 \ [init folder handler]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \[ \crosoft \cite{1.000} \] \] $$ $ (1.000) \cite{1.000} \cite{1.000} \] $$ $ (1.000) \cite{1.000} \cite{1.000} \] $$ $ (1.000) \cite{1.000} \cit$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-

9629-e15d2f714e6e}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ Ficon \ label{eq:hklm}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[security]

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0$ in the conversion explorer folder descriptions $$\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream resource]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [publish expanded path]$ 

Queries value:

Oueries value:

 $\label{thm:local-objective} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \[ folder type id ] \]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ b6a2-414586476aea\} \ [parent folder]$ 

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59b6a2-414586476aea}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdebf2536-e1a8-4c59-b6a2-414586476 aea \current \curr$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a -4c59-b6a2-414586476 aea \eqref{lem:hklm} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[localredirectonly]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream]$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}[folder typeid]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba9-27cbc0c5389a \cite{lem:hklm} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \ \ \ \ \ bba9-27cbc0c5389a \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[streamresourcetype]

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local-4a90-bba9-27cbc0c5389a} \ [local redirection \eqref{local-4a90-bba9-27cbc0c5389a} \eqref{local-4a90-bba9-27cbc$ 

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local_ham} \footnote{1.00cm} \footnote{1.0$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current folder a 2d8-4a392a602ba3 \current folder \current folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between the same source type \current between the same source that same source the same source th$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-

a781-5a1130a75963}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [publish expanded path]$ 

Queries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \def{d9dc8a3b-b784-432e-a781-5a1130a75963} [attributes] \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [initfolder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}\category\]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parentfolder]

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \curr$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[infotip]

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{local-condition} HKLM \software \mbox{$c4900540-2379-4c75-844b-64e6faf8716b} [local redirectionly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [publish expanded path]$ 

Oueries value:

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 faf 8716b \center{folder handler}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{289a9a43-be44-4057-a41b-587a76d7e7f9} \cite{1.00cm} \cite{1.0$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between 1.00 at 10-587 at 10-$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{substant} $$44-4057-405-587a76d7e7f9 \end{substant} $$[attributes]$$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 41b-587a76d \footnote{100} \cal{lem:hklm} in the label{lem:hklm} a 41b-587a76d \cal{lem:hklm} a 12b-587a76d \cal{lem:hklm} a 12b-$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bfefb45-347d-4006-a5be-ac0cb0567192} \cite{Conditions} \cite{Conditions$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$ 

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[streamresourcetype]\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

a5be-ac0cb0567192}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \cite{hklm} and \cite{hkllm} and \cite{hkll$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [icon]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$ 

Oueries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fonts\begin{tabular}{l} b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\end{tabular} \end{tabular} \begin{tabular}{l} Extreamresourcetype\end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[roamable]

Queries value:

 $\label{local-operator} HKLM \software \mbox{brown} conversion \explorer \folder descriptions \folds \fold$ 

Queries value:

Queries value:

Oueries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder typeid]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[category]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[parentfolder]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [description]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} 446-31 \ca-4aba-814f-a5ebd2fd6d5e} \cite{Months of the property of the property$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[infotip]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[localizedname]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \early \folder \f$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 6.31 ca-4 aba-814 f-a 5 ebd 2 fd 6 d5 e\} [security]$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2fd 6d 5e\}[roamable]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 31ca-4aba-814f-a5ebd2fd6d5e} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \eq [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 31ca-4aba-814f-a5ebd2fd6d5e} \[\infolder \char handler\]$ 

Queries value:

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a parallel \cal{lem:hklm} a par$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[icon]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{lem:hklm} a 263-b 52a 1 ff 411e8 \center{lem:hklm} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called{lem:hklm} a 9c3-b52a1 \ff 411e8 \called{lem:hklm} [local redirection \climate{lem:hklm}]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacteristics \cite{Lem:hklm} agc3-b52a1ff411e8 \cite{Lem:hklm} after \cite{Lem:hklm} agc3-b52a1ff411e8 \cite{Lem:hklm} after \cite{Lem:hklm} agc3-b52a1ff411e8 \cite{Lem:hklm$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{lem:hklm} folder \center{lem:hklm} f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [init folder handler]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[relativepath]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8} \ [parsing name] \\$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{tinfotip} \eqref{fig:condition}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-

8690-3dafcae6ffb8}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae \ ffb8\} \ [roamable]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae \ ffb8\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[foldertypeid]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \color= 6afe-$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parentfolder]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[description]

Queries value:

Queries value

 $\label{local-prop} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]} \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[infotip]

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value

 $\label{local-oper-poly-constraint} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresourcetype]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ corrent version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ e17f-4121-8900-86626fc2c973 \ [local redirectonly]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Oueries value:

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \folder \c 5abbf53-e17f-4121-8900-86626 \c 5abbf53-e17f-$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 82\} \ [category]$ 

Queries value:

 $\label{thm:local-substitute} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{56784854-c6cb-462b-8169-88e350 acb 882\} \cdot \$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[description]$$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[relativepath]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 82\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [localized name]$ 

Queries value:

 $\label{thm:local-substitute} HKLM \software \mbox{$56784854$-$c6cb-$462b-$169-88e350 acb882} [icon]$ 

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \fold$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[streamresource]$$ 

Queries value:

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curr$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[roamable]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[publishexpandedpath]$$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{$56784854$-$c6cb-$462b-$8169-88e350acb882} [attributes]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ ach 82\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[category]

Oueries value:

Oueries value:

 $\label{local-operator} HKLM \software \mbox{\scriptions} \end{2.5} This is a substitution of the context of t$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[relativepath]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [parsing name]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [localized name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource type]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \eqref{2bae1a26} \eqref{2bae1$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [init folder handler]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [localized name]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56 db 0 ae 516\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56 db 0ae 516\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds are \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds \folds are \current version \explorer \folds \fo$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae 516\} [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[initfolderhandler]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-

abe8-61c8648d939b}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [local redirectionly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot \cd$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[name]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$ 

Oueries value

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[description]$$$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-coeff} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[localredirectonly]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot [publish expanded path]$ 

Queries value:

 $\label{thm:local-power} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2b0f765d-c0e9-4171-908e-08a611b84ff6} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} 42b0f765d-c0e9-4171-908e-08a611b84ff6 \cal{lem:hklm} [initfolder \chandler]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2a00375e-224c-49de-b8d1-440df7ef3ddc} \cite{2a00375e-224c-49de-b8d1-440df7ef3ddc} \cite{2$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49deb8d1-440df7ef3ddc}[streamresourcetype]

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2a00375e-224c-49de-b8d1-440df7ef3ddc} \cite{Constraint} \cite{Con$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b8d1-440df \footnote{100} \footnote{100} \current \cur$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [stream]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[attributes\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[folder typeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[category]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[relativepath]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localizedname]

Queries value:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d 17-9f 04-a5f e9f c15ec \equiv 6555 ab 60-153b-4d 17-9f 04-a5f \equiv 6555 ab 60-153b-4d 17-9f \equiv 6555 ab 60-$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d 17-9f 04-a5f e9f c15ec \equiv 6555 ab 60-153b-4d 17-9f 04-a5f \equiv 6555 ab 60-153b-4d 17-9f \equiv 6555 ab 60-155b-4d 17-9f \equiv 6555 ab 60-$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ensuremath{\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-

80b6-090220c4b700}[category]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [description]$ 

Oueries value:

 $\label{local-observation} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[streamresourcetype]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value

 $\label{thm:local-problem} HKLM \software \mbox{$054fae61-4dd8-4787-80b6-090220c4b700} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [folder typeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[initfolderhandler]

Queries value:

 $\label{thm:local-soft-windows} In the local structure of the local$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 1777 \folder 4d8a-87bd-30b759 \folder \mbox{1777 \folder} \fo$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd} \ [parentfolder]$ 

Queries value:

 $\label{local-equation} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[description]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[relative path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[security]

Oueries value:

 $\label{local-operator} HKLM \software \mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd} [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[ roamable\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final based on the second second$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[relativepath]}$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fine folder \fine f$ 

Queries value:

 $\label{localized-hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localizedname]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [local redirectonly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1a63c-290ee7d1aa1f}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [icon]$ 

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirect only]$ 

Oueries value:

 $\label{thm:local-bound} HKLM \software \mbox{52528a6b-b9e3-4add-b60d-588c2dba842d} [roamable]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\[stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[relativepath]}$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}\[parsingname]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{8983036c-27c0-404b-8f08-102d10dcfd74} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[stream]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$ 

Queries value:

8f08-102d10dcfd74}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [initfolder \ handler]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\ [parsing name] }$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirect only]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{724ef170 - a42d - 4fef-9f26 - b60e846fba4f\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[description]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $HKLM\software\mbox{1724ef170-a42d-4fef-9f26-b60e846fba4f} [streamresourcetype] \\$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f\} [attributes]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[initfolderhandler]

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} \ [description]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[parsingname]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 4bd8d571-6d19-48d3-be97-422220080e43 \cite{tinfotip}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[localredirectonly]

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill \fill$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [attributes]$ 

Oueries value:

 $\label{thm:local-beta-def} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [initfolder handler]$ 

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ 

folders[my music]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a 9-6c 8289 5e 5c 04 \colored{continuous} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 82 89 5 e 5c 04\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a 9-6c 8289 5e 5c 04 \footnote{lem:hklm} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 8289 5e 5c 04\} [info tip]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[icon]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \[ stream resource type \]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [local redirectonly]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\[roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[publishexpandedpath]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 1-5ebc-4f02-a3a9-6c82895e5c04 \[folder typeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{orange} a 382-697 dcd \footnote{The description} \cite{Abb0-a382-697} a 382-697 dcd \cite{Abb0-a382-697} a$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.762d272-c50a-4bb0-a382-697dcd729b80} [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{orange} \forall \footnote{100} \eqref{orange} \eqre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [local redirectionly]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$ 

Oueries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{orea-4bb0-a382-697} \cite{Abb0-a382-697} \cite{Abb0-a382-69$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$ 

Queries value:

a382-697dcd729b80}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [init folder handler]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[category]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \cite{Ad9f7874-4e0c-4904-967b-40b0d20c3e4b} \cite{A$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\[streamresourcetype]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [category]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} [init folder \handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} \cite{A77f5d77-2e2b-44c3-a6a2-aba601054a51} \cite{A77f5d77-2e2b-44c3-aba601054a51} \cite{A77f5d77-2e2b-44c3-aba60105$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [infotip]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\[localizedname]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource type]$ 

Queries value:

 $\label{local-equation} HKLM \software \mbox{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [local redirectorly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-bbf8-452a-850d-79d08e667ca7} In a median and the substitution of th$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-45 2a-85 0 d-79 d0 8 e6 67 ca7\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-

850d-79d08e667ca7}[streamresource]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`urrentversion`explorer`folderdescriptions`{0ac0837c-bbf8-452a-850d-79d08e667ca7}[streamresourcetype] \\$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e667 ca7\} [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e6 67 ca7\} \ [roamable]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localredirectonly]

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} in the constraint of the constraint of$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \current \explorer \folder descriptions \does \d$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[category]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$ 

Queries value:

Oueries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \folds 17d-9cd2-4a93-9733-46cc89022e7c\folds 22e7c\folds 17d-9cd2-4a93-9733-46cc89022e7c\folds 17d-9cd2-4a93-9733-46cc890202e7c\folds 17d-9cd2-4a93-9733-46cc890202e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2-4a93-9702e7c\folds 17d-9cd2$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[relativepath]

Queries value:

 $\label{thm:local-properties} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b0db17d-9cd2-4a93-9733-46cc89022e7c} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [infotip]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [security]$ 

Queries value:

 $\label{thm:local-prop} $HKLM \sim \min_{software in explorer folder descriptions \ {7b0db17d-9cd2-4a93-9733-46cc89022e7c} [stream resource] $$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b0db17d-9cd2-4a93-9733-46cc89022e7c} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{folder} 3-46cc89022e7c \cite{lem:hklm} [roamable]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{folder} 47b0db17d-9cd2-4a93-9733-46cc89022e7c} \ [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[stream]

Queries value:

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[foldertypeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[initfolder handler]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[category]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [description]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [stream resource type]$ 

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[localredirectonly]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [precreate]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[attributes]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae} 3655-8a092e34987a \cite{linitfolder} in the line of the line$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3a9dd-070d1d495d97}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-

a9dd-070d1d495d97}[relativepath]

Queries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [localized name]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[security]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[parentfolder]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[description]$$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[relative\path]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:hklm} [info tip]$ 

Queries value:

 $\label{localized-hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[localized\name]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[icon]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[streamresource]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [streamresource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[roamable]

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[precreate]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[stream]$$$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{linit} [init folder handler]$ 

Oueries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \gamma \ga$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [description]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [roamable]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[stream]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [initfolder handler]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[category]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref base-b13f55a758f4 \cite{lem:hklm} [name]$ 

Queries value:

Oueries value:

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{\softwindows \current version \explorer \folder descriptions \colored by 155a758f4} [relative path]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{\scale+windows\currentversion} explorer \folder descriptions \scale+windows\currentversion \end{\scale+windows} explorer \folder \fo$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref base-b13f55a758f4 \cite{localized} and \cite{lo$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} \cite{1.00} \eqref{1.00}$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[streamresourcetype]

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[roamable]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 3274bd8d-cfd1-41c3-b35e-b13f55a758f4 \current \curren$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [attributes]$ 

Queries value:

b35e-b13f55a758f4}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [init folder handler]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{Continuous} \cite{Continuou$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parentfolder]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{2000} \ci$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$ 

Oueries value:

 $\label{localized-ham} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\[localized name]\]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM\software\mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[security] \\$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]$$ 

Queries value:

 $HKLM\software\mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresourcetype] \\$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [precreate]$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \ [folder type id]$ 

Queries value:

 $HKLM\software\mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[initfolderhandler] \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[category]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e467b\} \ [parent folder]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 492 5 e 467 b\} [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{lem:hklm} \footnote{123f-4565-9164-39c4925e467b} \cite{123f-4565-9164-39c4925e467b} \cite{123f-4565-9164-39c495e467b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49b} \cite{123f-4565-9164-39c49$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{1.23f-4565-9164-39c4925e467b} \cite{1.23f-4565-9164-39c4925e467b} \cite{1.23f-4565-91645-91645e467b} \cite{1.23f-4565-91645-91645-91645e467b} \cite{1.23f-4565-91645-91645-91645-91645-91645-91$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [local redirect only]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \cdot (374 de 290-123f-4565-9164-39c4925e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-4565-9164-39c495e467b) [roamable] $$ HKLM \cdot (374 de 290-123f-45667b) [roamable] $$ HKLM \cdot (374 de 290-123f-45667b) [roamable] $$ HKLM \cdot (374 de 290-123$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are the label \cal{lem:hklm} and \cal{lem:hklm} are the label \cal{lklm} are the label \cal{lklm} are the label \cal{lklm} are the label \cal{lklm} are the label \cal{lkl$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{\scale+374de290-123f-4565-9164-39c4925e467b} [initfolder \mbox{\scale+123f-4565-9164-39c4925e467b}] initfolder \mbox{\scale+123f-4565-9164-39c4925e467b}.$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]$ 

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \fol$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[name]

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[description]

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$859$ ead94-2e85-48 ad-a71a-0969cb56a6cd} [relative path]$ 

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \mbox{$859$ ead} 4-2e85-48 ad-a71a-0969 cb56a6cd} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [infotip]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56 a 6 cd\} [security]$ 

Oueries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \cdot \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb 56 a 6 cd\} [precreate]$ 

Queries value:

 $\label{thm:local-software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{100} \footnote{100$ 

Queries value:

 $\label{lem:hkklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [publishexpandedpath]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \folder \current \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [init folder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[description]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [relative path]$ 

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[parsingname]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[infotip]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[icon]

Oueries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[publishexpandedpath]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$ 

Queries value:

 $\label{thm:hammon} HKLM \spinore $$HKLM \spinore \end{align*} $$HKLM \spinore \end{align*} $$HSLM \spinore \end{align*} $$HKLM \spinore \end{align*} $$HSLM \spinore \spinore \end{align*} $$HSLM \spinore \spinore \end{align*} $$HSLM \spinore \sp$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} 43d644c9b-1fb8-4f30-9b45-f670235f79c0 \cal{lem:hklm} [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\[description\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \cite{Ad644c9b-1fb8-4f30-9b45-f670235f79c0} \cite{A$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$ 

Queries value:

 $\label{local-oper-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [roamable]$ 

Oueries value:

 $\label{local-oper-lo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-1fb$ 

9b45-f670235f79c0}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \eqref{description}$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [infotip]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [icon]$ 

Queries value:

 $HKLM\software\mbox{a990ae9f-a03b-4e80-94bc-9912d7504104} [security] \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localredirectonly]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fared a 990 a e 9f-a 0 3b-4 e 80-94 b c-9912 d 750 d 104 \folder \folder$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[foldertypeid]

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fol$ 

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parentfolder]

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[streamresource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 2-c82a-4d63-906a-5644 ac457385 \cite{lem:hklm} acts \cit$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385} [attributes]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385} [foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}\ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} \cite{1a6fdba2-f42d-4358-a798-b74d745926c5} \cite{1a6fdba2-f42d-4358-b74d745926c5} \cite{1a6fdb$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[description]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relativepath]}$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{arguments} \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \cite{Arguments} \cite{A$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[infotip]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localizedname]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[relativepath]$$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} \cite{A520a1a4-1780-4ff6-bd18-167343c5af16} \cite{A520a1a4-1780-4ff6-bd18-167343c5a$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[infotip]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[localized name]}$ 

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-

bd18-167343c5af16}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[initfolderhandler]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folde$ 

Queries value:

 $\label{thm:local-equality} HKLM \software \mbox{b74d-02885a5dc765} [local-redirectorly]$ 

Oueries value

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [precreate]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[foldertypeid]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current \folder \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \folder \current \folder \folder \current \f$ 

Queries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \fo$ 

Queries value:

 $\label{thm:local-prop} $HKLM \circ two constants on explorer folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security] $$ \ two constants of the property of the p$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \[ stream resource \]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0dfb19b39 \[ stream resource type \]$ 

Queries value:

 $\label{local-condition} HKLM \software \mbox{$12-4b87-bfd0-4cd0dfb19b39} [local redirection] \\$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \ext{grad} \footnote{the state of the state$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\}[initfolder handler]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13b827-48b24b6c7174}[category]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}\[name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}\[relativepath]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \cite{1.00cm} \cite{1.0$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [icon]$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \cite{1.00cm} \cite{1.0$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} [initfolder \chandler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-

8d55-3bd661de872d}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[parsingname]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[localizedname]

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[security]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \descriptions \folder \$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\[initfolderhandler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[category]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{ed4824af-dce4-45a8-81e2-fc7965083634} [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[parentfolder]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.24} af-dce 4-45a 8-81e 2-fc 79650 83634 \current \curren$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[infotip]

Queries value:

 $\label{localized-hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[localized name]$$$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.824} af-dce 4-45a 8-81e 2-fc 79650 83634 \end{4.824} [icon]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc 7965083634\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[streamresource]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\} \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[localredirectonly]

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{descriptions} \ \footnote{All the lem of the l$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e 2-fc 79650 83634 \equal 534 fixed \mbox{\current version} \equal 64824 af-dce 4-45a 8-81e 2-fc 79650 83634 \equal 64824 af-dce 4-45a 8-81e 2-fc 79650 \equal 64824 \equa$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 7965083634 \cite{linitfolder} in the label for the label for$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \folder descriptions \deformance \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \cite{Absolute to the continuous of the continuous continuous$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \current version \explorer \folder descriptions \deformance \deformance \current \curre$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \current \curre$ 

Queries value:

 $\label{thm:local_hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \[ stream resource \eqref{eq:hklm} \]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27 \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \current version \explorer \folder descriptions \deformance \current \current$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [roamable]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[precreate]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\[stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [init folder handler]$ 

Oueries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 16 ca 12 ed name \equiv 17 ca 16 ca$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \explorer \folder \current \cur$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-6 b 5 ec 372 af b 5 \equiv 15 ca 69 b 3-30 ee-49 c 1-ace 1-$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{\scale+15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-

ace1-6b5ec372afb5}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[description]

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are \cal{lem:hklm} and \cal{lem:hklm} are \cal{lem:hklm} are \cal{lem:hklm} are \cal{lem:hkllm} are \cal{lem:hklllm} are \cal{lem:hkllllm} are$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bb61-92a9 deaa 44ff \current terms on \current version \explorer \folder descriptions \current \cur$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff \} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff \} [security]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 1.92a9 dea a 4.9f \scalebel{lem:hklm} is treatment on \cal{lem:hklm} as 1.92a9 dea a 4.9f \scalebel{lem:hklm} is treatment on \cal{lem:hklm} as 1.92a9 dea a 4.9f \scalebel{lem:hklm} is treatment of \cal{lem:hklm} as 1.92a9 dea a 4.9f \scalebel{lem:hklm} is treatment of \cal{lem:hklm} as 1.92a9 dea a 4.9f \scalebel{lem:hklm} a$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bb61-92a9 deaa 44ff \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as the label \cal{lklm} a$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[precreate]

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 1.92a9 dea a 44ff \footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} as 1.92a9 dea a 44ff \footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm} for the lem:hklm \footnote{the lem:hklm} footnote{the lem:hklm}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ bb61-92a9 deaa 44ff \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}\[foldertypeid]\]$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3214} fab 5-9757-4298-bb 61-92a 9 dea a 44 ff \eqref{1} [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \cite{2000} \ci$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{$05e63b6-c1bf-494e-b29c-65b732d3d21a} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[streamresourcetype]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[foldertypeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [initfolder \mbox{handler}]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \current \curr$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[description]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe\ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \cite{linfotip}$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [localized name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[security]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[streamresource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[localredirectonly]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{ fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \footnote{lem:hklm} \foo$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ \ [folder type id]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[initfolderhandler]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [description]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-

ba10-5e3608430854}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[foldertypeid]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [category]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [parsing name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [icon]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folds \folds$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [local redirectorly]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Conditions} \cite{Conditions$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[precreate]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \fold$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [name]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[infotip]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$d20$beec4-5ca8-4905-ae3b-bf251ea09b53} [localized name]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\mbox{$M$ icrosoft\windows\currentversion\explorer\folderdescriptions\fd20beec4-5ca8-4905-ae3b-bf251ea09b53\footnote{100} [security] }$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \explorer \folder \current \curr$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \[attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{l$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \end{picture} icon \label{lem:hklm}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [security]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[ stream resource type \]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adamong the continuous continuous$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [folder type id]$ 

Oueries value:

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[parentfolder]

Queries value:

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{Continuous} \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-

b850-448b77cb37f9}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[localizedname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}\[icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[security]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \category \cite{Additional contents} \cite{Additional contents}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ adb4-6c85480369c7 \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{fdd39ad0-238f-46af-adb4-6c85480369c7} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [relative path]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fdd39ad0-238f-46af-adb4-6c85480369c7} [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[initfolderhandler]

Oueries value:

 $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \explorer \user shell$ 

folders[personal]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-10df-434-10df-4344-10df$ bedd-7aa20b227a9d}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[infotip]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[security]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[precreate]

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[publishexpandedpath]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[foldertypeid]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[relative path]}$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\}[localized name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$ 

Oueries value:

 $\label{thm:local-baca-4121-a639-6d472d16972a} In the content of the content of$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [attributes]$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337d1-b8ca-4121-a639-6d472d16972a \folder type id \equiv 190337d1-b8ca-4121-a639-6d472d16972a \folder \equiv 190337d1-b8ca-4121-a639-6d472d16972a \folde$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [init folder handler]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[category]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[name]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current folder 9148-0f4247291cfa \current folder \current \curren$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[relativepath]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$54$ eed 2e0-e7ca-4fdb-9148-0f4247291cfa} [parsing name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0^{4247291cfa}[\infons]} Windows \current version \explorer \folder descriptions \folder \current version \explorer \folder \current \curre$ 

Queries value:

 $\label{thm:localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[localized name]}$ 

Queries value:

 $HKLM \setminus software \setminus irros oft \setminus irros oft$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream resource]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[precreate]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \cite{Continuous of the property of th$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [attributes]$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [description]$ 

Queries value:

b2b2-ae6db6af4968}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[icon]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Orania analana

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \folder \current \folder \current \folder \current \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 2-2219-4a67-b85d-6c9ce15660cb \cite{lem:hklm} [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-

b85d-6c9ce15660cb}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[streamresourcetype]

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \cdots \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 2219-4a67-b85d-6c9ce15660cb \[ init folder handler \]$ 

Oueries value:

 $HKLM software \mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [category] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[description]

Queries value:

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[infotip]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \f$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[foldertypeid]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \folder descriptions \folder \cal{lem:hklm} \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \cal{lem:hklm} \folder \cal{lem:hklm} \cal{lem:hklm} \folder \cal{lem:hklm} \ca$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cal{lem:hklm} [relative path]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ fol$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{1.5} \cite{1.5} \cite{1.5}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[streamresource]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{352481e8-33be-4251-ba85-6007} caedcf9d \slabel{lem:hklmsoftware} [streamresource type]$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ colored \ if the colored \ colored \ if the colored \ if the$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cite{lem:hklm} for the limit of the lemma \cite{lem:hklm} as 5-6007 \caed \cite{lem:hklm} for the limit of the lemma \cite{lem:hklm} as 5-6007 \caed \cite{lem:hklm} for the limit of the limit of the lemma \cite{lem:hklm} as 5-6007 \caed \cite{lem:hklm} for the limit of the$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{352481e8-33be-4251-ba85-6007} \cite{Ababer} \cite{Ababer} \eqref{Ababer} \cite{Ababer} \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ cf9d \} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cal{lem:hklm} [publish \expanded \path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \caeed \caed \caed \caed \caed \caed \caed \caed \caed \caed \caeed \caed \caed \caed \caed \caed \caeed \c$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caed \ cf9d\} \ [folder type id]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[initfolderhandler\]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{tinfotip}$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ears \folder descriptions \folder \fo$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{a63293e8-664e-48db-a079-df759e0509f7} [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder descriptions \earlies \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \current \folder descriptions \factors \facto$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} [attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \ [folder type id]$ 

Queries value:

 $\label{local-oper-bound} HKLM \software \mbox{$a63293e8-664e-48db-a079-df759e0509f7} [initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[category]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-

b89f-130c02886155}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[parsingname]

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[icon]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [stream resource type]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[foldertypeid]

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\ [parentfolder]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} [relative path]$ 

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\ [parsing name]$$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [infotip]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresourcetype]

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[precreate]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1000} \footnote{1000$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{1.00cm} \cite{1.0$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{10cm} \ci$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3.4} a - cof2e0b9 fa8e \current ion]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [relative path]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [infotip]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[icon]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [stream resource type]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[roamable]

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[publishexpandedpath]

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scriptions} \arrangle follows \scriptions \arrangle follows \arrangle f$ 

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[category\]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[description]$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[relativepath]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parsing name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}\[infotip]$ 

Queries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[localized name]$$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]$ 

Queries value:

 $\label{local-oper-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 43668bf8-c14e-49b2-97c9-747784d784b7 \equal [stream resource type]$ 

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 43668 \begin{align*} 143668 \begin{align*$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[roamable]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-folder \ folder \ folder$ 

97c9-747784d784b7}[publishexpandedpath]

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \category\cite{1.00cm} \cite{1.00cm} \cite{1.00cm$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parentfolder]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\[description]$$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [relative path]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\[parsingname]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \cite{10calized name} \eqref{10calized name} \eqref{10cal$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM \circ turned version \exp \operatorname{local-prop} {915221fb-9efe-4bda-8fd7-f78dca774f87}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[security]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[streamresourcetype]

Queries value:

 $\label{thm:local_ham} $$HKLM \sim \min_{software} \min_{software} \frac{915221fb-9efe-4bda-8fd7-f78dca774f87}[local_redirectonly]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\ [publishexpandedpath]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[attributes]

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{\scale+windows\currentversion} explorer \folder descriptions \scale+windows\currentversion \end{\scale+windows} explorer \folder descriptions \scale+windows\currentversion \end{\scale+windows} explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [category]$ 

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{4c5c32ff-bb9d-43b0-bc43b0-b$ b5b4-2d72e54eaaa4}[name] Queries value: b5b4-2d72e54eaaa4}[parentfolder] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[description] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[relativepath] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[parsingname] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[icon] Oueries value: b5b4-2d72e54eaaa4}[security] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[streamresource] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[streamresourcetype] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[localredirectonly] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[precreate] Oueries value: b5b4-2d72e54eaaa4}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[attributes] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\explorer\user shell Oueries value: folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[] -HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5 679f-4156-8947-c5c76bc0b67f}[suppressionpolicy] HKCR\clsid\{dffacdc5-679f-4156-8947-Oueries value: c5c76bc0b67f}\shellfolder[attributes] HKCR\clsid\{dffacdc5-679f-4156-8947-Queries value: c5c76bc0b67f}\shellfolder[callforattributes] HKCR\clsid\{dffacdc5-679f-4156-8947-Oueries value:

c5c76bc0b67f}\shellfolder[restrictedattributes]

c5c76bc0b67f}\shellfolder[wantsfordisplay]

Oueries value:

Queries value:

HKCR\clsid\{dffacdc5-679f-4156-8947-

 $HKCR\clsid\{dffacdc5-679f-4156-8947-$ 

```
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
 Oueries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
 Oueries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nprocserver32[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[loadwithoutcom]
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Queries value:
c66de400274e}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[attributes]
 Oueries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\image file execution
options\dllnxoptions[usefilter]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\image file execution
options\dllnxoptions[userinfo.dll]
                          HKLM\software\microsoft\windows nt\currentversion\image file execution
 Queries value:
options\dllnxoptions[langdll.dll]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\language groups[1]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\datastore_v1.0[disable]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
```

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane2] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane4] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane5] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane8] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane9] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane10] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane11] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane12] HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane13] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane14] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane15] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane16] Oueries value: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

HKLM\software\microsoft\ctf[enableanchorcontext] Oueries value: Sets/Creates value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]