# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 82, Task ID: 328

Task ID: 328 Risk Level: 4

Date Processed: 2016-04-28 12:56:06 (UTC)

Processing Time: 3.38 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\8f7e84a17e31e631d3e5f489314e2779.exe"

Sample ID: 82
Type: basic
Owner: admin

Label: 8f7e84a17e31e631d3e5f489314e2779

Date Added: 2016-04-28 12:44:58 (UTC)

File Type: PE32:win32:gui File Size: 170232 bytes

MD5: 8f7e84a17e31e631d3e5f489314e2779

SHA256: f725d4a3052569b6eb6d005092e351633948b0080adc1328f5e69d6d93cc6748

Description: None

### Pattern Matching Results

2 PE: Nonstandard section

4 Packer: NSIS [Nullsoft Scriptable Install System]

#### Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

#### Process/Thread Events

Creates process: C:\windows\temp\8f7e84a17e31e631d3e5f489314e2779.exe

["C:\windows\temp\8f7e84a17e31e631d3e5f489314e2779.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe ["C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe" \_?=C:\windows\temp ]

Terminates process: C:\Windows\Temp\8f7e84a17e31e631d3e5f489314e2779.exe

Terminates process: C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe

# Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates event: \KernelObjects\MaximumCommitCondition

# File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nsb3A47.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nsl3A52.tmp

Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData
Creates: C:\Users\Admin\AppData\Local
Creates: C:\Users\Admin\AppData\Local\Temp

 $\label{lem:condition} Creates: C: \label{lem:condition} C: \label{lem$ 

Creates: C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp

Creates: C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe

Creates: C:\Users\Admin\AppData\Local\Temp\nsc3CD2.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp

Creates: C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp\System.dll
Opens: C:\Windows\Prefetch\8F7E84A17E31E631D3E5F489314E2-5CCF6841.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\8f7e84a17e31e631d3e5f489314e2779.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

controls\_6595b64144ccf1df\_5.82.7601.17514\_none\_ec83dffa859149af

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_5.82.7601.17514\_none\_ec83dffa859149af\comctl32.dll

Opens: C:\windows\temp\VERSION.dll
Opens: C:\windows\System32\version.dll
Opens: C:\windows\System32\imm32.dll

```
C:\Windows\System32\rpcss.dll
 Opens:
 Opens:
                        C:\windows\temp\CRYPTBASE.dll
 Opens:
                        C:\Windows\System32\cryptbase.dll
 Opens:
                        C:\Windows\System32\uxtheme.dll
 Opens:
                        C:\windows\temp\SHFOLDER.DLL
 Opens:
                        C:\Windows\System32\shfolder.dll
 Opens:
                        C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                        C:\Windows\System32\shell32.dll
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                        C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comct132.dll
                        C:\Windows\WindowsShell.Manifest
 Opens:
 Opens:
                        C:\
 Opens:
                        C:\Windows
 Opens:
                        C:\Windows\System32\propsys.dll
 Opens:
                        Opens:
                        C:\windows\temp\ntmarta.dll
 Opens:
                        C:\Windows\System32\ntmarta.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
                        C:\Users\Admin\Desktop\desktop.ini
 Opens:
                        C:\windows\temp\profapi.dll
 Opens:
 Opens:
                        C:\Windows\System32\profapi.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp
 Opens:
                        C:\Windows\System32\en-US\setupapi.dll.mui
                        C:\Users\Admin\AppData\Local\Temp\nsb3A47.tmp
 Opens:
 Opens:
                        C:\Windows\Temp\8f7e84a17e31e631d3e5f489314e2779.exe
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsl3A52.tmp
 Opens:
                        C:\Users
 Opens:
                        C:\Users\Admin
 Opens:
                        C:\Users\Admin\AppData
 Opens:
                        C:\Users\Admin\AppData\Local
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsl3A52.tmp\System.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe
 Opens:
                        C:\Windows\System32\apphelp.dll
 Opens:
                        C:\Windows\AppPatch\sysmain.sdb
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\ui\SwDRM.dll
 Opens:
                        C:\Windows\Prefetch\WEBAPP-UNINSTALLER.EXE-1701280A.pf
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-
uninstaller.exe.Local\
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\VERSION.dll
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\CRYPTBASE.dll
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\SHFOLDER.DLL
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\ntmarta.dll
 Opens:
                        C:\Users\desktop.ini
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\profapi.dll
 Opens:
                        C:\Users\Admin\Searches\desktop.ini
 Opens:
                        C:\Users\Admin\Videos\desktop.ini
 Opens:
                        C:\Users\Admin\Pictures\desktop.ini
 Opens:
                        C:\Users\Admin\Contacts\desktop.ini
 Opens:
                        C:\Users\Admin\Favorites\desktop.ini
 Opens:
                        C:\Users\Admin\Music\desktop.ini
 Opens:
                        C:\Users\Admin\Downloads\desktop.ini
 Opens:
                        C:\Users\Admin\Documents\desktop.ini
 Opens:
                        C:\Users\Admin\Links\desktop.ini
 Opens:
                        C:\Users\Admin\Saved Games\desktop.ini
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\apphelp.dll
 Opens:
                        C:\Windows\System32\shdocvw.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsc3CD2.tmp
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp
                        C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp\System.dll
 Opens:
 Opens:
                        C:\Windows\webapp.ini
 Writes to:
                        C:\Users\Admin\AppData\Local\Temp\nsl3A52.tmp\System.dll
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe
 Writes to:
 Writes to:
                        C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp\System.dll
 Reads from:
                        C:\Users\Admin\Desktop\desktop.ini
                        C:\Windows\Temp\8f7e84a17e31e631d3e5f489314e2779.exe
 Reads from:
 Reads from:
                        C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp\webapp-uninstaller.exe
 Reads from:
                        C:\Users\desktop.ini
                        C:\Users\Admin\Searches\desktop.ini
 Reads from:
 Reads from:
                        C:\Users\Admin\Videos\desktop.ini
 Reads from:
                        C:\Users\Admin\Pictures\desktop.ini
```

Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini C:\Users\Admin\Downloads\desktop.ini Reads from: Reads from: C:\Users\Admin\Documents\desktop.ini C:\Users\Admin\Links\desktop.ini Reads from: Reads from: C:\Users\Admin\Saved Games\desktop.ini Deletes: C:\Users\Admin\AppData\Local\Temp\nsb3A47.tmp Deletes: C:\Users\Admin\AppData\Local\Temp\nsl3A52.tmp Deletes: C:\Users\Admin\AppData\Local\Temp\nsv3A5D.tmp

Deletes: C:\Users\Admin\AppData\Local\Temp\ns13A52.tmp\System.dll

Deletes: C:\Users\Admin\AppData\Local\Temp\nsc3CD2.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp

Deletes: C:\Users\Admin\AppData\Local\Temp\nsy3D37.tmp\System.dl1

# Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings
Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument

Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize

Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32

Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \ software \ microsoft \ windows \ shell \ registered applications \ urlassociations \ directory \ open with progids$ 

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ property bag$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in follown folders$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d\treatas

Opens key:  $\begin{tabular}{ll} HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ Opens key: \\ HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\soft\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HK$ 

b8dc300d9f9d}\progid

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key:  $\label{eq:hkcRclsid} $$ HKCR\clsid_{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\sim 2.3cb1-48fd-8f50-b8dc300d9f9d} $$ in prochandler 32. $$ in the context of the conte$ 

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}\propertybag

a03a-e3ef65729f3d}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}\propertybag

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\propertybag

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002

HKLM\system\currentcontrolset\control\cmf\config Opens key:

HKLM\software\microsoft\windows\windows error reporting\wmr Opens key:

Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-11e3-b3bc-806e6f6e6963}\

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\webapp-uninstaller.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders Opens kev: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\custom\webapp-uninstaller.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\webappuninstaller.exe

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}\propertybag

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-Opens kev:

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-Opens key:

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-

9305-67de0b28fc23}

Opens key:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b 28fc 23 \property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ property bag$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$ 

Opens key:

 $HKL\dot{M} \sim \frac{a4115719-d62e-491d-aa7c-e74b8be3b067}{propertybag}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} \property bag$ 

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$ 

Opens key

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 491e922f-5643-4af4-a7eb-4e7a138d8174 \equal by roperty bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}

Opens key:

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ property bag$ 

Opens key:

Opens key:

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $\label{tware} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens kev:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 46-31ca-4aba-814f-a5ebd2fd6d5e} \property bag$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity (c870044b-f49e-4126-a9c3-b52a1ff411e8)$ 

Opens key:

 $HKLM \ software \ icrosoft \ ic$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}$ 

Opens key:

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\propertybag

Opens key:

 $\label{thm:local-substitute} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \property bag$ 

Opens key:

 $\label{tware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\ property bag$ 

Opens key:

9f04-a5fe99fc15ec}

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d 17-9f04-a5fe99fc15ec \property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4f ef-9f 26-b 60e 846f ba4f\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f \} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$ 

Opens key:

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}

Opens key:

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ property bag$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ property bag$ 

Opens key

Opens key:

 $\label{thm:local-soft-windows} In the local-soft of the local-so$ 

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\property\bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}$ 

Opens key:

 $\label{thm:local-ebd2-438a-8655-8a092e34987a} In the property of the propert$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqr$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4fcf-9d55-7b8e7f157091 \}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$ 

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}$ 

Opens key:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c4925 e 467b\} \ property bag$ 

Opens key:

 $\label{thm:local-software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\propertybag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ \ property bag$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\propertybag$ 

Opens key:

 $\label{thm:local-potential} HKLM \software \mbox{dfdf76a2-c82a-4d63-906a-5644ac457385}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$ 

Opens key:

Opens key:

 $\label{tware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174}$ 

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \equal 45a8-81e2-fc796083634 \equal 45a8-61e2-fc7960836$ 

Opens key:

 $\label{thm:local-property} HKLM \software \mbox{ed4824af-dce4-45a8-81e2-fc7965083634} \property bag$ 

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ property bag$ 

Opens key:

 $HKLM \setminus software \setminus irrestarch (15ca 69b 3-30ee-49c 1-49c 1-$ 

ace1-6b5ec372afb5}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \end{figure}$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$ 

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$ 

Opens key:

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ property bag$ 

Opens key:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23}$ 

Opens key:

 $HKL\dot{M} \sim \frac{de92c1c7-837f-4f69-a3bb-86e631204a23}{propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$ 

Opens key:

Opens kev:

Opens key:

Opens key

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{352481e8-33be-4251-ba85-6007} \eqref{35$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}$ 

Opens key:

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}$ 

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}\ property bag$ 

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} with a message \label{lem:hklm} All \label{lem:hklm} White \label{lem:hklm} All \label{lem:hklm} White \label{lem:hkklm} All \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} All \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} White \label{lem:hkklm} All \label{lem:hkklm} White \label{lem:hkklm}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
 Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in followers files \ names pace \ delegate folders$ 

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32

Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked 
Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked

Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\appcompatflags\custom\shdocvw.dll|$ 

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

c66de400274e}\treatas

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

8947-c5c76bc0b67f}

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

 $HKLM \verb|\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]|$ 

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[8f7e84a17e31e631d3e5f489314e2779]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsaliasednotifications]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

 $08002b30309d \} \verb|\shellfolder[wantsuniversaldelegate]|$ 

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hasnavigationenum]

Queries value:

08002b30309d}]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-

11e3-b3bc-806e6f6e6963} [data] Queries value:

 $\label{thm:local_explorer_mount} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e4-6c18-explorer_mountpoints_2 \cpc_volume_{69d250e4-6c18-explorer_mountpoints_2}.$ 

11e3-b3bc-806e6f6e6963}[generation]
Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] 
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Oueries value:

 $HKCU \ software \ \verb|microsoft| windows \ \verb|currentversion| explorer \ advanced [dontpretty path]|$ 

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} is a constant \cite{tabular} and \cit$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Oueries value

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\range1

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \description \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \cite{Licon}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localredirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [precreate]$ 

Queries value:

b029-7fe99a87c641}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[initfolderhandler]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parent folder]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[security]

Queries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current based c-b587-4786-b4ef-bd1dc332aeae \current \curre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectionly]$ 

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[roamable]\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [folder typeid]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ [parent folder]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$ 

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklm} a 03a-e3ef65729f3d \cal{lem:hkklm} icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} a 03a-e3ef 65729f 3d \cal{general} [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{2.2} ab 685 db - 65 f9 - 4c f6 - a03 a - e3e f65 729 f3d \cal{2.2} [publish expanded path]$ 

Queries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [attributes] \end{tabular}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder typeid]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [icon]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]$$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value:  $HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]$ 

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[usefilter]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[system.dll]

Oueries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \cite{Alice of the control of the con$ 

Queries value:

 $HKCU software \mbox{$\current version explorer mountpoints $\current $\current version explorer $\current $\current $\current version $\current $\current$ 

Oueries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

 $nt \verb|\currentversion| app compatflags \verb|\layers| [c: \verb|\users| admin \verb|\app data| local \verb|\temp| nsv3a5d.tmp| we bapp-local between the control of the con$ 

uninstaller.exe]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{b99128bd-65d4-4969-ad0f-bba7ee2fd8e9}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{b99128bd-65d4-4969-ad0f-bba7ee2fd8e9}]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{8405f65d-d1b5-4d11-9a0f-ebaa5ccb3b4f}]

Queries value: HKCU\software\microsoft\windows

 $nt\current version\app compatflags \hbox{\tt [\{8405f65d-d1b5-4d11-9a0f-ebaa5ccb3b4f\}]}$ 

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]

Queries value: HKCU\software\microsoft\windows

 $nt\current version\app compatflags \hbox{$[$a9f603c2-b224-4a07-b6ea-a2bcc1a51297$]}$} \\$ 

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{6c3dff7f-feff-4e9b-9eb1-252651df86d4}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{6c3dff7f-feff-4e9b-9eb1-252651df86d4}]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{ffa48002-6b4c-475f-97b0-3e852c898bc5}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{ffa48002-6b4c-475f-97b0-3e852c898bc5}]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[webapp-uninstaller]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \category \]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{lem:hklm} [name]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [relative path]$ 

Queries value:

 $\label{thm:local-soft-windows} In the label of the labe$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-

8648-d5d44b04ef8f}[icon] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localredirectonly] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[stream] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[attributes] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[foldertypeid] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[initfolderhandler] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[attributes] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[callforattributes] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsfordisplay] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[hidefolderverbs] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[usedrophandler] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsforparsing] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[wantsparsedisplayname] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[queryforoverlay] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[mapnetdriveverbs] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[queryforinfotip] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[hideinwebview] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[hideondesktopperuser] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsaliasednotifications] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[nofilefolderjunction]
Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[pintonamespacetree]
Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[hasnavigationenum]
Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenu

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-5595fe6b30ee}1

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[name]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[parent folder]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{HKLM} and \current version \explorer \folder descriptions \cal{HKLM} and \current version \explorer \folder descriptions \cal{HKLM} and \current version \explorer \cal{HKLM} and \current \current \current \cal{HKLM} and \current \cu$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \cite{Continuous transfer} \eqref{figure} \label{thm:local-prop}$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \cite{Continuous to the property of t$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[localizedname]

Queries value:

 $\label{thm:local-prop} $HKLM \sim \max_{i=1,\dots,i=1}^{10} \frac{7d1d3a04-debb-4115-95cf-2f29da2920da}[icon] $$$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [security]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [stream resource]$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [local redirectonly]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [precreate]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$7d1d3a04-debb-4115-95cf-2f29da2920da} [stream]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \cite{Continuous} \cite{Continuou$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[foldertypeid]

Oueries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scale= \cite{lem:hklm} \cite{lem:$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \ficon \]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[security]

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [roamable]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$$ 

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28fc23 \current \curr$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[folder type id]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local structure of the local$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \category\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \software \microsoft \microsoft$ 

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{local_holds_ff7f1ed05-9f6d-47a2-aaae-29d317c6f066} \cite{local_holds$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [description]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2aaae-29d317c6f066}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \formula \footnote{1.5} aaae-29d317c6f066 \cite{1.5} [localized name]$ 

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{licon} \end{substitute}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \fixtream resource type]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [precreate]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [stream]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \end{cal} [attributes]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fill \current \folder \fill \current \folder \fill \current \folder \fill \fill \current \folder \fill \fill$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\[description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between the same as a second consistency of the same as a$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-

a368-0de96e47012e}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [localized name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [security]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{local-oper-problem} \begin{tabular}{l} HKLM\software\mbox{$\mathbb{N}$ indows\currentversion} explorer\folderdescriptions\footnote{1.000} 48daf80b-e6cf-4f4e-b800-0e69d84ee384\footnote{1.000} [publishexpandedpath] \\ \end{tabular}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [attributes]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4eb800-0e69d84ee384}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{48daf80b-e6cf-4f4e-b800-0e69d84ee384} [init folder \handler]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ af ef-f87 ef2e6 ba25 \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25 \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \ \ \ af ef-f87 ef2e6 ba25 \} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340d-f20f-4863-afef-f87ef2e6ba25 \cDelta feature \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25 \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [folder typeid]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{thm:local-explorer} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} \cite{1.0cm} \cit$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49dfacb8-4330f5687855}[description]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\[relativepath]\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{9e52ab10-f80d-49df-acb8-4330f5687855\}\ [initfolder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-

8644-66979315a281}[localizedname]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0$ in the ploner folder descriptions \endows \current version \endows \current version \endows \current version \endows \current \endows \endow$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:g8ec0e18-2098-4d44-8644-66979315a281} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectonly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream]$ 

Oueries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 8644-66979315a281 \cupred{black} [publish expanded path]$ 

Queries value

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \cite{third-time-state-$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [description]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [icon]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} [security]$ 

Queries value:

 $\label{thm:local-continuous} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresourcetype]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [publish expanded path]$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [parent folder]$ 

Oueries value

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[info tip]$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[security]$ 

Queries value:

 $\label{thm:local_hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[stream resource]\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \[stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[roamable]

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [stream]$ 

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[foldertypeid]

Oueries value:

 $HKLM \ software \ incressft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[parent folder]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [icon]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [stream resource type]$ 

Queries value:

 $\label{thm:local_twindows} HKLM \end{thm:local_twindows} $$ \end{thm:local_twindows} $$ 455b-841c-ab7c74e4ddfc} [local_redirectonly] $$$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} \cite{Continuous-current} \cite{Continuou$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[stream]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[attributes]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[initfolderhandler]

Queries value:

 $\label{local-observation} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$ 

folders[my video]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}\category\cite{Control of the control o$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[name]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\[parentfolder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}\[description]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \mbox{$1-7b75-48a9-9f6b-4b87a210bc8f} [localized name]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[localredirectonly]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

Queries value:

 $\label{local-ham} HKLM \software \mbox{$1-7b75-48a9-9f6b-4b87a210bc8f} [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \cite{third-third$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{Category} \]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [parent folder]$ 

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [relative path]$ 

Queries value:

bf91-f4455120b917}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} [icon]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [precreate]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ de 974d24-d9c6-4d3e-bf91-f4455120b917 \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \category\cite{Control of the control of the c$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [description]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}\ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \end{tabular} $$4660cd92b-2e97-45d1-88ff-b0d186b8dedd\cite{tabular} $$[icon]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [security]$ 

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[precreate]

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [attributes]$ 

Queries value:

 $HKLM\software\mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[foldertypeid] \\$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [initfolder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ \ verplorer \ \ folder descriptions \ \ \ \ \ \ \ a 663-37bd 56068185 \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [localized name]$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \[ stream resource type \eqref{19} \]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \cite{Continuous} \eqref{folder} \folder \cite{Continuous} \foldsymbol{thm:local-continuous} \eqref{folder} \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}\[publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capable ac2c-a8bea a 314493 \footnote{14.000} \capable ac2c-a8bea a 314493 \footnote{14.000} \capable ac2c-a8bea a 314493 \capable ac2c-a8bea acade a$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}\ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[stream]$$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a75d362e-50fc-4fb7-ac2c-a8beaa314493} \cite{A75d362e-50fc-4fb7-ac2c-a8beaa314493} \cite{A75d362e-50fc-4fb7-ac2c-a8beaa314$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [folder type id]$ 

Queries value:

ac2c-a8beaa314493}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ Finame \ label{eq:heaven}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[description]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$ 

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} \end{substitute} icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$ 

Queries value

 $\label{thm:local-problem} HKLM \software \mbox{$491e922f-5643-4af4-a7eb-4e7a138d8174} [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[initfolderhandler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e28130-4e1e-4676-835a-98395c3bc3bb} \cite{235e365bb} \cite{235e365$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [description]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Oueries value:

-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676 835a-98395c3bc3bb}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[precreate]

Oueries value:

-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676 835a-98395c3bc3bb}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[attributes]

Oueries value:

835a-98395c3bc3bb}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value: Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[localizedname]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explores \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\ [publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [folder type id]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[description]$$$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0$ in the conversion explorer folder descriptions $$\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[relative path]$$ 

Queries value:

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [localized name]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [stream resource]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[ [streamresourcetype] \]$ 

Oueries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \ [local redirectionly]$ 

 $\label{thm:hklm} HKLM \software \mbox{$0$ in the microsoft windows \current version \explorer folder descriptions \explorer \explorer$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[attributes\]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[foldertypeid]$$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [initfolder \mbox{$14c6e}] initfolder \mbox{$14c6e} \mbox{$16c6e} \mbox$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ b6a2-414586476aea\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{debf2536-e1a8-4c59-b6a2-414586476aea} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdebf2536-e1a8-4c59-b6a2-414586476 aea \current \curr$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59b6a2-414586476aea}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-

b6a2-414586476aea}[attributes]

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$debf2536-e1a8-4c59-b6a2-414586476aea} [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[category]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba 9-27 cbc \cdot 0 c5 389a \cdot \{ 100 me \} \cdot 0 c5 389a \cdo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[streamresourcetype]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [folder type id]$ 

Queries value:

Oueries value

 $\label{thm:local-continuous} HKLM \software \mbox{$2400183a-6185-49fb-a2d8-4a392a602ba3} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[description]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[streamresource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 2d8-4a392a602ba3 \footnote{lem:hklm} [local redirectionly]$ 

Oueries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2400183a-6185-49fb-a2d8-4a392a602ba3} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$ 

Queries value:

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{descriptions} \footnote{Additional description} \eqref{description} \label{thm:local_holds} The local description \eqref{description} \footnote{Additional description} \eqref{description} \footnote{Additional description} \eqref{description} \footnote{Additional description} \eqref{description} \footnote{Additional description} \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$ 

Queries value:

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} [infotip]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[streamresourcetype]$ 

Oueries value

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ a781-5a1130a75963 \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ a781-5a1130a75963 \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \category \cite{Advision} \cite{$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[description]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local_transform} HKLM \software \mbox{$c4900540-2379-4c75-844b-64e6faf8716b} [infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf 8716b \center{folder} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-

844b-64e6faf8716b}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [local redirectionly]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[stream]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[publishexpandedpath]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$ 

Queries value:

 $\label{local-observation} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \explore$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[streamresourcetype]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ [init folder handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[description]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[relativepath]}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$4b$ fefb45-347d-4006-a5be-ac0cb0567192}[icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$ 

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \current$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[name]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[parentfolder\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \ \ be 4e-64cd4cb7d6ac \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \formula$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \descriptions \formalfolder \formalfolder \descriptions \formalfolder \descriptions \formalfolder \formalfolde$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$ 

Oueries value:

 $HKLM\software\mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [localredirectonly] \\$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalle \formalle \footnote{\cite{lem:hklm}} and \cite{\cite{lem:hklm}} and \ci$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula 18-64cd4cb7d6ac \cite{lem:hklm} \cite{lem:hklm}$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \current \folder \current \curr$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \category \cite{Ababa} \cite{Abab$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 32e446-31ca-4aba-814f-a5ebd2fd6d5e \cite{lem:hklm} [name]$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[relative path]$ 

Oueries value:

814f-a5ebd2fd6d5e}[parsingname]

Queries value:

Oueries value:

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4 aba-814f-a5ebd2fd6d5e \cite{lem:hklm} \cite{lem:hklm}$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} a 14f-a 5ebd \footnote{2fd 6d5e} \cite{2fd 6d5e$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} 446-31 \ca-4aba-814f-a5ebd2fd6d5e} \cite{Model of the companion} \cite{Mode$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} \end{2e} 446-31 \ca-4aba-814f-a5ebd2fd6d5e} \ [precreate]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [stream]$ 

Queries value:

 $HKLM\software\mbox{windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[attributes]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ incressft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[init folder handler]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \color$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \c rientversion \explorer \folder descriptions \c 870044b-f49e-4126-a9c3-b52a1ff411e8 \c parent folder \c like \c folder \c fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [localized name]$ 

Queries value:

 $\label{local-prop} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\currentversion\explorer\folderdescriptions\currentversion\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\e$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[streamresourcetype]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a parallel \cal{lem:hklm} a par$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[attributes]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{lem:hklm} a partial \center{lem:$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \dafcae \folder \folder \folder \color= 6afe-49f2-8690-3 \dafcae \folder \folder \color= 6afe-49f2-8690-3 \dafcae \folder \color= 6afe-49f2-8690-3 \dafcae \folder \color= 6afe-49f2-8690-3 \dafcae \color= 6afe-49f2-8690-3 \da$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [name]$ 

Queries value:

Oueries value:

Queries value:

 $\label{thm:local-prop} $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[localizedname]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[security]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [streamresource]$ 

Queries value:

Oueries value:

 $\label{local_continuous_current_version} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{center} $\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [local redirectionly] $\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \current \end{center} $\{0139d44e-6afe-6afe-8690-3dafcae6ffb8\} \current \end{center} $\{0139d44e-6afe-6afe-8690-3dafcae6ffb8\} \current \end{center} $\{0139d44e-6afe-8690-3dafcae6ffb8\} \current \end{center} $\{0139d44e-6afe-8690-3dafcae$ 

Queries value:

 $\label{thm:hammon} HKLM \split windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{Common of the common of the co$ 

Oueries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.139d44e-6afe-49f2-8690-3dafcae6ffb8} \cite{Monthsoftware} \eqref{Monthsoftware} \eqref{Monthsoftware$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[initfolderhandler]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[category]$$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[description]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Oueries value:

 $\label{thm:local-bound} $HKLM \sim \min_{c. 100} \sup_{c. 100}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[infotip]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresource]$$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresourcetype]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localredirectonly]

Queries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[roamable]}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colongraph$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \folder \c 5abbf53-e17f-4121-8900-86626 \c 5abbf53-e17f-$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-

8900-86626fc2c973}[initfolderhandler]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350} (category) \\$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [relative path]$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [security]$ 

Queries value:

 $\label{thm:local-substitute} HKLM \software \mbox{$56784854$-$c6cb-$462b-$169-88e350 acb882} [stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 82\} \ [stream]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[attributes]

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$56784854$-$c6cb-$462b-$8169-88e350acb882} [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \cite{Category} \eqref{2d300-be0a-2482ebae1a26} \cite{Category} \eqref{2d300-be0a-2482ebae1a26} \cite{Category} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d3000-be0a-2482ebae1a26} \eqref{2d30000-$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-

be0a-2482ebae1a26}[description]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$7b396e54-9ec5-4300-be0a-2482ebae1a26} [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300be0a-2482ebae1a26}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource type]$ 

Oueries value:

 $\label{local-equation} HKLM \software \mbox{\scriptions} \end{2.5} This is a substitution of the context of t$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [attributes]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[foldertypeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [init folder handler]$ 

Oueries value

 $\label{thm:locality} HKLM \software \mbox{bichos} \current version \explorer \folder descriptions \footnote{2} - b42d-bc56db0ae516 \category]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[name]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [parent folder]$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder description \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[parsingname]

Queries value:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [localized name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[security]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds \folds$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56 db 0 ae 516\} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[stream]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds are \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds \folds are \current version \explorer \folds \fo$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folder type id \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds 3$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \cite{linitfolder} in the label \cite{linitfolder} and \cite{linitfolder}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [icon]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}\[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [description]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[relativepath]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$HKLM \end{tabular} $$ HKLM \end{tabular} $$ H$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [stream]$ 

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$ 

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current \lor explorer \setminus folder descriptions \setminus \{2b0f765d-c0e9-4171-descriptions\} \setminus \{2b0f76d-c0e9-4171-descriptions\} \setminus \{2b0f76d-c0e9-4170$ 

908e-08a611b84ff6}[attributes]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[initfolder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parent folder]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b8d1-440df \footself{folder} in fotip]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [security]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource type]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[localredirectonly\]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [folder type id]$ 

Queries value:

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{ll} HKLM \end{tabular} $$HKLM \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [name]$ 

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (e555ab60-153b-4d17-9f04-a5fe99fc15ec) \cite{lem:hklm} \equiv (e755ab60-153b-4d17-9f04-a5fe99fc15ec) \cite{lem:hklm} \equiv (e755ab60-153b-4d17-a5fe99fc15ec) \cite{lem:hklm} \equiv (e755ab60-153b-4d17-a5fe99fc$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[description]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [localized name]$ 

Queries value:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[ [streamresource] \]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[Extreamresourcetype]\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv estimate 153b-4d17-9f04-a5fe99fc15ec \[folder typeid]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[infotip]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [localized name]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}\[icon]\]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}\[security]\]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{$054$ fae 61-4dd 8-4787-80b6-090220c4b700} [roamable]$ 

Queries value:

 $\label{local-observation} HKLM \software \mbox{$054fae61-4dd8-4787-80b6-090220c4b700} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} 1-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \category\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \current \eqref{1777} [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} 1-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [description]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd}[relative path]$ 

Queries value:

 $\label{thm:local-soft-windows} In the properties of the properti$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} fold-88 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [infotip]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd} [localized name]$ 

Queries value:

 $\label{local-equation} HKLM \software \mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[security]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-

87bd-30b759fa33dd}[streamresourcetype]

Oueries value:

 $\label{thm:local-equation} HKLM \software \mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd} [local redirectorly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[attributes]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \gamm$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b250c668-f57d-4ee1-a63c-290ee7d1aa1f} [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \ga$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-

a63c-290ee7d1aa1f}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [category]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current between \current \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish expanded path]$ 

Queries value:

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}\[foldertypeid]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[description]}$ 

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[icon]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{Z}_{0}} (8983036c-27c0-404b-8f08-102d10dcfd74) [streamresource] $$ for example (102d10dcfd74) [streamresource] $$ for$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

Queries value:

 $\label{local-operator} HKLM \software \mbox{$0$$-102d10dcfd74} [attributes]$ 

Queries value:

 $\label{local-operator} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[foldertypeid]}$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[security]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \current \folder \folde$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-soft-windows} In the local description of the local$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7.24ef1.70-a4.2d-4.4fef-9.60e8.46fba.4f} \[ relative path \eqref{1.24ef1.70-a4.2d-4.4fef-9.60e8.46fba.4f} \]$ 

Queries value:

Queries value:

Oueries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-a$ 

9f26-b60e846fba4f}[security]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f \} [local redirectonly]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[publishexpandedpath]}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parsing name]$ 

Queries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\f(4bd8d571-6d19-48d3-be97-422220080e43)[infotip]} \end{tabular}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill \fill$ 

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[security]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[streamresourcetype]

Oueries value

 $\label{local_hklm} \begin{tabular}{l} HKLM\software\mbox{$m$icrosoft\windows\currentversion} explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[localredirectonly]} \end{tabular}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 4bd8d571-6d19-48d3-be97-422220080e43 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scale= \cite{lem:hklm} \cite$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[stream]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill \fill$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$ 

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Category} \eqref{de61d971-6c9c04} \eqref{de61d971-6c9c04} \cite{Category} \eqref{de61d971-6c9c04} \cite{Category}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \ [parent folder]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 8289 5e 5c 04\} [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{lem:hklm} \eqref{lem:hklm} \label{lem:hklm}$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 82 89 5e 5c 04\} [info tip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Lem:hklmsoftware \microsoft \microsof$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f 02-a3a9-6c82895e5c04\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 661 d971-5 ebc-4f02-a3a9-6c82895 e5c04 \equal 65 [stream \current version \equal 65] \software \microsoft \makebox{\current version} \equal 65 \makebox{\current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [stream]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} [init folder handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{$0762d272$-$c50a-4bb0-a382-697dcd729b80} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[infotip]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [local redirect only]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [stream]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[description]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{local-observation} HKLM \software \mbox{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]$ 

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\[precreate]$ 

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [attributes]$ 

Queries value:

 $\label{local-observation} HKLM \software \mbox{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [foldertypeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-14e74-1$ 

b744-2eb1ae5198b7}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [description]$ 

Queries value

 $KLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\[relativepath]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [icon]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$a77f5d77-2e2b-44c3-a6a2-aba601054a51} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \far a 77 f 5 d 77 - 2 e 2 b - 44 c 3 - a 6 a 2 - a b a 6 0 1 0 5 4 a 5 1 \folder \cite{hklm} \footnote{hklm} \footnote{h$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource type]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish expanded path]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa77f5d77-2e2b-44c3-a6a2-aba601054a51 \fattributes \far-equation \far-$ 

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [init folder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{thm:local-bbf8-452a-850d-79d08e667ca7} In the properties of the properties$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folder \currentversion \end{\current} explorer \folder \currentversion \end{\current} explorer \folder \currentversion \end{\current} explorer \mbox{\currentversion} explorer \mbox{\currentversion} \end{\current} explorer \mbox{\currentversion} explorer \mbox{\currentversion} \end{\current} explorer \mbox{\currentversion} explorer \mbox{\currentversion} \mbox{$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$ 

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e667 ca7\} [init folder handler]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [category]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[name]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[description]

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [relative path]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local-soft of the local-so$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [icon]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local substitution of the loca$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [stream resource]$ 

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \split with the software \split with$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{looper-bac3-4797-8f14-cba229b392b5} \cite{loo$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \current \explorer \folder descriptions \does \current \c$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \downward \folder \fold$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [attributes]$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-

9733-46cc89022e7c}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [description]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [stream resource type]$ 

Queries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[local\redirectonly\]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[roamable]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[publishexpandedpath]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[name]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder description \folder \folder description \folder \fold$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factor \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explores \folder descriptions \folder \$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [initfolder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqr$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{Gab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{G$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 62 ab 5 d82 - fdc1 - 4 dc3 - a9 dd - 070 d1 d49 5 d97 \eqref [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[icon]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3a9dd-070d1d495d97}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [init folder handler]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[category\]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf9d55-7b8e7f157091}[name]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[description]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4fcf-9d55-7b8e7f157091 \] \cite{the continuous} \end{subarrange} The lative path \cite{the continuous} \end{subarrange} The lative path \cite{the continuous} \cite{the$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[parsingname]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[infotip]$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{localized} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill [icon]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM \sim \min_{software \in \mathbb{Z}_{0}} (s) = \frac{1}{3} - \frac{$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-continuous} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \filb 32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{them:hklm} \cite{them:h$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-4fcf-4fchare \ folder \ f$ 

9d55-7b8e7f157091}[stream]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[publishexpandedpath]$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[attributes]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[category]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[icon]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value

 $\label{localization} HKLM \software \mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5} [localredirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[precreate]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [infotip]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[security]

Queries value:

 $\label{thm:local-solution} HKLM \software \mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [stream resource]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref of the descriptions \eqref of the descriptions \eqref of the descriptions \eqref of the description \eqref of the des$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 9274bd8d-cfd1-41c3-b35e-b13f55a758f4 \cite{thm:local-continuous} \cite{thm:local-continuous} \eqref 1-41c3-b35e-b13f55a758f4 \cite{thm:local-continuous} \cite{thm:local-continuous} \eqref 1-41c3-b35e-b13f55a758f4 \cite{thm:local-continuous} \cite{thm:local-continuous} \eqref 1-41c3-b35e-b13f55a758f4 \cite{thm:local-continuous} \cite{thm:local-continuous} \eqref 1-41c3-b35e-b13f55a758f4 \cite{thm:local-continuous} \cite{thm:local-continuo$ 

Queries value

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[description]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [localized name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [icon]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{100} \cite{1$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[attributes]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [initfolder handler]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \cdot \end{area} on \explorer \folder descriptions \footnote{MKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{MKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{MKLM \software \microsoft \windows \current \windows \current \windows \explorer \footnote{MKLM \software \microsoft \windows \current \windows \window$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-objective} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{local-4565-9164-39c4925e467b} \cite{Monthson-1000} \cite{Mo$ 

Queries value:

 $\label{thm:local-objective} HKLM \software \mbox{$374$ de 290-123f-4565-9164-39c4925e467b} \ [description]$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[infotip]

Oueries value:

 $\label{localized-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \ [localized name]$ 

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-9164-39c4925e 467b\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-

9164-39c4925e467b}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e467b\} \ [stream resource]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} \ [local redirectonly]$ 

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-solution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} [attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{374de290-123f-4565-9164-39c4925e467b}]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$859$ ead} 4-2e85-48 ad-a71a-0969 cb56a6cd} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fill \fill$ 

Queries value:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\folderdescription\folderd$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{lem:hklm} \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \call{lem:hklm} \ [localized name]$ 

Queries value:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[streamresourcetype]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-

a71a-0969cb56a6cd}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56 a 6 cd \} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [publish expanded path]$ 

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[foldertypeid]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{balance} \cite{bal$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{figure 1.000} \cite{figure$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{figure 1.000} \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{figure 1.000} \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{figure 1.000} \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{figure 1.000} \cite{figure 1.0000} \cite{figure 1.000} \cite{figure 1.0000} \cite{figure 1.0000} \cite{figure 1.0000}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{a305ce99-f527-492b-8b1a-7e76fa98d6e4} [stream]$ 

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{balance} \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [category]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[description]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresource]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [stream resource type]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} 43d644c9b-1fb8-4f30-9b45-f670235f79c0 \cal{lem:hklm} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{Application} \cite{Application}$ 

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{Appendix} \ci$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[description]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\[relativepath]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [infotip]$ 

Oueries value:

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{a990ae9f-a03b-4e80-94bc-9912d7504104} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [local redirectorly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[foldertypeid]}$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$ 

Queries value:

906a-5644ac457385}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[icon]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [description]$ 

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relativepath] \end{tabular}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358a798-b74d745926c5}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [security]$ 

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \mbox{la6fdba2-f42d-4358-a798-b74d745926c5} [streamresource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[streamresourcetype]

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358a798-b74d745926c5}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [initfolder handler]$ 

Queries value:

 $\label{thm:local-solution} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[category\]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a 4-1780-4ff6-bd18-167343c5af16 \cite{lem:hklm} \cite{lem:hklm} \fast a 4-1780-4ff6-bd18-167343c5af16 \cite{lem:hklm} \cite{lem:hkl$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fallows \fall$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [security]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ `vindows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall a 4-1780-4ff \folder descriptions \fall a 4-1780-4ff \folder descriptions \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [publish expanded path]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[foldertypeid]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[category]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ b86f4daa-e7bd-49a9-b74d-02885a5dc765 \ [name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [infotip]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

Queries value:

 $\label{local-condition} HKLM \software \mbox{b74d-02885a5dc765} [local-redirectorly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-

bfd0-4cd0dfb19b39}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 dfb19b39\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \[ stream resource \]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[stream]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [attributes]$ 

Oueries value

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2c36c0aa-5812-4b87-bfd0-4cd0 dfb19b39\}[initfolder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \cite{1.00cm} \cite{1.0$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[relativepath]} \end{tabular}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish expanded path]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\[infotip]$ 

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[localized\mbox{name}\]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [icon]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [roamable]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[stream]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [folder type id]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 79650 83634 \category \cite{Alicenter} \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[name]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 81e2-fc7965083634 \ [parent folder]$ 

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqd 4824 af-dce 4-45 as 81 e2-fc 7965 083 634 \eqd 4824 af-dce 4-45 as 81 e2-fc 7965 \eqd 4824 \eq$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.00cm} \end{4.00cm} $$1e2-fc7965083634 \[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.0} \end{4.0} The descriptions \end{4.0}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 7965083634 \cite{linfotip}$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[icon]

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqd 4824 af-dce 4-45a 8-1e2-fc 7965083634 \current \c$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.00cm} \end{4.00cm} $$1e2-fc7965083634 \[ roamable \] $$1e2-fc7965083634 \] $$1e3-fc7965083634 \] $$1e3-fc796508364 \] $$1e3-fc796608364 \] $$1e3-fc796608364 \] $$1e3-fc796608364 \] $$1e3-fc796608364 \] $$1e3-fc796608364 \] $$1e3-fc7966084 \] $$1e3-fc796084 \] $$1e3-fc796$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc7965083634\} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-

81e2-fc7965083634}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 7965083634\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [icon]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[stream]$ 

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[foldertypeid]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [initfolder handler]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5\} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Queries value:

 $\label{thm:local-software} HKLM \software \mbox{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [infotip]$ 

Queries value:

Queries value:

 $\label{thm:local-softwindows} In the local description of the local d$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [stream resource]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \equiv 15 ca 69 b 3-30 e e - 49 c 1-ac e 1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

 $\label{thm:local-software} HKLM \software \mbox{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 49c1-ace1-6b5ec372 afb5 \folder \folder$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \end{tabular} $$HKLM \end{tab$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} $$144ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9$ 

Oueries value:

 $\label{thm:local-software} HKLM \software \mbox{3214fab5-9757-4298-bb61-92a9deaa44ff} [relative path]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [local redirectorly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[roamable]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} $$144ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298bb61-92a9deaa44ff}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bb61-92a9 deaa 44ff \ [publish expanded path]$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} bb 61-92a 9 de aa 44 ff \cal{lem:hklm} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{3214fab5-9757-4298-bb61-92a9deaa44ff} [initfolder handler]$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \cite{b29c-65b732d3d21a} \cite{b29c-6$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [parsing name]$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-

b29c-65b732d3d21a}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectonly]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [attributes]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} \ [category]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [parent folder]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [description]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[relativepath]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[parsingname]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [icon]$ 

Queries value:

 $HKLM\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [security] \\$ 

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current version \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current version \current version \explorer \folder \current version \curren$ 

Queries value:

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[localredirectonly] \end{tabular}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [roamable]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[precreate]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[foldertypeid]$ 

Oueries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} \cite{thm:local-prop} \cite{thm:local-prop} \scalebox{b10-f46a-4c97-ba10-f46a-6c97-ba10$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \cite{Aba10-5e3608430854} \cite{Aba10-5e360843084} \cite{Aba10-5e360843084} \cite$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\ [parentfolder]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[description]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[localizedname]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[streamresource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \ [local redirector \eqref{19cal redirector}]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[attributes]$$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[foldertypeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot \folder \fol$ 

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d20 beec 4-5 ca 8-4905-ae3b-bf 251 ea 09 b53 \} \\ \Gamma \cap mel$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-

ae3b-bf251ea09b53}[description]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-a e 3 b-b f 251 e a 09 b 53\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf 251 ea 09 b 53\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot \folder \descriptions \cdot \folder \descriptions \cdot \folder \folder \descriptions \cdot \folder \folder \descriptions \cdot \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-a e 3 b-b f 251 e a 09 b 53\} \ [init folder handler]$ 

Oueries value

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adaptive} \cite{Adaptive} \cite{Adaptive} \script{Adaptive} \cite{Adaptive} \cite{Ada$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$ 

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [description]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adapta} \cite{Ada$ 

Queries value:

 $\label{thm:local_transform} \begin{tabular}{ll} HKLM\software\mbox{\mbox{$m$icrosoft\windows\currentversion}\explorer\folderdescriptions} \end{tabular} $$\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[infotip] $$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \current \folder \current \current \folder \current \curr$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adamong the continuous of the continuous cont$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [folder type id]$ 

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{linitfolder} and \eqref{lem:hklm} in the lemma \cite{linitfolder} and \cite{$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}\[category\]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{Local-continuous} \cite{Local-continuous-current version} \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{Local-continuous-current version} \cite{Local-contin$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot \folder \folder$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{10c07cd0-ef91-4567-b850-448b77cb37f9} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$ 

Oueries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \ [local redirect only]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[precreate]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}\[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85 480 369 c7 \category \cite{Abarrent version} \cite{Abarrent$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scale{lem:hklm} \cite{lem:hklm} \scale{lem:hklm} \scale{lem:hklm$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{lem:hklm} \cite{lem:hklm} \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{lem:hklm} \cite{lem:hklm}$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{Monthson-1} [info tip]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369c7 \cite{thm:local-continuous} \cite{thm:local-continuous} \end{microsoft} ad b4-6c85480369c7 \cite{thm:local-continuous} \cite{$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{licon} \end{substants} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \[security]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \footnote{Microsoft \current version} \end{microsoft} \footnote{Microsoft \current \curre$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \fixed resource type \]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fdd39ad0-238f-46af-adb4-6c85480369c7} [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fdd39ad0-238f-46af-adb4-6c85480369c7} [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} [precreate]$ 

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{Monthson} \cite$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ dd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-

adb4-6c85480369c7}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [init folder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bedd-7aa 20b 227a 9d \ [parent folder]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{$c1$ bae2d0-10df-4334-bedd-7aa20b227a9d} [description]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder \cal{le$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cite{lem:hklm} in fotip \cite{lem:hklm} a 20b227a9d \cite{lem:hklm} in fotip \cite{lem:hklm} a 20b227a9d \cite{lem:hklm} a 2$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{lem:hklm} and \call{lem:hklm} are the label{lem:hklm} and \call{lem:hklm} are the label{lem:hklm} are the label{le$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} icon \cal{lem:hklm} icon \cal{lem:hklm}$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \scalebox{\colorer} [stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [stream resource type]$ 

Queries value:

 $\label{local-condition} HKLM \software \mbox{$c1$ bae2d0-10df-4334-bedd-7aa20b227a9d} [local redirectionly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b27a9d0-7aa20b27a9d \c1bae2d0-10df-7aa20b27a9d0-7aa20b27a9d0-7aa$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} according to the lemma \cal{lem:hklm} according to the lemma \cal{lem:hklm} according to the lemma \cal{lem:hkllm} according to the lemma \cal{lem:hklllm} according to the lemma \cal{lem:hkllllm} according to the lemma \ca$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[attributes]

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \[initfolder \chandler]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-

a639-6d472d16972a}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[parsingname]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$ 

Queries value

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [precreate]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\}[attributes]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \c$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[category]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[description]

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$ 

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource type]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{\scalebel{lem:hklm} windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \fo$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [initfolder handler]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM\software\mbox{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968} [parentfolder] \\$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \description \end{description} description \folder \description \folder \folder \folder \description \folder \fol$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$ 

Queries value:

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \ \ \ \ b2b2-ae6db6af4968 \ \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish expanded path]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [category]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[name]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \current \folder \current \folder \folder \current \folder \fol$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \current \folder \current \folder \folder \current \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$ 

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [local redirectonly]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [precreate]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [category]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \gamma \gam$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[description]$$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[parsingname]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [security]$ 

Queries value:

 $\label{thm:lossoftware} HKLM\software\mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [streamresource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [roamable]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{b94237e7-57ac-4347-9151-b08c6c32d1f7} [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[stream]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder type id]$ 

Queries value:

9151-b08c6c32d1f7}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [relative path]$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \ca$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caed \ folder \ descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caed \ folder \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descriptions \ descriptions \ `folder \ descriptions \ description$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ `folder \ descriptions \ `explorer \ folder \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ description$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current ba85-6007 caed \colored \colored \current \cu$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{352481e8-33be-4251-ba85-6007} \cite{Aba85-6007} \cite{Aba85-6007}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \cal{lem:$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[initfolderhandler]$ 

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{tabular} $$ \{a63293e8-664e-48db-a079-df759e0509f7\} \category \end{tabular} $$ (a63293e8-664e-48db-a079-df759e0509f7) \category \categor$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder \f$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{hkllows} \cite{hkl$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A6329$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ears \folder descriptions \folder \fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b89f-130c02886155 \current \folder \current \$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [description]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b89f-130c02886155\} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \cdot \cd$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [icon]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [local redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[roamable]

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \mbox{$5ce4a5e9-e4eb-479d-b89f-130c02886155} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[attributes]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [description]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[infotip]

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} [localized name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-

a014-d097ee346d63}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [name]$ 

Oueries value:

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [icon]$ 

Queries value:

Queries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [local redirectonly]$ 

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e)\currentversion\explorer\f(8c2e0b9fa8e)\currentversion\explorer\ex$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{thm:local_to_thm} HKLM \software \mbox{$7c5a40ef-a0fb-4bfc-874a-$c0f2e0b9fa8e} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[attributes]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[foldertypeid]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{43668bf8-c14e-49b2-97c9-747784d784b7\} \cdot \cd$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[relativepath]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]}$ 

Queries value:

 $HKLM\software\mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} [localized name]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [local redirectonly]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[roamable]}$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [stream]$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}\$ [initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [category]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \cite{1.00cm} \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[description]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[relativepath]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [parsing name]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource type]$ 

Oueries value:

 $\label{thm:local_ham} $$HKLM \sim \min_{software} \min_{software} \frac{915221fb-9efe-4bda-8fd7-f78dca774f87}[local_redirectonly]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} [attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \eqref{folder type} \footnote{2.5cm} \$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} [init folder \handler]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b5b4-2d72e54eaaa4 \current \current$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bb4-2d72e54eaaa4 \[ name \]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}[description]

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} [relative path]$ 

Oueries value:

 $\label{thm:local-bbbd-43b0-bbb4-2d72e54eaaa4} In the content of the content of$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-

```
b5b4-2d72e54eaaa4}[localizedname]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[icon]
 Oueries value:
b5b4-2d72e54eaaa4}[security]
 Oueries value:
b5b4-2d72e54eaaa4}[streamresource]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[streamresourcetype]
 Queries value:
b5b4-2d72e54eaaa4}[localredirectonly]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[roamable]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[precreate]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[stream]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[publishexpandedpath]
-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0
b5b4-2d72e54eaaa4}[attributes]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[foldertypeid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[initfolderhandler]
 Queries value:
                       HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
 Queries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[attributes]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[callforattributes]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
 Oueries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
 Oueries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
 Queries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Oueries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
 Queries value:
                       HKCR\clsid\{dffacdc5-679f-4156-8947-
```

c5c76bc0b67f}\shellfolder[hideondesktopperuser]

c5c76bc0b67f}\shellfolder[wantsaliasednotifications]

Oueries value:

HKCR\clsid\{dffacdc5-679f-4156-8947-

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder[hasnavigationenum]

Queries value:

c5c76bc0b67f}]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32[loadwithoutcom]

Queries value: HKCU\software\microsoft\windows\currentversion\shell

extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}

0xffff]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32[threadingmodel]

Queries value:  $HKCR\clsid\dffacdc5-679f-4156-8947-c5c76bc0b67f\instance[clsid]$  Queries value:  $HKCR\clsid\document{40}{0e5aae11-a475-4c5b-ab00-c66de400274e\inprocserver32[]}$ 

Queries value: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32[loadwithoutcom]

Queries value: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]

Queries value: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag[attributes]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag[descriptionid]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag[helptopic]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag[recursivesearch]

Queries value: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]