Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 3316, Task ID: 773

Task ID: 773 Risk Level: 9

Date Processed: 2016-05-18 10:36:35 (UTC)

Processing Time: 62.45 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\5700c49f29b6358692ee50cb31d7ad54.exe"

Sample ID: 3316 Type: basic Owner: admin

Label: 5700c49f29b6358692ee50cb31d7ad54

Date Added: 2016-05-18 10:30:49 (UTC)

File Type: PE32:win32:gui File Size: PE32:win32:gui

MD5: 5700c49f29b6358692ee50cb31d7ad54

SHA256: 176367233358560fca93c53a1ffd73d4d91b1c2daba2f1eaacd2d0c2f509098c

Description: None

Pattern Matching Results

6 Modifies registry autorun entries

- Writes to memory of system processes
- 2 PE: Nonstandard section
- 7 Injects thread into Windows process
- 6 Dumps and runs batch script
- 6 Starts process from Application Data folder
- 7 Sets up autorun entry under Roaming folder
- 7 Sends FTP commands over the control channel
- 6 Creates executable in application data folder
- 5 Modifies Windows Registry from the command line
- 3 Program causes a crash [Info]
- 7 Attempts to connect to dynamic DNS
- 4 Terminates process under Windows subfolder
- 4 Reads process memory
- 7 Connects to IRC server
- 5 Adds autostart object
- Imports registry (*.REG) file

Static Events

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\5700c49f29b6358692ee50cb31d7ad54.exe

["C:\windows\temp\5700c49f29b6358692ee50cb31d7ad54.exe"]
Creates process: C:\Windows\system32\cmd.exe [cmd /c

""C:\Users\Admin\AppData\Local\Temp\ljCEC.bat" "]

Creates process: C:\Windows\system32\reg.exe [REG ADD

"C:\Users\Admin\AppData\Roaming\Run32.exe" /f]

Creates process: C:\Users\Admin\AppData\Roaming\Run32.exe

["C:\Users\Admin\AppData\Roaming\Run32.exe"]

Creates process: C:\Users\Admin\AppData\Roaming\Run32.exe

[C:\Users\Admin\AppData\Roaming\Run32.exe]

Reads from process: PID:2736 C:\Windows\System32\calc.exe

Writes to process: PID:2692 C:\Users\Admin\AppData\Roaming\Run32.exe

Writes to process: PID:1324 C:\Windows\explorer.exe
Terminates process: C:\Windows\System32\reg.exe
Terminates process: C:\Windows\System32\cmd.exe

Terminates process: C:\Windows\Temp\5700c49f29b6358692ee50cb31d7ad54.exe

Terminates process: C:\Users\Admin\AppData\Roaming\Run32.exe

Creates remote thread: C:\Windows\explorer.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

 $\label{lem:constraints} Creates\ mutex: $$ \Sessions\1\BaseNamedObjects\ZonesCounterMutex $$$

Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\SKCJERmeGREBR
Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \Security\1SA_AUTHENTICATION_INITIALIZED

Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED
Creates event: \BaseNamedObjects\ConsoleEvent-0x00000A60
Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{0293a24e-287b-4adc-9930-

15d48542266d}

Creates event: \KernelObjects\SystemErrorPortReady

Creates semaphore: \Sessions\1\BaseNamedObjects\C:?WINDOWS?TEMP?

5700C49F29B6358692EE50CB31D7AD54.EXE

Creates semaphore: \Sessions\1\BaseNamedObjects\C:?USERS?ADMIN?APPDATA?ROAMING?RUN32.EXE

File System Events Creates: C:\Users\Admin\AppData\Local\Temp\ljCEC.bat Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches C:\Users\Admin\AppData\Roaming\Run32.exe Creates: Creates: C:\Users\Admin C:\Users\Admin\AppData\Roaming Creates: Creates: C:\Users\Admin\AppData\Roaming\cunt.exe Opens: C:\Windows\Prefetch\5700C49F29B6358692EE50CB31D7A-2F8F7487.pf C:\Windows\System32 Opens: C:\windows\temp\MSVBVM60.DLL Opens: C:\Windows\System32\msvbvm60.dll Opens: Opens: C:\Windows\System32\sechost.dll Opens: C:\Windows\System32\imm32.dll Opens: C:\Windows\Globalization\Sorting\SortDefault.nls C:\Windows\System32\rpcss.dll Opens: Opens: C:\windows\temp\CRYPTBASE.dll Opens: C:\Windows\System32\cryptbase.dll C:\Windows\System32\uxtheme.dll Opens: Opens: C:\windows\temp\5700c49f29b6358692ee50cb31d7ad54.exe.cfg Opens: C:\windows\temp\SXS.DLL Opens: C:\Windows\System32\sxs.dll Opens: C:\Windows\System32\C_932.NLS Opens: C:\Windows\System32\C_949.NLS C:\Windows\System32\C_950.NLS Opens: $C: \verb|\windows\System32\C_936.NLS| \\$ Opens: Opens: C:\Windows\System32\scrrun.dll C:\Windows\System32\version.dll Opens: Opens: C:\NTDETECT.com Opens: C:\Users\Admin\AppData\Roaming\Run32.exe Opens: C:\Users\Admin\AppData\Local\Temp\ljCEC.bat Opens: C:\windows\temp\PROPSYS.dll Opens: C:\Windows\System32\propsys.dll Opens: C:\Windows\System32\shell32.dll Opens: C:\windows\temp\5700c49f29b6358692ee50cb31d7ad54.exe.Local\ Opens: C:\Windows\winsxs\x86_microsoft.windows.commoncontrols_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2 C:\Windows\winsxs\x86_microsoft.windows.common-Opens: controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll Opens: C:\Windows\WindowsShell.Manifest C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db Opens: Opens: C:\windows\temp\ntmarta.dll Opens: C:\Windows\System32\ntmarta.dll 4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db Opens: C:\Users\Admin\Desktop\desktop.ini Opens: C:\windows\temp\profapi.dll Opens: C:\Windows\System32\profapi.dll Opens: C:\ Opens: C:\Users\desktop.ini Opens: C:\Users Opens: C:\Users\Admin C:\Users\Admin\Searches\desktop.ini Opens: Opens: C:\Users\Admin\Videos\desktop.ini Opens: C:\Windows\System32\en-US\setupapi.dll.mui Opens: C:\Users\Admin\Pictures\desktop.ini Opens: C:\Users\Admin\Contacts\desktop.ini Opens: C:\Users\Admin\Favorites\desktop.ini C:\Users\Admin\Music\desktop.ini Opens: Opens: C:\Users\Admin\Downloads\desktop.ini Opens: C:\Users\Admin\Documents\desktop.ini Opens: C:\Users\Admin\Links\desktop.ini Opens: C:\Users\Admin\Saved Games\desktop.ini Opens: C:\windows\temp\apphelp.dll Opens: C:\Windows\System32\apphelp.dll Opens: C:\Windows\System32\shdocvw.dll Opens: C:\Windows\System32\en-US\propsys.dll.mui C:\Windows\System32\urlmon.dll Opens: Opens: C:\windows\temp\SspiCli.dll Opens: C:\Windows\System32\sspicli.dll ${\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet\ Files}$ Opens: Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies Opens: C:\Users\Admin\AppData C:\Users\Admin\AppData\Local Opens: Opens: C:\Users\Admin\AppData\Local\Temp Opens: C:\Users\Admin\AppData\Local\Temp\ljCEC.bat:Zone.Identifier

Opens: C:\Windows\AppPatch\sysmain.sdb
Opens: C:\windows\temp\cmd.exe
Opens: C:\Windows\System32\cmd.exe

```
Opens:
                        C:\Windows\Prefetch\CMD.EXE-4A81B364.pf
Opens:
Opens:
                        C:\Program Files
Opens:
                        C:\Program Files\Adobe
Opens:
                        C:\Program Files\Adobe\Reader 9.0
Opens:
                        C:\Program Files\Adobe\Reader 9.0\Reader
                        C:\Windows
Opens:
                        C:\Windows\Branding
Opens:
                        C:\Windows\Branding\Basebrd
Opens:
Opens:
                        C:\Windows\Branding\Basebrd\en-US
Opens:
                        C:\Windows\Globalization
Opens:
                        C:\Windows\Globalization\Sorting
Opens:
                        C:\Windows\System32\en-US
Opens:
                        C:\Windows\System32\ntdll.dll
Opens:
                        C:\Windows\System32\kernel32.dll
Opens:
                        C:\Windows\System32\apisetschema.dll
Opens:
                        C:\Windows\System32\KernelBase.dll
Opens:
                        C:\Windows\System32\locale.nls
Opens:
                        C:\Windows\System32\msvcrt.dll
Opens:
                        C:\Windows\System32\winbrand.dll
Opens:
                        C:\Windows\System32\user32.dll
Opens:
                        C:\Windows\System32\gdi32.dll
Opens:
                        C:\Windows\System32\lpk.dll
Opens:
                        C:\Windows\System32\usp10.dll
Opens:
                        C:\Windows\System32\msctf.dll
Opens:
                        C:\Windows\System32\en-US\cmd.exe.mui
Opens:
                        C:\Windows\Branding\Basebrd\basebrd.dll
Opens:
                        C:\Windows\Branding\Basebrd\en-US\basebrd.dll.mui
                        C:\Program Files\Adobe\Reader 9.0\Reader\icucnv36.dll
Opens:
Opens:
                        C:\Windows\system32\"C:\Users\Admin\AppData\Local\Temp\ljCEC.bat"
Opens:
                        C:\Users\Admin\AppData\Local\Temp\ljCEC.bat\
Opens:
                        C:\Windows\System32\reg.exe
Opens:
                        C:\Windows\Prefetch\REG.EXE-E7E8BD26.pf
Opens:
                        C:\Windows\System32\en-US\reg.exe.mui
Opens:
                        C:\Windows\System32\en-US\KernelBase.dll.mui
Opens:
                        C:\Users\Admin\AppData\Roaming
Opens:
                        C:\Windows\Temp\5700c49f29b6358692ee50cb31d7ad54.exe
Opens:
                        C:\Users\Admin\AppData\Roaming\Run32.exe:Zone.Identifier
Opens:
                        C:\Users\Admin\AppData\Roaming\ui\SwDRM.dll
Opens:
                        C:\Windows\WINHELP.INI
                        C:\Windows\system32\.HLP
Opens:
Opens:
                        C:\Windows\Help\.HLP
Opens:
                        C:\Windows\Prefetch\RUN32.EXE-26D79138.pf
                        C:\Users\Admin\AppData\Roaming\MSVBVM60.DLL
Opens:
Opens:
                        C:\Users\Admin\AppData\Roaming\CRYPTBASE.dll
                        C:\Users\Admin\AppData\Roaming\Run32.exe.cfg
Opens:
                        C:\Users\Admin\AppData\Roaming\SXS.DLL
Opens:
Opens:
                        C:\Users\Admin\AppData\Roaming\cunt.exe
Opens:
                        C:\Windows\System32\NapiNSP.dll
Opens:
                        C:\Windows\System32\pnrpnsp.dll
Opens:
                        C:\Windows\System32\mswsock.dll
Opens:
                        C:\Windows\DNSAPI.dll
Opens:
                        C:\Windows\System32\dnsapi.dll
Opens:
                        C:\Windows\System32\winrnr.dll
Opens:
                        C:\Windows\System32\drivers\etc\hosts
Opens:
                        C:\Windows\System32\WSHTCPIP.DLL
Opens:
                        C:\Windows\System32\FWPUCLNT.DLL
Opens:
                        C:\Windows\rasadhlp.dll
                        C:\Windows\System32\rasadhlp.dll
Opens:
Opens:
                        C:\Windows\System32\calc.exe
Writes to:
                        C:\Users\Admin\AppData\Local\Temp\ljCEC.bat
Writes to:
                        C:\Users\Admin\AppData\Roaming\Run32.exe
Writes to:
                        C:\Users\Admin\AppData\Roaming\cunt.exe
Reads from:
                        C:\Windows\System32\scrrun.dll
Reads from:
                        C:\Users\Admin\Desktop\desktop.ini
Reads from:
                        C:\Users\desktop.ini
Reads from:
                        C:\Users\Admin\Searches\desktop.ini
                        C:\Users\Admin\Videos\desktop.ini
Reads from:
Reads from:
                        C:\Users\Admin\Pictures\desktop.ini
Reads from:
                        C:\Users\Admin\Contacts\desktop.ini
Reads from:
                        C:\Users\Admin\Favorites\desktop.ini
Reads from:
                        C:\Users\Admin\Music\desktop.ini
Reads from:
                        C:\Users\Admin\Downloads\desktop.ini
Reads from:
                        C:\Users\Admin\Documents\desktop.ini
Reads from:
                        C:\Users\Admin\Links\desktop.ini
Reads from:
                        C:\Users\Admin\Saved Games\desktop.ini
Reads from:
                        C:\Users\Admin\AppData\Local\Temp\ljCEC.bat
Reads from:
                        C:\Windows\Prefetch\CMD.EXE-4A81B364.pf
Reads from:
                        C:\Windows\Temp\5700c49f29b6358692ee50cb31d7ad54.exe
Reads from:
                        C:\Users\Admin\AppData\Roaming\Run32.exe
Reads from:
                        C:\Windows\System32\drivers\etc\hosts
```

C:\Users\Admin\AppData\Roaming\Run32.exe

Deletes:

Network Events

DNS query: xdanx.dyndns.org

DNS response: xdanx.dyndns.org ⇒ 184.169.144.229

Connects to: 184.169.144.229:9872

Sends data to: 8.8.8.8:53

Sends data to: xdanx.dyndns.org:9872 (184.169.144.229)

Receives data from: 8.8.8.8:53

Receives data from: xdanx.dyndns.org:9872 (184.169.144.229)

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\run

Creates key: HKCU\software\microsoft\visual basic\6.0

Creates key: HKCU\software

Creates key: HKCU\software\microsoft

Creates key: HKCU\software\microsoft\visual basic

Creates key: HKLM\software\microsoft\windows\currentversion\run
Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: ${\tt HKLM \setminus software \setminus microsoft \setminus windows\ nt \setminus current version \setminus image\ file\ execution}$

options\dllnxoptions

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole
Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
Opens key: HKLM\system\currentcontrolset\control\nls\language groups
Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: ${\tt HKLM \backslash system \backslash current control \backslash nls \backslash codepage}$

Opens key: HKLM\software\microsoft\vba\monitors

Opens key: HKCU\software\classes\
Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\scripting.filesystemobject

Opens key: HKCR\scripting.filesystemobject

Opens key: ${\tt HKCU \backslash software \backslash classes \backslash scripting.filesystemobject \backslash clsid}$

Opens key: ${\tt HKCR\backslash scripting.filesystemobject\backslash clsid}$

Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}
Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\treatas

00a0c9054228}\progid

 $\label{lem:continuous} Opens~key: $$ HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\progid$$ Opens~key: $$ HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-}$$

00a0c9054228}\inprocserver32

Opens key: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprocserver32

Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprochandler32 HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprochandler32 Opens kev: Opens key: HKCU\software\classes\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprochandler Opens kev: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprochandler Opens key: HKCU\software\classes\typelib Opens key: HKCR\tvpelib HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228} Opens key: Opens key: HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228} Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0 Opens key: HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0 Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0\0 HKCR\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0\0 Opens key: Opens key: HKCU\software\classes\typelib\{420b2830-e718-11cf-893d-00a0c9054228}\1.0\0\win32 HKCR\typelih\{420h2830-e718-11cf-893d-00a0c9054228}\1.0\0\win32 Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer Opens key: HKLM\software\microsoft\windows\currentversion\explorer Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer Opens key: $HKLM \ software \ `microsoft \ windows \ current version \ shell compatibility \ applications \ 5700c49f29b6358692ee50cb31d7ad54.exe$ Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-Opens key: 08002b30309d}\shellfolder Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04feo-down \ clsid \ and \ and \ clsid \ and$ Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: $HKLM \setminus software \setminus icrosoft \setminus windows \setminus current version \setminus explorer \setminus (20d04feo-block) + (20d04feo-block) +$ 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum HKCU\software\classes\drive\shellex\folderextensions Opens key: Opens key: HKCR\drive\shellex\folderextensions Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} Opens key: HKCU\software\microsoft\windows\currentversion\explorer\ $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\advanced}} \\$ Opens key: Opens key: HKCU\software\classes\.bat Opens key: HKCR\.bat Opens key: HKCU\software\classes\.bat\openwithprogids Opens key: HKCR\.bat\openwithprogids Opens key: $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ bat \ open with progids$ HKCU\software\microsoft\windows\currentversion\explorer\fileexts Opens kev: $\label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \fileexts \verb|\label{thm:local_hammon}. bat \end{tabular}$ Opens key: Opens key: HKCU\software\classes\batfile Opens key: HKCR\batfile HKCU\software\classes\batfile\curver Opens key: Opens key: HKCR\batfile\curver Opens kev: HKCR\batfile\ HKCU\software\classes\batfile\shellex\iconhandler Opens key: Opens key: HKCR\batfile\shellex\iconhandler HKCU\software\classes\systemfileassociations\.bat Opens key: Opens key: HKCR\systemfileassociations\.bat Opens key: HKCU\software\classes\batfile\docobject Opens key: HKCR\batfile\docobject Opens key: HKCU\software\classes\batfile\browseinplace Opens key: HKCR\batfile\browseinplace Opens key: HKCU\software\classes\batfile\clsid Opens key: HKCR\batfile\clsid Opens key: $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions$ Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641} Opens key: b029-7fe99a87c641}\propertybag Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1 Opens key: $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folders$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

b8dc300d9f9d}\treatas
Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key:

Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

 $\label{thm:local_hammon} \begin{tabular}{l} HKLM \end{tabular} software \end{tabular} indows \end{tabular} current version \end{tabular} explorer \end{tabular} known folders ettings$

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus shell \setminus registered applications \setminus urlassociations \setminus directory \setminus open with progids$

Opens key:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \mbox{\mathbb{N} indows $$ \shell \associations \urlassociations \directory \end{tabular}$

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject
Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key. INCO\Solitwale\Classes\Totdel\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus directory \setminus browseinplace}$

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

 $Opens\ key: \\ HKCU\software\classes\all filesystem objects\browsein place$

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid
Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus all filesystemobjects \setminus clsid}$

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\property\bag\end{subarray}$

Opens key

Opens key:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\propertybag$

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ property bag$

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

 3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\treatas

Opens key: $\label{eq:hccn} \begin{tabular}{ll} HKCR\clsid\footnote{\clsid\$

ea55d8994f1a}\progid

 Opens key:
 HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\progid

 Opens key:
 HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d

ea55d8994f1a}\inprocserver32

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler32

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler32

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explo$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$

Opens kev:

Opens kev:

 $\label{twist} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fiftherapprox \currentversion\explorer\folderdescriptions\fiftherapprox \currentversion\explorer\fiftherapprox \current\fiftherapprox \currentversion\explorer\fiftherapprox \current\fiftherapprox \currentversion\explorer\fiftherapprox \current\fiftherapprox \current\fiftherappr$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$

Opens key

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \folder$

Opens key:

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855)$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \folder \general \general \folder \general \$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$

Opens key

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\\ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{lag89b1d-99b5-455b-841c-ab7c74e4ddfc}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ property bag$

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens key:

 $HKLM\software\mbox{\tt microsoft\windows\currentversion\explorer\folderdescriptions\footnote{\tt 76fc4e2d-d6ad-4519-a663-37bd56068185}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens kev:

 $\label{thm:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}\ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}$

Opens kev:

 $\label{thm:local-continuous} HKLM software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| {491e922f-5643-4af4-a7eb-4e7a138d8174} \verb|propertybag| explorer | {491e922f-5643-4af4-a7eb-4e7a138d8174} | {491e922f-5643-4af4-a7eb-4e7a138d8174} explorer | {491e926f-6643-4af4-a7eb-4e7a138d8174} | {491e926f-6643-4af4-a7eb-4e7a138d8$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\property\bag\end{microsoft}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$

Opens kev:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Opens kev:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2400183a-6185-49fb-a2d8-4a392a602ba3} \property bag$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

Opens key:

844b-64e6faf8716b}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ 'property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$

Opens key:

Opens key:

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center \folder descriptions \center \folder \fo$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=17f-4121-8900-86626 \folder \color=17f-4121-8900-86626 \folder \color=17f-4121-8900-86626 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=1$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{26784854-c6cb-462b-8169-88e350acb882}$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current \c$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 302545d-deff-464b-abe8-61c8648d939b \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}}$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}}$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\property\pbag\end{microsoft}$

Opens kev

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$

Opens key:

 $\label{thm:local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens key:

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Opens kev

 $\label{thm:local-prop} $HKLM \circ two current version \exp \operatorname{local-prop} \{8983036c-27c0-404b-8f08-102d10dcfd74\}$$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explo$

Opens kev:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ 'property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\propertybag}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} with the statement of the$

Opens key:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final \current \current$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ ae 50c081-ebd2-438a-8655-8a092e 34987a \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ 'property bag$

Opens kev:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions} \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $HKLM\software\mbox{microsoft}\windows\currentversion\explorer\folderdescriptions\gamma\g$

Opens key:

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}$$

Opens kev:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\}$

Opens kev:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\property\bag$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\propertybag$

Opens key:

 $HKLM\software\mbox{\scurrent} version\explorer\folderdescriptions\fo$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Opens key:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{a990ae9f-a03b-4e80-94bc-9912d7504104\}$

Opens key:

94bc-9912d7504104}\propertybag

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ 'property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 520a1a4-1780-4ff6-bd18-167343c5af16 \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ property bag$

Opens key:

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Lemma to the state of the s$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2.45} \label{eq:hklm} \\ 81e2-fc7965083634 \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \d$

Opens key:

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 4214 fab 5-9757-4298-bb 61-92 a 9 dea a 44 ff \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}\propertybag

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \end{array}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}\property\pbeg$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53) \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\propertybag}$

Opens kev

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $\label{locotion} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Opens key

Opens key

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\property\bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substantial} $$Hklm \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \end{substantial} $$Hklm \software \microsoft \windows \current version \explorer \folder \cal{lem:hklmsoftware} $$Hklm \software \microsoft \windows \current \cal{lem:hklmsoftware} $$Hklm \software \microsoft \cal{lem:hklmsoftware} $$Hklm \software \microsoft \current \curr$

Opens key:

 $\label{lem:hamiltonian} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$

Opens key

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} 4352481e8-33be-4251-ba85-6007 \caedcf9d \end{lem:hklmsoftware}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}\property\bag\end{microsoft}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}}$

Opens key:

b89f-130c02886155}\propertybag

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-aeb4-46$ a014-d097ee346d63}

Opens key:

a014-d097ee346d63}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{7c5a40ef-a0fb-4bfc-a0fb-4b$ 874a-c0f2e0b9fa8e}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\propertybag

Opens key:

 $HKLM \setminus software \setminus (43668bf8-c14e-49b2-five folder descriptions) + (43668bf8-five folder descriptions) + (43668bf8-five folder descriptions) + (43668bf8-five folder descript$ 97c9-747784d784b7}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-e1$ 97c9-747784d784b7}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 8fd7-f78dca774f87}

Opens key:

8fd7-f78dca774f87}\propertybag

Opens key:

b5b4-2d72e54eaaa4}

Opens kev:

b5b4-2d72e54eaaa4}\propertybag

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

11e3-b3bc-806e6f6e6963}\

HKLM\software\policies\microsoft\windows\explorer Opens key: Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows\currentversion\setup HKLM\software\microsoft\windows\currentversion Opens kev:

HKLM\software\microsoft\rpc Opens key:

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

HKLM\software\policies\microsoft\windows nt\rpc Opens key: Opens key: HKLM\software\policies\microsoft\sqmclient\windows

HKLM\software\microsoft\samclient\windows Opens kev:

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ (dffacdc5-microsoft) \ delegate folders$ 679f-4156-8947-c5c76bc0b67f}

Opens key:

Opens kev:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus session info \setminus 1 \setminus users files \setminus names pace \setminus delegate folders$

Opens key: c5c76bc0b67f}\shellfolder

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder Opens kev:

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-Opens key:

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32 Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked HKCU\software\microsoft\windows\currentversion\shell extensions\blocked Opens key: Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: $\label{lem:hkcu} \mbox{HKCU\software\mbox{\sc microsoft\windows} nt\current\version\app\compatflags\layers} \\$ Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

HKLM\software\microsoft\windows Opens kev:

nt\currentversion\appcompatflags\custom\shdocvw.dll

HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} Opens key:

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947

c5c76bc0b67f}\treatas

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

Opens key: $HKCR \clsid \dffacdc5-679f-4156-8947-c5c76bc0b67f \progid$ Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: $HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ inprochandler 32 \ inprochandle$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: $HKCR \ clsid \ \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \ \ inprochandler$

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: $\label{lem:hkcr} $HKCR \cdot \left(\frac{dffacdc5-679f-4156-8947-c5c76bc0b67f}\right) = \frac{dffacdc5-679f-4156-8947-c5c76bc0b67f}{dffacdc5-679f-4156-8947-c5c76bc0b67f} = \frac{dffacdc5-679f-4156-8947-c5c76bc0b67f}{dffacdc5-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f-4156-679f$ Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32 Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e} Opens key: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\treatas

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

 $HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid$ Opens key: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32 Opens key:

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

 $HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\times chandler$ Opens key:

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

HKCR\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\instance\initpropertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-

8947-c5c76bc0b67f}

HKLM\software\microsoft\windows\currentversion\explorer\kindmap Opens key:

Opens key: HKCU\software\classes\batfile\shell Opens key: HKCR\batfile\shell

HKCU\software\classes\batfile\shell\open Opens kev:

Opens key: HKCR\batfile\shell\open Opens key: HKCR\batfile\shell\open\

HKCU\software\classes\batfile\shell\open\command Opens key:

Opens key: HKCR\batfile\shell\open\command

Opens key: HKCU\software\classes\batfile\shell\open\droptarget

Opens kev: HKCR\batfile\shell\open\droptarget

Opens key: $HKLM \verb|\software\m| icrosoft \verb|\windows\currentversion\policies\associations|$ Opens key: HKCU\software\microsoft\windows\currentversion\policies\associations

Opens key: HKCU\software\classes\.ade

HKCR\.ade Opens key:

Opens key: HKCU\software\classes\.adp Opens key: HKCR\.adp HKCU\software\classes\.app Opens key: Opens key: HKCR\.app

Opens key:

HKCU\software\classes\.asp

Opens key: HKCR\.asp

Opens key: HKCU\software\classes\.bas

Opens key: HKCR\.bas

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4\}$ Opens key:

Opens key: $HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4\}$ HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-Opens kev:

00c04fb6bfc4}\treatas

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\progid

Opens key: $HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid$ HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-Opens key:

00c04fb6bfc4}\inprocserver32

HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32 Opens kev:

Opens key: HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-

00c04fb6bfc4}\inprochandler32

Opens key: $HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler 32$

HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-Opens key:

00c04fb6bfc4}\inprochandler

```
HKCR\clsid{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler
  Opens key:
  Opens key:
                                     HKLM\system\currentcontrolset\services\crypt32
  Opens kev:
                                     HKLM\software\microsoft\windows\currentversion\internet settings
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                     \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                     HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
                                     HKLM\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_unc_savedfilecheck
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
  Opens key:
                                     HKLM\software\policies
                                     HKCU\software\policies
  Opens key:
  Opens key:
                                     HKCU\software
  Opens key:
                                     HKLM\software
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\ranges\
                                     HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\protocoldefaults\
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
                                     HKLM\software\microsoft\windows\currentversion\internet
  Opens key:
settings\zonemap\domains\
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
                                     HKLM\software\microsoft\internet
  Opens key:
explorer \verb|\main| featurecontrol| feature\_initialize\_urlaction\_shellexecute\_to\_allow\_kb936610
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings
                                     HKCU\software\microsoft\internet
  Opens kev:
explorer\main\featurecontrol\feature_http_username_password_disable
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_http_username_password_disable
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\security
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens key:
  Opens key:
                                     HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus internet settings \setminus zones \setminus 1
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\
  Opens key:
                                     \label{lem:hkcu} \verb+KCU\software\policies\microsoft\windows\currentversion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currenters
settings\zones\
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
  Opens key:
                                     \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zones\1
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
```

```
settings\zones\1
                                       HKLM\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\zonemap\
  Opens key:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
  Opens key:
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\zones\2
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\3
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
  Opens key:
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zones\4
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\zones\4
  Opens key:
                                       HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
  Opens key:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Opens key:
settings\lockdown_zones\
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\0
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\0
  Opens key:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
  Opens key:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\2
  Opens key:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
  Opens key:
settings\lockdown_zones\2
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
  Opens key:
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\lockdown_zones\3
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\4
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                                      HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
                                      HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
  Opens kev:
  Opens key:
                                       HKCU\software\classes\batfile\progid
  Opens key:
                                       HKCR\batfile\progid
  Opens key:
HKLM \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} If the limit \label{lem:hklm} is a function \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} \label{lkm} \label
  Opens key:
                                       HKCU\software\classes\batfile\shell\open\ddeexec
  Opens kev:
                                       HKCR\batfile\shell\open\ddeexec
                                       HKCU\software\microsoft\windows\currentversion\app paths\ljcec.bat
  Opens key:
  Opens key:
                                       HKLM\software\microsoft\windows\currentversion\app paths\ljcec.bat
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\shell folders
  Opens key:
                                       HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
  Opens key:
                                       HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\ljcec.bat
  Opens key:
                                      HKLM\software\microsoft\windows nt\currentversion\image file execution
options\cmd.exe
  Opens key:
                                       HKLM\system\currentcontrolset\control\session manager\appcertdlls
  Opens key:
                                       HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
  Opens key:
                                       HKLM\software\microsoft\sqmclient\windows\disabledsessions\
  Opens key:
                                       HKCU\software\policies\microsoft\windows\appcompat
```

HKLM\software\microsoft\windows

Opens key:

nt\currentversion\appcompatflags\compatibility assistant HKCU\software\policies\microsoft\windows\system Opens kev: Opens key: HKLM\software\microsoft\command processor HKCU\software\microsoft\command processor Opens key: Opens key: HKLM\software\policies\microsoft\windows\safer\levelobjects Opens key: $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 0 \setminus paths$ HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes Opens key: Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\0\urlzones Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\paths Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\hashes Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\4096\urlzones Opens key: $HKLM \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ \ 65536 \ paths$ Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\65536\hashes Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\65536\urlzones Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\paths Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\hashes Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\131072\urlzones Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\262144\paths Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers\262144\hashes Opens key: $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 262144 \setminus urlzones$ Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\paths HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\hashes Opens key: Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\0\urlzones Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\4096\paths Opens key: $HKCU \ software \ policies \ microsoft \ windows \ safer \ code identifiers \ \ 4096 \ has hes$ Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\4096\urlzones Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\65536\paths Opens key: $HKCU \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 65536 \setminus hashes$ HKCU\software\policies\microsoft\windows\safer\codeidentifiers\65536\urlzones Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\131072\paths Opens kev: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\131072\hashes Opens key: $HKCU \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 131072 \setminus urlzones$ Opens key: $HKCU \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers \setminus 262144 \setminus paths$ Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers\262144\hashes HKCU\software\policies\microsoft\windows\safer\codeidentifiers\262144\urlzones Opens key: HKLM\system\currentcontrolset\control\srp\\gp\ Opens key: HKLM\system\currentcontrolset\control\srp\\gp Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\reg.exe HKLM\software\microsoft\windows Opens kev: nt\currentversion\appcompatflags\custom\reg.exe HKCU\software\microsoft\windows\currentversion\policies\system Opens key: Opens key: HKCU\software\classes\.exe Opens key: HKCR\.exe HKCU\software\classes\.exe\openwithprogids Opens key: Opens key: HKCR\.exe\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\ Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice Opens key: HKCU\software\classes\exefile Opens key: HKCR\exefile Opens key: HKCU\software\classes\exefile\curver

HKCR\exefile\curver

HKCR\exefile\

Opens key: Opens key:

```
HKCU\software\classes\exefile\shellex\iconhandler
  Opens key:
  Opens key:
                                       HKCR\exefile\shellex\iconhandler
  Opens kev:
                                       HKCU\software\classes\systemfileassociations\.exe
  Opens key:
                                       HKCR\systemfileassociations\.exe
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler
  Opens key:
                                       HKCR\systemfileassociations\.exe\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\exefile\docobject
  Opens key:
                                       HKCR\exefile\docobiect
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.exe\docobject
  Opens key:
                                       HKCR\systemfileassociations\.exe\docobject
  Opens key:
                                       HKCU\software\classes\exefile\browseinplace
  Opens key:
                                       HKCR\exefile\browseinplace
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.exe\browseinplace
                                       HKCR\systemfileassociations\.exe\browseinplace
  Opens key:
  Opens key:
                                       HKCU\software\classes\exefile\clsid
  Opens key:
                                       HKCR\exefile\clsid
                                       HKCU\software\classes\systemfileassociations\.exe\clsid
  Opens kev:
  Opens key:
                                       HKCR\systemfileassociations\.exe\clsid
  Opens key:
                                       HKCU\software\classes\exefile\shell
  Opens key:
                                       HKCR\exefile\shell
  Opens key:
                                       HKCU\software\classes\exefile\shell\open
  Opens key:
                                       HKCR\exefile\shell\open
                                       HKCR\exefile\shell\open\
  Opens kev:
  Opens key:
                                       HKCU\software\classes\exefile\shell\open\command
  Opens key:
                                       HKCR\exefile\shell\open\command
                                       HKCU\software\classes\exefile\shell\open\droptarget
  Opens key:
  Opens key:
                                       HKCR\exefile\shell\open\droptarget
  Opens key:
                                       HKCU\software\classes\.cer
  Opens key:
                                       HKCR\.cer
  Opens key:
                                       HKCU\software\classes\.chm
  Opens key:
                                       HKCR\.chm
                                       HKCU\software\classes\.cmd
  Opens key:
  Opens key:
                                       HKCR\.cmd
  Opens key:
                                       HKCU\software\classes\.com
                                       HKCR\.com
  Opens key:
  Opens key:
                                       HKCU\software\classes\.cpl
  Opens key:
                                       HKCR\.cpl
                                       HKCU\software\classes\.crt
  Opens key:
  Opens key:
                                       HKCR\.crt
  Opens key:
                                       HKCU\software\classes\.csh
  Opens key:
                                       HKCR\.csh
  Opens key:
                                       HKCU\software\classes\exefile\progid
  Opens key:
                                       HKCR\exefile\progid
  Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\progids\exefile
                                       HKCU\software\classes\exefile\shell\open\ddeexec
  Opens key:
  Opens key:
                                       HKCR\exefile\shell\open\ddeexec
  Opens key:
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| windows \verb|\currentversion| app paths \verb|\run32.exe| \\ \end{tabular}
  Opens kev:
                                       HKLM\software\microsoft\windows\currentversion\app paths\run32.exe
  Opens key:
                                       HKLM\software\microsoft\windows nt\currentversion\image file execution
options\run32.exe
  Opens key:
                                       HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\run32.exe
                                       HKLM\software\microsoft\windows
  Opens key:
                                       HKLM\software\microsoft\windows\html help
  Opens key:
  Opens key:
                                       HKLM\software\microsoft\windows\help
  Opens key:
                                       HKLM\software\policies\microsoft\windows\system
                                       HKCU\software\microsoft\windows\currentversion\run
  Opens key:
  Opens key:
                                       HKLM\software\microsoft\windows\currentversion\run
  Opens key:
                                       HKLM\system\currentcontrolset\services\winsock2\parameters
  Opens key:
                                       HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\132b7067
  Opens kev:
HKLM \verb|\system| current controlset \verb|\services| winsock2 \verb|\parameters| protocol\_catalog9 | leading to the control of the co
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
  Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004
```

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005

Opens kev:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018

Onens kev

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens key:

Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters
Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient
Opens key: HKLM\software\policies\microsoft\system\dnsclient

 $Opens\ key: \\ HKLM \ system \ current controls et\ services \ dns cache \ parameters \ dns cache$

Opens key: HKLM\system\currentcontrolset\services\dns

 $Opens\ key: \\ HKLM\software\policies\microsoft\windows\ nt\dnsclient\dnspolicyconfig$

Opens key:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig

Opens key:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\}$

Opens key: Opens key:

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces

c19ce8a73253}

c19ce8a73253}

Opens key:

806e6f6e6963}

Opens key:

 $\label{lem:hklmsystem} HkLM \system \current controls et \services \troip \parameters \troip \end{2} e29 ac6 c2-7037-11 de-816 d-806 e6f6 e6963 \end{2}$

Opens key:

 $HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{8ff7f47b-d658-4061-baea-1709a0196aed}$

Opens key:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-

a68f334c8d34}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage
Opens key: HKLM\system\currentcontrolset\services\winsock\parameters
Opens key: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

Opens key: HKCU\software\classes\applications\calc.exe

Opens key: HKCR\applications\calc.exe

Opens key: HKCU\software\classes\clsid\{dd313e04-feff-11d1-8ecd-

0000f87a470c}\inprocserver32

Opens key: HKCR\clsid\{dd313e04-feff-11d1-8ecd-0000f87a470c}\inprocserver32
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

```
folders
```

Oueries value: HKLM\svstem\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsappcompat] Queries value: HKLM\system\currentcontrol\set\control\terminal server[tsuserenabled]

Queries value:

 $\label{lem:hklm} \verb+KLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrol\st\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[usefilter]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[msvbvm60.dll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[5700c49f29b6358692ee50cb31d7ad54]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

 Queries value:
 HKLM\software\microsoft\ole[pageallocatorusesystemheap]

 Queries value:
 HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

 Queries value:
 HKLM\system\currentcontrolset\control\nls\customlocale[en-us]

 Queries value:
 HKLM\system\currentcontrolset\control\nls\locale[00000409]

 Queries value:
 HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrol\set\control\nls\codepage[932]
Queries value: HKLM\system\currentcontrol\set\control\nls\codepage[949]
Queries value: HKLM\system\currentcontrol\set\control\nls\codepage[950]
Queries value: HKLM\system\currentcontrol\set\control\nls\codepage[936]

Queries value: HKLM\software\microsoft\com3[com+enabled]
Queries value: HKCR\scripting.filesystemobject\clsid[]

Queries value: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\progid[]

Queries value: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}[]

Queries value: HKCR\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{0d43fe01-f093-11cf-8940-00a0c9054228}\inprocserver32[]

Queries value: HKCR\clsid\{0d43fe01-f093-11cf-8940-

00a0c9054228}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hidefolderverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsaliasednotifications]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[pintonamespacetree]

Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hasnavigationenum]

Oueries value:

08002b30309d}]

Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ advanced\+ [hidefileext]$

Queries value:

Oueries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \advanced [showinfotip] \end{tabular}$

Queries value:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [hideicons]$

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[mapnetdrvbtn]| \\ \end{tabular}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [nonetcrawling] | the lemma of the lemma of$

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\.bat[]

Queries value: HKCR\batfile[docobject]
Queries value: HKCR\batfile[browseinplace]
Queries value: HKCR\bat[content type]
Queries value: HKCR\batfile[isshortcut]
Queries value: HKCR\batfile[alwaysshowext]
Oueries value: HKCR\batfile[nevershowext]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}\[localized\name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[localredirectonly]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Oueries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Oueries value:

 $HKLM \verb|\system| current control \verb|\sa| access providers [marta extension]|$

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

 Queries value:
 HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]
Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Oueries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [publish expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [initfolder \ handler]$

Queries value: $HKCU \setminus software \min crosoft \in \current version \cdot \curre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ '[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'abb685 db-65 f9-4c f6-a03a-e3e f65 729 f3d \ 'lname' \ 'l$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ \lceil description \rceil$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 3eb685db-65f9-4cf6-a03a-e3ef65729f3d \cite{lem:hklmsoftware} \eqref about the description \eqref about the lemma for the le$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref 3eb685db-65f9-4cf6-a03a-e3ef65729f3d \cite{localized} \cite$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} a 03a-e3ef65729f3d \cal{lem:hkklmsoftware} icon \cal{lem:hkklmsoftware}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeds} \end{abbeds} A second and a second abbdes are larger as a second abbdes abbde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4 cf6-a03a-e3 ef6572 9 f3 d} \ [local redirecton \ 'local redi$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[foldertypeid]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'entre \ 'folder descriptions \ 'entre \ '$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} In force \software \sof$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ for \ explorer \ folder \ explorer \ folder \ descriptions \ for \ explorer \ folder \ explorer \ explorer \ folder \ explorer \ ex$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish \expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[attributes]

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{`microsoft} \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

HKLMNsoftware/microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value: $HKLM\software\microsoft\windows\ nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[category]$$$

Oueries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{f3ce0 \\ f7c-4901-4acc-8648-d5d44b04ef8f\} \\ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}\[parentfolder]$

Oueries value:

 $HKLM \verb| software | microsoft | windows | current version | explorer | folder descriptions | \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [description]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{thm:locality:equality$

```
8648-d5d44b04ef8f}[parsingname]
            Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[infotip]
            Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
  8648-d5d44b04ef8f}[localizedname]
            Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[icon]
            Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
  8648-d5d44b04ef8f}[security]
            Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[streamresource]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
 8648-d5d44b04ef8f}[streamresourcetype]
            Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[localredirectonly]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
 8648-d5d44b04ef8f}[roamable]
            Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[precreate]
            Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
 8648-d5d44b04ef8f}[stream]
            Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[publishexpandedpath]
            Oueries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901
 8648-d5d44b04ef8f}[attributes]
            Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[foldertypeid]
            Oueries value:
 HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4
 8648-d5d44b04ef8f}[initfolderhandler]
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Queries value:
  5595fe6b30ee}\shellfolder[attributes]
            Queries value:
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[callforattributes]
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Queries value:
 5595fe6b30ee}\shellfolder[restrictedattributes]
            Queries value:
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[wantsfordisplay]
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
 5595fe6b30ee}\shellfolder[hidefolderverbs]
            Queries value:
                                                                                                                                                                        HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[usedrophandler]
            Queries value:
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[wantsforparsing]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Queries value:
  5595fe6b30ee}\shellfolder[queryforoverlay]
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[queryforinfotip]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[hideinwebview]
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Queries value:
  5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
            Oueries value:
  5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
            Queries value:
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[nofilefolderjunction]
            Oueries value:
                                                                                                                                                                           HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[pintonamespacetree]
            Oueries value:
                                                                                                                                                                          HKCR\clsid\{59031a47-3f72-44a7-89c5-
  5595fe6b30ee}\shellfolder[hasnavigationenum]
            Oueries value:
```

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-

HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]

5595fe6b30ee}]

Queries value:

Oueries value: HKCR\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]

Queries value: HKCR\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprocserver32[threadingmodel]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{parent folder}]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[relative path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [parsing name]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{a} icrosoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(7d1d3a04-debb-4115-95cf-2f29da2920da)\f(roamable)\f(roamab$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[publishexpandedpath]}$

Oueries value:

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value: $HKCU \setminus software \in \windows \setminus \windows$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\category\cite{1}{category\c$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[parent folder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\figure{2000} [description]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67 de 0b28fc23 \frelative path]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\}[parsingname]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectonly]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [roamable]$

Queries value:

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[\] stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[publish expanded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{thm:} HKLM \software \software \end{thm:} HKLM \software \s$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[initfolder handler]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescripti$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(description)\f$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(streamresourcetype)\f(streamreso$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2112ab0a-c86a-4ffe-a368-0de96e47012e) \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2112ab0a-c86a-4ffe-a368-0de96e47012e} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}\[precreate \]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [initfolder \ handler]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

b800-0e69d84ee384}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder\f$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee 384\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d 84 ee 384\} \ [local redirect on lv]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d 84 ee 384\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[precreate]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[stream]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\label{lem:hklm} Fubblishexpandedpath1}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware $$ 48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384 [folder type id] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currents\cu$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[relativepath]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[precreate]$

Oueries value

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder typeid]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\cite{2} [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[security]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsing name]\]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[security]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$98ec0e18-2098-4d44-8644-66979315a281} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [precreate]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[stream]}$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} \[folder type id]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \category \cite{Category} \cite{Category} \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{Category} \cite{Category} \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{Category} \cite{C$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [name]$

Queries value:

 $\label{local-equal-equal-equal-equal-equal} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} \ [parentfolder]$

Queries value:

aa7c-e74b8be3b067}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parsingname]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localized name]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ folder \ barbon \ folder \ barbon \ folder \ barbon \ folder \ fold$

Queries value:

 $HKLM software \mbox{$microsoft\windows\currentversion} explorer \mbox{$derdescriptions} \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} \publishexpanded path{$a4115719-d62e-491d-aa7c-e74b8be3b067} \publishexpanded pat$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal a a 7c-e74b8be3b067 \[folder type id] \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ finit \ folder \ handler \ label{finite}$

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} \ [parentfolder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[description]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localizedname]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'acc 52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream resource]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[attributes]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [folder type id]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Large to the state of the s$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parentfolder]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[relative\path]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [infotip]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\[localizedname]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[security]$$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[folder type id]$

Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parsing name]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \mbox{$1-7b75-48a9-9f6b-4b87a210bc8f} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [localized name]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [security]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresource]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[foldertypeid]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[initfolderhandler]}$

Queries value

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \ [par sing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \folder \eqref folder descriptions \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \folder \eqref folder \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \folder \eqref folder \eqref de 974 d 24 - d 9 c 6 - 4 d 3 e - b f 91 - f 445 5 1 2 0 b 9 1 7 \folder \eqref folder \eqref$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 445 5 120 b 917\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de974d24-d9c6-4d3e-bf91-f4455120b917) \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [relative path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\[parsingname]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ flocalized name \ label{eq:helpfine}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [icon]$

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \\ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$

Queries value:

88ff-b0d186b8dedd}[roamable]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ parsing name \ label{eq:helmonth}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3.45} a 663-37bd 56068185 \footnote{1.0} [localized \normalized \normali$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{absolute} $$Hklm\software\microsoft\windows\current version\end{absolute} $$a63-37bd56068185\[stream resource type]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185} \ [local redirector \ 'local redirector$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [initfolder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \acc-a8bea a 314493 \[category]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ forme1$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[stream]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [initfolder \ handler]$

Oueries value:

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[parentfolder]}$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [icon]$

 $HKLM \ software \ microsoft \ windows \ current version \ (491e922f-5643-4af4-a7eb-4e7a138d8174) \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [initfolder \ handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [description]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{33e28130-4e1e-4676-835a-98395c3bc3bb} [relative path]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[parsingname]$$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}[localized name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc}\$ [icon]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\streamresourcel

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresourcetype]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[roamable]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{100} \footnote{1$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[stream]$

Queries value:

835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'add 10c31-2adb-4296-a8f7-e4701232c972 \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} a 87-e4701232c972 \mbox{$[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant constant and the second constant and$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-

9629-e15d2f714e6e}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} \end{area} Hklm \software \end{area} \end{area} \software \end{area} \end{area} \software \software \end{area} \softwar$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ folder \ fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[folder typeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ finit folder \ handler \ label{eq:finit}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parentfolder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[description]\]$

Oueries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [stream resource]$

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{debf2536-e1a8-4c59-b6a2-414586476aea\} [streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ebf2536-e1a8-4c59-b6a2-414586476aea) \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0f214138-b1d3-4a90-bba9-27cbc0c5389a} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ `microsoft \ 'of 214138-b1d3-4a90-bba9-27cbc0c5389a \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

Queries value:

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[publish expanded path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}\ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [folder type id]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[category\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a9dc8a3b-b784-432e-b784-4$

a781-5a1130a75963}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [initfolder \ handler]$

Queries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} Hklm \software \end{area} in \end{area} in \end{area} Hklm \software \end{area} in \end{area} in$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{c4900540-2379-4c75-844b-64e6faf8716b} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parsingname]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explor$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cupred \current \c$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresourcetype]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[stream]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[folder type id]$

Queries value:

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ forme1$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [description]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called \color=1.00 \color=1$

Queries value:

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource type]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\ [local\ rection\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[roamable]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[stream]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9} [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [folder type id]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9} [initfolderhandler]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Oueries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[local\ rection\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[category]$

Queries value:

 $\label{local-equation} HKLM\software\mbox{br534046-3ecb-4c18-be4e-64cd4cb7d6ac} [name]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

Queries value:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{Actal States of the continuous of the con$

be4e-64cd4cb7d6ac}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [stream]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e \} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[description]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} [par sing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31 ca-4 aba-814f-a5ebd2fd6d5e [localized name]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[\columnwidth] security \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\footnote{1}{\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\footnote{1}{\currentversion\explorer\eq 2e446-$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 631 ca-4 aba-814f-a5ebd2fd6d5e \footnote{Trouble 1} \equal 64 carried to the control of the control$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[publishexpandedpath]

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[category]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c870044b-f49e-4126-a9c3-b52a1ff411e8 \ [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \centering \centeri$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center \folder descriptions \center \folder \center \folder \center \folder \center \folder \center \center \folder \center \center \folder \center \ce$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[foldertypeid]}$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\ [initfolder\ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the large of the l$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}[precreate]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c5abbf53-e17f-4121-8900-86626fc2c973\} [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}[parentfolder]}$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-descriptions-folder-description-folder-descript$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[relativepath]}$

Queries value:

 $\label{thm:local-bound} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]} $$$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[infotip]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[localizedname]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-

8900-86626fc2c973}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [stream]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{tabular} $$HKLM \software \end{tabular} $$1-4121-8900-86626 \fc2c973 \folder \typeid \folder \typeid \folder \folder \typeid \folder \folder \typeid \folder \folder \folder \typeid \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ finfotip \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}\icon1

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[streamresource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[roamable]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \cit$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[publishexpandedpath]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \scalebase 14306-64300-660a-2482ebae 1a26} \cite{Abase 126} \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'folder descriptions' \ 'fol$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\\ folder descriptions\\ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\\ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [precreate]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[stream]$$$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder \ 'fold$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [initfolder \ handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcbd3057-ca5c-4622-b42d-bc56db0ae516) \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[infotip]}$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[localizedname]

Oueries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [roamable]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parsingname]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 302545 d-deff-464 b-abe8-61c8648 d939b \ [local redirectorly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[precreate]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[initfolder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[icon]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[security]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localredirectonly]}$

Queries value:

 $\label{local-ham} HKLM \ software \ ion \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \folder \current \folder \folder \current \folder \folder \current \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [initfolder \mbox{handler}]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[name]} \\$

Queries value:

b8d1-440df7ef3ddc}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\[icon]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Hklmsoftware \end{area} In the label{lem:hklmsoftwaremicrosoftwindows} Hkllmsoftware \end{area} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{essoftwindows \current version \explorer \folder descriptions \end{6.555} ab 60-153b-4d 17-9f 04-a5f e 99f c 15ec \cite{1.00} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localizedname]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[security]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ '[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'esssab60-153b-4d17-9f04-asfe99fc15ec \ '[publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[attributes]

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [initfolder handler]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folde$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fo$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[relativepath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{054 fae} -4dd8-4787-80b6-090220c4b700} [parsing name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[infotip]}$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{054 fae} -4dd8-4787-80b6-090220c4b700\mbox{$(546$ fae}) -4dd8-4787-80b6-090220c4b700\mbox{(566) fixed (566) fixed $($

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{thm:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[streamresource]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$

Queries value

 $\label{thm:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[localredirectonly]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [precreate]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[stream]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[attributes]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [localized name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[streamresourcetype]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-state} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[stream]$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[attributes\]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[folder typeid]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[initfolderhandler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder \ handler]$

Queries value:

 $\label{thm:local-substitution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$1.52528a6b-b9e3-4add-b60d-588c2dba842d} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource]$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescr$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\soft\ware\microsoft\explorer\explo$

b60d-588c2dba842d}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$

Oueries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [security]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [initfolder \ handler]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [precreate]$

Oueries value:

 $\label{thm:local-branch} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [name]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} except folder descriptions \end{substitute} \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \cupre{lem:hklm} \end{substitute} except folder descriptions \end{substitute} \end{substitute} \end{substitute} except \end{substitute} except folder descriptions \end{substitute} \end{substitute} \end{substitute} \end{substitute} except \end{substitute} except \end{substitute} \end{substitute} except \end{substitute} \end{substitute} \end{substitute} except \end{substitute} \end{$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ ficon \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[attributes]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\category\cite{Abd8d571-6d19-48d3-be97-42220080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d3-be97-4222080e43}\cite{Abd8d571-6d19-48d$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [relative path]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4bd8d571-6d19-48d3-be97-422220080e43) \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[streamresourcetype]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[localredirectonly]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[roamable]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

be97-422220080e43}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder \ 'handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [relative path]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\[parsingname]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \folder \$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$$ de61d971-5ebc-4f02-a3a9-6c82895e5c04} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \[\colored{lem:hklmsoftware} \] \\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[stream]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [publishex panded path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[attributes]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$

Queries value:

 $\label{thm:local_thm:loc$

a382-697dcd729b80}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \ \{0.762d272-c50a-4bb0-a382-697dcd729b80\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant the sum of the sum of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the soft windows \end{align* lem:hklmsoftware in the soft i$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]} \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[localizedname]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]}$

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} With the label{$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for \ explore$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [publish \ expanded path]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[attributes]}$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]}$

Oueries value:

 $\label{local-bound} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\ ac14e77-02e7-4e5d-b744-2eb1ae5198b7\fill\ category\cite{Ac14e77-02e7-4e5d-b744-2eb1ae5198b7}.$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \explorer\folder folder f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \factor 14e77-02e7-4e5d-b744-2eb1ae5198b7 \cite{parsing name} \]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[security]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac14e77-02e7-4e5d-b744-2eb1ae5198b7 \ [stream resource type]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [folder type id]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \farmalfarford \cite{Ar7f5d77-2e2b-44c3-a6a2-aba601054a51} \[stream \]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[foldertypeid]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[parentfolder]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} \ [description]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[relativepath]}$

Queries value:

850d-79d08e667ca7}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \[localized name \] \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \current850d-79d08e667ca7 \folder \mbox{\currentversion} explorer \folder \mbox{\currentversion} explorer \folder \mbox{\currentversion} explorer \mbox{\curren$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} \ [publish expanded path]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ forme1$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localized name]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[security]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[streamresource]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localredirectonly]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [initfolder \ handler]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[category\]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[parentfolder]$

Ougries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \folderdescriptions \fold$

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[streamresourcetype]$$

Oueries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the properties of th$

Queries value:

 $\label{thm:main} $HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[stream]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [attributes]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [stream resource type]$

Queries value:

 $\label{local-ebd2-438a-8655-8a092e34987a} In calred irrection \explorer $$ 1.8655-8a092e34987a [local red irrection] $$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ 'endows'' \ 'endows' \ 'endows'' \ 'en$

Queries value:

 $\label{thm:local-end} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [attributes]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{local-bounds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 655-8a092e34987a \[init folder \middler \] \]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [parent folder]$

Queries value:

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}\ [description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{Gab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{Gab5d82-fdc1-4dc3-a9dd-070d1d$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]} Infotip \[\] $$ (a. 1.4 c) $$ (a. 1$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-

a9dd-070d1d495d97}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [parent folder]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \end{figure} folder \descriptions \fill 157091 \end{fill} fold \descriptions \fill 157091 \end{fi$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\finfotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [security]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[streamresource]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \fill 157$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parentfolder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [description]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relativepath]}$

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5} [parsing name]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[streamresourcetype]}$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the label} White the label of the label o$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest the simulation of the statement of the$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[folder typeid]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$microsoft\windows\currentversion} explorer \folder descriptions \folds \folds\folds \folds \folds \folds \folds \folds \folds \folds \folds \f$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]}$

Queries value:

9a0c-ebb0f0fcb43c}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[roamable \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [publish \ expanded path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[initfolderhandler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [category]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ folder \ folder \ description \ folder \ description \ folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}{parsingname}

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ flocalized name \ label{eq:localized name}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} Hklm \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} Hklm \software \end{array} In the label{lem:hklmsoftware} In the label{lem$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{374} de 290-123 f-4565-9164-39c4925e 467b} \ [local redirectonly]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[publishexpandedpath]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [folder type id]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{859ead94-2e85-48ad-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-2e85-2e85-2e85-2e8$ a71a-0969cb56a6cd}[category]

Oueries value:

a71a-0969cb56a6cd}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{859ead94-2e85-48ad-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-2e85-2e85-2e85-2e8$ a71a-0969cb56a6cd}[parentfolder]

Oueries value:

a71a-0969cb56a6cd}[description]

Oueries value:

a71a-0969cb56a6cd}[relativepath]

Queries value:

a71a-0969cb56a6cd}[parsingname]

Oueries value:

a71a-0969cb56a6cd}[infotip]

Queries value:

a71a-0969cb56a6cd}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{859ead94-2e85-48ad-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-486-2e85-2e85-2e85-2e85-2e8$ a71a-0969cb56a6cd}[icon]

Queries value:

a71a-0969cb56a6cd}[security]

Oueries value:

a71a-0969cb56a6cd}[streamresource]

Queries value:

a71a-0969cb56a6cd}[streamresourcetype]

Queries value:

a71a-0969cb56a6cd}[localredirectonlv]

Queries value:

a71a-0969cb56a6cd}[roamable]

Queries value:

a71a-0969cb56a6cd}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[stream]

Queries value:

a71a-0969cb56a6cd}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[attributes]

Oueries value:

a71a-0969cb56a6cd}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad-2e85-48 ad$ a71a-0969cb56a6cd}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-microsoft \ 'windows \ 'current version' \ 'explorer \ 'folder descriptions \ 'a305ce99-f527-492b-microsoft \ 'windows \ 'current version' \ 'explorer \ 'folder descriptions \ 'a305ce99-f527-492b-microsoft \ 'windows \ 'current version' \ 'explorer \ 'folder descriptions \ 'a305ce99-f527-492b-microsoft \ 'windows \ 'current \ 'explorer \ 'explorer \ 'folder \ 'explorer \ 'folder \ 'explorer \ 'folder \ 'explorer \ 'explorer$ 8b1a-7e76fa98d6e4}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-f62$ 8b1a-7e76fa98d6e4}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [publish \ expanded \ path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\cite{Control of the control of$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[relativepath]} \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresourcetype]}$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\[local\redirectonly]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[parentfolder]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [icon]$

Queries value:

 $\label{thm:software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104104104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d750410$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [roamable]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[precreate]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-c82$

906a-5644ac457385}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ fattributes \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{def} 1000 \end{def} 10000 \end{def} 1000 \end{def} 1000 \end{def} 1000 \end{def} 1000 \end{def} 1000 \end{def} 10000 \end{def} 100000 \end{def} 100000 \end{def} 100000$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{la6fdba2-f42d-4358-a798-b74d745926c5} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [icon]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 1a 6 f d ba 2-f 4 2 d-4358-a 798-b 7 4 d 7 4 5 9 2 6 c 5 \\ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[initfolder handler]$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\cutegory\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parentfolder]$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \afsections \afsection \afsect$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[localized name]} \\$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM\software\mbox{a520a1a4-1780-4ff6-bd18-167343c5af16} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[streamresourcetype]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520 a 1a 4-1780-4ff 6-bd 18-167343 c 5a f 16 \} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[stream]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a 520a1a4-1780-4ff6-bd18-167343c5af16 \[publish \explorer \folder \$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream resource type]$

Queries value:

 $\label{local-equal-equal-equal-equal-equal-equal} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [roamable]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [stream]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parentfolder]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer$

Queries value:

bfd0-4cd0dfb19b39}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}\[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [attributes]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} \[folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [parsing name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[infotip]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource type]$

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder \ handler]$

Oueries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[description]

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the lattice of the l$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[localized\name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[security]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource type]$

Queries value

 $\label{thm:main} $HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[localredirectonly]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [publish \ expanded \ path \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[initfolderhandler]}$

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \cuprements folder \cite{lem:hklmsoftware} \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \cuprements folder \cite{lem:hklmsoftware} \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \cuprements folder \cite{lem:hklmsoftware} \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \cuprements folder \cuprements folled \cuprements folder \cuprements folder \cuprements folder \cup$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [stream resource]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{ed 4824 af-dce 4-45 a8-81 e2-fc 7965083634\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[precreate]

Queries value:

 $\label{local-prop} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\footnote{1.000} [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[attributes]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [folder type id]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \[initfolder \handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[category]} \\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}\ [parentfolder]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[description]}$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[infotip]}$

Queries value:

 $\label{thm:local_thm:loc$

a4ce-a8e7c6ea7d27}[localizedname]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [category]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[relative path]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parsingname]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localizedname]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6b 5ec 372 af b5\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder description' \ 'explorer' \ 'explorer' \ 'explorer' \ 'folder description' \ 'explorer' \$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all the best of the bes$

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [infotip]$

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$

Oueries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and the sum of the s$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder type id' | folder type id' |$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [init folder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \cite{Control of the control of t$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [parent folder]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]} Infotip \cite{Continuous of the continuous of the continuo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arguments} Which software \end{arguments} Whic$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fid228cb7-ae11-4ae3-864c-16f3910ab8fe\folderdescription\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8 fe \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} [infotip]$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[localized\mbox{name}\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [icon]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [security]$

Queries value:

864c-16f3910ab8fe}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ '[roamable]'$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ '[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ \lceil description \rceil$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[localized name]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bigners folder descriptions} \space{2.25} \ \mbox{bigners folder descriptions} \space{2.25} \ \mbox{bigners folder descriptions} \space{2.25} \space{2.25} \space{2.25} \mbox{bigners folder descriptions} \space{2.25} \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [attributes]$

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[category]$$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\\ 625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\\ [security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[streamresource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [local redirectonly]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{constraint} \begin{center} \begin{center} (625b53c3-ab48-4ec1-ba1f-a1ef4146fc19) [publish expanded path] \end{center}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[initfolderhandler]}$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[name]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [relative path]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20 beec 4-5 ca 8-4905-ae 3b-bf 251e a 09b 53 \[par sing name]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53) \ [precreate]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ d20beec4-5ca8-4905-ae3b-bf251ea09b53 \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[description]}$

Queries value:

 $\label{local-observable} HKLM \ software \ ion \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[\infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicroso$

Queries value:

a3bb-86e631204a23}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant with the statement of the statement$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ for singular \ explorer \ folder descriptions \ for singular \ explorer \ folder \ for singular \ explorer \ for singular \ explorer \ folder \ for singular \ explorer \ for singular \ for singular \ explorer \ expl$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ flocalized name \ label{eq:helmonormal}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplotter} $$10c07cd0-ef91-4567-b850-448b77cb37f9 [streamresourcetype] $$10c07cd0-ef91-4567-b850-468b7 [streamresourcetype] $$10c$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [local redirectonly]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current based on the sum of the su$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{10c07cd0-ef91-4567-b850-448b77cb37f9} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[folder type id]$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ ficon 1$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [security]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$

Ougrige value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream resource type]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[\] stream]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \fid 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[initfolder \ 'handler]$

Queries value:

 $\label{local-constraint} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$

folders[personal]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parentfolder]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [description]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [localized name]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ Ficon 1$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[security]$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [local redirectonly]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$

Oueries value

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[folder typeid]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'all a 639-6d472d16972a \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ Possible \ HKLM \ software \ 'folder descriptions \ 'all 1-b8ca-4121-a639-6d472d16972a \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[infotip]} \\$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[localized name]$

Queries value

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[initfolderhandler]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [icon]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[security]$$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresource]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lklm}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [local redirect only]$

Queries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[folder typeid]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[category]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parent folder]$

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

b2b2-ae6db6af4968}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[precreate]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ fattributes \ label{eq:hklm}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolderhandler]}$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[name]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescripti$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5cd7aee2-2219-4a67-b85d-6c9ce15660cb} [infotip]$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [security]$

Queries value:

b85d-6c9ce15660cb}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [publishexpandedpath]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder \ handler]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ for \ parent folder \ label{eq:helmonton}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localized name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [security]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource type]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [roamable]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [publish \ explorer\ \ \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [attributes]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[initfolderhandler]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder' \ 'folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ \lceil description \rceil$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ cf9d \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ cfyd \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer''$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ cf9d\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[publishexpandedpath]}$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007} \\ called foldertypeid \cite{Align: help of the control of the$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ffolder \ 'handler']$

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [relative path]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder descriptions \folder \fo$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [local redirect only]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[initfolder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b89f-130c0 2886155\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5ce 4a 5e9-e 4eb-479d-b89f-130c0 2886155\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\label{lem:hklm}\ like the continuous label}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [icon]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions $$ \{5ce 4a 5e9 - e 4eb - 479d b89f - 130c0 2886155\} [local redirector ly] $$$

Queries value:

b89f-130c02886155}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} [init folder handler]$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}\parsingnamel

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}flocalizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[precreate]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[stream]} \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplotter} $$ 465c-a014-d097ee346d63 [attributes] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplorer} $$ 465c-a014-d097ee346d63 [initfolderhandler] $$$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[name]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder-a0fb-4bfc-874a-c0f2e0b9fa8e\[parentfolder\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e', [parsing name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$

Oueries value

 $HKLM \setminus software \setminus increased in the content of the$

Oueries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\[streamresourcetype]$

Queries value

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[localredirectonly]}$

Oueries value

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[initfolderhandler]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the content of the c$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[name]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:microsoft} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[description]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[relativepath]}$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$

Queries value:

 $HKLM\software\mbox{$MLM\software\mbox{$MLM\software\mbox{$MLderdescriptions}$} - 14e-49b2-97c9-747784d784b7} [streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Currentversion \explorer \folderdescriptions \explorer \folderdescriptions \folderd$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [publish expanded path]$

Queries value:

 $HKLM\software\mbox{$MLM\software\mbox{$MLM\software\mbox{$MLderdescriptions}$} - 14e-49b2-97c9-747784d784b7} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$

Oueries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localized name]$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lklm} \lab$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [stream]$

Queries value:

8fd7-f78dca774f87}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\currentversion\explorer\folderdescriptions$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ ficon 1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4) \ [security]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scalerate} windows \current version \explorer \folder descriptions \scalerated \folder \scalerated \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]

Queries value:

Oueries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}[generation]

Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

```
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
   Oueries value:
                                                HKLM\svstem\setup[oobeinprogress]
   Oueries value:
                                                 HKLM\system\setup[systemsetupinprogress]
                                                 HKLM\software\microsoft\sqmclient\windows[ceipenable]
   Queries value:
   Oueries value:
11e3-b3bc-806e6f6e6963}[data]
   Oueries value:
11e3-b3bc-806e6f6e6963}[generation]
   Oueries value:
HKLM \label{lem:hklm} Which is a simple to the sum of the sum of
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[attributes]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[callforattributes]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[restrictedattributes]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{dffacdc5-679f-4156-8947-1991, nonenum \ policies \ n
c5c76bc0b67f}]
                                                 \label{local-c5c76bc0b67f} \verb+\label+ HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\ \verb+\label+ inprocserver32[]
   Queries value:
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                                                HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff]
   Queries value:
                                                 HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[threadingmodel]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
   Queries value:
   Queries value:
                                                 HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
   Oueries value:
                                                HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[loadwithoutcom]
                                                HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
   Oueries value:
                                                HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
   Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
   Queries value:
                                                HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[threadingmodel]
                                                HKCR \ clsid \ \{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
   Queries value:
                                                HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
```

HKCR\clsid\{dffacdc5-679f-4156-8947-

```
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.bat]
 Queries value:
                         HKCR\batfile[nostaticdefaultverb]
 Oueries value:
 Queries value:
                         HKCR\batfile\shell[]
 Oueries value:
                          HKCR\batfile\shell\open[neverdefault]
 Oueries value:
                          HKCR\batfile\shell\open\command[delegateexecute]
                          HKCR\.asp[]
 Oueries value:
 Oueries value:
                          HKCR\.bas[]
                         HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[inprocserver32]
                         HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[threadingmodel]
 Oueries value:
                         HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[security_hklm_only]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[5700c49f29b6358692ee50cb31d7ad54.exe]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                         HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[5700c49f29b6358692ee50cb31d7ad54.exe]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature http username password disable[*1
 Queries value:
                         HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\0[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\1[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\3[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
 Queries value:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[5700c49f29b6358692ee50cb31d7ad54.exe]
                         HKCU\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[5700c49f29b6358692ee50cb31d7ad54.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
                         \label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Oueries value:
settings[specialfolderscachesize]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                         HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[cache]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[cookies]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_protocol_lockdown[5700c49f29b6358692ee50cb31d7ad54.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[*]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
                         HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\0[1806]
```

```
Oueries value:
                          HKCR\batfile\shell\open\command[command]
 Oueries value:
                          HKCR\batfile\shell\open\command[]
 Oueries value:
                          HKCR\batfile\shell\open[setworkingdirectoryfromtarget]
 Queries value:
                          HKCR\batfile\shell\open[noworkingdirectory]
 Oueries value:
                          \label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+shell
folders[cache]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\ljcec.bat]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\image file execution
options[disablelocaloverride]
                          HKLM\software\microsoft\sqmclient\windows\disabledprocesses[ee7954ad]
 Oueries value:
 Queries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
 Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\compatibility assistant[logignoremonitorreason]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\compatibility32[cmd]
 Oueries value:
                          HKLM\software\microsoft\command processor[disableunccheck]
 Oueries value:
                          HKLM\software\microsoft\command processor[enableextensions]
 Queries value:
                          HKLM\software\microsoft\command processor[delayedexpansion]
 Queries value:
                          HKLM\software\microsoft\command processor[defaultcolor]
 Oueries value:
                          HKLM\software\microsoft\command processor[completionchar]
 Queries value:
                          HKLM\software\microsoft\command processor[pathcompletionchar]
 Queries value:
                          HKLM\software\microsoft\command processor[autorun]
                          {\it HKCU \backslash software \backslash microsoft \backslash command processor[disable unccheck]}
 Oueries value:
 Queries value:
                          \label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ command processor[enable extensions]
 Queries value:
                          HKCU\software\microsoft\command processor[delayedexpansion]
 Oueries value:
                          HKCU\software\microsoft\command processor[defaultcolor]
 Queries value:
                          HKCU\software\microsoft\command processor[completionchar]
 Queries value:
                          HKCU\software\microsoft\command processor[pathcompletionchar]
 Queries value:
                          HKCU\software\microsoft\command processor[autorun]
                          HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [levels]
 Queries value:
 Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[defaultlevel]
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[saferflags]
 Oueries value:
                          HKLM\system\currentcontrolset\control\srp\gp[rulecount]
 Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[policyscope]
 Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[logfilename]
 Oueries value:
HKLM\software\microsoft\windows nt\currentversion\compatibility32[reg]
 Oueries value:
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\run[run32.dll]
 Oueries value:
                          HKCR\.exe[]
 Queries value:
                          HKCR\exefile[docobject]
                          HKCR\systemfileassociations\.exe[docobject]
 Oueries value:
 Oueries value:
                          HKCR\exefile[browseinplace]
                          HKCR\systemfileassociations\.exe[browseinplace]
 Oueries value:
                          HKCR\.exe[content type]
 Oueries value:
 Oueries value:
                          HKCR\exefile[isshortcut]
 Queries value:
                          HKCR\systemfileassociations\.exe[isshortcut]
 Oueries value:
                          HKCR\exefile[alwaysshowext]
 Queries value:
                          HKCR\systemfileassociations\.exe[alwaysshowext]
 Oueries value:
                          HKCR\exefile[nevershowext]
 Queries value:
                          HKCR\svstemfileassociations\.exe[nevershowext]
                          HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]
 Oueries value:
                          HKCR\exefile[nostaticdefaultverb]
 Queries value:
 Queries value:
                          HKCR\exefile\shell[]
                          HKCR\exefile\shell\open[neverdefault]
 Oueries value:
                          HKCR\exefile\shell\open\command[delegateexecute]
 Queries value:
 Queries value:
                          HKCR\.cer[]
                          HKCR\.chm[]
 Oueries value:
                          HKCR\.cmd[]
 Oueries value:
 Queries value:
                          HKCR\.com[]
 Oueries value:
                          HKCR\.cpl[]
 Queries value:
                          HKCR\.crt[]
                          HKCR\exefile\shell\open\command[command]
 Oueries value:
 Queries value:
                          HKCR\exefile\shell\open\command[]
                          HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
 Oueries value:
 Oueries value:
                          HKCR\exefile\shell\open[noworkingdirectory]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\roaming\run32.exe]
 Oueries value:
                          HKCU\software\microsoft\visual basic\6.0[allowunsafeobjectpassing]
 Queries value:
                          HKLM\software\microsoft\windows\html help[.hlp]
 Oueries value:
                          HKLM\software\microsoft\windows nt\currentversion\compatibility32[run32]
 Oueries value:
HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]
 Queries value:
                          HKLM\software\policies\microsoft\windows\system[copyfilechunksize]
```

HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount] Oueries value: Queries value:

HKCU\software\microsoft\windows\currentversion\run[cunt.exe]

Oueries value: HKLM\software\microsoft\windows\currentversion\run[cunt.exe] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000001[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000003[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000005[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000006[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem] Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (000000000008 [packed catalog item]) \ details \ d$ Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem] Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (000000000014 [packed catalog item]) \ details \ d$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (000000000017 [packed catalog item]) \ details \ d$ Queries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 [serial_access_num]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo] Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space _ catalog 5 \ (catalog_entries \ 000000000001 [supported name space]$

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000002[librarypath]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring] Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace] Oueries value:

Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ name space_catalog \ na$

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog \ solves \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[storesserviceclassinfo] Oueries value:
- $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus amespace_catalog 5 \setminus catalog_entries \setminus 0000000000006 [provider info]]$

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]

```
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [queryipm atching]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Queries value:
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [addrconfig control]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister]
HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
                         HKLM\svstem\currentcontrolset\services\dnscache\parameters[maxcachesize]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
```

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] HKLM\svstem\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns query time outs]$ HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Queries value: c19ce8a73253}[searchlist] Queries value: c19ce8a73253}[enabledhcp] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registrationenabled] Oueries value: c19ce8a73253}[registeradaptername] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[domain] Oueries value: c19ce8a73253}[dhcpdomain] Queries value: c19ce8a73253}[dhcpv6domain] Oueries value: c19ce8a73253}[nameserver] c19ce8a73253}[nameserver] Queries value: c19ce8a73253}[dhcpnameserver] 806e6f6e6963}[enabledhcp] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registrationenabled] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-

806e6f6e6963}[domain]
Oueries value:

Queries value:

806e6f6e6963}[dhcpdomain]

806e6f6e6963}[nameserver]

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-

806e6f6e6963}[dhcpnameserver]

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [queryadaptername]$

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [disable adapter domain name]$

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \true physical parameters \true faces \end{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [registration max address count]$

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[queryadaptername]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[disableadapterdomainname]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable dynamic update]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration maxaddress count]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [maxnumber of addresses to register]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enablemulticast]

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip6 \setminus parameters \setminus winsock [mapping]$

Queries value:

 $\label{lem:hklmsystem} HKLM \xspace \xspace* \$

migration\providers\psched[winsock 2.0 provider id]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]

Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip[winsock 2.0 provider id]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Oueries value:

Queries value:

Queries value:

 $HKLM \verb|\system| current controlset \verb|\services| tcpip \verb|\parameters| winsock [helperdllname]$

Queries value:HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdl]Queries value:HKCU\software\microsoft\windows\currentversion\run[skcjermegrebr]Queries value:HKCR\clsid\{dd313e04-feff-11d1-8ecd-0000f87a470c}\inprocserver32[]Queries value:HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[programs]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common programs]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{9e3995ab-1f9c-4f13-b827-48b24b6c7174}]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}]

Queries value:

 $\label{local-equation} HK\dot{C}U\software\microsoft\windows\currentversion\explorer\userassist\{cebff5cd-ace2-4f4f-9178-9926f41749ea\}\count[\{q6523100-o2s1-4857-n4pr-n8r7p6rn7q27\}\pnyp.rkr]}$

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\run[run32.dl1]
Sets/Creates value: HKCU\software\microsoft\windows\currentversion\run[cunt.exe]
Sets/Creates value: HKLM\software\microsoft\windows\currentversion\run[cunt.exe]
Sets/Creates value: HKCU\software\microsoft\windows\currentversion\run[skcjermegrebr]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[uncasintranet]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

Value changes:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ user as sist \ \ \{cebff5cd-ace2-4f4f-9178-4f4$

9926f41749ea}\count[{q65231o0-o2s1-4857-n4pr-n8r7p6rn7q27}\pnyp.rkr]
Value changes:
HKCU\software\microsoft\windows\currentversion\explorer\userassist\{cebff5cd-ace2-4f4f-9178-9926f41749ea}\count[hrzr_pgyfrffvba]