

Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 205, Task ID: 821	
Task ID:	821
Risk Level:	4
Date Processed:	2016-04-28 13:09:58 (UTC)
Processing Time:	16.07 seconds
Virtual Environment:	IntelliVM
Execution Arguments:	"c:\windows\temp\7fb29afcdb4ab59eea2314061136ed82.exe"
Sample ID:	205
Type:	basic
Owner:	admin
Label:	7fb29afcdb4ab59eea2314061136ed82
Date Added:	2016-04-28 12:45:11 (UTC)
File Type:	PE32:win32:gui
File Size:	146944 bytes
MD5:	7fb29afcdb4ab59eea2314061136ed82
SHA256:	f53388af47c8e24680dedebc4c5d2eb6434fdf5d4bb3c1efb0a41c8e4a22b771
Description:	None

Pattern Matching Results

- 4 Reads process memory
- 2 Terminates third-party processes

Static Events

Anomaly:	PE: Contains a virtual section
----------	--------------------------------

Process/Thread Events

Creates process:	C:\windows\temp\7fb29afcdb4ab59eea2314061136ed82.exe
["C:\windows\temp\7fb29afcdb4ab59eea2314061136ed82.exe"]	
Creates process:	C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe ["C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe" -Xmx512M -Xss5M -classpath "lib\RationalPlan.jar;lib\RationalPlan.jar;lib\swingx.jar;lib\datepicker.jar;lib\datepicker-i18n.jar;lib\jlfgr-1.0.jar;lib\looks.jar;lib\itext.jar;lib\jxl.jar;lib\AppleJavaExtensions.jar;lib\mpxj.jar;lib\mail.jar;lib\activation.jar;lib\ical4j.jar;lib\commons-logging.jar;lib\commons-lang.jar;lib\poi.jar;lib\quaqu.jar;lib\jaxb-api.jar;lib\jaxb-impl.jar;lib\jsr173_1.0_api.jar;lib\spring.jar;lib\spring-webmvc.jar;lib\swing-worker-1.2.jar;lib\jasperreports.jar;lib\jasperreports-fonts-4.0.1.jar;lib\groovy-all.jar;lib\commons-collections-3.2.1.jar;lib\commons-digester-2.1.jar;lib\SHEF.jar;lib\sam.jar;lib\jtidy.jar;lib\novaworx-syntax.jar;lib\jna.jar;lib\jayatana.jar;lib\dropbox-java-sdk.jar;lib\httpmime.jar;lib\httpclient.jar;lib\httpcore.jar;lib\json-simple.jar;lib\google-api-client.jar;lib\google-api-services-drive.jar;lib\google-http-client.jar;lib\google-oauth-client.jar;lib\guava.jar;lib\jackson-core-asl.jar;lib\resources" com.sbs.jpms.Main]
Reads from process:	PID:1432 C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe
Writes to process:	PID:1432 C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe
Terminates process:	C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe
Terminates process:	C:\Windows\Temp\7fb29afcdb4ab59eea2314061136ed82.exe

Named Object Events

Creates mutex:	\Sessions\1\BaseNamedObjects\DBWinMutex
----------------	---

File System Events

Creates:	C:\Program Files\Java\jre7\launch4j-tmp
Creates:	C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe
Creates:	C:\Users\Admin\AppData\Local\Temp\hsperfdata_Admin
Creates:	C:\Users\Admin\AppData\Local\Temp\hsperfdata_Admin\1432
Opens:	C:\Windows\Prefetch\7FB29AFCD4AB59EEA2314061136E-0B9672A4.pf
Opens:	C:\Windows
Opens:	C:\Windows\System32\wow64.dll
Opens:	C:\Windows\System32\wow64win.dll
Opens:	C:\Windows\System32\wow64cpu.dll
Opens:	C:\Windows\system32\wow64log.dll
Opens:	C:\Windows\SysWOW64
Opens:	C:\Windows\SysWOW64\sechost.dll
Opens:	C:\Windows\SysWOW64\imm32.dll
Opens:	C:\Windows\Temp
Opens:	C:\Program Files\Java\jre7\bin
Opens:	C:\Windows\SysWOW64\tzres.dll
Opens:	C:\Windows\SysWOW64\en-US\tzres.dll.mui
Opens:	C:\Program Files\Java\jre7
Opens:	C:\Program Files\Java\jre7\bin\javaw.exe
Opens:	C:\Program Files\Java\jre7\launch4j-tmp\7fb29afcdb4ab59eea2314061136ed82.exe
Opens:	C:\windows\temp\7fb29afcdb4ab59eea2314061136ed82.l4j.ini
Opens:	C:\Windows\SysWOW64\uxtheme.dll
Opens:	C:\Windows\SysWOW64\apphe1p.dll
Opens:	C:\Windows\AppPatch\AppPatch64\sysmain.sdb
Opens:	C:\Program Files\Java\jre7\launch4j-tmp
Opens:	C:\Program Files
Opens:	C:\Program Files\Java
Opens:	C:\Windows\Prefetch\7FB29AFCD4AB59EEA2314061136E-029327EB.pf
Opens:	C:\Windows\System32\sechost.dll

Opens: C:\Program Files\Java\jre7\launch4j-
tmp\7fb29afcdb4ab59eea2314061136ed82.exe,Local\
Opens: C:\Windows\winsxs\amd64_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_fa396087175ac9ac
Opens: C:\Windows\winsxs\amd64_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_fa396087175ac9ac\comctl32.dll
Opens: C:\Windows\System32\imm32.dll
Opens: C:\Windows\WindowsShell.Manifest
Opens: C:\Windows\System32\tzres.dll
Opens: C:\Windows\System32\en-US\tzres.dll.mui
Opens: C:\Program Files\Java\jre7\lib\amd64\jvm.cfg
Opens: C:\Program Files\Java\jre7\bin\server
Opens: C:\Program Files\Java\jre7\bin\msvcr100.dll
Opens: C:\Program Files\Java\jre7\bin\server\jvm.dll
Opens: C:\Program Files\Java\jre7\launch4j-tmp\WSOCK32.dll
Opens: C:\Windows\System32\wsck32.dll
Opens: C:\Program Files\Java\jre7\launch4j-tmp\WINMM.dll
Opens: C:\Windows\System32\winmm.dll
Opens: C:\Program Files\Java\jre7\bin\verify.dll
Opens: C:\Program Files\Java\jre7\bin\java.dll
Opens: C:\hotspotrc
Opens: C:\Program Files\Java\jre7\lib\endorsed
Opens: C:\
Opens: C:\Users\Admin\AppData\Local\Temp\hsperfdata_Admin
Opens: C:\Program Files\Java\jre7\bin\zip.dll
Opens: C:\Program Files\Java\jre7\lib
Opens: C:\Program Files\Java\jre7\lib\meta-index
Opens: C:\Program Files\Java\jre7\lib\rt.jar
Opens: C:\hotspot_compiler
Opens: C:\Program Files\Java\jre7\lib\ext\meta-index
Opens: C:\Program Files\Java\jre7\lib\ext
Opens: C:\Windows\Sun\Java\lib\ext\meta-index
Opens: C:\Program Files\Java\jre7\lib\ext\dnsns.jar
Opens: C:\Program Files\Java\jre7\lib\ext\localedata.jar
Opens: C:\Program Files\Java\jre7\lib\ext\sunec.jar
Opens: C:\Program Files\Java\jre7\lib\ext\sunjce_provider.jar
Opens: C:\Program Files\Java\jre7\lib\ext\sunmscapi.jar
Opens: C:\Program Files\Java\jre7\lib\ext\zipfs.jar
Opens: C:\Windows\Sun\Java\lib\ext
Opens: C:\Windows\Temp\lib\RationalPlan.jar
Opens: C:\Windows\Temp\lib\swingx.jar
Opens: C:\Windows\Temp\lib\datepicker.jar
Opens: C:\Windows\Temp\lib\datepicker-i18n.jar
Opens: C:\Windows\Temp\lib\jlfgr-1_0.jar
Opens: C:\Windows\Temp\lib\looks.jar
Opens: C:\Windows\Temp\lib\itext.jar
Opens: C:\Windows\Temp\lib\jxl.jar
Opens: C:\Windows\Temp\lib\AppleJavaExtensions.jar
Opens: C:\Windows\Temp\lib\mpxj.jar
Opens: C:\Windows\Temp\lib\mail.jar
Opens: C:\Windows\Temp\lib\activation.jar
Opens: C:\Windows\Temp\lib\ical4j.jar
Opens: C:\Windows\Temp\lib\commons-logging.jar
Opens: C:\Windows\Temp\lib\commons-lang.jar
Opens: C:\Windows\Temp\lib\poi.jar
Opens: C:\Windows\Temp\lib\quack.jar
Opens: C:\Windows\Temp\lib\jaxb-api.jar
Opens: C:\Windows\Temp\lib\jaxb-impl.jar
Opens: C:\Windows\Temp\lib\jsr173_1.0_api.jar
Opens: C:\Windows\Temp\lib\spring.jar
Opens: C:\Windows\Temp\lib\spring-webmvc.jar
Opens: C:\Windows\Temp\lib\swing-worker-1.2.jar
Opens: C:\Windows\Temp\lib\jasperreports.jar
Opens: C:\Windows\Temp\lib\jasperreports-fonts-4.0.1.jar
Opens: C:\Windows\Temp\lib\groovy-all.jar
Opens: C:\Windows\Temp\lib\commons-collections-3.2.1.jar
Opens: C:\Windows\Temp\lib\commons-digester-2.1.jar
Opens: C:\Windows\Temp\lib\SHEF.jar
Opens: C:\Windows\Temp\lib\sam.jar
Opens: C:\Windows\Temp\lib\jtidy.jar
Opens: C:\Windows\Temp\lib\novaworx-syntax.jar
Opens: C:\Windows\Temp\lib\jna.jar
Opens: C:\Windows\Temp\lib\jayatana.jar
Opens: C:\Windows\Temp\lib\dropbox-java-sdk.jar
Opens: C:\Windows\Temp\lib\httpmime.jar
Opens: C:\Windows\Temp\lib\httpclient.jar
Opens: C:\Windows\Temp\lib\httpcore.jar
Opens: C:\Windows\Temp\lib\json_simple.jar
Opens: C:\Windows\Temp\lib\google-api-client.jar
Opens: C:\Windows\Temp\lib\google-api-services-drive.jar
Opens: C:\Windows\Temp\lib\google-http-client.jar
Opens: C:\Windows\Temp\lib\google-oauth-client.jar
Opens: C:\Windows\Temp\lib\guava.jar
Opens: C:\Windows\Temp\lib\jackson-core-asl.jar
Opens: C:\Windows\Temp\lib\resources
Opens: C:\Program Files\Java\jre7\lib\management\usagetracker.properties
Opens: C:\Program Files\Java\jre7\lib\resources.jar
Opens: C:\Program Files\Java\jre7\lib\sunrsasign.jar
Opens: C:\Program Files\Java\jre7\lib\jsse.jar
Opens: C:\Program Files\Java\jre7\lib\jce.jar
Opens: C:\Program Files\Java\jre7\lib\charsets.jar
Opens: C:\Program Files\Java\jre7\classes
Opens: C:\Program Files\Java\jre7\meta-index
Opens: C:\Windows\System32\en-US\KernelBase.dll.mui
Writes to: C:\Program Files\Java\jre7\launch4j-

Windows Registry Events

[illegible]

Queries value:
HKLM\software\wow6432node\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]
Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\wow6432node\microsoft\windows
nt\currentversion\compatibility32[7fb29afcdb4ab59eea2314061136ed82]
Queries value: HKLM\software\wow6432node\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
Queries value: HKLM\software\javasoft\java runtime environment\1.7.0_02[javahome]
Queries value: HKLM\system\currentcontrolset\control\cmf\config\system
Queries value: HKLM\software\wow6432node\microsoft\windows\windows error
reporting\wmr[disable]
Queries value:
HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]
Queries value: HKLM\software\policies\microsoft\windows\system[copyfilechunksize]
Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]
Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution
options[disablelocaloverride]
Queries value:
HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\compatibility32[7fb29afcdb4ab59eea2314061136ed82]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[desktop]