Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 236, Task ID: 944

Task ID: 944 Risk Level: 7

Date Processed: 2016-04-28 13:13:28 (UTC)

Processing Time: 62.42 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\f693fea1de37c00fb3925705cbe5722b.exe"

Sample ID: 236 Type: basic Owner: admin

Label: f693fea1de37c00fb3925705cbe5722b

Date Added: 2016-04-28 12:45:14 (UTC)
File Type: PE32:win32:gui

File Type: PE32:win32:gu File Size: 586008 bytes

MD5: f693fea1de37c00fb3925705cbe5722b

SHA256: 234d3e6a1d9b51d0b5bea97428eb82b86a723d4608d9e34ac484c29c22e5ae6e

Description: None

Pattern Matching Results

2 PE: Nonstandard section

3 Long sleep detected

1 HTTP connection - response code 404 (file not found) [HTTP, GET, POST, web, network, response code]

Creates shortcut on desktop

3 HTTP connection - response code 200 (success) [HTTP, POST, GET, web, network, response code]

7 Creates known events: Revenyou [Downware]

3 Creates a file extension shortcut

3 Connects to local host

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\f693fea1de37c00fb3925705cbe5722b.exe

["C:\windows\temp\f693fea1de37c00fb3925705cbe5722b.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe

["C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe" /PID=1072 /SUBPID=0 /DISTID=837
/NETWORKID=1 /CID=0 /PRODUCT_ID=752 /SERVER_URL=http://installer.ppdownload.com]

Terminates process: C:\Windows\Temp\f693fea1de37c00fb3925705cbe5722b.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\!IETld!Mutex
Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_

Creates mutex:

 $\label{lem:local:microsoft:windows:temporary internet} \label{local:microsoft:windows:temporary internet} \end{substitute} \begin{substitute} \b$

files!content.ie5! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

Creates mutex:

 $\label{local:microsoft:windows:history:history:e5} \label{local:microsoft:windows:history:history:e5}. The property of the p$

Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex

Creates mutex: \Sessions\1\BaseNamedObjects\RasPbFile

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX_0_208

Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

Creates mutex: \Sessions\1\BaseNamedObjects_!SHMSFTHISTORY!_

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!mshist012016042820160429!

Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED
Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{8daca6bc-9eae-438b-bfc4-

55320c9bee4d}

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

```
C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
  Creates
                                      C:\Users\Admin\AppData\Local\Temp\
  Creates:
  Creates:
                                      C:\Users\Admin\AppData\Local\Temp\nsa35B4.tmp
  Creates:
                                      C:\Users
                                      C:\Users\Admin
  Creates:
  Creates:
                                      C:\Users\Admin\AppData
  Creates:
                                      C:\Users\Admin\AppData\Local
                                      C:\Users\Admin\AppData\Local\Temp
  Creates:
  Creates:
                                      C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe
  Creates:
                                      C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp
                                      C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp\System.dll
  Creates:
  Creates:
                                      C:\Users\Admin\Desktop
  Creates:
                                      C:\Users\Admin\Desktop\Continue Man Of Steel ScreenSaver v2.0.lnk
                                      C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
  Creates:
  Creates:
                                      C:\Users\Admin\AppData\Roaming
  Creates:
                                      C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
                                      C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Creates:
  Creates:
                                      {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\BX3UL1G0\DynamicOfferScreen[1].txt
                                      {\tt C:\Windows\Temporary\ Internet}
  Creates
Files\Content.IE5\KQ5TVCON\dc[1].js
  Creates:
                                      C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\button[1].png
  Creates
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
  Creates:
C:\Users\Admin\Favorites
  Creates:
                                      C:\Windows\Prefetch\F693FEA1DE37C00FB3925705CBE57-B566B54A.pf
  Opens:
  Opens:
                                      C:\Windows\System32
  Opens:
                                      C:\Windows\System32\sechost.dll
  Opens:
                                      C: \verb|\windows\temp\f693fea1de37c00fb3925705cbe5722b.exe.Local \verb|\windows\temp\f693fea1de37c00fb39
                                      C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
                                      C:\Windows\winsxs\x86_microsoft.windows.common-
  Opens:
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
                                      C:\windows\temp\VERSION.dll
  Opens:
  Opens:
                                      C:\Windows\System32\version.dll
                                      C:\Windows\System32\imm32.dll
  Opens:
                                      C:\Windows\System32\rpcss.dll
  Opens:
  Opens:
                                      C:\windows\temp\CRYPTBASE.dll
  Opens:
                                      C:\Windows\System32\cryptbase.dll
  Opens:
                                      C:\Windows\System32\uxtheme.dll
  Opens:
                                      C:\windows\temp\SHFOLDER.DLL
  Opens:
                                      C:\Windows\System32\shfolder.dll
  Opens:
                                      C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                      C:\Windows\System32\shell32.dll
  Opens:
                                      C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
  Opens:
                                      C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
  Opens:
                                      C:\Windows\WindowsShell.Manifest
  Opens:
                                      C:\
  Opens:
                                      C:\Windows
                                      C:\Windows\System32\propsys.dll
  Opens:
  Opens:
                                      C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
  Opens:
                                      C:\windows\temp\ntmarta.dll
  Opens:
                                      C:\Windows\Svstem32\ntmarta.dll
  Opens:
                                      4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
  Opens:
                                      C:\Users\Admin\Desktop\desktop.ini
  Opens:
                                      C:\windows\temp\profapi.dll
  Opens:
                                      C:\Windows\System32\profapi.dll
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\nsa35B4.tmp
  Opens:
                                      C:\Windows\System32\en-US\setupapi.dll.mui
  Opens:
                                      C:\Windows\Temp\f693fea1de37c00fb3925705cbe5722b.exe
  Opens:
                                      C:\Users
  Opens:
                                      C:\Users\Admin
                                      C:\Users\Admin\AppData
  Opens:
  Opens:
                                      C:\Users\Admin\AppData\Local
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp
  Opens:
                                      C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp\System.dll
  Opens:
                                      C:\Users\desktop.ini
                                      C:\Users\Admin\Searches\desktop.ini
  Opens:
  Opens:
                                      C:\Users\Admin\Videos\desktop.ini
  Opens:
                                      C:\Users\Admin\Pictures\desktop.ini
  Opens:
                                      C:\Users\Admin\Contacts\desktop.ini
  Opens:
                                      C:\Users\Admin\Favorites\desktop.ini
  Opens:
                                      C:\Users\Admin\Music\desktop.ini
```

C:\Users\Admin\Downloads\desktop.ini Opens: Opens: C:\Users\Admin\Documents\desktop.ini Opens: C:\Users\Admin\Links\desktop.ini Opens: C:\Users\Admin\Saved Games\desktop.ini Opens: C:\windows\temp\apphelp.dll Opens: C:\Windows\System32\apphelp.dll Opens: C:\Windows\System32\shdocvw.dll C:\Windows\System32\en-US\propsys.dll.mui Opens: Opens: C:\Windows\System32\urlmon.dll Opens: C:\windows\temp\SspiCli.dll Opens: C:\Windows\System32\sspicli.dll Opens: ${\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet\ Files}$ Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies Opens: $\verb|C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe:Zone.Identifier| \\$ Opens: C:\Windows\AppPatch\sysmain.sdb C:\Users\Admin\AppData\Local\Temp\ui\SwDRM.dll Opens: Opens: C:\Windows\Prefetch\DOWNLOADMANAGER.EXE-D77F1DD5.pf Opens: C:\Users\Admin\AppData\Local\Temp\WINHTTP.dll Opens: C:\Windows\System32\winhttp.dll Opens: C:\Users\Admin\AppData\Local\Temp\webio.dll Opens: C:\Windows\System32\webio.dll Opens: C:\Users\Admin\AppData\Local\Temp\IPHLPAPI.DLL Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: C:\Users\Admin\AppData\Local\Temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll ${\tt C:\Users\Admin\AppData\Local\Temp\CRYPTBASE.dll}$ Opens: Opens: C:\Users\Admin\AppData\Local\Temp\dhcpcsvc.DLL Opens: C:\Windows\System32\dhcpcsvc.dll C:\Windows\System32\en-US\KernelBase.dll.mui Opens: Opens: C:\Users\Admin\AppData\Local\Temp\SspiCli.dll Opens: C:\Users\Admin\AppData\Local\Temp\cryptsp.dll Opens: C:\Windows\System32\cryptsp.dll Opens: C:\Users\Admin\AppData\Local\Temp\credssp.dll Opens: C:\Windows\System32\credssp.dll Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\wshqos.dll Opens: C:\Users\Admin\AppData\Local\Temp\wshtcpip.DLL Opens: C:\Windows\System32\WSHTCPIP.DLL Opens: C:\Users\Admin\AppData\Local\Temp\wship6.dll Opens: C:\Windows\System32\wship6.dll Opens: C:\Users\Admin\AppData\Local\Temp\DNSAPI.dll Opens: C:\Windows\System32\dnsapi.dll Opens: C:\Users\Admin\AppData\Local\Temp\dhcpcsvc6.DLL C:\Windows\System32\dhcpcsvc6.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\rasadhlp.dll Opens: C:\Windows\System32\rasadhlp.dll C:\Windows\System32\drivers\etc\hosts Opens: Opens: C:\Windows\System32\FWPUCLNT.DLL Opens: C:\Users\Admin\AppData\Local\Temp\profapi.dll Opens: C:\Users\Admin\Desktop Opens: C:\Users\Admin\AppData\Local\Temp\PROPSYS.dll Opens: C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe.Local\ Opens: C:\Users\Admin\AppData\Local\Temp\ntmarta.dll Opens: C:\Users\Admin\AppData\Local\Temp\apphelp.dll Opens: C:\Users\Admin\AppData\Local\Temp\LINKINFO.dll Opens: C:\Windows\System32\linkinfo.dll

Opens: C:\Users\Admin\AppData\Local\Temp\ntshrui.dll Opens:

C:\Windows\System32\ntshrui.dll

Opens: C:\Users\Admin\AppData\Local\Temp\srvcli.dll

C:\Windows\System32\srvcli.dll

Opens: C:\Users\Admin\AppData\Local\Temp\cscapi.dll

Opens: C:\Windows\System32\cscapi.dll

Opens: C:\Users\Admin\AppData\Local\Temp\slc.dll

C:\Windows\System32\slc.dll

Opens: C:\Users\Admin\Desktop\Continue Man Of Steel ScreenSaver v2.0.lnk

Opens: C:\Windows\Fonts\tahoma.ttf

Opens:

Opens:

Opens:

C:\Users\Admin\AppData\Local\Temp\dwmapi.dll

Opens: C:\Windows\System32\dwmapi.dll Opens: C:\Windows\System32\ieframe.dll Opens: C:\Windows\System32\oleacc.dll

C:\Users\Admin\AppData\Local\Temp\OLEACCRC.DLL Opens:

Opens: C:\Windows\System32\oleaccrc.dll Opens: C:\Users\Admin\AppData\Local\Temp\SXS.DLL

Opens: C:\Windows\System32\sxs.dll Opens:

C:\Users\Admin\AppData\Local\Temp\CRYPTSP.dll

Opens: C:\Windows\System32\rsaenh.dll

Opens: C:\Users\Admin\AppData\Local\Temp\RpcRtRemote.dll

Opens: C:\Windows\System32\RpcRtRemote.dll Opens: C:\Windows\System32\stdole2.tlb Opens: C:\Windows\Fonts\StaticCache.dat

Opens: C:\Users\Admin\AppData\Local\Temp\VERSION.dll C:\Windows\System32\en-US\urlmon.dll.mui Opens: Opens: C:\Windows\System32\en-US\ieframe.dll.mui

```
Opens:
                         C:\Windows\System32\wininet.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\desktop.ini
                         C:\Users\Admin\AppData\Roaming
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\index.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
\label{lem:c:start} C: \label{lem:c:start} Admin\ App Data \ Local\ Microsoft\ Windows\ History\ . IE5\ index.\ dat
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\RASAPI32.dll
                         C:\Windows\System32\rasapi32.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\rasman.dll
 Opens:
                         C:\Windows\System32\rasman.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\rtutils.dll
 Opens:
                         C:\Windows\System32\rtutils.dll
 Opens:
                         C:\ProgramData\Microsoft\Network\Connections\Pbk\
 Opens:
                         C:\Windows\System32\ras
 Opens:
                         {\tt C: \Users \land Admin \land PpData \land Roaming \land Microsoft \land Network \land Connections \land Pbk}
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\sensapi.dll
 Opens:
                         C:\Windows\System32\SensApi.dll
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\Windows\System32\NapiNSP.dll
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\Windows\System32\winrnr.dll
 Opens:
                         C:\Windows\System32\netprofm.dll
 Opens:
                         {\tt C:\Windows\System32\npmproxy.dll}
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\MLANG.dll
 Opens:
                         C:\Windows\System32\mlang.dll
 Opens:
                         C:\Windows\System32\C_20127.NLS
 Opens:
                         C:\Windows\System32\mshtml.dll
 Opens:
                         C:\Windows\System32\msls31.dll
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\BX3UL1G0\DynamicOfferScreen[1].txt
 Opens:
                         C:\Windows\System32\msimtf.dll
                         C:\Windows\System32\jscript.dll
 Opens:
 Opens:
                         C:\Windows\Fonts\times.ttf
 Opens:
                         C:\Windows\Fonts\timesbi.ttf
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\KQ5TVCON\dc[1].js
                         C:\Windows\Fonts\arialbd.ttf
 Opens:
 Opens:
                         C:\Windows\Fonts\arial.ttf
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\ImgUtil.dll
 Opens:
                         C:\Windows\System32\imgutil.dll
 Opens:
                         C:\Windows\System32\pngfilt.dll
 Opens:
                         C:\Windows\System32\tzres.dll
 Opens:
                         C:\Windows\System32\en-US\tzres.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft
                         C:\Users\Admin\AppData\Local\Microsoft\Windows
 Opens:
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
 Opens:
Opens:
                         C:\Windows\System32\en-US\shell32.dll.mui
 Opens:
                         C:\Users\Admin\Favorites
 Opens:
                         C:\Windows\System32\msimg32.dll
 Opens:
                         C:\Windows\System32\en-US\mlang.dll.mui
 Opens:
                         C: \verb|\windows\System32\C_1250.NLS| \\
 Opens:
                         C:\Windows\System32\C_1251.NLS
 Opens:
                         C: \verb|\windows\System32\C_1253.NLS| \\
                         C: \verb|\windows\System32\C_1254.NLS| \\
 Opens:
 Opens:
                         C:\Windows\System32\C_1255.NLS
 Opens:
                         C: \verb|\windows\System32\C_1256.NLS| \\
                         C: \verb|\windows\System32\C_1257.NLS| \\
 Opens:
 Opens:
                         C:\Windows\System32\C_1258.NLS
                         C:\Windows\System32\C_874.NLS
 Opens:
 Opens:
                         C:\Windows\System32\C_932.NLS
 Opens:
                         C:\Windows\System32\C_936.NLS
 Opens:
                         C:\Windows\System32\C_949.NLS
 Opens:
                         C:\Windows\System32\C_950.NLS
 Opens:
                         C:\Windows\System32\C_1361.NLS
                         C:\Windows\Fonts\wingding.ttf
 Opens:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe
```

Writes to: C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp\System.dll C:\Users\Admin\Desktop\Continue Man Of Steel ScreenSaver v2.0.lnk Writes to: Writes to: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files\Content.IE5\BX3UL1G0\DynamicOfferScreen[1].txt ${\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}$ Writes to: Files\Content.IE5\KQ5TVCON\dc[1].js C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files\Content.IE5\X3IPB3Z1\button[1].png Writes to: C:\Users\Admin\AppData\Local\Microsoft\Windows\History.IE5\MSHist012016042820160429\index.dat C:\Users\Admin\Desktop\desktop.ini Reads from: Reads from: C:\Windows\Temp\f693fea1de37c00fb3925705cbe5722b.exe Reads from: C:\Users\desktop.ini C:\Users\Admin\Searches\desktop.ini Reads from: Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini C:\Users\Admin\Contacts\desktop.ini Reads from: Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: C:\Users\Admin\Saved Games\desktop.ini Reads from: C:\Users\Admin\AppData\Local\Temp\DownloadManager.exe Reads from: C:\Windows\System32\drivers\etc\hosts Reads from: C:\Windows\System32\ieframe.dll Reads from: C:\Windows\System32\stdole2.tlb Reads from: C:\Windows\Fonts\StaticCache.dat $C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet|$ Reads from: Files\Content.IE5\KQ5TVCON\dc[1].js Reads from: C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini Deletes: C:\Users\Admin\AppData\Local\Temp\nsa35B4.tmp Deletes: $C: \verb|\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp| \\$ Deletes: C:\Users\Admin\AppData\Local\Temp\nsn3AA2.tmp\System.dll Network Events

DNS query:	installer.ppdownload.com
DNS query:	wpad
DNS query:	srv.serverdatasrv.com
DNS query:	stats.g.doubleclick.net
DNS query:	static.revenyou.com
DNS response:	smartinstaller.elasticbeanstalk.com ⇒ 184.73.156.182
DNS response:	smartinstaller.elasticbeanstalk.com ⇒ 54.243.188.115
DNS response:	stats.l.doubleclick.net \Rightarrow 74.125.200.156
DNS response:	stats.l.doubleclick.net \Rightarrow 74.125.200.154
DNS response:	stats.l.doubleclick.net \Rightarrow 74.125.200.157
DNS response:	stats.l.doubleclick.net \Rightarrow 74.125.200.155
DNS response:	staticrevenyou.outbrowse.netdna-cdn.com ⇒ 198.232.124.224
Connects to:	184.73.156.182:80
Connects to:	127.0.0.1:63212
Connects to:	74.125.200.156:80
Connects to:	198.232.124.224:80
Sends data to:	8.8.8:53
Sends data to:	smartinstaller.elasticbeanstalk.com:80 (184.73.156.182)
Sends data to:	0.0.0:5355
Sends data to:	224.0.0.252:5355
Sends data to:	127.0.0.1:63212
Sends data to:	stats.l.doubleclick.net:80 (74.125.200.156)
Sends data to:	staticrevenyou.outbrowse.netdna-cdn.com:80 (198.232.124.224)
Receives data from:	8.8.8:53
Receives data from:	smartinstaller.elasticbeanstalk.com:80 (184.73.156.182)
Receives data from:	127.0.0.1:63212
Receives data from:	stats.l.doubleclick.net:80 (74.125.200.156)
Receives data from:	staticrevenyou.outbrowse.netdna-cdn.com:80 (198.232.124.224)

Windows Registry Events

Creates key: HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\programmable Creates key: HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\localserver32 Creates key: HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\typelib Creates key: HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\version Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\frac{1}{1.0}\frac{1}{1.0
<pre>Creates key:</pre>
Creates key: HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\version Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\htext{\to}\t
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0 \\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags \\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\\ Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\\ Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\\ Creates key: HKCR\inte
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\\htext{o\win32} Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\\htelpdir Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\\roxystubclsid Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\\roxystubclsid
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\roxystubclsid Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\roxystubclsid
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\roxystubclsid Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\roxystubclsid
Creates key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\ Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\
Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534} Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid
Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid
Creates keys
Creates key.
Creates key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\typelib
Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters

```
HKCU\software\microsoft\windows\currentversion\internet settings
     Creates kev:
                                                                                      HKLM\software\microsoft\tracing
     Creates key:
     Creates kev:
                                                                                      HKLM\software\microsoft\tracing\downloadmanager_rasapi32
                                                                                      HKLM\software\microsoft\tracing\downloadmanager_rasmancs
     Creates key:
     Creates kev:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\connections
     Creates key:
                                                                                      HKCU\software\microsoft\windows nt\currentversion\network\location
awareness
     Creates kev:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
     Creates kev:
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}\2e-55-61-2c-61-5a
     Creates key:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\2e-55-61-2c-61-5a
     Creates key:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\p3p\history
     Creates key:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429
     Creates key:
                                                                                      HKCU\software\microsoft\internet explorer\main\windowssearch
     Deletes value:
                                                                                      \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\zonemap[proxybypass]
     Deletes value:
                                                                                      HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap[proxybypass]
     Deletes value:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[intranetname]
                                                                                     \label{lem:hklm} \verb+ HKLM \+ software \+ microsoft \+ windows \+ current version \+ internet
     Deletes value:
settings\zonemap[intranetname]
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
     Deletes value:
settings[proxyserver]
     Deletes value:
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                                                                                      HKCU\software\microsoft\windows\currentversion\internet
     Deletes value:
settings[autoconfigurl]
     Opens key:
                                                                                      HKLM\system\currentcontrolset\control\session manager
     Opens key:
                                                                                      HKLM\system\currentcontrolset\control\safeboot\option
     Opens key:
                                                                                      HKLM\system\currentcontrolset\control\srp\gp\dll
     Opens key:
                                                                                      HKLM\software\policies\microsoft\windows\safer\codeidentifiers
                                                                                      HKCU\software\policies\microsoft\windows\safer\codeidentifiers
     Opens key:
     Opens key:
                                                                                      HKCU\
     Opens key:
                                                                                      HKCU\control panel\desktop\muicached\machinelanguageconfiguration
                                                                                      HKLM\software\policies\microsoft\mui\settings
     Opens key:
     Opens key:
                                                                                      HKCU\software\policies\microsoft\control panel\desktop
     Opens key:
                                                                                      HKCU\control panel\desktop\languageconfiguration
                                                                                      HKCU\control panel\desktop
     Opens key:
     Opens key:
                                                                                      HKCU\control panel\desktop\muicached
     Opens key:
                                                                                      HKLM\software\microsoft\windows\currentversion\sidebyside
     Opens key:
HKLM\system\currentcontrolset\control\nls\sorting\versions
     Opens kev:
                                                                                      \label{lem:hklmsystem} \verb| HKLM \rangle instrument \\ | lem 
     Opens key:
     Opens key:
                                                                                      HKLM\system\currentcontrolset\control\error message instrument
     Opens key:
                                                                                      HKLM\software\microsoft\windows nt\currentversion\gre initialize
     Opens key:
                                                                                      HKLM\software\microsoft\windows nt\currentversion\compatibility32
     Opens key:
                                                                                      HKLM\software\microsoft\windows nt\currentversion\ime compatibility
     Opens kev:
                                                                                      HKLM\
                                                                                      \label{lem:hklm} \mbox{HKLM} \mbox{$\operatorname{Microsoft}$ windows $nt\circ n$ is also sometime. } \mbox{$\operatorname{Microsoft}$
     Opens key:
     Opens key:
                                                                                      HKLM\software\microsoft\windows nt\currentversion\diagnostics
     Opens key:
                                                                                      HKLM\software\microsoft\ole
                                                                                      HKLM\software\microsoft\ole\tracing
     Opens key:
     Opens key:
                                                                                      HKLM\software\microsoft\windows\currentversion\policies\explorer
     Opens key:
                                                                                      HKCU\software\microsoft\windows\currentversion\policies\explorer
     Opens key:
                                                                                      HKLM\system\currentcontrolset\control\nls\customlocale
     Opens key:
                                                                                      {\tt HKLM \ } system \verb|\ current control \ | \ lextended locale
     Opens key:
Opens key:
                                                                                      HKLM\software\microsoft\oleaut
     Opens key:
                                                                                      HKCU\software\classes\
                                                                                      HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
     Opens key:
08002b30309d}\shellfolder
                                                                                      HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
     Opens kev:
     Opens key:
                                                                                      HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-delta \ explorer \ ex
3aea-1069-a2d8-08002b30309d}\shellfolder
     Opens key:
                                                                                      HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta \} + \{20d04f
3aea-1069-a2d8-08002b30309d}\shellfolder
     Opens key:
                                                                                      HKCU\software\microsoft\windows\currentversion\policies\nonenum
                                                                                      \label{thm:local_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} Software \end{tabular} in the local constant \end{tabular} is a substitution \end{tabular} and \end{tabular} in the local constant \e
     Opens kev:
     Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints 2 \ cpc \ volume
```

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}\$

Opens kev: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens kev:

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

HKLM\software\microsoft\windows\shell\registeredapplications\urlassociations\directory\openwithprogids

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

 $\begin{tabular}{ll} Opens~key: & HKCR\allfilesystemobjects\shellex\iconhandler \\ Opens~key: & HKCU\software\classes\directory\docobject \\ \end{tabular}$

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus all filesystemobjects \setminus clsid}$

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b220, 75, 200, 27, 6443\}$

b029-7fe99a87c641}

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \current$

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

 $\label{thm:local_thm:local_thm} \parbox{$HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\l\knownfolders} \parbox{$Lknownfolders} \parbox{$Lknownfolders}$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: $\label{lem:hccn} \begin{tabular}{ll} HKCR\clsid\f1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\treatas \\ Opens key: \\ HKCU\software\classes\clsid\f1f486a52-3cb1-48fd-8f50-\\ \end{tabular}$

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

Opens key: $\label{limited} \begin{tabular}{ll} HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\with limits and length A in the limits A in the limit$

Opens key: HKLM\system\currentcontrol\set\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b$

b4ef-bd1dc332aeae}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 's plorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ 'property bag$

Opens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$

Opens kev

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ property bag$

Opens key: $\label{local-condition} HKLM \software \microsoft \windows nt \current version \profile list \s-1-5-21-2160590473-689474908-1361669368-1002$

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{lem:hkcu} HKCU software \microsoft \microsoft$

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

Opens key: HKLM\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\classes\.exe

Opens key: HKCR\.exe

Opens key: HKCU\software\classes\.exe\openwithprogids

Opens key: HKCR\.exe\openwithprogids

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\

Opens key:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \fileexts \cdots exe \cdots e$

Opens key: HKCU\software\classes\exefile

Opens key: HKCR\exefile

Opens key: HKCU\software\classes\exefile\curver

Opens key: HKCR\exefile\curver

Opens key: HKCR\exefile\

Opens key: HKCU\software\classes\exefile\shellex\iconhandler

Opens key: HKCR\exefile\shellex\iconhandler

Opens key: HKCU\software\classes\systemfileassociations\.exe

Opens key: HKCR\systemfileassociations\.exe

 $Opens\ key: \\ HKCU\software\classes\systemfileassociations\.exe\shellex\classes\systemfileassociations\classes\systemfilea$

 $Opens \; key: \\ \qquad \qquad \mathsf{HKCR} \\ \mathsf{systemfileassociations} \\ \mathsf{.exe} \\ \mathsf{shellex} \\ \mathsf{iconhandler} \\$

Opens key: HKCU\software\classes\exefile\docobject

Opens key: HKCR\exefile\docobject

Opens key: HKCU\software\classes\systemfileassociations\.exe\docobject

Opens key: HKCR\systemfileassociations\.exe\docobject
Opens key: HKCU\software\classes\exefile\browseinplace

Opens key: HKCR\exefile\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.exe\browseinplace

Opens key: HKCR\systemfileassociations\.exe\browseinplace

Opens key: HKCU\software\classes\exefile\clsid

Opens key: HKCR\exefile\clsid

Opens key: HKCU\software\classes\systemfileassociations\.exe\clsid

Opens key: HKCR\systemfileassociations\.exe\clsid

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\treatas

ea55d8994f1a}\progid

 $\label{thm:continuous} \begin{tabular}{ll} Opens key: & HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\\\ Opens key: & HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\\\ \begin{tabular}{ll} Opens key: & HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\\\ \begin{tabular}{ll} Opens key: & HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\\\ \begin{tabular}{ll} Opens key: & HKCU\software\classes\clsid\clsi$

 $ea 55 d 8994 f 1a \} \verb|\inprocserver32|$

Opens key: $\label{eq:hkcr} \mbox{HKCR\clsid} \mbox{76765b11-3f95-4af2-ac9d-ea55d8994f1a} \mbox{\clsid} \mbox{\cl$

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler32

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler32

Opens key: HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-

ea55d8994f1a}\inprochandler

Opens key: HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{property bag}$

Opens kev

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}\ 'property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\}$

Opens kev:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \folde$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ def-f87ef2e6ba25 \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855)$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\property\bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\propertybag}$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag}$

Opens key

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \end{substitute}$

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\property\bag\end{microsoft}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eqdef} Hklm\software\mbox{\sc de974d24-d9c6-4d3e-bf91-f4455120b917}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\propertybag}$

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\property\bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ property bag$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\property\bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\propertybag}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens kev:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\property\bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$

Opens key:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \explorer$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\property\bag}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd9dc8a3b-b784-432e-a781-5a1130a75963\propertybag$

Opens key:

 $\label{thm:local-prop} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}}$

Opens key:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explo$

844b-64e6faf8716b}\propertybag

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ 'property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}\ property bag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\\ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ property bag$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\}$

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \coloner{15-4121-8900-86626fc2c973} \property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1}{56784854-c6cb-462b-8169-88e350} \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}

Opens key:

 $HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} HKLM \label{lem:hkklm} HKLM \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} With the hkklm \label{lem:hkklm} HKLM \label{lem:hkklm} Software \label{lem:hkklm} With the highest lemma support \label{lem:hkklm} With the hkklm \label{lem:hkklm} With the hkkl$

Opens key:

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer $$ 1000 -$

Opens key:

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\propertybag$

Opens key:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec) \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\}$

Opens key:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}\propertybag}$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ property bag$

Opens kev

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$

Opens key

 $\label{thm:local-state} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest version \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}}$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} \ 'property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{down} \label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{down} \end{down} \begin{tabular}{lll} Hklm \end{d$

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ property bag$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$

Opens kev:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}$

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}$

Opens key:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqno(69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c)\propertybag$

Opens kev:

Opens key:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\propertybag$

Opens kev:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref a 305ce99-f527-492b-8b1a-7e76fa98d6e4 \property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}

Opens key:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\propertybag}$

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicro$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-

906a-5644ac457385}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\ 'property bag$

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ property bag$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}\ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \g$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fiderdescriptions\f$

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824 af-dce 4-45 a8-81 e2-fc 7965083634\property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}\ property bag$

Opens key:

 $\label{thm:local-substance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 3214 fab 5-9757-4298-bb61-92a9 \color= 3244 ff \color$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ property bag$

Opens key:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a) \ property bag$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\propertybag

Opens key:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\ property bag$

Opens key

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (de 92c1c7-837f-4f69-a3bb-86e631204a23)$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ de 92c1c7-837f-4f69-a3bb-86e631204a23 \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $\label{thm:local-observation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\propertybag$

Opens key

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\propertybag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\property\bag}$

Opens key:

 $\label{thm:local-potential} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\property\pbel{thm:local-equation} \label{thm:local-equation}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}\ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} as 5.2481e8-33be-4251-ba85-6007 \caedcf9d \property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\propertybag}$

```
Opens key:
```

 $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-aeb4-4$ a014-d097ee346d63}

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-aeb4-46$ a014-d097ee346d63}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{7c5a40ef-a0fb-4bfc-a0fb-4b$ 874a-c0f2e0b9fa8e}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}

Opens key:

 $HKLM \setminus software \setminus (43668bf8-c14e-49b2-five folder descriptions) \setminus (43668bf8-five folder$ 97c9-747784d784b7}\propertybag

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-164464, 191646, 1916$ 8fd7-f78dca774f87}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1641ff, 1641ff, 1641ff,$ 8fd7-f78dca774f87}\propertybag

Opens key:

b5b4-2d72e54eaaa4}

Opens key:

b5b4-2d72e54eaaa4}\propertybag

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders

Opens key:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \users files \names pace \end{tabular}$

Opens kev:

 $HKLM \label{lem:hklm} Which is a fixed by the sum of the sum of$ 679f-4156-8947-c5c76bc0b67f}

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ versfiles \ name space \ delegate folders$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace

Opens key:

 $HKCU \setminus software \\ microsoft \\ windows \\ current version \\ explorer \\ session info \\ 1 \\ users files \\ namespace \\ delegate folders \\$ HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\shellfolder

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-Opens key:

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key:

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32 Opens kev: Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked HKCU\software\microsoft\windows\currentversion\shell extensions\blocked Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility Opens key:

HKLM\software\policies\microsoft\windows\appcompat Opens key: Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: $\label{lem:hklm} \verb+Kklm \+ software \+ microsoft \+ windows nt \+ current version \+ app compatflags$

HKLM\software\microsoft\windows Opens key: nt\currentversion\appcompatflags\custom\shdocvw.dll

HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\treatas

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens kev: Opens key:

c5c76bc0b67f}\inprochandler32

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32 Opens kev:

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler Opens kev:

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

```
c66de400274e}\inprocserver32
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
   Opens kev:
                                                    HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
   Opens key:
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
   Opens key:
   Opens kev:
                                                    HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\treatas
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
   Opens key:
                                                    HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
   Opens key:
c66de400274e}\progid
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
   Opens key:
                                                    HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
   Opens kev:
c66de400274e}\inprochandler32
   Opens key:
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\label{eq:hkcr} \\ \label{eq:hkcr} In prochamble r32 \\ \label{eq:hkcr} \\ \label{eq:hkcr} HKCR\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\clsid\
                                                    HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
   Opens key:
c66de400274e}\inprochandler
                                                    HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\nprochandler
   Opens key:
   Opens kev:
                                                    HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
   Opens key:
                                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
   Opens key:
8947-c5c76bc0b67f}
   Opens key:
                                                    HKLM\software\microsoft\windows\currentversion\explorer\kindmap
   Opens key:
                                                    HKCU\software\classes\exefile\shell\open
   Opens key:
                                                    HKCR\exefile\shell\open
   Opens key:
                                                    HKCR\exefile\shell\open\
   Opens key:
                                                    HKCU\software\classes\exefile\shell\open\command
   Opens key:
                                                    HKCR\exefile\shell\open\command
   Opens key:
                                                    HKCU\software\classes\exefile\shell\open\droptarget
   Opens key:
                                                    HKCR\exefile\shell\open\droptarget
                                                    \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} is observed that the local properties of the local pr
   Opens key:
   Opens key:
                                                    HKCU\software\microsoft\windows\currentversion\policies\associations
   Opens key:
                                                    HKCU\software\classes\.ade
                                                    HKCR\.ade
   Opens key:
   Opens key:
                                                    HKCU\software\classes\.adp
   Opens key:
                                                    HKCR\.adp
                                                    HKCU\software\classes\.app
   Opens key:
   Opens key:
                                                    HKCR\.app
   Opens key:
                                                    HKCU\software\classes\.asp
                                                    HKCR\.asp
   Opens key:
   Opens key:
                                                    HKCU\software\classes\.bas
   Opens key:
                                                    HKCR\.bas
                                                    HKCU\software\classes\.bat
   Opens key:
   Opens key:
                                                    HKCR\.bat
   Opens key:
                                                    HKCU\software\classes\.cer
   Opens key:
                                                    HKCR\.cer
                                                    HKCU\software\classes\.chm
   Opens key:
                                                    HKCR\.chm
   Opens kev:
                                                    HKCU\software\classes\.cmd
   Opens key:
   Opens key:
                                                    HKCR\.cmd
   Opens key:
                                                    HKCU\software\classes\.com
   Opens key:
                                                    HKCR\.com
   Opens key:
                                                    HKCU\software\classes\.cpl
   Opens kev:
                                                    HKCR\.cpl
   Opens key:
                                                    HKCU\software\classes\.crt
   Opens key:
                                                    HKCR\.crt
   Opens key:
                                                    HKCU\software\classes\.csh
   Opens key:
                                                    HKCR\.csh
   Opens key:
                                                    HKCU \setminus software \setminus classes \setminus clsid \setminus \{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4\}
   Opens key:
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}
   Opens key:
                                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\treatas
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\treatas
   Opens kev:
                                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
   Opens key:
00c04fb6bfc4}\progid
   Opens key:
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\progid
                                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
   Opens key:
00c04fb6bfc4}\inprocserver32
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32
   Opens kev:
   Opens key:
                                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler32
   Opens key:
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler32
   Opens key:
                                                    HKCU\software\classes\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprochandler
                                                    HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprochandler
   Opens kev:
   Opens key:
                                                    HKLM\system\currentcontrolset\services\crypt32
   Opens key:
                                                    HKLM\software\microsoft\windows\currentversion\internet settings
   Opens key:
                                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings
   Opens key:
                                                    HKLM\software\policies\microsoft\windows\currentversion\internet
```

settings\
Opens key: HKLM\software\policies\microsoft\internet explorer\main\featurecontrol

```
HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
   Opens key:
   Opens key:
                                                            HKLM\software\microsoft\internet explorer\main\featurecontrol
   Opens key:
                                                            HKCU\software\microsoft\internet explorer\main\featurecontrol
                                                            HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
   Opens key:
                                                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
                                                           HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\domains\
   Opens key:
                                                            HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
   Opens key:
                                                            \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zonemap\ranges\
                                                           HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\ranges\
   Opens key:
                                                            HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
   Opens key:
                                                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                                           HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\
   Opens key:
                                                            HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
   Opens key:
                                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
                                                           HKLM\software\policies
   Opens key:
   Opens key:
                                                           HKCU\software\policies
   Opens key:
                                                           HKCU\software
   Opens key:
                                                           HKI M\software
   Opens key:
                                                            HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
   Opens key:
                                                            HKCU\software\policies\microsoft\windows\currentversion\internet
settings
   Opens key:
                                                            HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
                                                            HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\protocoldefaults\
                                                           HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\domains\
   Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\domains\
                                                           HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_initialize_urlaction_shellexecute_to_allow_kb936610
                                                           HKLM\software\microsoft\internet
   Opens key:
\verb|explorer| main feature control feature initialize urlaction shell execute to allow kb936610| | the feature feature
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings
   Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
                                                           HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature http username password disable
   Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
                                                           HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
                                                           HKLM\software\policies\microsoft\internet explorer
   Opens key:
   Opens key:
                                                            HKLM\software\policies\microsoft\internet explorer\security
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\
   Opens key:
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
   Opens key:
                                                            HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
   Opens key:
                                                            \label{lem:hkcu} \verb+KCU\software\policies\microsoft\windows\currentversion\notation{ \columnwidth}{line} \begin{tabular}{ll} \columnwidth \columnwi
settings\zones\
   Opens key:
                                                            \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zones\0
   Opens key:
                                                            HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
   Opens key:
                                                            HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
   Opens key:
                                                            \label{lem:hkcu} \verb+KCU\software\policies\microsoft\windows\currentversion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currenters
settings\zones\1
   Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
settings\zonemap\
                                                            HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\zones\2
   Opens key:
                                                            \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\zones\2
   Opens key:
                                                            \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
```

```
settings\zones\3
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\zones\3
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\4
   Opens key:
                                                  \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\zones\4
  Opens key:
                                                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                                                  HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_localmachine_lockdown
   Opens key:
                                                  \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\lockdown_zones\
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                                                  \label{lem:hklmsoftware policies microsoft windows \current version \cite{thmsoftware} in the lemma of the 
  Opens key:
settings\lockdown_zones\0
   Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\2
  Opens key:
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
                                                  HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
                                                  HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
                                                  HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\4
   Opens key:
                                                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature zones_default_drive_intranet_kb941000
   Opens key:
                                                  HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
   Opens key:
                                                  HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
                                                  HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature protocol lockdown
                                                  \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} HKLM \label{thm:local_hammon} \end{tabular} $$ 100 \label{thm:local_hammon} $$ 100 \label{thm:local_hammonn} $$ 100 \label{thm:local_hammo
   Opens key:
   Opens key:
                                                  HKCU\software\classes\exefile\progid
   Opens key:
                                                  HKCR\exefile\progid
   Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\progids\exefile
   Opens key:
                                                  HKCU\software\classes\exefile\shell\open\ddeexec
   Opens key:
                                                  HKCR\exefile\shell\open\ddeexec
   Opens key:
                                                  HKCU\software\microsoft\windows\currentversion\app
paths\downloadmanager.exe
                                                  {\tt HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus app}
   Opens key:
paths\downloadmanager.exe
   Opens key:
                                                  HKLM\software\microsoft\windows nt\currentversion\image file execution
options\downloadmanager.exe
   Opens key:
                                                  HKLM\system\currentcontrolset\control\session manager\appcertdlls
                                                  HKCU\software\microsoft\windows\currentversion\explorer\shell folders
   Opens kev:
   Opens key:
                                                  HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
   Opens key:
                                                  HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\downloadmanager.exe
   Opens key:
                                                  HKCU\software\classes\clsid
   Opens key:
                                                  HKCU\software\classes\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}
                                                  HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}
   Opens kev:
   Opens key:
                                                  HKLM\software\classes
   Opens key:
                                                  HKCU\software\classes\clsid\{d3388703-5092-487c-8217-
11ada1ca68b5}\programmable
                                                  HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\ \ programmable
   Opens key:
   Opens key:
                                                  HKCU\software\classes\clsid\{d3388703-5092-487c-8217-
11ada1ca68b5}\localserver32
```

 $HKCR \ clsid \ \{d3388703-5092-487c-8217-11ada1ca68b5\} \ localserver 32$

Opens key: HKCU\software\classes\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\typelib HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\typelib Opens key: HKCU\software\classes\clsid\{d3388703-5092-487c-8217-Opens key: 11ada1ca68b5}\version Opens key: $HKCR \ clsid \ \{d3388703-5092-487c-8217-11ada1ca68b5\} \ \ version$ Opens key: HKCU\software\classes\typelib HKCR\typelib Opens key: Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9} HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9} Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0 Opens key: Opens key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0 Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029ecbee6265af9}\1.0\flags Opens key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029ecbee6265af9}\1.0\0 Opens key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0 Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029ecbee6265af9}\1.0\0\win32 HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32 Opens key: Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029ecbee6265af9}\1.0\helpdir Opens key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir Opens key: HKCU\software\classes\interface HKCR\interface Opens key: Opens key: $HKCU \setminus software \setminus classes \setminus interface \setminus \{3408ac0d-510e-4808-8f7b-6b70b1f88534\}$ Opens key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534} HKCU\software\classes\interface\{3408ac0d-510e-4808-8f7b-Opens kev: 6b70b1f88534}\proxystubclsid Opens key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid HKCU\software\classes\interface\{3408ac0d-510e-4808-8f7b-Opens key: 6b70b1f88534}\proxystubclsid32 Opens key: HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid32 HKCU\software\classes\interface\{3408ac0d-510e-4808-8f7b-Opens key: 6b70b1f88534}\typelib HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\typelib Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.html\userchoice Opens key: HKCU\software\classes\http\shell\open\command Opens key: HKCR\http\shell\open\command Opens key: HKLM\software\microsoft\internet explorer HKLM\software\mozilla\mozilla firefox Opens kev: HKCU\software\mozilla\mozilla firefox Opens key: HKCU\software\google\update\clients\{8a69d345-d564-463c-aff1-Opens key: a69d9e530f96} Opens key: $\label{lem:hklm} \verb+Kklm \system \current control set \services \tcpip \parameters \time faces$ Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253} Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\winhttp\tracing Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\winhttp Opens key: HKLM\svstem\currentcontrolset\services\winsock2\parameters Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\36bc2bc8-33147401 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\36bc2bc8 Opens key: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus protocol_catalog 9$ Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries Opens key:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007

Opens key:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
   Opens key:
HKLM \ system \ control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 00000000010
    Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000011) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
    Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000014) \ (catalog\_entries \ (catalog entries \ (catalog entri
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006
    Opens key:
                                                            HKLM\system\currentcontrolset\control\lsaextensionconfig\sspicli
    Opens key:
                                                            HKLM\system\currentcontrolset\control\securityproviders
    Opens key:
                                                            HKLM\system\currentcontrolset\control\lsa\sspicache
    Opens key:
                                                            HKLM \ system \ current control \ lsa \ sspicache \ credssp. dll
                                                            {\tt HKLM \ } system \verb|\ current control \ } security providers \verb|\ saslprofiles \ | \ sa
    Opens key:
                                                            HKLM\software\microsoft\windows\currentversion\internet
    Opens kev:
settings\connections
    Opens kev:
                                                            HKLM\svstem\currentcontrolset\services\winsock\parameters
    Opens key:
                                                            HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
    Opens key:
                                                            \label{lem:hklm} \verb+Kklm \system \current control set \services \space{2mm} psched \space{2mm} parameters \space{2mm} winsock
    Opens key:
                                                            HKLM\system\currentcontrolset\services\winsock\setup migration\providers
    Opens key:
                                                            HKLM\svstem\currentcontrolset\services\winsock\setup
migration\providers\psched
    Opens key:
                                                            HKLM\system\currentcontrolset\services\dnscache\parameters
    Opens key:
                                                            HKLM\software\policies\microsoft\windows nt\dnsclient
    Opens key:
                                                            HKLM\system\currentcontrolset\services\dns
    Opens key:
                                                            HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig
    Opens kev:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
    Opens key:
                                                            HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
    Opens key:
                                                            HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
                                                            HKLM\system\currentcontrolset\services\winsock\setup
    Opens key:
migration\providers\tcpip6
    Opens key:
                                                            HKLM\software\policies\microsoft\system\dnsclient
    Opens key:
                                                            HKLM\system\currentcontrolset\control\sqmservicelist
    Opens kev:
                                                            HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
    Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
    Opens key:
806e6f6e6963}
    Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
    Opens key:
1709a0196aed}
```

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-00000000046} Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-

HKCU\software\classes\clsid\{00021401-0000-0000-c000-Opens kev:

000000000046}\treatas

Opens key:

a68f334c8d34}

Opens key: HKCR\clsid\{00021401-0000-0000-c000-0000000046}\treatas Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

000000000046}\progid

Opens key: HKCR\clsid\{00021401-0000-0000-c000-0000000046}\progid Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

00000000046}\inprocserver32

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprocserver32

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

00000000046}\inprochandler32

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler32

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-

00000000046}\inprochandler

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprochandler

Opens key:

Opens key: HKLM\system\currentcontrolset\services\lanmanworkstation\parameters
Opens key: HKLM\system\currentcontrolset\services\lanmanserver\defaultsecurity

Opens key: HKLM\system\currentcontrolset\control\computername

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key: HKLM\software\\yessearchessoftware\\yessearcheshp Opens key: HKLM\software\\walasearchsoftware\\walasearchhp Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\treatas

00c04fd705a2}\progid

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprocserver32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprochandler32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2\inprochandler

Opens key: $\label{eq:hkcr} \mbox{HKCR\clsid} \mbox{\{8856f961-340a-11d0-a96b-00c04fd705a2\}\inprochandler} \mbox{\clsid} \mbox{\$

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_weboc_global_winlist Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_weboc_global_winlist

Opens key: HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}
Opens key: HKCU\software\classes\clsid\{9ba05972-f6a8-11cf-a442-

00a0c90a8f39}\treatas

 $\label{lem:opensky: HKCR clsid + 9ba05972-f6a8-11cf-a442-00a0c90a8f39} $$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ HKCU \sim classes \clsid - 9ba05972-f6a8-11cf-a442-$$ Opens key: $$ Open$

00a0c90a8f39}\progid

Opens key: HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}\progid Opens key: HKCU\software\classes\clsid\{9ba05972-f6a8-11cf-a442-

00a0c90a8f39}\inprocserver32

Opens key: HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}\inprocserver32

Opens key: HKCU\software\classes\clsid\{9ba05972-f6a8-11cf-a442-

00a0c90a8f39}\inprochandler32

Opens key: HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}\inprochandler32

Opens key: HKCU\software\classes\clsid\{9ba05972-f6a8-11cf-a442-

 ${\tt 00a0c90a8f39} \verb|\inprochandler|$

 $Opens~key: \\ HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}\inprochandler$

Opens key: ${\sf HKCU \backslash software \backslash classes \backslash appid \backslash download manager.exe}$

Opens key: HKCR\appid\downloadmanager.exe
Opens key: HKLM\software\microsoft\ole\appcompat
Opens key: HKLM\system\currentcontrol\set\control\lsa

 $Opens~key: \\ HKLM\software\microsoft\cryptography\defaults\provider\microsoft~strong$

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography
Opens key: HKLM\software\microsoft\cryptography\offload

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-000000000046}

00000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-000000000046}\proxystubclsid32

Opens key: HKLM\software\microsoft\rpc\extensions

```
Opens key:
                                              HKLM\system\currentcontrolset\services\bfe
                                              HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
   Opens key:
                                              HKLM\software\microsoft\sqmclient\windows\disabledsessions\
   Opens kev:
   Opens key:
                                              HKCU\software\classes\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}
   Opens kev:
                                              HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}
                                              HKCU\software\classes\interface\{85cb6900-4d95-11cf-960c-
   Opens key:
0080c7f4ee85}\proxystubclsid32
                                              HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}\proxystubclsid32
   Opens key:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-00000000046}
   Opens key:
   Opens key:
                                              HKCR\clsid\{00020424-0000-0000-c000-00000000046}
   Opens kev:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-
000000000046}\treatas
   Opens key:
                                              HKCR\clsid\{00020424-0000-0000-c000-00000000046}\treatas
   Opens key:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-
000000000046}\progid
                                              HKCR\clsid\{00020424-0000-0000-c000-00000000046}\progid
   Opens key:
   Opens key:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-
00000000046}\inprocserver32
   Opens key:
                                              Opens key:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-
00000000046}\inprochandler32
                                              HKCR\clsid\{00020424-0000-0000-c000-00000000046}\inprochandler32
   Opens key:
   Opens kev:
                                              HKCU\software\classes\clsid\{00020424-0000-0000-c000-
000000000046}\inprochandler
   Opens key:
                                              HKCU\software\classes\interface\{85cb6900-4d95-11cf-960c-
   Opens key:
0080c7f4ee85}\forward
                                              HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}\forward
   Opens key:
                                              HKCU\software\classes\interface\{85cb6900-4d95-11cf-960c-
   Opens kev:
0080c7f4ee85}\typelib
   Opens key:
                                              HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}\typelib
                                              HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}
   Opens key:
   Opens key:
                                              HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}
   Opens key:
                                              HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1
                                              HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1
   Opens kev:
   Opens key:
                                              HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-
0000c05bae0b}\1.1\0
                                              HKCR\typelib\{eab22ac0-30c1-11cf-a7eb-0000c05bae0b}\1.1\0
   Opens key:
   Opens key:
                                              HKCU\software\classes\typelib\{eab22ac0-30c1-11cf-a7eb-
0000c05bae0b}\1.1\0\win32
   Opens key:
                                              HKCR \typelib \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \label{eq:hkcr} $1.1 \o \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0000 c05 bae 0b \eab 22 ac 0-30 c1-11 cf-a7 eb-0
   Opens key:
                                              HKCU\software\classes\typelib\{00020430-0000-0000-c000-000000000046}
   Opens key:
                                              HKCR\typelib\{00020430-0000-0000-c000-00000000046}
                                              HKCU\software\classes\typelib\{00020430-0000-0000-c000-00000000046}\2.0
   Opens key:
   Opens key:
                                              HKCR\typelib\{00020430-0000-0000-c000-00000000046}\2.0
   Opens key:
                                              HKCU\software\classes\typelib\{00020430-0000-0000-c000-
000000000046}\2.0\0
   Opens key:
                                              HKCR\typelib\{00020430-0000-0000-c000-00000000046}\2.0\0
   Opens key:
                                              HKCU\software\classes\typelib\{00020430-0000-0000-c000-
000000000046}\2.0\0\win32
   Opens key:
                                              HKCR\typelib\{00020430-0000-0000-c000-00000000046}\2.0\0\win32
   Opens key:
                                              HKCU\software\classes\interface\{00020400-0000-0000-c000-000000000046}
                                              HKCR\interface\{00020400-0000-0000-c000-00000000046}
   Opens key:
   Opens key:
                                              HKCU\software\classes\interface\{00020400-0000-0000-c000-
000000000046}\proxystubclsid32
                                              \label{local-eq:hkcr} \mbox{HKCR} \mbox{ interface} \mbox{ $\{00020400-0000-0000-0000-00000000046\}$ \mbox{ } proxystubclsid32$ \
   Opens key:
   Opens key:
                                              HKCU\software\classes\clsid\{00020420-0000-0000-c000-00000000046}
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-00000000046}
                                              HKCU\software\classes\clsid\{00020420-0000-0000-c000-
   Opens key:
000000000046}\treatas
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-00000000046}\treatas
                                              Opens key:
000000000046}\progid
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-00000000046}\progid
   Opens key:
                                              HKCU\software\classes\clsid\{00020420-0000-0000-c000-
000000000046}\inprocserver32
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-00000000046}\inprocserver32
   Opens key:
                                              HKCU\software\classes\clsid\{00020420-0000-0000-c000-
00000000046}\inprochandler32
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-000000000046}\inprochandler32
                                              HKCU\software\classes\clsid\{00020420-0000-0000-c000-
   Opens key:
000000000046}\inprochandler
   Opens key:
                                              HKCR\clsid\{00020420-0000-0000-c000-00000000046}\inprochandler
                                              HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
   Opens key:
   Opens key:
                                              HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0
                                              HKLM\software\microsoft\windows
   Opens key:
nt\currentversion\languagepack\surrogatefallback
                                              HKLM\software\microsoft\windows
   Opens kev:
```

explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
 Opens key: HKLM\software\microsoft\internet

HKCU\software\microsoft\internet

nt\currentversion\languagepack\surrogatefallback\segoe ui

```
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
                         HKCU\software\microsoft\internet explorer\ietld
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\main
 Opens key:
                         HKLM\software\microsoft\internet explorer\main
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\main
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\main
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
 Opens key:
08002b30309d}\shellfolder
                         HKCR \ clsid \ \{871c5380-42a0-1069-a2ea-08002b30309d\} \ shell folder
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
 Opens key:
42a0-1069-a2ea-08002b30309d}\shellfolder
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
 Opens key:
08002b30309d}\treatas
 Opens key:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\treatas
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\progid
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid
 Opens key:
 Opens kev:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler32
 Opens key:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler 32
 Opens key:
                         HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler
 Opens key:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler
 Opens kev:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{871c5380-42a0-1069-
a2ea-08002b30309d}
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_iedde_register_protocol
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\browseremulation
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\browseremulation
                         HKLM\software\microsoft\internet explorer\mediatypeclass
 Opens key:
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\accepted documents
                         HKLM\software\microsoft\windows\currentversion\policies\ratings
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
                         HKLM\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content
 Opens kev:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\cookies
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\history
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\history
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\5.0\cache\extensible cache\domstore
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\5.0\cache\extensible cache\feedplat
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\5.0\cache\extensible cache\ietld
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\5.0\cache\extensible cache\privacie:
 Opens key:
                         HKCU\software\microsoft\internet
\verb|explorer\main\featurecontrol\retry_header on ly post\_on connection reset|\\
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
```

```
Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache
 Opens kev:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature use utf8 for basic auth kb967545
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet settings\wpad
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
 Opens key:
                         HKLM\software\microsoft\tracing\downloadmanager_rasapi32
                         HKLM\software\microsoft\tracing\downloadmanager_rasmancs
 Opens key:
                         HKU\
 Opens key:
 Opens key:
                         HKCU\software\classes\autoproxytypes
 Opens key:
                         HKCR\autoproxytypes
                         HKCU\software\classes\autoproxytypes\application/x-internet-signup
 Opens key:
 Opens key:
                         HKCR\autoproxytypes\application/x-internet-signup
 Opens key:
                         HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig
                         HKCR\autoproxytypes\application/x-ns-proxy-autoconfig
 Opens key:
 Opens key:
                         HKCU \setminus software \setminus classes \setminus clsid \setminus \{dcb00c01-570f-4a9b-8d69-199fdba5723b\}
                         HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\treatas
 Opens key:
                         HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
                         Opens key:
199fdba5723b}\progid
                         HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
 Opens key:
```

HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32 HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32 Opens kev: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-Opens key: 199fdba5723b}\inprochandler32 Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprochandler32 HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-Opens key: 199fdba5723b}\inprochandler HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprochandler Opens key: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2 - c419 - 11d9 - a5b4 - 001185ad2b89\}$ Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89} Opens key: Opens kev: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas Opens key: $HKCR\clsid$ {a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-Opens key: 001185ad2b89}\progid HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid Opens key: Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32 Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32 Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32 HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32 Opens key: Opens kev: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler Opens key: $HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\} \ \ in prochandler$ HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b} Opens key: Opens key: HKCU\software\microsoft\internet explorer Opens key: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b} HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-Opens kev: 199fdba5723b}\proxystubclsid32 Opens key: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32 $\label{local-continuous} HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\}$ Opens key: Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27} Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_mime_handling HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_mime_handling Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid HKCU\software\classes\protocols\name-space handler\ Opens key: Opens key: HKCR\protocols\name-space handler Opens key: HKCU\software\classes\protocols\name-space handler\http\ Opens key: HKCR\protocols\name-space handler\http Opens key: HKCU\software\classes\protocols\name-space handler*\ HKCR\protocols\name-space handler* Opens kev: $HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-be14b6a$ Opens key: 2299f0398e27}\inprocserver32 HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32 Opens key: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_enable_compat_logging Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_enable_compat_logging Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\user agent HKLM\software\microsoft\windows\currentversion\internet settings\user Opens key: agent Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\user agent Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\user agent HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-Opens key: 2299f0398e27}\inprochandler32 Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{1299cf18-c4f5-4b6a-bb0f-be14b6a$ Opens key: 2299f0398e27}\inprochandler $HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\$ inprochandler Opens kev: Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\user agent Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\user agent Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent\ua tokens

4f0ef901a406}\proxystubclsid32
Opens key: HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32
Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user
agent\pre platform

HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}

HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-

HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}

Opens key:

Opens key:

Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\pre platform

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\pre platform

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user

agent\post platform

 $Opens \ key: \\ HKLM \ software \ microsoft \ windows \ current version \ internet$

settings\5.0\user agent\post platform

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\post platform

Opens key: HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}

Opens key: HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
Opens key: HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-

6d613e2ceaec}\proxystubclsid32

Opens key: HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-

00aa004bb851}\proxystubclsid32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\treatas

 $\label{lem:clsid} \mbox{Opens key:} \qquad \mbox{HKCR\clsid\b196b286-bab4-101a-b69c-00aa00341d07} \mbox{$\mbox{treatas}$} \\ \mbox{Opens key:} \qquad \mbox{HKCU\software\classes\clsid\b196b286-bab4-101a-b69c-} \\$

00aa00341d07}\progid

 $\label{lem:continuous} Opens \ key: $$ HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid $$ Opens \ key: $$ HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-}$$

00aa00341d07}\inprocserver32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler

Opens key: HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}

Opens key: HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
Opens key: HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-

4a74e101f8c1}\proxystubclsid32

Opens key: HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32 Opens key: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
Opens key: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-

63278fcb8037}\proxystubclsid32

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_browser_emulation

Opens key: HKCU\software\microsoft\windows\currentversion\internet

explorer\main\featurecontrol\feature_maxconnectionsper1_0server
Opens key: HKCU\software\microsoft\windows\currentversion\urlmon settings

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_include_port_in_spn_kb908209
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_include_port_in_spn_kb908209

Opens key: HKCU\software\microsoft\internet explorer\international

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_disable_legacy_compression Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_disable_legacy_compression

Opens key: HKCU\software\classes\protocols\name-space handler

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\travellog Opens key: HKLM\software\microsoft\windows\currentversion\explorer\travellog Opens key: HKLM\software\microsoft\ctf\compatibility\downloadmanager.exe Opens key: HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKCU\software\classes\clsid\{d3388703-5092-487c-8217-

11ada1ca68b5}\treatas

```
11ada1ca68b5}\progid
                         HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\progid
 Opens kev:
                         HKCU\software\classes\clsid\{d3388703-5092-487c-8217-
 Opens key:
11ada1ca68b5}\inprocserver32
 Opens key:
                         HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\inprocserver32
                         HKCU\software\classes\clsid\{d3388703-5092-487c-8217-
 Opens key:
11ada1ca68b5}\inprochandler32
                         HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{d3388703-5092-487c-8217-
 Opens key:
11ada1ca68b5}\inprochandler
 Opens kev:
                         HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\inprochandler
 Opens key:
                         HKLM\system\currentcontrolset\services\netbt\linkage
 Opens key:
                         HKCU\software\classes\mime\database\content type\text/html; charset=utf-
 Opens key:
                         HKCR\mime\database\content type\text/html; charset=utf-8
                         HKCU\software\classes\mime\database\content type\text/html
 Opens key:
                         HKCR\mime\database\content type\text/html
 Opens key:
                         HKCU\software\classes\protocols\filter\text/html; charset=utf-8
 Opens key:
 Opens key:
                         HKCR\protocols\filter\text/html; charset=utf-8
                         HKCU\software\classes\protocols\filter\text/html
 Opens key:
 Opens key:
                         HKCR\protocols\filter\text/html
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_feeds
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_feeds
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_safe_bindtoobject
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\treatas
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\progid
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler32
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\ \ in prochandler 32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_aria_support
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_aria_support
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_dispparams
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_dispparams
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_expanduri_bypass
                         HKLM\software\microsoft\internet
```

Opens key:

Opens key:

explorer\main\featurecontrol\feature_allow_expanduri_bypass

HKCU\software\microsoft\internet

```
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_databinding_support
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_enforce_bstr
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
                         HKCU\software\microsoft\windows nt\currentversion\windows
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_cleanup_at_fls
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_cleanup_at_fls
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\app paths\outlook.exe
                         HKLM\software\microsoft\internet explorer\application compatibility
 Opens key:
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\domstorage
                         HKCU\software\policies\microsoft\internet explorer\domstorage
 Opens key:
                         HKCU\software\microsoft\internet explorer\domstorage
 Opens key:
 Opens key:
                         HKLM\software\microsoft\internet explorer\domstorage
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\safety\privacie
                         HKCU\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKLM\software\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature restrict filedownload
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_restrict_filedownload
 Opens kev:
                         HKLM\software\microsoft\internet explorer\security\floppy access
                         HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
 Opens key:
detection
 Opens key:
                         HKLM\software\microsoft\internet explorer\security\adv addrbar spoof
detection
 Opens key:
                         HKCU\software\classes\protocols\name-space handler\about\
 Opens key:
                         HKCR\protocols\name-space handler\about
 Opens key:
                         HKCU\software\classes\protocols\handler\about
 Opens key:
                         HKCR\protocols\handler\about
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\treatas
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\treatas
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\progid
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32
                         HKCR \c1sid \c13050f406-98b5-11cf-bb82-00aa00bdce0b\c1nprocserver32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler32
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\ \ inprochandler 32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_document_compatible_mode
 Opens key:
                         HKLM\software\microsoft\internet
```

```
explorer\main\featurecontrol\feature_document_compatible_mode
                                     HKLM\software\policies\microsoft\internet explorer\zoom
  Opens key:
                                     HKCU\software\policies\microsoft\internet explorer\zoom
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\internet explorer\zoom
  Opens key:
                                     HKLM\software\microsoft\internet explorer\zoom
                                     HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_weboc_document_zoom
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_weboc_document_zoom
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\url history
  Opens key:
                                     \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\url history
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\url
history
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\internet settings\url
history
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
  Opens key:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
  Opens key:
                                     HKCU\software\policies\microsoft\internet explorer
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\international\scripts
  Opens key:
                                     HKCU\software\microsoft\internet explorer\international\scripts
  Opens key:
                                     HKLM\software\microsoft\internet explorer\international\scripts
                                     HKLM\software\policies\microsoft\internet explorer\settings
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\internet explorer\settings
                                     HKLM\software\microsoft\internet explorer\settings
  Opens key:
                                     HKCU\software\microsoft\internet explorer\styles
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\policies\activedesktop
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\policies
  Opens key:
                                     HKCU\software\microsoft\internet explorer\pagesetup
  Opens key:
                                     HKCU\software\microsoft\internet explorer\menuext
  Opens key:
                                     HKCU\software\microsoft\internet explorer\menuext\%s
                                     HKLM\system\currentcontrolset\control\nls\codepage
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\internet explorer\international\scripts\3
  Opens key:
                                     HKLM\software\microsoft\internet explorer\version vector
                                     HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_zone_elevation
  Opens key:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_zone_elevation
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_xssfilter
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\zones
                                     HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\dxtrans
  Opens key:
                                     HKCU\software\microsoft\internet explorer\dxtrans
  Opens key:
                                     HKLM\software\microsoft\internet explorer\dxtrans
  Opens key:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_sslux
  Opens key:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings\
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\internet settings\
  Opens key:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\
  Opens key:
                                     \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\internet}}
settings\zonemap\
  Opens key:
                                     HKLM\software\policies\microsoft\internet explorer\restrictions
  Opens key:
                                     HKCU\software\policies\microsoft\internet explorer\restrictions
  Opens key:
                                     HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
                                     HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\treatas
                                     HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treatas
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\progid
                                     HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\ \ progid
  Opens key:
  Opens key:
                                     HKCU \setminus software \setminus classes \setminus clsid \setminus \{50d5107a - d278 - 4871 - 8989 - d278 - d
f4ceaaf59cfc}\inprocserver32
                                     HKCR \verb|\clsid|{50d5107a-d278-4871-8989-f4ceaaf59cfc} \verb|\inprocserver32|
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
f4ceaaf59cfc}\inprochandler32
                                     HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\tinprochandler 32
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-
```

f4ceaaf59cfc}\inprochandler

```
HKCU\software\classes\interface\{618736e0-3c3d-11cf-810c-
  Opens key:
00aa00389b71}\proxystubclsid32
                                   Opens kev:
                                   HKCU\software\classes\interface\{332c4425-26cb-11d0-b483-00c04fd90119}
  Opens key:
  Opens kev:
                                   HKCR\interface\{332c4425-26cb-11d0-b483-00c04fd90119}
                                   HKCU\software\classes\interface\{332c4425-26cb-11d0-b483-
  Opens key:
00c04fd90119}\proxystubclsid32
                                   HKCR\interface\{332c4425-26cb-11d0-b483-00c04fd90119}\proxystubclsid32
  Opens kev:
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_binary_caller_service_provider
  Opens kev:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_binary_caller_service_provider
  Opens kev:
                                   HKCU\software\policies\microsoft\internet explorer\control panel
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_urlecho
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_urlecho
  Opens key:
                                   HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
  Opens key:
                                   HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
  Opens key:
                                   HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\treatas
                                   HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\treatas
  Opens key:
  Opens kev:
                                   HKCU \setminus software \setminus classes \setminus clsid \setminus \{f414c260-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac0-11cf-b6d1-6ac
00aa00bbbb58}\progid
  Opens key:
                                   HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbbb58\}\progid
                                   HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
  Opens key:
00aa00bbbb58}\inprocserver32
  Opens key:
                                   HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32
  Opens kev:
                                   HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
00aa00bbbb58}\inprochandler32
  Opens key:
                                   HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\inprochandler32
                                   HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-
  Opens key:
00aa00bbbb58}\inprochandler
  Opens key:
                                   HKCR \ clsid \ \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\} \ \ inprochandler
  Opens key:
                                   HKLM\software\microsoft\windows script\features
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
                                   HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
                                   HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_subdownload_lockdown
                                   HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_subdownload_lockdown
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_scripturl_mitigation
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_scripturl_mitigation
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img
                                   HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_block_lmz_img
  Opens key:
                                   HKCU\software\classes\mime\database\content type\text/javascript
                                   HKCR\mime\database\content type\text/javascript
  Opens kev:
  Opens key:
                                   HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_custom_image_mime_types_kb910561
  Opens key:
                                   HKCU\software\classes\mime\database\content type\image/png
  Opens key:
                                   HKCR\mime\database\content type\image/png
  Opens key:
                                   HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}
                                   HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\treatas
                                   HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\treatas
  Opens key:
  Opens key:
                                   00aa006c1a01}\progid
                                   Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprocserver32
                                   HKCR \c1sid \ \{30c3b080-30fb-11d0-b724-00aa006c1a01\} \ \ in procserver 32
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprochandler32
                                   Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
```

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

```
00aa006c1a01}\treatas
```

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\progid

 Opens key:
 HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid

 Opens key:
 HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724

00aa006c1a01}\inprocserver32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler32

Opens key: $\label{eq:hkcr} \begin{tabular}{ll} HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\nprochandler32 \end{tabular}$

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler

Opens key: HKCU\software\classes\mime\database\content type

Opens key: HKCR\mime\database\content type

Opens key: HKCU\software\classes\mime\database\content type\image/bmp\bits

Opens key: HKCR\mime\database\content type\image/bmp\bits

Opens key: HKCU\software\classes\mime\database\content type\image/gif\bits

Opens key: HKCR\mime\database\content type\image/gif\bits

Opens key: HKCU\software\classes\mime\database\content type\image/jpeg\bits

Opens key: HKCR\mime\database\content type\image/jpeg\bits

Opens key: HKCU\software\classes\mime\database\content type\image/pjpeg\bits

Opens key: HKCR\mime\database\content type\image/pjpeg\bits

Opens key: HKCU\software\classes\mime\database\content type\image/png\bits

Opens key: HKCR\mime\database\content type\image/png\bits

Opens key: HKCU\software\classes\mime\database\content type\image/tiff\bits

Opens key: HKCR\mime\database\content type\image/tiff\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-icon\bits

Opens key: HKCR\mime\database\content type\image/x-icon\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-jg\bits

Opens key: HKCR\mime\database\content type\image/x-jg\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-png\bits

Opens key: HKCR\mime\database\content type\image/x-png\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-wmf\bits

Opens key: HKCR\mime\database\content type\image/x-wmf\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-png

Opens key: HKCR\mime\database\content type\image/x-png

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\treatas

 $\label{lem:openskey: HKCR\clsid} $$\operatorname{HKCR\clsid}_{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\times \operatorname{HKCU\software\classes\clsid}_{a3ccedf7-2de2-11d0-86f4-} $$$

00a0c913f750}\progid

00a0c913f750}\inprocserver32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler

Opens key: HKCU\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_cross_domain_redirect_mitigation$

Opens key: HKLM\software\microsoft\internet

 $\verb|explorer\main\featurecontrol\feature_cross_domain_redirect_mitigation| \\$

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_block_lmz_script Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_block_lmz_script

Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029-

ecbee6265af9}\1.0\409

Opens key: HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\409
Opens key: HKCU\software\classes\typelib\{dcabb943-792e-44c4-9029-

ecbee6265af9}\1.0\9

 $\verb|settings\p3p\history\serverdatasrv.com| \\$

Opens key: HKCU\software\microsoft\internet explorer\feed discovery Opens key: HKLM\software\microsoft\internet explorer\feed discovery

Opens key: HKCU\software\microsoft\ftp

Opens key: HKLM\software\policies\microsoft\internet explorer\services

Opens key: HKCU\software\microsoft\internet explorer\services

Opens key: HKLM\software\policies\microsoft\internet explorer\activities
Opens key: HKCU\software\microsoft\internet explorer\activities
Opens key: HKLM\software\microsoft\internet explorer\activities

Opens key: HKLM\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKLM\software\policies\microsoft\internet explorer\suggested sites

Opens key: HKCU\software\microsoft\internet explorer\suggested sites

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-444553540000}

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}
Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\inprocserver32

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\shellfolder

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\shellfolder

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\treatas

 $\label{lem:continuous} Opens \; key: & HKCR\clsid\ff393560-c2a7-11cf-bff4-444553540000\} \; treatas \\ Opens \; key: & HKCU\software\classes\clsid\ff393560-c2a7-11cf-bff4- \\ \end{cases}$

444553540000}\progid

 Opens key:
 HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\progid

 Opens key:
 HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4

444553540000}\inprochandler32

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler32

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\inprochandler

Opens key: $HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ objects \ \{ff 393560-c2a7-11cf-mail \ microsoft \ micros$

bff4-444553540000}

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\mshist012016042820160429

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ less sion in follows \ home space \ name customizations$

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}

Opens key: HKCU\software\microsoft\internet explorer\main\windowssearch
Opens key: HKLM\software\policies\microsoft\internet explorer\feeds

Opens key: HKCU\software\microsoft\internet explorer\feeds
Opens key: HKLM\software\microsoft\internet explorer\feeds

Opens key: HKLM\software\microsoft\windows search

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\treatas

 $\label{lem:continuous} Opens~key: $$ HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\treatas$$ Opens~key: $$ HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-}$$$

00aa003f8646}\progid

00aa003f8646}\inprocserver32

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler32

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler32

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparent enabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrol\set\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[f693fea1de37c00fb3925705cbe5722b]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheapisprivate]
Queries value: HKLM\system\currentcontrol\set\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrol\set\control\nls\extendedlocale[en-us]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

```
Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
   Queries value:
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
   Queries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[queryforinfotip]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hideinwebview]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                                                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
   Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8-4069-a2d8
08002b30309d}]
   Queries value:
11e3-b3bc-806e6f6e6963}[data]
   Oueries value:
11e3-b3bc-806e6f6e6963}[generation]
   Queries value:
                                                 HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
                                                 HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
   Queries value:
   Oueries value:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
   Queries value:
HKCU \ software \ microsoft \ windows \ current version \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ advanced \ [dont pretty path]) \ downward \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ advanced \ (explorer \ advanced \ (explorer \ advanced \ (explorer \ advanced \ advanced \ advanced \ advanced \ advanc
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
   Queries value:
                                                 HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [show superhidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
   Queries value:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [show type overlay]
   Queries value:
                                                 HKCR\directory[docobject]
   Oueries value:
                                                 HKCR\folder[docobiect]
   Queries value:
                                                 HKCR\allfilesystemobjects[docobject]
                                                 HKCR\directory[browseinplace]
   Oueries value:
   Oueries value:
                                                 HKCR\folder[browseinplace]
   Queries value:
                                                 HKCR\allfilesystemobjects[browseinplace]
   Queries value:
                                                 HKCR\directory[isshortcut]
   Oueries value:
                                                 HKCR\folder[isshortcut]
   Queries value:
                                                 HKCR\allfilesystemobjects[isshortcut]
   Oueries value:
                                                 HKCR\directory[alwaysshowext]
   Oueries value:
                                                 HKCR\directory[nevershowext]
   Queries value:
                                                 HKCR\folder[nevershowext]
   Queries value:
                                                 HKCR\allfilesystemobjects[nevershowext]
   Oueries value:
```

b029-7fe99a87c641}[category]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bubble} bosential b$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}{precreate1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

 $Queries\ value: \\ HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\ \ inprocserver32[]$

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream resource type]$

Oueries value:

 $\label{localized-hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localredirectonly]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeds} \end{abbeds} A section \end{abbeds} A sect$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4 cf6-a03a-e3ef65729 f3d \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 3eb685db-65f9-4cf6-a03a-e3ef65729f3d \color= 1ep2 \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[localizedname]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkm} a 03a-e3ef65729f3d \[security]$

Queries value:

a03a-e3ef65729f3d}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3}eb685db-65f9-4cf6-eps \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ '$ a03a-e3ef65729f3d}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[stream]

Queries value:

a03a-e3ef65729f3d}[publishexpandedpath]

a03a-e3ef65729f3d}[attributes]

a03a-e3ef65729f3d}[foldertypeid]

Queries value:

a03a-e3ef65729f3d}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-1640-16400-164$ 9afe-ea3317b67173}[category]

Oueries value:

9afe-ea3317b67173}[name]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-1640-16400-164$ 9afe-ea3317b67173}[parentfolder]

Queries value:

9afe-ea3317b67173}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[relativepath]

Queries value:

9afe-ea3317b67173}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[infotip]

Queries value:

9afe-ea3317b67173}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$ 9afe-ea3317b67173}[security]

Queries value:

9afe-ea3317b67173}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$ 9afe-ea3317b67173}[streamresourcetype]

Queries value:

9afe-ea3317b67173}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

9afe-ea3317b67173}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[stream]

Oueries value:

9afe-ea3317b67173}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[attributes]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

 $HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus profile list \setminus s-1-5-21-1 = (a. 1) + (b. 1) +$ Oueries value: 2160590473-689474908-1361669368-1002[profileimagepath]

HKLM\system\currentcontrolset\control\cmf\config[system] Oueries value:

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable] Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] HKLM\software\microsoft\windows\currentversion[devicepath] Oueries value:

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

HKLM\system\setup[oobeinprogress] Queries value: HKLM\system\setup[systemsetupinprogress] Queries value:

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

11e3-b3bc-806e6f6e6963}[data]

Queries value:

11e3-b3bc-806e6f6e6963}[generation]

HKLM\software\microsoft\windows nt\currentversion\image file execution Queries value: options\dllnxoptions[usefilter]

Oueries value: HKLM\software\microsoft\windows nt\currentversion\image file execution options\dllnxoptions[system.dll]

HKCU\software\microsoft\windows\currentversion\explorer[maximizeapps] Oueries value: Queries value: HKLM\software\microsoft\windows\currentversion\explorer[maximizeapps]

Queries value: HKCR\.exe[]

Queries value: HKCR\exefile[docobject]

HKCR\systemfileassociations\.exe[docobject] Oueries value:

Queries value: HKCR\exefile[browseinplace]

Oueries value: HKCR\systemfileassociations\.exe[browseinplace]

Oueries value: HKCR\.exe[content type] HKCR\exefile[isshortcut] Queries value:

HKCR\systemfileassociations\.exe[isshortcut] Queries value:

Queries value: HKCR\exefile[alwaysshowext]

Queries value: HKCR\systemfileassociations\.exe[alwaysshowext]

Oueries value: HKCR\exefile[nevershowext]

Queries value: HKCR\systemfileassociations\.exe[nevershowext]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4001-4acc-4001-$ 8648-d5d44b04ef8f}[parentfolder]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 8648-d5d44b04ef8f}[relativepath]

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901$ 8648-d5d44b04ef8f}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[infotip]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[icon]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[localredirectonly]

```
Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-4acc-4001-
8648-d5d44b04ef8f}[roamable]
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[precreate]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[stream]
       Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'ff ac 0 f7 c-4901-4 acc-4901-4 ac
8648-d5d44b04ef8f}[publishexpandedpath]
       Oueries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901
8648-d5d44b04ef8f}[attributes]
       Oueries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-490
8648-d5d44b04ef8f}[foldertypeid]
       Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f3ce0 f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4
8648-d5d44b04ef8f}[initfolderhandler]
                                                                                                     HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[attributes]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
 5595fe6b30ee}\shellfolder[callforattributes]
                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
 5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[usedrophandler]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsforparsing]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
 5595fe6b30ee}\shellfolder[wantsparsedisplayname]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforoverlay]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[hideinwebview]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Oueries value:
5595fe6b30ee}\shellfolder[nofilefolderjunction]
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
       Queries value:
5595fe6b30ee}\shellfolder[pintonamespacetree]
       Queries value:
                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[hasnavigationenum]
       Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
       Queries value:
                                                                                                      HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]
       Oueries value:
                                                                                                     HKCR\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprocserver32[inprocserver32]
                                                                                                     HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]
       Oueries value:
       Queries value:
                                                                                                     HKCR\clsid\{76765b11-3f95-4af2-ac9d-
 ea55d8994f1a}\inprocserver32[threadingmodel]
      Queries value:
95cf-2f29da2920da}[category]
       Oueries value:
95cf-2f29da2920da}[name]
      Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parentfolder]
       Oueries value:
95cf-2f29da2920da}[description]
      Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[relativepath]
```

 95cf-2f29da2920da}[parsingname]

Oueries value:

95cf-2f29da2920da}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[localizedname]

Oueries value:

95cf-2f29da2920da}[icon]

Oueries value:

95cf-2f29da2920da}[security]

Oueries value:

95cf-2f29da2920da}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresourcetype]

Queries value:

95cf-2f29da2920da}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[publishexpandedpath]

Oueries value:

95cf-2f29da2920da}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7d1d3a04-debb-4115-deb-4115-d$ 95cf-2f29da2920da}[foldertypeid]

Oueries value:

95cf-2f29da2920da}[initfolderhandler]

 $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+ user shell$ Queries value:

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

9305-67de0b28fc23}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[name1

Oueries value:

9305-67de0b28fc23}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[description]

Oueries value:

9305-67de0b28fc23}[relativepath]

Queries value:

9305-67de0b28fc23}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[infotip]

Queries value:

9305-67de0b28fc23}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresourcetype]

Oueries value:

9305-67de0b28fc23}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ frelative path \ label{eq:helmicrosoft}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer \folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [initfolder \ handler]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\cite{Category}\]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [infotip]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\[security]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirectonly]$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{lem:hklmsoftware} a 368-0 de 96e 47012e \cite{lem:hklmsoftware} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[initfolder \ handler]$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[category]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[name]}$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescription\currentversion\explorer\explorer\currentversion\explorer\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[infotip]} In the property of the p$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[localizedname]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee 384\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresourcetype]}$

Queries value:

 $HKLM\software\mbox{$M$ irrentversion} explorer\folderdescriptions \folderdescriptions \folderdescriptions. \folderdescriptions \folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [stream]$

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft$} \windows \current version \explorer \folder descriptions \end{4.8} \footnote{4.8} \end{4.8} \footnote{4.8} \footnote{4.8$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [attributes]$

Oueries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[parent folder]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$$ c4aa340d-f20f-4863-afef-f87ef2e6ba25} $$ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[parsingname]}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c4aa340d-f20f-4863-afef-f87ef2e6ba25) \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$

Queries value:

 $\label{thm:local_explorer_folder_folder_folder} HKLM \software \microsoft \windows \current version \explorer \folder_f$

afef-f87ef2e6ba25}[stream]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ flocalized name \ 1$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ Hklm\software\microsoft\windows\current version\end{error} $$ explorer\folder descriptions\folder \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$9e52ab10-f80d-49df-acb8-4330f5687855} [initfolder \mbox{$nderder}]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [parent folder]$

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{$98ec0e18-2098-4d44-8644-66979315a281} [local redirectorly]$

Ounring value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:general-gen$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [name]$

Oueries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$

Ouorios valuo

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[description]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[relativepath]}$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresourcetype]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[roamable]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[foldertypeid]}$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[category]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [description]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-4edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7-6b2e8ac1944 \cac52c1a-b53d-6edc-92d7$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[icon]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[security]} \\$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresource]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [local redirect only]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[roamable]

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Large the large term of the large term of$

Queries value:

 $\label{local-obs} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [attributes]$

Queries value:

92d7-6b2e8ac19434}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 18989b1d-99b5-455b-841c-ab7c74e4ddfc \cite{the description} \footnote{the description} \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[localized name]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}flocalredirectonlv1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[roamable]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream]$

Queries value:

 $\label{thm:local-pulli-state} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [category]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parent folder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.5} \parbox{$48a9-$} \pa$

9f6b-4b87a210bc8f}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} \begin{align*} HKLM \software \end{align*} \begin{align*} HKLM \software \end{align*} \end{align*} \begin{align*} HKLM \software \end{align*} \begin{align*} HKLM \software \end{align*} \end{align*} \begin{align*} HKLM \software \end{align*} \begin{align*} HKLM \software$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ fattributes \ label{eq:helmonormal}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ folder type id \ like \ folder \ folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 4455120 b 917\} \ \Gamma name 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ HKLM\software\microsoft\windows\current version\end{error} $$ 14455120b917\[description] $$$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 44551 20b 917\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455 120b 917\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ HKLM\software\microsoft\windows\current version\end{error} $$ 14455120b917\[security] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[localredirectonly]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [initfolder \ handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[localized name]$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\[streamresourcetype]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[precreate]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ finame \ 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirector ly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [description]$

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ | explorer \\ folder \\ descriptions \\ | explorer \\ | explor$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \fa75d362e-50fc-4fb7-ac2c-a8beaa314493 \[localized name]$

Queries value:

ac2c-a8beaa314493}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[attributes]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} \cite{A138d8174} \cite{$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} $HKLM \circ the area of the constant of t$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\$ [infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{491e922f-5643-4af4-a7eb-4e7a138d8174} [localized name]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} [initfolder \mbox{handler}]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ forme1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [description]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parsingname]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \folder \mbox{descriptions} \cal{lem:hklmsoftware} \folder \mbox{descriptions} \cal{lem:hklmsoftware} \cal{lem:hklmsoft$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresource]$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} [stream resource type]$

Queries value

 $\label{local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[local\cutrectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the label of the l$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[publishexpandedpath]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the lateral windows \end{align* lem:hklmsoftware \end{align* lem:hklmso$

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} [initfolder \cite{233e28130-4e1e-4676-835a-98395c3bc3bb}] \ \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} \ \cite{233e28130-4e1e-4676-835a-98395a-9$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'add 10c31-2adb-4296-a8f7-e4701232c972 \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ ficon1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource type]$

0....

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant with the second control of the second c$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$

Oueries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \label{eq:hklm} HKLM \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} \label{e$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{local-equation} $$HKLM\software\min\soft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[local redirect only]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parentfolder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parsing name]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ebf2536-e1a8-4c59-b6a2-414586476aea) \ [security]$

Oueries value:

 $HKLM \verb| software | microsoft | windows | current version | explorer | folder descriptions | \{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-e1a$

b6a2-414586476aea}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'of 214138-b1d3-4a90-bba9-27cbc0c5389a \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [localized name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ for \ constant \ for$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[localredirectonlv]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}\ [foldertypeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[initfolder \ handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2400183a-6185-49fb-a2d8-4a392a602ba3} \category\cite{Category} \cite{Category} \cite{Cate$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[relativepath]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parsingname]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2400183a-6185-49fb-a2d8-4a392a602ba3) \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [local redirector \]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [publish \ explorer\ \]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [attributes]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\category\cite{Absolute}. The second second$

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[name]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[relative\path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[localizedname]}$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[localredirectonly]}$

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d9dc8a3b-b784-432e-a781-5a1130a75963 \footnote{a} \footnote{b} \footnote{b} \footnote{c} \footnote{c}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[stream]}$

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} [initfolder \ handler]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [name]$

Queries value:

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explore$

Oueries value:

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [security]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$c4900540-2379-4c75-844b-64e6faf8716b} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4900540-2379-4c75-844b-64e6faf8716b\} [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explore$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[category]} \\$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

a41b-587a76d7e7f9}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (289a9a43-be44-4057-a41b-587a76d7e7f9) \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[publishexpandedpath]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}{attributes}

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current version \explorer \folder \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006a5be-ac0cb0567192}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{absorber} I descriptions \end{absorber} I description \end{absorber}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[parsingname]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [icon]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [precreate]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$

Ougries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the label} windows \end{are the label} lem: $$ \end{are the label} are the label $$ \end{ar$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[infotip]$

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{18-be4e-64cd4cb7d6ac} [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}\[streamresourcetype]\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \footnote{18-be4e-64cd4cb7d6ac} \cite{18-be4e-64cd4cb7d6ac} \cite{18-be4e-64cd4cb7d6a$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [parent folder] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e) \ [par sing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e \} \ [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [security]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e} [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4 aba-814f-a5ebd2fd6d5e \cite{lem:hklmsoftware} \cite{lem:hklmsoftware}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eq e32e446-31ca-4aba-814f-a5ebd2fd6d5e}[stream]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \eq [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ee 32e 446-31ca-4aba-814f-a 5ebd 2fd 6d 5e) \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explore$

a9c3-b52a1ff411e8}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c870044b-f49e-4126-a9c3-b52a1ff411e8) \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [local redirectonly]$

Queries value:

 $HKLM \ software \ ion \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[precreate]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ publishex \ panded path \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [attributes]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity (c870044b-f49e-4126-a9c3-b52a1ff411e8) \capacity (folder type id) \end{tikzpicture}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[initfolderhandler]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[description]

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}\ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\foarsingname1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0139d44e-6afe-49f2-8690-3dafcae} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0139d44e-6afe-49f2-8690-3dafcae6ffb8} [stream resource]$

Queries value:

 $HKLM\software\mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype] \\$

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae \ folder \ fo$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [initfolder \ handler]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[category]}$

Oueries value

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parentfolder]

Oueries value:

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=17f-4121-8900-86626 \footnote{1}{c} \color=17f-4121-8900-86626 \footnote{1}{c} \color=17f-4121-8900-86626 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-8600 \color=17f-4121-8900-$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[infotip]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresource]}$

Oueries value:

 $HKLM software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| {c5abbf53-e17f-4121-8900-86626fc2c973} [streamresourcetype]$

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[localredirectonly]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[roamable]}$

Queries value:

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[stream]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colongraph$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[initfolderhandler]}$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \cit$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder descriptions \cite{100} \forer \folder descriptions \cite{100} \forer \folder description \forer \folder description \forer \folder description \forer \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \folder \cite{100} \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ \lceil security \rceil$

Oueries value:

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{56784854-c6cb-462b-8169-88e350acb882}\[[streamresource] \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [local redirector \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \cit$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [folder type id]$

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [category]$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest the substitution of the substituti$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [parsing name] \end{microsoftware}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[localizedname]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ ficon 1$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresource]}$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-4622-4624\} \ descriptions \ folder \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ folder$

b42d-bc56db0ae516}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae 516\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 302545 d-deff-464 b-abe8-61c8648d939b \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 302545 d-deff-464 b-abe8-61c8648d939b \ parsing name]$

Oueries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ ficon 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ folder \ for \ explorer \ folder \ for \ explorer \ for \ explorer \ folder \ for \ explorer \ for \ explorer$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[folder type id]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[name]\]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[parent folder]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [infotip]$

Queries value:

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [icon]$

Oueries value

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [security]$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream resource]$

Oueries value:

 $\label{thm:local-power} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [stream resource type]$

Oueries value

 $\label{local-coef-4171-908e-08a611b84ff6} HKLM\software\mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6}[local-redirectonly]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \current \folder \current \folder \current \folder \current \folder \folder \current \folder \current \folder \$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} Windows \current version \explorer \folder descriptions \end{area} $170. $100.$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [initfolder \ handler]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ \add-440df7ef3ddc\[description] $$$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\cite{lem:hklm}\cite{lem$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ Hklm\software\microsoft\windows\current version\end{allower} $$ b8d1-440df7ef3ddc\[localized name] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\[icon]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [initfolder \ handler]$

Oueries value:

Queries value:

 $HKLM software \mbox{$microsoft\windows\currentversion} explorer \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} \ [name] \label{eq:hklm}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ essential that \ derdescriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [parentfolder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[description]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (e555 ab 60 - 153 b - 4d 17 - 9f 04 - a5f e 99f c 15 e c) \[[infotip] \]$

Oueries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[security]

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\eqenous} \label{eq:hklm} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ epsiloner \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \folder \$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [publishexpanded path]$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqes. Parbox{$4d17-$}} \parbox{$4d17-$} \parbox{$4d$

9f04-a5fe99fc15ec}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [initfolder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ 'lname 1$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ for \ explorer \ folder \ descriptions \ explorer \ folder \ folder \ folder \ folder \ descriptions \ explorer \ folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [stream resource]$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[localredirectonly]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{054} fae 61-4 dd 8-4787-80 b6-090220 c4 b700} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}{stream}

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[category]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[parentfolder]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In The properties of th$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [relative path]$

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \cite{thm:local-bound} \cite{thm:local-bound} \equiv 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \cite{thm:local-bound} \cite{thm:local-bound} \cite{thm:local-bound} \equiv 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \cite{thm:local-bound} \cite{thm:local-bound} \equiv 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \cite{thm:local-bound} \cit$

Oueries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd \ 'flocalized name \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'expl$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$

Oueries value

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [local redirectonly]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [precreate]$

Ougries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[initfolderhandler]$

Queries value:

 $\label{local-observation} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell} \\$

folders[favorites]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b250c668-f57d-4ee1-a63c-290ee7d1aa1f) \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[folder type id]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder handler]$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescr$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[parent folder]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftwaremicrosoftwindows \end{align* lem:hklmsoftwaremicrosoftwidth} \end{align* lem:hklmsoftwarem$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource type]$

Queries value

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[localredirectonly]}$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish \ expanded \ path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [initfolder handler]$

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\expl$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{8983036c-27c0-404b-8f08-102d10dcfd74} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresourcetype]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\exp$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[attributes]}$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcb5256f-79f6-4cee-b725-dc34e402fd46} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \formalfolder \end{figure} $$ hklk \end{figur$

Queries value:

b725-dc34e402fd46}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ finitfolder \ handler \ label{eq:finitfolder}$

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} True \end{array} In the label{lem:hklmsof$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[localredirectonly]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [precreate]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[stream]

Oueries value:

9f26-b60e846fba4f}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[attributes]

Oueries value:

9f26-b60e846fba4f}[foldertypeid]

Queries value:

9f26-b60e846fba4f}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[category]

Queries value:

be97-422220080e43}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[parentfolder]

be97-422220080e43}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[relativepath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[infotip]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[streamresourcetype]

Oueries value:

be97-422220080e43}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[publishexpandedpath]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[attributes]

Queries value:

be97-422220080e43}[foldertypeid]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[category]

Oueries value:

a3a9-6c82895e5c04}[name]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$

Queries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \ [security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [stream resource]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61 d 971 - 5 ebc - 4f02 - a3a9 - 6c82895e5c04\} \ [roamable]$

Queries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[publishexpandedpath]}$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{ass2-697dcd729b80} [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$

Queries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0.762d272-c50a-4bb0-a382-697dcd729b80\} \ [infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion\explorer\folderdescriptions\folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \ [name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \cite{baseline} \cite{$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresourcetype]}$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \cite{lem:hklmsoftware} \equal between the lemma \cite{lem:hklmsoftware} \equal between \cite{lem:$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[stream]}$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fold$

967b-40b0d20c3e4b}[attributes]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ 'lname1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[relativepath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ flocalized name \ 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource]$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-factor-descriptions-factor-descriptions-factor-descriptions-factor-descriptions-factor-description-factor-descr$

Queries value:

 $\label{local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[local\cute{local}]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [publish expanded path]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fact 14e77-02e7-4e5d-b744-2eb1ae5198b7 \fattributes \factor \fac$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a77f5d77-2e2b-44c3-a6a2-aba601054a51) \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream resource type]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish \ expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolder \ handler]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[category]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \cite{Continuous} \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \c$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[infotip]} Infotip \cite{Abbd-79d08e667ca7} and \cite{Abbd-79d08e66$

Queries value:

 $\label{thm:hklm} $HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[icon]}$

Queries value:

 $\label{local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[security]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[streamresource]}$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [local redirect only]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\}[stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{0ac0837c-bbf8-452a-850d-79d08e667ca7} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [parentfolder]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]$

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\fd0384e7d-bac3-4797-8f14-cba229b392b5\flocalizedname]}$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[icon]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream resource type]$

Oueries value:

 $HKLM \coftware \mbox{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [initfolder \ handler]$

Queries value:

9733-46cc89022e7c}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \folder 1.000 and 1.000$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} 1750db 17d - 9cd 2 - 4a93 - 9733 - 46cc 89022e 7c \end{area} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db 17d - 9cd2 - 4a93 - 9733 - 46cc89022e7c\} \ for \ explorer \ folder descriptions \ for \ folder \ folder \ folder \ for \ folder \ folder \ for \ folder \ f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db 17d - 9cd2 - 4a93 - 9733 - 46cc89022e7c\} \ flocal redirect only \ label{eq:figure}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db 17d - 9cd2 - 4a93 - 9733 - 46cc89022e7c\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[foldertypeid]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ 'endows'' \ 'endows' \ 'endows'' \ 'en$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [infotip]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}\[localized\name]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ '[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a-8655 - 8a 0 92 e 34 987 a } [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [precreate]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [stream]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ [attributes]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ '[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[category]}$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[parent folder]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localizedname]}$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[roamable]}$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]}$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [initfolder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \find 2785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \find \cite{157091} \cite{1570$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}parsing name\figure{1}{2}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[localized name]$

Oueries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill 152785-7 b8e7 f15709$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}security\cite{1}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \fill 1$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}roamable\cite{1}{2}$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-fib32785-6fba-4fcf-9d55-7b8e7f157091} [precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[stream]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [attributes]$

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}{5}[initfolderhandler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{thm:lem:hklk} windows \current version \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parentfolder]}$

Queries value:

9af7-4fc2abf07cc5}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} HKLM \software \software \end{array} HKLM \software \so$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ for each \ folder \ fo$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [publish \ expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}{attributes}

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ finit \ folder \ handler \ label{finite}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [relative path]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [folder type id]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [initfolder \ handler]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[name]} \\$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[parent folder]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescripti$

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{200} \cite{200}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \folds \fold$

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localizedname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} version \explorer \folder descriptions \scalebox{\scurrent} 469d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]}$

Queries value:

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[streamresourcetype]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localredirectonly]}$

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[roamable \] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[foldertypeid]}$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[initfolderhandler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'a 74 de 290-123 f-4565-9164-39c4925e 467b \ [name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{374 de 290-123 f-4565-9164-39c4925e 467b}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[localredirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[roamable]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 492 5 e 467 b\} [stream]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{374 de 290-123 f-4565-9164-39c4925e467b} [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value: $\label{local-prop} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \user shell folders \cite{local-prop} folders \cite{loca$

Queries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}\category\cite{Control of the control of the$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} \ [description]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [parsing name]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [local redirector \]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6cd\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [stream]$

Oueries value:

 $\label{thm:local-equation} HKLM\software\mbox{859 ead} 4-2e85-48 ad-a71a-0969 cb56a6cd} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [category]$

Queries value:

 $\label{local-prop} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[name]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \cite{baseline} \ci$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [relative path]$

Oueries value:

 $\label{thm:software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\label{lem:hklm} Flocalized\name\label{lem:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} [icon]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [local redirectonly]$

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \farefully \farefull \farefull \farefully \farefull \farefull$

8b1a-7e76fa98d6e4}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{a} 1305 ce99-f527-492b-8b1a-7e76 fa98d 6e4 \slight [stream] \\$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [category]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ parsing name \ label{eq:helmicrosoft}$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} 1644c9b-1fb8-4f30-9b45-f670235f79c0 \software \end{area} 1670235f79c0 \software \end{area} 1670235f79c0 \software \so$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresourcetype]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}{precreate1

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\scitcher{lem:hklm}\scitcher{lem:$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[foldertypeid]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[category]}$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a 990 a e 9 f - a 0 3 b - 4 e 8 0 - 9 4 b c - 9 9 1 2 d 7 5 0 4 1 0 4 \} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [icon]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [security]$

Oueries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref-a03b-4e80-94bc-9912d7504104 \footnote{Microsoft \current} \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop} \eqref{eq:local-prop} above \eqref{eq:local-prop} \eqref{eq:local-prop}$

Oueries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localredirectonly]} \\$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[stream]}$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{align* in the sum of the sum of$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[foldertypeid]}$

Queries value:

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[name]

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fdfdf76a2-c82a-4d63-906a-5644ac457385\[parentfolder]\]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[infotip]} Infotip \[\] $$ The property of the pro$

Queries value:

 $\label{local-continuity} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[icon]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{dfdf76a2-c82a-4d63-906a-5644ac457385} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ folder type id \ like \ folder \ folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value:

 $HKLM\software\mbox{$1a6fdba2-f42d-4358-a798-b74d745926c5}[parentfolder] \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[description]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parsing name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{1a6fdba2-f42d-4358-a798-b74d745926c5}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [localized name]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 1a6fdba2-f42d-4358-a798-b74d745926c5 \ficon\final 1a6fdba2-f42d-4358-a798-b74d745926c5 \final 1a6fdba2-f42d-4358-a798-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4358-b74d-4368-b74d-4368-b74d-4368-b74d-4368-b74d-4368-b74d-4368-b74d-4368-b$

Queries value:

 $HKLM\software\mbox{$1a6fdba2-f42d-4358-a798-b74d745926c5}[security] \\$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirectonly]$

Queries value:

 $\label{local-hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 1a6fdba2-f42d-4358-a798-b74d745926c5 \cite{local-hammon} \cite{local-hamm$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream]$

Queries value:

a798-b74d745926c5}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a520a1a4-1780-4ff6-bd18-167343c5af16) \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ ficon 1$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ for \ stream resource \ folder \ for \ folder \ for \ folder \ for \ f$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource type]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ 'a520a1a4-1780-4ff6-bd18-167343c5af16 \ [roamable]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{a} explorer $$ 1320a1a4-1780-4ff6-bd18-167343c5af16 [precreate] $$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520 a 1a 4-1780-4ff 6-bd 18-167343 c 5a f 16 \ [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}\fattributes1

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[foldertypeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [initfolder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [category]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$

Oueries value:

 $\label{local-equal-equal-equal-equal-equal} HKLM \software \mbox{$b8864$ daa-$e7$ bd-$49a9-$b74d-$02885a5$ dc765} \ [local redirectionly]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[foldertypeid]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[initfolderhandler]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[category]} \\$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[name]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39} [parentfolder]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[infotip]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[localizedname]}$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [stream resource type]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolder \ handler]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[category]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [relative path]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$^{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [icon]$

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[security]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresource]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}\[streamresourcetype]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[localredirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[stream]

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$

Queries value:

b827-48b24b6c7174}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [infotip]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[localized\name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ for \ explorer \ folder \ descriptions \ for \ descriptions \ fo$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[local\cute{local\cute}\]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[roamable]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ fold$

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{def} in $$HklM \software \end{def} {df7266ac-9274-4867-8d55-3bd661de872d} [publishex panded path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[foldertypeid]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\ [initfolder\handler]$

Queries value:

HKLMNsoftware\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}\ [name]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \footnote{MEMANGE Resolution}.$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45 a 8-81 e2-fc 79650 83634\} \ [par sing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af - dce 4-45a 8-81e2-fc 7965083634\} \ [infotip]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [local redirectonly]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [precreate] \\$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed4824 af-dce4-45a8-81e2-fc7965083634\} [stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45 a8-81 e2-fc 7965083634 \cupred{graph} \cupred{graph} \footnote{The description} \label{thm:local-prop} \end{graph} The local \cupred{graph} \footnote{The description} \footnote{The description} \cupred{graph} \footnote{The description} \cupred{graph} \footnote{The description} \cupred{graph} \footnote{The description} \cupred{graph} \cupred{graph} \footnote{The description} \cupred{graph} \cupred$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{ed4824af-dce4-45a8-81e2-fc7965083634\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\\[foldertypeid]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed4824af-dce4-45a8-81e2-fc7965083634\\\[initfolderhandler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[category]} In the context of t$

Queries value:

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} [parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[relativepath]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[parsingname]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[icon]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[security]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}\publishexpandedpath1

Queries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [folder type id]$

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-

bb61-92a9deaa44ff}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder description' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explore$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and 'explorer' \ 'folder descriptions' \ 'folder descriptions' \ 'all and 'explorer' \ 'folder descriptions' \ 'folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and the sum of the s$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 4214 fab 5-9757-4298-bb 61-92a9 dea a 44ff \cal{lem:hklmsoftware} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'folder descriptions' \ 'folder desc$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer'' \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'folder descriptions' \ 'folder desc$

Oueries value:

 $\label{local-possible} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff \ for eam\}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[publishexpandedpath\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder \ 'folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest the sign of the statement of the statem$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}\[parentfolder\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [relative path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[parsingname]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]} \\$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [security]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for \ explorer \ folder \ for \ explorer \ for$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish \ expanded path]$

Oueries value

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$

Oueries value

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fd228cb7-ae11-4ae3-864c-16f3910ab8fe)\cutegory\cite{Category}\cite{$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} [name]$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb7-ae 11-4ae 3-864c-16f 3910ab 8fe\}[relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[parsing name] \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [info tip]$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}\[localizedname]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8 fe \fill \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \displays \displays \cite{lem:hklmsoftware} \displays \displ$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\folderdescriptions\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[streamresourcetype]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe\[localredirectonly\]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[roamable]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [publish \ explorer\ \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[attributes]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[folder typeid]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[category\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[name]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[parentfolder]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{b97d20bb-f46a-4c97-ba10-5e3608430854}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ \lceil security \rceil$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream resource]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{local-prop} HKLM \ software \ ion \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [publish expanded path]$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $\label{thm:local-ball-algorithm} HKLM\software\mbox{$625b53c3-ab48-4ec1-balf-alef4146fc19}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[description]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[relativepath]}$

Queries value:

 $\label{thm:local_explorer_folder_fo$

ba1f-a1ef4146fc19}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[precreate]$

Oueries value:

 $HKLM \setminus software \setminus increased in the sum of the sum of$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}{attributes}

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[category]}$

Queries value:

 $HKLM software \mbox{$\mbox{M} \mbox{$\mbox{$\mbox{$d20$beec4-5ca8-4905-ae3b-bf251ea09b53}} \mbox{$\mbox{$\mbox{$\mbox{$name1$}}$}} \label{eq:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \cite{beautiful parent folder} \eqref{d20beautiful paren$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fol$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[localizedname]}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20beec4-5ca8-4905-ae3b-bf251ea09b53) \ [stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53) \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [initfolder \ handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$

Ouarias valua

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[\infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[icon]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[streamresourcetype]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[localredirectonly]}$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[precreate]}$

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [attributes]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[initfolderhandler]}$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[category]} \\$

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{10c07cd0-ef91-4567-b850-448b77cb37f9} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource type]$

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'undows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[attributes]$

Oueries value:

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[initfolderhandler]$

Queries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parentfolder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\f(description)\f(descr$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[relative\path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{Absolution} \cite{Absolution}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]} Infotip in the property of the property$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\\ [localized name]$

Queries value:

adb4-6c85480369c7}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\\ [initfolderhandler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [description]$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity (c1bae 2d0-10df-4334-bedd-7aa 20b 227a 9d) \[relative path \]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[infotip]}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[localizedname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [security]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$c1$bae2d0-10df-4334-bedd-7aa20b227a9d}[stream resource] \end{substitute}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [stream resource type]$

Queries value:

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \footnote{local-redirectonly} \]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[roamable]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c1bae2d0-10df-4334-10df-4$

bedd-7aa20b227a9d}[stream]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[initfolder \ handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ fold$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}\ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{190337d1-b8ca-4121-a639-6d472d16972a} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [initfolder \ handler]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[category\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[description]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[security]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource]$

Oueries value

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresourcetype]$

Oueries value

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [local redirect only]$

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[roamable]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\}[attributes]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'bfb 9d 5e 0-c 6a 9-40 4c-b 2b 2-a e 6d b 6a f 4968 \ [relative path]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill \folds \fold$

Queries value:

 $HKLM\software\mbox{$hkLM\software\mbox{$hkLM\software\mbox{$hkb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[security]} \\$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{are the label} windows \end{are the label} are the label label label label label label. The label label$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [foldertypeid]$

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolderhandler]}$

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[category]$$

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [name]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\[parentfolder\]$

050 00500150

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[description]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.5cd} \ footnote{1.5cd} \ footnot$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\[security]

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\[streamresourcetype]\]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [precreate]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [roamable]$

Queries value:

 $\label{lem:hklm} $HKLM \circ two constants on explorer folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [precreate]$

Oueries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[attributes]$

Queries value:

 $\label{thm:local-bound} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[foldertypeid]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[initfolder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caed \ folder \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} as 5.2481e8-33be-4251-ba85-6007 \caedcf9d \caedcf9d$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explore$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

ba85-6007caedcf9d}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ fol$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ cf9d \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder descriptions' \ 'folder descr$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d \ \ fattributes \ \ \}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caedcf9d\} \ folder \ type id \ label{eq:helmonton}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ finit folder \ handler \ label{eq:finit}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[category]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[name]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a63293e8-664e-48db-a079-df759e0509f7 \ [parent folder]$

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a63293e8-664e-48db-a079-df759e0509f7 \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[localredirectonly]

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftware$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [initfolder \ handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e 9-e 4eb-479d-b89f-130c02886155\} \ [category]$

Oueries value

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [parent folder]$

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explor$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream resource]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[streamresourcetype]$$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [local redirect only]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[precreate]

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [init folder \ handler]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\end{2000} \end{2000} \footnote{\cite{lem:hklmsoftware}} \end{2000} and \end{2000} \footnote{\cite{lem:hklmsoftware}} \footno$

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder descriptions \explorer\folder a 014-d097ee 346d63\[parentfolder\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-a014-d097ee346d63) \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\[localredirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (82a74aeb-aeb4-465c-a014-d097ee346d63) \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| version \verb| explorer | folder descriptions | \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [publish expanded path] | \end{substitute}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[attributes]}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[initfolderhandler]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[category]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[parentfolder]

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer \folder descriptions \eqref{3.44-40} and \eqref{3.45} and \eqref{3.45}$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{100} \end{to} $$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\[parsing name\]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-

874a-c0f2e0b9fa8e}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [local redirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{43668bf8-c14e-49b2-97c9-747784d784b7} [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]} \\$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [localized name]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}\ [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[streamresourcetype]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Currentversion \explorer $$ folderdescriptions \explorer $$ 97c9-747784d784b7 [local redirectorly] $$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[roamable]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[precreate]}$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

 $\label{lem:hklmsoftwaremicrosoftwindows} In the properties of th$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7}[initfolder \ 'handler']$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [parent folder]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [description]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [relative path]$

Oueries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \cite{Monthson-1000} \end{migray} \ and \microsoft \micros$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [stream resource]$

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \[stream resource type \]$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[precreate]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream]}$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the lateral part of the lateral par$

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [name]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

```
Oueries value:
b5b4-2d72e54eaaa4}[relativepath]
b5b4-2d72e54eaaa4}[parsingname]
 Oueries value:
b5b4-2d72e54eaaa4}[infotip]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[localizedname]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[icon]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[security]
 Queries value:
b5b4-2d72e54eaaa4}[streamresource]
 Queries value:
b5b4-2d72e54eaaa4}[streamresourcetype]
 Queries value:
b5b4-2d72e54eaaa4}[localredirectonly]
 Queries value:
b5b4-2d72e54eaaa4}[roamable]
 Oueries value:
b5b4-2d72e54eaaa4}[precreate]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[stream]
 Oueries value:
b5b4-2d72e54eaaa4}[publishexpandedpath]
 Queries value:
b5b4-2d72e54eaaa4}[attributes]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[foldertypeid]
 Queries value:
b5b4-2d72e54eaaa4}[initfolderhandler]
                  HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Oueries value:
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[attributes]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[callforattributes]
 Queries value:
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[restrictedattributes]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
 Queries value:
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[usedrophandler]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
 Queries value:
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
 Queries value:
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Queries value:
                  HKCR\clsid\{dffacdc5-679f-4156-8947-
```

c5c76bc0b67f}\shellfolder[hideinwebview]

c5c76bc0b67f}\shellfolder[hideondesktopperuser]

Oueries value:

HKCR\clsid\{dffacdc5-679f-4156-8947-

```
HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
  Oueries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
  Oueries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[pintonamespacetree]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{dffacdc5-679f-4156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-194156-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-8947-19406-
c5c76bc0b67f}]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nprocserver32[]
  Oueries value:
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                                      HKCU\software\microsoft\windows\currentversion\shell
  Oueries value:
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nstance[clsid]
  Queries value:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
  Queries value:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
  Oueries value:
                                      HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Queries value:
c66de400274e}\inprocserver32[threadingmodel]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[attributes]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\explorer\kindmap[.exe]
                                      HKCR\exefile\shell\open\command[delegateexecute]
  Oueries value:
  Queries value:
                                      HKCR\.asp[]
                                      HKCR\.bas[]
  Queries value:
  Queries value:
                                      HKCR\.bat[]
                                      HKCR\.cer[]
  Oueries value:
  Queries value:
                                      HKCR\.chm[]
  Oueries value:
                                      HKCR\.cmd[]
  Oueries value:
                                      HKCR\.com[]
  Queries value:
                                      HKCR\.cpl[]
                                      HKCR\.crt[]
  Queries value:
                                      HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}[]
  Oueries value:
  Queries value:
                                      HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-00c04fb6bfc4}\inprocserver32[]
  Oueries value:
  Oueries value:
                                      HKCR\clsid\{7b8a2d94-0ac9-11d1-896c-
00c04fb6bfc4}\inprocserver32[threadingmodel]
                                      HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
  Queries value:
  Oueries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[security_hklm_only]
                                      HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[f693fea1de37c00fb3925705cbe5722b.exe]
  Queries value:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
                                      \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings[createuricachesize]
  Oueries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
                                      HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[createuricachesize]
  Queries value:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
  Queries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablepunycode]
```

```
Queries value:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[f693fea1de37c00fb3925705cbe5722b.exe]
   Oueries value:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
   Oueries value:
                                                HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\zones\1[flags]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\zones\2[flags]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
   Queries value:
                                                HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
                                                HKCU\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[f693fea1de37c00fb3925705cbe5722b.exe]
   Queries value:
                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
   Queries value:
                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[f693fea1de37c00fb3925705cbe5722b.exe]
                                               HKLM\software\microsoft\internet
   Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                                               HKLM\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[specialfolderscachesize]
                                                HKCU\software\policies\microsoft\windows\currentversion\internet
   Queries value:
settings[specialfolderscachesize]
                                                HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[specialfolderscachesize]
                                               HKLM\software\microsoft\windows\currentversion\internet
   Oueries value:
settings[specialfolderscachesize]
                                                HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Queries value:
folders[cache]
                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}
   Oueries value:
folders[cookies]
                                                HKLM\software\microsoft\internet
   Oueries value:
explorer\main\featurecontrol\feature_protocol_lockdown[f693fea1de37c00fb3925705cbe5722b.exe]
                                                HKLM\software\microsoft\internet
   Queries value:
explorer\main\featurecontrol\feature_protocol_lockdown[*]
   Queries value:
                                                \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings\zones\0[1806]
   Oueries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings\zones\0[1806]
                                                HKCR\exefile\shell\open\command[command]
   Oueries value:
   Queries value:
                                                HKCR\exefile\shell\open\command[]
                                                HKCR\exefile\shell\open[setworkingdirectoryfromtarget]
   Queries value:
   Queries value:
                                                HKCR\exefile\shell\open[noworkingdirectory]
   Oueries value:
\label{thm:local_equation} \begin{tabular}{ll} HKLM \end{tabular} is a software \verb|\policies| microsoft \end{tabular} windows \end{tabular} is a software \end{tabular} and the software \end{tabular} is a software \end{tabular} is a software \end{tabular} and the software \end{tabular} is a software \end{tabular} is a software \end{tabular} and the software \end{tabular} is a software \end{tabular} and the software \end{tabular} is a software \end{tabular} is a software \end{tabular} and the software \end{tabular} and the software \end{tabular} is a software \end{tabular} and the so
                                                HKCU\software\microsoft\windows\currentversion\explorer\shell
   Oueries value:
folders[cache]
   Queries value:
                                                HKLM\software\microsoft\windows
nt \verb|\colored| local temp \|\colored| local
                                                HKLM\software\microsoft\windows nt\currentversion\image file execution
   Oueries value:
options[disablelocaloverride]
                                                HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\compatibility32[downloadmanager]
                                                HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0[]
   Oueries value:
                                                HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags[]
   Queries value:
   Queries value:
                                                HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32[]
                                                HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir[]
   Oueries value:
                                                HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}[]
   Queries value:
   Queries value:
                                                HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid[]
                                                HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid32[]
   Oueries value:
                                                HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\typelib[]
   Oueries value:
   Queries value:
                                                HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\typelib[version]
   Queries value:
                                                HKCR\http\shell\open\command[]
   Queries value:
                                                HKLM\software\microsoft\internet explorer[version]
   Oueries value:
c19ce8a73253}[enabledhcp]
                                                HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
   Oueries value:
   Oueries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings\winhttp\tracing[enabled]
   Oueries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings[sharecredswithwinhttp]
   Oueries value:
                                                HKLM\software\microsoft\windows\currentversion\internet
settings\winhttp[disablebranchcache]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
   Oueries value:
```

HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\0000000000002[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 0000000000004 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007[packedcatalogitem]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 0000000000008 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 0000000000009 \ [packed catalog item] \\ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog 9 \ catalog_entries \ 000000000010 \ [packed catalog item] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011[packedcatalogitem] Queries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \protocol_catalog 9 \catalog_entries \noon 000000000012 \packed catalog item] \\ Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 00000000000002 [library path] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Queries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace] \queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 00000000000002 [storesservice class info] \ Oueries \ value:$
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[storesserviceclassinfo]

 Oueries value:
- $\label{lem:hklmsystem} Hklm\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]\queries\value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Oueries value:
- $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 0000000000004 \ [providerid] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerid]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
 Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[enabled]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo]
 Queries value:
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \cupred \system \s$
- HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
 Oueries value:
- HKLM\system\currentcontrolset\control\lsaextensionconfig\sspicli[checksignaturedll]
 Oueries value:
- HKLM\system\currentcontrolset\control\lsaextensionconfig\sspicli[checksignatureroutine]
 Oueries value:
- HKLM\system\currentcontrolset\control\securityproviders[securityproviders]
 - Queries value: HKLM\system\currentcontrol\sa\sspicache\credssp.dll[name] Queries value: HKLM\system\currentcontrol\sa\sspicache\credssp.dll[comment]

Oueries value: HKLM\system\currentcontrolset\control\lsa\sspicache\credssp.dll[capabilities] Oueries value: HKLM\system\currentcontrolset\control\lsa\sspicache\credssp.dll[rpcid] HKLM\system\currentcontrolset\control\lsa\sspicache\credssp.dll[version] Queries value: HKLM\system\currentcontrolset\control\lsa\sspicache\credssp.dll[type] Oueries value: Queries value: HKLM\system\currentcontrolset\control\lsa\sspicache\credssp.dll[tokensize] HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings\connections[winhttpsettings] Queries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping] Oueries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping] HKLM\system\currentcontrolset\services\winsock\setup Queries value: migration\providers\psched[winsock 2.0 provider id] Oueries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[minsockaddrlength] Queries value: Queries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[usedelayedacceptance] Oueries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[helperdllname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution] HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [prioritize record data]$ Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[allowungualifiedguery] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback] HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [add r config control]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]

Queries value:

```
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
 Oueries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
                       HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
 Queries value:
                       HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
 Queries value:
\label{local-parameters} $$HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]$
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]
 Oueries value:
\label{lem:hklm} \verb+Kklm \system \current control set \services \label{lem:hklm} \verb+ dn scache \parameters [multicastresponder flags] \\
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout]
 Queries value:
                       HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]
                       HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
 Queries value:
                       HKLM\system\currentcontrolset\services\winsock\setup
 Oueries value:
migration\providers\tcpip[winsock 2.0 provider id]
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
 Oueries value:
HKLM\svstem\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
 Queries value:
                       HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6[winsock 2.0 provider id]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
 Oueries value:
Oueries value:
```

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
Queries value: HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]

Queries value: Queries value:

 $\label{thm:local-control} \begin{tabular}{ll} HKLM \end{tabular} $$ HKLM \end{tabular} and $$ is a constant of the control o$

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip6 \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [search list]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registrationenabled]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [register adapter name]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[domain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[dhcpdomain]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpv6domain]$

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip6 \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [names erver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [names erver]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \time faces \end{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [dhcpnames erver]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enabled \ hcp]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration enabled]$

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [register adapter name]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[domain]

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \time faces \end{6e} e29 ac 6c 2-7037-11 de-816 de666666963 \end{6e} [dhcpdomain]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[nameserver]

Queries value: KLM\svstem\c

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\}[dhcpnameserver]$

Queries value:

 $\label{thm:local-equation} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [queryadaptername]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [disable adapter domain name]$

Queries value:

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enablemulticast]

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [queryadaptername]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable adapter domain name]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\}[disable dynamic update]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration maxaddress count]$

```
Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[maxnumberofaddressestoregister]
806e6f6e6963}[enablemulticast]
 Oueries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
 Oueries value:
                         HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
 Oueries value:
                         HKCR\clsid\{00021401-0000-0000-c000-00000000046}\progid[]
                         HKCR\clsid\{00021401-0000-0000-c000-00000000046}[]
 Oueries value:
                         HKCR\clsid\{00021401-0000-0000-c000-
 Oueries value:
00000000046}\inprocserver32[inprocserver32]
 Oueries value:
                         HKCR\clsid\{00021401-0000-0000-c000-00000000046}\inprocserver32[]
                         HKCR\clsid\{00021401-0000-0000-c000-
 Oueries value:
00000000046}\inprocserver32[threadingmodel]
 Oueries value:
HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]
 Queries value:
HKLM\system\currentcontrolset\services\lanmanserver\defaultsecurity[srvsvcdefaultshareinfo]
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[common desktop]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common documents]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[commonpictures]
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[commonmusic]
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[commonvideo]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{de92c1c7-837f-4f69-a3bb-86e631204a23}]
                         \label{thm:local_hammon} \mbox{\tt HKLM\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}
 Queries value:
folders[{3d644c9b-1fb8-4f30-9b45-f670235f79c0}]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\profilelist[profilesdirectory]
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[startup]
                         \label{thm:local_hammon} \mbox{\tt HKLM\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}
 Queries value:
folders[common startup]
                         HKLM\software\microsoft\windows nt\currentversion\profilelist[public]
 Queries value:
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[programs]
 Oueries value:
                         HKLM\software\microsoft\windows\currentversion\explorer\user shell
folders[common programs]
                         HKLM\software\microsoft\windows\currentversion[programfilesdir]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\windows\currentversion[commonfilesdir]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}]
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid[]
 Oueries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[]
 Oueries value:
 Oueries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[inprocserver32]
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[threadingmodel]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\system[enablelua]
                         HKCR\clsid\{9ba05972-f6a8-11cf-a442-00a0c90a8f39}[]
 Queries value:
 Queries value:
                         HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]
 Oueries value:
                         HKLM\software\microsoft\ole[defaultaccesspermission]
                         HKLM \setminus system \setminus current control \setminus lsa[everyone includes an onymous]
 Queries value:
                         HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
 Oueries value:
cryptographic provider[type]
                         HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
 Oueries value:
cryptographic provider[image path]
                         {\tt HKLM \ } system \verb| current control set \verb| control \ \\ session
 Queries value:
manager[safeprocesssearchmode]
 Oueries value:
                         HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicv[enabled]
 Queries value:
                         HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
                         HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
 Oueries value:
 Oueries value:
HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
 Queries value:
                         HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
                         HKLM\software\microsoft\cryptography[machineguid]
 Oueries value:
                         Queries value:
                         HKLM\software\microsoft\rpc\extensions[ndroleextdll]
 Oueries value:
 Oueries value:
                         HKLM\software\microsoft\rpc\extensions[remoterpcdll]
```

Oueries value:

HKLM\software\microsoft\sqmclient\windows\disabledprocesses[d370ed9]

Queries value:

HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]

```
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
                         HKLM\software\microsoft\ole[maximumallowedallocationsize]
 Oueries value:
 Oueries value:
                          HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85\}\proxystubclsid32[]
                          HKCR\clsid\{00020424-0000-0000-c000-00000000046}[]
 Queries value:
                         HKCR\clsid\{00020424-0000-0000-c000-
 Oueries value:
00000000046}\inprocserver32[inprocserver32]
                          \label{local-equation-of-control} $$ HKCR\clsid_{00020424-0000-0000-c000-00000000046}\times [] $$
 Oueries value:
                          HKCR\clsid\{00020424-0000-0000-c000-
 Oueries value:
00000000046}\inprocserver32[threadingmodel]
                          HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}\typelib[]
 Oueries value:
                          HKCR\interface\{85cb6900-4d95-11cf-960c-0080c7f4ee85}\typelib[version]
 Oueries value:
 Queries value:
                          Oueries value:
                          HKCR\typelib\{00020430-0000-0000-c000-00000000046}\2.0\0\win32[]
                          HKLM\software\microsoft\rpc[udtalignmentpolicy]
 Oueries value:
                          HKCR\interface\{00020400-0000-0000-c000-0000000046}\proxystubclsid32[]
 Queries value:
 Oueries value:
                          HKCR\clsid\{00020420-0000-0000-c000-00000000046}[]
                          HKCR\clsid\{00020420-0000-0000-c000-
 Oueries value:
00000000046}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{00020420-0000-0000-c000-00000000046}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{00020420-0000-0000-c000-
00000000046}\inprocserver32[threadingmodel]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\datastore_v1.0[disable]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
                          HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\languagepack\surrogatefallback[plane11]|
 Queries value:
                         HKLM\software\microsoft\windows
\verb|nt\currentversion\language| pack\surrogatefallback[plane12]|
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
 Queries value:
                         HKLM\software\microsoft\windows
\verb|nt\currentversion\language| pack\surrogatefallback[plane15]|
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
 Oueries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[downloadmanager.exe]
                          HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow]
 Queries value:
 Queries value:
                          HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\ietld[ietldversionlow]
                          HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[frametabwindow]
 Oueries value:
 Oueries value:
                          HKLM\software\microsoft\internet explorer\main[frametabwindow]
                          HKCU\software\microsoft\internet explorer\main[framemerging]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[framemerging]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[sessionmerging]
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[sessionmerging]
                          HKCU\software\microsoft\internet explorer\main[admintabprocs]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[admintabprocs]
                          HKCU\software\microsoft\internet explorer\main[tabprocgrowth]
 Oueries value:
                          HKLM\software\microsoft\internet explorer\main[tabprocgrowth]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[navigationdelay]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[attributes]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[callforattributes]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsfordisplay]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
```

```
08002b30309d}\shellfolder[hidefolderverbs]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[usedrophandler]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsforparsing]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
  Oueries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[mapnetdriveverbs]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[hideinwebview]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hideondesktopperuser]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsaliasednotifications]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[nofilefolderjunction]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[hasnavigationenum]
                                       HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-
  Queries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{871c5380-42a0-1069-a2ea-
08002b30309d}1
                                       \label{local-eq:hkcr} $$ HKCR\clsid_{871c5380-42a0-1069-a2ea-08002b30309d} \in \clsid_{871c5380-42a0-1069-a2ea-08002b30309d} in processor of the second seco
  Queries value:
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[loadwithoutcom]
                                       HKCU\software\microsoft\windows\currentversion\shell
  Queries value:
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}}
0xffff1
  Queries value:
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\inprocserver32[inprocserver32]
                                       HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\inprocserver32[threadingmodel]
                                       HKLM\software\microsoft\windows\currentversion\policies\ratings[key]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[urlencoding]
  Queries value:
                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[downloadmanager.exe]
                                       HKCU\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[downloadmanager.exe]
                                       HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature localmachine lockdown[downloadmanager.exe]
  Queries value:
                                       HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-
a3fe-553973d0b7231
  Oueries value:
                                       HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-
b924-d51178a59ce41
  Oueries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[fromcachetimeout]
  Oueries value:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings[secureprotocols]
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[secureprotocols]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[secureprotocols]
                                       \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings[certificaterevocation]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablekeepalive]
  Queries value:
                                       \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[disablepassport]
  Queries value:
                                       HKCU\software\microsoft\windows\currentversion\internet
settings[idnenabled]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[cachemode]
  Queries value:
                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1 1]
  Queries value:
                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                                       HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enablehttp1_1]
  Queries value:
                                       \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings[proxyhttp1.1]
  Queries value:
                                       \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
```

```
settings[proxyhttp1.1]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyhttp1.1]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[enablenegotiate]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[disablebasicoverclearchannel]
                           HKCU\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
 Queries value:
                            HKLM\software\microsoft\internet
explorer\main\featurecontrol[feature_clientauthcertfilter]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[clientauthbuiltinui]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[syncmode5]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache[sessionstarttimedefaultdeltasecs]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[signature]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[peruseritem]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[peruseritem]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[local appdata]
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings\5.0\cache\content[cacheprefix]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[cachelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\cookies[peruseritem]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\cookies[peruseritem]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies[cacheprefix]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\cookies[cachelimit]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\history[peruseritem]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\history[peruseritem]
                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[historv]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\history[cacheprefix]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\history[cachelimit]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\domstore[cacherepair]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cachepath]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\domstore[cacheprefix]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cachelimit]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cacheoptions]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cacherepair]
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cachepath]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacheprefix]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cachelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cacheoptions]
 Queries value:
                           \label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\
settings\5.0\cache\extensible cache\iecompat[cacherepair]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\iecompat[cachepath]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacheprefix]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachelimit]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cacherepair]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachepath]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\ietld[cacheprefix]
```

```
Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachelimit]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cacheoptions]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\privacie:[cacherepair]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\privacie:[cachepath]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\privacie:[cachelimit]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enableautoproxyresultcache]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[displayscriptdownloadfailureui]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[mbcsservername]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[mbcsapiforcrack]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[utf8servernameres]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disableworkerthreadhibernation]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disableworkerthreadhibernation]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[disablereadrange]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[socketsendbufferlength]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[socketreceivebufferlength]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[keepalivetimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxhttpredirects]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[maxconnectionsperserver]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[maxconnectionsper1_0server]
 Oueries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
 Queries value:
                           \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
settings[maxconnectionsperproxy]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[serverinfotimeout]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[connectretries]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[connectretries]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[sendtimeout]
                           HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[sendtimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[receivetimeout]
 Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablentlmpreauth]
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[scavengecachelowerbound]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[certcachenovalidate]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelifetime]
 Queries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
                           \label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet
 Oueries value:
settings\5.0\cache[scavengecachefilelimit]
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[httpdefaultexpirytimesecs]
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
```

```
settings[ftpdefaultexpirytimesecs]
                            HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[downloadmanager.exe]
  Queries value:
                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
  Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[disablecachingofsslpages]
  Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[perusercookies]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[leashlegacycookies]
  Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[dialupuselansettings]
                            \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} internet \end{tabular}
  Oueries value:
settings[dialupuselansettings]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[sendextracrlf]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[wpadsearchalldomains]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasshttpnocachecheck]
                            HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasshttpnocachecheck]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasssslnocachecheck]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[enablehttptrace]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[nocheckautodialoverride]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[nocheckautodialoverride]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dontusednsloadbalancing]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[mimeexclusionlistforcache]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[headerexclusionlistforcache]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[dnscacheenabled]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[dnscacheentries]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dnscachetimeout]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpost]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[warnalwaysonpost]
                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonzonecrossing]
  Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings[warnonbadcertrecving]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpostredirect]
                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[alwaysdrainonredirect]
                            HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[warnonhttpstohttpredirect]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[tcpautotuning]
                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\wpad[wpadoverride]
  Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[enableautodial]
  Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[nonetautodial]
                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[globaluseroffline]
                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[badproxyexpirestime]
  Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[disablebranchcache]
                            HKLM\software\microsoft\tracing[enableconsoletracing]
  Oueries value:
  Queries value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[enablefiletracing]
  Oueries value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[filetracingmask]
  Queries value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[enableconsoletracing]
  Queries value:
```

```
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[consoletracingmask]
                                     HKLM\software\microsoft\tracing\downloadmanager_rasapi32[maxfilesize]
  Oueries value:
  Oueries value:
                                     HKLM\software\microsoft\tracing\downloadmanager_rasapi32[filedirectory]
  Queries value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[enablefiletracing]
  Queries value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[filetracingmask]
  Oueries value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[enableconsoletracing]
  Oueries value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus download manager\_ras mancs [consoletracing mask] \\
  Queries value:
                                      HKLM\software\microsoft\tracing\downloadmanager_rasmancs[maxfilesize]
  Oueries value:
                                      HKLM\software\microsoft\tracing\downloadmanager_rasmancs[filedirectory]
  Oueries value:
                                     HKLM\software\microsoft\windows
nt\currentversion\profilelist[programdata]
  Queries value:
                                     HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxysettingsperuser]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[migrateproxy]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyenable]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[proxyserver]
  Queries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[autoconfigurl]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\connections[savedlegacysettings]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\connections[defaultconnectionsettings]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[autoconfigcustomua]
  Queries value:
                                     HKCR\autoproxytypes\application/x-internet-signup[dllfile]
                                      HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
  Oueries value:
  Queries value:
                                      HKCR\autoproxytypes\application/x-internet-signup[default]
  Queries value:
                                      HKCR\autoproxytypes\application/x-internet-signup[flags]
                                      HKCR \verb| autoproxytypes \verb| application/x-ns-proxy-autoconfig[dllfile]| \\
  Oueries value:
                                      HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
  Queries value:
  Queries value:
                                      HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
  Oueries value:
                                      \label{local-config} \begin{tabular}{l} HKCR \autoproxy types \application/x-ns-proxy-autoconfig[flags] \end{tabular}
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zonemap[autodetect]
                                     HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]
  Queries value:
                                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
  Oueries value:
199fdba5723b}\inprocserver32[inprocserver32]
                                     \label{local-bound} $HKCR\clsid\\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\\\label{local-bound} $HKCR\clsid\\{dcb00c01-570f-4a9b-8d69
  Oueries value:
  Queries value:
                                     HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32[threadingmodel]
                                     HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\}[]
  Queries value:
                                      HKCU\software\microsoft\internet explorer[no3dborder]
  Oueries value:
                                      HKLM\software\microsoft\internet explorer[no3dborder]
  Oueries value:
  Queries value:
                                     HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32[]
  Queries value:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[urlencoding]
  Oueries value:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[downloadmanager.exe]
                                     HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_mime_handling[*]
  Queries value:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Queries value:
2299f0398e27}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]
  Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\user agent[]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\user agent[]
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Oueries value:
2299f0398e27}\inprocserver32[threadingmodel]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[compatible]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[compatible]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[version]
  Oueries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[version]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet settings[user
agent]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
```

settings\5.0\user agent[platform]

```
Oueries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[platform]
  Oueries value:
                                     HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
                                     HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32[]
  Queries value:
  Oueries value:
                                     HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
  Queries value:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-
  Oueries value:
00aa00341d07}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
  Queries value:
  Oueries value:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[threadingmodel]
  Queries value:
                                     HKCR \land [bcd1de7e-2db1-418b-b047-4a74e101f8c1] \land [bcd1de7e7e-2db1-418b-b047-4a74e101f8c1] \land [bcd1de7e7e-2db1-418b-b047e16e7e-2db1-418b-b047e7e-2db1-418b-b047e7e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b-b047e-2db1-418b
  Oueries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation[*]
  Oueries value:
                                     HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[autoproxydetecttype]
                                     HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_maxconnectionsperserver[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver[*]
                                    HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_maxconnectionsper1_0server[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsper1_0server[*]
  Queries value:
                                     HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enableutf8]
                                     HKCU\software\microsoft\internet explorer\international[acceptlanguage]
  Queries value:
                                     HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_disable_legacy_compression[downloadmanager.exe]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_disable_legacy_compression[*]
  Queries value:
                                     HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
                                     HKLM\software\microsoft\ctf[enableanchorcontext]
  Queries value:
  Queries value:
                                     HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}[]
  Oueries value:
                                     HKLM\system\currentcontrolset\services\netbt\linkage[export]
  Queries value:
                                     \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\zones\3[1a10]
                                     HKCR\mime\database\content type\text/html[extension]
  Queries value:
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_mime_sniffing[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing[*]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[istextplainhonored]
                                     HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature feeds[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_feeds[*]
  Oueries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[downloadmanager.exe]
  Oueries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[*]
                                     HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[]
  Oueries value:
  Queries value:
                                     HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[]
  Queries value:
                                     HKCR\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[]
  Queries value:
  Queries value:
                                     HKCR\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32[threadingmodel]
                                     HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_legacy_dispparams[downloadmanager.exe]
  Queries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams[*]
  Oueries value:
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching[downloadmanager.exe]
                                     HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature object caching[*]
  Queries value:
                                     HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
  Queries value:
                                     HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-
91a2-7b624e0e72441
  Queries value:
                                     HKLM\software\microsoft\internet explorer\application
compatibility[downloadmanager.exe]
  Oueries value:
                                     HKCU\software\microsoft\internet explorer\domstorage[totallimit]
  Oueries value:
                                     HKCU\software\microsoft\internet explorer\domstorage[domainlimit]
```

nt\currentversion\windows[dragscrollinset]
 Queries value: HKCU\software\microsoft\windows

HKCU\software\microsoft\windows

```
nt\currentversion\windows[dragscrolldelay]
                                                       HKCU\software\microsoft\windows
    Oueries value:
nt\currentversion\windows[dragscrollinterval]
    Queries value:
                                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[downloadmanager.exe]
    Queries value:
                                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[*]
                                                       HKCR\protocols\handler\about[clsid]
    Oueries value:
                                                       HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}[]
    Oueries value:
    Oueries value:
                                                       HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[inprocserver32]
    Queries value:
                                                       \label{local-bb82-00aa00bdce0b} Linprocserver 32[] \\
    Oueries value:
                                                       HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[threadingmodel]
    Queries value:
                                                       HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[downloadmanager.exe]
                                                       HKCU\software\microsoft\windows\currentversion\internet
    Oueries value:
settings\zones\3[2106]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\zoom[zoomdisabled]
    Oueries value:
                                                        \label{lem:hklmsoftware} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} windows \end{tabular} current version \end{tabular} internet settings \end{tabular} variable \end{tabular} and \end{tabular} in the label \end{tabular} in the label \end{tabular} windows \end{tabular} variable \end{tabular} with \end{tabular} in the label \end{tabular} with \end{tabular} in the label \end{tabular} with \e
history[daystokeep]
    Queries value:
                                                        HKLM\software\policies\microsoft\internet explorer[smartdithering]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer[smartdithering]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer[rtfconverterflags]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[usecleartype]
    Oueries value:
                                                        \label{local-operator} \mbox{HKCU\software\mbox{\sc microsoft\internet explorer\mbox{\sc microsoft\sc micro
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[anchor underline]
                                                        HKCU\software\microsoft\internet explorer\main[css_compat]
    Oueries value:
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[expand alt text]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[display inline images]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[display inline videos]
                                                        HKLM\software\microsoft\internet explorer\main[display inline videos]
    Queries value:
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[play_background_sounds]
                                                        \label{lem:hkcu} \verb+kkcu+ software+ microsoft+ internet explorer+ main[play\_animations]
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[print_background]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[use stylesheets]
    Oueries value:
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[smoothscroll]
                                                        HKCU\software\microsoft\internet explorer\main[xmlhttp]
    Queries value:
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[show image placeholders]
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[disable script debugger]
                                                        HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[move system caret]
    Oueries value:
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[force offscreen
compositionl
                                                        HKCU\software\microsoft\internet explorer\main[enable autoimageresize]
    Queries value:
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[usethemes]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[usehr]
    Oueries value:
                                                        HKCU\software\microsoft\internet explorer\main[q300829]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[cleanup htcs]
                                                        HKCU\software\microsoft\internet explorer\main[xdomainrequest]
    Oueries value:
    Oueries value:
                                                        HKLM\software\microsoft\internet explorer\main[xdomainrequest]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\main[domstorage]
    Queries value:
                                                        HKCU\software\microsoft\internet
explorer\international[default_codepage]
    Queries value:
                                                       HKCU\software\microsoft\internet explorer\international[autodetect]
    Oueries value:
                                                        HKCU\software\microsoft\internet
explorer\international\scripts[default_iefontsizeprivate]
    Oueries value:
                                                       HKCU\software\microsoft\internet explorer\settings[anchor color]
                                                        HKCU\software\microsoft\internet explorer\settings[anchor color visited]
    Queries value:
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[anchor color hover]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[always use my colors]
                                                        HKCU\software\microsoft\internet explorer\settings[always use my font
    Queries value:
size1
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[always use my font
face1
   Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[disable visited
hyperlinks]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[use anchor hover
color1
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\settings[miscflags]
                                                        HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus policies [allow of the content of th
    Oueries value:
programmatic cut_copy_paste]
    Queries value:
                                                       HKLM\software\policies\microsoft\windows\currentversion\internet
settings[disablecachingofsslpages]
    Oueries value:
                                                       HKCU\software\policies\microsoft\windows\currentversion\internet
settings[disablecachingofsslpages]
    Queries value:
                                                        HKCU\software\microsoft\internet explorer\pagesetup[print_background]
                                                        HKLM\system\currentcontrolset\control\nls\codepage[950]
```

explorer\international\scripts\3[iefontsize]
 Queries value: HKCU\software\microsoft\internet
explorer\international\scripts\3[iefontsizeprivate]

HKCU\software\microsoft\internet

Queries value: Oueries value:

HKCU\software\microsoft\internet Queries value:

explorer\international\scripts\3[iepropfontname]

Oueries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefixedfontname]

Oueries value: HKLM\software\microsoft\internet explorer\version vector[ie] Queries value: HKLM\software\microsoft\internet explorer\version vector[vml]

HKLM\software\microsoft\internet explorer\version vector[windowsedition] Oueries value:

HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature_zone_elevation[downloadmanager.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_zone_elevation[*]

Queries value: $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

settings\zones\3[2700]

Oueries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter[downloadmanager.exe]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_xssfilter[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones[securitysafe]

Oueries value: HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[downloadmanager.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_mshtml_autoload_ieframe[*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[1400]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_sslux[downloadmanager.exe] HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature_sslux[*]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[warnonintranet]

HKCU\software\policies\microsoft\windows\currentversion\internet Queries value:

settings[warnonintranet]

 $\label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\$ Oueries value:

settings[warnonintranet]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[] Oueries value:

HKCR\clsid\{50d5107a-d278-4871-8989-Oueries value:

f4ceaaf59cfc}\inprocserver32[inprocserver32]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32[] Queries value:

Oueries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[threadingmodel]

HKCR\interface\{618736e0-3c3d-11cf-810c-00aa00389b71}\proxystubclsid32[] Oueries value: HKCR\interface\{332c4425-26cb-11d0-b483-00c04fd90119}\proxystubclsid32[] Oueries value:

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\progid[] Oueries value: Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[]

Oueries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[inprocserver32]

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32[] Oueries value:

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[threadingmodel]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\3[1201]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[cointernetcombineiuricachesize]

HKLM\software\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature_subdownload_lockdown[downloadmanager.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_subdownload_lockdown[*]

HKLM\software\policies\microsoft\windows\currentversion\internet Oueries value: settings[securityidiuricachesize]

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ settings[securityidiuricachesize]

HKCU\software\microsoft\windows\currentversion\internet

settings[securityidiuricachesize]

Oueries value:

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings[securityidiuricachesize]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_block_lmz_img[downloadmanager.exe]

Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_block_lmz_img[*]

HKCR\mime\database\content type\image/png[extension] Oueries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid[] Oueries value: Oueries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}[]

HKCR\clsid\{30c3b080-30fb-11d0-b724-Queries value:

00aa006c1a01}\inprocserver32[inprocserver32]

Queries value: $\label{locality} $$HKCR\clsid{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[] $$$

```
HKCR\clsid\{30c3b080-30fb-11d0-b724-
  Queries value:
00aa006c1a01}\inprocserver32[threadingmodel]
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[]
  Oueries value:
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[]
  Queries value:
  Oueries value:
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-
00aa006c1a01}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[]
  Oueries value:
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-
  Oueries value:
00aa006c1a01}\inprocserver32[threadingmodel]
                                    HKCR\mime\database\content type\image/bmp\bits[0]
  Oueries value:
  Oueries value:
                                    HKCR\mime\database\content type\image/gif\bits[0]
  Queries value:
                                    HKCR\mime\database\content type\image/jpeg\bits[0]
  Oueries value:
                                    HKCR\mime\database\content type\image/pjpeg\bits[0]
                                    HKCR\mime\database\content type\image/png\bits[0]
  Oueries value:
  Queries value:
                                    HKCR\mime\database\content type\image/x-png\bits[0]
  Queries value:
                                    HKCR\mime\database\content type\image/x-wmf\bits[0]
                                    HKCR\mime\database\content type\image/x-png[image filter clsid]
  Oueries value:
  Queries value:
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[]
  Queries value:
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[]
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
  Oueries value:
00a0c913f750}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[]
  Queries value:
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-
  Queries value:
00a0c913f750}\inprocserver32[threadingmodel]
  Queries value:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_script[downloadmanager.exe]
  Queries value:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_script[*]
                                    \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings\zones\3[1c00]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\zones\3[{aeba21fa-782a-4a90-978d-b72164c80120}]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[privacyadvanced]
                                    \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
  Queries value:
settings\zones\3[2000]
                                    HKLM\software\microsoft\internet explorer\feed discovery[sound]
  Oueries value:
                                    HKCU\software\microsoft\ftp[use web based ftp]
  Oueries value:
                                    HKCU\software\microsoft\internet
  Queries value:
explorer\services[selectionactivitybuttondisable]
  Queries value:
                                    HKCU\software\microsoft\internet explorer\suggested sites[enabled]
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32[]
  Queries value:
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-
  Oueries value:
444553540000}\inprocserver32[loadwithoutcom]
                                    HKCU\software\microsoft\windows\currentversion\shell
0xffff1
  Queries value:
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}[]
                                    HKCR \clsid \ff 393560-c2a 7-11cf-bff 4-
  Oueries value:
444553540000}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-
  Oueries value:
444553540000}\inprocserver32[threadingmodel]
                                    \label{thm:linear} \mbox{HKCU\software\mbox{\sc windows\currentversion\sc internet}} \\
  Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
  Queries value:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
                                   HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
                                    HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta + (20d04fe0-delta + (20d0
  Queries value:
3aea-1069-a2d8-08002b30309d}[]
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[localizedstring]
  Oueries value:
                                    HKCU\software\microsoft\internet
  Oueries value:
explorer\main\windowssearch[enabledscopes]
  Queries value:
                                    HKLM\software\microsoft\windows search[currentversion]
  Queries value:
                                    HKLM\software\microsoft\internet explorer\main[maxrenderline]
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}[]
  Oueries value:
  Queries value:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32[]
  Oueries value:
  Oueries value:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\inprocserver32[threadingmodel]
  Oueries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1250]
  Queries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1251]
                                    HKLM\system\currentcontrolset\control\nls\codepage[1253]
  Oueries value:
  Oueries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1254]
  Oueries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1255]
  Queries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1256]
  Oueries value:
                                    HKLM\system\currentcontrolset\control\nls\codepage[1257]
```

HKLM\system\currentcontrolset\control\nls\codepage[1258]

```
HKLM\system\currentcontrolset\control\nls\codepage[874]
  Oueries value:
                           HKLM\system\currentcontrolset\control\nls\codepage[932]
  Oueries value:
  Oueries value:
                           HKLM\system\currentcontrolset\control\nls\codepage[936]
                           HKLM\system\currentcontrolset\control\nls\codepage[949]
  Queries value:
  Oueries value:
                           HKLM\svstem\currentcontrolset\control\nls\codepage[1361]
  Sets/Creates value:
                           HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}[]
                           HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\localserver32[]
  Sets/Creates value:
                           HKCR\clsid\{d3388703-5092-487c-8217-
  Sets/Creates value:
11ada1ca68b5}\localserver32[serverexecutable]
                           HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\typelib[]
  Sets/Creates value:
  Sets/Creates value:
                           HKCR\clsid\{d3388703-5092-487c-8217-11ada1ca68b5}\version[]
  Sets/Creates value:
                           HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0[]
  Sets/Creates value:
                           HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\flags[]
                           HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\0\win32[]
  Sets/Creates value:
  Sets/Creates value:
                           HKCR\typelib\{dcabb943-792e-44c4-9029-ecbee6265af9}\1.0\helpdir[]
                           HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}[]
  Sets/Creates value:
  Sets/Creates value:
                           HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid[]
  Sets/Creates value:
                           HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\proxystubclsid32[]
  Sets/Creates value:
                           HKCR\interface\{3408ac0d-510e-4808-8f7b-6b70b1f88534}\typelib[]
  Sets/Creates value:
                           HKCR \ interface \ \{3408ac0d-510e-4808-8f7b-6b70b1f88534\} \ typelib[version]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[enablefiletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[enableconsoletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[filetracingmask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasapi32[consoletracingmask]
                           HKLM \setminus software \setminus microsoft \setminus tracing \setminus download manager\_rasapi32 [maxfilesize] \\
  Sets/Creates value:
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\downloadmanager_rasapi32[filedirectory]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[enablefiletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[enableconsoletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[filetracingmask]
 Sets/Creates value:
HKLM\software\microsoft\tracing\downloadmanager_rasmancs[consoletracingmask]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\downloadmanager_rasmancs[maxfilesize]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\downloadmanager_rasmancs[filedirectory]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecisionreason]
                           HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecisiontime]
                           HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecision]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpadnetworkname]
                           HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\wpad\2e-55-61-2c-61-5a[wpaddecisionreason]
                           HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\wpad\2e-55-61-2c-61-5a[wpaddecisiontime]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\2e-55-61-2c-61-5a[wpaddecision]
                           HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
  Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
                           HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
 Value changes:
settings\zonemap[uncasintranet]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[autodetect]
  Value changes:
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[proxyenable]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\connections[savedlegacysettings]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
 Value changes:
                           settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecisionreason]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecisiontime]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpaddecision]
  Value changes:
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
```

settings\wpad\{5a090f46-2067-4113-b7c0-94a02d8d6bdc}[wpadnetworkname]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad\2e-55-61-2c-61-5a[wpaddecisionreason]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\2e-55-61-2c-61-5a[wpaddecisiontime]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\2e-55-61-2c-61-5a[wpaddecision]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]

Value changes: HKCU\software\microsoft\internet explorer\main\windowssearch[version]