# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 203, Task ID: 812

Task ID: 812 Risk Level: 3

Date Processed: 2016-04-28 13:09:53 (UTC)

Processing Time: 61.27 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\9a992314512bbc93b07328b3941fe048.exe"

Sample ID: 203 Type: basic Owner: admin

Label: 9a992314512bbc93b07328b3941fe048

Date Added: 2016-04-28 12:45:11 (UTC)

File Type: PE32:win32:gui File Size: 925112 bytes

MD5: 9a992314512bbc93b07328b3941fe048

SHA256: 72668272001346e2deb5d2f4ff6836f7a6a613a25dfcf456c61ed1adc3ef03ef

Description: None

## Pattern Matching Results

3 Writes to a log file [Info]

### Static Events

Anomaly: PE: Contains a virtual section

#### Process/Thread Events

Creates process: C:\windows\temp\9a992314512bbc93b07328b3941fe048.exe

["C:\windows\temp\9a992314512bbc93b07328b3941fe048.exe"]

### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\DirectSound DllMain mutex (0x000009C8)

Creates mutex: \BaseNamedObjects\RCPHost\_Instance\_Mutex
Creates event: \Security\LSA\_AUTHENTICATION\_INITIALIZED

Creates event: \Sessions\1\BaseNamedObjects\EClientDisconnect51003
Creates event: \BaseNamedObjects\SvcctrlStartEvent\_A3752DX

Creates event: \BaseNamedObjects\BFE\_Notify\_Event\_{94e5150b-8784-4f35-b46d-

36ebe4a6b542}

Creates event: \Sessions\1\BaseNamedObjects\DINPUTWINMM

## File System Events

Creates: C:\ProgramData

Creates: C:\ProgramData\Remote Control PC

Creates: C:\ProgramData\Remote Control PC\apc-host.log
Creates: C:\ProgramData\Remote Control PC\hostaccount.ini
Creates: C:\ProgramData\Remote Control PC\hoststate.dat

Opens: C:\Windows\Prefetch\9A992314512BBC93B07328B3941FE-B154F679.pf

Opens: C:\Windows\System32

Opens: C:\windows\temp\9a992314512bbc93b07328b3941fe048.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comctl32.dll

Opens: C:\windows\temp\winmm.dll C:\Windows\System32\winmm.dll Opens: Opens: C:\windows\temp\dsound.dll C:\Windows\System32\dsound.dll Opens: Opens: C:\windows\temp\POWRPROF.dll Opens: C:\Windows\System32\powrprof.dll Opens: C:\windows\temp\wsock32.dll Opens: C:\Windows\System32\wsock32.dll Opens: C:\windows\temp\IPHLPAPI.DLL Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: C:\windows\temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll Opens: C:\Windows\System32\imm32.dll C:\Windows\WindowsShell.Manifest Opens:

Opens: C:\Windows\System32\en-US\setupapi.dll.mui

 Opens:
 C:\windows\temp\9a992314512bbc93b07328b3941fe048.ENU

 Opens:
 C:\windows\temp\9a992314512bbc93b07328b3941fe048.ENU.DLL

 Opens:
 C:\windows\temp\9a992314512bbc93b07328b3941fe048.EN

 Opens:
 C:\windows\temp\9a992314512bbc93b07328b3941fe048.EN.DLL

C:\windows\temp\profapi.dll Opens: C:\Windows\System32\profapi.dll Opens: Opens: C:\ProgramData Opens:

C:\ProgramData\Remote Control PC\ Opens: C:\ProgramData\Remote Control PC Opens: C:\Windows\System32\uxtheme.dll Opens: C:\windows\temp\dwmapi.dll C:\Windows\System32\dwmapi.dll Opens: Opens: C:\Windows\Fonts\StaticCache.dat Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\windows\temp\SspiCli.dll Opens: C:\Windows\System32\sspicli.dll

Opens: C:\Windows\Temp

Opens:

Opens: C:\ProgramData\Remote Control PC\apc-host.log C:\Windows\Globalization\Sorting\SortDefault.nls Opens:

Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\WSHTCPIP.DLL Opens: C:\Windows\System32\nlaapi.dll Opens: C:\Windows\System32\NapiNSP.dll Opens: C:\Windows\System32\pnrpnsp.dll C:\windows\temp\DNSAPI.dll Opens: C:\Windows\System32\dnsapi.dll Opens: Opens: C:\Windows\System32\winrnr.dll Opens: C:\windows\temp\dhcpcsvc6.DLL Opens: C:\Windows\System32\dhcpcsvc6.dll Opens: C:\windows\temp\dhcpcsvc.DLL Opens: C:\Windows\System32\dhcpcsvc.dll C:\Windows\System32\FWPUCLNT.DLL Opens: Opens: C:\windows\temp\rasadhlp.dll Opens: C:\Windows\System32\rasadhlp.dll

C:\Windows\Temp\9a992314512bbc93b07328b3941fe048.exe Opens:

Opens: C:\Windows

Opens: C:\windows\temp\MMDevAPI.DLL C:\Windows\System32\MMDevAPI.dll Opens: Opens: C:\windows\temp\PROPSYS.dll Opens: C:\Windows\System32\propsys.dll Opens: C:\windows\temp\libspeex.dll

Opens: C:\ProgramData\Remote Control PC\libspeex.dll

Opens: C:\windows\temp\libspeexdsp.dll

C:\ProgramData\Remote Control PC\libspeexdsp.dll Opens: Opens: C:\ProgramData\Remote Control PC\hostaccount.ini Writes to: C:\ProgramData\Remote Control PC\apc-host.log Writes to: C:\ProgramData\Remote Control PC\hostaccount.ini Writes to: C:\ProgramData\Remote Control PC\hoststate.dat

Reads from: C:\Windows\Fonts\StaticCache.dat

Reads from: C:\ProgramData\Remote Control PC\hostaccount.ini

## Windows Registry Events

Creates kev: HKLM\system\currentcontrolset\services\tcpip\parameters Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\terminal server Opens key: Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

HKLM\software\policies\microsoft\mui\settings Opens key: Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

Opens kev: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize  $\label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ compatibility 32$ Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key:

Opens key:  $\label{lem:hklm} \mbox{HKLM} \mbox{$\mbox{hklm}\software\mbox{$\mbox{microsoft}\windows}$} \mbox{$\mbox{nt}\currentversion\windows}$$ Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole HKLM\software\microsoft\ole\tracing Opens key: Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows\currentversion\setup

HKLM\software\microsoft\windows\currentversion Opens kev:

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKCU\software\borland\locales
Opens key: HKLM\software\borland\locales
Opens key: HKCU\software\borland\delphi\locales

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} White \label{lem:hkklm} HKLM \label{lem:hkklm} White \labe$ 

 $a9dd-070d1d495d97\} \verb|\propertybag|$ 

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings
Opens kev: HKLM\system\currentcontrol\set\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore\_v1.0

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog\146b8021

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\00000019

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries
 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000001
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\0000000000005
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000007
Opens key:

 $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \protocol\_catalog 9 \catalog\_entries \000000000010 \parameters \end{subarray} Opens key:$ 

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \protocol\_catalog 9 \catalog\_entries \000000000011 \parameters \end{substitute} Opens \end{substitute} Key:$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000012
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000013
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000014
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000015
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000016
Opens key:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \protocol\_catalog 9 \catalog\_entries \000000000017 \parameters \end{substantial} Opens \end{substantial} Services \system \current \cut be a considered and the constant \cut be a constant$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000018
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5

Opens key:

Opens key:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001
 Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005
 Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000006
 Opens key:
                    HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                    HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                    HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens kev:
                    HKLM\svstem\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                    HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
                   HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
 Opens key:
                   HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
 Opens kev:
                   HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                    HKLM\software\policies\microsoft\windows nt\dnsclient
 Opens key:
                    HKLM\software\policies\microsoft\system\dnsclient
 Opens key:
                    HKLM\system\currentcontrolset\control\sqmservicelist
 Opens key:
                    HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
 Opens key:
                    HKLM\system\currentcontrolset\services\dns
 Opens kev:
c19ce8a73253}
                    HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
 Opens key:
 Opens key:
c19ce8a73253}
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
806e6f6e6963}
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{8ff7f47b-d658-4061-baea-
1709a0196aed}
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-
a68f334c8d34}
 Opens key:
                    HKLM\system\currentcontrolset\services\tcpip\linkage
 Opens kev:
874a-c0f2e0b9fa8e}
 Opens kev:
874a-c0f2e0b9fa8e}\propertybag
 Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-
a4ce-a8e7c6ea7d27}
 Opens key:
a4ce-a8e7c6ea7d27}\propertybag
 Opens key:
9305-67de0b28fc23}
 Opens kev:
9305-67de0b28fc23}\propertybag
                   HKLM\software\microsoft\windows nt\currentversion\drivers32
 Opens key:
 Opens key:
HKCU\system\currentcontrolset\control\mediaproperties\privateproperties\joystick\winmm
                    HKCU\software\microsoft\windows\currentversion\multimedia\midimap
 Opens kev:
 Opens key:
                    HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig
 Opens kev:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
 Queries value:
                    HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
 Oueries value:
                    HKLM\svstem\currentcontrolset\control\terminal server[tsappcompat]
 Queries value:
                    HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
 Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
```

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus side by side [preferex ternal manifest]$ 

HKCU\control panel\desktop[preferreduilanguages]

HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Oueries value:

Queries value:

Oueries value:

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrol\session manager[safedllsearchmode]

 $\label{lem:prop:condition} Queries \ value: \ HKLM\software\mbox{\sc microsoft\windows} \\ nt\current\version\gre\_initialize\[disablemetafiles\]$ 

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[9a992314512bbc93b07328b3941fe048]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

 Queries value:
 HKLM\software\microsoft\ole[pageallocatorusesystemheap]

 Queries value:
 HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]

 Queries value:
 HKLM\system\currentcontrolset\control\cmf\config[system]

 Queries value:
 HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

 Queries value:
 HKLM\software\microsoft\windows\currentversion\setup[sourcepath]

 Queries value:
 HKLM\software\microsoft\windows\currentversion[devicepath]

 Queries value:
 HKLM\system\currentcontrolset\control\nls\customlocale[en-us]

 Queries value:
 HKLM\system\currentcontrolset\control\win\security[12e1ddac-7ebb-434f 

 Queries value:
 HKLM\system\currentcontrolset\control\wmi\security[12e1ddac-7ebb-434f 

bc58-54c27d745f8f] Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[category]$$$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [icon]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[security]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresourcetype]}$ 

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \[local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[roamable]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[precreate]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ folder \ begin{picture}(1,0) \put(0,0) \put($ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \[folder type id]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolderhandler]}$ 

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[programdata]

Queries value: HKLM\system\currentcontrol\st\control\nls\locale[00000409] Queries value: HKLM\system\currentcontrol\set\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\datastore_v1.0[disable]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Queries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Oueries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane4]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
 Oueries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
                       HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
                        HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane10]|
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
 Queries value:
                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                        HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
 Queries value:
                        HKLM\software\microsoft\rpc[maxrpcsize]
 Oueries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
 Queries value:
                        HKLM\system\setup[oobeinprogress]
 Queries value:
                        HKLM\system\setup[systemsetupinprogress]
 Queries value:
                        HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Queries value:
HKLM\svstem\currentcontrolset\services\winsock2\parameters[winsock registry version]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
 Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 [next\_catalog\_entry\_id]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
 Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ entries \ (0000000000005 \ [packed catalog item]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Oueries value:
```

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000017[packedcatalogitem]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000018[packedcatalogitem]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[serial\_access\_num]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[num\_catalog\_entries]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[providerid]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[supportednamespace]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[enabled]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[version]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[storesserviceclassinfo] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[providerinfo]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerid]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[addressfamily]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[supportednamespace]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[enabled]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[version] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerinfo]
  Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog5 \ catalog\_entries \ 000000000003 [library path] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[supportednamespace]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[enabled]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[version]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[storesserviceclassinfo]

  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerinfo]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerid]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000004[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[supportednamespace]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[enabled]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[version]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[storesserviceclassinfo] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog5 \ catalog\_entries \ 000000000004 \ [provider info] \ Queries \ value:$
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ 00000000005 [library path] \\ Queries \ value:$

```
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000005 [displaystring]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerid]
   Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000005 \ [address family]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
   Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ (version) \ and \ (version) \
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
   Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog5 \ (catalog\_entries \ 000000000006 [library path])
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[displaystring]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog S \setminus catalog\_entries \setminus 0000000000006[providerid]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
   Queries value:
Queries value:
Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog \ set alog\_entries \ (0000000000006 \ [version]) \ details \ 
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog \\ \setminus catalog\_entries \setminus 0000000000006[provider info]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]
   Queries value:
                                                    HKLM\system\currentcontrolset\services\winsock\parameters[transports]
   Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
   Queries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                                                    HKLM\svstem\currentcontrolset\services\winsock\setup
   Oueries value:
migration\providers\psched[winsock 2.0 provider id]
                                                    HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
   Oueries value:
   Queries value:
                                                    HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip[winsock 2.0 provider id]
   Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
   Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
   Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
   Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
   Queries value:
                                                    HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
   Queries value:
                                                     HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
   Oueries value:
                                                    HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
```

Queries value:

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [query adapter name]$ 

Queries value:

 $HKLM \verb|\system| current control set \verb|\services| tcpip \verb|\parameters| [disable adapter domain name]|$ 

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [usedomain name devolution]$ 

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]

Queries value:

Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]

Queries value:

HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [screen badtlds]$ 

Queries value:

```
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall]
 Oueries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns secure name query fall back]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Queries value:
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [disable reverse address registrations]
HKLM\svstem\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [disable wandynamic update]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [registration ttl]
HKLM\svstem\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
 Queries value:
Queries value:
Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
 Queries value:
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl]
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast]
 Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout]
 Oueries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments]
 Queries value:
```

HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts] Queries value: c19ce8a73253}[searchlist] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enabledhcp] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registrationenabled] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[domain] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[dhcpdomain] Queries value: c19ce8a73253}[dhcpv6domain] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[nameserver] Queries value: c19ce8a73253}[nameserver] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[dhcpnameserver] Queries value: 806e6f6e6963}[enabledhcp] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registrationenabled] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[domain] Oueries value: 806e6f6e6963}[dhcpdomain] Queries value: 806e6f6e6963}[nameserver] Oueries value: 806e6f6e6963}[dhcpnameserver] Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind] Oueries value: c19ce8a73253}[queryadaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[disableadapterdomainname] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registrationmaxaddresscount] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[maxnumberofaddressestoregister] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enablemulticast]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[queryadaptername]

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[disabledynamicupdate]

Queries value:

 $HKLM \ system \ `current controlset \ services \ `tcpip \ parameters \ `interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$ 

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration maxaddress count]$ 

Queries value:

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enablemulticast]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e', [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [relative path]$ 

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{100} \end{time} \footnote{100} \footnote{1$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} In the constant of t$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]

Queries value:

 $\label{thm:local-continuous} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}\[local\cute{local\cute}\]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}{roamable}

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [initfolder \ handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[name]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[description]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27) \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27) \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish \ expanded path]$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [name 1]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\ [parentfolder]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\fidescription\]$ 

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[parsingname]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23\\ [infotip]$ 

Queries value:

9305-67de0b28fc23}[localizedname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \ficon \]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(security)\f(securi$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[ \] streamresourcetype \]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectorly]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\f(roamable)\f(roamab$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[ \] stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[initfolder \ handler]$ 

Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave] HKLM\software\microsoft\windows nt\currentversion\drivers32[wave1] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave2] Queries value: Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave3] HKLM\software\microsoft\windows nt\currentversion\drivers32[wave4] Queries value: Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave5] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave6] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave7] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave8] Queries value:  $HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus drivers 32 [wave 9]$ Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midill Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi2] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi3] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi41] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi5] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi6] Oueries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi7] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi8] Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[midi9] Oueries value:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \system \current control \system \current control \system \current \control \system \current \current$