Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 137, Task ID: 546

Task ID: 546 Risk Level: 1

Date Processed: 2016-04-28 13:01:58 (UTC)

Processing Time: 61.13 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\9b4d5407eec5e669a16910215b954cb8.exe"

Sample ID: 137
Type: basic
Owner: admin

Label: 9b4d5407eec5e669a16910215b954cb8

Date Added: 2016-04-28 12:45:04 (UTC)

File Type: PE32:win32:gui File Size: 340776 bytes

MD5: 9b4d5407eec5e669a16910215b954cb8

SHA256: eb6dcb3f3f2189b1fe35b7822050729fc22a00ec3b48c39173895d6a8144a4fd

Description: None

Pattern Matching Results

Process/Thread Events

Creates process: C:\windows\temp\9b4d5407eec5e669a16910215b954cb8.exe

["C:\windows\temp\9b4d5407eec5e669a16910215b954cb8.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

File System Events

Opens: C:\Windows\Prefetch\9B4D5407EEC5E669A16910215B954-623A1966.pf

Opens: C:\Windows

Opens: C:\Windows\System32\wow64.dll

Opens: C:\Windows\SysWOW64

Opens: C:\Windows\SysWOW64\apphelp.dll

Opens: C:\Windows\Temp\9b4d5407eec5e669a16910215b954cb8.exe

Opens: C:\Windows\WinSxS\x86_microsoft.windows.common-

controls_6595b64144ccf1df_5.82.9200.16384_none_bf100cd445f4d954

Opens: C:\Windows\WinSxS\x86_microsoft.windows.common-

controls_6595b64144ccf1df_5.82.9200.16384_none_bf100cd445f4d954\comctl32.dll

Opens: C:\Windows\SysWOW64\bcryptprimitives.dll
Opens: C:\Windows\SysWOW64\cryptbase.dll

C:\Windows\SysWOW64\sspicli.dll Opens: Opens: C:\Windows\SysWOW64\rpcrt4.dll Opens: C:\Windows\SysWOW64\nsi.dll C:\Windows\SysWOW64\ws2_32.dll Opens: Opens: C:\Windows\SysWOW64\msvcrt.dll Opens: C:\Windows\SysWOW64\gdi32.dll C:\Windows\SysWOW64\user32.dll Opens: Opens: C:\Windows\SysWOW64\shlwapi.dll

Opens: C:\Windows\SysWOW64\advapi32.dll C:\Windows\SysWOW64\shell32.dll Opens: Opens: C:\Windows\SysWOW64\comdlg32.dll Opens: C:\Windows\SysWOW64\iertutil.dll Opens: C:\Windows\SysWOW64\wininet.dll Opens: C:\Windows\SysWOW64\imm32.dll C:\Windows\SysWOW64\msctf.dll Opens: Opens: C:\Windows\SysWOW64\uxtheme.dll Opens: C:\Windows\SysWOW64\dwmapi.dll

Opens: C:\Windows\Globalization\SortIng\SortDefault.nls

Opens: C:\windows\temp\urlswmr.txt

Opens: C:\

Opens: C:\Windows\Fonts\sserife.fon
Opens: C:\Windows\SysWOW64\riched32.dll
Opens: C:\Windows\SysWOW64\riched20.dll
Opens: C:\Windows\SysWOW64\usp10.dll
Opens: C:\Windows\SysWOW64\msls31.dll

Opens: C:\Windows\win.ini

Reads from: C:\Windows\win.ini

Windows Registry Events

Creates key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\mms

Creates key: HKCU\software\microsoft\netshow\player\general

Creates key: HKCU\software

Creates key: HKCU\software\microsoft
Creates key: HKCU\software\microsoft\nets

Creates key: HKCU\software\microsoft\netshow

Creates key: HKCU\software\microsoft\netshow\player
Creates key: HKCU\software\microsoft\netshow\player\local

Opens key: HKLM\software\microsoft\wow64

Opens key: HKLM\system\currentcontrol\set\control\terminal server
Opens key: HKLM\system\currentcontrol\set\control\safeboot\option
Opens key: HKLM\system\currentcontrol\set\control\srp\gp\dll

Opens key:

HKLM\software\wow6432node\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\language
Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages
Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages\en-us

Opens key: HKLM\system\currentcontrolset\control\mui\uilanguages\pendingdelete

Opens key: HKLM\software\wow6432node\policies\microsoft\mui\settings

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens kev: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration
Opens key: HKLM\system\currentcontrolset\control\mui\settings\languageconfiguration

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\wow6432node\microsoft\windows\currentversion\sidebyside
Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\dbglog

Opens key: ${\tt HKCU \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus app compatflags}$

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\disable8and16bitmitigation

Opens key: HKLM\system\currentcontrolset\control\session manager

Opens key:

Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\image file

execution options

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions

 $Opens\;key: \\ \qquad \qquad \mathsf{HKLM} \\ system \\ \mathsf{current} \\ \mathsf{control} \\ \mathsf{lsa} \\ \mathsf{fipsalgorithmpolicy} \\$

Opens key: HKLM\system\currentcontrol\lsa

Opens key:

 $\label{lem:hklm} \verb+KLM\system\currentcontrolset\policies\microsoft\cryptography\configuration$

Opens key: HKLM\software\wow6432node\microsoft\windows

 $\verb|nt\currentversion\gre_initialize| \\$

Opens key: HKLM\software\wow6432node\microsoft\windows

nt\currentversion\compatibility32

Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\ime

compatibility

Opens key: HKLM\

Opens key: HKLM\software\wow6432node\microsoft\windows nt\currentversion\windows

Opens key: HKLM\software\wow6432node\microsoft\ole
Opens key: HKLM\software\wow6432node\microsoft\ole\tracing

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

 $Opens~key: \\ HKCU \ software \ microsoft \ windows \ current version \ direct manipulation$

Opens key: HKLM\system\currentcontrol\set\control\nls\extendedlocale
Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters
Opens key: HKLM\system\currentcontrol\set\control\nls\sorting\ids

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog

Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus appid_catalog \setminus 0.7e9109d$

Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus protocol_catalog 9$

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000005

Opens key:

Opens key:

Opens key

Opens key:

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004 Opens kev:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007 Opens kev:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\00000014 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups Opens key: HKCU\software\microsoft\windows nt\currentversion\windows Opens key:

 $HKLM \ software \ wow 6432 node \ microsoft \ ctf \ compatibility \ 9b4d5407 eec5e669a16910215b954cb8. exemple \ description \$

Opens key: HKLM\software\wow6432node\microsoft\ctf\ Opens key: HKLM\software\wow6432node\microsoft\ctf\knownclasses Opens key: HKLM\svstem\currentcontrolset\services\winsock\parameters Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

Opens key: HKCU\software\microsoft\mediaplayer\preferences

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\http Opens kev: $\label{lem:hkcu} \begin{tabular}{l} HKCU software \verb|\microsoft| mediaplayer \verb|\preferences| proxy settings \verb|\mms| mms | mms$ Opens key: Opens key: HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp

Opens key: HKCU\software\microsoft\netshow\player\general Opens key: HKCU\software\microsoft\netshow\player\local

 ${\tt HKLM \ } system \verb|\ 'control \verb|\ 'terminal \ server[tsappcompat]|$ Queries value: Oueries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[empty]

Oueries value:

HKLM\system\currentcontrolset\control\nls\language[installlanguagefallback]

Queries value: HKLM\system\currentcontrolset\control\mui\uilanguages\en-us[type]

Oueries value: HKLM\system\currentcontrolset\control\mui\uilanguages\en-

us[alternatecodepage]

HKCU\control panel\desktop[preferreduilanguages] Oueries value:

 $\label{lem:hkcu} \verb|HKCU| control panel| desktop| \verb|muicached[machinepreferreduil] anguages]| \\$ Oueries value:

Oueries value:

Oueries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[showdebuginfo]

HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution Oueries value:

options\dllnxoptions[usefilter]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\dllnxoptions[9b4d5407eec5e669a16910215b954cb8.exe]

HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled] Oueries value:

Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]

HKLM\software\microsoft\windows Oueries value: nt\currentversion\gre_initialize[disablemetafiles]

Oueries value: HKLM\software\wow6432node\microsoft\windows nt\currentversion\compatibility32[9b4d5407eec5e669a16910215b954cb8] HKLM\software\wow6432node\microsoft\windows Oueries value:

nt\currentversion\windows[loadappinit_dlls]

Oueries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Oueries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Oueries value: HKLM\software\microsoft\ole[aggressivemtatesting] HKLM\software\microsoft\sqmclient\windows[ceipenable] Queries value: Oueries value: HKLM\svstem\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[000602xx] Queries value: HKLM\system\currentcontrolset\control\nls\sorting\ids[en-us] HKLM\system\currentcontrolset\control\nls\sorting\ids[en] Oueries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem] Queries value: Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000006[packedcatalogitem] Queries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem] Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol_catalog \ entries \ (0000000000010 [packed catalog item]) \ details \$ Queries value: $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ namespace_catalog 5 [serial_access_num]$ HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries] Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ (catalog_entries \ 00000000001[library path])$ Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 00000000001 \ [displaystring]$ HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid] Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ (catalog_entries \ 000000000001 \ [address family]$ Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace_catalog 5 \setminus catalog_entries \setminus 00000000001[supported names pace]$ Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo] Queries value: Oueries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog5 \ catalog_entries \ 000000000002 \ [library path]$ Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ (catalog_entries \ 000000000002 \ [displaystring]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily] Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000002[supported name space]$ HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled] Queries value: Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000003 \ [displaystring]$

Oueries value:

Queries value:

Oueries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000003 [supported name space]]$ Oueries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version] Oueries value:

Oueries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Oueries value:

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000004 [supported name space]]$ Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ no mespace_catalog \ set alog_entries \ (0000000000004 \ [version]) \ details \$ Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog 5 \setminus catalog_entries \setminus 000000000004 [storesservice class in fo]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerinfo]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000005[librarypath] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000005 \ [displaystring]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000005[addressfamily] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath] Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ (catalog_entries \ 000000000006 \ [displaystring]$ Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000006 [supported name space]]$ Queries value:

Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ (catalog_entries \ 0000000000006 \ [version]$ Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap amespace_catalog \\ \ \setminus catalog_entries \setminus 0000000000006[storesserviceclass info]$ Queries value:

Queries value:

HKLM\svstem\currentcontrolset\services\winsock2\parameters[ws2 32numhandlebuckets]

Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409] HKLM\system\currentcontrolset\control\nls\language groups[1] Oueries value:

Oueries value: HKCU\software\microsoft\windows nt\currentversion\windows[scrollinset] Oueries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay] Queries value: HKCU\software\microsoft\windows nt\currentversion\windows[dragmindist] Oueries value: HKCU\software\microsoft\windows nt\currentversion\windows[scrolldelav]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\windows[scrollinterval]

Oueries value: HKLM\software\wow6432node\microsoft\ctf[enableanchorcontext]

Oueries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]

HKLM\system\currentcontrolset\services\winsock\setup Oueries value:

migration\providers\tcpip[winsock 2.0 provider id]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [used elayed acceptance]$

HKCU\software\microsoft\mediaplayer\preferences[usehttp] Sets/Creates value: HKCU\software\microsoft\mediaplayer\preferences[usetcp] Sets/Creates value: HKCU\software\microsoft\mediaplayer\preferences[useudp] Sets/Creates value: HKCU\software\microsoft\mediaplayer\preferences[usemulticast] Sets/Creates value:

Sets/Creates value:

 $HKCU \setminus software \setminus microsoft \setminus mediaplayer \setminus preferences \setminus proxysettings \setminus ttp[proxyhost]$ Sets/Creates value:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\mms[proxyport] Sets/Creates value:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\mms[proxystyle] Sets/Creates value:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\mms[proxybypass] Sets/Creates value:

 $HKCU \setminus software \setminus microsoft \setminus mediaplayer \setminus preferences \setminus proxysettings \setminus mms[proxyname]$ Sets/Creates value:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\mms[proxyhost] Sets/Creates value:

 $HKCU \setminus software \setminus microsoft \setminus mediaplayer \setminus preferences \setminus proxysettings \setminus rtsp[proxyhost]$

Sets/Creates value: HKCU\software\microsoft\netshow\player\general[enablehttp] Sets/Creates value: HKCU\software\microsoft\netshow\player\general[enabletcp] Sets/Creates value: HKCU\software\microsoft\netshow\player\general[enableudp] Sets/Creates value: HKCU\software\microsoft\netshow\player\general[enablemulticast] Sets/Creates value: HKCU\software\microsoft\netshow\player\general[firstprotocol] Sets/Creates value: HKCU\software\microsoft\netshow\player\local[appliedautoproxy] Sets/Creates value: HKCU\software\microsoft\netshow\player\local[enableautoproxy] HKCU\software\microsoft\netshow\player\local[proxyenabled] Sets/Creates value: Sets/Creates value: HKCU\software\microsoft\netshow\player\local[proxyname] Sets/Creates value: HKCU\software\microsoft\netshow\player\local[proxyhost] HKCU\software\microsoft\netshow\player\local[proxyport] Sets/Creates value:

Value changes:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\http[proxyport] Value changes:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\http[proxystyle] Value changes:

 $HKCU \ software \ microsoft \ mediaplayer \ preferences \ proxy settings \ http[proxybypass]$

HKCU\software\microsoft\mediaplaver\preferences\proxysettings\http[proxyname] Value changes:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp[proxyport] Value changes:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp[proxybypass] Value changes:

HKCU\software\microsoft\mediaplayer\preferences\proxysettings\rtsp[proxyname]