Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 49, Task ID: 195

Task ID: 195 Risk Level: 6

Date Processed: 2016-04-28 12:52:26 (UTC)

Processing Time: 61.14 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\27ffa60b715fa41ac3af715c79971b6b.exe"

Sample ID: 49
Type: basic
Owner: admin

Label: 27ffa60b715fa41ac3af715c79971b6b

Date Added: 2016-04-28 12:44:54 (UTC)

File Type: PE32:win32:gui File Size: 330006 bytes

MD5: 27ffa60b715fa41ac3af715c79971b6b

SHA256: 02c54070ab8954bfe9d68aa1c03e58232502931d941036d3eabf642e6f7ba12d

Description: None

Pattern Matching Results

2 PE: Nonstandard section

6 Renames file on boot

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\27ffa60b715fa41ac3af715c79971b6b.exe

["C:\windows\temp\27ffa60b715fa41ac3af715c79971b6b.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe ["C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe" _?=C:\windows\temp\]
Terminates process: C:\Windows\Temp\27ffa60b715fa41ac3af715c79971b6b.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

 $\label{lem:constraint} Creates\ mutex: \\ \verb|\Sessions|| AbaseNamedObjects|| MSCTF.CtfMonitorInstMutexDefault1|| Creates mutex: \\ |\Sessions|| AbaseNamedObjects|| CtfMonitorInstMutexDefault1|| Creates mutex: \\ |\Sessions|| AbaseNamedObjects|| CtfMonitorInstMutexDefault1|| Creates mutex: \\ |\Sessions|| AbaseNamedObjects|| CtfMonitorInstMutexDefault1|| CtfMonitorIns$

 $\label{lem:condition} {\it Creates event:} \qquad {\it KernelObjects \backslash Maximum Commit Condition}$

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nsb180D.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nsf182C.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nsp1837.tmp

Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData
Creates: C:\Users\Admin\AppData\Local
Creates: C:\Users\Admin\AppData\Local\Temp

Creates: C:\Users\Admin\AppData\Local\Temp\nsp1837.tmp\modern-header.bmp
Opens: C:\Windows\Prefetch\27FFA60B715FA41AC3AF715C79971-5AAFC1CC.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\27ffa60b715fa41ac3af715c79971b6b.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll

```
C:\windows\temp\VERSION.dll
  Opens:
  Opens:
                                        C:\Windows\System32\version.dll
  Opens:
                                        C:\Windows\System32\apphelp.dll
  Opens:
                                        C:\Windows\AppPatch\sysmain.sdb
  Opens:
                                        C:\Windows\Temp\27ffa60b715fa41ac3af715c79971b6b.exe
  Opens:
                                        C:\Windows\AppPatch\AcGenral.dll
  Opens:
                                        C:\windows\temp\SspiCli.dll
  Opens:
                                        C:\Windows\System32\sspicli.dll
  Opens:
                                        C:\windows\temp\UxTheme.dll
  Opens:
                                        C:\Windows\System32\uxtheme.dll
  Opens:
                                        C:\windows\temp\WINMM.dll
  Opens:
                                        C:\Windows\System32\winmm.dll
  Opens:
                                        C:\windows\temp\samcli.dll
  Opens:
                                        C:\Windows\System32\samcli.dll
  Opens:
                                        C:\windows\temp\MSACM32.dll
  Opens:
                                        C:\Windows\System32\msacm32.dll
  Opens:
                                        C:\windows\temp\sfc.dll
  Opens:
                                        C:\Windows\System32\sfc.dll
  Opens:
                                        C:\windows\temp\sfc_os.DLL
  Opens:
                                        C:\Windows\System32\sfc_os.dll
  Opens:
                                        C:\windows\temp\USERENV.dll
  Opens:
                                        C:\Windows\System32\userenv.dll
                                        C:\windows\temp\profapi.dll
  Opens:
  Opens:
                                        C:\Windows\System32\profapi.dll
  Opens:
                                        C:\windows\temp\dwmapi.dll
  Opens:
                                        C:\Windows\System32\dwmapi.dll
  Opens:
                                        C:\windows\temp\MPR.dll
  Opens:
                                        C:\Windows\System32\mpr.dll
  Opens:
                                        C:\windows\temp\27ffa60b715fa41ac3af715c79971b6b.exe.Config
  Opens:
                                        C:\Windows\System32\imm32.dl1
  Opens:
                                        C:\Windows\WindowsShell.Manifest
                                        C:\Windows\System32\en-US\setupapi.dll.mui
  Opens:
  Opens:
                                        C:\Windows\System32\rpcss.dll
  Opens:
                                        C:\windows\temp\CRYPTBASE.dll
  Opens:
                                        C:\Windows\System32\cryptbase.dll
  Opens:
                                        C:\windows\temp\SHFOLDER.DLL
  Opens:
                                        C:\Windows\System32\shfolder.dll
  Opens:
                                        C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                        C:\Windows\System32\shell32.dll
  Opens:
                                        C:\
                                        C:\Windows
  Opens:
  Opens:
                                        C:\Windows\System32\propsys.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
  Opens:
                                        C:\windows\temp\ntmarta.dll
  Opens:
                                        C:\Windows\System32\ntmarta.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x000000000000006.db
  Opens:
                                        C:\Users\Admin\Desktop\desktop.ini
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nsn13A1.tmp
  Opens:
                                        C:\Users
  Opens:
                                        C:\Users\Admin
  Opens:
                                        C:\Users\Admin\AppData
  Opens:
                                        C:\Users\Admin\AppData\Local
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp
  Opens:
                                        C: \label{local-Temp} $$C: \Users \Admin \App Data \Local \Temp \-nsu.tmp \Au_. exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ui\SwDRM.dll
  Opens:
                                        C:\Program Files\speedfan\speedfan.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Bu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Cu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Du_.exe
                                        \label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Fu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Gu_.exe
  Opens:
                                        Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Iu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ju_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ku_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Lu_.exe
  Opens:
                                        C:\Windows\Prefetch\AU_.EXE-54EA8F2A.pf
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Mu_.exe
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Nu_.exe
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ou_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Pu_.exe
```

C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Qu_.exe Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ru_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Su_.exe C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Tu_.exe Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Uu_.exe C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Vu_.exe Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Wu_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Xu_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Yu_.exe Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Local\ Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\VERSION.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Zu_.exe $\verb|C:\Users\Admin\AppData\Local\Temp\-nsu.tmp\SspiCli.dl|\\$ Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\UxTheme.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\WINMM.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\samcli.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\MSACM32.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\sfc.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\sfc_os.DLL Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\USERENV.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\profapi.dll C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\dwmapi.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\MPR.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Config

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Config
Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\CRYPTBASE.dll
Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\SHFOLDER.DLL
Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ntmarta.dll

Opens: C:\Users\desktop.ini

Opens: C:\Users\Admin\Searches\desktop.ini Opens: C:\Users\Admin\Videos\desktop.ini Opens: C:\Users\Admin\Pictures\desktop.ini Opens: C:\Users\Admin\Contacts\desktop.ini Opens: C:\Users\Admin\Favorites\desktop.ini Opens: C:\Users\Admin\Music\desktop.ini Opens: C:\Users\Admin\Downloads\desktop.ini Opens: C:\Users\Admin\Documents\desktop.ini Opens: C:\Users\Admin\Links\desktop.ini C:\Users\Admin\Saved Games\desktop.ini Opens: Opens: C:\Windows\System32\shdocvw.dll

Opens: C:\Windows\System32\en-US\shdocvw.dll.mui
Opens: C:\Users\Admin\AppData\Local\Temp\nsb180D.tmp

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\RichEd20.DLL

Opens: C:\Windows\System32\riched20.dll
Opens: C:\Windows\Fonts\tahoma.ttf

Opens: C:\Windows\System32\en-US\user32.dll.mui
Opens: C:\Users\Admin\AppData\Local\Temp\nsp1837.tmp

 $\label{thm:condition} Opens: \\ C: \Users \land Admin \land AppData \land Local \land Temp \land sp1837.tmp \land modern-header.bmp$

Opens: C:\Windows\Fonts\StaticCache.dat

Writes to: C:\Users\Admin\AppData\Local\Temp\nsr13C0.tmp
Writes to: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe
Writes to: C:\Users\Admin\AppData\Local\Temp\nsf182C.tmp

 $\label{thm:condition} Writes to: \\ C: \label{thm:condition} C: \label{thm:condition} C: \label{thm:condition} C: \label{thm:condition} C: \label{thm:condition} Writes to: \\ C: \label{thm:condition} Writes to: \\ C: \label{thm:condition} C: \label{thm:condition} Writes to: \\ C: \label{thm:condition$

Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Windows\Temp\27ffa60b715fa41ac3af715c79971b6b.exe

Reads from: C:\Users\Admin\AppData\Local\Temp\nsr13C0.tmp
Reads from: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe

Reads from: C:\Users\desktop.ini

C:\Users\Admin\Searches\desktop.ini Reads from: Reads from: C:\Users\Admin\Videos\desktop.ini Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: C:\Users\Admin\Saved Games\desktop.ini

Reads from: C:\Windows\System32\shdocvw.dll

Reads from: C:\Users\Admin\AppData\Local\Temp\nsf182C.tmp

Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\nsn13A1.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nsb180D.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nsp1837.tmp

Windows Registry Events

Opens key:

Opens key:

HKLM\system\currentcontrolset\control\session manager Creates key: Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers HKCU\software\policies\microsoft\windows\safer\codeidentifiers Opens key: Opens key: HKCU\ Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration Opens key: HKLM\software\policies\microsoft\mui\settings HKCU\software\policies\microsoft\control panel\desktop Opens key: Opens key: HKCU\control panel\desktop\languageconfiguration Opens key: HKCU\control panel\desktop HKCU\control panel\desktop\muicached Opens key: $\label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + side by side$ Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\software\policies\microsoft\windows nt\windows file protection Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key: HKI M\ Opens key: HKLM\software\microsoft\windows nt\currentversion\windows Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\software\microsoft\ole Opens key: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\software\microsoft\windows\currentversion\setup Opens key: HKLM\software\microsoft\windows\currentversion HKLM\system\currentcontrolset\control\nls\customlocale Opens key: Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\services\crypt32 Opens key: HKLM\software\microsoft\windows\currentversion\internet settings Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer Opens kev: HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\27ffa60b715fa41ac3af715c79971b6b.exe Opens key: HKCU\software\classes\ Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: Opens key: $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04feo-down \ explorer \ exp$ 3aea-1069-a2d8-08002b30309d}\shellfolder $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-temperature) + (20d04fe0-temperature) +$ Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum Opens key: $\label{thm:local_hammon} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \end{tikzpicture} \label{thm:local_hammon} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \end{tikzpicture} \label{thm:local_hammon}$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}\ Opens key: HKCU\software\classes\drive\shellex\folderextensions Opens key: HKCR\drive\shellex\folderextensions Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} HKLM\software\policies\microsoft\windows\explorer Opens key: Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: HKCU\software\microsoft\windows\currentversion\explorer Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

HKCU\software\microsoft\windows\currentversion\explorer\advanced

HKLM\software\microsoft\windows\shell\registeredapplications\urlassociations\directory\openwithprogids Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

HKCU\software\classes\directory Opens key:

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

HKCU\software\classes\allfilesystemobjects\shellex\iconhandler Opens key:

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

HKCU\software\classes\folder\docobject Opens key:

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

b029-7fe99a87c641}

Opens kev:

b029-7fe99a87c641}\propertybag

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1 Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\$ treatas Opens key:

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

 $HKCR \c1sid \f1f486a52-3cb1-48fd-8f50-b8dc300d9f9d \label{eq:hkcr} \label{eq:hkcr} In proceser \c2def$ Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

 $HKCR \c1sid \f1f486a52-3cb1-48fd-8f50-b8dc300d9f9d \c1f486a52-3cb1-48fd-8f50-b8dc300d9f9d \c1f$ Opens key:

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler

 $HKCR \clsid \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\} \label{eq:hkcr} \\$ Opens key: Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-

b4ef-bd1dc332aeae}

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$

Opens kev:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\propertybag

Opens key: $\mbox{HKLM\software\mbox{\mbox{microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002}$

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows
Opens key: HKLM\software\policies\microsoft\windows\system

Opens key:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963} \label{lem:hkcu}$

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\au_.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls
Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility
Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers

HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\au_.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key:

Opens key:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \end{tabular} applications \end{tabular} applications \end{tabular} a.exe \end{tabular}$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$

Opens key:

 $\label{thm:local-soft-windows} In the label of the labe$

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: $\label{thm:local-condition} HKCU software \microsoft \windows \current version \explorer \clsid \{59031a47-3672-44a7-89c5-5595fe6b30ee} \shell folder$

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$

Opens key

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(7d1d3a04-debb-4115-95cf-2f29da2920da)\property\bag$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \folder \figure{1.5cm} \folder \folder$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}\propertybag

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \end{4mu}$

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:g8ec0e18-2098-4d44-8644-66979315a281} \property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \end{substitute}$

Opens key:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $\label{thm:local-property} HKLM\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\property\propert$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\}$

Opens kev:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bc\}$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\propertybag

Opens key

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens kev:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-

be4e-64cd4cb7d6ac}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \eq 2e446-31 ca-4aba-814f-a5ebd2f$

Opens kev:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\}$

Opens key:

 $HKLM \ software \ icrosoft \ ic$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\}$

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26}$

Opens kev:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\}$

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ property bag$

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6}$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Opens key:

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \current \equiv \current \cur$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153 b-4d 17-9f 04-a5f e9f c15ec \equiv folder \equ$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens kev:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ property bag$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}\propertybag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ property bag$

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ \ property bag$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Opens key:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 08 37 c-bbf8-452 a-850 d-79 d08 e667 ca7\}$

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$

Opens kev:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute}$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqr$

Opens key:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}}$

Opens key:

 $\label{tware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \partial \pa$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4}$

Opens kev:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM software \ensuremath{\mbox{3d644c9b-1fb8-4f30-9b45-f670235f79c0}} \\$

Opens key:

 $HKLM \setminus software \setminus irrent version \setminus explorer \setminus folder descriptions \setminus \{3d644c9b-1fb8-4f30-1fb8-4f50-1fb8-4f30-1fb8-4$

9b45-f670235f79c0}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104}$

Opens key:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}\propertybag

Opens key

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{la6fdba2-f42d-4358-a798-b74d745926c5} \property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266 ac-9274-4867-8d55-3bd661 de872d\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\propertybag

Onens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 7965083634 \}$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$

Opens key:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \folder descriptions \deformance \deformance \folder \deformance \folder \deformance \deformance$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ property bag$

Onens kev

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} \ property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\propertybag$

Opens kev

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$

Opens key:

 $\label{thm:local-property} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} \end{tikzpicture} has local-property by the software \mbox{b10-f46a-4c97-ba10-f46a-6c97-ba10-f46a-$

Opens key:

 $\label{thm:local-prop} $HKLM \sim \max_{corrent version} \exp \operatorname{local-prop} \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} $$

Opens key:

 $HKL\dot{M} \sim \frac{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}{propertybag}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}\propertybag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23}$

Opens kev:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

Opens key:

 $\label{thm:local-explorer} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\propertybag

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ property bag$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{N}} \sup_{software \in \mathbb{N}} {915221fb-9efe-4bda-8fd7-f78dca774f87} $$$

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} \property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}

Opens key:

Opens key:

 ${\tt HKLM \coftware \microsoft \windows \current \version \explorer \users files \compared \comp$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
 Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace

Opens key:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-679f-4156-8947-c5c76bc0b67f\}$

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace
Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace\delegatefolders
Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\shellfolder

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprocserver32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32
Opens key: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked

Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\custom\shdocvw.dll

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

c5c76bc0b67f}\progid

Opens key: $\begin{tabular}{ll} HKCR\clsid\dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid\\ Opens key: \\ HKCU\software\classes\clsid\dffacdc5-679f-4156-8947-\\ \end{tabular}$

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32 Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\treatas

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-

8947-c5c76bc0b67f}

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\ctf\compatibility\au_.exe

Opens key: $\label{lem:hklmlsoftware\microsoftlip} HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}$

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

HKCU\control panel\desktop[preferreduilanguages] Oueries value:

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]

Oueries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[showdebuginfo]

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[] Queries value: HKLM\software\policies\microsoft\windows nt\windows file

protection[knowndlllist]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles] HKLM\software\microsoft\windows Queries value:

nt\currentversion\compatibility32[27ffa60b715fa41ac3af715c79971b6b]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Oueries value: Queries value: HKLM\system\currentcontrolset\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable] Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Queries value: HKLM\software\microsoft\windows\currentversion[devicepath] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[security_hklm_only]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[wantsfordisplay]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[hidefolderverbs] Oueries value:

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

Oueries value:

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsparsedisplayname]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforoverlay]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[mapnetdriveverbs]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideinwebview]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hideondesktopperuser]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsaliasednotifications]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[nofilefolderjunction]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[pintonamespacetree]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[hasnavigationenum]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-

08002b30309d}] Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-

11e3-b3bc-806e6f6e6963}[data]
Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-11e3-b3bc-806e6f6e6963}[generation]
Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9}[drivemask]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Oueries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [dontpretty path] \end{tabular}$

Dueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Oueries value:

 $HKCU \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'advanced [separate process]$

Oueries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [nonet crawling] \ description \ for the content of the conte$

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace]
Oueries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [relative path]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$

Queries value:

b029-7fe99a87c641}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \cite{thm:hklm.pkg} \end{substitute}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\category\cite{Action}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parentfolder]

Queries value

 $\label{thm:local_ham} \begin{tabular}{l} HKLM\software\mbox{$1b3$ea5dc-b587-4786-b4ef-bd1dc332aeae} [description] \end{tabular}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{$1b3$ ea5dc-$b587-4786-$b4ef-$bd1dc332aeae} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[localized name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresourcetype]

Oueries value:

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[stream]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ b4ef-bd1dc332aeae \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ b4ef-bd1dc332aeae \ \ [folder typeid]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [init folder handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[parentfolder\]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ \ [description]$

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\[relativepath]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[infotip]

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \security \$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [initfolder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current folder 9 af e-ea 3317 b 67173 \current folder \current fo$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [localized name]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresourcetype]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-164e4, 1960-164e4, 1960-1$ 9afe-ea3317b67173}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-Oueries value:

2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress] HKLM\system\setup[systemsetupinprogress] Oueries value:

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

HKLM\software\policies\microsoft\windows\system[copyfilechunksize] Oueries value: Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]

Queries value:

11e3-b3bc-806e6f6e6963}[data]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e3-6c18-

11e3-b3bc-806e6f6e6963}[generation] HKLM\system\currentcontrolset\control\session Queries value:

manager[pendingfilerenameoperations2]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Oueries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\~nsu.tmp\au_.exe] HKLM\software\microsoft\windows nt\currentversion\image file execution Oueries value: options[disablelocaloverride]

Oueries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[au]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-

8648-d5d44b04ef8f}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localredirectonly] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[roamable] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[precreate] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[stream] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[publishexpandedpath] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[attributes] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[foldertypeid] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[initfolderhandler] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[attributes] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[callforattributes] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsfordisplay] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[hidefolderverbs] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[usedrophandler] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[wantsforparsing] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[wantsparsedisplayname] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[queryforoverlay] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[mapnetdriveverbs] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[queryforinfotip] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[hideinwebview] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[hideondesktopperuser] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsaliasednotifications] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsuniversaldelegate] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[nofilefolderjunction] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[pintonamespacetree] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[hasnavigationenum]

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-

95cf-2f29da2920da}[category]
Queries value:

5595fe6b30ee}]
Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[name]

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [relative path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \cite{Continuous to the property of t$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[infotip]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3a04-debb-4115-95cf-2f29 \day{[icon]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da\}\[security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3a04-debb-4115-95cf-2f29 \days \folds are \current \curr$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [stream resource type]$

Oueries value

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[local\redirectonly]$$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \[folder type id] \]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [init folder \handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} \cite{Monthson} \ \mbox{currentversion} \end{\label{thm:local-prop} and the local properties of the local properti$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{lem:hklm}{parent folder}$

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cdots{l} [description] \end{tabular}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scale= \cite{lem:hklm} \cite{lem:$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[localized name]$

Oueries value:

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{Z}_{100}} (f38bf404-1d43-42f2-9305-67de0b28fc23) $$[icon]$$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresource]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource type]$

Queries value:

 $\label{thm:hammon} HKLM \spinorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de0b28fc23 \final rection \final \$

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \footnote{100} between \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \footnote{100} between \current version \explorer \footnote{100} between \current version \current \c$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b 28fc 23 \cite{lem:hklm} \end{subarray} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[init folder handler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff f f 1 ed 05-9 f 6 d-47 a 2-a a a e-29 d 317 c 6 f 0 6 f \colored \current \curre$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2aaae-29d317c6f066}[name]

Queries value:

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[description]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\] [relative path]$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2aaae-29d317c6f066}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2aaae-29d317c6f066}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[streamresourcetype]

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \floar \cline{thm:local-center} \floa$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[precreate]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \figure{100} \footnote{100} \footnot$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [folder typeid]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{2112ab0a-c86a-4ffe-a368-0de96e47012e} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{2112ab0a-c86a-4ffe-a368-0de96e47012e} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [stream resource type]$

Oueries value

 $\label{thm:local_two_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2112ab0a-c86a-4ffe-a368-0de96e47012e} \cite{Continuous} \cite{Conti$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-

a368-0de96e47012e}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [attributes]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [relative path]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

Queries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{48daf80b-e6cf-4f4e-b800-0e69d84ee384} [stream resource type]$

Oueries value:

 $\label{thm:local_thm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current based on the second second$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [roamable]$

Queries value:

 $\label{thm:local_holds} HKLM \software \mbox{48 daf 80b-e6cf-4f4e-b800-0e69d84ee384} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{1 ions} \cite{1.000} \noindent \noindent \mbox{2 ionset} \noindent \noindent$

Oueries value

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[attributes]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [folder type id]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [category]$

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[parentfolder]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ af ef-f87 ef2e6 ba25 \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ af ef-f87 ef2e6 ba25 \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ af ef-f87 ef 2e6 ba 25 \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cite{lem:hklm} [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cite{lem:hklm} [precreate]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{$c4aa340d-f20f-4863-afef-f87ef2e6ba25}[stream]$

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cite{linitfolder} in the label \cite{linitfolder} and \cite{linitfold$

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{9e52ab10-f80d-49df-acb8-4330f5687855}\end{tabular} \begin{tabular}{ll} category\end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}\[parsingname]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[icon]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} \cite{1.00cm} \$

Oueries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{9e52ab10-f80d-49df-acb8-4330f5687855\}\ [folder typeid]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \cite{Additional Control of the Control of Control of$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 8644-66979315a281 \cite{1.00} \cite{1.00}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[description]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[parsingname]

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:general} \footnote{1.000} \eqref{eq:general} \eqref{eq:general} \footnote{1.000} \eqref{eq:general} \footnote{1.0000} \eqref{eq:general} \footnote{1.0000} \eqref{eq:general} \footnote{1.0000} \eqref{eq$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-

8644-66979315a281}[icon]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$

Oueries value:

 $\label{local-condition} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{}98ec0e18-2098-4d44-8644-66979315a281\{}[local-redirectonly]\ \mbox{\currentversion\explorer\folderdescriptions\{}}]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [init folder handler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [relative path]$

Oueries value

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parsingname] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \equal 5719-d62e-491d-aa7c-e74b8be3b067 \equal 5719-d62e-491d-aa7c-e74b8b067 \equal 5719-d62e-491d-aa7c-e74b8b067 \equal 5719-d62e-491d-aa7c-e74b8b067 \equal 5719-d62e-491d-aa$

Queries value:

 $\label{thm:local-prop} HKLM\software\mbox{a4115719-d62e-491d-aa7c-e74b8be3b067} [streamresourcetype]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [local redirectonly]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[precreate]

Oueries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall 15719-d62e-491d-aa7c-e74b8be3b067 \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fattibutes \folder descriptions \fattibutes \folder \folder descriptions \fattibutes \folder \fo$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[category]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[parentfolder]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[description]$

Oueries value

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Queries value:

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresourcetype]$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-92d7-92d7-92d7-92$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6edc-92d7-6ed$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-6$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [publish expanded path]$

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \[attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[foldertypeid]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\[initfolderhandler]$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\[category\]$$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [description]$

Queries value:

 $\label{thm:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[relativepath]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[security]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 18989b1d-99b5-455b-841c-ab7c74e4ddfc \fill \fil$

Queries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local-99b5-455b-841c-ab7c74e4ddfc} \ [local redirectonly]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[stream]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [publish expanded path]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[description]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$1-7b75-48a9-9f6b-4b87a210bc8f} [icon]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [local redirectonly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \cite{lem:hklm} \end{subarray} \label{lem:hklm}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [category]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [parsing name]$

Queries value:

bf91-f4455120b917}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} [icon]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [security]$

Oueries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\[streamresourcetype]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [relative path]$

Queries value:

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\fo$

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [icon]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}\[security]$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a 663-37bd 56068185 \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [icon]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \[security \]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource type]$

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fo$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [precreate]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a 663-37bd 56068185 \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[category]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \cap amel$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[description]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[stream]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \far 2c-a8beaa \footnote{1}{475d362e-50fc-4fb7-ac2c-a8beaa \footn$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-

a7eb-4e7a138d8174}[category]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[parentfolder\]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [precreate]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [publish expanded path]$

Oueries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{491e922f-5643-4af4-a7eb-4e7a138d8174} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a7eb-4e7a138d8174 \ [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \end{3.5a} -98395c3bc3bb \cite{100} \cite$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bb\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parentfolder]

Queries value:

 $\label{local-oper-poly-o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2328130-4e1e-4676-835a-98395c3bc3bb} [icon]$

Oueries value:

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[streamresource]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [stream resource type]$

Queries value:

 $\label{thm:local_ham} $$HKLM \sim \min_{software \in \mathbb{N}_{1}} {33e28130-4e1e-4676-835a-98395c3bc3bb}_{[local_redirectonly]} $$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [precreate]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[stream]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2328130-4e1e-4676-835a-98395c3bc3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4e1e-4676-835a-98395c3bb} \cite{2328130-4676-835a-98395c3bb} \cite{2328130-4676-835a-98395bb} \cite{2328130-4676-835a-98395bb} \cite{2328130-4676-835a-98395bb} \cite{2328130-4676-835a-$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [attributes]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[foldertypeid]$

Queries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[category]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{8ad10c31-2adb-4296-a8f7-e4701232c972} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Queries value:

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM\software\mbox{$microsoft\windows\currentversion}\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[relativepath]} \end{tabular}$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$

Queries value:

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \fo$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{200} \ \{8ad \color=2adb-4296-a8f7-e470 \color=232 \color=232$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a8f7-e4701232c972 \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [init folder handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [category]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \cite{1.0cm} \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [description]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Queries value:

 $\label{thm:local-soft-windows} In the local description of the local$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$

Queries value:

 $\label{thm:local-soft-windows} In the local description of the local$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \cite{10calredirectonly} \eqref{10calredirectonly}$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\[stream \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[parentfolder]$

Oueries value:

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ b6a2-414586476aea \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [attributes]$

Queries value:

b6a2-414586476aea}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59b6a2-414586476aea}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[parentfolder]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \ \ \ \ \ bba9-27cbc0c5389a \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localredirectonly]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [precreate]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0f214138-b1d3-4a90-bba9-27cbc0c5389a} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \ \ \ \ \ bba9-27cbc0c5389a \ [attributes]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[foldertypeid]}$

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{local_ham} \footnote{1.000} \ \footnote{1.0000} \ \footnote{1.0000} \ \footnote{1.0000} \ \footnote{1.0000} \ \footnote{1.0000}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parsing name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fba2d8-4a392a602ba3}[icon]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[streamresourcetype]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$2400183a-6185-49fb-a2d8-4a392a602ba3} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \description \folder \folder \folder \description \folder \folder$

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \[relative path \eqref{path} \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432ea781-5a1130a75963}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[localredirectonly\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a781-5a1130a75963 \ \ [init folder handler]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \c108 \c$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 faf 8716b \c10{\rm finfotip} \c10{\rm finfotip}$

Queries value:

 $\label{localized-constraint} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-

844b-64e6faf8716b}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[roamable]

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [stream]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \cdots \cdots$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[foldertypeid]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [description]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [parsing name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [icon]$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current types \current \c$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[localredirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{local-oper-problem} \begin{tabular}{ll} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [publish expanded path]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[foldertypeid]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{substant} $$43-be44-4057-a41b-587a76d7e7f9\ [initfolder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{$4b$ fefb45-347d-4006-a5be-ac0cb0567192} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [precreate]$

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fidelight \footnote{1.0cm} 4bfefb45-347d-4006-a5be-ac0cb0567192 \cite{1.0cm} [stream] \end{tabular}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [attributes]$

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [init folder handler]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18be4e-64cd4cb7d6ac}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[description]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [parsing name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \formula$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[streamresourcetype\]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[[name] \]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 814f-a5ebd2fd6d5e \cite{backgraphion} \equal 14f-a5ebd2fd6d5e \cite{backgraphion} \equal$

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[par sing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-

814f-a5ebd2fd6d5e}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ Ficon \ label{eq:hklm}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[security]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4 aba-814f-a5ebd2fd6d5e \footnote{the continuous lemma for the continuous lemm$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \cline{localredirectonly} \]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{ee} 31ca-4aba-814f-a5ebd2fd6d5e} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} \end{2e} 446-31 \ca-4aba-814f-a5ebd2fd6d5e} \ [precreate]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e} \end{2e} \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [attributes]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \folder typeid \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \folder typeid \eq 2e446-31 ca-4aba-814f-a5ebd2fd6d5e \eq$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [init folder handler]$

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[name]}$

Queries value:

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 9c3-b52a1ff411e8 \footnote{the lem:hklm} [description]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{lem:hklm} a part \center{lem:hklm} a$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center{lem:hklm} a part \center{lem:hklm} a part \center{lem:hklm} full \c$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{c870044b-f49e-4126-a9c3-b52a1ff411e8}[security] \end{tabular}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream resource]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[localredirectonly]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [attributes]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[initfolderhandler]}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \dafcae \fib8 \color= (category) \end{subarrange}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} \ [parent folder]$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [parsing name]$

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[icon]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[security]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \end{constraint} \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \current \curr$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value

 $\label{local_model} HKLM \end{align*} INCOME $$HKLM \end{align*} HKLM \end{align*} Software \end{align*} Income $$139d44e-6afe-49f2-8690-3dafcae6ffb8 \end{align*} Income $$139d44e-6afe-49f2-8690-3dafcae6ffb8 \end{align*} The substitution $$139d44e-6afe-8690-3dafcae6ffb8 \end{align*} The substitution $$139d44e-6afe-8690-3dafc$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[roamable]$

Queries value:

Oueries value:

 $\label{local-oper-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[attributes]

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} [initfolder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 17f-4121-8900-86626 \foldsymbol{fc2}{c973} \color= 17f-4121-8900-86626 \$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[description]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Oueries value:

 $\label{thm:localized} HKLM\software\mbox{correntversion} explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}[localized name]}$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]$$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[security]$

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresourcetype]$$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraphs \colong$

Queries value:

 $\label{thm:local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colongraph$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-

8169-88e350acb882}[category]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} \ [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[parentfolder\]$

Oueries value:

 $HKLM \setminus software \setminus irros of t \setminus irros of the irros of th$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Oueries value:

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream]$

Queries value:

Queries value

 $\label{thm:hammon} HKLM \spinorer \folder descriptions \folder \f$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[foldertypeid]

Queries value:

 $\label{thm:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[category]

Queries value:

 $\label{local-operator} HKLM \software \mbox{\scriptions} \end{2.5} This is a substitution of the context of t$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-

be0a-2482ebae1a26}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300be0a-2482ebae1a26}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$

Oueries value:

 $\label{local-operator} HKLM \software \mbox{\scriptions} \end{2.5} Licon \end{2.5} Which is a substitution of the constant o$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[security]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [folder type id]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[initfolderhandler\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [description]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[relativepath]}$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \cite{localized} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[streamresource]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folder type id \folds 3057-ca5c-4622-b42d-bc56db0ae516 \folds 3$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \finit folder handler]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\mbox{a302545d-deff-464b-abe8-61c8648d939b} \ [name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [security]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a302545d-deff-464b-abe8-61c8648d939b} \[stream resource \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [local redirectonly]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [precreate]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [attributes]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b}\[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[category]

Oueries value:

 $\label{local-observation} HKLM \software \mbox{2b0f765d-c0e9-4171-908e-08a611b84ff6} [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[parentfolder\]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot [description]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot [local redirectionly]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [precreate]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [stream]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-d0e7de8-d0e7d$

908e-08a611b84ff6}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [initfolder \ handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[parentfolder]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49deb8d1-440df7ef3ddc}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [security]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[streamresource]}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[localredirectonly]}$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [precreate]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[category]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \current \equiv \current \cur$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [parsing name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[infotip]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [localized name]$

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\[[streamresourcetype] \]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \cite{the continuous} \equiv \folder \cite{the continuous} \equiv \folder \cite{the continuous} \equiv \folder \cite{the continuous} \equiv \folder \cite{the continuous} \equiv \equiv$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft} \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d17-9f04-a5fe99fc15ec} [initfolder \mbox{$handler}]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [localized name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[publishexpandedpath]}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[foldertypeid]}$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [init folder handler]$

Queries value:

 $\label{thm:local-soft} HKLM\software\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}[category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \current \eqref{1777} [name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \current folder \eqref{1877}$

Queries value:

 $\label{thm:hammon} HKLM \spinorer \folder descriptions \final explorer \folder descriptions \final explorer \final explorer$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} fold-88 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 1777 f761-68 ad-4d8a-87bd-30b759 fa33dd \cite{linfotip}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \fill \cite{lem:hklm} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[security]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} fold-88 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-

87bd-30b759fa33dd}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} f761-68 ad-4d8 a-87 bd-30 b$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$

folders[favorites]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder descriptions \folder \folder \current \folder \current \folder \folder \current \folder \current \folder \current \folder \folder \current \folder \fol$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \folder descriptions \gamma \gamm$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [infotip]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream]$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current \lor explorer \setminus folder descriptions \setminus \{b250c668-f57d-4ee1-microsoft \setminus microsoft \setminus microsoft$

a63c-290ee7d1aa1f}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [initfolder handler]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirect only]$

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [attributes]$

Queries value:

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \f$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ `windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$

Queries value:

Queries value:

 $\label{thm:local_hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [description]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[infotip]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[localizedname]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [icon]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [security]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[parsingname]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[infotip]

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-a$

9f26-b60e846fba4f}[streamresource]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f \} [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4fef-9f 26-b 60e 846f ba4f\} \ [stream]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[localizedname]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 97-422220080e43 \ [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} [local redirection \slight]$

Oueries value

 $\label{local-oper-problem} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 4bd8d571-6d19-48d3-beg7-422220080e43 \cite{Abd8d571-6d19-48d3-beg7-422220080e43} \cite{Abd8d571-6d19-48d3$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 97-422220080e43 \ [init folder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a 9-6c 8289 5e 5c 04 \current \eqref{lem:hklm} [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f 02-a3a9-6c82895e5c04\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \ [relative path]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a 9-6c8289 5e5c04 \cite{lem:hklm} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [localized name]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f 02-a3a9-6c82895e5c04\} [stream resource]$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 3a9-6c82895e5c04 \footnote{lem:hklm} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \ [local redirection \eqref{local redirection}]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [folder type id]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 82 89 5 e 5 c 04\} \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.762d272-c50a-4bb0-a382-697dcd729b80} \cite{Constraints} \cite{Con$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[localized name]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$0762d272$-c50a-4bb0-a382-697dcd729b80} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.762d272-c50a-4bb0-a382-697dcd729b80} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.762d272-c50a-4bb0-a382-697dcd729b80} \ [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [init folder handler]$

Queries value:

Oueries value:

 $HKLM\software\mbox{windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[name]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parentfolder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \folder \current \folder \folde$

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parsingname]

Oueries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [security]$

Queries value:

 $\label{local-observation} HKLM \software \mbox{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} [attributes]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\[foldertypeid]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-02e7-4e5d-b744-2eb1ae5198b7} \cite{lac14e7-0$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} \ [parsing name]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-

b744-2eb1ae5198b7}[icon]

Queries value:

 $HKLM \ software \ microsoft \ `vindows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream]$

Queries value:

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[description]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [relative path]$

Queries value

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\[parsingname]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [security]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$a77f5d77-2e2b-44c3-a6a2-aba601054a51} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [local redirectonly]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [attributes]$

Oueries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa77f5d77-2e2b-44c3-a6a2-aba601054a51 \folder typeid \]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [parent folder]$

Queries value:

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e667 ca7\} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{`microsoft\windows\currentversion`explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[streamresourcetype]}$

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curr$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[roamable]$

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[precreate]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[foldertypeid]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}\[initfolderhandler\]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$

Queries value:

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[security]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{Local redirection} \eqref{local redirection} \eqref{local redirection}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{looper} \cite{loo$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{locality} \cite{local$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does \current \folder descriptions \does \does \current \folder \does \current \folder \does \current \folder \does \current \folder \does \does \does \does \folder \does \d$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \ [folder type id]$

Queries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [init folder \handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[category]

Queries value:

 $HKLM \setminus software \setminus irros of t \setminus irros of the irros of th$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-

9733-46cc89022e7c}[parentfolder]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \cite{thm:local-prop} 4.6cc89022e7c \cite{thm:local-prop} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[localredirectonly]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[stream]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[category]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [name]$

Queries value:

 $HKLM\software\mbox{ae50c081-ebd2-438a-8655-8a092e34987a} [parentfolder] \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[description]

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{escotor} ae 50c081-ebd2-438a-8655-8a092e34987a \cite{local-bound} [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [infotip]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[icon]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresource]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} [stream resource type]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[precreate]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{ae50c081-ebd2-438a-8655-8a092e34987a} \ [publish expanded path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft} \windows \current version \explorer \folder descriptions \end{ae50c081-ebd2-438a-8655-8a092e34987a} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqr$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{10calized name} \eqref{10calized name} \eqref{10calized name}$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\$ [icon]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqr$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirection \]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\[roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[publishexpandedpath]}$

Oueries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [init folder handler]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[category\]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{lem:hklm} \cite{lem:$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[parentfolder]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[description]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{lem:hklm} [parsing name]$

Oueries value:

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:localized} \cite{thm:localized} \end{substitute}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{licon} \end{substitute}$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [security]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[streamresource]\]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-continuous} \end{substitute} [stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-4fcf-4fchare \ folder \ f$

9d55-7b8e7f157091}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[attributes]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[category]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[description]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[precreate]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{b6ebfb86-6907-413c-9af7-4fc2abf07cc5} [initfolder \mbox{handler}]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[parsingname]

Oueries value:

Queries value:

 $\label{thm:localized} HKLM \software \mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [localized name] \\$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirect only]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{Continuous} \cite{Con$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{100} \cite{1$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[relativepath]}$

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{Conditions} \cite{Conditions$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} [security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[streamresource]

Queries value:

 $HKLM\software\mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [streamresourcetype] \\$

Queries value:

 $\label{local-condition} HKLM \split with the continuous of the conditions of the conditions of the conditions of the condition of the condit$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [attributes]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \cite{100} \cite{1$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \fill \current \folder \fill \current \folder \fill \current \folder \fill \fill \current \folder \fill \fill$

Queries value:

 $\label{thm:local-objective} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{local-4565-9164-39c4925e467b} [description]$

Queries value:

 $\label{thm:local-objective} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de} 290-123f-4565-9164-39c4925e467b} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[icon]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{374 de 290-123 f-4565-9164-39c4925e 467b\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-

9164-39c4925e467b}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} [local redirectonly]$

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[precreate]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[stream]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{374de290-123f-4565-9164-39c4925e467b} [attributes]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} [init folder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \current \explorer \current \curr$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [relative path]$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{859 ead94-2e85-48 ad-a71a-0969cb56a6cd} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [localized name]$

Queries value:

 $\label{thm:local-soft-windows} In the local line of the local li$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [stream resource]$

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \col$

Oueries value

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} in the constraint of the constrain$

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-

a71a-0969cb56a6cd}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2 e85-48 ad a71 a-0969 cb56 a 6 cd\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56 a 6 cd \} [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [infotip]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{licon} \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \cite{l$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[security]

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \mbox{$a305$ce99-f527-492b-8b1a-7e76fa98d6e4} [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]}$

Oueries value:

Queries value:

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} [attributes] \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \eqref{a305ce99-f527-492b1a-7e76fa98d6e4} \eqref{a305ce99-f527-492b1a-7e76fa98d6e4} \eqref{a305ce99-f527-492b1a-$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [folder typeid]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[category]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} 43d644c9b-1fb8-4f30-9b45-f670235f79c0 \cal{lem:hklm} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} 43d644c9b-1fb8-4f30-9b45-f670235f79c0 \cal{lem:hklm} [description]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresourcetype]

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 4644c9b-1fb8-4f30-9b45-f670235f79c0 \folds \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$

Queries value:

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [description]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[infotip]

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [security]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]$

Queries value:

 $HKLM\software\mbox{a990ae9f-a03b-4e80-94bc-9912d7504104} [local redirectonly] \\$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{Application} \cite{Application}$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[initfolderhandler]}$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[infotip]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-

906a-5644ac457385}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[security]

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 2-c82a-4d63-906a-5644 \acknowledges \eqref{lem:hklm} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[initfolderhandler]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\[description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} \cite{Absolution} \ci$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[icon]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [stream resource]$

Queries value:

 $\label{thm:local_hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[streamresourcetype]$$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [local redirectonly]$

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[attributes]

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [localized name]$

Queries value:

 $\label{thm:local-solution} HKLM \software \mbox{a520a1a4-1780-4ff6-bd18-167343c5af16} [icon]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a factor \current \explorer \folder descriptions \fast a factor \fast \fast$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirect only]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast 20a1a4-1780-4ff6-bd18-167343c5af16 \cite{lem:hklm} \cite{lem:hklm}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fallows \fall$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [attributes]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[initfolderhandler\]$

Oueries value:

 $\label{thm:local-prop} $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \cite{Local-prop} \end{substitute} $$ b74d-02885a5dc765 \cite{Local-prop} \cite{Local-prop} \end{substitute} $$ b74d-02885a5dc765 \cite{Local-prop} \ci$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectionly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [publish expanded path]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [initfolder handler]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-

bfd0-4cd0dfb19b39}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87bfd0-4cd0dfb19b39}[infotip]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [folder type id]$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a -5812-4b87-bfd0-4cd0 \dfb19b39 \cal{lem:hklm} [init folder \handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[parentfolder]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \ [description]$

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[parsingname]} \end{tabular}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13b827-48b24b6c7174}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectionly]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish expanded path]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[parsingname]$$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{df7266 ac-9274-4867-8d55-3bd661 de872d\} [infotip]$

Queries value:

 $\label{localized-ham} HKLM \software \mbox{$df7266ac-9274-4867-8d5-3bd661de872d} [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[icon]

Oueries value:

Queries value:

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{Z}^2} \left[\frac{df7266ac - 9274 - 4867 - 8d55 - 3bd661de872d}{streamresource} \right] $$$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[publishexpandedpath]

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:hammon} HKLM \spinore $$HKLM \spinore \end{area} If the software $$MS5-3bd661de872d \[foldertypeid]$$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 7965083634 \category \cite{Alicenter} \c$

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e 2-fc 79650 83634 \current folder \current \current$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[description]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc7965083634\} [relative path]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 79650 83634 \current \equal 4824 af-dce 4-45a 8-162-fc 79650 \current \equal 4824 \current \equal 4824$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \current \curre$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 7965083634 \equal 4824 af-dce 4-45a 8-162-fc 79650834 \e$

Queries value:

 $\label{local-oper-lo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[roamable]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.24} af-dce 4-45a 8-81e 2-fc 79650 83634 \current \curren$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ ed 4824 a f-dce 4-45 a 8-81 e 2-fc 7965 0 83634 \ [stream]$

Queries value:

81e2-fc7965083634}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45 a 8-81 e 2-fc 7965 083634\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc 7965083634\} [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857a4ce-a8e7c6ea7d27}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{hklk} \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectonly]$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\ [publishexpandedpath]$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[initfolderhandler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[category]

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 15 ca 69 b 3-30 e e-49 c 1-ac e 1-6 b 5 e c 372 a f b 5 \colored \$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} \ [localized name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace1 - 6b5 ec 372 af b5\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\} [attributes]$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Oueries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff\} [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[parentfolder]

Queries value:

Queries value:

Oueries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{3214fab5-9757-4298-bb61-92a9deaa44ff} \ [parsing name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[localizedname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff \} [local redirector ly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \square \mbox{3214} fab 5-9757-4298-bb 61-92a 9 dea a 44 ff \square \mbox{figure} \square \square \mbox{figure} \square \mbox$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$905e63b6-c1bf-494e-b29c-65b732d3d21a} [parsing name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[infotip]

Queries value:

 $\label{localized-holes} HKLM \software \mbox{005e63b6-c1bf-494e-b29c-65b732d3d21a} [localized name]$

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [security]$

Queries value:

b29c-65b732d3d21a}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \category \cite{Accession} \cite{A$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \cite{lem:hklm} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [security]$

Queries value:

 $HKLM\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [streamresource] \\$

Queries value:

 $HKLM\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [streamresourcetype] \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[localredirectonly]

Oueries value

 $HKLM \setminus software \setminus icrosoft \setminus ic$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[folder type id]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[initfolderhandler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ f46a-4c97-ba10-5e3608430854 \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[description]\]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$

Oueries value

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \f$

Queries value:

 $\label{localization} HKLM \software \mbox{bigner} ion \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [precreate]$

Queries value:

 $\label{local-operator} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [initfolder handler]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[category]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [parent folder]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[relativepath]

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [infotip]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [icon]$

Oueries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{1.00cm} \cite{1.0$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Continuous of the continuous of the con$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Continuous} \cite{Con$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[initfolderhandler]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ description \ \ \ ea 3b-bf 251ea 09b 53 \ [description]$

Queries value:

ae3b-bf251ea09b53}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [localized name]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20 beec 4-5 ca 8-4905-ae 3b-bf251ea 09b 53 \[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [local redirectonly]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf251ea09b53\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}\[initfolderhandler\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$

Queries value:

 $\label{local-oper-problem} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{tabular} $$\{de92c1c7-837f-4f69-a3bb-86e631204a23\} [name] $$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3bb-86e631204a23 \ \ [description]$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [relative path]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adaptive to the continuous of the conti$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\eqdef} a3bb-86e631204a23\end{tabular} \begin{tabular}{l} [localized name] \end{tabular}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ a3bb-86e631204a23 \ [icon]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$

Oueries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [local redirection \eqref{localization}]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{Adamong the continuous of the continuous cont$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[stream \]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{linitfolder} and \eqref{lem:hklm} in the lemma \cite{linitfolder} and \cite{$

Oueries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [name]$

Queries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{Monthson} \cite{Months$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{Monthsoftware} \cite{Monthsoftware} \square{Monthsoftware} \cite{Monthsoftware} \square{Monthsoftware} \square{Monthsoftware} \cite{Monthsoftware} \square{Monthsoftware} \cite{Monthsoftware} \square{Monthsoftware} \square{Monthso$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{10c07cd0-ef91-4567-b850-448b7cb37f9} \cite{10c07cd0-ef91-4567-$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b850-448b77cb37f9 \current \current$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [stream resource type]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[precreate]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[stream]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [init folder handler]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 30 ad 0-238 f-46 af ad b4-6 c85480369 c7 \fd 30 ad 0-238 f-46 af ad 0-238 f-46 af$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ dd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \ \ [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{linfotip}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{localized name} \end{substitute}$

Queries value:

 $\label{thm:local_to_the_to_t$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{theorem} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \[stream resource]\]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [stream resource type]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fdd39ad0-238f-46af-adb4-6c85480369c7} [local redirection] \\$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} \cite{lem:$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [precreate]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$$$

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{thm:local_ham} \cite{thm:local_ham} \end{tabular} The local_ham \cite{thm:local_ham} \end{tabular} The local_ham \cite{thm:local_ham} \cite{thm:$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [attributes]$

Queries value:

adb4-6c85480369c7}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[parentfolder]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ \ \ description]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\[infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \call{lem:hklm} and \call{lem:hklm} are the label{lem:hklm} as the label{lem:hklm} are the label$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bedd-7aa 20b 227a 9d \ \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \footnote{Mklm} is treamer source \color="text-align: lem;" when the lemma is the le$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \scalebox{\colorer} [stream resource type]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}\[localredirectonly\]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder descriptions \cal{lem:hklm} and \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder \cal{lem:hklm} folder descriptions \cal{lem:hklm} folder \cal{le$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \footnote{the lem:hklm} is the leminor \cal{lem:hklm} a 20b227a9d \footnote{the lem:hklm} is the leminor \cal{lem:hklm} a 20b227a9d \footnote{the leminor} a 20b227a9d$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hklm} and \cal{lem:hkllm} and \cal{lem:hkllm} are \cal{lem:hkllm} and \cal{lem:hkllm} are \cal{lem:hkllm} and \cal{lem:hkllm} are \cal{lem:hkllm} and \cal{lem:hkllm} are \cal{lem:hklllm} ar$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are \microsoft \microsoft \cal{lem:hklm} and \cal{lem:hklm} are \ca$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\}[name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-

a639-6d472d16972a}[parentfolder]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=190337d1-b8ca-4121-a639-6d472d16972a \c$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$

Oueries value:

 $\label{thm:local-ham} $HKLM \sim \max_{n=0} \sum_{i=0}^{190337d1-b8ca-4121-a639-6d472d16972a} [infotip] $$ HKLM \sim \sum_{i=0}^{190337d1-b8ca-4121-a639-6d472d16972a} [infotip] $$ HKL$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [localized name]$

Queries value:

 $\label{thm:local-ham} $HKLM \sim \frac{microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource type]$

Queries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [publish expanded path]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}\[attributes\]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder type id]$

Oueries value

 $\label{thm:local-soft-windows} In the local structure of the local$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[category]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[parentfolder]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[description]

Queries value:

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [infotip]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54 eed 2e0-e7 ca-4fdb-9148-0f4247291 cfa\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresource]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[localredirectonly]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream]}$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current to the substitution \current \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [init folder handler]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parentfolder]}$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Queries value:

 $HK\dot{M}\$ windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[icon]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [security]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[streamresource]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[publishexpandedpath]

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [initfolder handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \current \folder \current \folder \folder \current \folder \fol$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \foldame 2-2219-4a67-b85d-6c9ce15660cb \finfotip\foldame 2-2219-6c9ce15660cb \finfotip\foldame 2-22219-6c9ce15660cb \fin$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \cdots \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[icon]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \foldame 2-2219-4a67-b85d-6c9ce15660cb \cite{lem:hklm} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[attributes]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 2219-4a67-b85d-6c9ce15660cb \folder type id \folder 15660cb \folder 2219-4a67-b85d-6c9ce15660cb \folder 2219-6c9ce15660cb \folde 2219-6c9ce15660cb \folder 2219-6c9ce15660cb \folde 2219-6c9ce15$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[category]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{thm:lossoftware} HKLM\software\mbox{b94237e7-57ac-4347-9151-b08c6c32d1f7} [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [localized name]$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [security]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[publishexpandedpath]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[foldertypeid]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caed \ folder\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \folder \descriptions \folder \descriptions \cal{lem:hklm} \folder \cal{lem:hklm} \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \folder \cal{lem:hklm} \cal{lem:hklm} \folder \cal{lem:hklm} \cal{lem:hklm} \cal{lem:hklm} \cal{lem:hklm} \ca$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \ca$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ `folder \ descriptions \ `explorer \ folder \ descriptions \ `folder \ descriptions \ `explorer \ folder \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descriptions \ `folder \ descriptions \ descr$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \cal{lem:$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current ba85-6007 \caedcf9d \ext{gas} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \ca$

Queries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ colored \ \ folder \ \ handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parent folder]$

Queries value:

 $\label{local-oper-problem} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored a 63293e8-664e-48db-a079-df759e0509f7 \colored [description] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\}[relative path]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[security]

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A63293e8-664e-48db-a079-df759e0509} \cite{A6329$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [init folder handler]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \cdot \cd$

Queries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \c$

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \cdot \cd$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \cdot \cd$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[streamresourcetype]

Oueries value:

 $\label{thm:local_ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[localredirectonly]$$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[foldertypeid]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder description \folder description \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [relative path]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$82a74$ aeb-$aeb4-$465c-$a014-d097$ ee346d63} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresource]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \footnote{1000} \footnote{1000$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

a014-d097ee346d63}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [initfolder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relative path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \cite{Parsingname} \eqref{parsingname}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[security]

Queries value:

Oueries value

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[localredirectonly]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[precreate]

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \[stream \]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \end{tabular} Software \end{tabular} in the constraint of the constrain$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[folder typeid]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[category]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [description]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[localized name]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[icon]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]$$

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[streamresourcetype]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[localredirectonly\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{43668bf8-c14e-49b2-97c9-747784d784b7} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[initfolderhandler]}$

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \cite{1.00cm} \$

Oueries value:

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \cite{1.00cm} \cite{1.00cm} \folds \cite{1.00cm} \folds \cite{1.00cm} \folds \cite{1.00cm} \folds \cite{1.00cm} \cite{1.00cm} \folds \cite{1.00cm} \cite{1$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localized name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[icon]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream resource type]$

Queries value:

 $\label{thm:local_ham} $$HKLM \sim \min_{s,t} {915221fb-9efe-4bda-8fd7-f78dca774f87} {\local_redirectonly} $$$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[precreate]$$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} \cite{1.000} \cite{1.0000} \cite{1.000$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \factor \factor$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $\label{thm:local_ham} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdots \c$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [localized name]$

Queries value:

```
b5b4-2d72e54eaaa4}[icon]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[security]
  Oueries value:
b5b4-2d72e54eaaa4}[streamresource]
  Oueries value:
b5b4-2d72e54eaaa4}[streamresourcetype]
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[localredirectonly]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[roamable]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[precreate]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[stream]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[publishexpandedpath]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[attributes]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[foldertypeid]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[initfolderhandler]
                                      HKCU\software\microsoft\windows\currentversion\explorer\user shell
  Oueries value:
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
  Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ \{dff acd c5-microsoft \ names \ n
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
  Oueries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[attributes]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[callforattributes]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
  Queries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
  Oueries value:
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                                      HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
```

HKCR\clsid\{dffacdc5-679f-4156-8947-

HKCR\clsid\{dffacdc5-679f-4156-8947-

Oueries value:

Queries value:

c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]

```
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}1
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
 Queries value:
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\windows\system32\shdocvw.dll]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
 Queries value:
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[threadingmodel]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
 Queries value:
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[loadwithoutcom]
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[threadingmodel]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[attributes]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
                         HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\nls\language groups[1]
 Oueries value:
                         Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
 Queries value:
                         HKLM\software\microsoft\ctf[enableanchorcontext]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
                         HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
 Oueries value:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
                         HKLM\software\microsoft\windows
 Queries value:
```

nt\currentversion\languagepack\surrogatefallback[plane13]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]

Sets/Creates value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]