Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 243, Task ID: 972

Task ID: 972 Risk Level: 1

Date Processed: 2016-04-28 13:14:18 (UTC)

Processing Time: 61.24 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\d0073adb10258eeb3ef4019d1fa93819.exe"

Sample ID: 243
Type: basic
Owner: admin

Label: d0073adb10258eeb3ef4019d1fa93819

Date Added: 2016-04-28 12:45:15 (UTC)

File Type: PE32:win32:gui File Size: 671209 bytes

MD5: d0073adb10258eeb3ef4019d1fa93819

SHA256: 10f611b3590435d58e3c4852cd314a9fdee26023a3c4957e564c8e2bdd84388a

Description: None

Pattern Matching Results

Static Events

Anomaly: PE: Contains a virtual section

Process/Thread Events

Creates process: C:\windows\temp\d0073adb10258eeb3ef4019d1fa93819.exe

["C:\windows\temp\d0073adb10258eeb3ef4019d1fa93819.exe"]
Creates process: C:\Users\Admin\AppData\Local\Temp\is-

 $2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp \ ["C:\Users\Admin\AppData\Local\Temp\is-Particles of the context of the cont$

2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp"

/SL5="\$30146,426596,54272,C:\windows\temp\d0073adb10258eeb3ef4019d1fa93819.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \KernelObjects\MaximumCommitCondition

File System Events

Creates: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp

Creates: C:\Users\Admin\AppData\Local\Temp\is-

2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp

Creates: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp

Creates: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp_isetup

Creates: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp_isetup_RegDLL.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp_isetup_shfoldr.dll

Creates: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp\gmsx.exe

Opens: C:\Windows\Prefetch\D0073ADB10258EEB3EF4019D1FA93-EE63A557.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\d0073adb10258eeb3ef4019d1fa93819.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

 $controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2$

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll

Opens: C:\Windows\System32\imm32.dll
Opens: C:\Windows\WindowsShell.Manifest

Opens: C:\Windows\System32\en-US\KernelBase.dll.mui

Opens: C:\windows\temp\netmsg.dll
Opens: C:\Windows\System32\netmsg.dll

Opens: C:\Windows\System32\en-US\netmsg.dll.mui

Opens: C:\Windows\Temp\d0073adb10258eeb3ef4019d1fa93819.exe

Opens: C:\Users\Admin\AppData\Local\Temp

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp
Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\System32\uxtheme.dll
Opens: C:\windows\temp\dwmapi.dll
Opens: C:\Windows\System32\dwmapi.dll
Opens: C:\Users\Admin\AppData\Local\Temp\is-

2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp

Opens: C:\Windows\System32\apphelp.dll
Opens: C:\Windows\AppPatch\sysmain.sdb

Opens: C:\
Opens: C:\Users
Opens: C:\Users\Admin

Opens: C:\Users\Admin\AppData
Opens: C:\Users\Admin\AppData\Local

Opens: C:\Windows\Prefetch\D0073ADB10258EEB3EF4019D1FA93-99FF801B.pf

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\mpr.dll

Opens: C:\Windows\System32\mpr.dll

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\version.dll

Opens: C:\Windows\System32\version.dll
Opens: C:\Users\Admin\AppData\Local\Temp\is-

 ${\tt 2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp.Local\del{tmp}}\\$

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\dwmapi.dll

Opens: C:\Windows\Fonts\StaticCache.dat

Opens: C:\Windows\System32\en-US\user32.dll.mui

Opens: C:\Windows\System32\rpcss.dll

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\CRYPTBASE.dll

Opens: C:\Windows\System32\cryptbase.dll

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\netmsg.dll

Opens: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp

Opens: C:\Users\Admin\AppData\Local\Temp\is-V08TN.tmp_isetup_shfoldr.dll

Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\shfolder.dll

Opens: C:\Windows\System32\shfolder.dll
Opens: C:\Windows\system32\uxtheme.dll.Config
Opens: C:\Windows\Fonts\sserife.fon

Opens: C:\Windows\Fonts\tahoma.ttf
Opens: C:\Windows\System32\shell32.dll
Opens: C:\Windows\System32\shell32.dll

Opens: C:\Windows\System32\en-US\imageres.dll.mui
Opens: C:\Windows\System32\en-US\shell32.dll.mui

Opens: C:\Windows\Fonts\verdanab.ttf

Opens: C:\Program Files\Common Files\microsoft shared\ink\tiptsf.dll
Opens: C:\Users\Admin\AppData\Local\Temp\is-2R06E.tmp\RICHED20.DLL

Opens: C:\Windows\System32\riched20.dll

Opens: C:\Windows\win.ini

Writes to: C:\Users\Admin\AppData\Local\Temp\is-

2R06E.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp

 $\label{local-loc$

Reads from: C:\Users\Admin\AppData\Local\Temp\is-

 $2 R06 E. tmp \verb|\d0073| adb 1025 8 eeb 3 ef 4019 d1 fa 93819.tmp$

Reads from: C:\Windows\Fonts\StaticCache.dat

Reads from: C:\Windows\win.ini

Windows Registry Events

Opens key:	<pre>HKLM\system\currentcontrolset\control\session manager</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\safeboot\option</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\srp\gp\dll</pre>

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: ${\tt HKCU \backslash control\ panel \backslash desktop \backslash muicached \backslash machine language configuration}$

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus side by side \setminus assembly storage roots$

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre initialize

Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key: HKLM\ HKLM\software\microsoft\windows nt\currentversion\windows Opens key: Opens key: HKLM\software\microsoft\ole HKLM\software\microsoft\ole\tracing Opens key: Opens key: HKLM\software\microsoft\oleaut Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options\d0073adb10258eeb3ef4019d1fa93819.tmp Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility Opens key: HKLM\software\policies\microsoft\windows\appcompat Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers HKLM\software\microsoft\windows Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution options Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder Opens key: HKLM\system\currentcontrolset\control\nls\locale Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts Opens key: HKLM\system\currentcontrolset\control\nls\language groups $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \verb|\microsoft| windows nt \end{tabular} nt \end{tabular} in k \end{tabular} and the local properties of the local pro$ Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0 HKLM\software\microsoft\windows Opens key: nt\currentversion\languagepack\surrogatefallback Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\software\microsoft\ctf\compatibility\d0073adb10258eeb3ef4019d1fa93819.tmp Opens key: Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436} Opens key: HKLM\software\microsoft\ctf\ HKLM\software\microsoft\ctf\knownclasses Opens key: Opens key: HKLM\software\microsoft\windows\currentversion HKLM\software\microsoft\windows nt\currentversion Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\tahoma Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer Opens key: $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ d0073 adb 10258 eeb 3ef 4019 d1 fa 93819. tmp$ HKCU\software\classes\ Opens key: Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-drivers \ drivers \ drivers$ Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

HKCU\software\classes\drive\shellex\folderextensions Opens key:

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

 $\label{thm:local_hammon} \mbox{\tt HKLM\software\mbox{\tt microsoft\windows\currentversion\explorer\shell\ icons}}$ Opens key:

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\verdana

HKLM\software\policies Opens key: Opens key: HKCU\software\policies

Opens key: HKCU\software
Opens key: HKLM\software

Opens key:

HKCU\software\policies\microsoft\windows\currentversion\explorer\autocomplete

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\autocomplete

Opens key:

HKLM\software\policies\microsoft\windows\currentversion\explorer\autocomplete

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\autocomplete

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}
Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\treatas

Opens key: $\begin{tabular}{ll} HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas \\ Opens key: \\ HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\$

00c04fd7d062}\progid

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\progid Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprocserver32

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprochandler32

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandler32

Opens key: HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-

00c04fd7d062}\inprochandler

Opens key: HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandler
Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}
Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\treatas

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\treatas Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\progid

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\progid Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprocserver32

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprochandler32

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler32

Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprochandler

Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler
Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\treatas

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\progid

Opens key: $\begin{tabular}{ll} HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\progid\\ Opens key: \\ HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-}\\ \end{tabular}$

00c04fd7d062\inprocserver32

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprochandler32

 $Opens~key: \\ HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\\\ \ inprochandler 32$

Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprochandler

Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\autocomplete\client\

Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}

 Opens key:
 HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}

 Opens key:
 HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}

b61bb7cdd997}\treatas

Opens key: $\begin{tabular}{ll} HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat as \\ Opens key: \\ HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat as \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat as \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat as \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat as \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treat \\ \begin{tabular}{ll} HKCU\software\classes\clsid\classes\clsid\clsi$

b61bb7cdd997}\progid

 Opens key:
 HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid

 Opens key:
 HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920

b61bb7cdd997}\inprocserver32

Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32

Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-

```
b61bb7cdd997}\inprochandler32
```

Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprochandler32

Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-

b61bb7cdd997}\inprochandler

Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprochandler

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced
Opens key: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes

Opens key: HKCU\software\microsoft\windows nt\currentversion\windows

Opens key: HKCU\software\microsoft\windows\currentversion\uninstall\{d8272644-309e-

41e2-a6ed-cd5bec9aa6fe}_is1

Opens key: HKLM\software\microsoft\windows\currentversion\uninstall\{d8272644-309e-

41e2-a6ed-cd5bec9aa6fe}_is1

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[d0073adb10258eeb3ef4019d1fa93819]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\config[system]

Queries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

 $nt\current version\app compatflags\layers[c:\users\admin\app data\local\temp\is-particles] and the property of the property$

2r06e.tmp\d0073adb10258eeb3ef4019d1fa93819.tmp]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]

Queries value: HKLM\software\microsoft\windows

 $nt \verb|\currentversion| app compatflags[{35bf919e-0495-48df-8e74-456384e34e74}]|$

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[{35bf919e-0495-48df-8e74-456384e34e74}]

Queries value: HKLM\software\microsoft\windows nt\currentversion\image file execution

options[disablelocaloverride]

Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]

Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane2]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane3]

```
HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane4]
                                       HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
                                       HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
                                       HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
                                       HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\current version \verb|\languagepack| surrogate fall back[plane 16]|
                                       HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be07 - be07 - be18 - b
  Oueries value:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
                                       HKLM\software\microsoft\ctf[enableanchorcontext]
  Queries value:
  Queries value:
                                       HKLM\software\microsoft\windows\currentversion[programfilesdir]
  Oueries value:
                                       HKLM\software\microsoft\windows\currentversion[commonfilesdir]
  Queries value:
                                       HKLM\software\microsoft\windows nt\currentversion[registeredowner]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion[registeredorganization]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[attributes]
  Oueries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[restrictedattributes]
  Queries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
  Oueries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
  Queries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
  Queries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[queryforoverlay]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[queryforinfotip]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Oueries value:
08002b30309d}\shellfolder[hideinwebview]
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
  Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
  Oueries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
  Oueries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
  Queries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
  Oueries value:
                                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}]
                                       HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
  Queries value:
```

```
409d6c4515e9}[drivemask]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[append completion]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]
 Queries value:
                          HKLM\software\microsoft\com3[com+enabled]
                          HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]
                          HKCR\clsid\{00bb2765-6a77-11d0-a535-
 Queries value:
00c04fd7d062}\inprocserver32[threadingmodel]
 Queries value:
                          HKLM\software\microsoft\ole[maxsxshashcount]
 Queries value:
                          HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}[]
 Queries value:
                          HKCR\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32[inprocserver32]
                          HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32[]
 Queries value:
 Queries value:
                          HKCR\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}[]
 Queries value:
                          HKCR\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]
 Queries value:
                          HKCR\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[threadingmodel]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete\client[]
 Queries value:
                          HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid[]
 Queries value:
                          HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}[]
 Queries value:
                          HKCR\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32[threadingmodel]
 Queries value:
                          HKLM\software\microsoft\rpc\extensions[ndroleextdll]
 Queries value:
                          HKLM\software\microsoft\rpc[maxrpcsize]
 Queries value:
HKLM\system\currentcontrolset\control\computername[computername]
 Queries value:
                          HKLM\system\setup[oobeinprogress]
 Queries value:
                          HKLM\system\setup[systemsetupinprogress]
 Queries value:
                          HKLM\software\microsoft\sqmclient\windows[ceipenable]
 Oueries value:
                          HKCU\control panel\desktop[smoothscroll]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewalphaselect]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[acclistviewv6]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe
ui]
 Oueries value:
                          HKCU\software\microsoft\windows nt\currentversion\windows[scrollinset]
 Queries value:
                          HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
 Queries value:
                          HKCU\software\microsoft\windows nt\currentversion\windows[dragmindist]
 Queries value:
                          HKCU\software\microsoft\windows nt\currentversion\windows[scrolldelay]
 Oueries value:
                          HKCU\software\microsoft\windows
nt\currentversion\windows[scrollinterval]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent bold]
 Queries value:
                          HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent,0]
                          \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in the current version \end{tabular} fontsubstitutes \end{tabular} arabic
 Queries value:
transparent bold,0]
```

Queries value: HKLM\software\microsoft\windows

nt\currentversion\fontsubstitutes[helvetica]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial

baltic,186]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial

ce,238]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial

cyr,204]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial

greek,161]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial

tur,162]

Queries value: HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new baltic,186]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new ce,238]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new cyr,204]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\fontsubstitutes[courier new greek,161]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\fontsubstitutes[courier new tur,162]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times]

new roman baltic,186]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times

new roman ce,238]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times

new roman cyr,204]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times

new roman greek,161]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times

new roman tur,162]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms

shell dlg 2]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[tahoma

armenian1

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[helv]
Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[tms

rmn]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[david

transparent]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[miriam

transparent1

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[fixed]

miriam transparent]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[rod

transparent]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[fangsong_gb2312]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\fontsubstitutes[kaiti_gb2312]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms

shell dlg]