


Easy Trumpet

EZ-TF

OVERALL CIRCUIT DIAGRAM





- OVERALL CIRCUIT DIAGRAM (AM, BAT, DM, LED, VS)

PK 001730
20041101-オープンプライス


 **YAMAHA**
HAMAMATSU, JAPAN
IT  Printed in Japan '04.10

**Jumper
plug
(U, E, B
models)**



D E F G H I

LED, VS)



NEL SWICH & LED


LED DRIVER



3. DAC & LPH & H.P AMP



AM 4. MIC AMP & LPF, HPF




OP AMP (MIC AMP)


OP AMP (RICH DETECTOR)

OP AMP (VOLUME DETECTOR)

INVERTER




OP AMP (LPF)




MASTER VOL






H.P AMP



5. MIDI I/F







Note: See parts list for details of circuit board component parts.



注：シートの部品詳細はパーツリストをご参照ください。

EZ-TP

TO SERVICE PERSONNEL
Critical Components Information
Components having special characteristics are marked **△** and must be replaced with parts having specifications equal to those originally installed.

△印の部品は、安全を維持するために重要な部品です。
交換する場合は、安全のため必ず指定の部品をご使用ください。

(セ) : Monolithic



IEL
ormation
pecial characteristics are marked **Δ** and must be replaced with parts having
hose originally installed.

維持するために重要な部品です。
全のため必ず指定の部品をご使用ください。

(セ) : Monolithic Ceramic Cap. (チップ積層セラコン)

D


E

F

G

H

I



Ceramic Cap. (チップ積層セラコン)

28CC1-8829602

EZ-TP

G

H

I

J

K

L

9

8

7

6

5