

Aharasetu – AI Powered Ayurvedic Diet Reccomendation System

Rasuri Sam Jamison

2022-B-05092004

B.Tech Cloud Technology and Information Security

Ishita Bhandarkar

2022-B-19122004

B.Tech Cloud Technology and Information Security

Aayush Bhute

2022-B-01092004D

B.Tech Cloud Technology and Information Security



AJEENKYA
D Y PATIL UNIVERSITY
THE INNOVATION UNIVERSITY

**School of
Engineering**

AHARASETU
AI-Powered Ayurvedic
Diet Recommendation System
Thesis submitted in partial fulfilment
of the requirements of the degree of
Bachelor of Technology
in
Cloud Technology and Information Security
by

Rasuri Sam Jamison

2022-B-05092004

Ishita Bhandarkar

2022-B-19122005

Aayush Bhute

2022-B-01092004D

Under the Supervision of
Prof. Prini Rastogi



April 2026

School of Engineering
Ajeenkya DY Patil University, Pune



AJEENKYA
D Y PATIL UNIVERSITY
THE INNOVATION UNIVERSITY

School of
Engineering

April 25, 2026

CERTIFICATE

This is to certify that the dissertation entitled “**Aharasetu - AI-Powered Ayurvedic Diet Recommendation System**” is a bonafide work of **Rasuri Sam Jamison (2022-B-05092004)**, **Ishita Bhandarkar (2022-B-19122005)**, **Aayush Bhute (2022-B-01092004D)** submitted to the School of Engineering, Ajeenkya D Y Patil University, Pune in partial fulfillment of the requirement for the award of the degree of “*Bachelor of Technology in Information Technology (Cloud Technology and Information Security)*”.

Prof. Prini Rastogi

Supervisor

Dr. Prashant.B.Kumbharkar

Dean-School of Engineering

Internal Examiner

External Examiner



AJEENKYA
D Y PATIL UNIVERSITY
THE INNOVATION UNIVERSITY

School of
Engineering

April 25, 2026

Supervisor's Certificate

This is to certify that the dissertation entitled “**Aharasetu - AI-Powered Ayurvedic Diet Recommendation System**” submitted by **Rasuri Sam Jamison (2022-B-05092004)**, **Ishita Bhandarkar (2022-B-19122005)**, **Aayush Bhute (2022-B-01092004D)**, is a record of original work carried out by him/her under my supervision and guidance in partial fulfillment of the requirements of the degree of *Bachelor of Technology in Information Technology (Cloud Technology and Information Security)* at School of Engineering, Ajeenkya DY Patil University, Pune, Maharashtra-412105. Neither this dissertation nor any part of it has been submitted earlier for any degree or diploma to any institute or university in India or abroad.

Prof. Prini Rastogi

Supervisor



AJEENKYA
D Y PATIL UNIVERSITY
THE INNOVATION UNIVERSITY

School of
Engineering

Declaration of Originality

We, *Rasuri Sam Jamison (2022-B-05092004), Ishita Bhandarkar (2022-B-19122005), Aayush Bhute (2022-B-01092004D)* hereby declare that this dissertation entitled “*Aharasetu - AI-Powered Ayurvedic Diet Recommendation System*” presents our original work carried out as a bachelor student of School of Engineering, Ajeenkya D Y Patil University, Pune, Maharashtra. To the best of our knowledge, this dissertation contains no material previously published or written by another person, nor any material presented by us for the award of any degree or diploma of Ajeenkya D Y Patil University, Pune or any other institution. Any contribution made to this research by others, with whom we have worked at Ajeenkya D Y Patil University, Pune or elsewhere, is explicitly acknowledged in the dissertation. Works of other authors cited in this dissertation have been duly acknowledged under the sections “Reference” or “Bibliography”. We also declare that we have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated or falsified any idea/data/fact/source in our submission.

We are fully aware that in case of any non-compliance detected in future, the Academic Council of Ajeenkya D Y Patil University, Pune may withdraw the degree awarded to us on the basis of the present dissertation.

Date: 25th April 2026

Place: Lohegaon, Pune

Rasuri Sam Jamison

Ishita Bhandarkar

Aayush Bhute

Acknowledgement

We remain immensely obliged to **Prof. Prini Rastogi**, Department of Computer Science, School of Engineering, Ajeenkya DY Patil University, for providing me with the guidance and intellectual direction for this project, and for her invaluable support throughout the entire duration of this work. Her in-depth knowledge of both technological frameworks and her encouragement at every stage of development made this project possible. The regular feedback, constructive criticism, and timely suggestions he provided were instrumental in shaping the final form of this work.

We also acknowledge the contributions of the broader academic research community, whose published works in the domains of Ayurveda informatics, healthcare AI, and ontology-based systems provided the theoretical scaffolding for this research. All such works have been duly cited in the references section.

Finally, we would like to thank our family and friends for their constant moral support, patience, and encouragement throughout this project. Their unwavering belief in our abilities gave us the confidence to pursue this work with dedication and sincerity.

Rasuri Sam Jamison

Ishita Bhandarkar

Aayush Bhute

Abstract

Ayurveda is one of the most ancient and professional systems of customized nutrition and preventive medicine in the world. Fundamentally, Ayurvedic dietary science functions by categorising people by their constitutional type prakriti, which defines their physiological inclination, digestive strength and their prone tendencies under a particular disease condition. Together with the principles of agni (digestive fire), ritucharya (seasonal dietary adaptation) and disease-specific therapeutic corrections, this constitutional system, combined with more intimate and targeted individual approach to nutrition, provides a paradigm of unified difference to the calorie-based approach that prevails in an overwhelming majority of digital diet-optimizing recommendations. Although there is increasing clinical studies that support a health-promoting role of Ayurvedic lifestyle interventions, most of the currently existing digital nutrition applications are not utilizing these qualitative dietary properties. They do not uphold a classification of foods as based on constitutions, adaptation to seasonal changing diets, and the complex system of the Ayurvedic dietary science based on rasa (taste), guna (physical characteristic), virya (thermal quality), and vipaka (after-effect) attribute systems.

This paper introduces AharaSetu, an all-encompassing cloud computing and artificial intelligence-based practice management and nutrient analysis software challenge created to pool Ayurvedic nutritional dietitians. The proposed system incorporates constitution based profiling of patients by use of prakriti classification questionnaires, an Ayurvedic food ontology engine that supports more than five hundred food objects under all classical Ayurvedic attributes, a Retrieval-Augmented Generation (RAG) knowledge pipeline, which retrieves structured Ayurvedic knowledge and follows a large language model reasoning perspective, a chatbot-based consultation interface of real-time patient

Comparing with both conventional manual consultation methods and on existing digital diet planning tools, simulated consultation trial data shows that AI-based consultation methods have left a strong impact in accuracy of advice, consultation efficiency and personalisation. The proposed system has a constitution accuracy of 94% and a seasonal adaptation accuracy of 89 as well as a food compatibility accuracy of 92 and decreases the total consultation time by around 66%. The findings confirm that the AharaSetu platform is a linear and clinically valuable approach to modernization of the Ayurvedic nutrition consultation practice in digital health ecosystems.

Keywords: *Ayurveda Informatics, Personalized Nutrition, Cloud Healthcare Systems, Retrieval-Augmented Generation, Diet Recommendation Systems, Prakriti Classification, Ontology-Based Reasoning, Chatbot Healthcare Consultation*

Contents

CHAPTER 1: INTRODUCTION	1
1.1 Overview of Ayurveda and Digital Health	1
1.2 Background and Motivation	4
1.3 Existing Systems and Their Limitations	6
1.4 Need for the Proposed System	8
1.5 Objectives of the Study	9
1.6 Scope of Work	10
1.7 Organization of the Thesis	11
CHAPTER 2: LITERATURE REVIEW	13
2.1 Introduction	13
2.2 Ayurvedic Informatics Systems	14
2.3 AI in Healthcare and Diet Planning	16
2.4 Cloud-Based Healthcare Platforms	18
2.5 Retrieval-Augmented Generation in Healthcare	19
2.6 Food Ontology and Knowledge Representation	21
2.7 Chatbot Systems in Healthcare	22
2.8 Research Gaps and Motivation	24
2.9 Summary	26
CHAPTER 3: METHODOLOGY	27

3.1 Introduction	27
3.2 System Architecture Overview	28
3.3 Workflow Design	31
3.4 Algorithm Design	33
3.5 Ayurvedic Principles Applied	35
3.6 Knowledge Representation Strategy	37
3.7 Prakriti Classification Logic	38
3.8 Seasonal Adaptation Framework	40
3.9 Summary	42
CHAPTER 4: SYSTEM DESIGN	43
4.1 Introduction	43
4.2 Module-Level Design	43
4.3 Database Schema Design	50
4.4 Ayurvedic Food Ontology Modeling	52
4.5 Entity-Relationship Model	54
4.6 Security Architecture	56
4.7 UI/UX Design Considerations	58
4.8 Summary	59
CHAPTER 5: IMPLEMENTATION	61
5.1 Introduction	61
5.2 Technology Stack	62
5.3 RAG Pipeline Implementation	66

5.4 Cloud Deployment Model	69
5.5 Chatbot Interface Implementation	71
5.6 Performance Optimization	73
5.7 Summary	75
CHAPTER 6: RESULTS AND DISCUSSION	76
6.1 Introduction	76
6.2 Experimental Setup	77
6.3 Recommendation Accuracy Evaluation	80
6.4 Consultation Time Analysis	82
6.5 Personalization Effectiveness	85
6.6 System Comparison with Existing Platforms	87
6.7 Limitations	90
6.8 Summary	92
CHAPTER 7: CONCLUSION AND FUTURE WORK	94
7.1 Conclusion	94
7.2 Future Research Directions	97
REFERENCES	101
ANNEXURE I	
ANNEXURE II	

List of Tables

Table 1.1: Limitations of Existing Digital Diet Planning Systems	7
Table 2.1: Summary of Related Work in Ayurveda Informatics	16
Table 2.2: Comparison of AI Techniques Used in Healthcare Recommendation	18
Table 3.1: Dosha-Symptom Mapping Reference Table	39
Table 3.2: Seasonal Dosha Influence Table	41
Table 4.1: Patient Registration Module - Data Fields	45
Table 4.2: Prakriti Classification Module - Input Parameters	46
Table 4.3: Sample Food Ontology Entries with Ayurvedic Attributes	53
Table 5.1: Technology Stack Summary	65
Table 5.2: RAG Pipeline Stage Description	68
Table 6.1: Recommendation Accuracy Metrics - Manual vs. Proposed	80
Table 6.2: Consultation Time Comparison by Workflow Stage	83
Table 6.3: Personalization Effectiveness Metrics	85
Table 6.4: Feature-Level System Comparison	88

List of Abbreviations

AI	Artificial Intelligence
API	Application Programming Interface
AWS	Amazon Web Services
AYUSH	Ayurveda, Yoga & Naturopathy, Unani, Siddha and Homeopathy
ER	Entity-Relationship
EHR	Electronic Health Record
HIPAA	Health Insurance Portability and Accountability Act
HTTP	Hypertext Transfer Protocol
IEEE	Institute of Electrical and Electronics Engineers
ISO	International Organization for Standardization
JSON	JavaScript Object Notation
JWT	JSON Web Token
LLM	Large Language Model
ML	Machine Learning
NLP	Natural Language Processing
RDBMS	Relational Database Management System
RAG	Retrieval-Augmented Generation
RBAC	Role-Based Access Control
REST	Representational State Transfer
SaaS	Software as a Service
SQL	Structured Query Language
TLS	Transport Layer Security
UI	User Interface
UX	User Experience
WHO	World Health Organization

CHAPTER 1

INTRODUCTION

1.1 Overview Of Ayurvedic And Digital Health

Ayurveda combines the ancient Sanskrit language Ayurveda means knowledge of life. It is among the oldest and most long traditions of healing that is still practiced in the life of humankind. Ayurvedic medicine, a system of holistic medicine about wellness, is said to have origins dating back to the Indian subcontinent more than five thousand years ago in which the human body is not understood as a series of chemical reactions but as a complex organism in an incessant process of interaction with the environment surrounding it, its changing seasons, and its own constitution. The Ayurveda scriptures, mainly the Charaka Samhita and Sushruta Samhita are replete with really superior treatments of physiology classification, nutrition, drug therapy and surgical techniques.

Ayurveda dating back is one of the oldest still existing healthcare systems in the world, its key approach focuses on the prevention-based lifestyle control by the means of personalized diet control and behavioural harmonisation. In contrast to the traditional models of nutrition planning that are based mainly on the use of uniform calorie intake models and macronutrients balance guidelines, the Ayurvedic dietary science takes into account the physiological structure of a person, the level of digestion, the conditions of the environment and the impact of a season on diet planning and proposes suitable food options. The personalized Ayurveda dietary ideals render it especially fitting in application in intelligent recommendation systems that strive to provide personalized healthcare advice using digital channels.

Ayurvedic medicine revolves around the idea of the three doshas, namely Vata, Pitta, and Kapha. They are said to be three biological energies, or constitutional principles, responsible for all physiological and psychological processes in the human body. Specifically, Vata, whose constituents are the elements of space and air, rules all kinds of movements in the body including respiration and neurological processes, as well as energy circulation. The dosha Pitta,

whose main constituents are fire and water, is responsible for metabolism, digestion, thermoregulation, and conversion of food energy. The dosha Kapha, made up of earth and water, manages all aspects of structural stability, immunity, tissue construction, and lubrication. Individuals are conceived with different combinations of these three doshas; their unique combination is called prakriti, which sets the foundation of physiological and psychological qualities as well as the susceptibility to diseases, dietary needs, and adaptability to environment.

The dietary science in Ayurveda is very advanced since it moves beyond such simplistic concepts as calories and macronutrients that form the basis of the majority of contemporary nutrition approaches. Food categorization according to Ayurvedic beliefs proceeds based on the principle of ontological multi-dimensionality that means that each food product has a number of characteristics, namely, rasa (taste of the product belonging to any of the six basic tastes: sweet, sour, salty, pungent, bitter, and astringent); guna (physical and energetic qualities of the food such as being heavy, light, oily, dry, hot, cold, etc.); virya (thermal energy of the product: heating or cooling); and vipaka (the way food is digested and transformed by the body affecting its physiological processes and doshas). All of these factors affect an individual's constitution in a certain manner, and therefore, an experienced Ayurvedic dietitian needs to know how various products act with regard to a person's prakriti, the condition of doshas, his/her digestive capacity, and the season.

In addition, Ayurvedic dietetics employs the notion of agni, which means digestive fire, i.e., the process of food processing within the body. In this regard, agni is categorized into four major types: Sama agni (perfect digestion), vishama agni (imperfect digestion associated with Vata imbalance), tikshna agni (excessively fast digestion associated with Pitta disorder), and manda agni (very slow digestion associated with Kapha disorder). Depending on which type of agni a patient is diagnosed with, he/she may require very different foods, although certain products are highly beneficial for someone but harmful for the others because of a different condition of digestion.

It would be difficult to ignore the fact that the world digital health industry has undergone a swift change during the last 20 years. The ubiquitous use of smartphone devices, wearable health trackers and cameras, cloud computing, and artificial intelligence tools have led to the establishment of a complete new digital healthcare provision, patient communication as well as clinical decision support environment. The impact of recent industry analyses has shown the global market value of digital health to be above four hundred billion US dollars in 2023 with

expectations that the value will carry on growing with a compound annual growth rate of over fifteen percent into the year 2030. In this dynamic ecosystem, a growing niche is now represented by digital nutrition sites, which are to a significant part necessitated by the growing population knowledge of preventive health and the growing need of customized wellness options.

New developments in digital healthcare technologies have provided the possibility to incorporate old medical knowledge systems using the latest techniques in computational intelligence. IT-based recommendation systems are becoming recommended tools in finding diagnostic aid, treatment planning and lifestyle for different healthcare fields. Nevertheless, the current AI-based healthcare systems are mainly geared towards biomedical clinical settings, and seldom feature structured models of conventional healthcare knowledge like Ayurvedic dietary compatibility systems. This gap gives a desire to create highly-focused computational systems that can be used to transform classical Ayurvedic knowledge into machine-readable logic of recommendations.

The AharaSetu is suggested a hybrid decision-support platform that considers the challenge by leveraging a combination of Ayurvedic knowledge modelling using ontology with retrieval-enhanced artificial intelligence knowledge-based reasoning methods. A combination of classical compatibility principles and the current-day recommendations system design will focus on enhancing the availability of customized Ayurvedic dietary consultation services without sacrificing clinical explainability and supervision of practitioners.

However, the majority of the available digital nutrition systems are run according to Western nutritional science. Their main features usually consist of macronutrient monitoring, managing the amount of calories consumed and burned, and producing standardized nutrition guidelines, according to health guidelines on a national scale. Certain state-of-the-art platforms also have machine learning algorithms which optimize the recommendations based on user behaviour data. Even though these systems offer useful utility when it comes to the general nutrition management, they do not apply to practitioners and patients operating on the Ayurvedic or other medical systems. One of the major opportunities missing from the digital health ecosystem is Ayurvedic diets have no specific technological support, which must be met, making it one of the key driving factors behind the creation of the AharaSetu platform.

1.2 Background And Motivation

The roots that led to AharaSetu are the keen eye on where the practitioners face issues in their daily clinical practice. Ayurvedic diet counseling usually starts with a thorough intake system which involves demographic enquiries, area of lifestyle, digestive power and patterns, prakriti recognition among other things through observation and administration of questionnaires subsequently, symptom analysis to trace out imbalances of doshas as well as seasonal circumstances, and ultimate functioning of assembling of a unique diet, which establishes detailed guidelines regarding the right foods, timing of Here, this whole process, when done manually, can take between forty-five and ninety minutes during the initial consultation, although following up sessions can require another twenty to thirty minutes.

Although a variety of digital diet-planning solutions is available and a range of healthcare recommendation platforms exists, the majority of the existing systems would assist in generalized nutrition planning, as opposed to the constitution-specific dietary personalization, as outlined by traditional healthcare models. Consequently, patients who consult Ayurvedic practitioners on dietary related issues are usually solely reliant on manual processes of practitioner consultation, which can be time-consuming and hard to apply to full populations.

Besides the time spent on consultations, Ayurvedic dietitians also tend to face problems with the relative lack of a well-organized and searchable system of patient records, tracking patient progress through multiple consultation sessions, keeping up-to-date with emerging research linking Ayurvedic dietary theory with modern nutritional science, and ensuring effective delivery of detailed dietary guidelines in a manner that facilitates patient adherence. Even nowadays, numerous doctors in India and other parts still rely on the paper-based system of documentation, hand-written dietary charts, and informal methods of communication in follow-up communication. These constraints are a limit to the scalability of clinical practice, and minimise the effectiveness of patient management over the long-term.

Acknowledgment of the second prominent weakness of classical consultation processes entails the lack of systematic computational aids that effectively combine various Ayurvedic decision making factors that include but not limited to prakriti categorization, digestive force testing, seasonal fluctuation and food compatibility restrictions. In the absence of digital style of support, practitioners will have to concern themselves with the onus of extensive manual interpretation of classical texts and personal clinical experience, potentially resulting in extended consultations as well as variability in the results of recommendations.

In the study of Ayurvedic dietary science, the science of Ayurveda has received a lot of scientific strength by the research developments in the Ayurgenomics field. As shown by studies by Prasher et al. and Rotti et al., prakriti classification, performed with the help of validated methods of analysis, has significant correlations with patterns of gene expression, the nature of immune responses, changes in metabolic rates, and predisposition to specific diseases. These results are directly consistent with the mission of precision nutrition, which seeks to develop nutrition prescriptions, which would be designed to suit the individual with his or her unique physiological and genetic makeup. Here, the idea of Ayurvedic prakriti determination can be viewed as a very early phenomenological model to explain biological variability, which is currently being elucidated in genomic science using molecular biology.

Besides this theoretical validation, clinical trials by Telles et al. and other scholars have revealed that well-designed Ayurvedic lifestyle interventions, such as constitution-based dietary changes, have the ability to yield statistically significant changes in such key metabolic indicators of health as body weight, serum blood glucose levels, serum lipid profiles, and inflammatory biomarkers. The findings are particularly significant in light of the increase in metabolic diseases like obesity, type 2 diabetes mellitus, and cardiovascular disease that are the major preventable causes of mortality and morbidity in both third-world and developed nations. The proven success of Ayurvedic dietary interventions in treating these conditions underlines the possible community health benefit of a dedicated online tool that could help Ayurvedic consultation become more effective and widespread.

Technologically, the AharaSetu is enabled by the coming together of a number of enabling technologies which are highly advanced and have matured over the past few years. The existing cloud computing technologies like Amazon Web Services or Microsoft Azure allow to offer scalable and economical infrastructure that will be able to handle data-heavy healthcare consultation systems. The current state of AI technologies, namely the use of large language models and retrieval-augmented generation architectures, have progressed in such a way that they can be utilized to conduct a specialized form of reasoning in knowledge-intensive areas such as Ayurvedic medicine. Concurrently, recent developments in ontology engineering tools have enabled the extent of creating structured knowledge bases to model highly complex relationship between attributes in Ayurvedic food science. Moreover, AI-enabled chatbot technologies used as conversational interfaces have the potential to be effective consultation support tools in clinical settings due to their reliability.

Thus, it is evident that there is a significant gap towards creating a systematic computational advice platform, capable of converting classical Ayurveda principles in dietary compatibility into an online real-world consultation support system that is capable of enhancing the degree of personalization, efficiency in consulting and access to constitution-specific dietary advice.

Even the name AharaSetu is indicative of the cause. The Sanskrit word Ahara is used to denote food or diet and Setu is used to denote bridge. The combination of the name signifies the concept of establishing a significant relationship between the ancient Ayurvedic food science and what modern digital technology can do. By doing so, AharaSetu shall enable bringing the richness of Ayurvedic nutritional knowledge closer, more achievable, and scalable to clinicians within the current technology-enabled clinical setting.

1.3 Existing Systems And Their Limitations

Analysis of the available systems of digital nutrition planning on the basis of assessment of their compliance with the required criteria of the Ayurvedic diet consultation obviously reveals that some deficits still exist. This kind of knowledge is essential so as to clarify why there are certain design choices which have been pursued in the AharaSetu template.

The most common kind of digital nutrition app that exists today, comprising solutions such as MyFitnessPal, Cronometer, Noom and other such platforms, are those that solely rely on the calculation of calories and macronutrient content in foods. These systems work by holding large databases of nutrition data on thousands of types of foods as well as tracking how their users are consuming in relation to established set targets to give them tips and suggestions based on a variety of goals like fat loss, weight gain and weight maintenance intentions. These platforms are highly effective in their actions, but they simply cannot provide any kind of support to people who include Ayurvedic diet in their meals as they cannot possibly consider such concepts as rasa, guna, virya or vipaka.

Other software that was developed specifically to support the effort of the integrative practitioners attempt to integrate the traditional dietary data with some elements of a full health assessment. Practice Better and Healthy offer such features as an electronic health record system, appointment setting options, and rudimentary meal planning options, yet they rely completely on the framework of Western nutrition science and lack any incorporation of Ayurvedic knowledge systems. Their databases, algorithmic processes for generating recommendations, and tools for evaluating patients cannot be applied to Ayurveda directly.

In the Indian digital health industry, there have been some applications developed where elements of Ayurveda have been included in different levels. However, the vast majority of these applications tend to be wellness applications aimed at the consumer rather than the professional. They may offer Ayurvedic dietary advice that does not require any input except the consumer's reported prakriti type; it lacks any sort of professional depth in order to give proper dietary consultations. Moreover, they fail to include features such as practitioner workflows, electronic patient records, RAG-based knowledge retrieval, and the food ontology classification system which is needed by an Ayurvedic dietitian.

In this regard, we can say that there is a very clear market opportunity here because no dedicated application exists that allows Ayurvedic dietitians to make full use of the technology. As a matter of fact, these professionals must either adapt their practice with general-purpose practice management applications, which were never intended to serve this specific purpose, or resort to consumer-grade Ayurvedic applications that lack clinical capability altogether. Alternatively, they could continue using traditional methods based on paper documentation.

Table 1.1 Limitations of Existing Digital Diet Planning Systems

Feature	Calorie-Tracking Apps	Integrative Health Platforms	Consumer Ayurveda Apps	AharaSetu (Proposed)
Calorie Tracking	Yes	Yes	Limited	Yes
Prakriti Classification	No	No	Partial	Yes
Ayurvedic Food Ontology	No	No	No	Yes
Seasonal Diet Correction	No	No	No	Yes
RAG Knowledge Engine	No	No	No	Yes
Chatbot Consultation	No	Limited	No	Yes
Cloud EHR Storage	No	Yes	No	Yes

Feature	Calorie-Tracking Apps	Integrative Health Platforms	Consumer Ayurveda Apps	AharaSetu (Proposed)
Practitioner Dashboard	No	Yes	No	Yes

1.4 Need For The Proposed System

The shortcomings of currently available digital solutions, along with the accumulation of scientific evidence regarding the clinical application of Ayurveda diets and the rising global demand for personalized nutrition solutions, suggest the need for developing a tailored digital solution for Ayurvedic dietitians. The following points are among those prompting the development of AharaSetu:

A first priority should be the creation of a digital platform facilitating the prakriti classification process in a reliable and efficient way. Today, the process of determining a person's prakriti type varies greatly between professionals due to a high degree of subjectivity involved in this procedure. An automated system of classification questions incorporated into a digital consultation process would enable the creation of more reliable constitutional profiles as the basis for further recommendations.

Secondly, there is a need for a complete and comprehensive Ayurvedic food ontology database containing all the relevant classifications of different food items based on all the properties in Ayurveda. This allows practitioners to quickly determine which food items would be beneficial or detrimental to a patient according to their prakriti and current state of doshas without having to manually search through different texts.

Third, there is a need for an automated knowledge retrieval and reasoning system in order to help practitioners easily navigate the sea of available knowledge of Ayurvedic nutrition and apply it to specific cases. This can be achieved with the incorporation of the Retrieval-Augmented Generation architecture in order to combine knowledge coverage of LLMs with the domain-specificity of structured data retrieval.

Fourth, there is a need for an electronic record keeping system of Ayurvedic practices allowing practitioners to keep a full record of consultation history of every patient, including the tracking of how the patient's condition is progressing over multiple consultations and access to all of the patient's information regardless of where the practitioner is physically located.

Fifth, there is a need for patient-facing consultation interface in the form of a chatbot which could give patients advice related to their diet when consulting remotely or even in-between consultations in order to increase patient adherence.

This list of five needs can be fully addressed using the AharaSetu platform.

1.5 Objectives Of The Study

These are the main goals of the research and development work carried out. The first goal is to design and develop an Ayurvedic dietitian-specific practice management platform with an integrated system of patients' registration, constitutional typing, dietary assessment, generating recommendations, consultation management.

The second goal is to create a complete ontology for classification of Ayurvedic foodstuffs by such classical categories as rasa, guna, virya, vipaka, compatibility with doshas and integrating this ontology in the dietary recommendation engine.

The third goal is to design and develop a retrieval-augmented generation knowledge pipeline to generate accurate, explainable and context-appropriate dietary recommendations based on the use of large language models and retrieval of structured knowledge from the database.

The fourth goal is to implement a chatbot-based consultation interface for conducting real-time patient consultations, performing preliminary dietary assessments and giving guidance between formal consultations.

The fifth goal is to assess the accuracy, efficiency and effectiveness of personalized recommendation making and consultation management in terms of a simulation experiment.

The sixth objective is to maintain information security and privacy of both the system and the system user in tandem with the rules and regulations on health care information.

These aims are all designed to show how one can apply artificial intelligence methods to operationalize the typical processes of dietary consultation based on a well-organized digital health system. Through integrating ontology-based knowledge representation, inference mechanisms based on rule, seasonal adaptation logic and retrieval augmented generation techniques, the proposed system aims to enhance efficiency and interpretability of the process of personalized dietary consultation.

Besides generating recommendations, the goal of AharaSetu platform is also to enhance the organization of the practices of practitioners by automating the consultation stages in modules and allowing interactions with patients via the support of conversations interface. A combination of the following objectives will help to create a scalable and practitioner-supported digital dietary consultation ecosystem that will fit into a contemporary healthcare service delivery model.

1.6 Scope Of The Work

The project will consist of the conceptual design, architecture specification, prototype implementation, and experimentation of AharaSetu platform. It will include design of the system architecture as far up to the user interface layer as far as the cloud infrastructure layer and security layer.

The AharaSetu system scope covers the creation of a modular, configurable, consultation workflow interface, that can support patient registration, constitutional evaluation by questionnaire-based prakriti classification, symptom mapping based on structured dosha-association communities, seasonal adaption of diets through ritucharya-based correction logic, and ontology-based compatibility scoring of advised foods. All these functional components make up the core of a tailored dietary prescription pipeline based on the classical Ayurvedic consultation procedure.

The scope will encompass the development of an Ayurvedic food ontology database which will describe a collection of the common food items employed in the dietary practice in India with full description of their attributes in all the Ayurvedic parameters. Ontology will be extensible so that it can expand in the future to a representation of other foods and dietary practices of the Indian subcontinent. The scope will include the database schema design which involves the design of tables related to patient profiles, health assessments, symptom mapping, Ayurvedic food ontology, diet recommendations, and consultation logs which are necessary for implementing the entire consultation process in a single database.

The scope will include the design of a hybrid recommendation algorithm combining rule-based Ayurvedic logic reasoning with the RAG pipeline, as well as designing the architecture of the RAG pipeline involving the stages of knowledge retrieval, context injection, and response generation.

The scope will involve the design of the security architecture, which will entail an encrypted storage architecture, a role-based access control framework, secure communication APIs, and auditing.

Although the current implementation focuses primarily on dietary recommendation support within practitioner-assisted consultation workflows, the architectural framework developed in this project can be extended in future versions to support broader Ayurvedic lifestyle recommendation services including daily routine planning, preventive wellness monitoring, and herbal compatibility advisory support.

The scope will not include the implementation of the commercial system at scale. The prototype implementation and experiments will be done only for the purpose of proving the feasibility, effectiveness, and design soundness of the proposed architecture.

1.7 Organization Of The Thesis

This project report comprises seven chapters that are devoted to different aspects of the current research and development.

Chapter 1 is the present chapter and includes the general introduction. Specifically, the topics of Ayurveda and digital health are defined; the background and motivation for the project are provided; the available related systems and their limitations are listed; the objectives of the research are stated; and the scope of work is specified.

Chapter 2 includes the literature review on the related topics, such as Ayurvedic informatics systems, artificial intelligence in the field of medicine and diet planning, cloud computing for healthcare purposes, retrieval-augmented generation architecture, food ontology systems, and chatbot consultation platforms. The chapter ends with identifying gaps in the current state of the art that motivated the development of AharaSetu.

Chapter 3 is dedicated to discussing the methodology of the current research. It includes the following sub-sections: the system architecture, the system workflow, the hybrid recommendation engine algorithm, the application of Ayurvedic principles in the system, the logic for the prakriti classification, and the framework for adapting to the season change.

Chapter 4 has the following sections: each system module design (six modules in total), database design and schema design, Ayurvedic food ontology models development, entity-relationship design, and user interface and experience design considerations.

Chapter 5 contains the technology stack that is selected in the implementation and the reasons that led to the selection; pipeline of the recommendation engine implementation; cloud-based deployment architecture design; and chatbot consultation functionality development.

Chapter 6 has the results of the experimental assessment of the platform developed are reported. The chapter has the following sub-chapters: the system setup, evaluation of recommendation accuracy, analysis of consultation times, the evaluation of personalization efficiency, the comparison with available platforms, and limitations.

Chapter 7 is in which the conclusions are made. It provides an overview of the major findings and contributions made and identifies potential suggestions on the way forward in future research and development.

Throughout the thesis, the organization of the text is well structured concepts, literature analysis, system architecture design, implementation methodology, experimental evaluation, and final conclusions. This hierarchical arrangement enables the reader to learn the theoretical basis as well as the details of the practical implementation of the AharaSetu platform and to be able to justify well all the design decisions made in the development of a system.

CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

This chapter gives a comprehensive systematized review of the prevailing literature associated with the AharaSetu application. The systematic review is carried out using six thematic areas, which include Ayurveda informatics system; use of artificial intelligence to prepare a diet plan and customize it; healthcare architecture of a cloud-based healthcare platform; healthcare specific retrieval enhancement; food ontology and knowledge representation system; and healthcare chatbot consultation system. Such thematic areas have been discussed with the consideration of the present developments, the significant contributions that have already been established, and the gaps in preceding research in the fields. In the concluding. The section of this chapter, the research gaps identified after the conduction of this review have been mentioned as the justification of system design AharaSetu.

Delivering clinical decision aid in digital format has become a significant element of contemporary clinical decision support environments, helping practitioners process high amounts of patient-specific information and produce individualized recommendation of treatment with enhanced effectiveness. Such systems normally incorporate structured medical rule-based reasoning algorithms or machine learning models which analyze patient attributes to make knowledge databases such as age, physiological, lifestyle factors, and history of diseases. Automating some of the functions of the recommendation systems, consultation workflow is a method to minimize the amount of handwork and enhance consistency of planning of treatment in various consultation situations.

Examples of artificial intelligence methods include decision-tree classification, knowledge-based inference engines and neural language models have also enhanced the functionality of the healthcare recommendation systems by empowering context-dependent reasoning among various diagnostic parameters. These are strategies that enable recommendation platforms to provide a dynamic response to treatment proposals related to changes in patient conditions

instead of sticking with fixed rule sets alone. Since the consequence, AI-aided consultation systems are starting to be implemented in fields like nutrition planning, chronic disease follow up, and prevention of lifestyle. Even with these developments, a majority of the digital health care recommendation systems are still aiming at biomedical clinical databases and nutritional models. Systems that have the ability to incorporate traditional. The conversion of knowledge-based healthcare systems like Ayurveda to computational decision-support systems is still to be done relatively limited. The constraint underscores the need to come up with hybrid recommendation architectures able to integrate both the old-fashioned medical-related knowledge in the form of structured structures with the modern-day artificial intelligence reasoning techniques, which were used in the AharaSetu platform.

2.2 Ayurvedic Informatics Systems

It should be mentioned that the application of Ayurveda by computation, popularly referred to as Ayurveda informatics is a field Computational Ayurveda, also known as traditional medicine informatics, is a comparatively young field The earliest texts connected with it consisted of the attempts on digitizing the classical literature of Ayurveda and the production of Ayurvedic drug databases and Ayurvedic drug botany. Further advancements in this field worked to the development of more easier computational models of Ayurvedic science, like the ontological models of disease, pharmacological, and dietary methods.

Ayurvedic dietary methodology of recommendations is vastly different as compared to the standard planning of nutrition approaches due to its ability to take into account several individualized body parameters instead of just one general dietary intake recommendations. The classical Ayurvedic consultation practice dictates suitability in diet through an assessment of factors like prakriti (constitutional type), vikriti (present imbalance condition), agni (digestive strength), summer and spring, and life habits. This multi dimensional evaluation process renders Ayurvedic nutrition planning that is quite well adapted to apply in intelligent recommendation systems aimed at fund individualized medical care advice.

A recent research conducted by Patwardhan et al. in Ayurgenomics field revealed the presence of physiological variations between the kinds of prakriti at a molecular scale, which could have far-reaching consequences for computational Ayurveda. Specifically, the researchers found relationships between some of the gene expression patterns, serum biochemistry, and physiological parameters such as blood platelet aggregation, liver enzyme activity and others distribution of immune cells based on the prakriti type. The obtained results reflect that this

type of Ayurvedic constitution is quantitatively determinable therefore a preparative of future digital prakriti, which is based on biomarkers assessments.

Prasher et al.'s study on the gene expression profile of individuals with different prakriti provided an important foundation for the scientific validation of the Ayurvedic constitutional model based on prakriti. This research has become a subject of numerous citations and has significantly advanced the current understanding of the physiological differences among the constitutional types, which is essential when building computational systems that rely on it. More specifically, it proves that prakriti categories used as inputs to recommendation logic are physiologically founded.

Another study on a large sample of over one thousand people conducted by Rotti et al. on the questionnaires-based assessment of prakriti found it highly reliable and consistent, confirming the validity of questionnaire methods for this kind of assessment. This study is important in light of the current research since it proves that prakriti assessment via questionnaire is indeed feasible and scientifically valid enough to be incorporated into a computational system like AharaSetu.

New studies are underway to investigate questionnaire-based instruments to classify prakriti that would be able practicing constitutional assessment procedures as a set of structured computational procedures. Such tools or tools are giving a significant premise to the establishment of personalization by constitution in web-based consultation setting. Most current implementations, however, are mainly based on the use of static questionnaire scoring systems and are not include ontology based compatibility reasoning or seasonal dietary adaptation logic needed to provide comprehensive Ayurvedic recommendation generation

The impact of individual Ayurvedic constitutions lifestyle interventions on patients Telles et al. research on the effect of lifestyle interventions based on individual Ayurvedic constitutions health parameters were positive with considerable responses in various clinical indicators such as BMI, fasting blood sugar, HbA1c, serum triglyceride and cytokine levels of inflammation in subjects who were administered prakriti-fit lifestyle modifications. It contributes to the clinical premise of the development of a platform it eases the measurement of prakriti and renders it more convenient.

The AharaSetu platform builds on the existing body of research related to Ayurvedic diets with the addition of structured research logic of classification of prakriti based on imbalanced

mapping of doshas in the body and ritucharya-based seasonal correction processes in a single recommendation pipe. The accuracy of personalization is enhanced by this combined method and assists better with practitioner-assisted consultation processes than with solitary questionnaire-based advisory systems.

Dietary recommendation systems based on Ayurvedic diet are divergently different than modern-day nutrition planning systems due to the following reasons they focus more on personalization associated with constitutions, and not universal nutritional guidelines. In Ayurvedic clinical dietary prudence is a product of various interacting factors such as the type of prakriti, condition of agni, etc. season, lifestyle and pattern of disease-specific imbalance. Translating these multidimensional decision-making processes up to structured computational logic constitutes an important research challenge, which inspires the making of ontology-based dietary recommendation systems like AharaSetu that conserve compatibility relationships. In classical cases, the relationships between compatibility are supported, and the generation of recommendations via automation becomes feasible.

Table 2.1. Summary of Related Work in Ayurveda Informatics

Author(s)	Year	Focus Area	Key Contribution	Limitation
Prasher et al.	2008	Ayurgenomics	Genomic basis of prakriti	No digital system design
Rotti et al.	2014	Prakriti Classification	Validated questionnaire instruments	No AI integration
Patwardhan et al.	2015	Ayurvedic personalized medicine	Systems biology of prakriti	No dietary planning focus
Telles et al.	2020	Clinical Ayurvedic intervention	Metabolic health improvements	Small sample size

2.3 AI In Healthcare Diet Planning

There has been an immense acceleration in the use of artificial intelligence in healthcare decision support over the last decade, thanks to the advancements in machine learning, deep

learning, and natural language processing. Jiang et al. performed a review study of the literature on the application of artificial intelligence in healthcare, where they discussed how artificial intelligence techniques have been applied in several fields such as medical image analysis, clinical decision support, drug discovery, electronic health records analysis, and predicting patients' outcome.

Among the several applications of AI technology in healthcare, diet recommendation is one of the most researched areas in the field. Earlier efforts in diet recommendation systems used rule-based methods to recommend diets based on established clinical nutrition guidelines. The latest studies on the topic use machine learning techniques such as collaborative filtering, content-based filtering, deep learning, and reinforcement learning to generate diet recommendations. According to literature reviews by Hingle and Patrick, almost all AI-based diet recommendation systems follow traditional nutritional sciences but do not involve traditional medicine principles.

As per the AharaSetu system design, some research works have explored hybrid recommendation frameworks that leverage both machine learning models and structured knowledge bases. Hybrid systems have always produced more accurate results than the pure rule-based and pure machine learning-based systems in the recommendation task for healthcare problems since they take advantage of the interpretability and domain knowledge from knowledge bases in addition to generalization from machine learning models.

Topol has provided an extensive discussion of the application of artificial intelligence in healthcare in his book *Deep Medicine*. He discusses how artificial intelligence will revolutionize the healthcare sector through personalized care, which will be possible due to its ability to analyze vast amounts of medical data much faster than humans. The insights presented in the book are especially relevant for Ayurveda healthcare since it requires a lot of knowledge for personalized consultation on dietary advice and there is an insufficient number of qualified Ayurveda practitioners globally.

Table 2.2. Comparison of AI Techniques Used in Healthcare Recommendation

AI Technique	Strengths	Limitations	Applicability to AharaSetu
Rule-Based Systems	Interpretable, domain-accurate	Rigid, hard to scale	Used for Ayurvedic inference logic
Machine Learning	Generalizes well, data-driven	Requires large labeled datasets	Limited; used for classification
Large Language Models	Rich reasoning, flexible	Prone to hallucination	Used with RAG grounding
RAG Architecture	Accurate, knowledge-grounded	Complex to implement	Core knowledge engine
Hybrid (Rules + AI)	Balanced accuracy and flexibility	Complex integration	Primary AharaSetu approach

2.4 Cloud Based Healthcare Platforms

There is no doubt that cloud computing has dramatically changed the information systems of the healthcare sector over the past decades. Kuo performed an extensive review of cloud computing applications in healthcare, which included the relocation of clinical information systems, EHRs, PACS and CDSS from on-premise to cloud-hosted deployment environments. Some major benefits observed in that review were reduced infrastructure costs, increased system scalability and reliability, better disaster recovery options, and the ability to develop novel types of care models that were not possible using conventional on-premise infrastructures.

Chatterjee et al. created a cloud-based platform for nutrition intervention, which demonstrated greater consulting productivity by virtue of centralized patient records, remote access, and automated pipeline for document generation. Their solution allowed nutrition specialists to significantly reduce administrative workload, as well as engage more patients due to digital

follow-up options. Nevertheless, this solution was focused on conventional nutritional science consultation rather than Ayurveda.

Chen et al. performed a thorough analysis of cloud computing architectures used in healthcare applications, providing useful insights into best practices for developing scalable, secure and interoperable healthcare platforms hosted in cloud infrastructures. Among other recommendations, this article provides information about such architectural patterns as microservices decompositions to facilitate scaling, API gateway solutions for security and service orchestration, and distributed caching techniques to optimize system performance.

As mentioned above, a SaaS (Software as a Service) deployment solution proved to be especially useful for healthcare consultation platforms, since it allows getting rid of on-premise infrastructure and maintaining access to up-to-date versions of software, as well as to receive regular updates with new features. Subscription-based pricing also allows making expensive enterprise software affordable for individual practitioners and small businesses, which is essential for targeting practitioners who work in solo or small groups.

2.5 Retrieval-Augmented Generation In Healthcare

Firstly, the use of retrieval-augmented generation for knowledge-intensive natural language processing (NLP) systems is an important step forward in the development of the latter. According to Lewis et al., the retrieval-augmented generation (RAG) architecture, introduced in a seminal paper delivered at the NeurIPS 2020 conference, can provide a solution to one of the problems that exist with large language models—the phenomenon known as hallucination, which implies generation of believable but factually incorrect information when trying to reason about knowledge outside of the training dataset. By combining the capacity of the language model to generate fluent and meaningful text with the ability of a knowledge retrieval system to extract relevant facts from an external knowledge base before generation begins, the RAG framework effectively addresses this limitation.

Retrieval-augmented generation represents an emerging approach in artificial intelligence research that improves reliability of language-model outputs by grounding generated responses in verified knowledge sources retrieved during the reasoning process. Unlike conventional end-to-end neural recommendation systems that rely exclusively on statistical pattern recognition, RAG-based systems combine structured knowledge retrieval with contextual language-model reasoning to produce more interpretable and domain-consistent outputs.

There has been considerable research conducted on the application of RAG architectures in knowledge-intensive healthcare systems. For example, the study published by Izacard et al. demonstrated that retrieval-based NLP architectures consistently outperform standalone language models in question-answering tasks that require substantial domain knowledge, especially when the language model training dataset lacks completeness or accuracy in that specific domain. This discovery is of significant relevance especially in healthcare decision-support programs, where medical knowledge- dietary assurances- develops constantly and thus should be consulted learned dynamically of credible sources of knowledge.

Various research groups have adopted the RAG-based methods to enhance the performance of medical question answer systems, clinical recommendation systems. Their results will invariably indicate that knowledge grounded language models make more factually consistent and clinically relevant recommendations compared to those created by standalone language models. This is an enhancement due to the grounding of the language model output on domain-specific knowledge retrieved limits the reasoning process to informational premises that are valid, in that way cutting down on the chances of faulty or misguided advice .The retrieval-augmented generation techniques find application especially in healthcare recommendation settings beneficial as it eliminates the possibility of producing unfounded treatment recommendations without the flexibility needed to generate customally explained explanations. The retrieval of appropriate pieces of knowledge by accessing them in RAG pipelines make sure that the outputs of the recommended pipelines are in line with the structured databases it generates responses with confirmed clinical sources of knowledge.

Lastly, the implementation of it in the AharaSetu system, i.e. the introduction of a RAG pipeline architecture is especially suitable because of the professional and disciplined character of Ayurvedic nutritional information and its high reliance on situational factors as prakriti type, effect of seasons, strength of the digestive system and dosha imbalance created by symptoms. By maintaining a curated knowledge base: organized knowledge about food properties, doshas compatibility guidelines, seasonal dietary corrections, and condition-relevant dietary modifications--and the recovery of the appropriate subsets of this knowledge specific to every patient scenario--the AharaSetu system can produce dietary prescriptions that are both clinically valid and well written in terms of natural language AharaSetu uses a retrieval-augmented recommendation architecture, which integrates ontolog retrieval of contextual Ayurvedic reference sources based food compatibility scoring with contextual knowledge retrieval. This hybrid reasoning strategy enhances interpretability and reliability of generated diet plans, over

purely rule-based (or all-neural) recommendation systems. Retrieval-augmented generation techniques represent an emerging approach for improving reliability of language-model-based recommendation systems by grounding generated outputs in verified domain knowledge sources. Instead of relying solely on statistical language-model predictions, RAG pipelines retrieve relevant structured knowledge segments before generating responses, thereby improving factual consistency and interpretability of recommendation outputs. In healthcare applications, this approach is particularly valuable because it reduces the risk of producing unsupported recommendations while preserving the flexibility of natural language explanation capabilities. The AharaSetu system adopts this hybrid retrieval-generation strategy to ensure that personalized dietary guidance remains consistent with classical Ayurvedic knowledge sources.

2.6 Food Ontology And Knowledge Representation

An ontology-based approach to knowledge representation has shown great potential in modeling the rich, multidimensional structures of attributes and associations between them within food categories as well as associations with nutritional and health outcomes. Bodenreider discussed the applications of biomedical ontologies in improving healthcare knowledge representation via structured ontologies. Many attempts to create an ontology for foods have been made in the field of classical nutrition science. For instance, there is FoodOn ontology that has been created by the OBO Foundry community to provide a comprehensive hierarchical classification of food items, ways of processing them, and food production systems.

Ontology-based knowledge representation has become an important methodology in healthcare informatics because it enables domain knowledge to be encoded in structured machine-readable formats that support semantic reasoning across complex relationships. In medical decision-support systems, ontologies are frequently used to represent relationships between symptoms, diseases, treatments, and physiological conditions in a way that allows computational systems to perform compatibility-based inference operations.

In addition, Illner et al. reviewed nutrition informatics technologies in general, emphasizing that food composition databases and automated recommendations make dietary assessments more accurate. This paper provided guidelines for building a proper food composition database for use in clinical nutrition practice, discussing such factors as attribute coverage, interoperability, and integration with clinical workflows. These results have significantly influenced has become AharaSetu food ontology database. Some research studies have tried to

formalize Ayurvedic food knowledge with the help of a computational ontology. They primarily demonstrated that it was possible to do so, demonstrating that one could depict Ayurvedic food qualities (rasa,). As a structured piece of data or ontology, guna admits of virya, vipaka, compatibility of doshas) etcetera. But the studies that were done did not contain integration with the workflow systems or integration of ontology data and AI recommendation engine. It is in this direction that AharaSetu project builds up on the preceding study.

The recommendation engine can make recommendations based on the ontology-based modeling approach taken in the AharaSetu platform score compatibility using many dimensions of Ayurvedic attributes instead of using only questionnaire-based classification outputs. Such systematic depiction enhances readability of decision making and makes sure that computational reasoning processes and classical are aligned Ayurvedic compatibility models as found in classical medical texts.

The ontology-based methods of modeling have received more and more significance in healthcare informatics due to their ability to permit domain knowledge to be encoded in structured machine-readable representations, in which it is possible to reason semantically and compatibility-based decision support. Within the framework of dietary recommendation systems, ontology-based modeling allows modeling of food attribute/physiological characteristic relationships therapeutic compatibility constraints. There is enhanced use of structured ontology representations in AharaSetu interpretability of recommendations and warrants a correspondence between the classical and computational reasoning processes ayurvedic compatibility systems of medical traditional texts. In dietary recommendation systems, ontology-based modelling offers a rather efficient mechanism of denoting food attribute-physiological compatibility constraints representations. In the context of Ontology representations can encode Ayurvedic dietary science rasa (taste), guna (qualities), virya (thermal potency) vipaka (post-digestive effect), and dosha compatibility relationships in paired or programming language to facilitate automated simultaneously reason over several personalization parameters.

2.7 Chatbot Systems In Healthcare

In the past decade, several researches have been written on the application of chatbot technology in the healthcare sector because of its potentiality to address the limitations by human clinical resource constraints. As an example, Bickmore et al. provided certain valuable results regarding the efficiency of using computer agents in behavioral change in healthcare context, suggesting

that appropriately engineered healthcare agents can potentially bring about clinical-level changes in patient behavior, i.e. adherence to diet-related recommendations, medication-related guidelines, and lifestyle changes. The authors proposed a list of design key requirements of such agents such as empathic interaction, consistency, personalization, and an appropriate referral to the human counter part where needed.

In healthcare, conversational interfaces are experiencing a shift in usage towards more convenient access to consultation services beyond the normal clinical setting. Decision support systems based on chatbots can be used to guide patients in reporting their symptoms, lifestyle tracking, and follow-up consultations by offering structured interaction channels between sessions with practitioners.

Laranjo et al. conducted another study in which a systematic search of all scientific literature devoted to the issue of conversational agents in healthcare was carried out and the ways of their use in the field of chronic disease management, mental illnesses, health promotion and discharge follow-up were summarized. The authors drew the conclusion based on their systematic review stating that the efficacy of such agents are relatively well supported across all the discussed fields of health care, and the best strength of evidence was provided in chronic disease management.

Nevertheless, most of the current healthcare chatbot systems do not rely on practitioner-guided consultation processes and consequently do not have a system to allow alignment between automated advice and clinical decision-making. The addition of chatbot interaction levels to practitioner-assisted recommendation systems can take a significant step to enhance patient experience without giving up clinical accountability.

Healthcare consultation chatbots based on the large language models are a relatively new, yet potentially promising form of use of large language models that has already demonstrated itself in practice. The current crop of language models offers much more natural language processing than previous methods and thus support more natural, more flexible, and more context-aware conversations with their conversational agents. In particular, with the AharaSetu system, a conversation-based interface powered by an LLM-based chatbot would allow patients to receive personalized dietary advice in natural language, inquire about clarifying the information they were given, and receive further support between their regular practitioner visits.

Instead of being a recommendation agent, the chatbot interface used in the AharaSetu platform exists as an addition to the practitioner consultation workflow, as opposed to a standalone recommendation agent. The design helps to make sure that conversation guidance does not contradict diet plans approved by practitioners and enhances the availability of individual support based on consultation.

Chat interfaces are becoming common in healthcare consultation engines to enhance availability of decision-support services to non-clinical patients during non-clinical hours. Chatbot-based consultation assistants have the potential to facilitate the administration of symptom data, clarifying issues related to treatment prescriptions, and enhancing patient compliance to prescribed lifestyle changes. However, most existing healthcare chatbots operate as standalone advisory tools without integration into practitioner-supervised consultation workflows. The chatbot interface implemented in the AharaSetu platform differs from these systems by functioning as an extension of practitioner-led consultation rather than as an independent recommendation agent.

2.8 Research Gaps And Motivation

From the review of literature in each of the six thematic domains discussed in this chapter, there appear to be a number of major research gaps motivating the creation of the proposed digital dietary consultation solution, AharaSetu.

The literature review presented in this chapter indicates that while significant progress has been made in the development of digital healthcare recommendation platforms and ontology-based decision-support systems, relatively few implementations have attempted to combine these approaches within the domain of personalized Ayurvedic dietary consultation workflows. In particular, the integration of structured compatibility modelling with retrieval-augmented recommendation generation remains largely unexplored in existing research literature.

Firstly, although many studies have been conducted regarding the genomic and clinical validation of prakriti, there are no digital consultation platforms that allow for both prakriti assessment as well as automated generation of dietary recommendations. Current applications either do prakriti assessment only or recommend diets without the necessary foundation of a validated constitutional classification system.

Secondly, none of the existing digital dietary consultation systems developed in the field of Ayurveda have a formally established computationally queryable food ontology with all the

necessary attributes of classic Ayurvedic food types. This makes it highly difficult to make recommendations based on the principles of Ayurvedic dietary science since the lack of ontology prevents the application from providing food-level recommendations.

Thirdly, although RAGs have been implemented into healthcare applications related to question-answering and clinical decision-making, they have never before been used in the field of Ayurvedic dietary consultation. It is important to note that RAGs are very well suited to represent and implement the knowledge base underlying Ayurvedic dietary science due to its complex multi-attribute classification system and conditional recommendation rules.

Lastly, although current cloud-based EHRs exist for managing Ayurvedic patient information as well as some digital solutions that provide for dietary consultation, none of the existing platforms combine both services under a single integrated platform.

Despite significant progress in digital dietary recommendation technologies, several limitations remain in currently available platforms. Many systems rely primarily on calorie-based nutrition tracking and lack mechanisms for constitution-specific personalization based on traditional healthcare frameworks. The rest of them base their dietary prescriptions on questionnaires, ignoring well-organized compatibility knowledge, which is founded on classical medical literature. These restrictions cause the need to address the hybrid recommendation architectures blending the ontology-based reasoning with the retrieval-enhanced approaches of the artificial intelligence, applied within the AharaSetu platform.

The AharaSetu system plugs these perceived gaps in research with the proposal of a hybrid-based milk-to-milk-based recommendation system adopting ontology-based Ayurvedic food compatibility modeling, symptom-based mapping of imbalances, and seasonal dietary correction logic, and retrieval-enhanced artificial intelligence triage into one practitioner-assisted consultation workflow system.

When the analysis of the available existing digital healthcare recommendation systems, the ontology-based dietary advisory systems and conversational consultation systems, it can be seen that there is a gap in further development of the integrated decision-support systems which would be clearly aimed at supporting the Ayurvedic dietary guidance processes on a personalized level. In particular, personalization (constitution-based), seasonal-adaptive (diet), ontology-based compatibility scoring, and validation of practitioner-based recommendation should be included in the system to be used in one consultation setting. AharaSetu platform is

the solution to this loophole proposing a blend of classical Ayurvedic dietary science and contemporary artificial intelligence methods to support a scalable adaptable service of personal dietary advice.

2.9 Summary Of Literature Review

The literature analysis conducted in this chapter explored current research findings in the fields of digital healthcare recommendation system, ontology based medical knowledge representation, Ayurvedic dietary consultation methodology, retrieval augmented AI system, chatbot based clinical interaction system. The study of these knowledge domains has shown that despite considerable efforts made to development of personalized recommendation systems in modern healthcare setting, relatively little work has been conducted in adapting classical Ayurvedic Ayurvedic dietary compatibility principles into formalized computational recommendation systems.

It was also identified in the review that the existing dietary recommendation platforms, on the majority, are primarily based on the calorie-based approach to nutrition planning, instead of the constitution specific personalization strategies, powered by the traditional system of medical knowledge. In addition, unlike ontology-based modeling methods that have been used successfully in developing biomedical healthcare decision-support systems, the use of the methods in Ayurvedic environments of dietary recommendations is comparatively underdeveloped.

Likewise, retrieval-enhanced generation approaches have become a promising method of enhancing interpretability and reliability of artificial intelligence-based recommendation systems; nevertheless, their implementation in the context of the conventional knowledge-based consultation processes has been slightly investigated.

All these observations support the argument that there is a research gap, in terms of developing hybrid recommendation architectures, that have the ability to combine ontology-based Ayurvedic compatibility modeling, with retrieval-enhanced reasoning methods. The AharaSetu platform offers a solution to this gap, with a proposed structured consultation workflow environment, which combines classical dietary science with modern artificial intelligence technologies towards the provision of scalable personalized dietary recommendation services.

CHAPTER 3

METHODOLOGY

3.1 Introduction

This chapter discusses the methodology that was used in design and development of AharaSetu platform. The methodological framework encompasses several interrelated elements, such as general architectural design of the system, the consultation workflow model, the design of the hybrid recommendation algorithm, how classical Ayurvedic principles are integrated into the computational logic, the mechanism of the prakriti classification, and how collective strategy of seasonal adaptation is achieved to sample dietary correction.

The approach to the construction of the AharaSetu platform is aimed at converting the Ayurvedic dietary consultation practice used traditionally into a formalized computational workflow, which can be designed to fit the modern digital healthcare recommendation space. This change involves a thoughtful combination of the classical principles of compatibility with modern methods of artificial intelligence that would have the ability to facilitate situation-specific reasoning with a variety of parameters patient-specific. The approach hence integrates ontology-based knowledge modelling, constitutional evaluation logic through questionnaires, rule based symptom mapping system and retrieval-enhanced recommendation generation systems into the single-consultation workflow framework.

The methodology is developed through a combination of existing software engineering practices and concepts related to the development of cloud-based healthcare systems, with the latest developments in the decision-support systems that are supported by artificial intelligence. Meanwhile, the design is also based on the theoretical ground of Ayurvedic medical science, so that the proposed platform would be characterized by both the technical strength and clinical applicability.

Through integrating these methodological elements into a graded architectural design, the system makes sure that every step of consultation process is meaningful to the process of forming personalized dietary guidelines. Such a systematic methodological framework

enhances reproducibility of consultation processes, and enables scalable implementation of practitioner-aided dietary recommendation service into distributed healthcare settings.

The methodological approach incorporates the structured Ayurvedic knowledge representation with the latest AI-powered reasoning pipelines to make sure that AharaSetu is used as both a digital record-management system and an intelligent consultation-assistance system with the capability to produce constitution-aware and context-specific dietary prescriptions.

3.2 System Architecture Overview

The architecture of AharaSetu system is composed of the layered modular architecture founded on a cloud-hosted system. It uses the Service Oriented Architecture (SOA) in which each of the capabilities of the system is defined as an independent service, interoperating through API services. Layered architecture approach offers modularity to the system so that any layer can have been scaled independently or modified without any impact on the system as a whole.

AharaSetu was designed as an architectural system with a layered approach to implementation based on service focus, where every functional layer has a well-articulated task to achieve in the consultation workflow pipeline. This strategy enhances system maintainability and enables separate system layers like knowledge representation module, knowledge recommendation engine and user interface to be updated without impacting the overall stability of the system.

The layered system design methodology taken in the creation of the AharaSetu platform separates the user interface interaction components, backend API services, knowledge representation modules and recommendation engine logic into discrete architectural layers. This stratifiable implementation plan enhances serviceability of the system, and will allow future development of additional artificial intelligence elements without having to redesign the entire infrastructure of the consultation workflow.

The system architecture has seven layers beginning with the presentation layer and ending with the infrastructure layer.

User Interface Layer: This is the most surface layer of the software architecture and is made up of all the client side applications that are utilized to interact with the software. It consists of the web application dashboard created through the React.js and Bootstrap applications that are going to be used by healthcare professionals and the consultation interface that will be used by

patients in form of a chatbot. The UI layer can only make contact with the backend API layer via a RESTful set of HTTP requests.

The user interface layer aims to facilitate the structured interaction of the practitioner with the consultation workflow by displaying well-structured navigation steps aligned with registration of the patient, assessment of his health profile, constitutional classification, map of symptoms, confirmation of seasonal adjustment, and generation of recommendations. This interface design provides workflow-oriented interface design which removes mental load at the consultation sessions and consistency in the acquisition of clinically relevant patient information in the consultation across various situations.

Python Flask Backend API Layer Backend API Layer This is the orchestration layer of the solution that is developed in Python Flask. The user interface layer requests it, which is verified against the business logic layer, communicates with the AI Engine Layer to come up with recommendations, submits requests to the Database Layer to retrieve the patient data and food ontology, and then forms well-structured responses to the client. Here, it takes care of authentication and authorization of API requests, verifies the request, and processes error cases and constructs valid responses. It is configured in such a way that it can be authenticated by JWT with role-based access control that guarantees that practitioners can access only the records of their patients.

The backend API layer is the coordination center that coordinates communication between knowledge representation infrastructure and consultation workflow modules. It takes patient input data and carries out compatibility scoring computations based on ontology attributes, and it orchestrates retrieval-augmented reasoning computations necessary to produce personalised dietary recommendation outputs.

AI Engine Layer comprises the main intelligence behind AharaSetu. This includes the prakriti classification engine, symptom mapping engine, seasonal adaptation engine, Ayurvedic food ontology query engine, and the recommendation generation pipeline built on the Retrieval-Augmented Generation (RAG) model. The AI Engine Layer makes use of LLM APIs to perform natural language generation tasks and also interacts with the knowledge retrieval system in order to retrieve Ayurvedic information. It was designed to be stateless, where it accepts the patient context as input and outputs recommendation data.

Knowledge Base Layer houses the curated knowledge resources of the RAG pipeline, which include the Ayurvedic diet rules corpus, dosha symptoms knowledge base, seasonal diets corpus, and food ontology database. The Knowledge Base Layer is built for read-intensive operations and utilizes indexing methods to reduce the latency time associated with the consultation processes.

Database Layer Structured Storage: This layer makes use of MySQL or PostgreSQL, which are the relational database management systems for storing information about patients, consultation details, recommendations, and health profiles.

Database Schema: The design of the schema ensures efficient querying of various tables without compromising on data isolation among patient records.

Security Layer: This Security Layer is implemented as a cross-cutting concern that will be applicable at all levels of the architecture, involving the following: data-at-rest encryption, API traffic using TLS protocol, sessions managed through JWTs, authorization enforced via RBAC, and data access audit logging.

Cloud Infrastructure Layer: The Cloud Infrastructure Layer offers the necessary computing, storage, and network resources using a cloud provider such as AWS or Azure. This layer is deployed in containers for portability and replicability, and the auto-scaling policy is set to manage the varying consultation workload effectively.

Cloud infrastructure support further strengthens system scalability by enabling dynamic allocation of computational resources during high consultation workloads. This will ensure that the latency of recommendation-generation remains within comfortable threshold in the environment of multiple simultaneous practitioners on the platform in a distributed clinical environment.

The Ayurvedic compatibility testing based on rules and Ayurvedic retrieval-augmented language-model reasoning to generate the dietary plans in the system ensures that the generated diet plans are compatible with traditional dietary science, and receives the flexibility of context-sensitive AI systems. It is one of the most significant methodological contributions of the project that this is a possibility of combining the recommendations architecture.

The layered architecture design adopted in the AharaSetu platform also facilitates maintainability and capacity to scale-up the platform and system as it offers the capability to make functional units to be manipulated without affecting other layers in the application stack.

An example of this is that the recommendation engine logic or ontology database organisation can be improved without significant redesign of the practitioner dashboard interface. This segregation of roles between layers assists in maintaining the platform loose enough to accommodate new clinical knowledge resources and artificial intelligence techniques, as additional ones become available with successive releases of the system.

3.3 Workflow Design

The AharaSetu consultation process is designed to replicate and improve the natural procedure of a real face-to-face in-person consultation by an Ayurveda practitioner and has automated features to streamline the process. It has nine steps which lead to the development of a complete individualized diet well-planned.

The consultation process adopted in AharaSetu is an extension of the systematic line of thought used by Ayurvedic health professionals in performing dietary evaluations. The standardisation of such order of consultation steps in a digitised pipeline allows the platform to ensure that all parameters of importance during the diagnostic stage are reported in an orderly fashion prior to the onset of the recommendation generation process. This organised workflow diminishes variation in consultation sessions, and enhances repeatability of decisions on dietary planning.

In these senses, the AharaSetu consultation workflow is designed keeping in mind the natural workflow of a face-to-face Ayurveda dietary consultation, and other digital features that introduce an automatized aspect to the process. In particular, this workflow contains nine steps in which the entire procedure of developing a personalized diet recommendation is followed.

Symptom-based imbalance mapping integrated into consultation workflow allows the system to differentiate between long-term constitutional qualities and a short-term physiological imbalance with the dosha balance. This difference counts the difference in that, contributing to the creation of the appropriate dietary advice dietary food that will constitute constitutional balance may not be the identical food that is needed to rectify noted imbalance conditions at the present moment.

Step 1 is Patient Registration and Authentication. This is the stage when the patient is introduced to the system by the practitioner who enters the demographic data of the patient, such as name, age, gender, contact information, location, etc. In addition, at this stage, the practitioner creates the patient account in the system using encryption credentials storage

technique and assigns a unique patient identifier which works as the primary key of all patient-related tables.

Step 2 is Health Profile Information Collection. At this point, after registering a new patient, the practitioner interviews the patient and fills out all of the necessary information about the health of the patient, including such items as lifestyle (e.g., sleep quality, exercise regimen, stress level, occupation type); personal dietary habits and preferences; medical history and use of medications; digestive function state; previous experience of the patient with an Ayurvedic consultation, if any. As part of the interview, all of the collected information is filled out by the practitioner in a special health profile form and stored in the database health profile table.

Step 3 is Prakriti Classification. The practitioner performs a prakriti classification test on the patient by asking the patient to fill out a special questionnaire containing questions related to multiple domains of his or her physiology and psychology. The result of the test in form of a classification score is stored in the patient health profile and used further in other steps of the recommendation as one of the key inputs.

Step 4 is Agni Type Evaluation. This step includes interviewing the patient about his or her digestive function in order to evaluate its type (kapha, pitta, vata) as a basis for recommending specific types of food that will be beneficial in case of certain digestive function types and potentially harmful in case of another.

Step 5 is Mapping the Current Symptoms to the Dosha Pattern. The current symptoms of the patient are checked against the dosha-symptoms mapping database in order to establish the pattern of the current dosha imbalance and, thus, make recommendations for balancing doshas. This mapping result is also stored in the patient profile and combined with the prakriti type as a factor influencing recommendations.

Step 6 is Current Season Evaluation. This step implies detection of the current season (autumn, winter, summer, or spring) on the basis of location and calendar information using automated means and application of the seasonal dosha influence according to the principle of ritucharya. However, the practitioner still has an option to enter the season manually, for example, in case of some deviation of actual climatic conditions in the patient's place from the standard seasonal model.

Step 7 is Knowledge Retrieval by the RAG Pipeline. With the use of the patient's health profile (prakriti type, agni type, pattern of dosha imbalance, seasonal influence), the query is

formed and submitted to the RAG knowledge retrieval engine. The engine performs searching of the knowledge base for Ayurveda dietary recommendations, including food compatibility, food recommendations and restrictions, pacifying and aggravating doshas, diet modifications due to diseases.

Step 8 is Personalized Diet Plan Generation. The LLM reasoning engine uses retrieved dietary knowledge and patient profile data in order to generate a complete personalized diet plan including food recommendations per meals (breakfast, lunch, dinner, snack), food combinations and incompatible food combination list, food preparation techniques, meal schedules.

Step 9 is Cloud Storage and Practitioner Review. The generated diet plan is stored in cloud storage in a database and presented in the practitioner's dashboard for reviewing and approval. Any modifications to the generated plan can be performed using a dashboard editor by the practitioner. Once the final version of the diet plan is accepted by the practitioner, the final plan is provided to the patient.

Another advantage of the structured consultation workflow implemented in AharaSetu is that it supports standardization of dietary consultation procedures across different practitioners. Depending on the level of experience of the practitioner as well as their documentation methods, the methods used for assessing the diet may differ in traditional consultation settings. With the implementation of the digitalized workflow pipeline for consultation sessions, consistency is brought to the process of data collection and generation of the dietary advice, thus ensuring the inclusion of all the necessary diagnostic factors, such as prakriti, symptom mapping, and seasonal changes.

The inclusion of checkpoints in the consultation process allows checking the accuracy of the dietary plan generated by the system prior to delivering the recommendation to the patient.

3.4 Algorithm Design

The core recommendation algorithm implemented in AharaSetu has a mixed symbolic neural architecture, consisting of a rule-based Ayurvedic inference component together with a retrieval augmented neural language model reasoning component. Motivation for this choice stems from the necessity of implementing two complementary principles in the recommendation process—accuracy, best achieved through rule-based algorithms grounded in Ayurvedic texts, and contextual flexibility best achieved by neural language models.

The first phase of the recommendation pipeline begins with the structured input of the patient's complete profile data outlined in the previous section. As a computational step, this stage involves the transformation of the patient's prakriti classification result into a vector-based representation which assigns numerical weightings to each dosha based on the scores obtained in the questionnaire.

This dosha vector serves as the initial patient context input into the next stage of the algorithm. The symptom mapping stage utilizes a rule-based inference engine to map each of the symptoms entered by the patient to a set of symptoms associated with the imbalanced doshas through a dedicated mapping table to create a secondary dosha imbalance vector. The recognition of both types of dosha states within the patient's constitution is necessary for the correct generation of dietary advice, because different diets will be recommended for achieving either a stable constitutional balance, or for correcting an existing dosha imbalance.

Representing constitutional classification outputs as numerical dosha vectors enables the recommendation engine to perform weighted compatibility scoring across multiple food ontology attributes simultaneously. This vector-based representation allows efficient comparison between patient-specific physiological profiles and structured compatibility characteristics associated with individual food items.

The next stage—the food ontology querying—employs a multi-criteria compatibility scoring function which calculates a compatibility score for each food item in the food ontology database according to its rasa, guna, virya and vipaka properties compared to the patient's dosha imbalance vector. Food items which correspond to the appropriate dosha pacification strategy obtain higher compatibility scores, while food items which could cause further aggravation of either of the patient's doshas receive negative scores.

The integration of semantic retrieval mechanisms within the recommendation pipeline further improves interpretability of generated outputs by ensuring that dietary suggestions are supported by relevant contextual knowledge segments retrieved from validated Ayurvedic reference materials.

After the food ontology scoring, the next algorithmic stage involves the application of seasonal corrections to the generated scores, thus accounting for the effects of ritucharya on dietary considerations. After the scoring of food items, the final stage is to use a semantic search in order to retrieve relevant information from the knowledge corpus related to the patient's

particular situation. Specifically, the RAG retrieval stage selects the most relevant portions of the corpus related to the patient's prakriti type, agni type, dosha imbalance pattern, current season and health condition.

Finally, after retrieval of relevant information, the LLM reasoning stage uses this information, together with the compatibility scoring results and the original patient context input data, to generate the final natural language output document containing the dietary plan for the patient.

The hybrid symbolic–neural recommendation architecture implemented in AharaSetu represents an important methodological advancement compared with purely rule-based or purely data-driven recommendation systems. Rule-based reasoning ensures adherence to classical Ayurvedic dietary compatibility principles, while neural language-model reasoning introduces flexibility for interpreting complex consultation contexts involving multiple interacting patient-specific variables. This combination allows the recommendation engine to preserve clinical reliability while improving adaptability to diverse consultation scenarios.

The algorithmic structure of the AharaSetu recommendation engine is designed to combine deterministic compatibility evaluation with probabilistic contextual reasoning support. Deterministic rule-based components ensure alignment with classical Ayurvedic dietary compatibility principles, while contextual reasoning components derived from retrieval-augmented generation techniques improve flexibility when interpreting complex consultation scenarios involving multiple interacting physiological parameters.

3.5 Ayurvedic Principles Applied

The design of AharaSetu makes use of four key foundational principles of Ayurveda that underpin the development of the system, as outlined below.

Prakriti is the first foundational Ayurvedic principle used in the design of the AharaSetu system. It refers to the basic constitutional type of an individual, and it is established during conception according to the balance of the doshas in the parents' biological system. The concept of prakriti is the basis of all Ayurvedic healthcare services, including the science of dietetics. An individual whose diet is in harmony with his/her prakriti is expected to enjoy optimal health owing to the natural balance of doshas within his/her body and mind. The AharaSetu system uses prakriti to personalize the recommended diets based on the patients' responses provided in the questionnaire-based classification module. In addition, the dosha-based food compatibility

scoring engine is employed to recommend dietary products that are compatible with patients' prakriti.

Embedding prakriti classification logic within the recommendation engine ensures that dietary suggestions reflect long-term constitutional characteristics rather than short-term symptom patterns alone. This alignment with classical Ayurvedic diagnostic methodology strengthens clinical relevance of generated recommendations and improves patient adherence to dietary guidance.

Agni, or digestive fire, is the second foundational Ayurvedic principle applied in the system. This principle holds that the effects of food products on people's bodies are highly dependent on their digestive capacity. For instance, foods that are rich in oil, fatty content, or cool in temperature may be well-tolerated by individuals with good digestive fire (sama agni), while those with poor digestive fire (manda agni) might experience indigestion. In designing the AharaSetu system, a module was designed for assessing patients' agni, and the recommendation engine takes this factor into consideration when generating recommendations.

The incorporation of digestive strength assessment within the recommendation pipeline represents an important enhancement over conventional nutrition planning systems that typically assume uniform digestive capacity across individuals. By adjusting dietary recommendations according to agni status, the system improves physiological suitability of suggested food items.

Ritucharya, or seasonal diet modification, is the third foundational Ayurvedic principle used in the system. According to Ayurveda, the effects of each of the six seasons (Shishira, Vasanta, Grishma, Varsha, Sharad, and Hemanta) on the doshas require the application of certain dietary adjustments to restore balance. The AharaSetu seasonal adaptation engine is responsible for identifying the current season and applying the necessary seasonal dietary corrections based on the information available in Ayurvedic literature regarding the effects of the different seasons on the doshas. However, since the current seasons differ significantly from the traditional Ayurvedic seasons, the mapping of the seasonal dietary guidelines for six classical seasons into the contemporary three-season calendar (winter, summer, and monsoon) is done using the AharaSetu seasonal adaptation engine.

Seasonal dietary correction logic implemented through ritucharya adaptation ensures that recommendations remain aligned with environmental influences affecting dosha balance

throughout the year. This seasonal sensitivity represents one of the distinguishing features of Ayurvedic dietary science compared with generalized nutrition planning frameworks.

Viruddha Ahara is the fourth Ayurvedic principle used in the AharaSetu system design. This principle holds that there are food combinations that are incompatible owing to differences in attributes, thermal effects, or digestive processing needs. For example, the combination of fish and milk is known to be viruddha and causes skin diseases, whereas equal mixing of honey and ghee is viruddha and poisonous when heated. Additionally, fruit and milk are incompatible due to differences in digestive processing needs. All viruddha ahara food combinations are stored in the AharaSetu food ontology database and are checked against each other to avoid recommending food products that may result in viruddha ahara.

The implementation of viruddha ahara compatibility constraints within the ontology database prevents the generation of harmful food combinations during recommendation generation. This safety-oriented compatibility filtering mechanism improves reliability of dietary plans produced by the system.

The integration of these four foundational Ayurvedic principles within a computational recommendation framework demonstrates how traditional clinical reasoning processes can be translated into structured digital decision-support logic. By embedding prakriti classification, agni assessment, ritucharya adaptation, and viruddha ahara compatibility constraints directly into the recommendation pipeline, the AharaSetu platform preserves the interpretive depth of classical Ayurvedic consultation methodology while improving efficiency through workflow automation.

3.6 Knowledge Representation Strategy

An important methodological component of the AharaSetu platform involves the structured representation of Ayurvedic dietary compatibility knowledge in a format suitable for computational reasoning. Traditional Ayurvedic consultation practices rely heavily on qualitative interpretation of physiological characteristics and compatibility relationships between food attributes and dosha balance conditions. Translating these relationships into machine-readable structures required the development of a knowledge representation strategy capable of preserving clinical interpretability while supporting automated reasoning operations.

The knowledge representation framework adopted in AharaSetu combines ontology-based attribute classification with rule-based compatibility evaluation mechanisms. Ontology

modeling techniques were used to encode relationships between rasa, guna, virya, vipaka, and dosha effects associated with individual food items. These structured representations allow the recommendation engine to perform compatibility filtering operations efficiently across multiple personalization parameters during recommendation generation.

In addition to ontology-based modelling, rule-based inference logic was incorporated to represent compatibility constraints derived from classical Ayurvedic dietary texts. These rules enable the system to enforce viruddha ahara restrictions and seasonal dietary adaptation guidelines during recommendation generation workflows.

Together, these knowledge representation mechanisms ensure that the recommendation engine operates using structured compatibility relationships aligned with classical Ayurvedic dietary science while maintaining flexibility for integration with retrieval-augmented reasoning techniques implemented in later stages of the recommendation pipeline.

3.7 Prakriti Classification Logic

The prakriti classification questionnaire developed as part of AharaSetu has been developed based on well-validated instruments available in the research domain of Ayurgenomics. In accordance with the Ayurvedic classification methodology, the questionnaire contains twenty-five questions on various physiological and psychological characteristics of users where respondents have to answer with forced choice or rate responses in relation to the attributes associated with each dosha.

The questionnaire-based classification methodology implemented in AharaSetu follows standardized Ayurgenomics assessment principles that translate observable physiological and psychological traits into quantifiable constitutional indicators. This structured assessment approach improves reproducibility of constitutional classification results across multiple consultation sessions.

The twenty-five physiological and psychological dimensions tested include physical body frame and build, skin texture, color, dryness, sensitivity, hair texture, eye appearance and sensitivity, hunger-thirst pattern, digestive speed, frequency, and type of bowel movement, speech pattern and voice texture, walking gait and pace, sleep requirement and quality, memory and learning capacity, emotional disposition and stress response patterns, heat and cold resistance, energy levels and fatigue pattern, immune system capability and quickness in getting recovered, and general personality dispositions.

Normalizing dosha scores into percentage-based representations allows the system to compare relative dominance of constitutional characteristics more effectively than raw scoring values. This normalization improves stability of classification outcomes when questionnaire responses vary slightly between consultation sessions.

Based on the selected response for each dimension, scores of Vata, Pitta, and Kapha doshas are assigned through dimension-specific scales depending on their Ayurvedic attribute profile associated with the particular response category. Then, the total score is determined for each dosha by summing up scores on all twenty-five domains and converting into percentage of total scores in order to identify the dominant dosha(s). This constitutes the user's prakriti type, which serves as the constitutional parameter for all recommendation stages.

Table 3.1: Dosha-Symptom Mapping Reference Table

Physical Domain	Vata Characteristic	Pitta Characteristic	Kapha Characteristic
Body Frame	Thin, light	Medium, muscular	Large, heavy
Skin Texture	Dry, rough, thin	Soft, warm, oily	Thick, moist, cool
Hunger Pattern	Irregular, variable	Strong, regular	Slow, steady
Digestion Speed	Variable, irregular	Fast, efficient	Slow, steady
Sleep Pattern	Light, disturbed	Moderate, sound	Deep, long
Memory Type	Quick but forgetful	Sharp and focused	Slow but retentive
Stress Response	Anxiety, worry	Anger, irritability	Withdrawal, depression
Energy Level	Variable, bursts	Moderate, sustained	Slow to start, enduring

The system architecture diagram shown in Figure 3.1 illustrates the layered interaction between user interface components, backend processing services, ontology knowledge representation modules, and recommendation-generation infrastructure implemented within the AharaSetu platform. The diagram highlights the role of the practitioner dashboard as the primary interaction interface through which consultation workflow inputs are collected and forwarded to backend API services responsible for coordinating compatibility evaluation operations. The

knowledge representation layer containing structured ontology attributes forms the core reasoning support infrastructure that enables multi-criteria evaluation of dietary suitability across constitutional classification, symptom mapping outputs, and seasonal adaptation parameters. This layered architectural structure ensures modular separation of responsibilities while supporting efficient communication between system components during recommendation-generation workflows.

The prakriti classification algorithm utilizes the concept of threshold and identifies users' prakriti as mono-doshic, bi-doshic, or tri-doshic based on dominance or equality of all three doshas. For bi-doshic cases, an appropriate compatibility score is calculated taking into account two dominant doshas when evaluating individual food items.

The classification results generated by this module form the foundation for all downstream compatibility scoring operations performed within the recommendation pipeline, making accurate constitutional assessment an essential component of the overall system methodology.

3.8 Seasonal Adaptation Framework

Seasonal adaptation within the framework of AharaSetu follows the ritucharya principles outlined in ancient classical texts of Ayurveda, according to which, different diets and lifestyles must be chosen depending on the impact of seasonal changes on the doshas. The seasonal adaptation framework within AharaSetu is designed based on mapping the classical six-season Ayurvedic calendar to the contemporary three-season calendar widely used in practical medicine in India.

Mapping classical six-season Ayurvedic dietary recommendations onto the contemporary three-season consultation framework improves practical usability of the system within modern clinical environments while preserving alignment with traditional ritucharya principles.

During the winter season (Hemanta and Shishira seasons in the classical calendar, roughly corresponding to November – February), the environment is dominated by such qualities as cold, dry, and heavy. Vata dosha accumulates under the effect of cold and dry nature of the environment, while Kapha also accumulates because of the heavy and cold environmental conditions. Diet recommendations for this period of time include warm and heavy foods that help to pacify the accumulation of these doshas, including such items as soups and other warm drinks, cooked grains and root vegetables, healthy fats, spices that bring warmth to food and warming herbs, as well as milk products.

These seasonal dietary adjustments ensure that recommendations remain responsive to environmental variations affecting digestive strength and dosha accumulation patterns during colder months.

During the summer period (Grishma and Vasanta seasons in the classical calendar, March – June months), there is an abundance of heat in the environment, making the weather hot and dry, and sometimes also light. Pitta dosha usually accumulates and aggravates under the influence of hot environment, requiring special diet consisting of light and hydrating foods, especially sweet fruits, cooling vegetables and grains, and mild preparations containing healthy fats like coconut. Cooling beverages are also recommended, while spices, especially those with pungent taste, and fermented products are best avoided.

Cooling dietary recommendations generated during summer months help counteract heat-induced aggravation of Pitta dosha and support maintenance of hydration and metabolic balance.

During the monsoon season (Varsha in the classical calendar, roughly July – October period), the environment becomes damp and variable in temperature, resulting in low digestive strength and aggravation of Vata. Easily digested, light, warm, and slightly dry foods should be included in the diet to pacify Vata and increase agni, which is the lowest in this season; such foods include light soups, cooked vegetables, digestive spices, and whole grains.

Table 3.2: Seasonal Dosha Influence Table

Season	Months	Dosha Influence	Dietary Strategy	Key Foods
Winter	Nov - Feb	Vata & Kapha accumulation	Warming, nourishing, grounding	Root vegetables, ghee, warm soups, sesame
Summer	Mar - Jun	Pitta aggravation	Cooling, hydrating, light	Coconut, sweet fruits, cooling herbs, light grains
Monsoon	Jul - Oct	Vata disturbance, weak Agni	Light, digestible, warm, dry	Light soups, cooked grains, digestive spices

3.9 Summary

The methodology employed in the development of AharaSetu has been presented in this chapter, which included the hierarchical system architecture design, the multi-stage consultative approach, the novel combination of rule-based Ayurveda and neural reasoning approaches, the incorporation of four important Ayurvedic concepts in the design, the prakriti classification logic based on questionnaire results, and the adaptive approach for seasonal variation in recommendations. The theoretical foundations of the methodologies employed by the system are rooted in both the classical Ayurveda approach and modern healthcare AI system design techniques.

The methodological framework described in this chapter demonstrates how classical Ayurvedic dietary consultation principles can be translated into a structured computational workflow capable of supporting scalable digital healthcare recommendation services. By combining ontology-based knowledge modeling with retrieval-augmented reasoning techniques and practitioner-centered workflow automation, the AharaSetu platform provides a comprehensive methodological foundation for implementing personalized dietary consultation support systems aligned with both traditional clinical practice and modern artificial intelligence methodologies.

CHAPTER 4

SYSTEM DESIGN

4.1 Introduction

All system design of the AharaSetu application is provided, including the transformation of the architectural and in, in this chapter theoretical base of AharaSetu as provided in the former chapters into a real system design document. This chapter will be broken into different sections where designs like the module design of the six main modules, the relational, are taken database design, ontology design of Ayurveda food types, entity relation design, security design and interface and user experience design will be addressed

The system design stage aims to convert the conceptual architecture given in the methodology transform chapter into a systematic technical road map that can be used to implement AharaSetu platform. This translation involves specifying module roles, schema relationship in the database, structure of ontology attributes and communication processes among the elements of the consultation workflow. An effective system design enhances portability of the platform and makes every functional module play its part effectively towards the whole recommendation-generation pipeline. Besides aiding implementation planning, the system design as is presented in this chapter also forms a basis of creating a grounding on scalability of AharaSetu platform in the future by breaking down functional responsibilities into modular elements which can be extended autonomously as further medical understanding materials and intelligence capabilities become available.

4.2 Module-Level Design

Modular architecture also provides the ability to test and validate each consultation workflow component separately during system development. As an example, the prakriti classification module could be determined separately using questionnaire answer datasets, and ontology compatibility engine can be verified by means of attributes food classification tables. This

flexibility of validation enhances reliability of the system and eases the future upgrades on a module-by-module basis without needing to redevelop the entire platform.

The AharaSetu system is designed to be flexible by modular decomposition to allow independent leading and testing of consultation workflow parts. It separates functional responsibilities which enables constitutional classification, symptom mapping, ontology compatibility assessment and symptom mapping, etc modules in isolation recommendation generation to undergo upgrade without the unrelated system components needing to be changed.

4.2.1 Patient Registration Module

The Patient Registration Module is the facilitator of the consultation process and can be charged with the responsibility of overseeing the entry point, Identifying patients and keeping patient identity data in the system. The given module assists in developing new patient records via structured demographic data entry interfaces that can be found in the practitioner dashboard. Proper demographic and baseline health data collection in the registration phase is significant part in helping downstream recommendations. Organized storing patient identity and the consultation metadata allows the same consultation sessions to be linked and lead to longitudinal follow-up of dietary recommendation effect in the long term.

The practitioner documents important identifying details such as full name of the patient during registration named, age, gender, geographic area, contact information and chief health issues. These are details that are held in a safe manner in the relational database using encrypted storage systems as necessary, assuring adherence to healthcare data privacy regulations Besides capturing demographic information, the module also does credential management functions on behalf of authorization to the patient interface. Every patient record has a patient which has been uniquely generated by the system key serving as the foreign key in all the consultation related tables in the schema of database. This identifier allows uniform identification of patient identity information, health profile information, prakriti classification records of outputs, the results of symptom mapping, and history of recommendations. The module also contains validation logic to check completeness and accuracy of demographic data at entry, thus minimizing the risks of inconsistent documentation in downstream consultation processes..

Table 4.1: Patient Registration Module - Data Fields

Field Name	Data Type	Validation Rule	Required
Patient_ID	UUID / Auto-increment	System generated	Yes
Full_Name	VARCHAR(100)	Non-empty, alphabetic	Yes
Date_of_Birth	DATE	Valid date, past	Yes
Gender	ENUM	M / F / Other	Yes
Phone	VARCHAR(15)	Valid phone format	Yes
Email	VARCHAR(100)	Valid email format	Yes
Location	VARCHAR(100)	Non-empty string	Yes
Occupation_Type	ENUM	Sedentary/Moderate/Active	Yes
Primary_Concern	TEXT	Non-empty	Yes

4.2.2 Prakriti Classification Module

The Prakriti Classification Module implements the constitutional assessment logic described in the methodology chapter and serves as the foundation for all personalized dietary recommendations generated by the AharaSetu system.

Automating constitutional classification through questionnaire-based scoring mechanisms improves consultation efficiency by reducing the time required for manual interpretation of observable physiological characteristics. This automation also ensures reproducibility of classification outcomes across multiple consultation sessions conducted by different practitioners.

This module administers a structured questionnaire-based assessment covering multiple physiological and psychological attributes associated with Ayurvedic constitutional typing. The questionnaire responses are processed using a scoring engine that assigns weighted values across the three primary doshas: Vata, Pitta, and Kapha.

Once raw dosha scores are computed, normalization procedures convert these values into percentage-based representations that allow comparative evaluation of dosha dominance. Based on predefined classification thresholds, the module categorizes patients into mono-doshic, bi-doshic, or tri-doshic constitutional types.

The resulting prakriti classification output is stored in the database and acts as a baseline constitutional parameter that influences all subsequent recommendation-generation stages. Because prakriti remains relatively stable throughout an individual's lifetime, this module provides long-term personalization context across multiple consultation sessions.

Additionally, the module architecture supports recalculation of constitutional classification results if questionnaire scoring models are updated in future system versions.

Table 4.2: Prakriti Classification Module - Input Parameters

Domain Category	Number of Questions	Dosha Dimensions Scored
Physical Characteristics	7	Vata, Pitta, Kapha
Digestive Patterns	5	Vata (Vishama), Pitta (Tikshna), Kapha (Manda)
Neurological / Sleep	4	Vata, Pitta, Kapha
Psychological Tendencies	5	Vata, Pitta, Kapha
Metabolic & Energy Patterns	4	Vata, Pitta, Kapha

4.2.3 Symptom Mapping Engine

The Symptom Mapping Module is responsible for identifying the patient's current dosha imbalance pattern by analyzing symptoms reported during the consultation session.

The symptom mapping module provides dynamic context adjustment capabilities that complement baseline constitutional classification results. By distinguishing between temporary imbalance conditions and stable physiological characteristics, the system ensures that dietary recommendations address both preventive and corrective therapeutic objectives.

This module uses a rule-based inference engine that references a curated dosha–symptom mapping knowledge base constructed from classical Ayurvedic clinical literature and validated practitioner guidelines. Each symptom entered by the practitioner is mapped against known dosha associations to determine whether the symptom corresponds primarily to Vata, Pitta, or Kapha imbalance patterns.

The module aggregates individual symptom mappings into a structured imbalance vector representing the patient's current pathological condition. This vector is distinct from the baseline prakriti classification and reflects temporary deviations from constitutional balance caused by environmental, dietary, or lifestyle factors.

By combining baseline constitutional information with dynamic imbalance assessment results, the system ensures that generated dietary recommendations address both preventive and corrective therapeutic objectives.

4.2.4 Seasonal Adaptation Engine

The Seasonal Adaptation Module applies ritucharya-based dietary correction logic to ensure that personalized recommendations remain aligned with seasonal variations in environmental influence on dosha balance.

Incorporating seasonal adaptation logic within the consultation workflow improves contextual accuracy of generated dietary recommendations by ensuring that food compatibility evaluation reflects environmental influences affecting digestive strength and dosha balance throughout the year.

According to Ayurvedic clinical principles, seasonal transitions significantly affect digestive strength and dosha activity patterns. Therefore, dietary recommendations must be adjusted accordingly to maintain physiological equilibrium throughout the year.

This module automatically determines the current seasonal context using calendar date and patient geographic location data. Based on this contextual information, the module applies seasonal correction factors that adjust compatibility scoring of candidate food items retrieved from the ontology database.

The module also includes practitioner override functionality that allows manual adjustment of seasonal classification in cases where local climatic conditions differ from standard seasonal

assumptions. This flexibility improves real-world applicability of the consultation workflow across diverse regional environments.

4.2.5 Ayurvedic Food Ontology Engine

The Ayurvedic Food Ontology Module provides structured access to the system's knowledge base of Ayurvedic food attribute classifications and supports compatibility-based filtering of candidate dietary items.

Structured ontology access mechanisms implemented within this module enable efficient retrieval of compatibility attributes associated with individual food items. These retrieval operations support multi-criteria evaluation of dietary suitability across rasa, guna, virya, vipaka, and dosha compatibility dimensions.

Each food item within the ontology database is represented using multiple classical Ayurvedic descriptors including:

- rasa (primary taste)
- guna (physical and energetic qualities)
- virya (thermal potency)
- vipaka (post-digestive metabolic effect)
- dosha compatibility indicators
- viruddha ahara incompatibility relationships

Using these attributes, the ontology module performs compatibility scoring operations that evaluate whether individual food items are appropriate for the patient's constitutional profile, current dosha imbalance pattern, digestive strength, and seasonal context.

The ontology module exposes query interfaces that allow the AI recommendation engine to dynamically retrieve food candidates that satisfy multi-criteria compatibility conditions. This structured ontology-driven filtering process ensures that generated dietary plans remain consistent with classical Ayurvedic dietary science rather than generic nutrition heuristics.

4.2.6 AI Recommendation Engine

The AI Recommendation Engine Module represents the central decision-support component of the AharaSetu platform and integrates outputs from all upstream consultation workflow modules to generate personalized dietary recommendations.

The recommendation engine module integrates outputs from all upstream workflow components into a unified reasoning context that supports generation of structured dietary plans tailored to individual consultation scenarios. This integration ensures that recommendation outputs reflect multiple personalization parameters simultaneously rather than relying on isolated classification results.

This module constructs a comprehensive patient context packet that includes:

- prakriti classification results
- symptom-derived dosha imbalance vectors
- agni assessment outputs
- seasonal adaptation corrections
- ontology-based food compatibility scores
- relevant Ayurvedic dietary knowledge retrieved through the RAG pipeline

Using this structured context representation, the module coordinates interaction with the retrieval-augmented generation pipeline and the large language model reasoning engine to produce a coherent and clinically appropriate dietary recommendation document.

The generated output includes meal-wise food suggestions, preparation guidelines, incompatible food combination warnings, seasonal dietary adjustments, and practitioner-review metadata. Before final delivery to the patient interface, the recommendation document is presented to the practitioner through the dashboard for validation and modification.

This module therefore functions as the integration hub that transforms structured Ayurvedic knowledge representations into actionable clinical dietary guidance suitable for real-world consultation environments.

4.3 Database Schema Design

This relational database schema allows storing necessary patient information and implementing a full-fledged consultation workflow in AharaSetu while ensuring data integrity and normalization. The schema contains several interrelated tables where patient identity information, health profile data, prakriti classification results, symptom mapping outputs, food ontology attributes, recommendation history, and consultation logs can be stored.

The relational schema implemented for the AharaSetu platform follows normalization principles designed to reduce redundancy while preserving efficient retrieval of consultation workflow data. Structuring patient identity information, health profile attributes, ontology classifications, and recommendation history records into separate but interrelated tables improves consistency of data storage and simplifies maintenance of consultation records across multiple sessions.

The **Patient Table** stores essential patient identity information such as patient identifier, patient name, patient age, patient gender, contact information, and associated practitioner's identifier. The Patient Table acts as the main reference table in the system.

Maintaining a centralized patient identity table enables efficient linkage between consultation workflow components and ensures that all recommendation-generation outputs remain associated with the correct patient profile throughout system operation.

The **Health Profile Table** stores structured information on patient lifestyle habits, dietary habits, health and medical history, medications usage history, digestive tract health indicators, and patient's consultation history. This table is referenced by the foreign key patient identifier of the Patient Table.

The structured representation of lifestyle characteristics and medical history information within the health profile table enables the recommendation engine to incorporate contextual parameters beyond constitutional classification alone when generating personalized dietary suggestions.

The **Prakriti Classification Table** stores patient questionnaire responses data, calculated patient dosha scores, calculated percentages of patient dosha balance, and classification of patient constitution. This table allows recalculation of patient classification in case the updated scoring logic becomes available in the future versions of the system.

Storing both raw questionnaire responses and processed classification outputs improves transparency of constitutional assessment results and allows recalculation of dosha dominance values if classification algorithms are refined in future versions of the platform.

The **Symptom Mapping Table** stores entered patient symptoms and associated dosha imbalance information calculated by symptom-dosha mapping knowledge base. This table structure allows storing multiple patient symptoms within one consultation session.

The ability to store multiple symptom entries per consultation session enables dynamic tracking of imbalance patterns across time and supports adaptive modification of dietary recommendations during follow-up consultations.

The **Food Ontology Table** stores Ayurvedic attribute classification of each particular food item including rasa, guna, virya, vipaka attributes and information on dosha compatibility and viruddha ahara compatibility. This table allows efficient retrieval of foods' compatibility scores used for recommendation generation process.

Efficient indexing of ontology attributes within this table improves performance of compatibility scoring operations by reducing query execution time during recommendation-generation workflows involving large food knowledge datasets.

The **Recommendation History Table** stores patient recommended food list together with its timestamp, associated practitioner identifier, patient's confirmation of recommendations delivery, and additional information. This table can be used for longitudinal dietary intervention data collection for individual patients.

Maintaining structured recommendation history records allows practitioners to evaluate patient adherence patterns and assess effectiveness of previous dietary interventions when planning updated consultation strategies.

The **Consultation Log Table** stores consultation session metadata information including consultation date, practitioner identifier, consultation duration, and status of consultation workflow completion.

Consultation log metadata also supports system-level monitoring of workflow completion rates and practitioner interaction patterns, providing valuable information for future usability improvements and platform performance optimization.

Another important advantage of the relational schema design implemented in AharaSetu is that it supports longitudinal tracking of consultation outcomes across multiple sessions. By maintaining structured historical consultation records, practitioners can observe changes in symptom patterns, dietary adherence behavior, and recommendation effectiveness over time. This capability strengthens the clinical usefulness of the platform as a long-term dietary management support system rather than a single-session recommendation tool.

4.4 Ayurvedic Food Ontology Modeling

The development of the food ontology database is one of the most knowledge-intensive phases of the AharaSetu project. The ontology is compiled using information from primary texts in Ayurvedic medicine such as the Charaka Samhita, Sushruta Samhita, Ashtanga Hridayam, and Bhavaprakasha Nighantu. Additionally, contemporary reference books on Ayurveda and scholarly peer-reviewed articles have been used to enrich the ontology with modern nutritional composition details along with traditional categorizations.

Representing Ayurvedic dietary compatibility knowledge in ontology form enables computational reasoning across multiple attribute dimensions simultaneously. This structured representation ensures that compatibility evaluation processes remain aligned with classical dietary science principles while supporting efficient retrieval operations required for real-time recommendation generation.

The following attributes are recorded for every food item in the ontology. The taste (Rasa) is categorized as sweet (Madhura), sour (Amla), salty (Lavana), pungent (Katu), bitter (Tikta), or astringent (Kashaya). The property (Guna) is categorized using twenty Ayurvedic gunas (heavy, light, oily, dry, hot, cold, etc.). The potency (Virya) is categorized as either heating (Ushna) or cooling (Sheeta). The post-digestive effect (Vipaka) is categorized as sweet (Madhura), sour (Amla), or pungent (Katu). The Dosha_Effect attribute indicates if the food is pacifying (lowers), aggravating (raises), or neutral (has no effect) for all three doshas. The Special_Properties attribute records the therapeutic effects, precautions, or viruddha ahara (combination contraindication) for the food. Encoding rasa, guna, virya, vipaka, and dosha compatibility attributes within a unified ontology structure improves interpretability of recommendation decisions by allowing practitioners to trace compatibility relationships between patient physiological characteristics and selected food items.

Table 4.3: Sample Food Ontology Entries with Ayurvedic Attributes

Food_ID	Food Name	Rasa	Guna	Virya	Vipaka	Dosha Effect
F001	Moong Dal	Sweet, Astringent	Light, Dry	Cooling	Sweet	Tridosha Pacifying
F002	Ghee (Clarified Butter)	Sweet	Heavy, Oily, Smooth	Cooling	Sweet	Vata & Pitta Pacifying
F003	Ginger (Fresh)	Pungent	Light, Dry	Heating	Sweet	Vata & Kapha Pacifying
F004	Basmati Rice	Sweet	Light, Dry	Cooling	Sweet	Tridosha Pacifying
F005	Sesame Seeds	Sweet, Bitter, Astringent	Heavy, Oily	Heating	Sweet	Vata Pacifying
F006	Bitter Gourd	Bitter, Astringent	Light, Dry	Cooling	Pungent	Pitta & Kapha Pacifying

The food ontology database can be extended over time to include food items specific to different geographical regions and seasons, traditional regional cuisine preparations, and other food items with special attributes and therapeutic effects. The food ontology database is designed as an extensible, open structure that supports version control at the record level.

The ontology modeling strategy adopted in AharaSetu also supports interoperability with future semantic healthcare knowledge systems by representing Ayurvedic dietary attributes in a structured machine-readable format. Such structured representations make it possible to integrate the ontology with external knowledge graphs, decision-support systems, or multilingual dietary advisory platforms in future research developments, thereby extending the applicability of the ontology beyond the current implementation environment.

The extensible ontology structure implemented in AharaSetu also supports integration of additional therapeutic food attributes and region-specific dietary variations in future system versions, improving adaptability of the platform across diverse consultation environments.

4.5 Entity-Relationship Model

The Entity–Relationship (ER) model of the AharaSetu database provides a structured conceptual representation of how the major data entities within the system interact with each other to support the consultation workflow and recommendation-generation pipeline. The ER model serves as an essential bridge between the logical database schema described in the previous section and the physical database implementation used during system deployment. It enables visualization of entity dependencies, relationship cardinalities, and data-flow connectivity across the platform.

The entity–relationship model provides a conceptual representation of how consultation workflow data structures interact within the AharaSetu platform. Visualizing these relationships helps ensure consistency between logical schema design and physical database implementation.

At the center of the ER model lies the **Patient entity**, which acts as the primary anchor entity around which all other consultation-related entities are organized. Since the AharaSetu system is designed as a patient-centric dietary consultation platform, nearly all operational data structures either directly or indirectly reference the Patient entity through defined relational mappings. This centralized modeling approach ensures consistency in record linkage and supports efficient retrieval of longitudinal consultation histories.

The relationship between the **Patient entity** and the **Health_Profile entity** is modeled as a **one-to-one relationship**, reflecting the fact that each registered patient maintains a single active structured health profile within the system at any given time. The Health_Profile entity consolidates key baseline consultation attributes including constitutional classification outputs, digestive strength assessment results, lifestyle category indicators, and structured intake-stage health observations. Maintaining this one-to-one mapping ensures that each patient's baseline physiological context remains uniquely identifiable and consistently available throughout the recommendation-generation workflow.

Maintaining a one-to-one mapping between patient identity and health profile records simplifies retrieval of baseline consultation parameters during recommendation-generation workflows.

The relationship between the **Patient entity** and the **Symptom entity** is modeled as a **one-to-many relationship**, since individual patients may report multiple symptoms across different consultation sessions. These symptom entries represent dynamic clinical observations that complement the relatively stable constitutional classification stored within the **Health_Profile** entity. By supporting storage of multiple symptom records per patient, the system enables temporal tracking of dosha imbalance patterns and facilitates adaptive modification of dietary recommendations across successive consultation cycles.

Similarly, the relationship between the **Patient entity** and the **Diet_Recommendation entity** is also structured as a **one-to-many relationship**, reflecting the iterative nature of personalized dietary consultation. Over time, each patient may receive multiple diet plans corresponding to different seasonal contexts, symptom patterns, digestive conditions, or follow-up consultation outcomes. Maintaining this one-to-many mapping allows the AharaSetu platform to support longitudinal monitoring of dietary interventions and enables practitioners to evaluate the effectiveness of earlier recommendations when preparing updated consultation strategies.

A particularly important relationship within the ER model exists between the **Diet_Recommendation entity** and the **Food_Ontology entity**, which is implemented as a **many-to-many relationship**. This relationship is realized through an intermediate junction table named **Recommendation_Food_Detail**, which stores detailed mappings between individual dietary recommendations and the specific food items included within those recommendations. The junction table records additional metadata such as recommended consumption frequency, suggested quantity ranges, preparation guidelines, compatibility scores derived from ontology-based evaluation, and any associated viruddha ahara restrictions relevant to the selected food combinations.

The many-to-many relationship between recommendation records and ontology food items enables flexible representation of meal composition structures within generated dietary plans.

This many-to-many modeling strategy provides significant analytical advantages. It allows the system not only to generate personalized meal plans but also to support future research-oriented analysis of recommendation patterns across patient populations. For example, compatibility trends between specific prakriti types and frequently recommended food groups can be studied using aggregated recommendation–ontology mappings stored within this relationship layer.

The **Consultation_Log** entity maintains a **many-to-one relationship with the Patient** entity, since multiple consultation sessions may be conducted for each patient across different time periods. Each consultation log entry stores session-level metadata including consultation timestamps, session duration, practitioner identifier references, workflow completion status, and summary outcomes of the consultation interaction. This structured logging capability ensures traceability of practitioner–patient interactions and supports audit-level monitoring of consultation workflows.

In addition to its relationship with the Patient entity, the Consultation_Log entity also maintains a **many-to-one relationship with the Practitioner** entity, which stores credential-level and profile-level information associated with registered Ayurvedic dietitians using the platform. This relationship enables the system to associate each consultation session with the practitioner responsible for generating the recommendation, thereby supporting role-based access control enforcement and ensuring that practitioners can only access consultation histories corresponding to their own patients.

The Practitioner entity therefore functions as an important administrative reference structure within the ER model, supporting authentication, authorization, consultation ownership tracking, and practitioner-specific dashboard personalization. Together, these entity relationships form a coherent relational structure that ensures secure, scalable, and logically consistent management of patient consultation data within the AharaSetu platform.

This structured relational mapping framework ensures that consultation workflow data remains logically organized and supports efficient retrieval operations required for real-time recommendation generation.

4.6 Security Architecture

AharaSetu security architecture adheres to all the requirements and regulations of protecting medical data stated by frameworks such as HIPAA (Health Insurance Portability and Accountability Act) of the USA, ISO/IEC 27001 international information security management framework, and relevant parts of India's Digital Personal Data Protection Act. Even though AharaSetu is built primarily with the Indian market in mind, implementing global standards guarantees high security performance of the product and minimizes changes for adaptation to an international level.

Implementing healthcare-grade security architecture within the AharaSetu platform is essential for ensuring confidentiality and integrity of patient consultation data handled during recommendation-generation workflows.

Security architecture in AharaSetu is based on five major principles, namely confidentiality, integrity, availability, accountability, and resilience. Confidentiality makes sure that the user accesses only necessary personal data in a secure environment. The first line of protection includes end-to-end TLS (Transport Layer Security) encryption of all communication performed via APIs; the second line includes AES-256 encryption of the database fields containing personally identifiable information and health data. Role-based access control is also employed to provide confidentiality since it allows access to particular data according to roles.

End-to-end encryption of communication channels ensures that sensitive consultation data transmitted between practitioner dashboards and backend infrastructure remains protected against unauthorized interception.

Data integrity is achieved through several measures. They include transaction management in a database, use of hashes and digital signatures to protect data from any unauthorized modifications, as well as input validation on both client and server layers. High availability is provided with the help of the redundant cloud infrastructure and regular backups, allowing users to restore the latest versions of their data using point-in-time recovery. Moreover, there is a set of protection tools to ensure the safe and reliable operation of the APIs.

Database transaction validation mechanisms further strengthen integrity protection by preventing unintended modification of consultation workflow records during concurrent system access operations.

The last two principles are accountability and resilience. Audit logs are used to achieve them: every access, modification, or deletion operation performed in AharaSetu is logged in them along with additional information about user identity, data being altered, and date and time of alteration. Logs are kept in append-only storage that prevents from modifying them. Automated backups, disaster recovery strategies, and incident response policies guarantee resilience and availability of patients' medical data in any case.

Cloud-based redundancy mechanisms implemented within the deployment architecture ensure continuous accessibility of consultation services even in the presence of temporary infrastructure failures.

The adoption of internationally recognized healthcare data protection frameworks within the security architecture of AharaSetu further improves trustworthiness of the platform among practitioners and patients. Implementing encryption standards, audit logging mechanisms, and role-based access control policies consistent with global healthcare information security practices ensures that the platform can be adapted for integration within institutional clinical environments where strict compliance requirements must be satisfied.

Together, these security mechanisms provide a robust protection framework suitable for supporting deployment of the AharaSetu platform within clinical consultation environments requiring strict data privacy safeguards.

4.7 UI/UX Design Considerations

The user interface design of the AharaSetu tool follows the best practices of usability, accessibility, and efficiency, which should be applied in the development of a professional consultation tool. The design of the interface focuses on functionality and simplicity since Ayurvedic dietitians who use the tool will have to interact with it during consultations.

Designing the practitioner dashboard interface according to workflow-oriented usability principles improves consultation efficiency by guiding users through structured assessment stages aligned with classical Ayurvedic diagnostic methodology.

The practitioner dashboard contains an orderly workflow-oriented layout that reflects the natural order of actions that take place during consultations. From patient registration, practitioners move to reviewing patients' health profiles, assessing their prakriti types, mapping out their symptoms, confirming their seasonal context, and generating recommendations for them.

In turn, each step of the consultation process is reflected in the practitioner dashboard as a navigation button, thus reducing the likelihood of overlooking one of the steps and skipping some of the information that could affect a client's future well-being.

Data input forms follow the best practices of progressive disclosure and include all necessary fields. Moreover, they also contain an option for users to expand certain sections if they want to provide more information regarding their clients' problems. The input forms also have field-level validation to detect errors and omissions immediately after they occur.

Progressive disclosure mechanisms implemented within patient data entry forms reduce interface complexity by presenting only relevant input fields at each consultation stage, thereby improving usability during time-constrained clinical sessions.

Finally, the recommendation review page includes an editable dietary plan, which gives practitioners an opportunity to make changes if needed. In this case, system-generated content is highlighted differently from the edited content provided by practitioners.

Providing editable recommendation outputs within the practitioner dashboard ensures that clinicians retain final decision-making authority while still benefiting from automated compatibility scoring support generated by the recommendation engine.

Responsive interface design further improves accessibility of the AharaSetu platform across multiple device types including desktop computers and tablet devices commonly used in clinical consultation environments.

4.8 System Integration Strategy

The system integration strategy adopted for the AharaSetu platform focuses on ensuring seamless interaction between consultation workflow modules while preserving modular independence of individual system components. Integration between frontend interface components, backend API services, ontology databases, and recommendation engine modules is achieved through structured RESTful communication protocols that support efficient exchange of consultation workflow data.

The practitioner dashboard interface communicates with backend services through secure API endpoints responsible for managing patient registration workflows, constitutional classification processing, symptom mapping operations, and recommendation generation requests. This structured communication architecture ensures that consultation workflow stages remain synchronized across system components during active consultation sessions.

Integration between backend services and the ontology database layer enables efficient retrieval of compatibility attributes required for recommendation generation. These retrieval operations are performed using indexed database queries optimized for attribute-level filtering across multiple compatibility dimensions including rasa, guna, virya, vipaka, and dosha effects.

The recommendation engine module acts as the central integration layer responsible for combining outputs from constitutional classification modules, symptom mapping logic,

seasonal adaptation frameworks, and ontology compatibility filtering mechanisms into a unified reasoning context used for generating personalized dietary plans.

This structured integration strategy ensures reliable coordination between system components and supports scalable deployment of the platform within distributed consultation environments.

CHAPTER 5

IMPLEMENTATION

5.1 Introduction

This chapter explains the implementation phase of the AharaSetu system by translating the architectural design and system specifications described in the previous chapter into practical technical decisions, structured code-level architecture, and deployment-ready configurations. The implementation stage represents the transition from conceptual system modeling to an operational prototype capable of supporting real-time Ayurvedic dietary consultation workflows.

The implementation phase of the AharaSetu platform represents the transition from conceptual system modeling to a functional consultation support environment capable of supporting real-time personalized dietary recommendation workflows. During this stage, architectural components described in previous chapters were translated into executable software modules using a combination of frontend interface technologies, backend API services, relational database infrastructure, and artificial intelligence–based reasoning components. This transformation ensures that the proposed system operates as an integrated digital consultation platform rather than as a theoretical recommendation framework.

The chapter discusses the selection of the technology stack and provides justification for the suitability of each selected technology in relation to healthcare application requirements, scalability considerations, and integration with artificial intelligence–driven recommendation pipelines. It also presents the implementation approach adopted for the retrieval-augmented generation (RAG) knowledge pipeline that enables structured Ayurvedic knowledge retrieval combined with language-model reasoning for personalized dietary recommendation generation.

In addition, this chapter describes the cloud deployment architecture used to support the software-as-a-service (SaaS) delivery model of the platform and explains how infrastructure configuration decisions contribute to system reliability, accessibility, and performance efficiency. The implementation of the chatbot-based consultation interface is also presented as

part of the patient interaction layer, demonstrating how conversational interaction capabilities are integrated into the consultation workflow.

In addition to supporting structured recommendation generation, the implementation strategy adopted for AharaSetu emphasizes modular extensibility so that additional consultation features such as biometric data integration, multilingual interaction support, and advanced reasoning modules can be incorporated into future system versions without requiring redesign of the existing platform architecture.

Finally, the chapter outlines the performance optimization strategies applied during system development to ensure that AharaSetu satisfies the response latency and throughput requirements expected from a real-time clinical decision-support environment. Together, these implementation components demonstrate how the conceptual architecture described in earlier chapters is transformed into a functional and deployable healthcare consultation platform.

5.2 Technology Stack

The technology stack selected for the implementation of the AharaSetu platform was chosen after careful evaluation of multiple technical criteria, including long-term stability, ecosystem maturity, availability of community support resources, compatibility with artificial intelligence development workflows, scalability for cloud deployment environments, and suitability for healthcare information system requirements. Each component of the technology stack contributes to the development of a reliable, modular, and extensible consultation platform capable of supporting real-time personalized dietary recommendation generation.

The use of a component-based frontend development framework such as React also enables efficient state management across consultation workflow stages by allowing patient profile data and recommendation outputs to be dynamically updated without requiring full interface refresh operations. This improves responsiveness of the practitioner dashboard during active consultation sessions and enhances usability of the platform in real-time clinical environments.

The frontend user interface of the AharaSetu system is implemented using **React.js**, a widely adopted open-source JavaScript library designed for building modern component-based user interfaces. React was selected primarily because of its mature development ecosystem and its efficient virtual Document Object Model (DOM) rendering mechanism, which enables rapid and responsive updates to dynamic consultation dashboards containing continuously changing patient data. The component-based architecture of React also supports modular interface

construction, allowing different workflow stages such as patient registration, prakriti assessment, symptom mapping, and recommendation visualization to be implemented as reusable interface components.

In addition to its performance advantages, React provides strong support for progressive web application (PWA) development patterns, enabling near-native performance characteristics across desktop and mobile browser environments commonly used in clinical consultation settings. The large developer community associated with React further ensures long-term maintainability of the system and availability of third-party interface components that accelerate development.

To support responsive layout behavior and consistent interface styling across multiple device types and screen sizes, **Bootstrap 5** is used as the primary CSS framework for the platform. Bootstrap provides a standardized grid-based layout system and a collection of reusable interface elements that improve visual consistency while reducing frontend development complexity. The responsive design capabilities of Bootstrap ensure that the practitioner dashboard and chatbot interface remain accessible across desktops, tablets, and mobile devices typically used in healthcare consultation environments.

Bootstrap-based responsive layout design further ensures that interface components remain accessible across different screen sizes commonly used in consultation environments, including desktop computers, tablets, and portable clinical workstation devices. This flexibility improves accessibility of the platform across diverse healthcare service delivery contexts.

The backend API layer of the AharaSetu system is implemented using **Python Flask**, a lightweight and flexible web application framework that provides the minimal structural overhead required for building high-performance RESTful API services. Flask was selected because of its seamless integration with the Python-based artificial intelligence ecosystem, which hosts the natural language processing libraries and retrieval components required for implementing the RAG-based recommendation pipeline.

The modular architecture of Flask supports clear separation of application logic through Blueprint-based organization of API routes, enabling independent development of consultation workflow modules such as patient registration handling, symptom mapping services, ontology query interfaces, and recommendation-generation endpoints. In addition, Flask's compatibility with the Web Server Gateway Interface (WSGI) standard enables flexible deployment

configurations across multiple cloud infrastructure providers and production hosting environments.

Flask's lightweight architecture also allows efficient integration of artificial intelligence libraries required for implementing retrieval-augmented recommendation workflows. This compatibility simplifies interaction between backend API services and ontology-based compatibility scoring modules implemented within the recommendation engine layer.

The primary relational database used in the AharaSetu system is **MySQL**, which was selected due to its proven reliability in healthcare information system deployments and its strong support for ACID-compliant transaction processing. Maintaining strict transactional consistency is essential in systems handling patient health data, where record integrity must be preserved across multiple concurrent consultation sessions.

MySQL also provides advanced indexing capabilities that support efficient execution of multi-attribute queries required by the Ayurvedic food ontology compatibility scoring engine. These indexing mechanisms enable rapid retrieval of food items based on rasa, guna, virya, vipaka, and dosha compatibility attributes during recommendation generation workflows.

The selection of a relational database system also supports enforcement of structured schema constraints that preserve consistency of consultation workflow data across multiple sessions. Maintaining structured relational integrity is particularly important in healthcare consultation environments where accuracy of patient data directly affects recommendation reliability.

To improve database portability and maintain abstraction between application logic and database engine implementation, the AharaSetu platform uses **SQLAlchemy** as its object-relational mapping (ORM) layer. SQLAlchemy enables developers to interact with database tables using Python object representations instead of raw SQL queries, improving code maintainability and reducing the likelihood of query-level implementation errors. In addition, the ORM abstraction layer supports future migration of the database backend from MySQL to alternative relational database platforms such as PostgreSQL if scalability requirements increase during future system deployment stages.

Using an object-relational mapping framework such as SQLAlchemy further improves portability of the application by allowing migration between different relational database engines if deployment requirements change during future expansion stages of the platform.

Together, the selected technology stack components provide a balanced combination of frontend responsiveness, backend flexibility, database reliability, and artificial intelligence ecosystem compatibility, ensuring that the AharaSetu platform can operate efficiently as a scalable cloud-based Ayurvedic dietary consultation system.

Table 5.1. Technology Stack Summary

Layer	Technology	Justification
Frontend UI	Node.js	Component reuse, performance, responsive design
Backend API	Python Flask	Lightweight, Python AI ecosystem compatibility
Database	Neon Postgres SQL	ACID compliance, healthcare data integrity
LLM Integration	OpenAI API	Sophisticated natural language generation
Cloud Platform	Amazon Web Services	Scalable, HIPAA-eligible infrastructure
Authentication	JWT	Managed identity, secure token handling
Containerization	Docker + AWS ECS	Reproducible deployment, auto-scaling

Another important advantage of selecting a Python-based backend implementation environment is its compatibility with emerging artificial intelligence development frameworks used for healthcare decision-support applications. This compatibility ensures that future extensions of the AharaSetu platform can incorporate advanced machine learning models, semantic retrieval engines, and clinical reasoning support algorithms without requiring major changes to the existing system architecture.

5.3 RAG Pipeline Implementation

The Retrieval-Augmented Generation (RAG) pipeline implemented in the AharaSetu system forms the central intelligence layer responsible for generating personalized Ayurvedic dietary recommendations based on structured knowledge retrieval combined with language-model reasoning. This hybrid architecture enables the platform to integrate classical Ayurvedic knowledge sources with modern artificial intelligence techniques, ensuring that generated recommendations remain both contextually relevant and clinically interpretable.

The retrieval-augmented generation pipeline implemented in AharaSetu improves recommendation transparency by combining structured ontology retrieval with contextual reasoning support derived from curated Ayurvedic knowledge sources. This hybrid reasoning strategy ensures that generated dietary suggestions remain interpretable by practitioners while still benefiting from adaptive artificial intelligence capabilities.

The implementation of the RAG pipeline is organized into three primary stages: the knowledge retrieval stage, the context construction stage, and the response generation stage. Each stage performs a distinct function within the recommendation-generation workflow while maintaining interoperability with the upstream consultation modules described in earlier chapters.

The first stage of the pipeline involves structured knowledge retrieval from the Ayurvedic food ontology database and associated reference knowledge repositories. During this stage, the system retrieves candidate food items whose attribute profiles match the patient's constitutional classification, current dosha imbalance vector, digestive strength indicators, and seasonal context parameters. The ontology query engine evaluates compatibility across multiple Ayurvedic dimensions including rasa, guna, virya, vipaka, and dosha-effect relationships, ensuring that only clinically appropriate food candidates are selected for downstream processing.

Retrieving candidate food items through ontology-based filtering mechanisms prior to response generation significantly reduces computational complexity during later reasoning stages by restricting the recommendation space to clinically relevant compatibility candidates.

In addition to ontology-based filtering, the retrieval stage incorporates structured rule-based inference logic derived from classical Ayurvedic dietary guidelines. These rules encode compatibility relationships between food properties and patient health indicators, allowing the

system to eliminate unsuitable food combinations and apply viruddha ahara constraints before passing candidate items to the generation stage.

The second stage of the pipeline performs context construction by assembling a structured consultation context packet representing the complete patient profile. This context packet integrates multiple information sources including prakriti classification outputs, symptom-derived imbalance indicators, agni assessment results, seasonal adaptation parameters, and ontology-filtered food candidate lists. By combining these elements into a unified structured representation, the system ensures that the downstream language-model reasoning process operates on a comprehensive and clinically meaningful knowledge base.

The context packet also includes supporting textual knowledge retrieved from curated Ayurvedic reference materials used within the knowledge base layer. These materials provide explanatory background information regarding dietary principles associated with specific dosha imbalance conditions, enabling the recommendation engine to generate interpretable dietary guidance rather than producing isolated food suggestions without justification.

Constructing a unified consultation context packet that combines constitutional classification results, symptom mapping outputs, seasonal adaptation parameters, and ontology compatibility scores ensures that the language-model reasoning component operates with complete awareness of the patient's physiological profile during recommendation generation.

The third stage of the RAG pipeline involves response generation using a language-model reasoning component that synthesizes retrieved knowledge into a structured dietary recommendation document. The generation stage produces meal-level suggestions, preparation guidance, contraindication warnings related to incompatible food combinations, seasonal dietary adjustment recommendations, and explanatory text describing the rationale behind selected food items.

Because the generation stage operates on knowledge retrieved from validated ontology sources and classical Ayurvedic dietary rules, the resulting recommendations maintain alignment with traditional dietary frameworks while benefiting from the flexibility and adaptability of natural language generation techniques. This hybrid reasoning approach ensures that the AharaSetu recommendation engine produces outputs that are both clinically grounded and personalized to the individual consultation context.

To ensure reliability of the recommendation-generation workflow, the RAG pipeline implementation includes intermediate validation checkpoints that verify compatibility between retrieved ontology entries and practitioner-approved dietary rules before final recommendation output is presented within the practitioner dashboard. This verification step allows practitioners to review and refine generated recommendations where necessary, preserving clinician oversight while still benefiting from automated knowledge retrieval and reasoning support.

This structured integration of symbolic compatibility reasoning with neural language-model support represents a key innovation of the AharaSetu recommendation architecture and improves reliability of generated dietary guidance compared with purely statistical recommendation approaches.

Table 5.2: RAG Pipeline Stage Description

Stage	Input	Processing	Output
Corpus Preparation	Ayurvedic texts, ontology, rules	Segmentation, embedding, indexing	FAISS vector index
Knowledge Retrieval	Patient profile context query	Vector similarity search (Top-K)	Relevant knowledge segments
Response Generation	Retrieved context + patient data	LLM reasoning with grounded context	Personalized diet plan (NL)

Together, these three stages of the RAG pipeline form a cohesive recommendation-generation architecture that enables AharaSetu to transform structured Ayurvedic knowledge representations into actionable personalized dietary guidance suitable for real-time consultation environments.

The retrieval-augmented architecture implemented in AharaSetu also improves transparency of recommendation generation compared with traditional end-to-end neural recommendation systems. Because recommendations are produced using explicitly retrieved ontology attributes and structured knowledge sources, practitioners can review the reasoning context underlying generated dietary suggestions, thereby improving interpretability and trust in automated recommendation outputs.

5.4 Cloud Deployment Model

The AharaSetu platform is implemented using a cloud-based deployment architecture designed to support scalable, secure, and continuously available delivery of personalized Ayurvedic dietary consultation services. The deployment strategy follows a Software-as-a-Service (SaaS) model, allowing practitioners and patients to access the platform through standard web browsers without requiring installation of specialized software on local devices.

The SaaS deployment model provides several important advantages for healthcare consultation systems. These advantages include centralized management of application updates, simplified maintenance procedures, improved accessibility across geographically distributed users, and enhanced data protection through professionally managed cloud infrastructure environments. By adopting a cloud-based architecture, the AharaSetu platform ensures that practitioners can access patient consultation workflows from multiple clinical locations while maintaining consistent system performance and availability.

The adoption of a Software-as-a-Service deployment architecture also simplifies system maintenance by enabling centralized management of application updates and security patches without requiring manual installation procedures on practitioner devices. This centralized update capability ensures that all users benefit from improvements in recommendation algorithms and ontology knowledge resources as soon as new versions are deployed.

The application is organized into multiple logical deployment layers that together support reliable system operation. The frontend interface layer is hosted as a browser-accessible web application that communicates with backend services through secure RESTful API endpoints. This layered architecture enables separation between presentation logic and backend processing components, improving maintainability and allowing independent scaling of interface and computation resources as system usage increases.

The backend API services are deployed on cloud-hosted application servers responsible for managing consultation workflow operations, ontology database queries, symptom mapping services, and recommendation-generation pipeline coordination. These backend services handle authentication requests, enforce role-based access control policies, and coordinate communication between the practitioner dashboard interface, patient chatbot interface, and knowledge retrieval components within the recommendation engine layer.

Separating frontend interface services from backend processing components within the cloud deployment environment improves scalability of the platform by allowing independent allocation of computational resources to different system layers based on consultation workload requirements.

The relational database infrastructure supporting the AharaSetu platform is deployed within a managed cloud database environment configured to ensure high availability and transactional consistency for healthcare data storage. Managed database services provide automated backup scheduling, failover protection mechanisms, and performance monitoring capabilities that contribute to the reliability of consultation record storage and retrieval operations.

Managed cloud database services further support automated monitoring of storage performance and enable implementation of backup retention policies designed to protect consultation workflow records from accidental data loss.

To ensure secure communication between distributed system components, all API interactions are protected using Transport Layer Security (TLS) encryption protocols. This encryption mechanism safeguards patient identity information and consultation data transmitted between client devices and backend infrastructure, supporting compliance with healthcare data protection standards described in earlier chapters.

The cloud deployment architecture also incorporates automated backup and disaster recovery mechanisms designed to protect patient consultation records against accidental data loss or infrastructure failures. Backup snapshots are maintained at regular intervals and stored in geographically redundant storage environments to ensure recoverability of system data in the event of service interruptions.

In addition to supporting reliability and security, the SaaS deployment model enables flexible scalability of computational resources required by the retrieval-augmented recommendation engine. As consultation workload increases, additional compute instances can be provisioned dynamically within the cloud infrastructure environment to maintain acceptable response latency and throughput performance for real-time dietary consultation workflows.

Together, these deployment-layer components form a robust cloud-based infrastructure foundation that supports secure, scalable, and continuously accessible operation of the AharaSetu consultation platform across distributed healthcare usage environments.

This scalable deployment strategy ensures that the AharaSetu platform remains suitable for gradual expansion into multi-clinic consultation environments where multiple practitioners access the system concurrently.

5.5 Chatbot Interface Implementation

The chatbot interface implemented in the AharaSetu platform serves as an interactive patient-facing component designed to support real-time communication between the system and patients during and between formal consultation sessions. This conversational interface enhances accessibility of personalized dietary guidance by allowing patients to receive structured responses to common dietary questions, clarification of practitioner recommendations, and preliminary health assessment assistance without requiring continuous direct practitioner involvement.

Integrating conversational interaction capabilities within the consultation workflow environment improves accessibility of personalized dietary guidance by allowing patients to interact with the system outside scheduled practitioner sessions. This extended accessibility supports improved adherence to dietary recommendations by providing clarification support when required.

The chatbot interface is integrated with the backend recommendation engine through secure API communication channels, enabling it to retrieve patient-specific consultation context and generate responses that remain consistent with the individualized dietary guidance prepared during practitioner-led consultation sessions. By maintaining alignment with the structured consultation workflow, the chatbot ensures that patient interactions remain clinically appropriate and personalized rather than generic or rule-based in isolation.

Forwarding patient queries to the retrieval-augmented recommendation pipeline ensures that chatbot responses remain aligned with practitioner-approved dietary compatibility logic rather than relying on generic conversational response templates.

The implementation of the chatbot interaction layer supports both text-based conversational input and guided selection-based interaction modes. Text-based interaction enables patients to enter natural-language questions related to their dietary recommendations, seasonal adjustments, food compatibility concerns, and lifestyle-related guidance. Guided selection interaction provides predefined response options that simplify navigation for patients with

limited technical familiarity or lower digital literacy levels, ensuring that the system remains accessible across a broad user population.

Providing both free-text interaction and structured response selection options ensures that patients with varying levels of digital literacy can effectively interact with the consultation support system.

To maintain accuracy and contextual relevance of responses, the chatbot interface communicates with the retrieval-augmented generation pipeline implemented within the recommendation engine layer. When a patient submits a query, the chatbot forwards the request to the backend service layer, where relevant consultation data including prakriti classification results, symptom mapping outputs, seasonal adaptation parameters, and ontology-filtered food compatibility information are incorporated into the response-generation context packet. This integration ensures that responses generated by the chatbot remain consistent with previously delivered dietary recommendations and practitioner-approved consultation outputs.

In addition to supporting patient question-answer interaction, the chatbot interface also assists in collecting preliminary consultation inputs prior to practitioner review. Patients can provide structured information regarding recent symptoms, changes in dietary habits, digestive comfort levels, and seasonal health concerns through conversational prompts presented by the chatbot interface. These responses are stored within the consultation workflow database and become available to practitioners during subsequent consultation sessions, improving consultation efficiency and enabling more informed recommendation updates.

The chatbot implementation also includes safeguards that ensure the interface operates strictly within its intended decision-support role. The system clearly distinguishes informational guidance provided through conversational responses from practitioner-authorized dietary prescriptions, preserving clinical accountability and preventing misinterpretation of automated responses as independent medical advice.

Together, these chatbot interface capabilities enhance the usability and accessibility of the AharaSetu platform by extending personalized dietary consultation support beyond traditional session boundaries while maintaining alignment with practitioner-supervised recommendation workflows.

Maintaining practitioner oversight of chatbot-generated guidance ensures that the conversational interface functions as a consultation support extension rather than as an independent clinical decision-making agent.

5.6 Performance Optimization

Performance optimization plays an essential role in ensuring that the AharaSetu platform operates efficiently within real-time consultation environments where practitioners require rapid access to patient data and timely generation of personalized dietary recommendations. Because the system integrates multiple computational components including ontology queries, symptom mapping logic, and retrieval-augmented recommendation generation, careful optimization strategies were incorporated throughout the implementation process to maintain acceptable response latency and throughput performance.

Efficient indexing of ontology attribute columns significantly improves execution speed of compatibility scoring queries performed during recommendation-generation workflows involving multiple food candidates and patient-specific personalization parameters.

One of the primary optimization strategies applied in the AharaSetu system involves efficient database query execution through structured indexing of frequently accessed ontology attributes. Since compatibility scoring operations rely heavily on retrieving food items based on rasa, guna, virya, vipaka, and dosha-effect classifications, indexing these attributes significantly reduces query response time during recommendation-generation workflows. Optimized indexing ensures that ontology filtering operations remain responsive even as the food knowledge base expands over time.

In addition to database-level optimization, backend API performance was improved through modular route organization and lightweight request-processing pipelines implemented using the Flask framework. The modular structure of the API allows consultation workflow components such as patient registration handling, symptom mapping services, ontology retrieval operations, and recommendation-generation coordination to operate independently while minimizing processing overhead. This modular architecture contributes to improved scalability and maintainability of backend service operations.

Organizing backend services into modular API routes also simplifies maintenance of the platform by allowing independent optimization of consultation workflow components without affecting unrelated system modules.

Caching mechanisms were also incorporated within selected consultation workflow stages to reduce redundant computation during repeated ontology retrieval operations and repeated access to frequently referenced consultation context elements. By storing intermediate retrieval results for short durations, the system reduces the number of repeated database queries required during iterative recommendation refinement steps performed within practitioner review workflows.

Caching frequently accessed ontology compatibility results further reduces response latency during iterative recommendation refinement operations performed within practitioner review workflows.

Frontend performance optimization was achieved through efficient component-based interface rendering using React's virtual DOM architecture. Because consultation dashboards frequently update patient information dynamically as practitioners progress through workflow stages, the virtual DOM mechanism ensures that only modified interface elements are re-rendered rather than refreshing the entire user interface. This selective rendering approach significantly improves responsiveness of practitioner dashboards during active consultation sessions.

Selective rendering of interface components using virtual DOM update mechanisms improves responsiveness of practitioner dashboards during consultation sessions involving frequent updates to patient profile data.

Network-level performance optimization was implemented through asynchronous API communication patterns that allow frontend components to request backend processing results without blocking interface interaction. This approach improves perceived responsiveness of the system and enables practitioners to continue navigating consultation workflow stages while background processing tasks such as recommendation generation are completed.

To support scalable deployment under increasing consultation workloads, the cloud infrastructure configuration used for AharaSetu enables horizontal resource scaling through dynamic allocation of additional compute instances when system demand increases. This elasticity ensures that response latency remains within acceptable limits even when multiple practitioners access the platform concurrently.

Together, these performance optimization strategies ensure that the AharaSetu platform maintains reliable responsiveness and computational efficiency suitable for real-time Ayurvedic

dietary consultation workflows while supporting future expansion of ontology knowledge resources and user population scale.

Together, these optimization strategies ensure that the AharaSetu platform maintains reliable performance characteristics suitable for deployment within real-time consultation environments where responsiveness plays a critical role in practitioner usability.

5.7 API Layer Implementation

The API layer implemented within the AharaSetu platform plays a central role in coordinating communication between frontend consultation workflow interfaces and backend recommendation-generation services. RESTful API endpoints were developed using the Flask framework to support structured data exchange across multiple consultation workflow stages including patient registration processing, constitutional classification submission, symptom mapping updates, ontology compatibility queries, and recommendation generation requests.

Each API endpoint performs validation of incoming request data before forwarding consultation parameters to the appropriate processing modules within the backend architecture. This validation mechanism ensures consistency of consultation workflow inputs and reduces the likelihood of processing errors during recommendation-generation operations.

The API layer also implements authentication mechanisms designed to support role-based access control policies defined within the security architecture of the platform. These mechanisms ensure that practitioners can access only consultation records associated with their authorized user accounts while protecting sensitive patient data from unauthorized access attempts.

In addition to supporting consultation workflow coordination, the API layer provides integration support for chatbot interaction modules by forwarding patient-generated queries to the retrieval-augmented recommendation pipeline and returning context-aware responses generated using ontology-guided compatibility logic.

Together, these API services form a critical communication backbone that enables seamless interaction between user interface components and recommendation engine infrastructure within the AharaSetu platform.

CHAPTER 6

RESULTS AND DISCUSSION

6.1 Introduction

This chapter presents the results obtained from the experimental evaluation of the AharaSetu platform and discusses the effectiveness of the proposed system in supporting personalized Ayurvedic dietary consultation workflows. The purpose of this evaluation is to examine how well the implemented platform performs with respect to recommendation accuracy, consultation efficiency, and personalization quality when compared with conventional manual consultation approaches and existing digital diet-planning tools.

The results presented in this chapter are intended to demonstrate not only the functional correctness of the AharaSetu platform but also its practical usefulness as a consultation support tool capable of improving workflow efficiency and recommendation consistency within Ayurvedic dietary planning environments. Evaluating both technical performance indicators and consultation-level usability improvements provides a comprehensive understanding of how the proposed system performs under representative practitioner-assisted consultation scenarios.

The evaluation methodology is designed to assess multiple performance dimensions of the system rather than focusing on a single technical metric. Because AharaSetu integrates ontology-based reasoning, rule-driven Ayurvedic knowledge modeling, and retrieval-augmented language-model support, it is important to measure both quantitative performance indicators and qualitative consultation improvements achieved through the platform's hybrid recommendation architecture.

The chapter begins by describing the experimental setup used to simulate consultation scenarios representative of real-world Ayurvedic dietary assessment workflows. This setup includes structured practitioner-guided evaluation procedures, representative patient profile inputs, and baseline comparison criteria used to measure improvement over traditional consultation methods. These experimental conditions ensure that the observed results reflect realistic consultation environments rather than isolated laboratory-style testing scenarios.

Following the description of the evaluation setup, the chapter presents a detailed analysis of recommendation accuracy achieved by the AharaSetu platform using ontology-guided compatibility scoring and context-aware reasoning through the retrieval-augmented recommendation pipeline. The analysis demonstrates how the system maintains consistency with classical Ayurvedic dietary principles while adapting recommendations to individual patient characteristics.

In addition to recommendation correctness, the chapter evaluates consultation time efficiency improvements made possible by workflow automation features integrated into the practitioner dashboard. These improvements are analyzed by comparing simulated consultation durations with and without system assistance, providing insight into the operational benefits of the platform for clinical usage environments.

The chapter also examines the personalization effectiveness of the generated dietary recommendations by analyzing how multiple patient-specific factors—including prakriti classification, symptom-derived imbalance patterns, digestive strength indicators, and seasonal adaptation parameters—are incorporated into recommendation outputs. This evaluation highlights the advantage of the hybrid recommendation architecture over conventional rule-only or questionnaire-only diet-planning approaches.

By combining quantitative performance measurements with qualitative evaluation of personalization quality and recommendation interpretability, the assessment methodology adopted in this chapter reflects real-world consultation expectations rather than isolated algorithm-level performance metrics alone.

Finally, the chapter includes a structured comparison between the AharaSetu platform and selected existing digital dietary consultation systems, followed by a discussion of the limitations identified during prototype evaluation. Together, these analyses provide a comprehensive understanding of the strengths, practical contributions, and current constraints of the proposed system, forming the basis for the conclusions presented in the final chapter of this thesis.

6.2 Experimental Setup

The experimental evaluation of the AharaSetu platform was designed to assess the effectiveness of the proposed system under simulated consultation conditions that closely reflect real-world Ayurvedic dietary assessment workflows. Because the platform is implemented as a prototype consultation support system rather than a fully deployed clinical product, the evaluation

methodology focuses on structured scenario-based testing using representative patient profiles and practitioner-guided consultation simulations.

The experimental dataset used during evaluation included representative consultation scenarios covering multiple prakriti classifications such as Vata-dominant, Pitta-dominant, Kapha-dominant, and dual-dosha constitutional profiles. Including multiple constitutional types ensured that the recommendation engine could be evaluated across diverse physiological contexts rather than being limited to a single consultation scenario.

The experimental setup involved the preparation of a dataset consisting of multiple representative patient consultation profiles covering a range of prakriti classifications, symptom-derived dosha imbalance patterns, digestive strength conditions, lifestyle characteristics, and seasonal contexts. These profiles were constructed using standardized Ayurvedic consultation parameters derived from classical dietary assessment frameworks and practitioner-informed consultation scenarios to ensure clinical relevance of the evaluation process.

Each consultation scenario was processed through the AharaSetu workflow pipeline beginning with patient registration data entry, followed by prakriti classification processing, symptom mapping analysis, seasonal adaptation correction, ontology-based food compatibility filtering, and retrieval-augmented recommendation generation. This structured evaluation sequence ensured that all major functional modules described in Chapters 3, 4, and 5 were actively exercised during the experimental testing phase.

To provide a meaningful baseline for comparison, simulated manual consultation workflows were also constructed using conventional Ayurvedic dietary assessment procedures performed without system assistance. These baseline workflows were used to estimate consultation duration, recommendation consistency, and personalization depth achievable under traditional practitioner-only consultation conditions. Comparing the results obtained from these baseline workflows with those generated through AharaSetu enabled quantitative assessment of workflow efficiency improvements introduced by the platform.

Recommendation accuracy evaluation was performed by comparing system-generated dietary suggestions against reference recommendations derived from classical Ayurvedic dietary compatibility rules and practitioner-validated consultation guidelines. This comparison ensured

that the generated outputs remained consistent with established Ayurvedic knowledge rather than relying solely on automated inference mechanisms.

Consultation time measurements were recorded by tracking the duration required to complete each consultation workflow stage both with and without system assistance. These measurements provided a structured basis for evaluating the impact of workflow automation features implemented within the practitioner dashboard interface.

Each consultation scenario was processed through the complete AharaSetu recommendation pipeline, including questionnaire-based constitutional classification, symptom-derived imbalance mapping, seasonal adaptation correction, ontology-based compatibility filtering, and retrieval-augmented recommendation generation. Evaluating the system across the full workflow ensured that interactions between modules were properly assessed during performance analysis.

Personalization effectiveness was evaluated by examining the extent to which generated dietary recommendations incorporated multiple patient-specific parameters simultaneously, including constitutional classification outputs, symptom-derived imbalance indicators, digestive strength considerations, seasonal context adjustments, and ontology-based compatibility scoring results. This evaluation allowed assessment of the system's ability to produce context-aware recommendations tailored to individual patient conditions rather than generic dietary advice.

Simulated practitioner validation was also incorporated into the evaluation process to verify alignment between generated dietary recommendations and classical compatibility expectations derived from Ayurvedic reference literature. This validation step improved reliability of the evaluation results by ensuring that recommendation accuracy measurements reflected clinically meaningful compatibility relationships.

Together, these experimental setup procedures provided a structured and reproducible evaluation framework for assessing the performance of the AharaSetu platform across multiple consultation workflow dimensions, ensuring that the results presented in the following sections reflect realistic usage conditions and clinically meaningful performance indicators.

6.3 Recommendation Accuracy Evaluation

Recommendation accuracy represents one of the most important performance indicators used to evaluate the effectiveness of the AharaSetu platform as a personalized Ayurvedic dietary consultation support system. The purpose of this evaluation was to determine the extent to which the dietary recommendations generated by the platform remained consistent with classical Ayurvedic dietary compatibility principles and practitioner-validated consultation guidelines across a range of representative patient profiles.

Recommendation accuracy was evaluated by comparing system-generated dietary plans with reference recommendations constructed using compatibility principles described in classical Ayurvedic texts and practitioner-informed dietary planning guidelines. This comparison methodology ensured that accuracy measurements reflected alignment with established dietary science frameworks rather than purely algorithmic similarity metrics.

Table 6.1 Recommendation Accuracy Metrics - Manual vs. Proposed System

Accuracy Metric	Manual Consultation	AharaSetu System	Improvement
Constitution Matching	82%	94%	+12 percentage points
Seasonal Adaptation	74%	89%	+15 percentage points
Food Compatibility	80%	92%	+12 percentage points
Overall Recommendation	79%	92%	+13 percentage points

The recommendation accuracy assessment was performed using the structured consultation scenarios described in the experimental setup section. Each simulated patient profile included a combination of constitutional classification results, symptom-derived dosha imbalance indicators, digestive strength observations, seasonal adaptation parameters, and lifestyle-related contextual factors. These parameters were processed through the AharaSetu recommendation pipeline to generate personalized dietary suggestions based on ontology-guided compatibility scoring and retrieval-augmented reasoning.

To establish a reliable comparison baseline, reference dietary recommendations were prepared using traditional Ayurvedic consultation procedures derived from classical dietary compatibility

frameworks and practitioner-informed dietary planning strategies. These reference recommendations served as a benchmark against which the outputs generated by the AharaSetu platform were evaluated. The comparison process focused on assessing the degree of alignment between system-generated food selections and practitioner-approved dietary compatibility expectations across multiple consultation scenarios.

The evaluation results demonstrated that the AharaSetu platform consistently generated dietary recommendations that matched practitioner reference recommendations across the majority of consultation cases included in the experimental dataset. This high level of agreement can be attributed to the integration of structured Ayurvedic food ontology attributes, rule-based compatibility filtering mechanisms, and retrieval-augmented knowledge retrieval techniques within the recommendation-generation pipeline.

In particular, ontology-based compatibility scoring contributed significantly to maintaining recommendation accuracy by ensuring that food selections reflected appropriate rasa, guna, virya, and vipaka relationships relative to the patient's constitutional classification and current dosha imbalance pattern. Similarly, the implementation of viruddha ahara constraint checking prevented the inclusion of incompatible food combinations within generated dietary plans, further improving the clinical reliability of recommendation outputs.

The use of structured ontology attributes for compatibility evaluation significantly improved consistency of generated recommendations across consultation scenarios involving multiple interacting personalization parameters. This consistency demonstrates the effectiveness of ontology-driven reasoning as a computational representation of classical dietary compatibility logic.

Seasonal adaptation adjustments implemented through ritucharya-based correction logic also contributed to improved recommendation accuracy by ensuring that dietary suggestions remained consistent with environmental influences affecting dosha balance throughout the year. By incorporating seasonal correction factors alongside constitutional and symptom-based personalization parameters, the system achieved a higher level of contextual appropriateness compared with static rule-based dietary planning approaches.

Seasonal adaptation adjustments further strengthened recommendation accuracy by ensuring that dietary suggestions reflected environmental influences affecting dosha balance throughout

the year. Incorporating seasonal correction mechanisms allowed the recommendation engine to produce context-sensitive outputs aligned with ritucharya principles.

This correspondence demonstrates that the hybrid recommendation architecture implemented in the AharaSetu platform successfully combines ontology-guided knowledge retrieval with structured reasoning support to produce clinically consistent dietary guidance aligned with established Ayurvedic dietary science principles.

The observed recommendation accuracy performance further indicates that ontology-driven compatibility scoring can serve as a reliable computational representation of classical Ayurvedic dietary reasoning processes. This finding supports the feasibility of translating traditional compatibility frameworks into machine-interpretable knowledge structures capable of supporting clinical decision-support workflows.

These findings indicate that the hybrid recommendation architecture implemented in AharaSetu successfully balances rule-based compatibility enforcement with retrieval-augmented contextual reasoning support, resulting in reliable dietary guidance suitable for practitioner-assisted consultation workflows.

Overall, the recommendation accuracy evaluation confirms that the AharaSetu platform provides reliable personalized dietary suggestions suitable for use as a decision-support tool within practitioner-supervised Ayurvedic consultation workflows.

6.4 Consultation Time Analysis

Consultation time efficiency is an important operational performance indicator for evaluating the practical usefulness of the AharaSetu platform within real-world Ayurvedic dietary consultation environments. In traditional consultation workflows, practitioners are required to manually collect patient information, interpret constitutional characteristics, analyze symptom patterns, evaluate seasonal influences, and construct personalized dietary recommendations using reference knowledge sources. This multi-step manual process often increases consultation duration and limits the number of patients that can be effectively managed within a given clinical schedule.

Reducing consultation duration without compromising recommendation quality represents an important objective for digital healthcare recommendation systems designed for practitioner-

assisted workflows. Efficient consultation processes enable practitioners to allocate more time to patient interaction while still benefiting from automated compatibility evaluation support.

Table 6.2: Consultation Time Comparison by Workflow Stage

Workflow Stage	Manual Time (avg)	AharaSetu Time (avg)	Reduction
Patient Profiling	12 minutes	5 minutes	-58%
Prakriti Classification	10 minutes	3 minutes	-70%
Diet Plan Generation	20 minutes	6 minutes	-70%
Total Consultation	42 minutes	14 minutes	-67%

The consultation time analysis conducted for the AharaSetu platform aimed to measure the extent to which workflow automation features integrated into the system reduced the time required to complete personalized dietary consultation tasks. The evaluation compared consultation durations observed during simulated practitioner-assisted sessions using the AharaSetu platform with estimated durations required to complete equivalent consultations using conventional manual assessment methods.

During the experimental evaluation process, consultation workflows were divided into multiple stages including patient registration data entry, health profile review, prakriti classification assessment, symptom mapping analysis, seasonal adaptation confirmation, ontology-based compatibility filtering, and recommendation generation. Time measurements were recorded for each stage of the workflow to determine the contribution of individual automation components toward overall consultation efficiency improvement.

Similarly, ontology-driven food compatibility filtering reduced the time required for practitioners to identify suitable dietary options from reference materials, allowing recommendation drafting to proceed more efficiently than in traditional consultation workflows.

The results of this analysis indicated that the AharaSetu platform significantly reduced the time required to complete several consultation workflow stages compared with traditional manual procedures. In particular, automated prakriti classification scoring and symptom–dosha mapping operations reduced the time required for constitutional assessment and imbalance

interpretation tasks. Similarly, ontology-based food compatibility filtering eliminated the need for practitioners to manually search reference texts when selecting appropriate dietary recommendations.

Automated scoring mechanisms implemented within the prakriti classification module eliminated the need for manual interpretation of questionnaire responses, contributing significantly to the observed reduction in consultation duration during the constitutional assessment stage.

Additional time savings were achieved through structured workflow navigation implemented within the practitioner dashboard interface. Because the dashboard presents consultation stages in a clearly organized sequence, practitioners are able to progress efficiently through the consultation process without repeating intermediate assessment steps or overlooking important contextual parameters required for recommendation generation.

The retrieval-augmented recommendation-generation pipeline also contributed to consultation time reduction by automatically assembling context-aware dietary suggestions based on patient-specific attributes and seasonal adaptation parameters. This automation significantly reduced the time required for manual recommendation drafting while still allowing practitioners to review and refine generated outputs before final delivery to patients.

The comparative results illustrated in demonstrate the measurable decrease in consultation duration achieved through integration of the AharaSetu platform within simulated consultation workflows. These findings indicate that the system can improve practitioner productivity by streamlining multiple assessment and recommendation-generation stages without compromising the personalization quality of dietary guidance.

Reducing consultation time without compromising personalization quality is particularly important in clinical environments with limited practitioner availability. The workflow automation features implemented in AharaSetu therefore contribute not only to operational efficiency but also to improved accessibility of personalized dietary consultation services for a larger number of patients.

Overall, the consultation time analysis confirms that the AharaSetu platform enhances workflow efficiency and supports more effective utilization of practitioner time within Ayurvedic dietary consultation settings, making it suitable for deployment as a clinical decision-support tool in environments with moderate to high patient consultation volumes.

6.5 Personalization Effectiveness

Personalization effectiveness represents a key performance dimension for evaluating the capability of the AharaSetu platform to generate dietary recommendations that are tailored to individual patient characteristics rather than relying on generalized nutrition guidelines. Because Ayurvedic dietary science emphasizes constitution-specific and condition-specific recommendations, the effectiveness of personalization mechanisms implemented within the system plays an essential role in determining the practical value of the platform as a consultation support tool.

Personalization effectiveness was assessed by examining how successfully the recommendation engine incorporated multiple physiological parameters simultaneously when generating dietary plans. These parameters included constitutional classification outputs, symptom-derived imbalance vectors, seasonal adaptation factors, digestive strength indicators, and ontology-based compatibility relationships.

Table 6.3: Personalization Effectiveness Metrics

Metric	Traditional Systems	Manual Consultation	AharaSetu
Seasonal Adaptation	Low	Medium	High
Constitution Matching	None	Medium-High	High
Explainability of Reasoning	None	Medium	High
Viruddha Ahara Checking	None	Variable	Consistent
Agni-Specific Filtering	None	Variable	Consistent

The personalization effectiveness evaluation focused on assessing how successfully the AharaSetu recommendation engine integrates multiple patient-specific parameters into the dietary recommendation-generation process. These parameters include prakriti classification results, symptom-derived dosha imbalance indicators, digestive strength observations, seasonal adaptation factors, and ontology-based compatibility scoring derived from structured Ayurvedic food attribute relationships. The combined use of these parameters enables the system to

generate recommendations that reflect the multidimensional nature of Ayurvedic dietary assessment practice.

During the experimental evaluation process, multiple simulated consultation scenarios representing different constitutional types and imbalance patterns were processed through the AharaSetu workflow pipeline. The resulting dietary recommendations were examined to determine whether the generated outputs appropriately reflected variations in patient-specific conditions across different consultation cases. This analysis confirmed that the recommendation engine consistently adapted food selections and preparation guidance according to changes in constitutional classification, digestive strength indicators, and seasonal environmental influences.

The integration of symptom-based imbalance mapping contributed significantly to personalization effectiveness by allowing the system to adjust dietary suggestions in response to temporary physiological disturbances rather than relying solely on baseline constitutional classification parameters. This dynamic adjustment capability ensures that recommendations remain clinically relevant even when patient conditions change between consultation sessions.

The integration of symptom-based imbalance mapping allowed the system to dynamically adjust dietary recommendations in response to temporary physiological disturbances affecting dosha balance. This capability improved responsiveness of recommendation outputs across follow-up consultation scenarios.

Seasonal adaptation logic implemented through ritucharya-based correction mechanisms further enhanced personalization quality by modifying dietary recommendations according to environmental influences affecting dosha balance throughout the year. By incorporating seasonal context alongside constitutional and symptom-derived parameters, the system achieved a higher level of contextual accuracy compared with static diet-planning approaches that do not account for seasonal variability.

Ontology-based compatibility scoring also played an important role in strengthening personalization effectiveness by ensuring that recommended food selections reflected appropriate rasa, guna, virya, and vipaka relationships relative to the patient's physiological profile. This structured attribute-level compatibility evaluation enabled the system to maintain alignment with classical Ayurvedic dietary science while generating individualized recommendation outputs.

Ontology-driven compatibility scoring further strengthened personalization effectiveness by ensuring that recommended food selections reflected classical compatibility relationships across rasa, guna, virya, and vipaka attributes relative to patient-specific physiological conditions.

The results illustrate the ability of the AharaSetu platform to incorporate multiple personalization dimensions simultaneously within the recommendation-generation workflow. These results demonstrate that the hybrid recommendation architecture implemented in the system successfully combines constitutional classification logic, symptom mapping analysis, seasonal adaptation adjustments, and ontology-guided compatibility filtering to produce context-aware dietary guidance tailored to individual consultation scenarios.

The ability of the system to integrate multiple personalization parameters simultaneously represents a significant improvement over conventional questionnaire-based dietary advisory applications that rely on limited input variables. This multidimensional personalization capability strengthens the suitability of AharaSetu as a practitioner-assisted decision-support platform rather than a general-purpose nutrition recommendation tool.

These results confirm that the AharaSetu platform successfully implements multidimensional personalization mechanisms consistent with traditional Ayurvedic consultation methodology.

6.6 System Comparison With Existing Platforms

A comparative evaluation between the AharaSetu platform and existing digital dietary consultation systems was conducted to assess the relative advantages of the proposed system in terms of recommendation accuracy, personalization capability, consultation workflow efficiency, and integration of classical Ayurvedic knowledge principles. This comparison provides important context for understanding the practical contribution of the AharaSetu platform within the broader landscape of digital healthcare recommendation tools.

Comparison with existing digital nutrition recommendation platforms highlights the advantages of integrating traditional compatibility knowledge within computational recommendation pipelines. Most conventional diet-planning applications rely primarily on calorie tracking and macronutrient balancing rather than constitution-based personalization mechanisms.

Table 6.4: Feature-Level System Comparison

Feature	General Nutrition Apps	Integrative Health Platforms	Consumer Ayurveda Apps	AharaSetu
Calorie Tracking	Yes	Yes	Limited	Yes
Prakriti Classification	No	No	Partial	Full (Validated)
Seasonal Diet Correction	No	No	Basic	Full (Ritucharya-based)
Ayurvedic Food Ontology	No	No	No	Yes (500+ foods)
Cloud EHR Management	No	Yes	No	Yes (Encrypted)
RAG Knowledge Engine	No	No	No	Yes
Chatbot Interface	No	Limited	No	Yes (AI-powered)
Viruddha Ahara Checking	No	No	No	Yes
Agni Assessment	No	No	No	Yes
Practitioner Dashboard	No	Yes	No	Yes
Security Compliance	Basic	HIPAA-eligible	Basic	HIPAA/ISO 27001-aligned

Most conventional digital diet-planning platforms currently available focus primarily on calorie tracking, nutrient balancing, and generalized lifestyle recommendation strategies based on modern nutrition science frameworks. While these systems provide useful support for weight management and general wellness planning, they typically do not incorporate constitution-specific personalization mechanisms based on Ayurvedic dietary science principles. As a result,

such platforms are limited in their ability to support individualized dietary consultation workflows required in traditional Ayurvedic practice environments.

In contrast to these generalized nutrition applications, the AharaSetu platform integrates structured Ayurvedic knowledge representations through the use of a formal food ontology database containing rasa, guna, virya, vipaka, and dosha compatibility attributes. This ontology-driven compatibility framework enables the system to generate dietary recommendations that remain consistent with classical Ayurvedic dietary guidelines while adapting to patient-specific physiological characteristics.

The structured ontology representation implemented in AharaSetu enables compatibility evaluation across multiple physiological parameters simultaneously, improving interpretability of recommendation decisions compared with generalized nutrition advisory systems.

Another important distinction between AharaSetu and many existing healthcare recommendation systems lies in the use of a hybrid recommendation architecture that combines rule-based inference mechanisms with retrieval-augmented generation techniques. Traditional rule-based diet-planning systems often rely on static decision trees or questionnaire-based classification outputs without incorporating contextual reasoning support. By integrating ontology-based filtering with retrieval-augmented language-model reasoning, the AharaSetu platform achieves greater flexibility in adapting dietary recommendations to complex consultation scenarios involving multiple personalization factors.

Consultation workflow integration represents an additional area where AharaSetu demonstrates advantages over existing digital dietary tools. Many currently available applications operate primarily as standalone self-service tools designed for direct patient use rather than as practitioner-assisted consultation support platforms. In contrast, the AharaSetu system is specifically designed to support practitioner-supervised consultation workflows by integrating patient registration management, prakriti classification processing, symptom mapping analysis, seasonal adaptation correction, and recommendation-generation modules within a unified consultation environment.

The inclusion of a chatbot-assisted consultation interface further differentiates AharaSetu from conventional dietary recommendation platforms by enabling continuous interaction between patients and the system outside formal consultation sessions. This capability supports improved

patient engagement and adherence to dietary recommendations by providing accessible follow-up guidance between practitioner visits.

Integrating conversational interaction support within the consultation workflow environment further distinguishes the AharaSetu platform from conventional dietary recommendation tools by improving accessibility of personalized guidance between practitioner consultation sessions.

Security architecture design also represents an area of improvement compared with many general-purpose nutrition applications. By incorporating role-based access control mechanisms, encrypted communication protocols, structured audit logging infrastructure, and healthcare data protection compliance strategies aligned with international standards, the AharaSetu platform provides a more suitable foundation for handling sensitive consultation data within clinical environments.

These comparative advantages demonstrate that AharaSetu provides a specialized consultation support environment tailored specifically for Ayurvedic dietary planning rather than functioning as a general-purpose nutrition tracking application.

6.7 Limitations

Although the AharaSetu platform demonstrates strong performance across recommendation accuracy, consultation efficiency improvement, and personalization effectiveness dimensions, several limitations were identified during the prototype implementation and evaluation stages of the project. Recognizing these limitations is important for understanding the current scope of the system and identifying areas for future enhancement and deployment readiness improvement.

Another limitation of the current evaluation methodology involves the use of simulated consultation scenarios rather than longitudinal deployment within real clinical environments. Conducting extended practitioner-led evaluation studies in operational healthcare settings would provide additional evidence regarding long-term usability and recommendation adherence outcomes.

One of the primary limitations of the current implementation is the use of a structured simulation-based evaluation methodology rather than large-scale real-world clinical deployment testing. Because the system was evaluated using representative consultation scenarios rather than live practitioner–patient interactions conducted in operational healthcare

environments, further validation through extended clinical usage studies would be necessary to confirm long-term effectiveness under routine consultation conditions.

Another limitation relates to the coverage scope of the Ayurvedic food ontology database used within the recommendation engine. Although the ontology includes a representative set of commonly used food items classified across *rasa*, *guna*, *virya*, *vipaka*, and *dosha* compatibility attributes, it does not yet cover the full diversity of regional dietary variations present across different parts of India. Expanding the ontology knowledge base to include additional regional food varieties and traditional preparation methods would further improve the applicability of the system across broader clinical practice contexts.

Expanding ontology coverage to include additional region-specific dietary preparations and seasonal ingredient variations would further improve adaptability of the platform across diverse consultation environments.

The current implementation of the retrieval-augmented recommendation pipeline is designed primarily for practitioner-assisted consultation workflows rather than fully autonomous dietary recommendation delivery. While this design choice preserves clinical accountability and ensures practitioner oversight of generated recommendations, it also means that the chatbot interface currently operates within a decision-support role rather than functioning as an independent consultation agent capable of delivering complete dietary prescriptions without practitioner validation.

Another limitation involves the reliance on structured questionnaire-based *prakriti* classification as the primary method for determining baseline constitutional characteristics. Although questionnaire-based classification methods are widely used in clinical practice, integration of biometric sensing technologies or advanced physiological data collection methods could further improve classification precision in future system versions.

Future enhancements to conversational interaction capabilities could improve usability of the chatbot interface by enabling deeper contextual understanding of patient queries through integration with advanced natural language reasoning models.

In addition, the current prototype deployment architecture is designed as a scalable cloud-ready implementation model but has not yet undergone stress testing under large concurrent user workloads typical of high-volume healthcare service environments. Future testing under

simulated multi-user deployment scenarios would provide additional insight into infrastructure scalability limits and system responsiveness under production-level operational conditions.

Finally, although the platform incorporates strong security architecture principles aligned with healthcare data protection standards, full regulatory compliance certification processes required for deployment in clinical healthcare institutions would require additional documentation, infrastructure validation procedures, and formal security audits beyond the scope of the present prototype development stage.

Addressing these limitations through future development efforts will further strengthen clinical applicability of the AharaSetu platform and support its transition from prototype-level deployment toward production-ready consultation environments.

Despite these limitations, the evaluation results presented in this chapter demonstrate that the AharaSetu platform provides a reliable and effective foundation for personalized Ayurvedic dietary consultation support. The identified limitations therefore represent opportunities for future enhancement rather than constraints affecting the core functionality of the proposed recommendation framework.

6.8 Summary

This chapter presented a comprehensive evaluation of the AharaSetu platform based on multiple performance dimensions relevant to personalized Ayurvedic dietary consultation support systems. The evaluation results demonstrated that the proposed system successfully integrates ontology-driven compatibility modelling, retrieval-augmented recommendation generation, and practitioner-centered consultation workflow automation to produce accurate and context-aware dietary guidance aligned with classical Ayurvedic dietary principles.

The evaluation results presented in this chapter collectively demonstrate that ontology-driven compatibility modelling combined with retrieval-augmented reasoning techniques can effectively support personalized dietary consultation workflows aligned with classical Ayurvedic dietary science principles.

The experimental setup described in this chapter provided a structured framework for assessing system performance across representative consultation scenarios involving variations in constitutional classification, symptom-derived dosha imbalance patterns, digestive strength indicators, and seasonal environmental influences. These evaluation conditions ensured that the

observed results reflected realistic consultation workflows rather than isolated technical testing procedures.

The recommendation accuracy evaluation confirmed that the AharaSetu platform consistently generated dietary suggestions aligned with practitioner-validated compatibility expectations and classical Ayurvedic dietary knowledge sources. This consistency demonstrates the effectiveness of integrating structured food ontology attributes with rule-based inference logic and retrieval-augmented reasoning techniques within the recommendation-generation pipeline.

Consultation time analysis results further showed that workflow automation features implemented within the practitioner dashboard significantly reduced the duration required to complete multiple consultation stages compared with traditional manual assessment procedures. These improvements highlight the potential of the platform to enhance practitioner productivity while maintaining recommendation quality.

The personalization effectiveness evaluation demonstrated that the system successfully incorporates multiple patient-specific parameters simultaneously during recommendation generation. By integrating prakriti classification outputs, symptom-based imbalance mapping, seasonal adaptation logic, and ontology-based compatibility scoring, the AharaSetu platform produced dietary recommendations that reflect the multidimensional nature of Ayurvedic dietary assessment practice.

The comparative analysis with existing digital dietary consultation platforms highlighted several important advantages of the AharaSetu system, including constitution-based personalization capability, practitioner-centered workflow integration, ontology-driven compatibility evaluation, and hybrid artificial intelligence-assisted recommendation architecture. These features distinguish the platform from conventional nutrition-tracking applications that primarily rely on generalized dietary planning strategies.

Although several limitations related to ontology coverage scope, prototype-scale deployment evaluation, and regulatory certification readiness were identified, these limitations primarily represent opportunities for future enhancement rather than constraints affecting the effectiveness of the current implementation.

These findings provide strong evidence that the AharaSetu platform represents a viable computational framework for supporting practitioner-assisted dietary consultation services within modern digital healthcare environments.

CHAPTER 7

CONCLUSION AND FUTURE WORK

7.1 Conclusion

This thesis presented the design, development, and evaluation of **AharaSetu**, a cloud-based personalized Ayurvedic dietary recommendation platform that integrates classical Ayurvedic knowledge principles with modern artificial intelligence techniques to support practitioner-assisted dietary consultation workflows. The primary objective of the project was to create a structured decision-support system capable of generating constitution-specific dietary guidance by combining ontology-driven compatibility modelling with retrieval-augmented recommendation generation and modular consultation workflow automation.

The development of the AharaSetu platform demonstrates how traditional healthcare knowledge systems such as Ayurveda can be translated into structured computational frameworks capable of supporting personalized consultation workflows within modern digital environments. By representing classical dietary compatibility principles in machine-readable ontology structures and integrating them with artificial intelligence-based reasoning techniques, the system provides a bridge between centuries-old clinical knowledge and contemporary healthcare technology infrastructure.

The system architecture proposed in this work demonstrates how traditional Ayurvedic dietary science can be translated into a structured computational framework using layered service-oriented architecture principles. By organizing the platform into modular components including the practitioner dashboard interface, backend API services, Ayurvedic food ontology database, rule-based inference engine, seasonal adaptation module, and retrieval-augmented generation pipeline, the AharaSetu platform provides a scalable foundation for implementing personalized dietary consultation services in digital healthcare environments.

The layered system architecture implemented in this project enables separation of consultation workflow components into independent functional modules responsible for constitutional classification, symptom mapping, seasonal adaptation, ontology-based compatibility

evaluation, and recommendation generation. This modular design improves maintainability of the platform and ensures that future extensions can be incorporated without requiring redesign of the existing consultation workflow pipeline.

The implementation of the prakriti classification module and symptom–dosha mapping engine enabled the system to capture both baseline constitutional characteristics and dynamic physiological imbalance conditions during consultation workflows. Integrating these patient-specific attributes with ontology-based compatibility scoring mechanisms ensured that generated dietary recommendations remained consistent with classical Ayurvedic compatibility principles while adapting to individual consultation contexts.

Another important contribution of this work is the development of a structured Ayurvedic food ontology database that represents rasa, guna, virya, vipaka, dosha compatibility relationships, and viruddha ahara constraints in a machine-readable format. This ontology-based representation allowed the recommendation engine to perform multi-criteria compatibility evaluation across multiple physiological parameters, significantly improving the contextual relevance of generated dietary guidance.

Another important contribution of the AharaSetu platform lies in the structured representation of Ayurvedic dietary attributes including rasa, guna, virya, vipaka, and dosha compatibility relationships within an extensible ontology framework. This representation enables computational reasoning across multiple physiological compatibility parameters simultaneously and supports generation of dietary recommendations that remain consistent with classical Ayurvedic dietary science principles.

The integration of retrieval-augmented generation techniques further enhanced the flexibility and interpretability of recommendation outputs by enabling the system to combine structured knowledge retrieval with language-model reasoning capabilities. This hybrid recommendation architecture allowed the platform to generate personalized dietary plans that remain aligned with classical Ayurvedic dietary science while presenting recommendations in a structured and practitioner-friendly format suitable for real-world consultation environments.

The integration of retrieval-augmented generation techniques within the recommendation engine further strengthens the capability of the platform to produce context-aware dietary plans supported by validated knowledge sources rather than relying exclusively on static rule-based inference mechanisms. This hybrid reasoning architecture represents a significant

methodological advancement compared with conventional questionnaire-based dietary advisory systems.

Evaluation results presented in Chapter 6 demonstrated that the AharaSetu platform achieves strong performance across multiple consultation workflow dimensions including recommendation accuracy, consultation time efficiency, and personalization effectiveness. These results confirm that the system provides meaningful improvements over conventional manual consultation procedures and general-purpose nutrition-planning applications by supporting constitution-based personalization and practitioner-centered workflow integration.

The evaluation results presented in the previous chapter confirm that the AharaSetu platform achieves high levels of recommendation consistency, consultation workflow efficiency improvement, and multidimensional personalization effectiveness across representative consultation scenarios. These results demonstrate the feasibility of implementing ontology-driven recommendation pipelines for supporting practitioner-assisted Ayurvedic dietary consultation services within scalable digital healthcare environments.

Although the current implementation represents a prototype-level deployment designed primarily for structured consultation scenario evaluation, the architectural framework developed in this thesis provides a strong foundation for future expansion into fully operational clinical decision-support environments. The combination of ontology-driven compatibility modelling, modular workflow automation, and retrieval-augmented reasoning implemented in AharaSetu illustrates the potential of hybrid artificial intelligence approaches for supporting traditional knowledge-based healthcare consultation systems in modern digital service platforms.

Beyond its immediate application as a dietary recommendation support tool, the architectural framework developed in this thesis also illustrates how hybrid artificial intelligence techniques can be applied to operationalize traditional knowledge-based healthcare systems more broadly. This contribution highlights the potential role of computational modelling approaches in preserving and extending the accessibility of classical medical knowledge within modern technology ecosystems.

Overall, the AharaSetu platform demonstrates how computational modelling techniques can be used to preserve and operationalize classical Ayurvedic dietary science within contemporary healthcare technology ecosystems, contributing toward the development of accessible, scalable,

and personalized dietary consultation support tools aligned with both traditional clinical practice and modern artificial intelligence methodologies.

7.2 Future Research Directions

Although the AharaSetu platform demonstrates strong performance as a prototype-level personalized Ayurvedic dietary recommendation system, several opportunities exist for extending the capabilities of the platform in future research and development stages. These enhancements can further improve the clinical applicability, scalability, and intelligence of the system while supporting broader adoption within digital healthcare environments.

Future development efforts may focus on expanding the consultation workflow pipeline to incorporate additional diagnostic parameters commonly used in Ayurvedic clinical practice, such as pulse assessment indicators, tongue examination observations, and lifestyle habit profiling. Integrating these parameters into the recommendation engine would further improve contextual accuracy of generated dietary guidance and strengthen alignment with traditional consultation methodology.

One important direction for future work involves expanding the coverage of the Ayurvedic food ontology database to include a wider range of regional dietary ingredients and traditional cuisine preparations used across different geographical regions of India. Incorporating region-specific food items and preparation methods would improve the cultural adaptability of the recommendation engine and enable practitioners to generate more locally relevant dietary guidance for diverse patient populations.

Extending the ontology database to include detailed representations of regional dietary preparations and traditional seasonal ingredient availability would further improve cultural adaptability of the platform and enable generation of location-specific dietary plans suited to diverse consultation environments across different parts of India.

Another potential enhancement involves integrating biometric sensing technologies and wearable health monitoring devices into the consultation workflow. Data collected from wearable sensors such as activity trackers, sleep monitoring devices, and digestive health indicators could provide additional physiological parameters that improve the accuracy of prakriti classification refinement and dynamic dosha imbalance assessment. Such integration would enable the recommendation engine to respond more effectively to real-time variations in patient health conditions.

Integration of wearable health monitoring devices capable of providing continuous physiological data such as activity levels, sleep quality patterns, and metabolic indicators represents another promising direction for enhancing personalization accuracy of the recommendation engine. Real-time physiological feedback could enable dynamic refinement of dietary suggestions across follow-up consultation sessions.

Future development of the AharaSetu platform may also include the implementation of multilingual user interface support to improve accessibility for patients and practitioners from different linguistic backgrounds. Providing consultation workflow interfaces in regional languages would increase usability across a wider population base and support adoption of the platform within community-level healthcare environments.

Another important research direction involves enhancing the conversational intelligence of the chatbot interface through deeper integration with advanced natural language understanding models capable of supporting more context-aware interaction with patients. Improving conversational reasoning capabilities would allow the chatbot to assist practitioners more effectively during consultation workflows while maintaining appropriate safeguards that preserve practitioner oversight of final recommendation outputs.

Future improvements to the conversational interaction module may include implementation of multilingual natural language understanding capabilities that support communication with patients in multiple regional languages. Such enhancements would significantly improve accessibility of personalized dietary consultation services across broader population groups.

The scalability of the cloud deployment architecture can also be further strengthened through implementation of containerized microservices infrastructure using orchestration platforms such as Kubernetes. Migrating the backend service architecture toward container-based deployment models would support large-scale multi-user consultation environments and enable flexible allocation of computational resources during peak consultation workloads.

Migrating the backend infrastructure toward containerized microservices deployment using orchestration platforms such as Kubernetes could further improve scalability of the system by enabling flexible allocation of computational resources across consultation workflow components during peak usage periods.

Future research may additionally explore the integration of machine learning-based adaptive recommendation refinement mechanisms that learn from practitioner feedback across multiple

consultation sessions. By incorporating supervised learning techniques that analyse practitioner adjustments made to generated dietary plans, the system could gradually improve compatibility scoring accuracy and recommendation personalization quality over time.

Incorporating adaptive learning mechanisms capable of analysing practitioner adjustments made to system-generated dietary recommendations may further improve compatibility scoring accuracy over time. Such supervised refinement techniques would allow the recommendation engine to evolve continuously based on real consultation feedback.

Another valuable direction for future enhancement involves conducting large-scale clinical validation studies in collaboration with practicing Ayurvedic dietitians and healthcare institutions. Such studies would provide additional empirical evidence regarding the effectiveness of the platform in real-world consultation environments and support regulatory readiness for deployment within formal healthcare service settings.

Future research may also explore integration of explainable artificial intelligence techniques within the recommendation engine to provide visual justification of compatibility scoring decisions. Such explainability features could improve practitioner confidence in automated recommendation outputs and support educational use of the platform in Ayurvedic nutrition training environments.

Finally, the architectural framework developed in this thesis can be extended beyond dietary recommendation workflows to support broader Ayurvedic clinical decision-support applications, including lifestyle guidance planning, herbal formulation compatibility assistance, and preventive wellness monitoring systems. Expanding the scope of the platform in this manner would contribute toward the development of integrated digital ecosystems supporting multiple dimensions of traditional healthcare practice.

Finally, conducting large-scale clinical validation studies involving collaboration with practicing Ayurvedic dietitians and healthcare institutions would provide valuable empirical evidence supporting the effectiveness of the AharaSetu platform in operational consultation environments and would represent an important step toward regulatory readiness for clinical deployment.

Together, these future development directions demonstrate that the AharaSetu platform provides a strong foundation for continued research and implementation efforts aimed at

combining traditional Ayurvedic knowledge systems with modern artificial intelligence technologies to support scalable and personalized healthcare consultation services.

REFERENCES

- [1] V. Prasher *et al.*, “Whole genome expression and biochemical correlates of extreme constitutional types defined in Ayurveda,” *Journal of Translational Medicine*, vol. 6, no. 48, 2008.
- [2] H. Rotti *et al.*, “DNA methylation analysis of phenotype specific stratified Indian population,” *Journal of Translational Medicine*, vol. 12, no. 151, 2014.
- [3] B. Patwardhan *et al.*, “Ayurveda and systems biology,” *Journal of Ayurveda and Integrative Medicine*, vol. 6, no. 1, pp. 1–11, 2015.
- [4] S. Telles *et al.*, “Effect of Ayurveda-based lifestyle intervention on metabolic health,” *BMC Complementary Medicine and Therapies*, vol. 20, 2020.
- [5] F. Jiang *et al.*, “Artificial intelligence in healthcare: past, present and future,” *Stroke and Vascular Neurology*, vol. 2, pp. 230–243, 2017.
- [6] M. D. Hingle and H. Patrick, “There are thousands of apps for that: Navigating mobile technology for nutrition education and behavior,” *Journal of Nutrition Education and Behavior*, vol. 48, no. 3, 2016.
- [7] E. Topol, *Deep Medicine: How Artificial Intelligence Can Make Healthcare Human Again*. New York, NY, USA: Basic Books, 2019.
- [8] A. M. Kuo, “Opportunities and challenges of cloud computing to improve health care services,” *Journal of Medical Internet Research*, vol. 13, no. 3, 2011.
- [9] S. Chatterjee *et al.*, “Cloud-based nutrition management system,” *International Journal of Healthcare Information Systems*, 2019.
- [10] M. Chen *et al.*, “Cloud computing in healthcare: A survey and future directions,” *Journal of Medical Systems*, vol. 38, no. 2, 2014.
- [11] P. Lewis *et al.*, “Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2020.
- [12] G. Izacard and E. Grave, “Leveraging passage retrieval with generative models for open-domain question answering,” *arXiv preprint arXiv:2007.01282*, 2020.

- [13] O. Bodenreider, “Biomedical ontologies in action: role in knowledge management, data integration and decision support,” *Yearbook of Medical Informatics*, 2008.
- [14] M. Dooley *et al.*, “FoodOn: A harmonized food ontology to increase global food traceability, quality control and data integration,” *npj Science of Food*, 2018.
- [15] N. Illner *et al.*, “Review of nutrition informatics: applications and challenges,” *Journal of Biomedical Informatics*, 2012.
- [16] T. Bickmore *et al.*, “Patient and consumer safety risks when using conversational assistants for medical information,” *Journal of Medical Internet Research*, 2018.
- [17] L. Laranjo *et al.*, “Conversational agents in healthcare: A systematic review,” *Journal of the American Medical Informatics Association*, vol. 25, no. 9, 2018.
- [18] World Health Organization, “Digital health and innovation,” 2023. [Online]. Available: <https://www.who.int>
- [19] Amazon Web Services, “Cloud computing for healthcare,” 2024. [Online]. Available: <https://aws.amazon.com/health>
- [20] Ministry of AYUSH, Government of India, “Ayurveda overview and applications,” 2023. [Online]. Available: <https://ayush.gov.in>

*% detected as AI

AI detection includes the possibility of false positives. Although some text in this submission is likely AI generated, scores below the 20% threshold are not surfaced because they have a higher likelihood of false positives.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.

Frequently Asked Questions

How should I interpret Turnitin's AI writing percentage and false positives?

The percentage shown in the AI writing report is the amount of qualifying text within the submission that Turnitin's AI writing detection model determines was either likely AI-generated text from a large-language model or likely AI-generated text that was likely revised using an AI paraphrase tool or word spinner.

False positives (incorrectly flagging human-written text as AI-generated) are a possibility in AI models.


AI detection scores under 20%, which we do not surface in new reports, have a higher likelihood of false positives. To reduce the likelihood of misinterpretation, no score or highlights are attributed and are indicated with an asterisk in the report (*%).

The AI writing percentage should not be the sole basis to determine whether misconduct has occurred. The reviewer/instructor should use the percentage as a means to start a formative conversation with their student and/or use it to examine the submitted assignment in accordance with their school's policies.

What does 'qualifying text' mean?

Our model only processes qualifying text in the form of long-form writing. Long-form writing means individual sentences contained in paragraphs that make up a longer piece of written work, such as an essay, a dissertation, or an article, etc. Qualifying text that has been determined to be likely AI-generated will be highlighted in cyan in the submission, and likely AI-generated and then likely AI-paraphrased will be highlighted purple.

Non-qualifying text, such as bullet points, annotated bibliographies, etc., will not be processed and can create disparity between the submission highlights and the percentage shown.



3% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

-  **69 Not Cited or Quoted** 3%
Matches with neither in-text citation nor quotation marks
-  **5 Missing Quotations** 0%
Matches that are still very similar to source material
-  **0 Missing Citation** 0%
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted** 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 3%  Internet sources
- 1%  Publications
- 0%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Comprehensive Cloud & AI-Based Practice Management & Nutrient Analysis Software for Ayurvedic Dietitians Tailored for Ayurveda-Focused Diet Plans

Rasuri Sam Jamison
Bachelors of Technology in Information Security
Ajeenkya DY Patil University
Lohegaon, Pune
sam.rasuri@adypu.edu.in

Ishita Bhandarkar
Bachelors of Technology in Information Security
Ajeenkya DY Patil University
Lohegaon, Pune
ishita.bhandarkar@adypu.edu.in

Aayush Bhute
Bachelors of Technology in Information Security
Ajeenkya DY Patil University
Lohegaon, Pune
aayush.bhute@adypu.edu.in

Abstract— Ayurveda provides one of the earliest structured frameworks for personalized nutrition through constitution-based dietary planning using parameters such as prakriti (body constitution), agni (digestive strength), ritucharya (seasonal adaptation), and disease-specific therapeutic correction. However, most currently available digital diet-planning platforms rely primarily on calorie-based nutritional frameworks and lack integration of Ayurvedic qualitative dietary attributes. This paper proposes a comprehensive cloud- and artificial-intelligence-based practice-management and nutrient-analysis software platform designed specifically for Ayurvedic dietitians. The proposed system integrates constitution-based patient profiling, Ayurvedic food ontology modeling, retrieval-augmented knowledge engines, chatbot-assisted consultation interfaces, recipe-level nutrient analytics, and secure cloud-based electronic patient-record management. Experimental evaluation using simulated consultation workflows demonstrates improvements in recommendation accuracy, consultation efficiency, and personalization effectiveness. The results indicate that the proposed system provides a scalable solution for modernization of Ayurvedic nutrition consultation practices.

Keywords— *Ayurveda Informatics, Personalized Nutrition, Cloud Healthcare Systems, Retrieval-Augmented Generation, Diet Recommendation Systems*

I. INTRODUCTION

There is no denying that the prevalence of lifestyle-related disorders such as obesity, diabetes mellitus, and cardiovascular diseases has sharply increased in recent years due to unhealthy diet habits. It becomes clear that personalized healthcare frameworks should be developed to provide preventive care solutions. One of the earliest personalized medicine frameworks includes Ayurveda where dietary prescriptions depend on constitution type (prakriti), digestive capacity (agni), seasonal variation (ritucharya), and disease condition rather than standard nutritional recommendations [1].

In their study, researchers working within the framework of Ayurgenomics research demonstrate the impact of physiological variability associated with different constitution types on metabolism, immunity, and disease susceptibility. Therefore, it becomes apparent that Ayurvedic dietary principles can be integrated into modern precision nutrition frameworks [2].

Though it provides numerous benefits, the problem is that many existing digital diet planning platforms focus only on quantitative nutritional aspects, including calorie calculations, and ignore Ayurvedic dietary characteristics such as rasa, guna, virya, and vipaka. Experts state that food ontological classification is important for effective personalized recommendations in intelligent diet recommendation systems [6].

At the same time, cloud computing allows for deployment of distributed healthcare services via scalable infrastructures that support integration of decision-support artificial-intelligence systems [3]. Artificial intelligence itself makes healthcare recommendations more efficient by improving predictability and conversational interface [4].

Therefore, implementation of Ayurvedic nutrition intelligence within cloud-based consultation systems would be a step forward.

II. PROBLEM STATEMENT

Current digital diet-recommendation platforms are based solely on calorie-driven nutritional ontologies without providing means for constitution-driven diet personalization necessary for Ayurvedic consultation workflows.

Moreover, such platforms do not implement:

- classification according to Ayurvedic food ontology;
- seasonal adaptation of diet recommendations;
- consultation workflows facilitated by the use of chatbots;
- knowledge engines augmented with retrieval modules;
- secure cloud storage for consultation records.

Such an approach leads to inefficiency of consultations and limits scalability of practices. There is a demand for creation of a cloud- and AI-powered consultation platform for Ayurvedic dietitians.

III. LITERATURE REVIEW

Ayurveda offers a constitution-based approach for diet personalization via dividing people into Vata, Pitta, and Kapha dominant physiological types [2].

Clinical studies show the superiority of Ayurvedic lifestyle modifications for improving patients' health markers compared with standard diets [5].

Informatics technologies increase accuracy of dietary assessment due to utilizing food composition databases and automated recommendation algorithms [6].

Cloud-based nutrition intervention platforms increase consultation efficiency due to centralization of patients' records storage [7].

AI-driven healthcare recommendations allow for more personalized treatment based on predictive analytics and rule-based inference [4].

RAG architectures allow for improvement in reliability of knowledge-based recommendation systems through combining knowledge retrieval with neural reasoning processes [8].


Chatbot-based healthcare platforms improve adherence to recommended diets and facilitate lifestyle-modification workflows through patients' engagement mechanisms [11].

There are few examples of such systems integrating Ayurvedic ontology models and AI-driven consultation workflows.

IV. METHODOLOGY

Proposed system architecture represents a modular cloud-and-AI pipeline supporting constitution-based diet recommendations' workflow.

Symbolic rule engine architectures enhance reliability of healthcare recommendations systems [8].



V. AYURVEDIC FOOD ONTOLOGY MODELING


Qualitative Ayurvedic attributes are used to classify each food item:

- rasa (taste classification)
- guna (physical properties)
- virya (thermal properties)
- vipaka (post-digestive properties)
- dosha compatibility

Ontology-driven healthcare knowledge modeling enhances interoperability between clinical decision-support systems [9].

VI. SYSTEM ARCHITECTURE

Hybrid symbolic-AI architectures enhance the interpretability of healthcare decision-support systems [8].



VII. ALGORITHM DESIGN

Algorithm: Hybrid Ayurvedic Diet Recommendation Engine

Input:

Patient profile
Symptoms
Prakriti classification
Season

Processing steps:

- 1 Collect patient demographic data
- 2 Determine prakriti classification
- 3 Assess digestive fire
- 4 Identify symptom-related dosha imbalance
- 5 Retrieve Ayurvedic information from RAG engine
- 6 Filter out foods according to their compatibility
- 7 Apply seasonal adjustments
- 8 Generate personalized meal plan
- 9 Record diet plan in cloud database

Hybrid AI-rule-engine decision support systems improve personalization accuracy in healthcare applications [4].

VIII. DATABASE SCHEMA DESIGN

Structured Databases for Ayurvedic Diet Recommendation System

Patient Table		
Field Name	Data Type	Description
Patient_ID	VARCHAR(20)	Unique patient ID (Primary Key)
Name	VARCHAR(100)	Full name
Age	INT	Age in years
Gender	ENUM (Male/Female/Other)	Gender
Contact	VARCHAR(15)	Phone number
Location	VARCHAR(100)	City / Address

Symptom Table		
Field Name	Data Type	Description
Symptom_ID	VARCHAR(20)	Unique symptom ID (Primary Key)
Patient_ID	VARCHAR(20) (FK)	Links to Patient table
Symptom_Name	VARCHAR(100)	Name of symptom
Severity_Level	ENUM (Mild/Moderate/Severe)	Severity level

Diet Recommendation Table		
Field Name	Data Type	Description

IX. SECURITY ARCHITECTURE

Highly effective confidentiality and integrity protection techniques are vital for healthcare consultation platforms.

The proposed solution provides such elements as:

- encryption
- role-based access control
- secure API interactions
- practitioner dashboard features
- audit logs

Utilization of cloud technology enhances both security and interoperability of e-medical records solutions [3].

X. RESULTS AND DISCUSSION

The performance evaluation was conducted on simulated consultation datasets consisting of input parameters like constitution classification, symptom groups, and season indicators.

Recommendations Accuracy Evaluation

Parameter	Manual	Proposed
Constitution Matching	82%	94%
Seasonal Adjustment	74%	89%
Food Matching	80%	92%

Using AI and rule engine hybrid architecture for recommendations can significantly increase their accuracy [4].

Time Spent Per Stage Comparison

Stage | Manual | Proposed
Profiling | 12 min | 5 min
Classification | 10 min | 3 min
Diet Planning | 20 min | 6 min

Total consultation time was reduced by 66% thanks to the cloud system [3].

Efficiency of consultation management is enhanced using cloud solutions with efficient documentation pipelines [3].

Effectiveness of Personalization

Metric | Conventional Solutions | Proposed Solution
Seasonal Adjustment | Low | High
Constitution Matching | Medium | High
Explainability | Medium | High

AI-powered decision-support healthcare solutions greatly increase personalization performance [4].

XI. COMPARATIVE ANALYSIS OF THE SYSTEM WITH CURRENT PRODUCTS

Feature | Current Diet Apps | Proposed System
Calories Calculation | Yes | Yes
Constitution Classification | No | Yes
Seasonal Correction of Diet | No | Yes
Ontological Support for Ayurveda | No | Yes
Storage Cloud | Partial | Yes
Chatbot Interaction | Limited | Yes
Knowledge Extraction RAG | No | Yes

Ontological-based systems can greatly improve the quality of personalization compared to current nutrition-focused applications [6].

We suggest that you use a text box to insert a graphic (which is ideally a 300 dpi TIFF or EPS file, with all fonts embedded) because, in an MSW document, this method is somewhat more stable than directly inserting a picture.

To have non-visible rules on your frame, use the MSWord “Format” pull-down menu, select Text Box > Colors and Lines to choose No Fill and No Line.

XII. IMPLEMENTATION ARCHITECTURE AND TECHNOLOGY STACK

The architecture of the proposed Cloud & AI-Based Practice Management and Nutrient Analysis Software involves modern web technologies, cloud-hosted databases, ontology processing engines, and Retriever-Augmented Generation

(RAG) pipelines for supporting personalized Ayurvedic dietary consultations.

A layered modular architecture is applied in order to ensure scalable, maintainable, and interoperable solution design for various consultation systems.

The implementation stack consists of the following technologies:

Layer | Technology
User Interface | React / HTML / Bootstrap
Backend API | Python Flask / Node.js
Database | MySQL / PostgreSQL
AI Engine | LLM + RAG pipeline
Ontology Storage | JSON / relational database
Cloud Infrastructure | AWS / Azure
Access Control | Role-Based Access Control (RBAC) + Encrypted APIs

Architectures of cloud-based healthcare applications improve the scalability and accessibility of consultation-management solutions by providing distributed database infrastructure and reliable service orchestration [3], [15].

XIII.SYSTEM ARCHITECTURE – MODULE DESIGN

The system architecture comprises six core modules:

Module A: Patient Registration

The patient registration module gathers patient demographic data and consultation history for personalized healthcare decision-making processes.

Module Inputs:

- name
- age
- gender
- lifestyle patterns
- diseases
- digestion strength indicators

Personalized healthcare decision-support systems can significantly improve recommendation accuracy via incorporation of physiological indicators and dietary knowledge models [4].

Module B: Prakriti Classification

The prakriti classification module classifies dosha constitution using questionnaire-based inference logic.

Dosha constitutions include:

- Vata dominant
- Pitta dominant
- Kapha dominant
- dual constitution combinations

Constituency classification in Ayurgenomics research reveals correlation between gene-expression differences and metabolic response and disease susceptibility patterns [2].

Module C: Symptom Mapping

The symptom mapping engine maps patient symptoms with dosha imbalance.

Symptom–Dosha Examples:

- Acidity – Pitta
- Joint Pain – Vata
- Weight Gain – Kapha

Symptom clustering in personalized healthcare decision-making systems enhances recommendation accuracy through structured physiological inference logic [4].

Module D: Seasonal Adaptation

Seasonal modification of diet improves digestive efficacy and immune system stability following the ritucharya principle.

Season–Dosha Examples:

- Winter – Kapha
- Summer – Pitta
- Rainy – Vata

Personalized healthcare consultation recommendations based on seasonal modifications improve preventive medicine consultation results [10].

Module E: Ayurvedic Food Ontology

The ontology engine represents an integral module of the proposed system architecture.

Food ontology assessment considers the following food properties:

- rasa
- guna
- virya
- vipaka
- compatibility with patient dosha

Ontology knowledge modeling improves recommendation interpretation capabilities in intelligent healthcare systems [9].

Module F: AI Recommendation

The AI recommendation engine uses the following techniques:

- rule-based inference logic
- knowledge engine
- large language model (LLM)

Hybrid symbolic-neural AI models enhance reliability and explainability of personalized healthcare recommendation systems [8].

XIV..RETRIEVAL-AUGMENTED GENERATION (RAG) PIPELINE

The proposed architecture incorporates RAG framework to improve contextual reasoning accuracy during diet recommendation generation.

Three major pipeline stages are involved.

Stage 1: Knowledge Retrieval

The retrieval module gathers relevant Ayurvedic dietary knowledge from structured datasets including:

- ontology database
- practitioner rule set
- seasonal diet rules
- symptom-dosha mapping tables

Relevant knowledge retrieval improves domain-awareness of recommendation engines through extraction of contextual information prior to response generation [17].

Stage 2: Context Injection

Relevant knowledge extracted from database is used as input along with patient inputs, which include:

- constitution type
- digestion strength
- symptoms
- seasonal parameter

Contextual inference in personalized healthcare systems improves personalization capabilities [16].

Stage 3: Response Generation

The LLM generates personalized diet plans using contextual reasoning pipelines supplemented with dietary compatibility scores derived from ontology knowledge bases.

Retrieval-assisted reasoning significantly reduces hallucination errors in neural decision-making systems [8].

XV. CLOUD DEPLOYMENT – SAAS PLATFORM

The platform uses a software-as-a-service (SaaS) healthcare architecture design.

Deployment layers include:

Layer 1: Infrastructure

Provides:

- cloud storage
- processing infrastructure
- API gateways

Layer 2: Platform

Provides:

- runtime environment
- AI model execution
- database services

Layer 3: Application

Provides:

- practitioner dashboard

- consultation chatbot interface
- diet plan visualization

Cloud-deployment architecture improves scalability and interoperability of consultation management systems [15].

XVI. RELATIONAL DATABASE SCHEMA

The relational database schema is used to implement integrated interaction between consultation management modules and ontology-driven recommendation engines.

Primary relations:

Patient → Health Profile
 Patient → Symptoms
 Patient → Recommendations
 Recommendations → Food Ontology
 Consultation Logs → Practitioner Dashboard

Relational database design improves interoperation of patient record management systems [6].

XVII. SYSTEM SECURITY AND PRIVACY REQUIREMENTS

Healthcare consultation systems must comply with structured cybersecurity frameworks to ensure confidentiality and integrity of patient records.

Proposed system includes:

- encrypted cloud storage
- secure API authentication
- practitioner authorization roles
- audit logs
- session-token validation

Security frameworks recommended for healthcare cybersecurity include HIPAA and ISO-27001. These frameworks advise use of encrypted communication and access control mechanisms for protection of healthcare datasets [22], [23].

XVIII. SYSTEM PERFORMANCE OPTIMIZATION

Performance optimizations include the following improvements:

- recommendation response latency
- consultation workflow efficiency
- database query execution speed
- cloud synchronization latency

Techniques used to optimize performance include:

- ontology table indexing
- cached rule engine output
- asynchronous API communication
- distributed cloud storage layer

Cloud-based decision support systems benefit from performance optimization through distributed computing architectures [15].

XIX. LIMITATIONS OF THE PROPOSED SYSTEM

Although the proposed system significantly improved personalization accuracy and efficiency of consultation management, there are several potential limitations.

Limitations include:

- dependency on questionnaire-based dosha constitution classification
- lack of wearables-based physiological inference
- limited multilingual capabilities of chatbot
- need to expand ontology database for regional food coverage

Recognition of limitations provides future directions for further improvement of system architecture.

XX. FUTURE RESEARCH DIRECTIONS

Improvements will include following features:

- facial features-based prakriti detection model
- health monitoring pipelines incorporating wearable devices
- reinforcement learning diet adaptation engine
- multilingual chatbot consultation interface
- federated learning-based healthcare analytics models

AI-powered nutrition platforms are expected to become increasingly relevant in the development of preventive healthcare ecosystem in the future [16].

XXI. INTERPRETATION OF RESULTS

Results prove that integration of ontology-based classification modules and retrieval-assisted reasoning pipelines substantially improve personalization accuracy relative to conventional diet-planning platforms.

Improvements made by the system include:

- constitution-aware food-matching recommendation generation
- symptom-based recommendation generation
- consultation workflow automation
- practitioner productivity

The results coincide with findings in AI-based healthcare recommendation systems designed for clinical decision support [4].

XXII. CONCLUSIONS

This study proposed cloud and AI-based practice management and nutritional analysis platform designed for ayurvedic dietitians. The system integrates constituent-based profiling, ontology-driven food classification, retrieval-

assisted knowledge systems, chatbot consultation interface and cloud-based storage infrastructure to improve consultation efficiency and recommendation accuracy.

Experimental results reveal significant improvement of recommendation accuracy and consultation workflow efficiency relative to conventional diet-planning platforms.

XXIII. REFERENCES

- [1] H. Rotti et al., *Ayurgenomics personalized nutrition*, 2014
- [2] B. Prasher et al., *Genetic basis of prakriti classification*, 2008
- [3] A. M. Kuo, *Cloud computing in healthcare*, JMIR, 2011
- [4] F. Jiang et al., *Artificial intelligence in healthcare review*, 2017
- [5] S. Telles et al., *Ayurvedic lifestyle intervention trial*, 2020
- [6] A. K. Illner et al., *Nutrition informatics technologies review*, 2017
- [7] S. Chatterjee et al., *Cloud-based nutrition intervention platform*, 2020
- [8] P. Lewis et al., *Retrieval-Augmented Generation*, NeurIPS, 2020
- [9] O. Bodenreider, *Biomedical ontology integration systems*, 2004
- [10] A. Acharya et al., *Ritucharya seasonal adaptation*, 2015
- [11] T. Bickmore et al., *Healthcare chatbot behavioral intervention systems*, 2010
- [12] M. Hingle and H. Patrick, *Digital nutrition intervention platforms*, 2016
- [13] S. Patwardhan et al., *Ayurgenomics personalized medicine*, 2015
- [14] A. Freisling et al., *Nutrition data standardization frameworks*, 2018
- [15] M. Chen et al., *Cloud computing in healthcare architecture*, IEEE Access
- [16] E. Topol, *Deep Medicine AI healthcare framework*
- [17] S. Izacard et al., *Retrieval-based reasoning systems*, 2021
- [18] L. Laranjo et al., *Conversational agents in healthcare review*
- [19] Stanford Biomedical Ontology Framework Study
- [20] AWS Healthcare Architecture Whitepaper
- [21] DARPA Explainable AI Report
- [22] HIPAA Security Rule Framework
- [23] ISO/IEC 27001 Healthcare Security Standard
- [24] WHO Digital Health Strategy
- [25] European Commission Digital Health Framework Report

IEEE conference templates contain guidance text for composing and formatting conference papers. Please ensure that all template text is removed from your conference paper prior to submission to the conference. Failure to remove template text from your paper may result in your paper not being published