


# JHipster Entity Relationship Example



```
entity Driver {  
    name String  
}
```

```
entity Owner{  
    name String,  
}
```

```
entity Car {  
    name String  
}
```

```
entity License {  
    no Integer,  
    area Area,  
}
```

```
entity Wheel {  
    position String,  
    brand String  
}
```

```
relationship OneToMany {  
    Owner{car} to Car{owner}  
}
```

```
relationship ManyToOne {  
    Wheel{car} to Car{wheel}  
}
```

```
relationship OneToOne {  
    Driver{license} to License{driver},  
    Driver{driving} to Car{driver}  
}
```

```
relationship ManyToMany {  
    Driver{is} to Owner{as}  
}
```

```
enum Area {  
    JABAR, JAKARTA, JATIM  
}
```

# Cars

## Cars

[+ Create new Car](#)

ID

Name

Owner

## Create or edit a Car

Name

Owner

Cancel

Save

```
relationship ManyToOne {  
    Wheel{car} to Car{wheel}  
}  
relationship OneToMany {  
    Owner{car} to Car{owner}  
}  
relationship OneToOne {  
    Driver{driving} to Car{driver}  
}
```

# Drivers

## Drivers

+ Create new Driver

ID	Name	License	Driving	Is

### Create or edit a Driver

Name

License

Driving

Is

Cancel

Save

```
relationship OneToOne {
    Driver{license} to License{driver},
    Driver{driving} to Car{driver}
}
relationship ManyToMany {
    Driver{is} to Owner{as}
}
```

# Owner

## Owners

[+ Create new Owner](#)

ID	Name
----	------

## Create or edit a Owner

Name

 Cancel

 Save

```
relationship OneToMany {  
    Owner{car} to Car{owner}  
}  
relationship ManyToMany {  
    Driver{is} to Owner{as}  
}
```

# Licenses

## Licenses

+ Create new License

ID

No

Area

## Create or edit a License

No

Area

JABAR

JAKARTA

JATIM

```
relationship OneToOne {  
    Driver{license} to License{driver},  
}  
  
enum Area {  
    JABAR, JAKARTA, JATIM  
}
```

# Wheels

## Wheels

[+ Create new Wheel](#)

ID	Position	Brand	Car
----	----------	-------	-----

### Create or edit a Wheel

Position

Brand

Car

Cancel

Save

```
relationship ManyToOne {  
    Wheel{car} to Car{wheel}  
}
```



# Owners List

## Owners

[+ Create new Owner](#)

ID

Name

1

Bhangun



View



Edit



Delete

2

Fulan



View



Edit



Delete

# Car edit

## Create or edit a Car

Name

Mobil Truck

Owner



1

2

## Create or edit a Car

Name

Mobil Truck

Owner

2

Cancel

Save

## Cars

+ Create new Car

ID

Name

Owner

1

Mobil Truck

2

View

Edit

Delete

# Licenses List

Licenses			<a href="#">+ Create new License</a>
ID	No	Area	
1	123456	JABAR	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>

## Create or edit a Wheel

Position

depan

Brand

irc

Car

1

Cancel

Save

## Wheels

+ Create new Wheel

ID	Position	Brand	Car
----	----------	-------	-----

1	depan	irc	1
---	-------	-----	---

View

Edit

Delete

<http://localhost:8080/#/wheel>

### Create or edit a Wheel

Position


Brand

Car

### Wheels

[+ Create new Wheel](#)

ID	Position	Brand	Car	
1	depan	irc	1	<a href="#">View</a> <a href="#">Edit</a> <a href="#">Delete</a>




<http://localhost:8080/#/car/1/view>

### Car 1

**Name**  
Mobil Truck

**Owner**  
[2](#)

[← Back](#) [Edit](#)




<http://localhost:8080/#/owner/2/view>

### Owner 2

**Name**  
Fulan

[← Back](#) [Edit](#)



relationship ManyToOne {  
Wheel{car} to Car{wheel}  
}

## Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZGlpciIsImF1dGciOiJST0xFX0FETU0LFJPTGVfVVNFUiIsImV4cCI6MTUzMDY2OTY0OX0.M6unwxPcbs8yAQw2  
HsdIIkXm0c_vC21jXr4yAqozTIv0X0U4K4025HxmDh4-LfoBNqmtHf6qCZk4MyDNKNypsg' 'http://localhost:8080/api/wheels'
```

## Request URL

http://localhost:8080/api/wheels

## Response Body

```
[  
  {  
    "id": 1,  
    "position": "depan",  
    "brand": "irc",  
    "car": {  
      "id": 1,  
      "name": "Mobil Truck",  
      "owner": {  
        "id": 2,  
        "name": "Fulan"  
      }  
    }  
  }  
]
```

## Create or edit a Driver

Name

License

Driving

Is

Cancel

Save

## Driver 1

Name

Pengemudi

License

1

Driving

1

Is

1, 2

← Back

Edit

## Drivers

+ Create new Driver

ID	Name	License	Driving	Is
1	Pengemudi	1	1	1, 2

View

Edit

Delete

```

[ERROR] PASS src/test/javascript/spec/app/entities/license.component.spec.ts (232 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/driver/driver.component.spec.ts (258 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/wheel/wheel.component.spec.ts (252 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/owner/owner.component.spec.ts (276 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/car/car.component.spec.ts (257 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/license/license-detail.component.spec.ts (288 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/driver/driver-detail.component.spec.ts (270 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/owner/owner-detail.component.spec.ts (290 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/wheel/wheel-detail.component.spec.ts (283 MB heap size)
[ERROR] PASS src/test/javascript/spec/app/entities/car/car-detail.component.spec.ts (303 MB heap size)

```

File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Line #s
All files	73.95	64.23	53.73	73.23	
main/webapp/app	100	100	100	100	
app.constants.ts	100	100	100	100	
main/webapp/app/account/activate	93.75	75	80	92	
activate.component.html	100	100	100	100	
activate.component.ts	95.24	76.92	85.71	93.75	35
activate.service.ts	90	66.67	66.67	87.5	12
main/webapp/app/account/password	83.33	73.33	75	82.43	
password-strength-bar.component.ts	79.17	71.88	83.33	77.78	... 74,75,76,77,79
password.component.html	100	100	100	100	
password.component.ts	88	80	71.43	90	22,23
password.service.ts	90	66.67	66.67	87.5	12
main/webapp/app/account/password-reset/finish	95.56	76.67	83.33	94.87	
password-reset-finish.component.html	100	100	100	100	
password-reset-finish.component.ts	97.06	77.78	88.89	96.67	63
password-reset-finish.service.ts	90	66.67	66.67	87.5	12
main/webapp/app/account/password-reset/init	97.14	80	90	96.43	
password-reset-init.component.html	100	100	100	100	
password-reset-init.component.ts	100	82.35	100	100	15
password-reset-init.service.ts	90	66.67	66.67	87.5	12
main/webapp/app/account/register	93.88	83.87	75	93.18	
register.component.html	100	100	100	100	
register.component.ts	94.74	85.71	77.78	94.29	36,58
register.service.ts	90	66.67	66.67	87.5	12
main/webapp/app/account/settings	87.5	75	77.78	89.47	
settings.component.html	100	100	100	100	
settings.component.ts	86.96	75	77.78	88.89	18,19
main/webapp/app/admin	100	100	100	100	
admin.route.ts	100	100	100	100	
index.ts	100	100	100	100	
main/webapp/app/admin/audits	89.69	70.73	77.27	89.53	
audit-data.model.ts	60	100	50	66.67	2
audit.model.ts	100	100	100	100	
audits.component.html	100	100	100	100	
audits.component.ts	87.88	71.05	73.33	87.3	... 04,109,115,126
audits.route.ts	100	100	100	100	
audits.service.ts	100	66.67	100	100	11
main/webapp/app/admin/configuration	32.84	18.18	14.29	30.51	
configuration.component.html	100	100	100	100	
configuration.component.ts	32	28.57	16.67	28.57	... 32,33,34,39,40
configuration.route.ts	100	100	100	100	



