

KUONIX

User Guide

Production documentation for the Kuonix pipeline. Use this guide to understand how jobs move through staging, classification, Color Lab, and native export so the platform behaves like a disciplined part of the studio workflow.

01

STAGING

02

LIBRARY

03

COLOR LAB

04

EXPORT

Contents

OVERVIEW

1. Workflow Model	03
2. Staging and Intake	04
3. Library	05
4. Color Lab	06
5. Export and Settings	08

REFERENCE

6. Issue Taxonomy	09
7. Algorithms	06
8. Operating Notes	10

What Kuonix is actually doing in the stack.

Kuonix is a platform-agnostic application used to sort images into categories based on color-correction needs such as contrast, white balance, exposure, and cast issues. It supports professional batch workflows by organizing work for tools like Photoshop, while also offering limited editing capabilities inside the app.

Staging

Bring in full shoots, preview what arrived, and remove unwanted frames before the engine starts classifying them.

Classification

Images are grouped by measurable technical defects, not by a vague aesthetic score or metadata assumption.

Correction

Color Lab provides limited but useful in-app correction tools for balancing, exposure alignment, saturation work, and reference matching.

Routing

Export opens folders in native tools so final creative work stays in the editor your team already uses.

Get a clean queue ready for automated review.

The Upload and Analyze page is where the system takes control of a session. This phase is about keeping bad files out, making large jobs manageable, and getting a clean queue ready for automated review.

1

Import

Drop complete shoots into the staging area or browse from local storage.

2

Preview

Verify what arrived before committing the engine to a full classification pass.

3

Cull

Remove obvious misses, duplicates, or unusable frames before processing starts.

Operator Tips

Keep the staging set tight. The classification engine is at its best when it is not asked to label garbage frames — pre-cull discipline directly raises the signal of every downstream queue.

A controlled review surface for everything ingested.

The Library view functions as a controlled review surface for everything that has been ingested. Operators can see thumbnails, issue labels, and batch-select images that need a common correction path.

Grid Review

Visual thumbnails keep the operator oriented while issue tags expose what the engine has already detected.

Selection Logic

Bulk selection tools make it practical to move large image groups into Color Lab or export subsets by defect type.

Action Surface

Delete, isolate, and send to correction workflows without bouncing between multiple tools or folders.

Issue Visibility

Classification stays attached to the image, which removes ambiguity when teams return to a job later.

A limited editing bay for targeted, deliberate fixes.

Color Lab is the system's limited editing bay. It exists for cases where classification has already identified a known technical problem and the operator wants a targeted in-app fix before pushing the batch into a primary editor.

BEFORE



AFTER



Algorithms

Gray World

Neutralizes white balance by assuming average scene color should approach gray.

White Patch

Uses the brightest region as a white reference when a clean highlight exists.

Shades of Gray

Extends white balance correction through a stronger p-norm approach for more demanding scenes.

Exposure Adjustment

Applies controlled global gain to repair frames that are uniformly dark or bright.

Saturation Control

Boosts or tamps down color intensity where the issue is global and obvious.

Color Matrix Transform

Supports deeper channel transforms for stylized grading and space conversion work.

Color Distribution Alignment

Matches target images to a reference look in LAB space, which is critical for consistency across multi-camera sets.

Categories that lead to an obvious next action.

The value of the platform depends on issue categories being useful to the editor, not just mathematically interesting. Each class should lead to an obvious next action.

Exposure	Under / Over	Contrast	Low / High
Saturation	Dull / Oversaturated / Channel shift	Color	Blue / Yellow / Green / Cyan / Magenta /
		Cast	Red
Noise	Shadow contamination	Routing	Group by correction intent

Where technical organization becomes operational value.

Export is where technical organization becomes operational value. Images can be routed into folders by issue type, then opened directly in the software responsible for the finishing pass.

EXECUTABLE PATH C:\Program Files\Adobe\Photoshop\photoshop.exe	LAUNCH MODE Standard or Admin
FOLDER STRATEGY Sort by issue class or correction lane	USE CASE Open grouped folders directly in the finisher

Field-tested principles for running the pipeline.

Keep intake clean. The best automation results come from killing obvious misses before batch analysis starts.

Use issue classes as work queues. The taxonomy exists to reduce context switching during correction.

Reserve Color Lab for deliberate passes. It is strongest when paired with classification, not used blindly across every frame.

Keep finishing in native tools. Kuonix adds structure and speed; the final look still belongs in the editor.

Colophon

This guide documents the operator-facing surface of KUONIX, a platform-agnostic application for sorting images by color-correction needs. It is intended for studio leads, retouchers, and pipeline operators integrating Kuonix into existing batch workflows.

© 2026 KUONIX. Imaging intelligence for production photographers.