

Pexip Infinity v42

Release Notes

Software Version 42

Document Version 42.a

October 2026

]pexip[

Contents

Introduction ... **3**

Upgrading to version 42 ... **4**

Upgrade Pexip Infinity ... 4

New features and improvements in this release ... **6**

Pexip Infinity platform ... 6

Changes in functionality ... **8**

Changes in this release ... 8

Planned changes / actions required ... 8

Issues fixed in version 42 ... **10**

Pexip Infinity ... 10

Breakout rooms ... 10

One-Touch Join ... 10

Google Meet interoperability ... 10

Pexip web app ... 10

Known limitations ... **12**

Pexip Infinity ... 12

Pexip Teams Connector ... 12

Poly/Polycom ... 13

Microsoft ... 13

Microsoft Skype for Business ... 13

Secure Scheduler for Exchange ... 14

One-Touch Join ... 14

© 2026 Pexip AS

Introduction

This document contains the release notes for Pexip Infinity version 42.

Complete information about how to install and operate Pexip Infinity is available from the Pexip technical documentation website at docs.pexip.com.

The website also contains comprehensive documentation on all aspects of deploying the Pexip Infinity platform. This includes how to administer and use the Pexip app suite; how to configure Pexip Infinity features such as One-Touch Join, Secure Scheduler for Exchange and Pexip Service; and how to integrate Pexip Infinity with other third-party systems and call control solutions including Google Meet, Microsoft Teams, Microsoft Skype for Business, Cisco Unified Communications Manager, Cisco VCS and Polycom DMA.

Management Node host server sizing information

- For typical deployments of **up to 30** Conferencing Nodes, you must ensure that the Management Node host server has at least 4 vCPUs and 4 GB of RAM.
- For deployments with **more than 30** Conferencing Nodes, you will need to increase the number of cores and the amount of RAM on the Management Node. Please contact your Pexip authorized support representative or your Pexip Solution Architect for guidance on Management Node sizing specific to your environment.

© 2026 Pexip AS

Upgrading to version 42

Before upgrading, identify the software version currently running on your Pexip Infinity platform and follow the appropriate upgrade path.

To check the software version, select **About** at the top right of the Pexip Infinity Management Node.

If you are using Teams Connectors, you can upgrade directly to the target version without deploying the intermediate Pexip Infinity versions shown in the upgrade paths below.

Use the table below to determine the required upgrade path to version 42.

Current version	Required upgrade path	Notes
v41.x or later	Current version → v42	You can upgrade directly to v42.
v35.1 - v40.x	Current version → v41.1 → v42	You must upgrade through v41 before upgrading to v42. v41.1 is the recommend intermediate release; v41.0 is also supported.
v31.4 - v34.2	Current version → v35.1 → v41.1 → v42	You must upgrade through v35 and v41 before upgrading to v42. v35.1 and v41.1 are the recommended intermediate releases; v41.0 is also supported as the v41 intermediate release.
Earlier than v31.4	See the upgrade documentation for your current version before upgrading.	If you are upgrading from a version prior to v32, you must remove any existing MD5/SHA1 certificates, except root certificates, and replace them with new certificates before upgrading to v32 or later. See the Certificate usage guidelines for more information.

You must complete any required intermediate upgrades before upgrading to version 42. Do not skip an intermediate version in the upgrade path.

Upgrade Pexip Infinity

We recommend that you upgrade at a time of minimal usage.

There is a known limitation with upgrades from v39.x, v40.x, and v41.0 whereby Conferencing Nodes are put into maintenance mode but do not wait until all calls have cleared before upgrading and rebooting. You must therefore upgrade from these versions in a maintenance window to minimize the impact on any ongoing calls.

During an upgrade, up to 10 Conferencing Nodes may be placed in maintenance mode or upgraded at the same time. A node is upgraded after its existing calls have cleared. If calls have not cleared after 1 hour, the node is removed from maintenance mode and the upgrade is attempted again later.

See the upgrade process and when to upgrade for more information about the upgrade process and its impact on calls.

Before starting the upgrade, identify the current software version and follow the appropriate upgrade path described in Upgrade paths to 42.

If your upgrade path requires one or more intermediate versions, perform the upgrades one version at a time. Verify that each upgrade has completed successfully before starting the next one.

How to upgrade

When upgrading, note the following:


- A Management Node upgrade may take a long time, potentially up to 1 hour. Do **not** reboot the Management Node under any circumstances. If you are concerned about the time the upgrade is taking, contact your Pexip authorized support representative.
- There is normally no need to reboot a Conferencing Node. If a Conferencing Node appears to be stuck for over 1 hour, contact your your Pexip authorized support representative. Do **not** reboot the node.

- If you experience issues when upgrading, contact your your Pexip authorized support representative. Do **not** attempt to roll back to VM snapshots without first contacting them.
- When upgrading from v38.x or earlier, **all** Conferencing Nodes must have completed upgrade before **any** nodes become available. If a Conferencing Node appears to have failed upgrade, contact your your Pexip authorized support representative.

To upgrade Pexip Infinity software:

1. Before upgrading an on-premises deployment, we recommend that you use your hypervisor's snapshot functionality to take a full VMware/Hyper-V snapshot of the Management Node. We recommend that you do **not** take a snapshot of your Conferencing Nodes. You can simply redeploy them from the Management Node after it has been rolled back, if this is required.

   Before upgrading a cloud-based deployment (Azure, AWS, GCP or Oracle), backup the Management Node using Pexip Infinity's built-in mechanism (**Utilities > Backup/Restore**).
2. Download the appropriate Pexip Infinity upgrade package for the next version in your upgrade path from the Pexip download page.
3. Before upgrading, ensure that all "always-on" Conferencing Nodes are powered on and are reachable, with no Connectivity Loss errors, and are all running the same version from which you are upgrading. You do not need to power on any cloud bursting nodes.
4. From the Pexip Infinity Administrator interface, go to **Utilities > Upgrade**.
5. Select **Choose File** and browse to the location of the upgrade package.



6. Select **Continue**.
   - When upgrading from versions prior to v39.0, there is a short delay while the upgrade package is uploaded.

     After the upgrade package has been uploaded, you are presented with a confirmation page showing details of the existing software version and the upgrade version.
   - When upgrading from v39.0 or later, you are presented with a page showing details of the existing software version and the upgrade version, along with a progress bar indicating how long is left until upload of the new upgrade package is complete.
7. To proceed, select **Start upgrade**.

   You are taken to the **Upgrade Status** page, showing the current upgrade status of the Management Node and all Conferencing Nodes. This page automatically refreshes every 5 seconds.
8. When the upgrade completes, all nodes will show a status of **No upgrade in progress** and have the new **Installed version**.
9. If your upgrade path requires another upgrade, verify that the current upgrade has completed successfully. Download the upgrade package for the next version and repeat steps 4–8.
10. If the upgrade process completes and there are some nodes that have failed to upgrade, you can restart the upgrade process by uploading the upgrade package to the Management Node again via **Utilities > Upgrade**. This will skip over any nodes that have already been upgraded.
11. If you have Pexip CVI for Microsoft Teams, you must also upgrade your associated Teams Connector deployment in Azure to the same version, including minor/"dot" releases, as your Pexip Infinity deployment.

ⓘ No additional actions are required to upgrade the Management Node or Conferencing Nodes individually.

ⓘ We recommend that you take a fresh backup of your system after upgrading.

If you are using VMware snapshots for backup purposes, we recommend that you delete those snapshots after approximately two weeks, providing your upgraded system is operating as expected. This is because Virtual Machines, in general, should not run with snapshots over time.

See Upgrading the Pexip Infinity platform for full details on upgrading Pexip Infinity.

New features and improvements in this release

You can go to https://docs.pexip.com/admin/whats_new.htm and follow the relevant links for more information about all of these features.

This topic covers the Pexip Infinity platform; for new features in the latest release of the Pexip web app see the web app release notes.

Pexip Infinity platform

Feature	Description
Microsoft Graph support for Secure Scheduler for Exchange	Pexip Infinity now supports Microsoft Graph API for Secure Scheduler for Exchange when connecting to Microsoft 365 Exchange Online. Microsoft has announced that Exchange Web Services (EWS) for Exchange Online will be deprecated on 1 October 2026 (although an extension is available). Customers using Exchange Online must migrate their Secure Scheduler for Exchange integrations to Microsoft Graph before this date. Exchange Server on-premises deployments continue to support EWS. This release introduces: • Microsoft Graph as an **Exchange API type** for Secure Scheduler for Exchange. • OAuth authentication using either client secrets or private keys and certificates. • Microsoft Graph configuration fields for Exchange integrations. • An alarm that identifies Exchange Online integrations still using EWS. Existing Exchange integrations continue to use EWS after upgrading because EWS remains the default **Exchange API type**.
New EWS deprecated in Exchange Online alarm	Pexip Infinity now raises an alarm when an Exchange Online Secure Scheduler integration is still configured to use EWS. The alarm reminds administrators to migrate to Microsoft Graph before Microsoft disables EWS for Exchange Online.
Microsoft Teams audio	VTC participants connecting to Teams meetings or Microsoft Teams Rooms send and receive higher-quality audio.
Breakout rooms	• **Audio prompts and transfer delay**: Audio prompts are now played to participants before they are moved to a breakout room and before they are moved back to the main room. A configurable transfer delay can also be applied to give participants time to hear the prompt before the transfer takes place. • **Meeting name**: When a participant is in a meeting with breakout rooms enabled, the name of the meeting is now displayed in addition to the name of the breakout room they are in.
In-conference timer	The in-conference timer / countdown feature is now GA.
Administrative improvements	A warning banner is now displayed prior to a Management Node browser session expiring; the length of time before expiry that the banner appears is configurable.
Google Meet interoperability: watermark support	Pexip Infinity now supports Google Meet's watermarking feature for gateway participants. When a meeting organizer enables watermarking in Google Meet, video conferencing system (VTC) participants connected via the Infinity Gateway remain connected to the meeting and see a watermark that is applied to video and presentation streams.
Secure Scheduler for Exchange supports general Identity Provider	Secure Scheduler for Exchange can now use a **General Identity Provider** configured in Pexip Infinity, in addition to Azure and AD FS. Support has also been added for specifying the email attribute or claim used to identify authenticated users when scheduling meetings. This enables Secure Scheduler for Exchange to integrate with a wider range of SAML and OpenID Connect identity providers.

Feature	Description
Event sink: event filtering and transcription events	• You can now filter the events sent to an event sink. • Events relating to transcription (live captions and event sink transcripts) are now available.
Meeting transcripts	You can now configure Virtual Meeting Rooms and Virtual Auditoriums to send transcripts of the meeting audio to an event sink. This feature requires integration with Pexip's AI Media Server.
Participant policy: live captions language	You can now use participant policy to set the live captions language for an individual participant. This feature requires integration with Pexip's AI Media Server.
Restrict CORS origins	Pexip Infinity now provides additional validation of browser requests by restricting Access-Control-Allow-Origin to recognized HTTP origins. Recognized origins include Conferencing Node IP addresses, Configured FQDNs, and configured External Webapp Hosts. The setting is enabled by default on new deployments and disabled by default when upgrading an existing deployment.

Changes in functionality

This topic covers the Pexip Infinity platform; for changes in the latest release of the web app see the web app release notes.

Changes in this release

Feature	Description
Secure Scheduler for Exchange	• **Automatic meeting recovery**: The scheduling recovery script has been removed. Scheduled conferences are now recovered automatically by the scheduling service after management node recovery. • **Removed scheduling template variables**: The deprecated `{{start_time}}` and `{{end_time}}` template variables have been removed. Exchange integrations that still use these variables must be updated before they can be saved. • **Removed OAuth delegate authentication**: The OAuth (Delegate access with a service account) authentication method has been removed for Secure Scheduler for Exchange Exchange integration. Existing integrations must be updated before they can be saved. • **Scheduling maintenance changes**: The scheduling maintenance script has been removed. Microsoft Exchange retention policies should now be used to manage mailbox cleanup.
One-Touch Join	**Removed OAuth delegate authentication**: The OAuth (Delegate access with a service account) authentication method has been removed for One-Touch Join Exchange integration. Existing integrations must be updated before they can be saved.
Hybrid key exchange is now available on all services	In addition to classical key exchange algorithms, hybrid key exchanges algorithms are now enabled on all services by default (and cannot be disabled). **Deployments running in FIPS compliance mode** Pexip Infinity v42 and later running with FIPS cryptography enabled does not support hybrid key-exchange algorithms.
Webapp paths	A new **/webapp** webapp path is now created for new installs and upgrades. On creation this path will use the same configuration as the path that has been selected as the default; for new installs this will be the **/webapp3** path. You can subsequently change the configuration of the **/webapp** path. If you select a new default path, the **/webapp** path will not be affected.
Removal of override_layout API	The legacy override_layout API is no longer available by default from v41, and will soon be removed entirely. If using this API, please contact your Authorized Pexip Support Representative to discuss migration options.
Google Meet automatic muting	Google Meet prevents disruption in meetings with more than 5 participants by automatically muting any additional participants on join. Previously Pexip Infinity did not reflect this behavior; from v42, VTC participants in a gateway call to a Google Meet meeting are automatically muted if at least 5 participants are already in the meeting. When VTC participants are automatically muted, they must actively unmute in order to be heard.

Planned changes / actions required

Feature	Description
Teams Connector: F4 instances	From v43, Teams Connector deployments will not be supported on F4s instance types, because these are being retired by Microsoft. For more information, see Microsoft Azure updates.

Feature	Description
OTJ	• **Microsoft Teams domain change**: In Q1 2026 Microsoft will start transitioning Teams links from **teams.microsoft.com** to **teams.cloud.microsoft**. One-Touch Join will automatically support invitations using **teams.cloud.microsoft** after upgrading to **v39 or later**, but if you use any custom rules that use **teams.microsoft.com**, you must update them manually to use the new format. • **Migrate to RBAC for the Graph API**: Microsoft have replaced Application Access Policies with Role Based Access Control (RBAC) for Apps. We recommend that you switch from App Access Policies to RBAC. See the Microsoft's page for more information.
Secure Scheduler for Exchange	From October 2026, Microsoft began disabling Exchange Web Services (EWS) in Exchange Online, with an option to temporarily extend EWS support until April 2027. If you use Microsoft 365 Exchange Online with Secure Scheduler for Exchange, **migrate your integrations to Microsoft Graph**. EWS support for Exchange Online will be removed from Pexip Infinity after April 2027. **EWS will continue to be fully supported for on-premises Exchange environments**.
Remove support for VMware ESXi 6.7	Support for VMware ESXi 6.7 will be removed in a future release. When this occurs, Pexip will support VMware installation on ESXi 7.0 and 8.0.
Remove support for AVX	In 2027 we intend to cease support for the AVX instruction set on Pexip Infinity Conferencing Nodes. AVX2 and AVX512 will continue to be supported. This means that any Conferencing Nodes based on Intel Sandy Bridge or Ivy Bridge will cease to work. These parts were last sold in 2015 and Intel ended support in 2020. Any newer hardware that has been deployed with a VMware virtual hardware revision older than 11 will need to be updated to a newer virtual hardware revision.
Deprecation of password-based authentication for the Teams Connector CVI application	Certificate-based authentication (CBA) is now the default method to authenticate the Teams Connector CVI application towards MS Graph. You can still use the previous password-based authentication method, but we plan to deprecate it in a future release, thus we recommend using CBA for new installations, or migrating to CBA as soon as practicable when upgrading existing deployments.
Deprecation of v1 legacy themes	We plan to deprecate legacy style "version 1" themes in a future release. If you still use v1 themes you should plan to move to using "version 2" themes instead, which have been available since version 18 of Pexip Infinity.
Deprecation of Webapp2	Webapp2 is being deprecated, and from January 2027 will no longer be included with Pexip Infinity. If this will impact your deployment, please contact your Pexip authorized support representative.
Deprecation of OTJ "Regex" meeting type	Versions of Pexip Infinity prior to v41 supported a regular expression **Meeting type** of ***Regex***. This is being deprecated and the alternative ***Regex RE2*** should be used because it offers improved performance. Any existing ***Regex*** meeting types should be updated to ***Regex RE2***.
Deprecation of ADFS SSO for Citrix	ADFS SSO is being deprecated. This method of authentication is only used in Citrix environments when registering the legacy Connect desktop app for Windows. If this will impact you, please reach out to your Pexip authorized support representative.

Issues fixed in version 42

Pexip Infinity

Ref #	Resolution
50627	Resolved an issue that caused excessive Audit log entries.
50271	When configuring themes, editing **themeconfig.json** to set **conference_locked_indicator_n_waiting_text** to empty now removes the indicator entirely, rather than showing a black box.
48712	Lowering hands of Google Meet meeting participants from a third-party video system is not supported, so now when a participant in a Pexip Infinity gateway call attempts to lower the hand of a Google Meet participant, the hand stays raised to properly reflect the state of the Google Meet participant.

Breakout rooms

Ref #	Resolution
AQ2812	Guest participants who join a breakout-enabled VMR after breakout rooms are enabled are now held in the main room instead of being allocated to a breakout room.

One-Touch Join

Ref #	Resolution
21605	Resolved an issued in deployments with multiple Conferencing Nodes in a system location that caused Poly endpoints to erroneously raise and lower alarms.

Google Meet interoperability

Ref #	Resolution
48413	Resolved an issue with Google Meet gateway calls that caused VTC endpoints to be disconnected when Host controls were used.

Pexip web app

Ref #	Resolution
47938	When a Host participant joins or leaves a breakout-enabled VMR: • An entry or exit tone is played to all participants in all rooms (not just to the participants in the room that the Host has joined or left). • The entry or exit tone is played only when the Host joins or leaves the VMR, and not when they move between rooms.
46305	Improved handling of direct media calls, including when such calls were temporarily disconnected.
AQ3278	Fixes and improvements when deleting and uploading new background images.
AQ2961	Resolved an issue when previewing background effects that meant the preview did not always show the camera's video.
AQ2860	Resolved an issue that occurred when a user who was sharing content attempted to change their microphone, resulting in an error message.

© 2026 Pexip AS

Ref #	Resolution
AQ2813	Resolved an issue that occurred when a user attempted to use keyboard navigation when customization had been used to hide certain functionality.
AQ2742	Resolved an issue with webapp on Safari that caused calls to drop after 9-10 minutes due to high memory usage.
AQ2168	The options to mute and spotlight Meeting Manager participants have been removed.

Known limitations

Pexip Infinity

Ref #	Limitation
50413	When calling between Pexip Infinity deployments, if the VP9 video codec is in use, video or presentation may freeze. As a workaround, VP9 can be disabled under **Platform > Global Settings**.
42379	The time-based conference media statistics / graphs introduced in version 36.0 are not present in version 36.1 and later when reviewing participant / conference history in the Administrator interface.
30756	Under certain circumstances, when a Conferencing Node is handling calls that include presentation, the observed media load may exceed 100%.
27534	A Pexip app that is paired to another video device (such as a SIP endpoint) cannot be used to connect to a Media Playback Service.
24607	Changes to cloud bursting configuration may result in an **administrator.configuration** log message that **GCP private key** configuration was changed even when it was not.
24424	Only 3 of the assigned DNS servers will be used by the Management Node or by a Conferencing Node (as configured in its associated system location).
19176	Changing the IP address of the Management Node and then manually rebooting before completing the installation wizard may result in failed connectivity to Conferencing Nodes. To work around this, you must ensure that you re-run and fully complete the installation wizard after changing the Management Node configuration.
16232	The Call-id is not logged on an administrative event when a Guest joins a conference and all Guests are muted.
16119	"License limit reached" alarms are not lowered as expected, even though an appropriate "Alarm lowered" message is logged.
15943	"Connectivity lost between nodes" alarms are not recorded in the alarm history (**History & Logs > Alarm History**).
13305	The G.719 codec is not currently supported for SIP.
12218	In some call scenarios that take a long time for the call setup to complete (for example calls that involve ICE, a Conferencing Node behind static NAT, and where the client is also behind a NAT) any audio prompts (such as requests to enter a PIN) may be played too early and the client may not hear all of the message.
7906	If a caller dials into a Virtual Reception and enters the number of the conference they want to join, but there are insufficient hardware resources available to join the caller to that conference, the caller is disconnected from the Virtual Reception.
6739	Any changes made to VMR configuration — such as updating the participant limit — while the conference is ongoing do not take immediate effect, and may result in conference separation (i.e. new participants will join a separate VMR from those that are currently connected). All participants must disconnect from the conference for the change to take effect.

Pexip Teams Connector

Ref #	Limitation
35285	Participants connected via Azure Communication Services (ACS) will not see video from participants joining via CVI as "trusted". We are working with Microsoft to address the issue that these participants are filtered out. A temporary workaround is to configure your system so that CVI participants connect as normal/untrusted guests, and ensure that someone admits them from the lobby. Please contact your Pexip authorized support representative for assistance and refer to issue #35285.

Ref #	Limitation
34367	A Microsoft Teams Room that joins a VMR as a Guest is not treated as a Guest. For example, it will not be muted if "mute all Guests" is triggered.
27854	In a large Teams meeting you may see a discrepancy in the participant count on Pexip versus that which is reported on the Teams side. We are working with Microsoft to resolve this.

Poly/Polycom

Ref #	Limitation
13541	When a Polycom Trio is registered to Skype for Business, and has dialed in to Pexip Infinity, it will receive presentation as main video from Pexip Infinity. However, when the same endpoint is dialed out to from Pexip Infinity, it will receive presentation as RDP.

Microsoft

Microsoft Skype for Business

Ref #	Limitation
46066	When a Skype for Business user shares a window and then partially covers the window by dragging another app over the top, participants connected via Pexip Infinity may see a black area partially covering the shared content, and the content may decrease in size. As a workaround, the Skype for Business user should keep the shared window fully in the foreground, or use the “Share Desktop” option instead.
45244	When a Skype for Business user shares a PowerPoint using the "Present PowerPoint” method, other participants in the call may not receive the presentation. As a workaround, the Skype for Business user can use the “Share Desktop” or “Share Program” options.
17210	RDP presentation content from a Skype for Business meeting may sometimes take several seconds to render on VTC devices that are gatewayed into that meeting. One workaround is to use Video-based Screen Sharing (VbSS) instead of RDP for content sharing. If you must use RDP then you can configure your system to adjust the bandwidth used for RDP presentation which will reduce the delay in rendering the RDP content for the VTC device — contact your Pexip authorized support representative for configuration details.
13201	When a Skype for Business client is presenting PowerPoint slides in a Skype for Business meeting, sometimes only the first slide is sent to standards-based endpoints that are gatewayed into that meeting.
5100	If a Conferencing Node being used as a gateway into a SfB meeting is near processor capacity and another endpoint in the SfB meeting starts sending content, a participant may be inadvertently disconnected from the conference. To resolve this, the endpoint can dial back into the conference.
4926	Participants calling into Skype for Business through the Infinity Gateway may experience inconsistent call rejection messages if a Conferencing Node is placed into maintenance mode.
4812	In some instances, one of two messages sent to a VMR from two SfB clients not previously connected may not be properly retained by the VMR. To resolve, re-send the message.
4195	Participants connected via the Infinity Gateway into a SfB meeting may not receive presentation content from SfB participants. This occurs if the SfB user has a screen resolution where the width is an odd number of pixels, such as a resolution of 1437x758. If this occurs, one workaround is for the user to share an application rather than their full desktop.

Secure Scheduler for Exchange

Ref #	Limitation
51110	The new Graph API (introduced in v42 as a replacement for EWS in O365 environments) uses the Get Event API. GCC High environments use a slightly different version of this API than standard Microsoft 365 Cloud environments, which may result in an error or non-processing when calendar items need to be re-processed (such as when the start or end date of a recurring meeting is changed). As a workaround, customers can either: • continue to use the EWS API until this issue is fixed (EWS support can remain enabled in the tenant until 1st April 2027 by Extending EWS support temporarily for Exchange Online) • send another update to each item that has an error or has failed to be processed (for example, by making a slight edit to the body, then re-sending).
42882	When editing a recurring meeting, the option to edit **This and all following events** is not supported. You must instead choose to edit **All events in the series**.
19530	When using Microsoft's OWA with Office 365 account, join instructions that use the **<style>** element will not be added, even though the "Success" message is displayed to the user.
16602	In some circumstances, users are not able to obtain a VMR for a meeting if an existing meeting invitation is being edited and has previously had a VMR assigned. This may happen if a user has previously activated the add-in when editing an invitation but then discarded their changes, or if the user has removed the information added to the invitation when the add-in was previously activated. By default, users will see a message "VMR already assigned".

One-Touch Join

Ref #	Limitation
32706	Poly Trio endpoints running software version 7.x do not display meeting reminders or join notifications.