SYMPTOMS BASED DISEASE PREDICTION (EYE, EAR, LUNGS)

Bhanu Tyagi
Department of Computer Science and Engineering
ABES Institute of Technology
Ghaziabad, India

Bhuvnesh Yadav
Department of Computer Science and Engineering
ABES Institute of Technology
Ghaziabad, India

Ambuj Pandey
Department of Computer Science and Engineering
ABES Institute of Technology
Ghaziabad, India

Bhavika Kaushik
Department of Computer Science and Engineering
ABES Institute of Technology
Ghaziabad, India

Abstract

Machine learning (ML) has transformed disease prediction by allowing analysis of clinical and symptom data automatically. Some models like the Logistic Regression (LR), the Random Forest (RF), the Gradient Boosting (GB), and the combination of ensembles have high performance in both the detection and classification of various diseases. The present paper summarizes the contribution to state of the art studies on ML in the prediction of diseases, discussing the performance measures, methodology, and the usefulness of the ensemble methods. It also relates these insights with a frontend-based architecture that incorporates simulated ML services into a responsive web application that incorporates sympathetic assessment and integration of hospitals - achieving both technical feasibility and practical usefulness. We also provide comparisons of the performance of the classifiers, challenges to overcome like class imbalance and interpretability and a direction of future research to merge the real ML models and web deployment.

Keywords: Disease Prediction, Machine learning, Ensemble learning, Logistic Regression, random forest, gradient Boosting, Symptom based diagnosis, Healthcare analytics, medical decision support systems, Web based healthcare applications.

1. Introduction

Machine learning (ML) has become one of the key technologies in the contemporary healthcare system, as it allows to predict the disease early on, diagnose it correctly, and support decision-making on the part of clinicians. Conventional diagnosis methods are associated with manual examination, clinical abilities and laboratory research, which are both time-consuming and liable to human mistake. As digital health records and computational power continue to expand, ML has become a useful approach to processing complex medical data and revealing latent patterns that are otherwise difficult to detect using traditional statistical approaches [3].

ML can be used to predict diseases based on historical clinical or symptom-based data in order to predict the probability of a particular disease. These models have the capability of handling high volumes of heterogeneous data such as symptoms, demographic and clinical measurements to make probabilistic predictions. Recent research have shown that ML-based systems are much more successful in prediction capabilities of diseases like diabetes, heart disease, respiratory and ENT-related diseases [4]. The performance of ensemble learning methods, including Random Forest, Gradient Boosting, and stacking-based, has been demonstrated to be better than that of single classifiers in recent years. Ensemble methods take the average of the predictions of the many base models to minimize bias and variance leading to stronger and generalized predictions. It is also found out that

ensemble models are always better than single algorithms such as Logistic Regression and Decision Trees in accuracy, precision, recall and F1-score in various healthcare data [5].

Moreover, the combination of the ML-powered disease predictors with the current web technologies allowed creating easy-to-use and convenient healthcare apps. Real-time symptom input, immediate prediction feedback, and diagnostic results visualization can be achieved using frontend tools like React with TypeScript and responsive UI libraries. These systems are more user-friendly and are scalable and modular in nature, which makes them appropriate to be deployed as a decision-support tool in a clinical and non-clinical setting [].

The study is aimed at a symptom-based disease prediction model of three large organ systems, namely Ear, Eye and Lungs. The system uses simulated applications of the Logistic Regression, Random Forest, and Gradient Boosting, which are multiplied with the help of the weighted ensemble approach that enhances the reliability of predictions. Although the ML models are emulated to achieve demonstration, the architecture is strictly based on practice in the real-world deployment and is easily extended to the real trained models and backend services.

2. Literature Review

Machine Learning Models will be used to predict diseases.

Model	Description	Common Metrics
Logistic Regression	Simple, interpretable model for binary classification of disease presence.	Accuracy, Precision
Random Forest	Ensemble of decision trees reducing variance through bagging.	Accuracy, AUC, Recall
Gradient Boosting	Sequential ensemble optimizing residual errors.	Accuracy, AUC, F1-score
Stacking & Voting	Meta-learner combines predictions of multiple base models.	Accuracy, Robustness

Table 1: Key Machine Learning Models for Disease Prediction (summarized from recent studies)

A systematic review points out that the ensemble learning techniques, especially stacking, are repeatedly over-and-over again, more successful in their best-performing accuracies across disease prediction tasks as opposed to bagging and boosting used independently.

Recent studies are in agreement that ensemble methods such as the Random Forest and Gradient Boosting are better than individual classifiers. As an illustration, Belhar et al. point out that ensemble models provide a better performance measure (precision, recall, F1, AUC) compared to Logistic Regression and Decision Tree baselines.

Stacking and voting ensembles have been demonstrated in comprehensive reviews to outperform bagging and boosting techniques alone on certain disease prediction tasks with an accuracy rate of over 99%.

2.2 Recent Findings

Comparative analyses involve the recent results demonstrated by models on various medical prediction tasks. For example:

- Voting and stacking combinations have been found superior to single classifiers in both diabetes and kidney disease situations with ensemble methods.

Logistic regression, which is more basic, can work well, with feature selection and feature preprocessing with structured clinical data.

- Future architectures which incorporate deep learning elements (e.g. CNN + LSTM) are promising in more complex feature extraction, and can achieve close to 99 percent accuracy in diabetes prediction.

3.Proposed System Architecture.

The proposed disease prediction application is a combination of frontend services (React + TypeScript + Tailwind CSS) and simulated ML models and an ensemble decision logic. Below is the high-level flow:





Fig : Data flow Diagram for Disease Prediction



Fig : Disease Prediction View

3.1 Architecture Components

Frontend (React 18+, TypeScript)

Symptoms input, dashboard, and hospital integration user interface in real-time.

- Simulated ML Models
- Logistic Regression
- Random Forest
- Gradient Boosting

Integrated through a weighted ensemble logic (e.g. weighted average of probability).

Prediction Engine:-

ML Prediction Service is used to combine model results to provide final diagnosis.

Data Management:-

CSV/text generation of in-memory storage.

Hospital Locator:-

Utilizes HTML5 Geolocation and virtual map proxies of closest specialist referral.

4. Methodology

4.1 Dataset Overview

The tasks of predicting diseases usually require organized data (numbers representing clinical measurements, lists of symptoms) in the open repositories (e.g., UCI, Kaggle) and real-life hospital logs. Normalization, missing data and feature selection are covered in preprocessing in order to reduce noise.

The Model Training and Evaluation is presented in the fourth chapter of the book.<|human|>The fourth chapter of the book is the Model Training and Evaluation.

With the help of cross-validation, all classifiers are trained and evaluated according to the standard protocols. Performance measures are:

Accuracy - ratio of correct prediction.

$$Accuracy = TP + TN + FP + FN$$

TP, TN, FP, and FN are true positives, true respective false positive, false negative and negative [1]. The analysis of F1-score along with cross-validation results in a better estimation of real performance in the real world Symptom prediction tasks, as perceived before research [2]

Precision - It is the number of true positives divided by the number of predicted positives.

Remember - True positives greater than actual positives.

F1-Score- Harmonic mean of recall and precision.

$$F\,1 = 2 \times Precision + Recall$$

AUC-ROC- General classification thresh-old performance.

4.3 Ensemble Strategy

Where P i is the probability output of model i. The ensemble probability is:

P ensemble=wLRP_ensemblew_LR+wRFP _ensemblew_RF+WGBP_ ensemble_GB.

The w LR,w RF,w GBare weights that are adjusted through validation to optimize the total classification.

5. Results

Performance comparison models are provided according to the models of each figure: 5.1.

Model	Avg. Accuracy	Precision	Recall	F1-Score
Logistic Regression	80–89%	Moderate	Moderate	Moderate
Random Forest	85–95%	High	High	High
Gradient Boosting	86–97%	High	High	High
Stacking Ensemble	**90–99%**	Very High	Very High	Very High

Table 2: Aggregate classifier performances across diverse disease prediction datasets. (based on synthesis of multiple studies)

The ensemble methods, in terms of stacking and voting methods, are always better than the single models, because of superior bias-variance trade-offs.

5.2 Importance and Selective Selection of Features.

The selection of features, including mutual information and ANOVA, improves the performance of the model by separating the most predictive clinical features especially in heart disease datasets.

6. Discussion

6.1 Comparative Insights

A study has continuously discovered that:

• Ensembles of stacking and voting are more successful than individual classifiers because they integrate various decision biases.

• The process of feature selection has a severe influence on the quality of models because it concentrates the learning on the most informative features.

• Hybrid and deep learning (e.g. CNN + LSTM) get close to perfect performance in particular tasks such as prediction of diabetes.

6.2 Medical and Implementation problems.

The dataset bias and class imbalance can also be a constraint to model generalizability and necessitate interventions like SMOTE and cross-validation. Elucidability particularly of ensemble models is one of the major demands of clinical adoption.

6.Conclusion

The study was an in-depth examination of the disease prediction based on symptoms using machine learning tools with a primary focus on the efficacy of the ensemble learning algorithms in the medical field. With the approach of combining Logistic Regression and Random Forest with Gradient Boosting models using a weighted ensemble mechanism, the suggested system is more reliable and robust in prediction than the single classifiers. Current literature has repeatedly asserted that ensemble methods decrease model bias and variance, resulting in an increase in accuracy and improved generalization on different medical datasets .

The article also underscored the need to integrate machine learning practices with the current web technologies. React and TypeScript basedfrontend implementation allows real-time user interaction, easy entry of symptoms and immediate display of prediction results. This level of integration contributes to accessibility and usability and therefore makes the system useful in decision support applications in clinical as well as non-clinical environments [5]. Also, the modular architecture

enables a smooth scaling, allowing the integration with real machine learning models and secure backup services as well as live database in the hospital in the future.

The framework is highly realistic to the actual implementation pipelines, but the current implementation uses simulated ML models, which makes it a robust basis of real implementation. Future directions of research involve the training of models with real clinical data, dealing with a class imbalance by using advanced sampling methods, and integrate explainable AI models like SHAP and LIME to enhance transparency and clinical trust [6]. On the whole, the present study supports the emerging importance of machine learning-based systems in the early diagnosis of diseases and smart delivery of healthcare.

7 .References

[1] A. Fuster-Pala`, F. Luna-Perejo´n, L. Miro´-Amarante, and M. Dom´ınguez-Morales, "Optimized Machine Learning Classifiers for Symptom-Based Disease Screening," Computers, vol. 13, no. 233, 2024.

[2] M. Hakeel, A. Primajaya, and E. H. Nurfikli, "Symptom-Based Disease Prediction Using Machine Learning," JATI (Jurnal Mahasiswa Teknik Infor
matika), vol. 9, no. 4, 2025.

[3] M. Mahajan et al., "Ensemble Learning for Disease Prediction: A Review," *Healthcare*, vol. 11, no. 12, 2023.

[4] H. Belhad, A. Bourbia, and S. Boughanja, "Chronic Disease Prediction Using Machine Learning and Deep Learning Methods," *arXiv preprint arXiv:2505.0018,2025.*

[5] S. Ahmad et al., "Comparative Study of Ensemble Models for Medical Diagnosis," *Health and Technology*, Springer, 2024.

[6] A. Hasan and S. Yasmin, "Web-Based Machine Learning Systems for Healthcare Applications," *Frontiers in Genetics*, 2023.

[7] Comparative performance of ensembles, *Health and Technology*, 2024.

Copyright & License:

© Authors retain the copyright of this article. This work is published under the Creative Commons Attribution 4.0 International License (CC BY 4.0), permitting unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.