

LH2 Codebase Acquisition — Caller SOP

Who this is for: everyone working the **Codebase Acquisition** pipeline in HubSpot — GTM analysts, meeting owners, and closers. **What we do:** we acquire Indian IT-services firms' **codebases**. A lead travels from a cold call → a technical meeting → a client-run evaluation script → negotiation → contract → data migration → payment → won.

The rule above all: never make up data. No number, no name, no answer → leave it blank and note why. A blank is correct; an invented value is a bug.

1. Two roles on every deal: PoC and POD lead

- **PoC (Point of Contact)** = *the person who made the cold call*. This **never changes** for the life of the deal. It's stored in the **PoC** field on the deal.
- **POD lead** = *whoever is actively driving the deal right now*. This is the **Deal Owner**, and it **changes hands twice** as the deal progresses:


Phase	POD lead (Deal Owner)	Pool
Cold Call → GMeet Fixed	Shreyas	GTM analysts
GMeet Fixed → Script Results Received	Ishpreet	Meeting owners
Script Results Received → Closed/Won	Shobit	Closers

Two mandatory handoffs (this is a rule, not a suggestion):

1. **When you log GMeet Fixed** : you MUST (a) paste the **GMeet link** into the deal, and (b) reassign the **Deal Owner** → **Ishpreet**.
2. **When you log Script Results Received** : you MUST reassign the **Deal Owner** → **Shobit**.

The **PoC stays the same** through all of this — only the POD lead (owner) moves.

2. The pipeline at a glance



= you must fill a field before advancing. → = a mandatory POD-lead handoff. ** = every Dead/* requires a note (why) before you move the deal there.**

3. Start of your day

1. HubSpot → CRM → Deals, pipeline **Codebase Acquisition**, Board view.
2. Filter **Deal owner = you** (that's the POD lead) → save as "**My Deals.**"
3. Work **Cold Call** first, then anything with **Next Follow-up = today**.
4. (Priority is NOT set at this stage — it's set after the GMeet, by the Lead Manager. See below.)

4. The cold call — 5 outcomes

What happened	Move the deal to	Then
Picked up, interested	Interested	(Deal Value Range (\$) is entered later — post-GMeet)
Picked up, not interested	Dead/ColdCall/Not Interested	note why (required 📝)
Not our target — decided from the profile before dialing	Dead/ColdCall/WrongFit	note why (required 📝) . <i>No call was made — this is not counted as a call attempt.</i>
No pickup / busy	Call Attempted	create a Call-back task assigned to yourself, due in 1–2 days
Wrong / dead number, but a lookup finds another	stay in Call Attempted	Apollo lookup (Section 8), redial the new number
Wrong / dead number and no other number exists	Dead/ColdCall/WrongNumber	note what you heard (required 📝) — <i>disconnected / different person / wrong company</i> . Do this only after the lookup fails.

Always **log the call** (Log activity → Call → outcome + one line).

5. Every stage explained

For each: **what it means** → **what you do** → **what to enter** → **when to move on**. (Mail templates are marked TBD — use the saved HubSpot template once provided.)

● Cold Call — POD lead: Shreyas

- **Means:** brand-new lead, never contacted. You are the **PoC**.
- **You do:** make the first call.
- **Enter:** call log + outcome.
- **Move on:** Interested / Dead-ColdCall-* / Call Attempted (Section 4).

● Call Attempted — POD lead: Shreyas

- **Means:** tried but didn't connect (no pickup / busy), or bad number.
- **You do:** create a **Call-back task assigned to yourself, due in 1–2 days**; Apollo-lookup a bad number first.
- **Move on:** to **Interested** if they engage; to **Dead/ColdCall/Not Interested** (with a note) if they never respond after your attempts; to **Dead/ColdCall/WrongNumber** if the number is genuinely bad and the Apollo lookup turns up nothing else.

● Interested — POD lead: Shreyas

- **Means:** they want to know more.
- **You do:** send the meeting invite with the GMeet link.
- **Move on:** → **GMeet Fixed** if they book. If they agreed but then **ghost / never make the meeting**, move to **Dead/Interested/NoShow** (with a note). (Deal Value Range (\$) is NOT entered here — it's captured post-GMeet, once the meeting has clarified scope.)
- **Mail:** meeting-invite email with GMeet link — TBD.

● GMeet Fixed — 🔒 + → handoff to Ishpreet

- **Means:** the technical meeting is booked.
- **You do (mandatory):** (1) paste the **GMeet link** into the deal, (2) **reassign Deal Owner → Ishpreet**. The **PoC stays you**.
- **Enter (🔒):** GMeet link (required to enter this stage) + meeting date.
- **On the meeting:** the LH2 side explains the evaluation script.
- **After the call (Lead Manager, now the owner):** enter the **Deal Value Range (\$)** and **set the deal Priority (High / Medium / Low)** based on fit/interest — both before moving to Script Shared. (*Priority is set here, post-GMeet — not earlier.*)
- **Move on: Script Shared** (they're in), or **Dead/GMeet/wrong fit / Dead/Gmeet/Privacy Concerns** (each with a note).

● Script Shared — POD lead: Ishpreet

- **Means:** our **evaluation script is sent**. **The client runs it on their own codebase** and returns the output. (*No NDA at this stage — the only signing is the contract after negotiation.*)
- **Enter (🔒): Deal Value Range (\$)** — entered post-GMeet, required to reach this stage.
- **You do:** follow up until they run it and send results. Set Next Follow-up (+2 days).
- **Move on: Script Results Received** when the output is back.

● Script Results Received — 🔒 + → handoff to Shobit

- **Means:** we have their script output and LH2 has reviewed code quality.
- ****Enter (🔒 — all required before the handoff):****
 - **Number of Repos** in the deal
 - **Number of Projects** in the deal
 - **Cumulative LoC** (lines of code)
 - **Total PRs**
 - **Script Results link** (the script output link)
- **You do (mandatory, in order):** fill the five fields above → **then reassign Deal Owner → Shobit**. Don't hand off until all five are in.
- **Move on: Commercial Negotiation** (good fit) or **Dead/ResultsReceived/WrongFit-Rejected** (with a note).

● Commercial Negotiation — POD lead: Shobit

- **Means:** we've made an offer and are negotiating price/terms. (*No more catalogue vs outright — it's one negotiation stage.*)
- **Enter (🔒): negotiation notes** — our offer, their ask, where it stands. Required to advance.
- **Move on: Deal Contract Signed** (agreed), or **Dead/Negotiation/Pricing** (price gap) / **Dead/Negotiation/Contractual** (contract terms).

● Deal Contract Signed — POD lead: Shobit

- **Means:** terms agreed and the contract is signed. **This is the only agreement/contract signing in the whole flow — it happens here, after negotiation, and nowhere earlier.**
- **Move on: Data Migration Done.**

● Data Migration Done — POD lead: Shobit

- **Means:** their codebase/data has been transferred to us.

- **You do (mandatory): email Harshpal** to request the metadata match, and **wait for his reply confirming "metadata matched."**
- **Move on: Metadata Matched** — only after Harshpal's confirmation email comes back.

● **Metadata Matched — POD lead: Shobit**

- **Means:** Harshpal has verified the delivered code against the agreed metadata (LoC, repos, PRs, etc.) and **confirmed the match by email.**
- **Enter it only after** that confirmation reply is received.
- **Move on: Payment Initiation** once matched.

● **Payment Initiation — POD lead: Shobit**

- **Means:** payment is being processed to the client.
- **Enter (🔒):** the **Deal Cost (\$)** field (`cost`) — the amount we're paying the client for the codebase. Required.
- **Move on: Closed/Won** once paid.

🏆 **Closed/Won — POD lead: Shobit**

- **Means:** paid, data received and matched. Deal won.
- **You do (mandatory):** send **two emails** —
 - **Client closure email** — confirm completion / thank-you / handover to the client.
 - **Internal notification email** — notify the LH2 team the deal is won and delivered.
- **Confirm: Deal Cost (\$)** is filled (needed for the Executive dashboard's cost-per-100k-LoC).

● **Dead stages — name = `Dead/{Stage}/{Reason}`**

Pick the one that matches where and why it died:

Died at	Use this dead stage
Cold call — picked up, not interested	Dead/ColdCall/Not Interested
Screened out from profile before dialing	Dead/ColdCall/WrongFit
Number is dead/wrong and no other number could be found	Dead/ColdCall/WrongNumber
Said interested but never made the gmeet (ghosted / no-show)	Dead/Interested/NoShow
GMeet — turned out wrong fit	Dead/GMeet/wrong fit
GMeet — privacy concerns (won't share code)	Dead/Gmeet/Privacy Concerns
After results — poor code / rejected	Dead/ResultsReceived/WrongFit-Rejected
Negotiation — price gap	Dead/Negotiation/Pricing
Negotiation — contract terms	Dead/Negotiation/Contractual

Every dead is mandatory-noted 📝 — you must write **one line of why** in the deal notes *before* moving it to any `Dead/*` stage. No note, no dead.

⏸ **On Hold (checkbox, not a stage)**

Deal alive but paused → tick **On Hold** + set **Next Follow-up**. Keeps its stage, drops off the active board until the date. Don't mark it dead.

6. Golden rules

1. **Never fabricate.** Blank + reason beats a guess.
 2. **PoC never changes. POD lead (owner) changes at the two handoffs.**
 3. **No pickup → self-assigned Call-back task, due in 1–2 days.**
 4. **Deal Value Range (\$)** is entered **POST-GMeet** (after the meeting), required before Script Shared — not at Interested.
 5. **GMeet link required at GMeet Fixed** — and hand the deal to **Ishpreet**.
 6. **At Script Results Received: enter # Repos, # Projects, Cumulative LoC, Total PRs, and the Script Results link** — then hand the deal to **Shobit**. (All five before the handoff.)
 7. **Negotiation notes required before Deal Contract Signed.**
 8. **After Data Migration Done: email Harshpal, and only move to Metadata Matched once he replies confirming the match.**
- 8b. **At Payment Initiation: enter the Deal Cost (\$).** **At Closed/Won: send the client closure email + the internal notification email.**
1. **Every Dead requires a note (why) before you move there.** Pick the exact `Dead/Stage/Reason`.
 2. **Always log the call + set the next follow-up.**
 3. **Priority (High/Medium/Low) is set AFTER the GMeet**, by the Lead Manager — not during the cold-call phase.
-

7. Example walkthrough — a deal that closes

Illustrative. "Acme Software / Priya (founder)" is made up.

1. **Cold Call** (you = PoC, POD lead Shreyas). Priya's interested → **Interested**. Log call, send the meeting invite.
 2. Book the meeting → **GMeet Fixed**: paste GMeet link, **hand owner to Ishpreet**. (PoC still you.)
 3. On the GMeet, Priya agrees to run the eval. **Post-call, enter Deal Value Range ₹15L → Script Shared**. Ishpreet follows up.
 4. Priya's team returns the script output → **Script Results Received**: Ishpreet **updates the results link** and **hands owner to Shobit**.
 5. Shobit offers ₹12L, Priya asks ₹18L → **Commercial Negotiation**, notes: "our ₹12L→₹14L, ask ₹18L, converging ₹15L."
 6. Agreed ₹15L → the **contract is signed here → Deal Contract Signed**.
 7. Code transferred → **Data Migration Done** → Shobit **emails Harshpal**, Harshpal replies "metadata matched" → **Metadata Matched** → payment sent → **Payment Initiation** → 🏆 **Closed/Won**.
- (If Priya had privacy concerns about sharing her codebase on the GMeet, you'd move to **Dead/Gmeet/Privacy Concerns** instead.)
-

8. Apollo lookup (wrong / missing number)

Caller-side step, **not a HubSpot stage** — don't move the deal for it.

1. Open the founder's LinkedIn on the contact, or search name + company.

2. Find a working number in **Apollo**.
3. Update the contact's **Phone** in HubSpot.
4. Redial. Deal stays in **Call Attempted** until you connect. If Apollo has nothing, drop a LinkedIn message + set a follow-up — don't guess.

9. Quick reference card

Situation	Stage / action
New lead	Cold Call (you = PoC)
Interested	Interested (Deal Value Range comes later)
No pickup / busy	Call Attempted + Call-back task to self, 1–2d
Bad number	Call Attempted + Apollo lookup
Meeting booked	GMeet Fixed + GMeet link + owner→ Ishpreet
After GMeet call	enter Deal Value Range (\$) → Script Shared
Eval running	Script Shared
Got script output	Script Results Received + repos/projects/LoC/PRs/results link → owner→ Shobit
Negotiating	Commercial Negotiation + notes
Contract signed	Deal Contract Signed
Data received	Data Migration Done → email Harshpal
Harshpal confirms match	Metadata Matched
Paying client	Payment Initiation
Paid + done	🏆 Closed/Won
Paused	tick On Hold + follow-up
Died — any stage	pick Dead/Stage/Reason + note why (required)

10. HubSpot how-to

- **Move a stage:** drag the card, or open the deal → change **Deal Stage**. Required fields prompt automatically.
- **Reassign POD lead:** open the deal → change **Deal Owner** to the next person (Ishpreet, then Shobit).
- **PoC:** set once at Cold Call in the **PoC** field — never change it.
- **Log a call / set follow-up / priority / on-hold:** all on the deal record, right panel.
- **Find the founder's contact:** the associated **Contact** holds phone, LinkedIn, email, role.

11. Mail templates per stage

To be supplied by the team. Slots reserved:

Stage	Mail template
Interested → GMeet invite	<i>TBD (must include the GMeet link)</i>
Script Shared	<i>TBD (script instructions, if any)</i>
Commercial Negotiation	<i>TBD (offer email, if any)</i>
Deal Contract Signed	<i>TBD (contract email, if any)</i>
Data Migration Done → Harshpal	<i>TBD (metadata-match request; reply = "metadata matched" gate)</i>
Closed/Won → Client	<i>TBD (closure / handover / thank-you email)</i>
Closed/Won → Internal	<i>TBD (won + delivered notification to the LH2 team)</i>

If a step doesn't match what you see in HubSpot, flag it — don't guess. The pipeline stages in HubSpot exactly match this document.