



Codebase Acquisition — Sales Workflow (start → end)

One diagram, every scenario. Renders automatically on GitHub. To get an image for slides: copy the **mermaid** block into **<https://mermaid.live>** → Actions → Export PNG/SVG.

Legend: ● pipeline stage · ● decision · ● dead end · ● won · **solid arrow** = normal path · **dotted arrow** = "they came back / picked up". Outcomes ①–⑤ and their stage moves + tasks are **automated** by **lh2 hubspot-call-outcome**; everything after the M1V1 email is a **manual** stage move in HubSpot.





The 5 cold-call outcomes at a glance (what the tool does for you)

#	Situation	Deal moves to	Auto-task
①	Picked up, interested	M1V1 Sent	Follow up — no meeting booked (+1 day)
②	Picked up, hard rejection	Dead — Rejected	— (closed lost)
③	Picked up, busy	Call Attempted	Callback (at given time, else next day)
④	Wrong number	Call Attempted	Apollo lookup (today) → fix & retry
⑤	No pickup	M1V2 Sent → escalate → Dead — No Response	Call again → Final follow-up

Two nuances for the team

- **Escalation (⑤):** no-pickup once → M1V2 email; no-pickup again → M1V1 email (escalation); no-pickup a third time → Dead — No Response. If they reply/pick up at any point, you jump into the interested flow (M1V1 Sent).
- **Retries (③ ④):** Busy and Wrong-Number keep the deal alive in *Call Attempted* — you loop back and call again once the time comes / number is fixed.

The pipeline also has two optional manual stages not shown as auto-steps — **Call** **Connected** (an intermediate you can use before M1V1) — the automated flow skips straight to *M1V1 Sent* on an interested call.