




Educational Organisation Using ServiceNow

Screenshot:



servicenow All Favorites History Workspaces Admin Update Sets ★ Search Actions on selected rows... New

All

<input type="checkbox"/>	Name	Application	State	Installed from	Created	Created by	Parent	Batch Base
	Default	Security Center	In progress		2025-08-22 01:09:18	system	(empty)	(empty)
	Default	Global	In progress		2025-08-21 23:00:25	system	(empty)	(empty)
	Default	Pipeline	In progress		2025-10-21 20:00:01	admin	(empty)	(empty)
	Educational Organisation	Global	In progress		2025-10-27 07:26:49	admin	(empty)	(empty)
	Educational_Organisation	Global	In progress		2025-10-27 22:32:33	admin	(empty)	(empty)
	Educational_Organisation 1	Global	In progress		2025-10-28 08:19:19	admin	(empty)	(empty)

Related Links

[Merge Update Sets](#)

servicenow All Favorites History Admin : Update Set - Create Educational_Organisation 2 ★ Search ... Submit Submit and Make Current

Update Set New record

* Name	Educational_Organisation	Application	Global
State	In progress		
Parent			
Release date			
Description			
<input type="button" value="Submit"/> <input type="button" value="Submit and Make Current"/>			

servicenow All Favorites History Workspaces Admin Update Sets ★ Search Actions on selected rows... New

All

<input type="checkbox"/>	Name	Application	State	Installed from	Created	Created by	Parent	Batch Base
	Default	Security Center	In progress		2025-08-22 01:09:18	system	(empty)	(empty)
	Default	Global	In progress		2025-08-21 23:00:25	system	(empty)	(empty)
	Default	Pipeline	In progress		2025-10-21 20:00:01	admin	(empty)	(empty)
	Educational Organisation	Global	In progress		2025-10-27 07:26:49	admin	(empty)	(empty)
	Educational_Organisation	Global	In progress		2025-10-27 22:32:33	admin	(empty)	(empty)
	Educational_Organisation 1	Global	In progress		2025-10-28 08:19:19	admin	(empty)	(empty)

Related Links

[Merge Update Sets](#)

servicenow All Favorites History Workspaces Admin Update Sets ★ Search Actions on selected rows... New

All

Tables

- Exclude Tables
- System Definition
- Tables
- Tables & Columns
- Decision Tables
- Remote Tables
- Tables
- Definitions
- System Diagnostics
- Session Debug
- Debug SQL (Large Tables)

<input type="checkbox"/>	Application	State	Installed from	Created	Created by	Parent	Batch Base
	Security Center	In progress		2025-08-22 01:09:18	system	(empty)	(empty)
	Global	In progress		2025-08-21 23:00:25	system	(empty)	(empty)
	Pipeline	In progress		2025-10-21 20:00:01	admin	(empty)	(empty)
	Educational Organisation	Global	In progress	2025-10-27 07:26:49	admin	(empty)	(empty)
	Educational_Organisation	Global	In progress	2025-10-27 22:32:33	admin	(empty)	(empty)
	Educational_Organisation 1	Global	In progress	2025-10-28 08:19:19	admin	(empty)	(empty)

The screenshot shows the ServiceNow 'Tables' list view. A table named 'Label' is selected. The table has columns: Name, Extends table, Extensible, and Updated. The table contains several rows, including '.NET Application', 'A/B Testing Evaluation', and 'Access Control'. A red circle highlights the 'New' button in the top right corner of the list view.

The screenshot shows the 'Table - New Record' creation form for the 'Label' table. It includes fields for Label ('Salesforce1'), Name ('u_salesforce1'), and Extends table. On the right, there are options for Application (Global), Create module (checked), Create mobile module (checked), Add module to menu ('-- Create new --'), and New menu name ('Salesforce1'). A red circle highlights the 'Label' field. Below the form is a 'Columns' tab showing table columns like 'Column label', 'Type', 'Reference', 'Max length', 'Default value', and 'Display'. A red circle highlights the 'Column label' column header. The 'Controls' tab is also visible.

The screenshot shows the 'Table - New Record' creation form for the 'Label' table, focusing on the 'Controls' tab. It includes fields for Label ('Salesforce1'), Name ('u_salesforce1'), and Extends table. On the right, there are options for Application (Global), Create module (checked), Create mobile module (checked), Add module to menu ('-- Create new --'), and New menu name ('Salesforce1'). A red circle highlights the 'Extensible' checkbox. Below the form is a 'Columns' tab showing table columns like 'Column label', 'Type', 'Reference', 'Max length', 'Default value', and 'Display'. A red circle highlights the 'Column label' column header. The 'Application Access' tab is also visible.

Servicenow All Favorites History Workspaces Admin Tables Label Search Actions on selected rows... New

All

Label	Name	Extends table	Extensible	Updated
.NET Application	cmdb_ci_appl_dot_net	Application	false	2025-08-21 22:48:04
A/B Testing Evaluation	evaluation	(empty)	false	2025-08-21 22:38:47
A/B Testing Evaluation Execution	evaluation_execution	(empty)	false	2025-08-21 22:38:48
A/B Testing Evaluation Parameter	evaluation_parameter	(empty)	false	2025-08-21 22:38:47
A/B Testing Evaluation Parameter Result	evaluation_parameter_result	(empty)	false	2025-08-21 22:38:47
A10 Load Balancer	cmdb_ci_lb_a10	Load Balancer	false	2025-08-21 22:47:45
Access Analyzer Query	sn_access_analyzer_request	(empty)	false	2025-08-21 23:48:00
Access Comparison Request	sn_access_analyzer_access_comparison_req...	(empty)	false	2025-08-21 23:47:59
Access Control	sys_security_acl	Application File	false	2025-08-21 22:32:05
Access Result	sn_access_analyzer_access_result	(empty)	false	2025-08-21 23:48:00
Access Roles	sys_security_acl_role	Application File	false	2025-08-21 22:32:05

Servicenow All Favorites History Workspaces Admin Table - New Record Search

Table New record

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label: <input type="text" value="Admission1"/>	Application: Global
* Name: <input type="text" value="u_admission1"/>	Create module: <input checked="" type="checkbox"/>
Extends table: <input type="text" value="salesforce1"/>	Create mobile module: <input checked="" type="checkbox"/>
	Add module to menu: <input type="text" value="Application Menu"/>
	<input type="button" value="Salesforce1"/>

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Insert a new row...					

Submit Cancel

Related Links

[Track in Update Sets](#)

Servicenow All Favorites History Workspaces Admin Table - Admission1 Search

Table Admission1

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Mandal	String	(empty)	40	false	
House No	String	(empty)	40	false	
Sys ID	Sys ID (GUID)	(empty)	32	false	
Area	String	(empty)	40	false	
Fee	String	(empty)	40	false	
School Area	String	(empty)	40	false	
School	String	(empty)	40	false	
District	String	(empty)	40	false	
Comments	String	(empty)	40	false	
Purpose of join	String	(empty)	40	false	
Admin Status	String	(empty)	40	false	
Pincode	String	(empty)	40	false	
City	String	(empty)	40	false	
Admission Number	String	(empty)	40	false	
Column label	String	(empty)	40	false	
Mother cell	String	(empty)	40	false	

servicenow All Favorites History Workspaces Admin Table - Admission1

Table - Admission1

Search Delete Update Delete All Records

x House No	String	(empty)	40	false
x Sys ID	Sys ID (GUID)	(empty)	32	false
x Area	String	(empty)	40	false
x Fee	String	(empty)	40	false
x School Area	String	(empty)	40	false
x School	String	(empty)	40	false
x District	String	(empty)	40	false
x Comments	String	(empty)	40	false
x Purpose of join	String	(empty)	40	false
x Admin Status	String	(empty)	40	false
x Pincode	String	(empty)	40	false
x City	String	(empty)	40	false
x Admission Number	String	(empty)	40	false
x Column label	String	(empty)	40	false
x Mother cell	String	(empty)	40	false
Updated	Date/Time	(empty)	40	false
Class	System Class Name	(empty)	80 javascript:current.getTableName();	false
Sys ID	Sys ID (GUID)	(empty)	32	false

servicenow All Favorites History Workspaces Dictionary Entry - Admin Status

Dictionary Entry - Admin Status

Search Delete Column Update

A dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label, which becomes the field label, and the column name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so it appears on records that reference this table. [More Info](#)

* Table	Admission1 [u_admission1]
* Type	String
* Column label	Admin Status
* Column name	u_admin_status
* Max length	40
Application	Global
Active	<input checked="" type="checkbox"/>
Function field	<input type="checkbox"/>
Read only	<input type="checkbox"/>
Mandatory	<input type="checkbox"/>
Display	<input type="checkbox"/>

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Detailed Links

servicenow All Favorites History Workspaces Dictionary Entry - Admin Status

Dictionary Entry - Admin Status

Search Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

Access Controls Choices (7) Attributes Labels (1)

Label Value Language Sequence Inactive Updated

	Label	Value	Language	Sequence	Inactive	Updated
	Cancelled		en	0	false	2025-10-28 09:18:26
	Cancelled		en		false	2025-10-28 08:55:30
	Join in progress		en		false	2025-10-28 08:54:34
	Joined		en		false	2025-10-28 08:54:42
	Rejoined		en		false	2025-10-28 08:55:18
	Rejected		en		false	2025-10-28 08:54:55
+	New		en		false	2025-10-28 08:54:24

Insert a new row...

Actions on selected rows... New

1 to 7 of 7

servicenow All Favorites History Workspaces : Dictionary Entry - Pincode 

Dictionary Entry Pincode

A dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label, which becomes the field label, and the column name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so it appears on records that reference this table. [More Info](#)

* Table	Admission1 [u_admission1]	Application	Global
* Type	String	Active	<input checked="" type="checkbox"/>
* Column label	Pincode	Function field	<input type="checkbox"/>
* Column name	u_pincode	Read only	<input type="checkbox"/>
* Max length	40	Mandatory	<input type="checkbox"/>
		Display	<input type="checkbox"/>

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

servicenow All Favorites History Workspaces : Dictionary Entry - Pincode 

Dictionary Entry Pincode

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

Access Controls							Choices (3)	Attributes	Labels (1)
		Label	Value	Language	Sequence	Inactive	Updated		
<input type="checkbox"/>		500079	en		0	true	2025-10-28 09:18:26		
<input type="checkbox"/>		500079	en			false	2025-10-28 09:18:26		
<input type="checkbox"/>		500081	en			false	2025-10-28 08:56:54		
Insert a new row...									

Actions on selected rows... New

1 to 3 of 3

servicenow All Favorites History Workspaces Admin Dictionary Entry - School 

Dictionary Entry School

A dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label, which becomes the field label, and the column name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so it appears on records that reference this table. [More Info](#)

* Table	Admission1 [u_admission1]	Application	Global
* Type	String	Active	<input checked="" type="checkbox"/>
* Column label	School	Function field	<input type="checkbox"/>
* Column name	u_school	Read only	<input type="checkbox"/>
* Max length	40	Mandatory	<input type="checkbox"/>
		Display	<input type="checkbox"/>

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

servicenow All Favorites History Workspaces Admin Dictionary Entry - School  Search     

Dictionary Entry
School

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

Access Controls Choices (4) Attributes Labels (1)

Label	Value	Language	Sequence	Inactive	Updated
Alice		en		false	2025-10-29 07:13:00
Stanley		en		false	2025-10-29 07:12:32
Naresh It		en	0	false	2025-10-28 09:18:26
Naresh It		en		false	2025-10-28 08:58:43

+ Insert a new row...

Actions on selected rows... New

1 to 4 of 4

servicenow All Favorites History Workspaces : Dictionary Entry - School Area  Search     

Dictionary Entry
School Area

A dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label, which becomes the field label, and the column name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so it appears on records that reference this table. [More Info](#)

* Table	Admission1 [u_admission1]	Application	Global
* Type	String	Active	<input checked="" type="checkbox"/>
* Column label	School Area	Function field	<input type="checkbox"/>
* Column name	u_school_area	Read only	<input type="checkbox"/>
* Max length	40	Mandatory	<input type="checkbox"/>
		Display	<input type="checkbox"/>

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

servicenow All Favorites History Workspaces : Dictionary Entry - School Area  Search     

Dictionary Entry
School Area

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

Access Controls Choices (2) Attributes Labels (1)

Label	Value	Language	Sequence	Inactive	Updated
Near Bus Stand		en	0	true	2025-10-28 09:18:26
Near Bus Stand		en		false	2025-10-28 09:18:26

+ Insert a new row...

Actions on selected rows... New

1 to 2 of 2

servicenow All Favorites History Workspaces : Dictionary Entry - Purpose of join ⚡

Dictionary Entry
Purpose of join

A dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a Table and the field Type of the new column. Also enter a column label, which becomes the field label, and the column name. If necessary, set a Max length for text String type fields, make the field Mandatory to save a record, and make the field a Display Value for reference fields so it appears on records that reference this table. [More Info](#)

* Table	Admission1 [u_admission1]	Application	Global
* Type	String	Active	<input checked="" type="checkbox"/>
* Column label	Purpose of join	Function field	<input type="checkbox"/>
* Column name	u_purpose_of_join	Read only	<input type="checkbox"/>
* Max length	40	Mandatory	<input type="checkbox"/>
		Display	<input type="checkbox"/>

Choice List Specification Default Value

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

servicenow All Favorites History Workspaces : Dictionary Entry - Purpose of join ⚡

Dictionary Entry
Purpose of join

Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.

Choice -- None --

Delete Column Update

Related Links

Show Table Run Point Scan Advanced view

Access Controls Choices (3) Attributes Labels (1)

Choices		Label	Value	Language	Sequence	Inactive	Updated
<input type="checkbox"/>	Coaching			en	0	true	2025-10-28 09:18:26
<input type="checkbox"/>	Coaching			en		false	2025-10-28 09:18:26
<input type="checkbox"/>	Tuition			en		false	2025-10-28 08:57:32
Insert a new row...							

Actions on selected rows... New

servicenow All Favorites History Workspaces Admin Tables ⚡

All > Label >= Admission

Tables		Label	Name	Extends table	Extensible	Updated
<input type="checkbox"/>	Search	admission	u_admission	salesforce	false	2025-10-27 22:49:19
<input type="checkbox"/>	Search	Admission1	u_admission1	salesforce1	false	2025-10-28 08:52:15
<input type="checkbox"/>	Search	Adobe Software License	ast_license_adobe	Software License	false	2025-08-21 23:07:48
<input type="checkbox"/>	Search	Advanced Portal Navigation	sn_ex_sp_portal_extensible_navigation	Application File	false	2025-08-21 23:53:36
<input type="checkbox"/>	Search	Advanced Queue Endpoint	cmdb_ci_endpoint_ag	Endpoint	false	2025-08-21 22:55:10
<input type="checkbox"/>	Search	Advanced Queue Queue	cmdb_ci_appl_ora_queue	Application	false	2025-08-21 22:50:12
<input type="checkbox"/>	Search	Advanced Solution Setting	ml_advanced_solution_settings	Application File	false	2025-08-21 22:39:30
<input type="checkbox"/>	Search	Affected Cls	cmdb_outage_ci_mtom	(empty)	false	2025-08-21 22:47:07
<input type="checkbox"/>	Search	Agent Assist Recommendation	agent_assist_recommendation	Application File	false	2025-08-21 23:27:32
<input type="checkbox"/>	Search	Aggregate data for tablestats definition	ua_defn_agg_data	(empty)	false	2025-08-21 22:38:30
<input type="checkbox"/>	Search	Aggregation Value	pa_rw_aggregate	(empty)	false	2025-08-21 23:16:24
<input type="checkbox"/>	Search	Agility Endpoint	cmdb_ci_endpoint_agility	Endpoint	false	2025-08-21 22:46:12
<input type="checkbox"/>	Search	Agility Process	cmdb_ci_agility_process	Application	false	2025-08-21 22:45:32
<input type="checkbox"/>	Search	Agreement	sla	(empty)	true	2025-08-21 22:55:59
<input type="checkbox"/>	Search	Agreement Requests	sla_request	(empty)	false	2025-08-21 22:56:01

Actions on selected rows... New

servicenow All Favorites History Workspaces : Table - Student Progress1

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label	Student Progress1	Application	Global
* Name	u_student_progress1	(i)	
Extends table	salesforce1	(i)	

Columns Controls Application Access

Table Columns for text Search 1 to 20 of 27 New

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Column label	String	(empty)	40		false
Mother cell	String	(empty)	40		false
Updated	Date/Time	(empty)	40		false
Class	System Class Name	(empty)	80	javascript:current.getTableName();	false
Sys ID	Sys ID (GUID)	(empty)	32		false
Created by	String	(empty)	40		false
Grade	String	(empty)	40		false
Admin Date	String	(empty)	40		false

servicenow All Favorites History Workspaces : Table - Student Progress1

Table Student Progress1

Grade	String	(empty)	40	false
Admin Date	String	(empty)	40	false
Mother name	String	(empty)	40	false
Admin Number	String	(empty)	40	javascript:getNextObjNumberPadded();
Student Name	String	(empty)	40	false
Created	Date/Time	(empty)	40	false
Father name	String	(empty)	40	false
Father cell	String	(empty)	40	false
Updated by	String	(empty)	40	false
Updates	Integer	(empty)	40	false
Hindi	String	(empty)	40	false
Science	String	(empty)	40	false
Percentage	String	(empty)	40	false
Admission Number	String	(empty)	40	false

Insert a new row... Delete Update Delete All Records

servicenow All Favorites History Workspaces Admin Tables

All > Label starts with Student progress

Label	Name	Extends table	Extensible	Updated
Student progress	Search	Search	Search	Search
student progress	u_student_progress	salesforce	false	2025-10-27 22:54:41
Student Progress1	u_student_progress1	salesforce1	false	2025-10-28 09:03:13

servicenow All Favorites History Workspaces ⋮ Table - Student Progress1 ★

Table Student Progress1
Insert a new row...

Delete Update Delete All Records

Related Links

- Form Builder
- Design Form
- Layout Form**
- Layout List
- Show Form
- Show List
- Show Schema Map
- Add to Service Catalog
- Run Point Scan
- Explore REST API

Access Controls (4) Labels (1) Database Indexes (2) Table Subscription Configuration (1)

servicenow All Favorites History Workspaces Admin ServiceNow ★

Configuring Table form

Available

- Admin Date
- Admin Number
- Class
- Column label
- Created
- Created by
- English
- Father cell
- Father name
- Grade
- Hindi
- Maths
- Mother cell
- Mother name
- Percentage
- Result
- Science

Selected

- Admission Number

< > ^ v Cancel Save

Form view and section

View name: Default view

Section: Student Progress1

Create new field

Name: [] Type: String Field length: Small (40)

Add

servicenow All Favorites History Workspaces Admin Tables ★

Tables Updated Search Actions on selected rows... New

All > Label starts with salesforce

Label	Name	Extends table	Extensible	Updated
salesforce	Search	Search	Search	2025-10-27 23:35:45
salesforce	u_salesforce	(empty)	true	2025-10-28 09:24:37
salesforce1	u_salesforce1	(empty)	true	2025-10-28 09:24:37

Servicenow All Favorites History Workspaces Admin Table - salesforce1

Table salesforce1

A table is a collection of records in the database. Each record corresponds to a row in a table, and...

* Label: salesforce1
* Name: u_salesforce1

Save Analyze Access Show File Properties Move to Application... Show Latest Update Create Child Table Show Dictionary Record

Configure > Export View >

Create Favorite Copy URL Copy sys_id Show XML History Reload form

Form Builder Form Design Form Layout Related Lists

All Table Security Rules Business Rules Client Scripts UI Policies Data Policies UI Actions Notifications Dictionary

	Default value	Display
	script:current.getTableName();	false
32		false
40		false
40		false
40		false

1 to 16 of 16 New

https://dev289533.service-now.com/\$ng_fd.do?sysparm_attributes=startTable:"sys_db_object"%2CstartView:"Default%20view"

Table [sys_db_object] Default view

Form Design

Fields

- sales
- salesforce [u_salesforce]
- salesforce1 [u_salesforce1]**

Annotation

Label

Name

Extends table

Columns

Table Columns Formatter (Formatter)

Controls

Extensible

Live feed

Annotation

salesforce1 [u_salesforce1] Default view

Form Design

Fields Field Types

Filter

Fields

- Class
- Column label
- Created
- Created by
- Updated
- Updated by
- Updates

Formatters

- Activities (filtered)
- Contextual Search Results
- Ratings

salesforce1 [u_salesforce1]

Admin Number	Father name
Admin Date	Mother name
Grade	Father cell
Student Name	Mother cell

Servicenow All Favorites History Workspaces Admin Tables Updated Search Actions on selected rows... New

All > Label starts with admission

Label	Name	Extends table	Extensible	Updated
admission	Search	Search	Search	Search
admission	u_admission	salesforce	false	2025-10-27 22:49:19
Admission1	u_admission1	salesforce1	false	2025-10-28 08:52:15

Servicenow All Favorites History Workspaces Admin Table - Admission1 Search

Table Admission1

A table is a collection of records in the database. Each record corresponds to a row in a table.

* Label	Admission1
* Name	u_admission1
Extends table	salesforce1

Dictionary Entries

Column label	Type	Reference
Mandal	String	(empty)
House No	String	(empty)
Sys ID	Sys ID (GUID)	(empty)
Area	String	(empty)
Fee	String	(empty)
School Area	String	(empty)

More Info

Application Global

Configure >

- Save
- Analyze Access
- Show File Properties
- Move to Application...
- Show Latest Update
- Show Dictionary Record
- Configure >
- Export
- View
- Create Favorite
- Copy URL
- Copy sys_id
- Show XML
- History
- Reload form

Form Builder

Form Design

Form Layout

Related Lists

All

Table

Security Rules

Business Rules

Client Scripts

UI Policies

Data Policies

UI Actions

Notifications

Dictionary

Default value

Display

1 to 20 of 30

New

https://dev289533.service-now.com/\$ng_fd.do?sysparm_attributes=startTable:"sys_db_object"%2CstartView:"Default%20view"

Form Design

Table [sys_db_object]

Fields

- Auto number
- Class
- Created
- Created by
- Display name
- Extension model
- Package
- Protection policy
- Remote Table
- Sys class code
- Sys class path
- Update name

Annotation

Label

Name

Show in Menu (Formatter)

Extends table

Columns

Table Columns Formatter (Formatter)

Controls

Extensible

Live feed

Form Design

Admission1 [u_admission1] Default view

Fields

- Filter
- Fields
 - Admin Number
 - Class
 - Column label
 - Created
 - Created by
 - Updated
 - Updated by
 - Updates
- Formatters
 - Activities (filtered)
 - Contextual Search Results
 - Process Flow
 - Ratings

Admission1 [u_admission1]

Admission Number	Admin Date
Purpose of join	Grade
Student Name	Fee
Father name	Father cell
Mother name	Mother cell
Admin Status	

Comments

School Details

School Area	School
-------------	--------

Address

Pincode	Area
Mandal	City
House No	District

servicenow All Favorites History Workspaces Admin Tables **Tables** Search Actions on selected rows... New

All > Label starts with student progress

Label	Name	Extends table	Extensible	Updated
student progress	Search	Search	Search	Search
student progress	u_student_progress	salesforce	false	2025-10-27 22:54:41
Student Progress1	u_student_progress1	salesforce1	false	2025-10-28 09:03:13

servicenow All Favorites History Workspaces Table - Student Progress1 Search Delete Update Delete All Records New

Table Student Progress1

A table is a collection of records in the database. Each record corresponds to a row in the table.

Label	Name	Extends table
* Label	Student Progress1	
* Name	u_student_progress1	
Extends table	salesforce1	

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Column label	Type	Reference	Length	Default value	Display
Column label	String	(empty)	40		false
Mother cell	String	(empty)	40		false
Updated	Date/Time	(empty)	40		false
Class	System Class Name	(empty)	80	javascript:current.getTableName();	false
Sys ID	Sys ID (GUID)	(empty)	32		false
Created by	String	(empty)	40		false
Grade	String	(empty)	40		false
Admin Date	String	(empty)	40		false

Save Analyze Access Show File Properties Move to Application... Show Latest Update Show Dictionary Record Configure Export View Create Favorite Copy URL Copy sys_id Show XML History Reload form

Form Design

Application Global

Strategic Priority [sn_gf_strategy] Default view Form Design

Student Progress1 [u_stud] Default view Form Design

servicenow All Favorites History Workspaces Admin Tables Search Actions on selected rows... New

Name	Extends table	Extensible	Updated
v_user_session	(empty)	false	2007-07-13 16:15:23
v_plugin	(empty)	false	2007-10-09 12:10:05
v_transaction	(empty)	false	2008-05-23 17:30:17
v_logfiles	(empty)	false	2009-05-14 17:05:41
v_customer_uploads	(empty)	false	2009-05-14 18:38:13
v_mysql_proclist	(empty)	false	2012-02-25 19:47:02
v_mysql_status	(empty)	false	2012-02-25 19:47:08
v_mysql_variables	(empty)	false	2012-02-25 19:47:12
v_iostats	(empty)	false	2012-02-27 17:13:51
v_cluster_nodes	(empty)	false	2012-02-27 23:48:26
v_sql_debug	(empty)	false	2012-02-28 16:40:55
v_wf_validation_report	(empty)	false	2012-10-01 10:43:05
cmdb_ci_hyper_v_rpool_comp	Hyper-V Object	false	2012-10-30 08:07:25
sys_app_application	Application File	false	2012-10-30 13:59:18
sys_app_category	Application File	false	2012-10-30 13:59:44
v_scriptable_object	(empty)	false	2012-11-09 15:15:23

The sidebar on the left shows a search bar for 'Number' and a favorites section with 'No Results'. Below that is a 'ALL RESULTS' section containing links to 'System Definition', 'Number Maintenance', 'Customer Uploads', 'MySQL Process List', 'MySQL Status', 'MySQL Variables', 'IOStats', 'Cluster Nodes', 'SQL Debug', 'Workflow Validation Report', 'Hyper-V Resource Pool Component', 'Application Menu', 'Menu Category', and 'Scriptable Object'.

servicenow All Favorites History Workspaces Admin Number - New Record

* Table salesforce1
Prefix SAL

* Number 1,000

Application Global

Number of digits 7

Submit

Related Links
Show Counter

servicenow All Favorites History Workspaces Admin Numbers

process flo

Number	Number of digits	Table	Updated
0	7	Email Watermark	2008-12-04 17:48:49
0	7	MID Deployment Request	2021-09-13 08:41:40
0	8	Scan Result	2019-07-12 15:26:02
0	7	MID Server Profile	2021-09-14 17:37:21
0	7	Guided Tour	2019-08-12 02:58:31
0	9	Indicator	2016-07-25 05:14:42
0	7	MID K8s Deployment Request	2021-09-20 01:09:58
0	0	Text Index	2011-10-12 12:17:02
0	9	Breakdown	2016-07-26 04:14:35
0	5	MID Server	2021-09-22 15:32:12
0	7	SLA Repair Log	2015-02-24 07:31:34
1	8	A/B Testing Evaluation Execution	2023-02-02 13:19:26
1	Template		2005-09-16 14:12:42
1	7	Interaction	2018-01-23 22:52:22
1	7	A/B Testing Evaluation	2022-02-02 13:26:42

servicenow All Favorites History Workspaces Admin Flow Formatters

Flow Formatters Order Search

Name	Active	Condition	Description	Label	Order	Table
Cancelled	true			Cancelled		admission [u_admission]
Joined	true			Joined		admission [u_admission]
Closed	true			Closed		admission [u_admission]
Rejoined	true			Rejoined		admission [u_admission]
In Progress	true	u_admin_statusSTARTSWITH^EQ		In Progress		Admission1 [u_admission1]
Rejected	true			Rejected		admission [u_admission]
new	true			new		admission [u_admission]
In progress	true			In progress		admission [u_admission]
New	true	u_admin_statusSTARTSWITH^EQ		New		Admission1 [u_admission1]

Servicenow All Favorites History Workspaces : Flow Formatter - New Record ★

Flow Formatter New record

* Table: Admission1 [u_admission1]

* Name: New

Application: Global

* Label: New

Order: 1


Active:

Condition: Add Filter Condition | Add "OR" Clause

Admin Status: starts with AND OR X

Description:

B I U Verdana 8pt A



Save
Configure >
Export >
Create Favorite
Copy URL
Copy sys_id
Reload form

Search

Submit

The screenshot shows the ServiceNow interface for creating a new flow. The top navigation bar includes 'servicenow', 'All', 'Favorites', 'History', 'Workspaces', and 'Admin'. The title bar says 'Flow Formatter - New' with a star icon. A search bar with a dropdown arrow is on the right. Below the title, there's a breadcrumb 'Flow Formatter New' and a toolbar with 'Update' and 'Delete' buttons. The main area contains a table with fields: 'Table' (Admission1[u_admission1]), 'Name' (Inprogress), 'Application' (Global), 'Label' (Inprogress), 'Order' (empty), and 'Active' (checked). Below the table are 'Condition' buttons ('Add Filter Condition', 'Add "OR" Clause') and a dropdown for 'Admin Status' with the option 'starts with'. A context menu is open over the first table row, listing options: Save, Insert, Insert and Stay, Analyze Access, Show File Properties, Move to Application..., Show Latest Update, Configure, Export, View, Create Favorite, Copy URL, Copy sys_id, Show XML, History, and Reload form. To the right of the table, there's a large empty box with a dropdown arrow, a blue info icon, and a '2' indicating two items. At the bottom, there's a rich text editor toolbar and a logic builder section with 'AND', 'OR', and 'X' buttons.

Flow Formatters		Search			
Flow Formatters		Order		Actions on selected rows...	
Name		Active	Condition	Description	Label
		Search	Search	Search	Search
Cancelled	true			Cancelled	admission [u_admission]
Joined	true			Joined	admission [u_admission]
Closed	true			Closed	admission [u_admission]
Rejoined	true			Rejoined	admission [u_admission]
In Progress	true	u_admin_statusSTARTSWITH^EQ		In Progress	Admission1 [u_admission1]
Rejected	true			Rejected	admission [u_admission]
new	true			new	admission [u_admission]

Servicenow All Favorites History Workspaces Admin Flow Formatters Search Actions on selected rows... New

Client script

FAVORITES
No Results

ALL RESULTS

	Condition	Description	Label	Order	Table
	Search	Search	Search	Search	Search
In Progress	true	u_admin_statusSTARTSWITH^EQ	Cancelled		admission [u_admission]
Rejected	true		Joined		admission [u_admission]
new	true		Closed		admission [u_admission]
In progress	true		Rejoined		admission [u_admission]
			In Progress		Admission1 [u_admission1]
			Rejected		admission [u_admission]
			new		admission [u_admission]
			In progress		admission [u_admission]

Servicenow All Favorites History Workspaces Admin Client Scripts Search Actions on selected rows... New

All > Class = Client Script

	Name	Active	Table	Application	View	Type	Updated
	Search	Search	Search	Search	Search	Search	Search
<input type="checkbox"/>	Maximum Duration Range Check	true	Transaction Quota Rule [sysrule_quota]	Global		onChange	2012-05-30 14:47:01
	Create default value	true	Response Template Channel [sn_templated_snip_channel]	Templated Snippets		onChange	2020-09-22 17:06:27
	Show overlap field based on data labels	true	Widgets [pa_widgets]	Global		onChange	2021-04-23 02:59:51
	Set protocol based on auth type	false	HTTP(s) Connection [http_connection]	Global		onChange	2017-06-02 15:49:24
	Populate chain and make it readonly	true	Finding Rule [promin_finding_def_rule]	Global		onLoad	2022-09-21 06:16:19
	Set default values for OIDC PKCE flow	true	OAuth OIDC Entity [oauth_oidc_entity]	Global		onChange	2020-02-28 00:59:58
			Additional Notification Recipients				2020-02-28 00:59:58

Servicenow All Favorites History Workspaces Client Script - Auto Populate Search Actions on selected rows... Update Delete

Client Script Auto Populate

Name: Auto Populate Application: Global

Table: Admission1 [u_admission1] Active:

UI Type: Mobile / Service Portal Inherited:

Type: onChange Global:

Field name: Admin Number

Description:

Messages:

Script:

```

1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     //Type appropriate comment here, and begin script below
7     var a = g_form.getReference('u_admission_number');
8
9     g_form.setValue('u_admin_date', a.u_admin_date);
10
11     g_form.setValue('u_grade', a.u_grade);
12
13     g_form.setValue('u_student_name', a.u_student_name);

```

servicenow All Favorites History Workspaces : Client Script - Pincode Update ☆

Client Script Pincode Update

Name	Pincode Update	Application	Global
Table	Admission1 [u_admission1]	Active	<input checked="" type="checkbox"/>
UI Type	Desktop	Inherited	<input type="checkbox"/>
Type	onChange	Global	<input checked="" type="checkbox"/>
Field name	Pincode		
Description			
Messages			

Script

```

1 function onchange(control, oldValue, newValue, isloading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5     var a = g_form.getValue('u_pincode');
6
7     if(a == '509358')
8     {
9
10        g_form.setValue('u_mandal', 'kadthal');
11
12        g_form.setValue('u_city', 'kadthal');
13    }

```

servicenow All Favorites History Workspaces : Client Script - Disable field ☆

Client Script Disable field

Name	Disable field	Application	Global
Table	student progress [u_student_progress]	Active	<input checked="" type="checkbox"/>
UI Type	All	Inherited	<input type="checkbox"/>
Type	onLoad	Global	<input checked="" type="checkbox"/>
Description			
Messages			

Script

```

1 function onLoad() {
2     //Type appropriate comment here, and begin script below
3     g_form.setDisabled('u_total',true);
4
5     g_form.setDisabled('u_percentage',true);
6
7     g_form.setDisabled('u_result',true);
8 }

```

Isolate script

servicenow All Favorites History Workspaces : Client Script - Total Update ☆

Client Script Total Update

Name	Total Update	Application	Global
Table	Student Progress1 [u_student_progress1]	Active	<input checked="" type="checkbox"/>
UI Type	All	Inherited	<input type="checkbox"/>
Type	onChange	Global	<input checked="" type="checkbox"/>
Field name	Social		
Description			
Messages			

Script

```

1 function onChange(control, oldValue, newValue, isloading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     //Type appropriate comment here, and begin script below
7     if (newValue){
8
9        var a = parseInt(g_form.getValue('u_telugu'));
10
11        var b = parseInt(g_form.getValue('u_hindi'));
12
13        var c = parseInt(g_form.getValue('u_english'));
14
15        var d = a+b+c;
16
17        g_form.setValue('u_total',d);
18
19    }

```

servicenow All Favorites History Workspaces Admin Client Script - Result  Search       

Client Script Result

Name	Result	Application	Global
Table	Student Progress1 [u_student_progress1]	Active	<input checked="" type="checkbox"/>
UI Type	All	Inherited	<input type="checkbox"/>
Type	onChange	Global	<input checked="" type="checkbox"/>
Field name	Percentage		
Description			
Messages			
Script	<pre> 1 function onChange(control, oldValue, newValue, isLoading, isTemplate) { 2 if (isLoading newValue === '') { 3 return; 4 } 5 6 //Type appropriate comment here, and begin script below 7 if(newValue) { 8 9 var a = parseInt(g_form.getValue('u_percentage')); // Convert the value to an integer for comparison 10 11 if(a >= 0 && a <= 59){ 12 g_form.setValue('u_result','Fail'); 13 </pre>		

servicenow All Favorites History Workspaces : Client Script - Percentage  Search       

Client Script Percentage

Name	Percentage	Application	Global
Table	Student Progress1 [u_student_progress1]	Active	<input checked="" type="checkbox"/>
UI Type	All	Inherited	<input type="checkbox"/>
Type	onChange	Global	<input checked="" type="checkbox"/>
Field name	Total		
Description			
Messages			
Script	<pre> 1 function onChange(control, oldValue, newValue, isLoading, isTemplate) { 2 3 if (isLoading newValue === '') { 4 return; 5 } 6 7 //Type appropriate comment here, and begin script below 8 9 var Total = g_form.getValue('u_total'); 10 11 12 </pre>		

servicenow All Favorites History Workspaces : Client Script - Percentage  Search       

Client Script Percentage

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name	Percentage	Application	Global
Table	Student Progress1 [u_student_progress1]	Active	<input checked="" type="checkbox"/>
UI Type	All	Inherited	<input type="checkbox"/>
Type	onChange	Global	<input checked="" type="checkbox"/>
Field name	Total		
Description			
Messages			
Script	<pre> 1 function onChange(control, oldValue, newValue, isLoading, isTemplate) { 2 3 if (isLoading newValue === '') { 4 return; 5 </pre>		

servicenow All Favorites History Workspaces Admin Client Scripts ⚡

Search Actions on selected rows... New

FAVORITES

- salesforce1
 - Admission1s
 - salesforce1s
 - Student Progress1s
-

ALL RESULTS

- salesforce
 - admission s
 - salesforces
 - student progress

Table	Application	View	Type	Updated	
Transaction Quota Rule [sysrule_quota]	Global	onChange	2012-05-30 14:47:01		
Response Template Channel [sn_templated_snip_channel]	Templated Snippets	onChange	2020-09-22 17:06:27		
Widgets [pa_widgets]	Global	onChange	2021-04-23 02:59:51		
HTTP(s) Connection [http_connection]	Global	onChange	2017-06-02 15:49:24		
Finding Rule [promin_finding_def_rule]	Global	onLoad	2022-09-21 06:16:19		
OAuth OIDC Entity [oauth_oidc_entity]	Global	onChange	2020-02-28 00:59:58		
Make notification read only	true	Additional Notification Recipients [sys_notification_recipient]	Global	onLoad	2021-02-05 22:42:13
SN - Make serial number mandatory	true	Asset [alm_asset]	Global	onChange	2021-06-30 22:50:28
Validate StatefulSet Name	true	MID K8s Deployment Request [mid_k8s_deployment]	Global	onChange	2022-10-09 23:18:07
Set Use current record if delete	true	Action item [sys_sg_write_back_action_item]	Global	onChange	2019-04-14 07:30:02

1 to 20 of 2,319

servicenow All Favorites History Workspaces : salesforce1 - Create SAL0001007

Admin Number	SAL0001001	Father name	<input type="text"/>
Admin Date	<input type="text"/>	Mother name	<input type="text"/>
Grade	<input type="text"/>	Father cell	<input type="text"/>
Student Name	<input type="text"/>	Mother cell	<input type="text"/>

servicenow All Favorites History Workspaces : Admission1 - Create SAL0001008

Admission Number	<input type="text"/>	Admin Date	<input type="text"/>
Purpose of join	<input type="text"/>	Grade	<input type="text"/>
Student Name	<input type="text"/>	Fee	<input type="text"/>
Father name	<input type="text"/>	Father cell	<input type="text"/>
Mother name	<input type="text"/>	Mother cell	<input type="text"/>
Comments	<input type="text"/>		

School Details **Address**

Pincode	<input type="text"/>	Area	<input type="text"/>
Mandal	<input type="text"/>	City	<input type="text"/>
House No	<input type="text"/>	District	<input type="text"/>

servicenow All Favorites History Workspaces : Student Progress1 - Create SAL0001010 ★

Search

< Student Progress1
New record

Admission Number

New Section Student Progress

Telugu	<input type="text"/>	Total	<input type="text"/>
Hindi	<input type="text"/>	Percentage	<input type="text"/>
English	<input type="text"/>	Result	<input type="text"/>
Maths	<input type="text"/>		
Science	<input type="text"/>		

Submit