Cucumber Report

14 Feb 2026, 4:01:03 pm

Start : Feb 14, 3:58:00.675 pm	End : Feb 14, 4:01:02.570 pm	Duration : 3 m 1.895 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0	PASSED - 32 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Login page functionalities test	4	4	0	0	1 m 14.108 s
2	Validate new vacancies addition to recruitment	1	1	0	0	1 m 14.528 s
3	Submit new claim	1	1	0	0	1 m 47.757 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page functionalities test	Validate Login page title	3	3	0	0	21.726 s
2	Login page functionalities test	Validate Login with valid credentials	6	6	0	0	24.285 s
3	Login page functionalities test	Validate Login with invalid credentials	5	5	0	0	52.331 s
4	Login page functionalities test	Validate logging into app by capturing username and password from loginpage	6	6	0	0	33.853 s
5	Validate new vacancies addition to recruitment	Validate whether user able to add vacancies in recruitment module	5	5	0	0	1 m 14.524 s
6	Submit new claim	Validate user able to submit the claim	7	7	0	0	1 m 47.757 s

(F)- Login page functionalities test

PASSED	DURATION - 1 m 14.108 s	Scenarios		Steps	
/ 3:58:00.675 pm // 3:59:14.783 pm /		Total - 4 Pass - 4 Fail - 0 Skip - 0		Total - 20 Pass - 20 Fail - 0 Skip - 0	

(S)- Validate Login page title

PASSED	DURATION - 21.726 s		Steps
/ 3:58:00.679 pm // 3:58:22.405 pm /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Login page functionalities test			
@Smoke @TS001 @Loginpagetest_TC001 @Loginpagetest @Regression @Sample			

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	11.563 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	Validate_Login_page_title		
	+		
2	When - When User gets the title of the page	PASSED	0.014 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	Validate_Login_page_title		

#	Step / Hook Details	Status	Duration
	+		
3	Then - Then Page title should be "OrangeHRM"	PASSED	3.005 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	Validate_Login_page_title		
	 +		

(S)- Validate Login with valid credentials

PASSED	DURATION - 24.285 s
/ 3:58:00.686 pm // 3:58:24.971 pm /	
Login page functionalities test	
@Smoke @TS001 @Loginpagetest_TC002 @Loginpagetest @Regression	



Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	8.624 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	Validate_Login_with_valid_credentials		
	+		

#	Step / Hook Details	Status	Duration
2	When - When User enters the Username as "Admin"	PASSED	2.139 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	Validate_Login_with_valid_credentials		
	 +		
3	And - And User enters password as "admin123"	PASSED	1.191 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	Validate_Login_with_valid_credentials		
	 +		
4	And - And User clicks on Login button	PASSED	0.186 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	1.799 s
	Validate_Login_with_valid_credentials		
	+		
5	And - And User gets the title of the page	PASSED	0.023 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	Validate_Login_with_valid_credentials		

#	Step / Hook Details	Status	Duration
	+		
6	Then - Then Page title should be "OrangeHRM"	PASSED	3.015 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	Validate_Login_with_valid_credentials		
	 +		

(S)- Validate Login with invalid credentials

PASSED	DURATION - 52.331 s
/ 3:58:22.452 pm // 3:59:14.783 pm /	
Login page functionalities test	
@Smoke @TS001 @Loginpagetest @Loginpagetest_TC003 @Regression	



Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	39.743 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	Validate_Login_with_invalid_credentials		
	+		

#	Step / Hook Details	Status	Duration
2	When - When User enters the Username as "Admin"	PASSED	3.805 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	Validate_Login_with_invalid_credentials		
	 +		
3	And - And User enters password as "admin456"	PASSED	1.139 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	Validate_Login_with_invalid_credentials		
	 +		
4	And - And User clicks on Login button	PASSED	1.862 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	Validate_Login_with_invalid_credentials		
	+		
5	Then - Then Login Page validation should contain "Invalid credentials"	PASSED	0.023 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	Validate_Login_with_invalid_credentials		

#	Step / Hook Details	Status	Duration
	+		

(S)- Validate logging into app by capturing username and password from loginpage

PASSED	DURATION - 33.853 s
/ 3:58:25.012 pm // 3:58:58.865 pm /	
Login page functionalities test	
@Smoke @TS001 @Loginpagetest_TC004 @Loginpagetest @Regression	



Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given - Given User is on login page	PASSED	15.400 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		
	+		
2	When - When I capture username and password	PASSED	3.153 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		
	+ 		

#	Step / Hook Details	Status	Duration
3	And - And I enter same username and password	PASSED	3.295 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.071 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		
	 +		
4	And - And User clicks on Login button	PASSED	3.061 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		
	+		
5	And - And User gets the title of the page	PASSED	0.014 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		
	+		
6	Then - Then Page title should be "OrangeHRM"	PASSED	3.011 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	Validate_logging_into_app_by_capturing_username_and_password_from_loginpage		

#	Step / Hook Details	Status	Duration
	 +		

(F)- Validate new vacancies addition to recruitment

PASSED	DURATION - 1 m 14.528 s	Scenarios		Steps	
/ 3:58:58.894 pm // 4:00:13.422 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 5 Pass - 5 Fail - 0 Skip - 0	

(S)- Validate whether user able to add vacancies in recruitment module

PASSED	DURATION - 1 m 14.524 s		Steps
/ 3:58:58.898 pm // 4:00:13.422 pm /			Total - 5 Pass - 5 Fail - 0 Skip - 0
Validate new vacancies addition to recruitment			
@Smoke @TS004_TC001 @Recruitmentpagetest @TS004			

#	Step / Hook Details	Status	Duration
1	Given - Given I launch url & have to login to system with valid credentials Username: Admin; Password: admin123	PASSED	17.020 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario) Validate_whether_user_able_to_add_vacancies_in_recruitment_module	PASSED	0.127 s

#	Step / Hook Details	Status	Duration
	 +		
2	Given - Given I navigate to "Recruitment" module	PASSED	0.088 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	Validate_whether_user_able_to_add_vacancies_in_recruitment_module		
	 +		
3	When - When I click on vacancies	PASSED	10.057 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	Validate_whether_user_able_to_add_vacancies_in_recruitment_module		
	 +		
4	And - And I click on Add	PASSED	10.014 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	Validate_whether_user_able_to_add_vacancies_in_recruitment_module		
	 +		
5	And - And add required details from "Addvacancies" & 0	PASSED	31.100 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s

#	Step / Hook Details	Status	Duration
	Validate_whether_user_able_to_add_vacancies_in_recruitment_module		
	 +		

(F)- Submit new claim

PASSED	DURATION - 1 m 47.757 s	Scenarios		Steps	
/ 3:59:14.813 pm // 4:01:02.570 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 7 Pass - 7 Fail - 0 Skip - 0	

(S)- Validate user able to submit the claim

PASSED	DURATION - 1 m 47.757 s		Steps	
/ 3:59:14.813 pm // 4:01:02.570 pm /			Total - 7 Pass - 7 Fail - 0 Skip - 0	
Submit new claim				
@Smoke @TS006_TC001 @Regression @TS006				

#	Step / Hook Details	Status	Duration
1	Given - Given I launch url & have to login to system with valid credentials Username: Admin; Password: admin123	PASSED	15.095 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario) Validate_user_able_to_submit_the_claim	PASSED	0.094 s

#	Step / Hook Details	Status	Duration
	 +		
2	Given - Given I navigate to "Claim" module	PASSED	0.106 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	Validate_user_able_to_submit_the_claim		
	 +		
3	When - When I click on "Submit Claim"	PASSED	10.048 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	Validate_user_able_to_submit_the_claim		
	 +		
4	And - And I create claim request from "SubmitClaims" & 0	PASSED	34.226 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	Validate_user_able_to_submit_the_claim		
	 +		
5	And - And Add expense details from "SubmitClaims" & 0	PASSED	32.182 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.082 s

#	Step / Hook Details	Status	Duration
	Validate_user_able_to_submit_the_claim		
	 +		
6	Then - Then validate the expense details & consolidate expense amount from "SubmitClaims" & 0	PASSED	0.000 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	Validate_user_able_to_submit_the_claim		
	 +		
7	And - And click on submit	PASSED	10.027 s
	AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	Validate_user_able_to_submit_the_claim		
	 +		

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login page title
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login page title
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)

(S) Validate Login page title

(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)

(S) Validate Login with valid credentials

(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with valid credentials

(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with valid credentials

(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login with valid credentials
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login with valid credentials
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with valid credentials

(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with invalid credentials

(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with invalid credentials

(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate Login with invalid credentials

(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login with invalid credentials
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks.AppHooks.capturescreenshot(io.cucumber.java.Scenario)
(S) Validate Login with invalid credentials
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)
(S) Validate logging into app by capturing username and password from loginpage
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)
(S) Validate logging into app by capturing username and password from loginpage
(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)
(S) Validate logging into app by capturing username and password from loginpage
(F) Login page functionalities test



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)
(S) Validate logging into app by capturing username and password from loginpage
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)
(S) Validate logging into app by capturing username and password from loginpage
(F) Login page functionalities test

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate logging into app by capturing username and password from loginpage	
(F) Login page functionalities test	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate whether user able to add vacancies in recruitment module

(F) Validate new vacancies addition to recruitment



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate whether user able to add vacancies in recruitment module

(F) Validate new vacancies addition to recruitment



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate whether user able to add vacancies in recruitment module

(F) Validate new vacancies addition to recruitment



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate whether user able to add vacancies in recruitment module

(F) Validate new vacancies addition to recruitment



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate whether user able to add vacancies in recruitment module

(F) Validate new vacancies addition to recruitment



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)

(S) Validate user able to submit the claim

(F) Submit new claim



(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	

(Step) AFTER_STEP - eComm.Hooks. AppHooks.capturescreenshot(io. cucumber.java.Scenario)	
(S) Validate user able to submit the claim	
(F) Submit new claim	