

This is my first L^AT_EX document

Aparajita Dutta

November 5, 2019

Contents

1	Lists	2
2	equations	2
2.1	Inline equations	2
2.2	Array of equations	3
3	Brackets	3
4	Table	3
5	Graphics	3
6	Macros	4

1 Lists

Tools for making sketches:

- Pen
- Pencil
 - Graphite
 - * 4B
 - * 8B
 - Charcoal
 - Pastel

- Paper

1. Pen
2. Pencil
 - (a) Graphite
 - i. 4B
 - ii. 8B
 - (b) Charcoal
 - (c) Pastel
3. Paper

2 equations

2.1 Inline equations

The function is: $f(x) = x + 1$

The second function is:

$$f(y) = y + 2$$

The third function is:

$$f(y) = y - 5 \tag{1}$$

Superscript and subscript: $f_x = x^{y-1}$

Fraction: $x = \frac{3}{4}$

Area of a circle: πr^2

Volume of a sphere: $(\frac{4}{3})\pi r^3$

2.2 Array of equations

Array of equation:

$$f(x) = x + 1 \tag{2}$$

$$f(y) = y + 1 \tag{3}$$

3 Brackets

I have $\frac{2}{3}$ of a litre.

$$a = \left\{ \frac{b}{c} + c \right\} + d$$

4 Table

x	1	2
$f(x)$	3	4

5 Graphics



6 Macros

first use of EINSTEIN equation [1] is: $E = mc^2$

another use of Einstein equation [1] is: $E = mc^2$

another use of Einstein equation is: $E = mc^2$

another use of Einstein equation is: $E = mc^2$

another use of Einstein equation is:

$$E = mc^2$$

another use of Einstein equation is: $E = mc^2$

another use of Einstein equation is: $E = mc^2$

References

- [1] Aparajita Dutta, Tushar Dubey, Kusum Kumari Singh, and Ashish Anand. Splicevec: distributed feature representations for splice junction prediction. *Computational biology and chemistry*, 74:434–441, 2018.