

Bharat Badgujar

Linux module 2

Assignment 10

1.

Install BIND9 DNS server on your Linux machine and verify the installation by checking the version with the `named -v` command.

Ans :

Install BIND9

`sudo apt update`

`sudo apt install bind9 bind9utils -y`

`named -v`

2.

Configure a basic DNS zone file in `/etc/bind/` for a custom domain like `myzomatoclone.local`, mapping it to `127.0.0.1`, and restart the DNS service to apply changes.

Hint: Edit `named.conf.local` and create a new zone file using `db.local` as a template.

Ans :

Configure DNS Zone

Edit:

`sudo nano /etc/bind/named.conf.local`

Add:

```
zone "myzomatoclone.local" {  
    type master;  
    file "/etc/bind/db.myzomatoclone.local";  
};
```

Create the zone file:

`sudo cp /etc/bind/db.local /etc/bind/db.myzomatoclone.local`

`sudo nano /etc/bind/db.myzomatoclone.local`

Add:

@ IN A 127.0.0.1

Restart BIND:

```
sudo systemctl restart bind9
```

3.

Set your system's DNS resolver to use your local BIND9 server and test domain resolution for myzomatoclone.local using the dig or nslookup command.

Ans : **Test DNS**

Use local DNS:

```
dig @127.0.0.1 myzomatoclone.local
```

or

```
nslookup myzomatoclone.local 127.0.0.1
```

4.

Add a CNAME record in your zone file to create an alias foodsearch.myzomatoclone.local that points to myzomatoclone.local, then verify the alias works with dig.

Ans : **Add CNAME Record**

In the zone file, add:

```
foodsearch IN CNAME myzomatoclone.local.
```

Restart BIND:

```
sudo systemctl restart bind9
```

Verify:

```
dig @127.0.0.1 foodsearch.myzomatoclone.local
```

5.

Find and fix the error in this zone file snippet: 'myzomatoclone.local. IN A 127.0.0.1 foodsearch IN CNAME myzomatoclone.local.' — the CNAME is not resolving as expected.

Hint: Check the syntax and placement of the CNAME record.

Ans :

Incorrect:

myzomatoclone.local. IN A 127.0.0.1

foodsearch IN CNAME myzomatoclone.local.

Correct:

@ IN A 127.0.0.1

foodsearch IN CNAME myzomatoclone.local.