



CONSENT ORDER FOR ESTABLISHMENT AND OPERATION

Order No. 170 /APPCB/CFE/RO-VSP/HO/2014

Dt. 22.12.2017

Sub: APPCB – CFE - **M/s. Granules India Ltd., Unit – IV, (formerly M/s. Auctus Pharma Ltd.,) Plot No.8, JNPC, Parawada, Visakhapatnam** – Consent for Establishment and Consent for Operation of the Board **for Change of Product Mix** under Sec. 25 / 26 of Water (P & C of P) Act, 1974 and Under Sec. 21 of Air (P&C of P) Act, 1981 - Issued - Reg.

Ref: 1) CFE expansion order dt. 12.04.2016.
2) Industry's application received through A.P. OCMMS on 04.12.2017 and Ir. dt. 18.12.2017.
3) R.O's inspection report dt. 07.12.2017.
4) CFE Committee meeting held on 18.12.2017.

1. In the reference 2nd cited, an application was submitted to the Board seeking Consent for Establishment (CFE) and Consent for Operation (CFO) for **Change of Product Mix** within the existing premises to produce the products with installed capacities as mentioned below, without additional investment.

As per CFE order dt. 12.04.2016:

S.No	Name of the Product	Capacity kg/day
1	Abacavir Sulfate	400
2	Atazanavir Sulfate	100
3	Azilsartan Medoxomil	100
4	Cetirizine Dihydrochloride	200
5	5-(4-Amino-2-oxo-2H-Pyrimidinyl-(1,3) Oxathiolane-2-carboxylic acid-2-Isopropyl-5-methyl cyclo hexyl Ester(CHE)	200
6	Citicoline Sodium	100
7	Clopidogrel Bisulfate	150
8	Dabigatran	100
9	Daclatasvir Dihydrochloride	100
10	Darunavir	25
11	Dimethyl Fumarate	100
12	Dolutegravir Sodium	100
13	Doxylamine Succinate	100
14	Elbasvir	100
15	4-Amino-5-fluoro-1-(2 hydroxymethyl-(1,3) oxathiolan-5-yl)-1H-Pyrimidin-2-one HCl(EMP Intermediate)	300
16	Esomeprazole Magnesium Dihydrate	100
17	Emitricitabine	200
18	Etoricoxib	100
19	(2R,5S)-5-(4-Amino-5-Fluoro-2-Oxo-2H-Pyrimidin -1-yl)-(1,3)-Oxathiolane-2-Carboxylic Acid,2S-Isopropyl-5R-Methyl-1R-Cyclohexyl Ester(FCE)	300
20	Fexofenadine Hydrochloride	200
21	Fluconazole	150
22	Grazoprevir Potassium	100
23	Guaifenesin	500
24	(1R,2S,5R)-Menthyl-5R-Hydroxy-1,3-Oxathiolane-2R-Carboxylate(HME)	200

25	Ledipasvir	5
26	Levo Cetirizine di-Hydrochloride	200
27	Linagliptan	50
28	Lopinavir	100
29	Losartam Potassium	450
30	Metformin HCl	10000
31	Methocarbamol	500
32	Montelukast Sodium	50
33	Moxifloxacin HCl	100
34	Nadifloxacin	10
35	Nitrofurantoin Monohydrate	160
36	Olmesartan	50
37	Omeprazole Mg	100
38	Pantoprazole sodium	200
39	Pregabalin	200
40	Racecadotril	70
41	Raltegravir Potassium	100
42	Rifaximin	200
43	Ritonavir	50
44	Simeprevir	100
45	Sitagliptin Phosphate	50
46	Sofosbuvir	200
47	Telmisartan	100
48	Teneligliptin Hydrobromide hydrate	200
49	Tenofovir	150
50	Ticagrelor	25
51	Valsartan	200
52	Vildagliptin	100
53	Zidovudine	200
	Total - Worst Case 7 Products	12450

The industry permitted to manufacture any 7 products at any point of time with a maximum production capacity of 12450 Kg/day

After expansion:

S. No	Name of the Product	Capacity Kg/day	No. of Stages	Name of the Starting Raw Material	Qty. (Kg/day)
1	Abacavir Sulfate	400	2	N-(2-Amino-4,6-dichloro pyrimidin-5-yl)formamide	255.3
2	Atazanavir Sulfate	100	1	L-tert-Leucine	46.6
3	Azathioprine	100	2	5-chloromethylimidazo nitrate	89.6
4	Azithromycin	100	1	Azithromycin Amine	127.66
5	Bosentan	50	3	2-Cyanopyrimidine	21
6	Brinzolamide	100	1	4(S)-4-hydroxy-6- sulfonamide dioxide	130.5
7	Capecitabine	100	3	4-Amino-1-(3,4-dihydroxy-5-methyl-tetrahydro-furan-2-yl)-5-fluoro-1H-pyrimidin-2-one	68.2
8	Cetirizine Dihydrochloride	200	4	Para chloro benzophenone	102.4
9	Clopidogral Bisulfate	150	2	Methyl(+)-alpha-amino(2-chlorophenyl) acetate tartaric acid salt	131.1
10	Dabigatran	100	2	3-[(1-Methyl-2-[[4-(5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl)-phenylamino]-methyl)-1H benzoimidazole-5-carbonyl]-pyridin-2-yl-amino]-propionic acid ethyl ester	97
11	Daclatasvir Dihydrochloride	100	2	(S)-tert-butyl 2-(5-(4'-(5-((R)-1-(tert-butoxycarbonyl)pyrrolidin-2-yl)-1H-imidazol-2-yl)biphenyl-	141

				4-yl)-1H-imidazol-2-yl)pyrrolidine-1-carboxylate	
12	Darunavir	100	2	(3aS,4S,6aR)-4-methoxy-terahydrofuro-[3,4-b]furan-2-(3H)one	34
13	Dimethyl Fumarate	100	2	Fumaric acid	89
14	Dolutegravir Sodium	100	4	Diethyl-3-(benzoyloxy)-1-(2,2-dimethoxyethyl-4-oxo-1,4-dihydropyridine-2,5-carboxylate	106.4
15	Doxylamine Succinate	100	3	2-Benzoyl pyridine	53.8
16	D-Pencilliamine	20	3	Carboxylic Acid Chloride	180
17	Duloxetine Hydrochloride	100	2	3-(methylamino)-1-(thiophen-2-yl)propan-1-ol	135
18	Elbasvir	100	2	KSM1	100
19	Emitricitabine	200	3	5-(4-amino-5-flouro-2-oxo-2H-pyrimidin-1-yl)-[1,3]oxathiolane-2-carboxylic acid-2-isopropyl-5-methyl cyclohexyl ester	261.9
20	EMP Intermediate (4-Amino-5-fluoro-1-(2 hydroxymethyl-(1,3) oxathiolan-5-yl)-1H-Pyrimidin-2-one HCl)	300	2	5-(4-Amino-5-fluoro-2-oxo-2H-pyrimidin-1-yl)-(1,3)oxathiolane-2-carboxylic acid-2-isopropyl-5-methyl cyclohexyl ester	387.8
21	Esomeprazole Magnesium Dihydrate	100	2	5-Methoxy-2-[[4-methoxy-3,5-dimethylpyridin-2-yl)methyl]thio]-1H-benzimidazole	113.1
22	Etoricoxib	100	2	Ketosulfone	87.8
23	FCE ((2R,5S)-5-(4-Amino-5-Fluoro-2-Oxo-2H-Pyrimidin-1-yl)-(1,3)-Oxathiolane-2-Carboxylic Acid,2S-Isopropyl-5R-Methyl-1R-Cyclohexyl Ester)	300	3	L(+) Menthol	136.4
24	Fexofenadine Hydrochloride	100	3	Chloro Compound	60.6
25	Fluconazole	150	5	1,3 Difloro benzene	66.6
26	Folic Acid	50	5	Para nitro benzoic acid	22
27	Gliclazide	150	2	4-methylbenzene sulfonamide	65.5
28	Grazoprevir Potassium	100	4	KSMI	78
29	Guaifenesin	500	1	Guiacol	368
30	HME ((1R,2S,5R)-Menthyl-5R-Hydroxy-1,3-Oxathiolane-2R-Carboxylate)	200	2	L(+)Menthol	118
31	Itraconazole	100	1	KSM-I ITZ-Pharma	63
32	Ledipasvir	5	3	(S)-tert-butyl 7-(5-(7-bromo-9,9-difluoro-9H-fluoren-2-yl)-1H-imidazol-2-yl)-5-azaspiro[2.4]heptane-5-carboxylate	4.1
33	Levo Cetrizine di-Hydrochloride	200	7	p-chloro benzo phenone	110.4
34	Lopinavir	100	1	2S-(1-Tetrahydro-pyrimid-2-	33.7

				onyl)-3-methylbutanoic acid	
35	Losartam Potassium	450	2	4'-methyl-2-cyanobiphenyl	225.4
36	MAC	195	3	Glyoxalic Acid	160
37	Metformin HCl	10000	1	Dimethylamine HCL	5860.4
38	Methocarbamol	500	1	Guaifenesin	442.6
39	Moxifloxacin HCl	100	2	8 Methoxy Quinolic Ester	84.5
40	Mycophenolate Mofetil	100	2	Mycophenolic acid	100
41	Olmesartan	50	3	5-(1-Hydroxy-1-methyl-ethyl)-2-propyl-3-[2'-(2-trityl-2H-tetrazol-5-yl)-biphenyl-4-ylmethyl]-3H-imidazole-4-carboxylic acid ethyl ester	72
42	Omeprazole Mg	100	3	Chloro Compound	77.1
43	Pantoprazole sodium	200	3	PNP - VII	119.8
44	Pirfenidone	75	1	Bromobenzene	131
45	Prulifloxacin Mesylate	100	2	6-fluoro-1-methyl-4-oxo-7-(piperazin-1-yl)-1,4-dihydro-[1,3]thiazeto[3,2-a]quinoline-3-carboxylic acid	130
46	Racecadotril	70	3	2-Benzylacrylic acid	38.5
47	Raltegravir Potassium	100	1	5-methyl-1, 3, 4-oxadiazole- 2-carbonyl Chloride	31.5
48	Rifaximin	200	2	Rifamycin-O	230
49	Ritonavir	50	2	KSMI	33.7
50	Sertraline Hydrochloride	100	2	Cis-(+/-)-Sertraline Hydrochloride	328
51	Silodosin	25	1	Benzyl Silodosin	41.6
52	Simeprevir	100	3	KSMI	92.2
53	Sitagliptin Phosphate	50	2	(3R)-3-(tetr-butoxycarbonyl amino)-4-(2,4,5-trifluoro phenyl) butanoic acid	38.9
54	Sofosbuvir	200	3	Phenyl Phosphate dichloride	85
55	Strontium Ranelate	100	3	Diethyl 1,3-acetonedicarboxylate	57
56	Teneligliptin Hydrobromide hydrate	200	1	(7R)-13-methyl-7-(9-(4,4,5,5,5-1-(3-methyl-1-phenyl-1H-pyrazol-5-yl) piperazine	78.9
57	Tenofovir	150	2	Adenine	33.2
58	Ticagrelor	25	3	4,6-Dichloro-2-(propylthio)pyrimidin-5-amine	15.5
59	Tizanidine	30	2	(N-(5-Chloro-2,1,3-Benzothiadiazol-4yl)	79.6
60	Trazodone Hydrochloride	105	5	1-(3-chlorophenyl)-4-(3-chloropropyl)piperazine Hydrochloride	70
61	Vigabatrin	100	1	5-Ethenyl-2-pyrrolidinone (GSL)	143.7
62	Zidovudine	200	1	5'-O-trityl-2, 3'-anhydro thymidine	374
63	Validation Products	200			
Total - Worst Case 7 Products		12450			

The industry shall manufacture any 7 products at any given point of time with a maximum production capacity of 12450 kg/day

- As per the application, the above activity is to be located within the existing industry premises located at Plot No.8, JNPC, Parawada, Visakhapatnam in an area of 6.0 acres.

3. The industry was inspected by the Environmental Engineer & Asst. Environmental Engineer-I, Regional Office, Visakhapatnam, A.P Pollution Control Board on 07.12.2017 and observed that the site is surrounded by

North : Road
South : M/s. Anus Laboratories Ltd.
East : Plot No:9 (M/s. Vijayasri Organics)
West : M/s. Vegesna Laboratories Pvt. Ltd.

4. The Board, after careful scrutiny of the application and verification report of the Regional Officer, hereby issues **CONSENT FOR ESTABLISHMENT AND CONSENT FOR OPERATION FOR CHANGE OF PRODUCT MIX** to your activity Under Section 25 / 26 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under. **This order is issued to manufacture the products as mentioned at para (1) only.**
5. This Consent Order now issued is subject to the conditions mentioned in the Annexure.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.
7. **This order is valid upto 31.01.2022 (i.e., validity of CFO order).**

Encl: Annexure.

B S S
Prasad
Digitally signed by
B S S Prasad
Date: 2017.12.26
12:54:06 +05'30'
MEMBER SECRETARY

To

M/s. Granules India Ltd., Unit – IV (CPM),
(Formerly M/s. Auctus Pharma Ltd.,)
Plot No.8, JNPC, Parawada,
Visakhapatnam
venkat.karmi@granulesindia.com

Copy to: 1. The JCEE, Z.O., Visakhapatnam for information and necessary action.
2. The E.E., R.O, Visakhapatnam for information and necessary action.

Annexure

1. The applicant shall provide separate energy meters for Effluent Treatment Plant (ETP) and Air pollution Control equipments to record energy consumed. An alternative electric power source sufficient to operate all pollution control systems shall be provided.
2. The industry shall construct separate storm water drains and provide rain water harvesting structures. No effluents shall be discharged in to the storm water drains.

Water:

1. The source of water is JNPC and the maximum permitted water consumption is as following:

S. No.	Purpose	Qty as per CFE (EXP) Order dt.12.04.2016 (KLD)	Qty after expansion (KLD)
1.	Industrial cooling, boiler feed.	110.00	120.00
2.	Domestic & gardening purposes.	10.50	18.00
3.	Processing, whereby water gets polluted and pollutants are easily bio- degradable.	----	----
4.	Processing, whereby water gets polluted and the pollutants are not easily bio-degradable.	52.90	58.80
	Total	173.40	196.80

Separate meters with necessary pipe-line shall be provided for assessing the quantity of water used for each of the purposes mentioned above.

2. The maximum waste water generation shall not exceed the following:

Sl. No.	Source	Qty as per CFE (EXP) Order dt.12.04.2016 KLD			Quantity after expansion KLD		
		HTDS	LTDS	Total	HTDS	LTDS	Total
a)	Process	27.77	2.03	29.80	27.95	15.80	43.75
b)	Washings	0.00	22.00	22.00	0.00	22.00	22.00
c)	Boiler blow down	0.00	5.00	5.00	0.00	5.00	5.00
d)	Cooling Tower blow down	0.00	15.00	15.00	0.00	20.00	20.00
e)	DM Plant regeneration	1.00	0.00	1.00	1.00	0.00	1.00
f)	Scrubber system	1.00	2.00	3.00	1.00	2.00	3.00
g)	Domestic	0.00	5.00	5.00	0.00	8.00	8.00
	Total	29.77	51.03	80.80	29.95	72.80	102.75

Treatment & disposal:

Source	Treatment	Mode of final disposal
HTDS	Pretreatment (Neutralization)	To M/s. Ramky Pharmacy for forced evaporation.
LTDS	Pretreatment (Neutralization)	To CETP of M/s. Ramky Pharmacy for further treatment and disposal
Domestic waste water	---	The overflow of the Septic tank shall be sent to the CETP for further treatment.

3. Effluents shall not be discharged on land or into any water bodies or aquifers under any circumstances.
4. The industry shall install online real time monitoring system along with web camera facilities as per the directions of CPCB. The industry shall connect them to APPCB / CPCB websites as per CPCB directions.
5. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. All pipe valves, sewers, drains shall be leak proof.

Air:

6. The Air pollution Control equipment shall be maintained properly to comply with the following for controlling air pollution after expansion:

Sl. No	Details	Stack 1	Stack 2	Stack 3	Stack 4
a)	Attached to	Coal fired Boiler	Coal fired Boiler	Thermic Fluid Heater	D.G sets
b)	Capacity	1 X 3.0 TPH	1 X 2.0 TPH	2.0 Lac K. Cal	1 X 380 KVA & 1 X 750 KVA
c)	Fuel	Coal – 24 TPD	Coal – 24 TPD	----	Diesel – 50 LPD
d)	Stack height	30 m	25 m	15 m	4.0 m & 5.0 m (above the roof)
e)	Control Equipment:	Cyclone separator with common bag filter	Cyclone separator with common bag filter	----	Acoustic enclosures

7. A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.
8. The industry shall provide multi-stage scrubbers to the process vents to control the process emissions. The industry shall provide online pH measuring facility with auto recording system to the scrubbers provided to treat the process emissions.
9. The industry shall provide VOC monitoring system with auto recording facility.
10. The industry shall implement adequate measures to control all fugitive emissions from the plant.
11. The proponent shall ensure compliance of the National Ambient Air quality standards notified by MoEF, GoI vide notification No. GSR. 826 (E), dated. 16.11.2009 during construction and regular operational phase of the project at the periphery.

The generator shall be installed in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during night time.
12. The proponent shall not use or generate odour causing substances or Mercaptans and cause odour nuisance in the surroundings.
13. The industry shall send the used / spent solvents to the recyclers (or) process them at their own solvent recovery facility within the premises.
14. The evaporation losses in solvents shall be controlled by taking the following measures:
 - i. Chilled brine circulation shall be carried out to effectively reduce the solvent losses into the atmosphere.

- ii. Transfer of solvents shall be done by using pumps instead of manual handling.
- iii. Closed centrifuges shall be used to reduce solvent losses.
- iv. All the solvent storage tanks shall be connected with vent condensers to prevent solvent vapours.
- v. The reactor vents shall be connected with primary & secondary condensers to prevent escaping of solvent vapour emissions into atmosphere.

Solid Waste:

15. The industry shall comply with the following for disposal of Solid wastes:

S. No	Description	Units	Existing	After Expansion	Disposal option
1.	Process residue	Kg/day	2391.84	4203.86	To TDSF, Parawada / Authorised Cement industries for co-processing in Cement kiln.
2.	Solvent residue	Kg/day	1155.08	1229.9	
3.	PP & PPE waste	Tons/Month	----	1.0	
4.	Spent Carbon	Kg/day	272	371.5	
5.	Spent Solvents	KLD	---	51.78	Recovered within plant premises
6.	Spent Mixed Solvents	KLD	---	7.0	To APPCB authorized recovery units
7.	Inorganic Solid waste	Kg/day	265.5	340.3	To TSDF Parawada
8.	ETP Sludge	Kg/day	60	60	
9.	Waste oil & Grease	Lts/ Year	300	720	To Authorized Reprocessors / Recyclers
10.	Containers & Container liners of hazardous waste and Hazardous chemicals	No.s/ Month	100	1500	To Outside agencies after complete detoxification.
11.	Insulation waste	Kg/Month	---	100	To TSDF Parawada/ Recyclers
12.	E-Waste	Kg/Month	---	20	To Authorized Reprocessors / Recyclers
13.	Ash from Boiler	TPD	0.48	1.50	To Brick manufactures

16. The proponent shall place the chemical drums and / or any drums in a shed provided with concrete platform only. The Platform shall be provided with sufficient dyke wall and effluent collection system. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.
17. The following rules and regulations notified by the MoE&F, Gol shall be implemented.
- a) Hazardous waste and other wastes (Management and Transboundary Movement) Rules, 2016.
 - b) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
 - c) Fly Ash Notification, 2016.
 - d) Batteries (Management & Handling) Rules, 2010.
 - e) E-Waste (Management) Rules, 2016.
 - f) Construction and Demolition waste Management Rules, 2016.

Other Conditions:

18. Green belt shall be developed all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 33% of the total area.
19. The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Regional Office and Zonal Office of the Board.
20. Concealing the factual data or submission of false information/ fabricated data and failure to comply with any of the conditions mentioned in this order and attract action under the provisions of relevant pollution control Acts.
21. Notwithstanding anything contained in this conditional consent, the Board hereby reserves its right and power under Sec.27(2) of Water (Prevention and Control of Pollution) Act, 1974 and under Sec.21(4) of Air (Prevention and Control of Pollution) Act, 1981 to revoke the order, review any or all the conditions imposed herein and to make such alternation as deemed fit and stipulate any additional conditions or revoke the order in the interest of environment protection.
22. Any person aggrieved with this order may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules, 1982, to the Appellate Authority constituted under Section 28 of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

B S S
Prasad
Digitally signed by
B S S Prasad
Date: 2017.12.26
12:54:42 +05'30'

MEMBER SECRETARY

To

**M/s. Granules India Ltd., Unit – IV (CPM),
(Formerly M/s. Auctus Pharma Ltd.,)
Plot No.8, JNPC, Parawada,
Visakhapatnam
venkat.karmi@granulesindia.com**