



RED CATEGORY
CONSENT & AUTHORIZATION ORDER

Consent Order No : APPCB/VSP/VSP/391/HO/CFO/2018-

Date: 21.06.2018

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 6 of the Hazardous & Other Wastes (Management and Transboundary, Movement) Rules, 2016 and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

M/s Granules India Ltd., Unit - V.
(M/s. GIL Life Sciences Private Limited,),
Plot no. 30, JN Pharmacy, Parwada,
Visakhapatnam District - 521 021
E-mail: venkat.karimi@granulesindia.com

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

(i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge KLD	Point of Disposal
1.	HTDS effluents : Process - 70.00 KLD + Scrubbers effluents - 3.00 KLD	73.00	To the MEE of Pharmacy, Parawada for Evaporation.
2.	LTDS: Washings - 15 KLD + Boiler blow down - 10 KLD + Cooling blowdown - 30 KLD + RO Plant / Softener Regeneration- 10 KLD + Domestic - 22 KLD	87.00	To the CETP of Pharmacy for further treatment and disposal.

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow (m ³ /hr)
1.	Attached to 4 TPH Oil fired boiler	--
2.	Attached to 1 x 1000 KVA DG set	--

iii) HAZARDOUS WASTE AUTHORISATION (FORM - II) [See Rule 6 (2)]:

M/s Granules India Ltd., Unit - V, (M/s. GIL Life Sciences Private Limited,), Plot no. 30, JN Pharmacy, Parwada, Visakhapatnam District is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

• **HAZARDOUS WASTES WITH DISPOSAL OPTION:**

S. No	Name of hazardous waste	Stream	Quantity	Method of disposal
1.	Process Residue	28.1 of Schedule - I	3622 Kgs/day	TSDF, Parawada, Visakhapatnam District / Authorised cement plants for co-processing.
2.	Spent Carbon	28.3 of Schedule - I	130.6 Kgs/day	
3.	Solvent residue	28.1 of Schedule - I	139.8 Kg/day	

3.	Inorganic solid waste	28.1 of Schedule - I	7148.4 Kgs/day	TSDF, Parawada, Visakhapatnam District for secured land filling.
4.	ETP Sludge	35.3 of Schedule-I	100.0 Kgs/day	
5.	PP & PPE Waste		1.0 Tons / Month	To TSDF, Parawada
6.	Insulation waste		100 Kg/Month	To TSDF, Parawada

• **HAZARDOUS WASTES WITH RECYCLING OPTION:**

S. No	Name of hazardous waste	Stream	Quantity	Method of disposal
1.	Waste oil & Grease	5.1 of Schedule - I	720 LPA	To authorized reprocessors / recyclers
2.	Containers & Container liners of hazardous waste and hazardous chemicals	33.1 of Schedule - I	1500 Nos/Month	To outside agencies after complete detoxification
3.	Spent mixed solvents	28.5 of Schedule - I	10 KLD	To APPCB authorized recyclers
4.	E-waste		20 Kg/Month	To authorized reprocessors / recyclers

This consent order is valid for the following products along with quantities indicated only:

S. No	Name of the Product	Capacity Kg/day	No. of Stages	Name of the Starting Raw Material	SRM Quantity (Kg/day)
1	ABIRATERONE ACETATE	10	2	17-Iodo androsta-5,16-diene-3-8-ol	24.5
2	AFATINIB DIMALEATE	20	1	N-[4-[(3-Chloro-4-fluorophenyl)amino]-7-[[(3S)-tetrahydro-3-furanyl]oxy]-6-quinazolinyl]-4(dimethylamino)-2-butenamide	14.79
3	AMIFOSTINE TRIHYDRATE	3	3	Acrylo Nitrile	0.78
4	ANASTROZOLE	5	3	2,2'-(5-methyl-1,3-phenylene)bis(2-methylpropanenitrile)	20
5	BENDAMUSTINE HYDROCHLORIDE	20	1	Ethyl-4-(5-(bis(2-hydroxy ethyl) amino)-1-methyl-1Hbenzoid) imidazol-2-yl)butanoate	83.33
6	BICALUTAMIDE	2	1	N-[4-cyano-3- trifluoromethyl phenyl]-3-[4-fluorophenyl thio]-2- hydroxy-2-methyl propanamide	2.4
7	BORTEZOMIB	0.1	3	N-(Pyrazinyl carbonyl)-L-Phenyl Alanine	0.066
8	BUSULFAN	2	2	1,4-butanediol	3
9	Cabazitaxel	0.5	1	(2aR,4S,4aS,6R,9S,11S,12S,12aR,12bS)-12b-acetoxy-9-{{(2R,3S)-3-((tet-butoxy carbonyl)amino-3-phenyl-2-((tri ethyl silyl)oxy)propanoyl)oxy)-11-hydroxy -4,6-dimethoxy-4a,8,13,13-tetra methyl-5oxo-2a,3,4,4a,5,6,9,10,11, 12,12a,12b-dodeca hydro-1H-7,11methano cyclodeca[Effluent3,4]benzo [1,2-b]oxet-12-yl benzoate	0.75
10	CAPECITABINE	100	3	4-Amino-1-(3,4-dihydroxy-5- methyl-tetrahydro-furan-2-yl)- 5-fluoro-1H-pyrimidin-2-one	68.2
11	CARBAPLATIN	2	2	Potassium tetrachloroplatinate	3.4
12	CARBOZATINIB S-MALATE	20	2	1-(4-fluorophenylcarbamoyl)cyclopropanecarboxylic acid 6,7-dimethoxy-4-(4-nitrophenoxy)quinolone	8
13	CARMUSTINE	1	1	1,3-bis(2-chloroethyl)urea	1.052
14	CHLORAMBUCIL	0.5	5	Carbon Di Sulphide	0.195

15	CISPLATIN	2	2	Potassium tetrachloroplatinate	3.4
16	CLOFARABINE	1	3	2-deoxy-2-â-fluoro-1,3,5-tri-O-benzoyl-1- R-D-ribofuranose	5.4186
17	CYCLOPHOSPHAMIDE	5	2	bis(2-chloroethyl)amine hydrochloride	5.757
18	CYTARABINE	5	2	Cytidine	15.625
19	DACARBAZINE	2	2	5-Amino Imidazole-Carbonamide HCl	2.4
20	DASATINIB	20	1	2-((6-Chloro-2-methylpyrimidin-4-yl)amino)-N-(2-chloro-6-methyl phenyl) thiazole-5-carboxamide	20.895
21	DECITABINE	10	5	2-Deoxy ribose	152
22	DOCETAXEL TRIHYDRATE	0.5	3	KSM-1	1
23	Enzalutamide	5	4	2-Fluoro-N-methyl-4- nitrobenzamide	16.33523
24	EPIRUBICIN	0.1	3	KSM-1	0.666
25	ERIBULIN MESYLATE	1	2	Eribuline diol intermediate	1.396
26	ERLOTINIB HYDROCHLORIDE	20	4	4,5-bis(2-methoxyethoxy)-2-nitrobenzonitrile	33.6
27	EXEMESTANE	5	2	boldenone	20.089
28	FULVESTRANT	0.2	1	(7R)-13-methyl-7-(9-(4,4,5,5,5-pentafluoropentylthio)nonyl)-7,8,9,11,12,13,14,15,16,17-	0.25
29	GEMCITABINE HCL	20	3	((2R,3R)-3-(benzoyloxy)-4,4-difluoro-5-(2-oxo-4-(trimethylsilylamino)pyrimidin-1(2H)-yl)tetrahydrofuran-2-yl)methyl benzoate	264
30	IBRUTINIB	10	1	1-((R)-1-acryloylpiperidin-3-yl)-5-amino-3-(4-phenoxyphenyl)-4,5-dihydro-1H-pyrazole-4-carbonitrile	12.906
31	IFOSFAMIDE	1	1	2-ethyleneimino-2-oxo-3-(2-bromoethyl)-1.3.2-oxazaphosphorinane	1.194
32	Imatinib	100	2	6-Methyl-N1-(4-(Pyridin-3-yl) pyrimidin-2-yl) benzene-1,3-diamine	83.8323
33	IRINOTECAN HCL TRIHYDRATE	10	3	7-ethyl-10-hydroxy Camptothecin	10
34	IXAZOMIB CITRATE	10	2	2,5-[(dichlorobenzoyl)amino]acetic acid	6.955
35	LAPATINIB	10	3	N-[3-Chloro-4-[(3-fluorophenyl)methoxy]phenyl]-6-[5-[(2-methylsulfonylethylamino)methyl]-2-furyl] quinazolin-4-amine	13.5291
36	LENALIDOMIDE	0.5	2	4-nitrophthalide	0.5
37	LENVATINIB	10	1	7-methoxy-4-chloro-quinoline-6-carboxamide	6.41
38	LETROZOLE	1	2	p-tolunitrile	3
39	LEUCOVORIN CALCIUM	50	1	5,10-Methenyl-5,6,7,8-tetrahydrofolic acid, chloride hydrochloride dihydrate	12.1
40	MELPHALAN HYDROCHLORIDE	1	3	(S)-methyl 3-(4-aminophenyl)-2-(1,3-dioxoisindolin-2-yl)propanoate	13.63
41	NILOTINIB HYDROCHLORIDE HYDRATE	20	5	3-guanidino-4-methyl-N-(3-(4-methyl-1H-imidazol-1-yl)-5-(trifluoromethyl)phenyl)benzamide	25.3
42	OXALIPLATIN	2	2	Potassium chloroplatinate Trans-1,2-diamino	3.4
43	PACLITAXEL	0.5	2	TxL RM	1
44	Pazopanib	10	3	2-Methyl-5-nitro- benzenesulfonamide	4.56
45	PEMETREXED DISODIUM HEMIPENTAHYDRATE	10	3	L-glutamic acid diethyl ester HCl	11.4
46	POMALIDOMIDE	5	3	3-Nitrobenzene-1,2-dicarboxylic acid	9.009
47	SORAFENIB TOSYLATE	20	3	4-Chloro-N-methyl-2- pyridine carboxamide	8.8
48	Sunitinib Malate	20	3	5-Formyl,2,4,dimethyl,1-H pyrrole-3-carboxylic acid	15.2
49	TAMIBAROTENE	20	2	5,5,8,8--tetramethyl-5,6,7,8-tetrahydronaphthalene-2-amine	15.826
50	TEMOZOLOMIDE	20	2	5-amino-1-(N-methyl carbomyl) imidazole-4-carboxamide	80
51	VINBLASTINE SULPHATE	1	1	Vinblastin tech	5.56
52	VINCRIStINE	1	1	Vinblastin tech	13

	SULPHATE				
53	ZOLEDRONIC ACID	20	2	Imidazole	40
54	BREXPIRAZOLE	50	1	1-(benzo[b]thiophen-4-yl)piperazine Hydrochloride	44.117
55	COLCHICINE	10	1	Gloriosa Superba Seeds	2000
56	DABIGATRAN ETEXILATE MESYLATE	50	4	3-[(3-Amino-4-methylamino-benzoyl)-pyridin-2-yl-amino]-propionic acid ethyl ester	35
57	DARUNAVIR ETHANOLATE	100	1	(3R,3aS,6aR)-Hexahydrofuro [2,3-b]furan-3-yl (4-nitrophenyl) carbonate	83.958
58	DEFERASIROX	75	3	Salicylic acid	102.33
59	DIFLOXACIN DIHYDROCHLORIDE	50	1	1-(4-aminophenyl)-7-chloro-6-fluoro-4-oxo-1,4-dihydro quinoline-3-carboxylic acid	44.194
60	D- PENICILLAMINE	20	3	2-isopropyl-5,5-dimethylthiazolidine-4-carboxylic acid hydrochloride	85.2167
61	DRONEDARONE HYDROCHLORIDE	40	1	4-(3-Dibutylamino)-propoxy)-benzoyl chloride hydrochloride	27.2
62	ELTROMBOPAG OLAMINE	5	3	(3,4-Dirnetrlylpnenyf) hydne Hydrochloride	2.359
63	ESOMEPRAZOLE MAGNESIUM TRIHYDRATE	50	2	Omeprazole sulfide	44
64	FINGOLIMOD HYDROCHLORIDE	10	1	2-(4-octylbenzyl sulfonyl)benzo[d]thiazole	20
65	GABAPENTIN	400	3	Cyclohexane-1,1-diaceticacid monoamide	640
66	GUAIFENESIN	150	1	Guaiacol	120
67	IOPROMIDE	75	1	3-(2,3-diacetoxypropylcarbamoyl)-2,4,6-triiodo-5-(2-methoxyacetamido)benzoic acid	90.375
68	LIFITEGRAST	25	2	(S)-benzyl 2-(5,7-dichloro-1,2,3,4-tetrahydroisoquinoline-6-carboxamido)-3-(3-(methylsulfonyl)phenyl)propanoate hydrochloride	30.076
69	LINAGLIPTIN	50	4	8-bromo-3-methyl-1H-purine- 2,6(3H,7H)-dione	30
70	LURASIDONE	50	2	cyclohexane-l,2-diylbis(methylene) dimethanesulfonate	42.38196
71	LOPINAVIR	50	2	Lopinavir Intermediate	50
72	METHOCARBOMOL	200	1	Guaifenesin	239.52
73	METOPROLOL	150	2	4-(2-Methoxy-ethyl)- phenol	90.748
74	MONTELUKAST SODIUM	50	3	Methanesulfonic acid 1-{3-[2-(7-chloro-quinolin-2-yl)-vinyl]- phenyl}-3-[2-(1-hydroxy-1-methyl-ethyl)-phenyl]-propyl ester	62.5
75	NAPROXEN	1000	3	2-Acetyl-6-methoxy naphthalene	1021.27
76	PIMAVANSERIN TARTRATE	25	1	1-isobutoxy-4-(isocyanatomethyl)benzene	21.084
77	POSACONAZOLE	50	3	Intermediate-2	24.15
78	PRASUGREL HYDROCHLORIDE	25	1	2-Oxo-2,4,5,6,7,7a-hexahydrothieno[3,2-C]pyridine hydrochloride	12
79	PREGABALIN	50	5	Isoveraldehyde	98
80	PROPRANOLOL HYDROCHLORIDE	150	2	Alpha Naphthol	103.07
81	RACECADOTRIL	50	3	2-Benzylacrylic acid	45.64
82	RALTEGRAVIR	30	6	2-Hydroxy-2-methyl-propionitrile	4.128
83	REBAMIPIDE	100	4	4-bromo-3-oxo-N-phenyl butanamide	54.52
84	RITONAVIR	50	2	tert-butyl (2S,4S,5S)-5-amino-4-hydroxy-1,6-diphenylhexan-2-ylcarbamate succinate (KSM-1)	104.166
85	SEVELAMER CARBONATE	50	1	Poly allyl amine	142.8571
86	SITAGLIPTIN PHOSPHATE	75	4	(2,4,5-Trifluoro-phenyl)aceticacid	30
87	SOFOSBUVIR	50	3	Phenyl Phosphate dichloride	128.99
88	SOLIFENACIN SUCCINATE	25	2	(1S)-1-Phenyl-1,2,3,4-tetrahydro isoquinoline	29.94
89	TENELIGLIPTIN HYDROBROMIDE	75	1	(7R)-13-methyl-7-(9-(4,4,5,5,5- 1-(3-methyl-1-phenyl-1H- pyrazol-5-yl)piperazine	75

	HYDRATE				
90	TENOFOVIR DISOPROXIL FUMARATE	100	2	Adenine	21.5
91	TICAGRELOR	50	3	4,6-Dichloro-2-(propylthio)pyrimidin-5-amine	48.9
92	VIDAGLIPTIN	50	2	Amantadine Hydrochloride	65
Total - Worst Case 10 Products		2450			2505.1183

The industry shall produce any 10 products on campaign basis with a maximum production capacity of 2450 kg/day.

By Products:

S. NO	Product Name	Name of the Byproduct	Quantity (Kg/ day)
1	Capecitabine	Pyridine hcl	40
		Chloro pentyl formate	80
2	Decitabine	Pyridine hcl	808
3	Melphalan hydrochloride	Diisopropylethylamine hydrochloride	45.45
4	Temozolomide	Azahypoxanthine & 5-aminoimidazole- 4-carboxamide	20
5	Tenofovir disoproxil fumarate	Triethylamine hcl	43.7
6	Ritonavir	Dicyclohexyl urea	51.04
7	Vidagliptin	Sulfuric acid	1161.6

This order is subject to the provisions of `the Acts’ and the Rules’ and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the **30th day of April, 2023**.

CHAIRMAN

To
M/s Granules India Ltd., Unit - V.
(M/s. GIL Life Sciences Private Limited),
Plot no. 30, JN Phamacity, Parwada,
Visakhapatnam District - 521 021

Copy to :

- 1. The Commissioner of Industries, First floor, Government Regional Printing Press Buildings, Mutyalampadu, Vijayawada - 520 011**
- 2. The JCEE, Zonal Office, Visakhapatnam** for information and necessary action.
- 3. The JCEE, Unit-II, APPCB, Vijayawada** for information.
- 4. The Environmental Engineer, Regional Office, Visakhapatnam** for information and necessary action.

SCHEDULE-A

- 1. Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.**
- 2. The industry should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.**
- 3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.**
- 4. The industry should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards,**

- hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
- Notwithstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
 - The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.
 - The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
 - Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution) Act, 1981.

SCHEDULE-B

WATER POLLUTION:

- The LTDS effluents sent to CETP, Pharmacy shall not contain constituents in excess of the tolerance limits mentioned below, as per their MoU with M/s Ramky Pharma City.

Outlet	Parameter	Concentration in mg/l
2	pH	6.50 - 8.50
	Temperature °C	< 45 ⁰ C
	TDS	12,000 mg/l
	TSS	600 mg/l
	BOD	3,000 mg/l
	COD	8,000 mg/l
	Oil and Grease	20 mg/l
	Chromium Hexavalent (as Cr+6)	2 mg/l
	Chromium (total) (as Cr)	2 mg/l
	Ammonical Nitrogen (as N)	30 mg/l
	Cyanide (as CN)	0.20 mg/l
	Lead (as Pb)	1 mg/l
	Nickel (as Ni)	3 mg/l
	Zinc (as Zn)	15 mg/l
	Arsenic (as As)	0.20 mg/l
	Mercury (as Hg)	0.01 mg/l

(* The industry shall segregate the HTDS and LTDS effluent streams and the effluents which are not meeting the above standards shall be treated as HTDS effluents and shall be sent CETP of Pharmacy for evaporation.).

- The source of water being JNPC supply. The following is the permitted water consumption:

Sl. No.	Purpose	Quantity (KLD)
1.	Process	52.6
2.	Washings	15.00
3.	Boiler makeup	84.00
4.	Cooling tower makeup	100.00
5.	Scrubbers	3.00
6.	RO Plant /Softener Regeneration	10.00
7.	Domestic	20.00
8.	Gardening	50.00
	Total	334.60

Separate meters with necessary pipe-line shall be maintained for assessing the quantity of water used for each of the purposes mentioned above.

3. The LTDS and HTDS effluents shall be stored in above ground collection tanks separately.
4. The industry shall maintain HDPE tanks in the effluent collection tank (both locations at block and common collection point). The effluent shall be connected to the HDPE tanks and from the HDPE tanks, effluent shall be pumped to the ETP. Free space shall be maintained around the HDPE tanks to observe leakages if any.
5. The industry shall submit the details of quantity of High TDS and Low TDS effluents sent to CETP of Pharmacy every month to the RO, Visakhapatnam.
6. The industry shall maintain proper manifest system for effluent transported to CETP. They shall submit monthly reports to the E.E., RO-Visakhapatnam.
7. Effluents shall not be discharged onland or any water bodies or aquifers under any circumstances. Floor washings shall be admitted into effluent collection system only and shall not be allowed to find their way into storm water drains or open areas.

AIR POLLUTION:

8. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

Chimney No.	Parameter	Emission Standards
1	Particulate Matter	100 mg/Nm ³

9. The industry shall comply with ambient air quality standards of PM₁₀ (Particulate Matter size less than 10µm) - 100 µg/ m³; PM_{2.5} (Particulate Matter size less than 2.5 µm) - 60 µg/ m³; SO₂ - 80 µg/ m³; Nox - 80 µg/m³, outside the factory premises at the periphery of the industry.
Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.
Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)
Night time (10 PM to 6 AM) - 70 dB (A)
10. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
11. The industry shall maintain VOC analyzers with recording facility and maintain records.
12. The industry shall maintain multi-stage scrubbers to the process vents to control the process emissions. The industry shall provide online pH measuring facility with auto recording system to the scrubbers provided to treat the process emissions within one month.
13. The evaporation losses in solvents shall be controlled by taking suitable measures, which include:
 - i. Chilled brine circulation to effectively reduce the solvent losses into the atmosphere.
 - ii. Transfer of solvents by using pumps and closed conveyance instead of manual handling.
 - iii. Closed centrifuges be used due to which solvent losses are reduced drastically.
 - iv. The reactor vents connected with primary & secondary condensers to catch the solvent vapours.
 - v. All the solvent storage tanks are connected with vent condensers to prevent solvent vapours.
16. The industry shall submit AAQ monitoring reports conducted by Authorised Agency every month.

GENERAL:

14. The industry shall evaluate the performance of solvent recovery system for each stream-wise and shall furnish plan of action to maintain the efficiency of solvent recovery more than 95% for each stream wise.
15. The industry shall dispose the spent solvents / mixed spent solvents to APPCB authorized recyclers.
16. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.
17. The industry shall maintain dry condition outside drains in un-rainy season.

18. The industry shall enter an agreement with the Cement industries for disposal of incinerable waste or shall dispose to Alternative Fuel Raw material facility (AFRF) OR to TSDF for co-incineration.
19. The industry shall transport the hazardous waste to cement industries through GPS vehicle.
20. The industry shall install web camera and flow to CPCB & APPCB before starting operations.
21. The industry shall regularly dispose the landfill and incinerable hazardous waste to TSDF/ Cement industries for co-incineration.
22. The industry shall not manufacture any product, other than those mentioned in this order.
23. The industry shall maintain flow meters preferably Electro Magnetic flow meters with totalisers for water and effluent quantity measurements for different streams of effluents and different categories of water usage stipulated in this order.
24. The industry shall maintain rainwater runoff tank for collection and storage of first flush storm water.
25. The industry shall store the solvents in bulk solvent storage tanks.
26. The drums containing chemicals / solvents shall be stored under a roof on elevated platform with a provision to collect leakages / spillages in the collection pit.
27. The industry shall comply with CPCB directions dated 05.02.2014 / 02.03.2015 and guidelines issued regarding online monitoring systems issued from time to time. The online monitoring system shall be calibrated periodically as per equipment suppliers manual / CPCB guidelines
28. The industry shall maintain the following records and the same shall be made available to the inspecting officers of the Board:
 - a. Daily production details (ER-1 Central Excise Returns).
 - b. Quantity of Effluents generated, treated, recycled/reused and disposed to CETP.
 - c. Log Books for pollution control systems.
 - d. Characteristics of effluents and emissions.
 - e. Hazardous/non hazardous solid waste generated and disposed.
 - f. Inspection book.
 - g. Manifest copies of effluents / hazardous waste.

29. The industry shall dispose solid waste (NON HAZARDOUS) as follows

S. No.	Name of the Solid Waste	Quantity	Disposal
1	Coal ash from boiler	0.90 TPD	To brick manufacturing units

30. The industry shall comply with the conditions stipulated in the CFE (Expansion) order dated 04.05.2018.
31. The industry shall develop green belt in all the vacant places. In future, excess green belt over and above 33 % of total area can be utilized for industrial activity as per requirement of industry.

SCHEDULE - C

[See rule 6(2)]

[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]

1. All the rules and regulations notified by Ministry of Environment and Forests, Government of India under the E(P) Act, 1986 in respect of management, handling, transportation and storage of the Hazardous wastes should be followed.
2. The industry shall not store hazardous waste for more than 90 days as per the Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016.

3. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
4. The industry shall maintain 7 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.
5. The industry shall maintain proper records for Hazardous & other wastes stated in Authorization in FORM-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 6 (5) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and amendments thereof.
6. The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule A, B & C of this Order on half yearly basis to Board Office, Vijayawada and concerned Regional Office.

CHAIRMAN

To

**M/s Granules India Ltd., Unit - V.
(M/s. GIL Life Sciences Private Limited),
Plot no. 30, JN Pharmacy, Parwada,
Visakhapatnam District - 521 021**