



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Edit Activity Custom Field

Lead

Help for this Page

## Custom Field Definition Edit

Change Field Type

Promote to Global Value Set

Save

Cancel

## Field Information

= Required Information

Field Label Lead

Data Type Picklist

Field Name Lead

Description

Help Text

Data Owner

User

Field Usage

--None--

Data Sensitivity Level

--None--

Compliance Categorization

0 selected

0 selected

## General Options

Required

☐ Always require a value in this field in order to save a record

Default Value

[Show Formula Editor](#)

Use [formula syntax](#): Enclose text and picklist value API names in double quotes : ("the\_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPIName.Field\_\_c

## Picklist Options

☒ Restrict picklist to the values defined in the value set

Change Field Type

Promote to Global Value Set

Save

Cancel



Search Setup



Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Activity Custom Field

Lead

[Back to Activity Fields](#)[Help for this Page](#)

## Custom Field Definition Detail

[Edit](#)[Set Field-Level Security](#)[Where is this used?](#)

## Field Information

Field Label	Lead	Object Name	Activity
Field Name	Lead	Data Type	Picklist
API Name	Lead__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p. 13/04/2023, 2:29 pm		Modified By Ajith Ajith.p. 13/04/2023, 2:29 pm

## General Options

Required ☐Default Value [i](#)

## Picklist Options

Restrict picklist to the values defined in the value set ☒Controlling Field [\[New\]](#)

## Picklist Values Used

Active and Inactive picklist values 3 (1,000 max)

## Field Dependencies

[New](#)[Field Dependencies Help](#)

Action	Dependent Field	Data Type	Modified By
<a href="#">Edit</a>   <a href="#">Del</a>	City	Picklist	Ajith Ajith.p. 13/04/2023, 2:49 pm

## Values

[New](#)[Reorder](#)[Replace](#)[Printable View](#)[Chart Colors](#)[Values Help](#)[Delete Selected](#) [Deactivate Selected](#) [Replace Selected](#)

<input type="checkbox"/> Action	Values	API Name	Default	Chart Colors	Modified By
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Gujarat	Gujarat	<input type="checkbox"/> Assigned dynamically		Ajith Ajith.p. 13/04/2023, 2:29 pm
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Rajasthan	Rajasthan	<input type="checkbox"/> Assigned dynamically		Ajith Ajith.p. 13/04/2023, 2:29 pm
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Maharashtra	Maharashtra	<input type="checkbox"/> Assigned dynamically		Ajith Ajith.p. 13/04/2023, 2:29 pm

## Inactive Values

[Delete Unused Values](#)[Inactive Values Help](#)

No Inactive Values values defined.

[^ Back To Top](#)Always show me [more records per related list](#)



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Edit Activity Custom Field

Lead

Help for this Page

## Custom Field Definition Edit

Change Field Type

Promote to Global Value Set

Save

Cancel

## Field Information

Required Information

Field Label

Lead

Data Type

Picklist

Field Name

Lead

Description

Help Text

Data Owner

User

Field Usage

-None-

Data Sensitivity Level

-None-

Compliance Categorization

0 selected



## General Options

Required



Always require a value in this field in order to save a record

Default Value

[Show Formula Editor](#)

Use [formula syntax](#): Enclose text and picklist value API names in double quotes : ("the\_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPIName.Field\_\_c

## Picklist Options



Restrict picklist to the values

defined in the value set

Change Field Type

Promote to Global Value Set

Save

Cancel

## Activity Custom Field

**Interest Rate**[Back to Activity Fields](#)[Help for this Page](#) **Custom Field Definition Detail**[Edit](#)[Set Field-Level Security](#)[Where is this used?](#)**Field Information**

Field Label	Interest Rate	Object Name	Activity
Field Name	Interest_Rate	Data Type	Currency
API Name	Interest_Rate__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p, 13/04/2023, 3:26 pm	Modified By	Ajith Ajith.p, 13/04/2023, 3:26 pm

**General Options**Required ☐

Default Value

**Currency Options**

Length 16

Decimal Places 2

## Edit Activity Custom Field

Help for this Page

## Interest Rate

## Custom Field Definition Edit

Change Field Type

Save

Cancel

## Field Information

! = Required Information

Field Label Interest Rate

Data Type Currency

Field Name Interest\_Rate

Description

Help Text

Data Owner

i

User

Field Usage

--None--

Data Sensitivity Level

--None--

Compliance Categorization

0 selector

▶ ▼

◀

## General Options

Required

☐ Always require a value in this field in order to save a record

Default Value

[Hide Formula Editor](#)

Select Field Type

Insert Field

-- Select field type --

-- Insert Merge Field --

Insert Operator

[Check Syntax](#)

Use [formula syntax](#). Enclose text and picklist value API names in double quotes : ("the\_text"). Include numbers without quotes : (25). show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: [\\$CustomMetadata.Type\\_\\_mdt.RecordAPIName.Field\\_\\_c](#)



Search Setup

Object Manager

ANAGER

Activity Custom Field

Help for this I

Loan

Back to Activity Fields

Custom Field Definition Detail

Edit

Set Field-Level Security

Where is this used?

Field Information

Field Label	Loan	Object Name	Activity
Field Name	Loan	Data Type	Auto Number
API Name	Loan__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p, 13/04/2023, 3:19 pm	Modified By	Ajith Ajith.p, 13/04/2023, 3:19 pr


General Options

External ID



Auto Number Options

Display Format LN-{0000}



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Activity Custom Field

City

Help for this Page

[Back to Activity Fields](#)

## Custom Field Definition Detail

Edit

Set Field-Level Security

Where is this used?

## Field Information

Field Label	City	Object Name	Activity
Field Name	City	Data Type	Picklist
API Name	City__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p. 13/04/2023, 2:46 pm		Modified By Ajith Ajith.p. 13/04/2023, 2:46 pm

## General Options

Required	<input type="checkbox"/>
Default Value	<input type="text" value="i"/>

## Picklist Options

Restrict picklist to the values defined in the value set	<input checked="" type="checkbox"/>
Controlling Field	Lead <a href="#">[Change]</a>

## Picklist Values Used

Active and inactive picklist values	6 (1,000 max)
-------------------------------------	---------------

## Field Dependencies

New

[Field Dependencies Help](#)

No dependencies defined.

## Values

New

Reorder

Replace

Printable View

Chart Colors

[Values Help](#)[Delete Selected](#) [Deactivate Selected](#) [Replace Selected](#)

Action	Values	API Name	Default	Chart Colors	Modified By
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Mumbai	Mumbai	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Pune	Pune	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Nashik	Nashik	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Delhi	Delhi	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Azam	Azam	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Karnataka	Karnataka	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:46 pm

## Inactive Values

[Delete Unused Values](#)[Inactive Values Help](#)

No Inactive Values values defined.

[Back To Top](#)Always show me [more records per related list](#)



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Edit Activity Custom Field

City

Help for this Page

## Custom Field Definition Edit

Change Field Type

Promote to Global Value Set

Save

Cancel

## Field Information

Required Information

Field Label City

Data Type Picklist

Field Name City

Description

Help Text

Data Owner User

Field Usage -None-

Data Sensitivity Level -None-

Compliance Categorization 0 selected 0 selected

## General Options

Required ☐ Always require a value in this field in order to save a recordDefault Value [Show Formula Editor](#)

Use [formula syntax](#): Enclose text and picklist value API names in double quotes : ("the\_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPIName.Field\_\_c

## Picklist Options

☒ Restrict picklist to the values defined in the value set


Change Field Type

Promote to Global Value Set

Save

Cancel





Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Activity Custom Field

District

Help for this Page

[Back to Activity Fields](#)

## Custom Field Definition Detail

Edit

Set Field-Level Security

Where is this used?

## Field Information

Field Label	District	Object Name	Activity
Field Name	District	Data Type	Picklist
API Name	District__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p	Modified By	Ajith Ajith.p
	13/04/2023, 3:09 pm		13/04/2023, 3:09 pm

## General Options

Required	<input type="checkbox"/>
Default Value	<input type="text" value="i"/>

## Picklist Options

Restrict picklist to the values defined in the value set	<input checked="" type="checkbox"/>
Controlling Field	State <a href="#">[Change]</a>

## Picklist Values Used

Active and Inactive picklist values	9 (1,000 max)
-------------------------------------	---------------

## Field Dependencies

New

[Field Dependencies Help](#)

No dependencies defined.

## Values

New

Reorder

Replace

Printable View

Chart Colors

[Values Help](#)[Delete Selected](#) [Deactivate Selected](#) [Replace Selected](#)

Action	Values	API Name	Default	Chart Colors	Modified By
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Salem	Salem	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Kallakurichi	Kallakurichi	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Chinnasalem	Chinnasalem	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Namakkal	Namakkal	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Kadalpur	Kadalpur	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Viluppuram	Viluppuram	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Chennai	Chennai	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Ranipettai	Ranipettai	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm
<input type="checkbox"/> <a href="#">Edit</a> <a href="#">Del</a> <a href="#">Deactivate</a>	Attur	Attur	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p, 13/04/2023, 3:09 pm

## Inactive Values

[Delete Unused Values](#)[Inactive Values Help](#)

No Inactive Values values defined.

[Back To Top](#)Always show me [more records per related list](#)



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Edit Activity Custom Field

District

Help for this Page

Custom Field Definition Edit

Change Field Type

Promote to Global Value Set

Save

Cancel

## Field Information

Required Information

Field Label District

Data Type Picklist

Field Name District

Description

Help Text

Data Owner User

Field Usage -None-

Data Sensitivity Level -None-

Compliance Categorization 0 selected 0 selected

## General Options

Required ☐ Always require a value in this field in order to save a recordDefault Value [Show Formula Editor](#)

Use [formula syntax](#): Enclose text and picklist value API names in double quotes : ("the\_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadata.Type\_\_mdt.RecordAPIName.Field\_\_c

## Picklist Options


☒ Restrict picklist to the values defined in the value set

Change Field Type

Promote to Global Value Set

Save

Cancel



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Activity Custom Field

State

Help for this Page

[Back to Activity Fields](#)

Custom Field Definition Detail

Edit

Set Field-Level Security

Where is this used?

Field Information

Field Label	State	Object Name	Activity
Field Name	State	Data Type	Picklist
API Name	State__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Ajith Ajith.p. 13/04/2023, 2:56 pm		Modified By Ajith Ajith.p. 13/04/2023, 2:56 pm

General Options

Required	<input type="checkbox"/>
Default Value	<input type="text" value="i"/>

Picklist Options

Restrict picklist to the values defined in the value set	<input checked="" type="checkbox"/>
Controlling Field	<a href="#">New</a>

Picklist Values Used

Active and inactive picklist values	3 (1,000 max)
-------------------------------------	---------------

Field Dependencies

New

Field Dependencies Help

Action	Dependent Field	Data Type	Modified By
<a href="#">Edit</a>   <a href="#">Del</a>	District	Picklist	Ajith Ajith.p. 13/04/2023, 3:13 pm

Values

New

Reorder

Replace

Printable View

Chart Colors

Values Help

<input type="checkbox"/> Action	Values	API Name	Default	Chart Colors	Modified By
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Tamilnadu	Tamilnadu	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:56 pm
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Kerala	Kerala	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:56 pm
<input type="checkbox"/> <a href="#">Edit</a>   <a href="#">Del</a>   <a href="#">Deactivate</a>	Odisha	Odisha	<input type="checkbox"/>	Assigned dynamically	Ajith Ajith.p. 13/04/2023, 2:56 pm

Inactive Values

[Delete Unused Values](#)

Inactive Values Help

No Inactive Values values defined.
------------------------------------

[Back To Top](#)Always show me [more records per related list](#)



Search Setup

Setup

Home

Object Manager



SETUP &gt; OBJECT MANAGER

Activity

Details

Fields &amp; Relationships

Buttons and Links

Object Limits

Search Layouts

List View Button Layout

Edit Activity Custom Field

State

Help for this Page

Custom Field Definition Edit

Change Field Type

Promote to Global Value Set

Save

Cancel

Field Information

Required Information

Field Label State

Data Type Picklist

Field Name State

Description

Help Text

Data Owner User

Field Usage -None-

Data Sensitivity Level -None-

Compliance Categorization 0 selector

General Options

Required ☐ Always require a value in this field in order to save a recordDefault Value [Hide Formula Editor](#)

Select Field Type

Insert Field

- Select field type -

- Insert Merge Field -

Insert Operator

Check Syntax

Use [formula syntax](#). Enclose text and picklist value API names in double quotes : ('the\_text'). Include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: `$CustomMetadata.Type__mdt.RecordAPIName.Field_c`

11:07 AM

VoLTE 4G 54

ed.develop.lightning.force.com

3

Search Setup

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Rent

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Edit Custom Object

Rent

Help for this Page

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label

Rent

Example: Account

Plural Label

Rents

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

Rent

Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name

--None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name

Rent Name

Example: Account Name

Data Type

Text

Optional Features

☒ Allow Reports

☐ Allow Activities

☐ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more.

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

What Is This?

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. Learn more.

☒ Allow Search

Save

Save & New

Cancel



Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Buy

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Field

Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

8 Items, sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Buy Name	Name	Text(80)		✓
City	City__c	Picklist		
Created By	CreatedById	Lookup(User)		
Discount	Discount__c	Picklist		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Property type	Property__c	Picklist		
State	State__c	Picklist		










### Validation Rules



Object Manager 



Search Setup

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Lead

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Scoping Rules

Triggers

Flow Triggers

Validation Rules

Quick Find

New


Deleted Fields

Field Dependencies

Set History Tracking

Map

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Address	Address	Address		
Annual Revenue	AnnualRevenue	Currency(18, 0)		
Clean Status	CleanStatus	Picklist		✓
Company	Company	Text(255)		✓
Company D-U-N-S Number	CompanyDunsNumber	Text(9)		
Created By	CreatedById	Lookup(User)		
Current Generator(s)	CurrentGenerators_c	Text(100)		
D&B Company	DandbCompanyId	Lookup(D&B Company)		✓
Data.com Key	Jigsaw	Text(20)		
Description	Description	Long Text Area(32000)		
Do Not Call	DoNotCall	Checkbox		
Email	Email_c	Email		
Email	Email	Email		✓
Email Opt Out	HasOptedOutOfEmail	Checkbox		
Fax	Fax	Fax		
Fax Opt Out	HasOptedOutOfFax	Checkbox		
Field dependency	Buy_c	Picklist		
Field Dependency	Filed_c	Picklist	Field dependency	
Gender Identity	GenderIdentity	Picklist		
Individual	IndividualId	Lookup(Individual)		✓
Industry	Industry	Picklist		
Last Modified By	LastModifiedById	Lookup(User)		
Last Transfer Date	LastTransferDate	Date		
Lead	Loan_c	Phone		
Lead	Lead_c	Auto Number		
Lead Owner	OwnerId	Lookup(User,Group)		✓
Lead Source	LeadSource	Picklist		
Lead Status	Status	Picklist		
Mobile	MobilePhone	Phone		
Name	Name	Name		✓
No. of Employees	NumberOfEmployees	Number(8, 0)		
Number of Locations	NumberOfLocations_c	Number(3, 0)		
Phone	Phone_c	Phone		
Phone	Phone	Phone		
Primary	Primary_c	Picklist		



Setup

Home

Object Manager

User Interface

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP  
Tabs

Edit Custom Object Tab

Buyers

Help for this Page

Fill in the fields below to define the custom tab.

## Custom Tab Definition Edit

## Custom Object Tab Information

= Required Information

Tab Label Buyers

Object Buy

Tab Style Cell phone

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link None

Enter a short description.

Description

Save

Cancel

Search Setup

Setup

Home

Object Manager

Tab

User Interface

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Edit Custom Object Tab

Loans

Help for this Page

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab LabelLoans

ObjectLoan

Tab StyleBank

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom LinkNone

Enter a short description.

Description

Save

Cancel



Setup

Home

Object Manager

User Interface

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

Edit Custom Object Tab  
Rents

Help for this Page

Fill in the fields below to define the custom tab.

## Custom Tab Definition Edit

## Custom Object Tab Information

! = Required Information

Tab Label	Rents
Object	Rent
Tab Style	Motorcycle

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link  
-None-

Enter a short description.

Description

Save

Cancel



Search Setup

Setup

Home

Object Manager

Tab

User Interface

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.



## Custom Tabs

Help for this Page

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

## Custom Object Tabs

New What Is This?

Action	Label	Tab Style	Description
Edit   Del	Buyers	Cell phone	
Edit   Del	Loans	Bank	
Edit   Del	Rents	Motorcycle	

## Web Tabs

New What Is This?

No Web Tabs have been defined

## Visualforce Tabs

New What Is This?

No Visualforce Tabs have been defined

## Lightning Component Tabs

New What Is This?

No Lightning component tabs have been defined

## Lightning Page Tabs

New What Is This?

No Lightning Page Tabs have been defined



Search Setup

**Setup** Home Object Manager

App manager

Apps

App Manager

Didn't find what you're looking for? Try using Global Search.

SETUP

**Lightning Experience App Manager**

New Lightning App

New Connected App

**Clone Apps(Beta)**

Quickly create new Lightning apps by cloning existing apps. To use the beta feature, indicate that you've read all legal requirements and agree to participate by toggling Enable App Cloning. See additional details and terms in the [Winter '23 release notes](#)

Enable App Cloning ☐ Disabled

22 Items • Sorted by App Name • Filtered by All appmenuitems - TabSet Type

	App Name	Developer N...	Description	Last Modifi...	App ...	VI...	
1	All Tabs	AllTabSet		28/03/2023, 12...	Classic		
2	Analytics Studio	Insights	Build CRM Anal...	28/03/2023, 12...	Classic	✓	
3	App Launcher	AppLauncher	App Launcher t...	28/03/2023, 12...	Classic	✓	
4	Bolt Solutions	LightningBolt	Discover and ...	28/03/2023, 12...	Lightning	✓	
5	Community	Community	Salesforce CR...	28/03/2023, 12...	Classic	✓	
6	Content	Content	Salesforce CR...	28/03/2023, 12...	Classic	✓	
7	Data Manager	DataManager	Use Data Mana...	28/03/2023, 12...	Lightning	✓	
8	Digital Experien...	SalesforceCMS	Manage conte...	28/03/2023, 12...	Lightning	✓	
9	Lightning Usag...	LightningInstru...	View Adoption ...	28/03/2023, 12...	Lightning	✓	
10	Marketing	Marketing	Best-in-class o...	28/03/2023, 12...	Classic	✓	
11	Platform	Platform	The fundament...	28/03/2023, 12...	Classic		
12	Property Mana...	Property_Mana...		11/04/2023, 12...	Lightning	✓	
13	Queue Manage...	QueueManage...	Create and ma...	28/03/2023, 12...	Lightning	✓	
14	Sales	Sales	The world's mo...	28/03/2023, 12...	Classic		
15	Sales	LightningSales	Manage your s...	28/03/2023, 12...	Lightning	✓	
16	Sales Console	LightningSales...	(Lightning Exp...	28/03/2023, 12...	Lightning	✓	
17	Salesforce Cha...	Chatter	The Salesforce...	28/03/2023, 12...	Classic	✓	
18	Salesforce Sch...	LightningSched...	Set up persona...	28/03/2023, 12...	Lightning	✓	
19	Service	Service	Manage custo...	28/03/2023, 12...	Classic	✓	
20	Service Console	LightningService	(Lightning Exp...	28/03/2023, 12...	Lightning	✓	
21	Site.com	Sites	Build pixel-perf...	28/03/2023, 12...	Classic		
22	Subscription M...	RevenueCloudC...	Get started aut...	28/03/2023, 12...	Lightning	✓	



Search Setup

Setup

Home

Object Manager

Profiles

Users

Profiles

Didn't find what you're looking for? Try using Global Search.

SETUP  
Profiles

## Profiles

Help for this Page

All Profiles Edit Delete Create New View

New Profile		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Other	All
Action	Profile Name	User License	Custom																										
<input type="checkbox"/> Edit   Clone	<a href="#">Analytics Cloud Integration User</a>	Analytics Cloud Integration User	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Analytics Cloud Security User</a>	Analytics Cloud Integration User	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Authenticated Website</a>	Authenticated Website	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Authenticated Website</a>	Authenticated Website	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Chatter External User</a>	Chatter External	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Chatter Free User</a>	Chatter Free	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Chatter Moderator User</a>	Chatter Free	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Contract Manager</a>	Salesforce	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Cross Org Data Proxy User</a>	XOrg Proxy User	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Del   ...	<a href="#">Custom Marketing Profile</a>	Salesforce	<input checked="" type="checkbox"/>																										
<input type="checkbox"/> Edit   Del   ...	<a href="#">Custom Sales Profile</a>	Salesforce	<input checked="" type="checkbox"/>																										
<input type="checkbox"/> Edit   Del   ...	<a href="#">Custom Support Profile</a>	Salesforce	<input checked="" type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Community Login User</a>	Customer Community Login	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Community Plus Login...</a>	Customer Community Plus Login	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Community Plus User</a>	Customer Community Plus	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Community User</a>	Customer Community	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Portal Manager Custom</a>	Customer Portal Manager Custom	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Customer Portal Manager Standard</a>	Customer Portal Manager Standard	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">External Apps Login User</a>	External Apps Login	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">External Identity User</a>	External Identity	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Force.com - App Subscription User</a>	Force.com - App Subscription	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Force.com - Free User</a>	Force.com - Free	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">Gold Partner User</a>	Gold Partner	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">High Volume Customer Portal</a>	High Volume Customer Portal	<input type="checkbox"/>																										
<input type="checkbox"/> Edit   Clone	<a href="#">High Volume Customer Portal User</a>	High Volume Customer Portal	<input type="checkbox"/>																										