

Development Status & Delivery Report

Complete project snapshot for owner discussion and Claude handoff

Report basis	Snapshot
As of	2 September 2026, America/Chicago
Scope	Whole Rovvy platform, with detailed Flights / Travel delivery status
Evidence	Repository structure, Git state/history, project handoff and evaluation docs, Flights Scrum workbook, detailed Flights product report, test registries and QA result files
Status rule	Only evidence-backed work is called complete; planned, partial, unverified and access-blocked work is labeled separately.

1. Executive position

Rovvy is a high-fidelity group-travel operating system, not a single booking page. Its strongest implemented foundation is the connected planning-and-execution loop: discover places, organize people and trips, compare travel options, coordinate through Lounge, navigate in Live Mode, and settle shared expenses. The architecture is substantial: FastAPI and SQLAlchemy/PostgreSQL on the backend; Next.js 16, React 19 and TypeScript on the frontend; Firebase reserved for transient real-time state; external providers isolated behind services and adapters.

Current delivery reality: the platform has broad working modules, but release maturity is uneven. Core collaboration, public trip sharing, deterministic route intelligence, Live map behavior, AI-assisted explanations, and the Flights comparison foundation exist. The most active product program is Flights. Sprint 1 is technically complete and awaits Product Owner acceptance. Sprint 2 has begun early: provider-specific request limits, transparent zero-result recovery, currency/substitution integrity and the official Travelpayouts white-label embed are implemented; provider governance, redirect allowlisting and production-domain proof are not yet complete.

2. What has been developed so far

Product area	Developed capability	Current confidence
Identity & access	JWT auth, profiles, Google/Facebook OAuth paths, email verification, presence heartbeat, public-profile control.	Implemented; production configuration still environment-dependent.
Groups & trips	Groups, invite/join flows, admin approval, trip CRUD, public trip preview, roster notes and trip-to-group join requests.	Implemented; deeper invite and trip-only membership remain future work.
Explore & planning	POI/activity discovery, locations, pins, polls, feed, weather and planning surfaces.	Implemented with varying UI depth and external-data dependency.
Live & route intelligence	MapLibre Live workspace, GPS tracking, OSRM local routing, place previews, long-distance deterministic route resolution and AI explanation fallback.	Strong implementation; Group Live/Convoy and offline operation remain incomplete.
Lounge & group coordination	Lounge/chat overlay, member presence and shared decision context.	Implemented foundation; production real-time depth needs continued hardening.
Expenses & subscriptions	Expense allocation, split activities, Stripe-oriented subscription surface.	Core logic exists; business workspace billing is not built.
Travel unit	Flights, hotels, routes and buses service/schema surfaces; Flights is the current governed delivery program.	Flights advanced; hotels/buses/provider depth is mixed.

3. System architecture and operating model

Backend flow: HTTP routes validate and authorize requests, services own business rules and provider coordination, schemas define stable contracts, and SQLAlchemy models persist relational state. PostgreSQL/Supabase is the durable source of truth. Firebase is intentionally limited to ephemeral presence, location and timer-like state. This separation protects transactional integrity while keeping live interactions responsive.

Frontend flow: Next.js App Router separates public/auth routes from the authenticated dashboard shell. Shared API helpers attach bearer tokens when available and support guest-safe calls where the product permits them. The application uses componentized travel, Lounge and Live surfaces rather than duplicating logic inside pages. MapLibre/Leaflet, OSRM and geocoding services power the map experience; deterministic route facts are assembled before AI is allowed to explain them.

Layer	Primary responsibility	Notable modules / controls
Presentation	Responsive pages, results, filters, map panels, comparison and group actions	Dashboard route group; Travel components; Lounge dock; Live panels
Client data	API calls, auth token handling, search serialization, safe display formatting	frontend/lib/api.ts; flight-* libraries; dashboard user context
API	Request validation, access checks, stable response contracts	FastAPI routers under /api/v1; health at /health
Domain services	Trips, groups, expenses, route intelligence, provider orchestration, disclosure and recovery	app/services/*; provider-neutral Flights coordinator/adapters
Persistence	Users, groups, trips, rosters, polls, expenses, subscriptions and caches	SQLAlchemy 2 + PostgreSQL + Alembic
Real-time	Transient presence and active location state	Firebase RTDB; never the permanent relational store
External	Maps, routing, weather, AI and travel inventory	Provider credentials, terms, timeouts and fallbacks govern usability

4. Product boundary and decisions already made

- Rovvy is a social travel operating system. Its differentiator is coordination across planning, execution and group decisions—not simply listing inventory.
- Flights is currently a metasearch and planning layer. Rovvy searches, compares, explains and redirects; the selected airline, OTA or authorized provider owns payment, ticketing, changes, cancellations, refunds and support.
- Public Flights must not enter Rovvy checkout. Dormant historical booking screens may remain guarded for reference, but ordinary routes and calls to action cannot reach them.
- Sandbox/test inventory must be unmistakable and non-bookable. Provider identity, environment, price freshness and actionability must remain auditable.
- Provider-supplied through itineraries are prioritized. Rovvy-generated separate-ticket combinations are deferred until policy and risk handling mature.
- AI may explain verified structured route facts; it must not invent flights, fares, visa rules, connection protection or baggage transfer.
- Revenue follows trust. Creator/business modes, direct eSIM sales and deeper monetization are later phases, not reasons to weaken current disclosure or safety gates.

5. Current platform phases

Platform phase	Meaning	Status
Foundation	Identity, groups, trips, planning data, public sharing, deployment scaffolding	Largely implemented; production config and edge cases remain.
Execution	Live map, local navigation, route intelligence, Lounge and expenses	Implemented foundation; Convoy/offline sync incomplete.
Trustworthy Travel	Provider-neutral comparison, safe redirects, exact aggregation and visible provenance	Active program; Flights Sprints 1–2 current.
Reliability	Offline caching, sync reconciliation, comprehensive E2E/visual gates and operational evidence	Planned / partially scaffolded.
Growth & monetization	Creator sharing, business workspaces/billing, optional partner commerce	Later; intentionally gated behind trust.

6. Flights delivery: six-sprint program

The authoritative Flights plan runs from 24 August through 13 November 2026 in six proposed two-week sprints. Dates are planning assumptions; technical evidence and acceptance decisions govern the real status.

Sprint	Objective	Status as of 2 Sep	Exit condition
1 — Redirect-only alignment	Remove public Rovvy checkout paths and misleading booking language.	Technical Complete; PO Review Pending. Seven goals recorded complete.	Product Owner accepts the demonstrated redirect-only increment.
2 — Provider governance	Lifecycle, authorization, environment, actionability, safe handoff and partial-result controls.	12.5% in roadmap; early technical work completed, FL-045 still in progress.	Only authorized/actionable sellers; HTTPS allowlisted redirects; transparent failure behavior.
3 — Aggregation correctness	Exact fingerprints, deduplication, near-match protection, currency integrity and seller ordering.	Pending, although some enabling code/tests already exist.	Same itinerary groups; materially different or expired journeys do not.
4 — Results & group usefulness	Compact hierarchy, coverage/freshness, recommendation reasons, accessibility and Trip Space attachment.	Pending; parts of results UI and curation already exist.	Accessible decisions for solo/group users with honest provenance.
5 — First authorized source	Finish provider-neutral adapter gate and connect one lawful evaluation source.	Pending; provider access work is dependency-blocked.	One authorized source yields permitted offers and itinerary-specific handoff.
6 — Hardening & evidence	Unified release command, security/performance/failure testing, demo, provider brief and release ownership.	Pending.	Stable non-commercial preview with approval and rollback evidence.

7. Flights work verified to date

Delivered control	Verified result	Residual caveat
Redirect-only public flow	Results use external redirect only when a provider URL exists; missing links are unavailable.	Production handoff still requires an authorized link.
Checkout route guards	Offer, checkout and booking route families are disabled in public product mode.	Add stronger behavioral router/component tests during hardening.
Trust and copy	Test inventory disclosure and seller-owned payment/support language are visible; guest comparison does not require login.	Historical checkout code remains dormant behind guards.
Provider request safety	Duffel maximum connections are capped at its supported limit of two while Rovvy retains provider-neutral inputs.	Duffel sandbox has no redirect-only seller handoff.
Zero-result recovery	Exact search can propose bounded nearby/gateway searches; HLC→KHG produced seven transparent alternatives.	Alternatives are new searches, not confirmed itineraries or prices.
Data integrity	Airport substitutions are excluded from exact results; provider-reported currency is retained; recovery objects contain no fabricated price.	No exchange-rate normalization service yet.
Travelpayouts white label	Official WL 21482 embed integrated with separate search/results containers, provider-owned disclosure, responsive loading and script-error fallback; focused ESLint passed.	Configured for rovvy.app; localhost cannot prove production rendering or outbound handoff.
Provider probes	Duffel sandbox search passed; Travelpayouts authenticated but returned zero cached fares on audited routes; Kiwi key returned HTTP 401.	Zero of three audited providers was then eligible as a live selectable redirect seller.

8. Test evidence already recorded

Sprint 1 evidence records TypeScript with zero errors, 47 Vitest files / 239 tests passing, 57 focused backend tests passing, and the full backend suite at 872 passed / 4 skipped. Sprint 2 recovery records 33 focused backend tests and TypeScript passing. The current repository contains 100 backend test files and 47 frontend test/spec files. These are historical verified results from the project records; this report generation did not rerun the entire suite.

9. Findings, gaps and unresolved risks

Finding / risk	Why it matters	Required control / decision
Provider authorization is the release bottleneck	Code presence or a credential does not prove permission to display prices or redirect users.	Record authorization type, display/price/redirect rights, terms date, environment and approved domains before activation.
Production-domain proof is missing for the white label	The Travelpayouts widget is configured for rovvv.app; localhost evidence is insufficient.	Deploy to the authorized domain and verify rendering, live results, outbound handoff, mobile behavior and failure fallback.
Safe redirect boundary is unfinished	An arbitrary or stale URL can create phishing/open-redirect risk.	Server-known offer token, freshness check, HTTPS-only policy, provider host allowlist and safe expired-link errors.
Exact itinerary grouping remains a high-risk correctness area	Bad fingerprints can merge different flights or separate identical seller offers.	Test dates, time zones, overnight arrivals, flight/operating carrier, terminals, ordered connections, codeshares and duplicates.
Freshness and coverage must remain explicit	A low price is misleading if expired or based on partial provider success.	Exclude expired/non-actionable offers from starting price; show checked time, coverage and partial-result status.
Uncommitted working tree is large	Most recent Flights work and Scram Book records are present as modified/untracked files, beyond the latest commit dated 12 Aug.	Review, separate generated/cache files, run gates, then commit coherent changes with documentation.
End-to-end browser coverage is thin	Static/source and unit tests cannot fully prove redirects, protected-child non-rendering or mobile provider behavior.	Add Playwright/Cypress or focused component/router tests plus responsive visual regression.
Group Live / Convoy is incomplete	A core social differentiator lacks full multi-user real-time completion.	Complete Firebase synchronization, explicit consent, expiry and recovery behavior.
Offline readiness and sync do not exist	Travel execution can fail when connectivity drops; offline writes can conflict.	Add IndexedDB/local cache, visible stale/offline state and a deliberate reconciliation policy.
Creator and business modes are not yet modeled	Public creator profiles, organization isolation, seat billing and usage controls need schema and product design.	Keep them later-phase until core trust/reliability gates are met.
Operational and legal dependencies remain	OAuth/secrets, provider terms, privacy, location consent and production infrastructure determine launch safety.	Finish environment audit, counsel/product disclosure review, monitoring, rollback ownership and incident runbooks.

10. Provider decision snapshot

Source	Observed state	Decision
Duffel	Adapter and sandbox search capability exist; sandbox offer is test inventory and lacks an external redirect-only seller link.	Keep non-actionable in the public redirect-only experience; do not add order/checkout calls.
Travelpayouts / Aviasales	Data API authentication verified; audited exact searches returned zero cached offers. Official white-label widget is integrated for rovvv.app.	Continue as current evaluation path; prove authorized-domain behavior and do not normalize embed data without separate rights.
Kiwi.com Tequila	Code path exists, but configured key was rejected with HTTP 401; current partnership access is constrained.	Treat as blocked until active authorization and credentials are obtained.
Amadeus and other candidates	Provider-neutral architecture and an Amadeus adapter/test surface appear in the working tree, while authorization/production suitability remains unproven.	Do not advertise or activate a provider until code, credentials, rights and live/actionable behavior are each verified.

11. Quality interpretation

The project has meaningful automated coverage, but readiness must be judged by layers. Unit and contract tests prove local logic; focused provider probes prove only the tested environment and date/route; browser checks prove a rendered scenario; production-domain validation proves authorized hosting behavior; Product Owner review establishes acceptance. None of those layers substitutes for the others. The report therefore does not equate ‘implemented’ with ‘launched,’ ‘configured’ with ‘authorized,’ or ‘HTTP 200’ with ‘usable inventory.’

12. Recommended sequence from now

Order	Next action	Evidence required
1	Close Sprint 1 governance: demonstrate redirect-only routes/copy and obtain Product Owner accept/reject decision.	Dated review decision and any carry-over items.
2	Deploy the Travelpayouts white label to rovvv.app and test search, ticket display, outbound handoff, mobile layout and script failure.	Screenshots/logs on authorized domain; no claim of live inventory unless returned.
3	Complete provider lifecycle metadata and activation gate (FL-010–013).	Directory/API tests showing registered, configured, authorized, enabled and actionable are independent states.
4	Implement server-side redirect validation (FL-071) and partial-result/security coverage (QA-201).	Unsafe schemes/domains blocked; stale tokens rejected; one provider failure preserves valid results.
5	Finish Sprint 3 exact grouping and currency/freshness rules using sanitized provider fixtures.	Collision, codeshare, overnight, duplicate and expiry suites pass.
6	Polish results hierarchy and group usefulness, including coverage/freshness and explainable recommendations.	Keyboard/mobile visual regression and solo/group usability record.
7	Secure one authorized evaluation feed and produce a repeatable integration runbook.	Permission evidence, allowed use, credentials, contract fixture and successful permitted handoff.
8	Create the release gate and evidence package; review privacy, security, performance, rollback and ownership.	One repeatable command/CI result plus signed Product Owner release decision.
9	Then return to platform differentiators: Group Live/Convoy and offline readiness before Creator/Business monetization.	Consent/expiry tests, offline-state UX, sync policy and production metrics.

13. Definition of success

- A traveler can search a real journey, see several distinct timing options, understand stops/duration/risk, compare legitimate seller offers for the exact itinerary, and continue through a validated external handoff.
- The experience remains useful when one source fails, honest when nothing actionable exists, and explicit about environment, coverage, price time and seller responsibility.
- A group can share and discuss an itinerary and later attach minimal externally confirmed flight facts to Trip Space without suggesting that Rovvy owns the reservation.
- Live coordination is consent-based and expires safely; route facts remain deterministic; AI explanations are bounded; offline state is visible and does not masquerade as current data.
- Release evidence is reproducible, production configuration is verified, secrets are protected, and rollback/release ownership is named.

14. Handoff summary for the ongoing conversation

The correct narrative is: Rovvy has moved well beyond a prototype, but it is not uniformly launch-ready. The core operating-system architecture and many user journeys exist. Flights has undergone a deliberate correction from an internal-booking impression to an honest redirect-only comparison model. That correction is technically established. The next challenge is not adding more provider logos; it is proving authorization, actionability, safe handoff, exact aggregation and production behavior. Parallel platform work should protect the features that make Rovvy distinctive—Trip Space, Lounge, Live coordination, deterministic route intelligence and shared expenses—while deferring higher-risk monetization until trust and reliability are demonstrated.

15. Evidence and limitations

Primary records consulted: Scram Book/Travel Tab/Rovvy_Travel_Flights_Scrum_Plan.xlsx; Scram Book/Travel Tab/Rovvy_Flights_Detailed_Product_Report.docx; Scram Book/README.md; PROJECT_HANDOFF.md; GROUP_TRAVEL_OS_OVERVIEW.md; docs/PROJECT_STRUCTURE_AND_EVALUATION.md; GEMINI.md; repository file inventory, Git status/history and existing QA result records. The latest Git commit is dated 12 August 2026, while extensive newer work is modified or untracked; therefore the working tree and Scram Book are essential to this snapshot. No external provider terms or live production system were re-verified for this report, and the full automated suite was not rerun during document generation. Provider access, legal permissions, deployment state and Product Owner acceptance must be confirmed separately before launch claims.

Final status	Assessment
Platform	Substantial high-fidelity product with broad implemented foundations; reliability depth varies by area.
Flights	Sprint 1 technically complete / PO pending; Sprint 2 active with verified early increments and material governance work remaining.
Launch	Not yet approved as a live multi-provider comparison release.
Immediate focus	Close acceptance, verify rovvv.app provider behavior, finish governance and secure redirects, then prove aggregation correctness.